

Current Date 03Jan2020

### 130G FT4 EXCAVATOR

#### **HYDRAULICS**:

Open Center, Load Sensing with Variable Displacement

**Pumps** 

Hydraulic Pilot Controls Axial Piston Swing Motor Multiple Wet Disk Swing

**Brake** 

Auxiliary Valve Section Adjustable Flow for Attachments Through

Monitor

Boom and Arm Reduced Drift

Valves

Power Boost Auto Power Lift

Hydraulic Tank Site Gauge 5,000 Hour Hydraulic Oil

Change Interval

Hydraulic Oil Sampling Valve

UNDERCARRIAGE:

Two Speed Propel with Auto-

Shift

Axial Piston Propel Motors Propel Motor Shields Planetary Final Drives Sealed Track Chain Front and Center Track

Guides

Provisions for Tie Downs X-Frame Car Body Hydraulic Track Adjuster Seven Lower Rollers

One Upper Roller

Spring Applied Hydraulic Released Propel Brake UPPER STRUCTURE:

Right, Left Mirrors(2)

Toolbox

Tool Box

Vandal Locks for:

Cab Door Service Doors Fuel Cap

Counterweight, 5,181 lbs.

(2,350 kg) Work Lights: Remote Mounted Engine Oil and Fuel Filters

FRONT ATTACHMENT:
Oil Impregnated Bushings
Reinforced Resin Thrust

**Plates** 

Tungsten Carbide Thermal Coating on arm to Bucket

Joint

Centralized Lubrication

System

Dirt Seals on Bucket Pins

Less Boom Less Arm Less Bucket

OPERATOR'S STATION: Adjustable Control Positions (Levers to Seat, Seat to

Pedals)

4" Arm Rests Attached to

Side Consoles

Pilot Control Shut-Off Lever Short Stroke, Low Effort Pilot

Levers

Switches for Auxiliary

Hydraulic Control on RH Pilot

Lever

Deluxe Adjustable Cloth Seat with Suspension, Reclining

Backrest,

Headrest, and Adjustable

Lumbar Support

Multifunction, Color LCD Monitor System with: Diagnostic Capability Systems Monitoring

Capability

Multiple Language Capability Maintenance Tracking Control Pattern Changer

Engine Coolant Temperature

Engine Coolant Temperature Warning Indicator with

Audible Alarm

Fuel Gauge with Low Fuel Indicator

Diesel Exhaust Fluid Guage Work Mode Indicator

Auto Idle Indicator

Alternator Charge Indicator

Air Filter Restriction

Indicator

Fault Code Alert Indicator Check Engine Indicator Wiper Mode Indicator Work Lights On Indicator

Fuel Rate Display

Clock

Hour Meter Mode Selection: One Work Mode Three Power Modes

Numerous Attachment

Modes

Auto-Climate Control/Air Conditioner, Heater with

Pressurizer AM-FM Radio Rear View Camera

Machine Information Center

(MIC)

Windshield Wiper/Washer with Intermittent Speed 12V-60W, 5 Amp Cell Phone

Power Outlet

2 In. Retractable Seat Belt

**Tinted Safety Glass** 

Hot/Cold Box Compartment

Horn

Two Cup Holders Interior Light Coat Hook Floor Mat

Motion Alarm with Cancel

Switch

Transparent Tinted Roof Hatch with Sunshade Four Fluid-Filled Elastic

Mounts

One Mounted on Frame
One Mounted on Boom
Debris Screening Side Panel

Engine Oil Pressure Warning Indicator with Audible Alarm

Easy Access Air Conditioning Filter

Required - You must select one from each category

BASE MACHINE

F.O.B Kernersville, North Carolina for Complete Machine. See DEALER-INSTALLED ATTACHMENT section for additional source notes.

Description Code Price 130G FT4 EXCAVATOR 05N1FF \$163,274.00

ENGINE

Description Code Price Engine Stage IV Emissions 1095 \$10,992.00

John Deere PowerTech PWS 4.5L 98 Net Rated hp (ISO 9249) Turbocharger Charge Air Cooler Electronic Engine Control Unit Auto-Idle System

Cool on Demand Fan Antifreeze Protection to -34F (-37C)

**Enclosed Fan Guard** 

Dual Element Dry-Type Air Filter with Restriction Indicator

Full Flow Oil Filter Double Fuel Filter Water Separator

Automatic Belt Tension Device

Glow Plug Start Aid

Heavy Duty, Low Maintenance Batteries

100-Amp Alternator - 24 Volt

500 Hour Engine Oil Change Interval

Engine Oil Sampling Valve.

## OPERATOR'S MANUAL AND DECALS

Non-English Operator's Manuals

Translated Customer Delivery Packets can be ordered using the John Deere Technical Information Bookstore at http://www.johndeeretechinfo.com at no charge. The Translated Delivery Packets include the Operator Manual, Decal Kit, Warranty Information Booklet, and Uptime Maintenance Planner. Search for and order the Translated Delivery Packets by model and language that meets your customer requirements. A listing of all Translated Delivery Packets available can be found by selecting Translated Delivery Packets from the Manual Type dropdown list. Technical support is available by calling 1-866-213-3373.

Description Code Price English Customer Delivery Packet 1600 No Added Cost

# ▼ MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink /ZXLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

TRACK SHOES

this option.

wide Backfill Blade

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLink Ultimate - 5 Year Subscription	170C	No Added Cost

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

Description 600 mm (24 In.) Triple Semi-Grouser Shoes	Code 3200	Price No Added Cost
Without Backfill Blade. Recommended for rocky terrain, hard ground and stumps.		
600 mm (24 In.) Triple Semi Grousers with 2590 mm (8'6") wide Backfill Blade	3205	\$14,789.00
Recommended for rocky terrain, hard ground and stumps.		
700 mm (28 In.) Triple Semi-Grouser Shoes	3250	\$698.00
Recommended for general conditions and soft terrain. Without Backfill Blade.		
700 mm (28 In.) Triple Semi Grousers with 2690 mm (8'10") wide Backfill Blade	3255	\$15,487.00
Recommended for general conditions and soft terrain.		
600 mm (24 In.) Rubber Crawler Pads without Backfill Blade	3260	\$11,029.00
Rubber pads are laminated to track shoe.  This option requires a long lead time, contact your dealer for availability of		

\$25,818.00

3265

600 mm (24 In.) Rubber Crawler with 2590 mm (8'6")

Rubber pads are laminated to track shoe.

Description

Less Auxiliary Hydraulics

~	SEAT		
	Description	Code	Price
	Seat, Standard Mechanical	4125	No Added Cost
	Seat, Heated Air-Suspension	4130	\$976.00
	Seat, Premium Leather - Thermal Heating and Active Cooling	4135	\$2,731.00
	Active heating and cooling Air suspension High seat back 3-way adjustability High visability orange 3 inch seat belt		
~	BOOM		
	Description	Code	Price
	Less Boom	6801	No Added Cost
	Excludes Arm Cylinder, Boom Cylinders and Plumbing on Boom. Includes Pin Connecting Boom to Mainframe and the Two Boom Cylinder Pins. Requires code 7001, "Less Arm". The "Hydraulic Filter Restriction Indicator" in DEALER-INSTALLED ATTACHMENTS is recommended		
	One Piece Boom with Arm Cylinder and Plumbing	6835	\$14,276.00
~	ARM		
	Description	Code	Price
	Less Arm, Bucket Cylinder, Bucket Linkage and All Attaching Pins and Hoses	7001	No Added Cost
	Hydraulic Filter Indicator Recommended. Requires code 8001, Less Buckets.		
	Arm with Bucket Cylinder and Linkage	7140	\$9,162.00
	2.52 M (8 ft. 3 in.)		
	Arm with Bucket Cylinder and Linkage	7180	\$10,519.00
	3.01 M (9 ft. 11 in.)		

Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller

Price

No Added Cost

\$7,129.00

Code

7401

7420

Includes Combination piping for 2.52 M Arm (8 ft. 2 in.)		
Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller	7430	\$7,261.00
for 3.01 M Arm Includes Combination piping		
Auxiliary High-Flow Hydraulic Lines Only	7440	\$4,943.00
Includes Combination piping for 2.52 M Arm Requires a control circuit such as a foot controller or the standard right-hand control handle with (2) switches. Also order a solenoid kit.		
Auxiliary High-Flow Hydraulic Lines Only	7450	\$5,076.00
Requires a control circuit such as a foot controller or the standard right-hand control handle with (2) switches. Also order a solenoid kit. Includes Combination piping for 3.01 M Arm		
Auxiliary High-Flow Hydraulic Lines w/ AFL (Pilot Lever Proportional Control)	7490	\$8,169.00
for 2.52 M Arm Includes Combination piping		
Auxiliary High-Flow Hydraulic Lines w/ AFL (Pilot Lever Proportional Control)	7495	\$8,302.00
for 3.01 M Arm Includes Combination piping		

## **BUCKETS**

All Heavy-Duty and Severe-Duty Buckets come standard with TK-Series Fanggs Teeth.

Description	Code	Price
Less Bucket	8001	No Added Cost
Includes bucket mounting pins.		
Heavy-Duty Bucket	8411	\$4,898.00
24 In. (600 mm), 0.47 Yd3 (0.36 M3) Includes Four (4) John Deere TK-Series Fanggs Teeth (TK300FD).		
Heavy-Duty Bucket	8421	\$5,302.00
Includes Four (4) John Deere TK-Series Fanggs Teeth (TK300FD). 30 In. (750 mm), 0.64 Yd3 (0.49 M3)		
Heavy-Duty Bucket	8431	\$5,843.00
Includes Five (5) John Deere TK-Series Fanggs Teeth (TK300FD). 36 In. (900 mm), 0.81 Yd3 (0.62 M3)		

Optional - Select as desired



**HEATER** 

	Description	Code	Price
	Engine Block Heater	9015	\$248.00
~	FILTER		
	Description	Code	Price
	Fuel Filter, Severe-Duty	9060	\$175.00
₩	ENGINE FAN		
~	EXHAUST		
	Description	Code	Price
	Chrome Exhaust	9700	\$403.00
~	SHIPPING PREPARATION		
	Description	Code	Price
	Special Export Preparation Do not install front for shipping	9803	No Added Cost
	For Export Containerization		
~	LIGHT PACKAGE		
	Description	Code	Price
	Light Package	9150	\$2,258.00
	<ul> <li>All exterior machine lights are LED</li> <li>2 Front Cab lights, 1 Rear Cab light, 1 Toolbox Light, 1 Under Engine Hood Light, 1 Left hand and 1 Right hand Boom Lights</li> </ul>		
~	BOOM CYLINDERS		
	Description	Code	Price
	Boom Cylinders with Plumbing to Main Frame	9010	\$5,211.00
	Requires 6801, Less Boom, and Code 7001, Less Arm.		
_	ATTACHMENTS FOR FIFED CONVERSION		

## ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, lowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (<a href="Installation Bulletin Search">Installation Bulletin Search</a>), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Buckets, Heavy-duty		
24 In (610 mm), 0.47 yd3 (0.36 M3) Heavy-Duty Bucket	BYT11148	\$3,515.00

Includes Four (4) John Deere TK-Series Fanggs Teeth (TK300FD).

30 In (762 mm), 0.64 yd3 (0.49 M3) Heavy-Duty Bucket	BYT11149	\$3,683.00
Includes Four (4) John Deere TK-Series Fanggs Teeth (TK300FD).		
36 In (914 mm), 0.81 yd3 (0.62 M3) Heavy-Duty Bucket	BYT11150	\$4,019.00
Includes Five (5) John Deere TK-Series Fanggs Teeth (TK300FD).		
42 In (1067 mm), 0.99 yd3 (0.76 M3) Heavy-Duty Bucket	BYT11151	\$4,199.00
includes Five (5) John Deere TK-Series Fanggs Teeth (TK300FD).		
Buckets, Side Cutters		
Edge Protector Kit	AT342511	\$618.00
Side-Cutter Kit, 3 inch	AT342512	\$641.00
<u>Guards</u>		
Cab FOPS Guard	AT390802	\$3,073.00
FOPS Level II, ISO 10262 Certified		
Hydraulic Couplers		
Hydraulic Quick Coupler	AT449342	\$8,019.00
Installation Charge for Hydraulic Coupler	AT345608	\$1,387.00
Installation Charge Order also requires attachment part number, SHIP-TO address for Paladin Custom Works, AND reference related machine order number.  The related machine order must reference the attachment order number.  Order code available only for Kernersville, North Carolina installations.		
Hydraulic Thumb Kits		
Deere/Hitachi Hydraulic Thumb Installation	AT339844	\$1,967.00
Labor for installation of Deere/Hitachi thumb at Paladin Customworks Kernersville, NC.		
HYD THUMB KIT, DIRECT, Without COUPLER	BYT10496	\$8,282.00
Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing.		
Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement.		
HYD,THUMB KIT, DIRECT, COUPLER	BYT10497	\$8,282.00
Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing.		
Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement.		
Hydraulic Thumb Kit, Direct	AT379640	\$8,282.00

Teeth matching between the bucket and thumb will depend on the buck width, number of teeth, and tooth spacing.	ket	
Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement.		
Hydraulic Thumb Kit, Progressive	AT379642	\$10,432.00
Teeth matching between the bucket and thumb will depend on the buck width, number of teeth, and tooth spacing.	cet	
Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement.		
Only available for the following arm lengths: 130 3.01M (9'11") 135 3.01M (9'11")		
<u>Hydraulics</u>		
Anti-Drift Valve with Plumbing and Hardware, Arm Cylinder	AT303665	\$3,100.00
For customers who require reduced function drift during craning		
applications. Includes reduced drift valves for rod end of the arm cylinders. Boom anti-drift valves recommended.		
Installation Instructions T200270. Also order AT303666, hydraulic hose, for 120 and 135 size excavators. Also order AT304849, hydraulic hose, for 160 size excavators.		
Auxiliary High-Flow Hydraulic Lines for 130G	AT418546	\$3,783.00
Boom Cylinder Anti-Drift Valve with Plumbing and Hardware	AT303957	\$3,110.00
For customers who require reduced function drift during craning		
applications. Includes reduced drift valves for the head end of the boom cylinders. Installation instructions T203620. Average installation, 10 hours.		
Control Handle for Auxiliary Hydraulics, Left-Hand	AT327652	\$525.00
Requires control solenoid for either 1-way or 2-way auxiliary hydraulics. Recommended for use with auxiliary hydraulic lines.		
Control Solenoid for 1-way Auxiliary Hydraulics with Foo Switch	t AT446155	\$950.00
Does not use the monitor for flow control.  Does not require solenoids for auxiliary hydraulics.  Includes foot switch, solenoid, wiring, and hoses.		
Control Solenoids for 2-Way Auxiliary Hydraulics	AT445467	\$800.00
Monitor can be used to control hydraulic flow.  Can be used with either right-hand or left-hand control handle.		
Foot Control, Two-Way Hydraulics	AT418450	\$2,009.00
	AT442872	\$789.00

Hydraulic Filter Restriction Indicator Kit		
For iT4 and FT4 only.		
Proportional Auxiliary Hydraulic Control Kit	AT461528	\$3,060.00
Includes joysticks, wiring, and valves.		
Operator Environment		
Exterior Work Lights Package	AT396663	\$741.00
Additional 2 Cab lights, with 1 Right hand Boom Light.		
Full Length Front Guards	BYT11141	\$1,532.00
Stereo adapter for phone or music device.	ETN93549	\$224.00
Overall Vehicle		
Vandal Covers	BYT11005	\$3,023.00
After Serial # 40100 After Serial # 42001		
REFERRAL ATTACHMENTS		
Description	Code	Price
<u>G.r.mfg.</u>		
G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
Counterweight, Bottom Mount, 1200 lbs.	AT430877	\$3,162.00
Parts are primed only (contact GR Mfg for paint color). Cannot be ordered for blade units. Counterweights are painted yellow.		
Front Window Guard, Polycarbonate	ETN210311	\$2,570.00
Slant Top Rub Rails	AT430873	\$1,678.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |