

#### Current Date 03Jan2020

#### 180G LC FT4 EXCAVATOR

### **HYDRAULICS**:

Open Center, Load Sensing with Variable Displacement

**Pumps** 

Hydraulic Pilot Controls Axial Piston Swing Motor Multiple Wet Disk Swing

**Brake** 

Auxiliary Valve Section Adjustable Flow for Attachments Through

Monitor

Boom and Arm Reduced Drift

Valves

Power Boost Auto Power Lift

Hydraulic Tank Site Gauge 5,000 Hour Hydraulic Oil

Change Interval

Hydraulic Oil Sampling Valve

UNDERCARRIAGE:

Two Speed Propel with Auto-

Shift

Axial Piston Propel Motors Propel Motor Shields Planetary Final Drives Sealed Track Chain Front and Center Track

Guides

Provisions for Tie Downs X-Frame Car Body Hydraulic Track Adjuster

Seven Lower Rollers Two Upper Rollers

Spring Applied Hydraulic Released Propel Brake UPPER STRUCTURE:

Right, Left Mirrors(2)

Toolbox

Tool Box

Vandal Locks for:

Cab Door Service Doors Fuel Cap

Counterweight, 8,598 lbs.

(3,900 kg) Work Lights: Remote Mounted Engine Oil and Fuel Filters

FRONT ATTACHMENT:
Oil Impregnated Bushings
Reinforced Resin Thrust

**Plates** 

Tungsten Carbide Thermal Coating on arm to Bucket

Joint

Centralized Lubrication

System

Dirt Seals on Bucket Pins

Less Boom Less Arm Less Bucket

OPERATOR'S STATION: Adjustable Control Positions (Levers to Seat, Seat to

Pedals)

4" Arm Rests Attached to

Side Consoles

Pilot Control Shut-Off Lever Short Stroke, Low Effort Pilot

Levers

Switches for Auxiliary

Hydraulic Control on RH Pilot

Lever

Deluxe Adjustable Cloth Seat with Suspension, Reclining

Backrest,

Headrest, and Adjustable

Lumbar Support

Multifunction, Color LCD Monitor System with: Diagnostic Capability Systems Monitoring

Capability

Multiple Language Capability Maintenance Tracking

Engine Coolant Temperature

Gauge

Engine Coolant Temperature Warning Indicator with

Audible Alarm

Engine Oil Pressure Warning Indicator with Audible Alarm

Fuel Gauge with Low Fuel Indicator

Diesel Exhaust Fluid Guage

Work Mode Indicator
Auto Idle Indicator

Alternator Charge Indicator

Air Filter Restriction

Indicator

Fault Code Alert Indicator Check Engine Indicator Wiper Mode Indicator Work Lights On Indicator

**Fuel Rate Display** 

Clock

Hour Meter
Mode Selection:
One Work Mode
Three Power Modes
Numerous Attachment

Modes

Auto-Climate Control/Air

Conditioner, Heater with Pressurizer

AM-FM Radio

Control Pattern Changer

Rear View Camera

Machine Information Center

(MIC)

Windshield Wiper/Washer with Intermittent Speed 12V-60W, 5 Amp Cell Phone

Power Outlet

2 In. Retractable Seat Belt

**Tinted Safety Glass** 

Hot/Cold Box Compartment

Horn

Two Cup Holders Interior Light Coat Hook Floor Mat

Motion Alarm with Cancel

Switch

Transparent Tinted Roof Hatch with Sunshade Four Fluid-Filled Elastic

Mounts

One Mounted on Frame One Mounted on Boom Debris Screening Side Panel Easy Access Air Conditioning Filter

#### Required - You must select one from each category

BASE MACHINE

Description Code Price 180G LC FT4 EXCAVATOR 1411FF \$192,917.00

ENGINE

Description Code Price Engine Stage IV Emissions 1095 \$19,566.00

John Deere PowerTech PWS 4.5L 121 Net Rated hp (ISO 9249) Turbocharger Charge Air Cooler Electronic Engine Control Unit Auto-Idle System Cool on Demand Hydraulic Driven Fan

Cool on Demand Hydraulic Driven Far Antifreeze Protection to -34F (-37C)

**Enclosed Fan Guard** 

Dual Element Dry-type Air Filter with Restriction Indicator

Full Flow Oil Filter
Double Fuel Filter
Water Separator

Automatic Belt Tension Device

Glow Plug Start Aid

Heavy Duty, Low Maintenance Batteries (180 Minute Reserve)

100-Amp Alternator - 24 Volt

500 Hour Engine Oil Change Interval

Engine Oil Sampling Valve

#### OPERATOR'S MANUAL AND DECALS

#### Non-English Operator's Manuals

Translated Customer Delivery Packets can be ordered using the John Deere Technical Information Bookstore at http://www.johndeeretechinfo.com at no charge. The Translated Delivery Packets include the Operator Manual, Decal Kit, Warranty Information Booklet, and Uptime Maintenance Planner. Search for and order the Translated Delivery Packets by model and language that meets your customer requirements. A listing of all Translated Delivery Packets available can be found by selecting Translated Delivery Packets from the Manual Type dropdown list. Technical support is available by calling 1-866-213-3373.

Description Code Price English Customer Delivery Packet 1600 No Added Cost

English Decals and Customer Delivery Packet

## MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink /ZXLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

# Description JDLink Ultimate - 5 Year Subscription

Code Price 170C No Added Cost

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the

₩	TRACK	SHOFS

Description	Code	Price
600 mm (24 In.) Triple Semi-Grouser Shoes	3310	No Added Cost
Recommended for rocky terrain, hard ground and stumps.		
Triple Semi-Grouser Shoes	3330	\$1,211.00
Recommended for general conditions and soft terrain. 700 mm (28 ln.)		
800 mm (32 In.) Triple Semi-Grouser Shoes	3360	\$1,719.00
Recommended for extremely soft terrain.		
SEAT		
Description	Code	Price
Seat, Standard Mechanical	4125	No Added Cost
Seat, Heated Air-Suspension	4130	\$976.00
Seat, Premium Leather - Thermal Heating and Act Cooling	ive 4135	\$2,731.00
Active heating and cooling Air suspension		

## ▼ BOOM

High seat back 3-way adjustability

High visability orange 3 inch seat belt

Description Code Price

	Less Boom	6801	No Added Cost
	Excludes Arm Cylinder, Boom Cylinders and Plumbing on Boom. Includes Pin Connecting Boom to Mainframe and the Two Boom Cylinder Pins. Requires code 7001, "Less Arm". The "Hydraulic Filter Restriction Indicator" in DEALER-INSTALLED		
_	ATTACHMENTS is recommended	/ 02F	¢17.204.00
	One Piece Boom with Arm Cylinder and Plumbing	6835	\$17,204.00
~	ARM		
	Description	Code	Price
	Less Arm, Bucket Cylinder, Bucket Linkage and All Attaching Pins and Hoses	7001	No Added Cost
	Hydraulic Filter Indicator Recommended. Requires code 8001, Less Buckets.		
	Arm with Bucket Cylinder and Linkage	7115	\$11,798.00
	2.7 M (8 ft. 10 in.)		
	Arm with Bucket Cylinder and Linkage	7180	\$13,379.00
	3.2 M (10 ft. 6 in.)		
_	AUXILIARY HYDRAULICS		
	Description	Code	Price
	Less Auxiliary Hydraulics	7401	No Added Cost
_			
	Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller	7420	\$8,060.00
	Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller for 2.7 M Arm (8 ft. 9 in.) Includes Combination piping	7420	\$8,060.00
_	for 2.7 M Arm (8 ft. 9 in.)	7420	\$8,060.00
-	for 2.7 M Arm (8 ft. 9 in.) Includes Combination piping		
-	for 2.7 M Arm (8 ft. 9 in.) Includes Combination piping  Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller  for 3.2 M Arm		
-	for 2.7 M Arm (8 ft. 9 in.) Includes Combination piping  Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller  for 3.2 M Arm Includes Combination piping	7430	\$8,234.00
-	for 2.7 M Arm (8 ft. 9 in.) Includes Combination piping  Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller  for 3.2 M Arm Includes Combination piping  Auxiliary High-Flow Hydraulic Lines Only  for 2.7 M Arm Includes Combination piping Requires a control circuit such as a foot controller or the standard right-	7430	\$8,234.00
-	for 2.7 M Arm (8 ft. 9 in.) Includes Combination piping  Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller  for 3.2 M Arm Includes Combination piping  Auxiliary High-Flow Hydraulic Lines Only  for 2.7 M Arm Includes Combination piping Requires a control circuit such as a foot controller or the standard right-hand control handle with (2) switches. Also order a solenoid kit.	7430	\$8,234.00 \$5,974.00

	Includes Combination piping for 2.7 M Arm		
	Auxiliary High-Flow Hydraulic Lines w/ AFL (Pilot Lever Proportional Control)	7495	\$9,257.00
	Includes Combination piping for 3.2 M Arm		
~	BUCKETS		
	All Heavy-Duty and Severe-Duty Buckets come standard with TK-Series Fanggs T	eeth.	
	Description	Code	Price
	Less Bucket	8001	No Added Cost
	Includes bucket mounting pins.		
	Heavy-Duty Bucket	8321	\$8,312.00
	Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD). 36 In. (914 mm) 0.91 Yd3 (0.69 M3)		
	Heavy-Duty Bucket	8331	\$9,066.00
	42 In. (1067 mm) 1.11 Yd3 (0.85 M3) Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD).		
	Heavy-Duty Bucket	8341	\$9,781.00
_	Includes Six (6) John Deere TK-Series Fanggs Teeth (TK350FD). 48 In. (1219 mm) 1.31 Yd3 (1.00 M3)		
Opt	ional - Select as desired		
_	HEATER		
	Description	Code	Price
	Engine Block Heater	9015	\$248.00
~	FILTER		
	Description	Code	Price
	Fuel Filter, Severe-Duty	9060	\$175.00
_	ENGINE FAN		
	Description	Code	Price
	Automatic Reversing Cooling Fan	9115	\$1,656.00
	Features selectable intervals and manual override. For use in environments with airborne debris.		
	Single Pedal Propel	9180	\$2,259.00
_	EXHAUST		
	Description	Code	Price

	Chrome Exhaust	9700	\$408.00
~	SHIPPING PREPARATION		
	Description	Code	Price
	Special Export Preparation Do not install front for shipping	9803	No Added Cost
	For Export Containerization		
~	UNDERCARRIAGE		
	Description	Code	Price
	Track Frame Undercover	9160	\$643.00
~	LIGHT PACKAGE		
	Description	Code	Price
	Light Package	9150	\$2,258.00
	<ul> <li>- All exterior machine lights are LED</li> <li>- 2 Front Cab lights, 1 Rear Cab light, 1 Toolbox Light, 1 Under Engine Hood Light, 1 Left hand and 1 Right hand Boom Lights</li> </ul>		
_	BOOM CYLINDERS		
	Description	Code	Price
	Boom Cylinders with Plumbing to Main Frame	9010	\$7,187.00

## ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, lowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (<a href="Installation Bulletin Search">Installation Bulletin Search</a>), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Buckets, Heavy-duty		
24 In (610 mm), 0.51 yd3 (0.39 M3) Heavy-Duty Bucket	BYT11157	\$4,938.00
Includes Three (3) John Deere TK-Series Fanggs Teeth (TK350FD).		
30 In (762 mm), 0.71 yd3 (0.54 M3) Heavy-Duty Bucket	BYT11158	\$5,295.00
Includes Four (4) John Deere TK-Series Fanggs Teeth (TK350FD)		
36 In (914 mm), 0.91 yd3 (0.69 M3) Heavy-Duty Bucket	BYT11159	\$5,775.00
Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD)		
42 In (1067 mm), 1.11 yd3 (0.85 M3) Heavy-Duty Bucket	BYT11160	\$6,166.00

Includes Five (5) John Deere TK-Series Fanggs Teeth (TK350FD).		
48 In (1219 mm), 1.31 yd3 (1.00 M3) Heavy-Duty Bucket	BYT11161	\$6,673.00
Includes Six (6) John Deere TK-Series Fanggs Teeth (TK350FD)		
Buckets, Side Cutters		
Edge Protector Kit	AT342511	\$618.00
Side-Cutter Kit, 3 inch	AT342512	\$641.00
Side-Cutter Kit, 6 inch	AT342513	\$641.00
<u>Guards</u>		
Cab FOPS Guard	AT390802	\$3,073.00
FOPS Level II, ISO 10262 Certified		
<u>Hydraulic Couplers</u>		
Hydraulic Quick Coupler	AT452018	\$8,666.00
Installation Charge for Hydraulic Coupler	AT345608	\$1,387.00
Installation Charge Order also requires attachment part number, SHIP-TO address for Paladin Custom Works, AND reference related machine order number.  The related machine order must reference the attachment order number. Order code available only for Kernersville, North Carolina installations.		
Hydraulic Thumb Kits		
Deere/Hitachi Hydraulic Thumb Installation	AT339844	\$1,967.00
Labor for installation of Deere/Hitachi thumb at Paladin Customworks Kernersville, NC.		
Hydraulic Thumb Kit, Direct	AT379648	\$9,342.00
Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing.		
Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement.		
Hydraulic Thumb Kit, Direct for Couplers	AT379649	\$9,342.00
Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing.		
Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement.		
Hydraulic Thumb Kit, Progressive	AT379650	\$11,122.00
Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing.		
Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement.		

Only available for the following arm lengths: 180 3.2M (10'6") 210 2.91M (9'7") 245 2.91M (9'7")		
Hydraulic Thumb Kit, Progressive for Couplers	AT379651	\$11,122.00
Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing.		
Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement.		
Only available for the following arm lengths: 180 3.2M (10'6") 210 2.91M (9'7") 245 2.91M (9'7")		
<u>Hydraulics</u>		
Anti-Drift Valve with Plumbing and Hardware, Arm Cylinder	AT432895	\$3,100.00
Auxiliary High-Flow Hydraulic Lines for 180G	AT415232	\$4,967.00
Boom Cylinder Anti-Drift Valve with Plumbing and Hardware	AT432894	\$3,105.00
Control Handle for Auxiliary Hydraulics, Left-Hand	AT327652	\$525.00
Requires control solenoid for either 1-way or 2-way auxiliary hydraulics. Recommended for use with auxiliary hydraulic lines.		
Control Solenoid for 1-way Auxiliary Hydraulics with Foot Switch	AT446154	\$950.00
Does not use the monitor for flow control.  Does not require solenoids for auxiliary hydraulics.  Includes foot switch, solenoid, relays, wiring, and hoses.		
Control Solenoids for 2-Way Auxiliary Hydraulics	AT445459	\$800.00
Monitor can be used to control hydraulic flow.  Can be used with either right-hand or left-hand control handle.		
Foot Control, Two-Way Hydraulics	AT390739	\$2,009.00
Hydraulic Filter Restriction Indicator Kit	AT445803	\$789.00
Operator Environment		
Exterior Work Lights Package	AT396663	\$741.00
Additional 2 Cab lights, with 1 Right hand Boom Light.		
Full Length Front Guards	BYT11141	\$1,532.00
Stereo adapter for phone or music device.	ETN93549	\$224.00
 Applicable for machines before SN 1FF180GXAJF020900		

	Overall Vehicle		
	Vandal Covers	BYT11005	\$3,023.00
	After Serial # 20900		
W	REFERRAL ATTACHMENTS		
	Description	Code	Price
	<u>G.r.mfg.</u>		
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
	Counterweight, Bottom Mount, 1500 lbs.  Counterweights are painted yellow	AT430878	\$4,515.00
_	<u> </u>	ETN040044	Ф2 570 00
_	Front Window Guard, Polycarbonate	ETN210311	\$2,570.00
	Rear Work Lights Package	AT430784	\$1,271.00
	Slant Top Rub Rails	AT430874	\$1,765.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |