

2019 Confidential Price List for Machines & Accessories

Effective October 1, 2018

Smithco, Inc. 34 West Avenue Wayne, Pennsylvania 19087

Telephone 610-688-4009 Fax 610-688-6069 www.smithco.com

The Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS TABLE OF CONTENTS

DESCRIPTION	PAGE
TERMS, CONDITIONS AND NOTES	Prefix
GOLF COURSE BUNKER RAKES / BASEBALL FIELD CONDITIONERS	1-6
SAND STARS	
SAND STAR IMPLEMENTS FOR GOLF COURSE	
SAND STAR IMPLEMENTS FOR BALLFIELDS & CONSTRUCTION	
ROLLER BRUSH SPIKER SYSTEM	
TURF SWEEPERS, SWEEPER-VACUUMS,TURF VACUUM	
SWEEP STAR 60	7-11
SWEEP STAR 48	
SWEEP STAR V62, V-62-V	
SWEEP STAR V72 (BIG VAC)	
SWEEP STAR V72E (BIG VAC)	
	40.00
SPRAY ST SPRAY STAR 1000	12-20
STAR COMMAND 1000	
SPRAY STAR 1750	
STAR COMMAND 1750	
SPRAY STAR 2000	
STAR COMMAND 2000	
SPRAY STAR 3180	
STAR COMMAND 3180	
SPRAY ACCESSORIES	
GREENS ROLLERS	21
TOURNAMENT ULTRA GREENS ROLLER SERIES	
FAIRWAY ROLLLERS	22
AER-8 AERIFIERS	23
ATHLETIC FIELD LINE MARKERS	24

2

TERMS, CONDITIONS and NOTES

IMPORTANT NOTICE: These terms apply to all transactions with regards to Smithco products. Please read them carefully and understand them fully.

1 PRICES

All prices listed in U.S. Dollars, SHIPMENTS ARE: Ex Works our factory in Cameron, Wisconsin or Humboldt, Kansas and subject to change without prior notice or incurring any obligations.

NOTICE: IN 2019, SMITHCO'S COST OF MATERIAL, INCLUDING TARIFFS WILL LIKELY INCREASE. AN INCREMENTAL DEALER NET PRICE INCREASE IS A GENUINE POSSIBILITY. SHOULD SUCH AN INCREASE BE NECESSARY SMITHCO WILL, REGRETTABLY, NOT BE ABLE TO MAKE EXCEPTIONS FOR PRICES OF PRODUCT NOT ALREADY ON ORDER.

2 CREDIT & PAYMENT

All sales subject to completion of suitable financial arrangements.

BATTERIES SMITHCO PRODUCTS ARE SHIPPED WITHOUT BATTERIES. BATTERIES ARE SUPPLIED BY THE LOCAL SMITHCO DEALER.

NORTH AMERICAN SHIPMENTS

All prices include crating/boxing or factory setup for motor freight shipment within North America

5 INTERNATIONAL SHIPMENTS

\$225.00 per unit

An additional charge (US\$225.00 per machine), for packaging (or setup) / loading / preparation & documentation costs will apply to all products shipped to destinations outside of North America. This charge will appear as a line item on the invoice. SHIPMENTS EX WORKS, OUR FACTORY, CAMERON, WISCONSIN, 54822

6 PACKAGING INFORMATION

Spray Star 1000, 1750, 2000, 3180; Sweep Star 48, 60, V72E and V72 Big Vac, are shipped set-up and mobile within North America and to International destinations when containerized. (Not including dealer installed accessories/implements).

ALL OTHER SMITHCO PRODUCTS are shipped crated or boxed, without batteries for North American motor freight shipments or containerization for international ocean and air shipments.

7 SPRAY BOOMS

All Smithco built Spray Booms will be factory installed on Spray Star dedicated spray vehicles when ordered with a spray vehicle with the exception of plastic nozzle parts. Spray booms ordered without a spray vehicle will be set-up, adjusted then partially dis-assembled for efficient shipping and easy reassembly at the dealer location.

8 CE Certification

Most Smithco products have been certified to meet the requirements of the European Machinery Directive and British standards for chemical spray vehicles and are qualified to carry the "CE" mark and certificate when ordered with the CE Certification Option. Please refer to the price book page for each product to determine the availability and cost of CE Certification for that product. If you have any questions, please contact International Sales at Smithco.

SAND STAR BUNKER RAKES

MODEL	DESCRIPTION	SHIP	SUGGESTED
NUMBER		WT.	LIST PRICE
implements Progressive	OVER: Includes system for Hydraulic operation of all Rear Mounte is listed on pages 4, 5 & 6 of this price list, Patented Speed Boss G ie Hydraulic-Throttle System ("Pro Pedal"), 45-017 Remote Cyclo- raulic Center Implement lift/lower, Factory Installed ROPS & Seat I	Ground S Pac Air (Speed Control, Cleaner & 45-
45-001	SAND-STAR I	980	\$18,883.00
	2-Wheel Parallel Drive, 16hp/12 kW OHV Vanguard gasoline engine,		
45-002	SAND-STAR II 3 Wheel Parallel Drive with Smithco 2WD-3WD Traction Assist, 2 wheel drive selector for traction & increased transport speed, 18hp/13 kW OHV Vanguard gasoline engine.	1005	\$21,420.00
45-204	SAND-STAR IV	1005	\$21,903.00
	3 Wheel Drive Smithco SERIES-PARALLEL Traction Assist DRIVE, Hydraulic Power Steering; 18hp/13 kW OHV Vanguard gasoline engine.		
45-205	SAND-STAR DIESEL	1150	\$27,350.00
	3 Wheel Drive Smithco SERIES PARALLEL Traction Assist,DRIVE Hydraulic Power Steering, 18hp/13 kW Liquid Cooled 3-cylinder Diesel Engine Tier 4 Compliant. INCLUDES 45-004 Certified ROPS with seat belt. R, Factory Installed. CE Compliant, no extra charge		
SAND STAR	PRIME MOVER OPTIONS		
45-004-A	Certified ROPS w/Seat Belts	70	\$643.00
45-016-K	Light kit (45-004-A ROPs required)	8	\$369.00
45-020-K	CE compliance Option	1	\$722.00
TIRE OPTION	Knobbed sand tires are std. equipment on Sand Star. Turf Trac R/S tires available at no addl. cost. Specify 3 ea. TURF TIRES on order (PN 48-265)	N/A	
IMPLEMENT	S & ACCESSORIES FOR SAND STARS ON PAGE 3. 5 & 6		

IMPLEMENTS & ACCESSORIES FOR SAND STARS ON PAGE 3, 5 & 6

000000SAND STAR BUNKER / BALLFIELD RAKE OPTIONS AND CENTER MOUNTED ACCESSORIES

MODEL NUMBER	DESCRIPTION	SHIP WT.	SUGGESTED LIST PRICE
Rear Moun	ted Implements for Sand Star Series (Only)		
45-010-A	Box Grader	273	\$2,635.00
45-176-A	Drag Mat w/Finisher Brush	140	\$2,606.00
	ID STAR SERIES Will accept any REAR mounted implen	nent listed (on pages 4, 5 & 6
	unted Implements for Sand Star Series (Only)		
45-006-A	Sand Cultivator (Straight Blades)	20	\$976.00
45-007-A	Infield Scarifier (with gauge wheels, vertical blades)	40	\$1,229.00
45-008-A	Sand Cultivator (with Spring Tine Teeth)	20	\$1,419.00
45-011-A	Infield Scarifier (with gauge wheels, chisel blades)	40	\$1,823.00
45-012-A	Construction Leveling Blade w/push arms	10	\$415.00
45-013-A 45-014-A	Infield Scarifier (with spring tine teeth, gauge wheels) Weed Cultivator (with horizontal feet)	40 25	\$1,579.00 \$1,439.00
45-014-A 45-015-A	Motorized Brush - Sand Star I and II ONLY	100	\$2,390.00
45-173-A			\$1,395.00
		50	
45-175-A	Adjustable Disc Edger	50	\$1,715.00
45-177-A	Nail Scarifier (with gauge wheels for infield scarifying)	45	\$1,862.00
45-195-A	Grader Blade Kit (for 45-007 & 45-011)	10	\$209.00
45-360-A	Scarifier w/extra long blades, gauge wheels	42	\$1,976.00
Front Mou	nted Implements for Sand Star Series (Only)		
45-005-A	40" (102 cm) Hydraulic Plow F/Sand Star I, II, IV	70	\$3,428.00
45-009-A	40" (102 cm) Manually Operated Plow	65	\$1,292.00
45-019-A	60" Aluminum Manual Plow	100	\$1,829.00
45-179-A	40" (102 cm) Adjustable Angle, Manually Operated	70	\$2,315.00
45-180-A	60" (155 cm) Adjustable Angle Manually Operated Plow	100	\$2,539.00
45-200-A	40" Hydraullic Angle Plow	75	\$3,780.00
45-206-A	40" (102 cm) Hydraulic Plow F/Sand Star V	70	\$3,780.00
TIRE OPTION	Knobbed sand tires are std. equipment on Sand Star. Tur tires available at no addl. cost. Specify 3 ea.(PN 48-265) TIRES on order		

MODEL NUMBER	DESCRIPTION	SHIP WT	SUGGESTED LIST PRICE
45-501-A	SAND STAR "ZEE" GOLF BUNKER RAKE & BALLFIELD GROOMER	990	\$13,128.00
	(Prime mover only. Complete your Sand Star Z with the implements listed below that best meet your application) *Twin Hydro Zero Turn prime mover. *22hp (16 kW) Twin cylinder Gas Engine *Three wheel configuration. With CERTIFIED ROPS / seat		
	*25-10 x 12 Rear tires *Manual lift - lower for Center Mounted Implements *Electric / Hydraulic lift - lower for Rear Implement		
IMPLEMEN	ITS FOR SAND STAR "ZEE" SERIES		
13-740 *	Brush Attachment for 42-130, 45-503, 45-511	0	\$549.00
26-007Q	Pro Infield Finisher	63	\$1,162.00
26-008Q	Flex Action Field Finisher w/ Drag Mat	110	\$2,968.00
42-392Q	84" (213 cm) Tournament Rake w/Flex-Brush Raking	100	\$2,873.00
43-002Q	Flex Action Field Finisher w/ Brush	110	\$3,082.00
45-503-A	84" Pro Rake	81	\$1,225.00
45-504-A	Center Grader Blade (Attaches to: 45-506-A; 45-507-A)	10	\$360.00
45-505-A	Infield Scarifier (with spring tine teeth)	40	\$1,085.00
45-506-A	Sand Cultivator (with straight blades)	20	\$1,008.00
45-507-A	Infield Scarifier (with vertical blades)	40	\$1,129.00
45-509-A	Infield Scarifier (with chisel blades)	40	\$1,222.00
45-510-A	Light Kit	8	\$402.00
45-511-A	Serrated Rubber Flex Rake	69	\$1,195.00

45-650-A Optional Elect./Hydraulic Lift/Lower for Ctr Mtd. Implemer 20

\$1,393.00

The Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS SAND STAR - SUPER STAR

Rear Mounted Implements

MODEL NUMBER	DESCRIPTION		SUGGESTED LIST PRICE
Rear Moun	ted Implements for SAND STAR & Super Star		
13-298Q	Fan Rake Assembly	36	\$770.00
13-319	Fan Rake Add On for 13-758Q 13-438 Rake Assembly	20	\$305.00
13-684	Brush Attachment for 13-438, 13-758, 42-132	20	\$545.00
13-740 *	Brush Attachment for 42-130, 45-503, 45-511	20	\$549.00
13-758Q	Pro Rake (2013 and later, Replaces 13-438)	66	\$1,026.00
34-191 *	Box Grader for Super Star Only	273	\$5,403.00
42-130Q *	84" (213 cm) Tournament Rake	85	\$1,873.00
42-132Q	72" (189 cm) Tournament Rake	75	\$1,759.00
42-391Q	72" (189 cm) Tournament Rake w/Flex-Brush Raking System	90	\$2,756.00
42-392Q	84" (213 cm) Tournament Rake w/Flex-Brush Raking System	100	\$2,873.00
45-503-A	84" Pro Rake	81	\$1,225.00
45-511-A	Serrated Rubber Flex Rake	69	\$1,149.00
Page 7	Spiker (Use RBS P/N 42-586Q & 42-582, See page 7)	180	\$5,405.00
Center Mou	unted Implements for Super Star Only		
42-008	Sand Cultivator	20	\$968.00
42-223 *	Adjustable Disc Edger	30	\$1,552.00
42-340	Sand Cultivator w/Spring Tine Teeth	20	\$1,405.00
42-750 *	Cart Path/Sidewalk Edger	30	\$2,002.00
43-130	Weed Cultivator w/horizontal feet	25	\$1,110.00
Front Mour	nted Implements for Super Star Only		
42-011	40" (102 cm) Manually Operated Plow	65	\$1,098.00
42-136	60" (155 cm) Manually Operated Plow	75	\$1,852.00
42-460	40" (102 cm) Adjustable Angle, Manually Operated Plow	70	\$2,293.00
42-490 *	60" (155 cm) Adjustable Angle Manually Operated Plow	100	\$2,515.00
43-003 *	40" (102 cm) Hydraulic Plow	70	\$3,395.00
43-013	40" (102 cm) Adjustable Angle, Hydraulically Operated Plow	85	\$3,603.00
41-501	TYPHOON PUMPING SYSTEM (Sand Star & Super Star)	480	\$7,990.00
43-010	ENGINE POWERED LEAF & DEBRIS BLOWER (Not for use with Super Star 2-wheel drive models)		\$4,223.00

The Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS 000000BASEBALL FIELD CONDITIONERS

Implements for all Super Star Models and Rear Mounted Implements for SAND STAR

MODEL NUMBER	DESCRIPTION	SHIP WT	SUGGESTED LIST PRICE				
• •	ents dealer Installed)						
Rear Mounte	Rear Mounted Implements for SUPER STAR and SAND STAR						
26-007Q	Professional Infield Finisher	63	\$1,162.00				
26-008Q	Flex Action Infield Finisher-Leveler w/ Drag mat	110	\$2,968.00				
34-191 *	Box Grader for Super Star Only	273	\$5,403.00				
43-002Q	Flex Action Infield Finisher-Leveler with brush	110	\$2,963.00				
43-008	Drag Mat Kit (Mat and carrier)	51	\$1,279.00				
43-009	Cocoa Mat & Frame (for fine infield finish)	180	\$2,146.00				
13-684	Brush (only) for Flex Action Finisher-Leveler	10	\$545.00				
43-170	Rahn Ballfield Groomer 3-WD (SUPER STAR ONLY)	225	\$4,080.00				
45-176	Drag Mat w/Finisher Brush	140	\$1,762.00				
Center Moun	ted Implements for Super Star Only						
42-010	Construction Leveling Blade w/push arms	10	\$716.00				
42-178	Infield Scarifier (with gauge wheels, vertical blades)	40	\$1,805.00				
42-179	Infield Scarifier (with gauge wheels, chisel blades)	40	\$1,805.00				
42-210	Grader Blade Kit (for/ 42-178 & 42-179)	10	\$346.00				
42-285	Enhanced Scarifier (long blades, gauge wheels)	40	\$1,778.00				
42-287 *	Edger (with gauge wheel for baseball fields)	302	\$1,405.00				
42-341	Infield Scarifier (with spring tine teeth, gauge wheels)	40	\$1,843.00				
43-011	Nail Scarifier (with gauge wheels for infield scarifying)	45	\$1,843.00				
43-130	Weed Cultivator (with horizontal feet)	25	\$1,110.00				
Front Mounte	ed Implements for Super Star Only						
42-011	40" (102 cm) Manually Operated Plow	65	\$1,098.00				
42-136	60" (155 cm) Manually Operated Plow	75	\$1,852.00				
42-460	40" (102 cm) 40° Adjustable Angle, Manually Operated Plow	70	\$2,293.00				
42-490 *	60" (155 cm) Adjustable Angle Manually Operated Plow	100	\$2,515.00				
43-003 *	40" (102 cm) Hydraulic Plow	70	\$3,395.00				
43-013	40" (102 cm) Adjustable Angle, Hydraulically Operated Plow	85	\$3,603.00				
43-010	ENGINE POWERED LEAF & DEBRIS BLOWER (Not for use with Super Star 2-wheel drive models)	180	\$4,562.00				

Roller - Brush - Spiker for Smithco Bunker Rakes

MODEL NUMBER	DESCRIPTION	SHIP WT	SUGGESTED LIST PRICE
42-550Q	RBS System for Sand Star & Super Star gas & diesel models with Qwitch implement lift. System includes 3 roller, spiker & brush heads & mounting frame.	285	\$8,055.00
MODULAR	SYSTEM - SEPARATE COMPONENTS		
42-586Q	RBS Main Frame with Qwitch implement lift.	50	\$1,339.00
42-581	RBS Roller Set (3) only	85	\$3,873.00
	(Requires 42-586Q Main Frame Assembly)		
42-585	RBS Brush Set (3) only	20	\$1,043.00
	(Requires 42-586Q Main Frame Assembly)		
42-582	RBS Spiker Set (3) only (Requires 42-586Q Main Frame Assembly)	130	\$3,916.00

NOTE: It is highly suggested that the bunker rake tractor be equipped with the optional (at no extra cost) TURF TIRES in lieu of the Standard Knobby Tires when used with the RBS system on golf greens

SWEEP STAR 60 RIDING SWEEPER

MODEL DESCRIPTION NUMBER	SHIP WT	SUGGESTED LIST PRICE
--------------------------	------------	-------------------------

SWEEP STAR 60

4 wheel QUAD or 3 wheel TRI PRIME MOVER 60' (153 cm) Sweeping Width

3-Cubic Yard (2.3 Cu. M) capacity, high lift dump and terrain following sweeper head with double

gauge wheels	(2.3 Cu. M) capacity, high lift dump and terrain following sw s. Hydraulic drive with Gasoline or Diesel Power, High lift du start with 12 volt battery. CERTIFIED R.O.P.S. w/ seat belts	ımp raise	
4 WHEEL G SWEEPER R	NUAD MODELS with POWER STEERING & HYDRAULIC PEEL DRIVE		
76-750AB	SWEEP STAR 60 Brush Reel (Quad) 31 hp (23kW) 2-cylinder gasoline engine	2,400	\$46,949.00
76-750AF	SWEEP STAR 60 Finger Reel (Quad) 31 hp (23kW) 2-cylinder gasoline engine	2,400	\$46,949.00
3 WHEEL T	RI MODELS with Mechanical Steering & Sweeper Reel D	rive	
76-000DB	SWEEP STAR 60 Brush Reel (Gasoline)	2200	\$42,380.00
76-000DF	31 hp (23kW) 2-cylinder gasoline engine SWEEP STAR 60 Finger Reel (Gasoline) 31 hp (23kW) 2-cylinder gasoline engine	2200	\$42,380.00
77-100CB	SWEEP STAR 60 Brush Reel (Diesel) 19 hp (14 kW) 3-cylinder, Liquid Cooled, DIESEL engine	2300	\$49,160.00
77-100CF	SWEEP STAR 60 Finger Reel (Diesel) 19 hp (14 kW) 3-cylinder, Liquid Cooled, DIESEL engine	2300	\$49,160.00
SWEEP STA	AR 60 ACCESSORIES		
76-271	Dust & Dirt Filtration Package All 3-Wheel Models For air discharge openings (factory or dealer installed)	40	\$328.00
77-328	Complete Brush Reel Assembly All 3-Wheel Models	110	\$2,648.00
76-329	Complete Rubber Finger Reel Assembly All 3-Wheel Mode	110	\$2,648.00
76-751	Dust & Dirt Filtration Package 76-750 Models For air discharge openings (factory or dealer installed)	40	\$426.00
76-752	Complete Brush Reel Assembly 76-750 Models	110	\$2,836.00
76-753	Complete Rubber Finger Reel Assembly 76-750 Models	110	\$2,836.00
76-442K	CE Compliance Option 76-000 & 77-100 Models (Note: Does not imply European Road Homologation Compliance)	1	\$650.00
76-744	CE Compliance Option 76-750 Models (Note: Does not imply European Road Homologation Compliance)	1	\$650.00

NJ State Approved Co-op #65MCESCCPS 000000 TURF SWEEPER **SWEEP STAR 48 RIDING SWEEPER**

MODEL SHIP **SUGGESTED DESCRIPTION NUMBER** WT LIST PRICE

SWEEP STAR 48

RIDING SELF-PROPELLED SWEEPER 48" (123 cm) SWEEPING WID1

1.6-Cubic Yard (1.2 Cu. M) capacity, high lift dump and terrain following sweeper head with double gauge wheels. Hydraulic drive with 18 hp (13 kW) 2-Cylinder gasoline engine, High lift dump raises to 65" (190 cm) Electric start with 12 volt battery. Smithco Engineered Roll-over protection device with seat belts. Dust & dirt filtration filters standard.

48-500AB	SWEEP STAR 48H Brush Reel	1900	\$34,952.00
48-500AF	SWEEP STAR 48H Finger Reel	1900	\$34,952.00
SWEEP STA	AR 48 ACCESSORIES		
48-502	Brush Reel Kit	105	\$2,753.00
48-503	Finger Reel Kit	105	\$2,508.00
48-501	Hopper Dust Shield	20	\$386.00
48-223K	CE Compliance Option (Note: Does not imply European Road Homologation Compliance)	1	\$600.00

SWEEPER-VACUUM

ENGINE POWERED PULL TYPE SWEEPER-VAC

MODEL NUMBER	DESCRIPTION	SHIP WT	SUGGESTED LIST PRICE
78-200B NOTE: (Mus	Sweep Star V62 Base Unit 4 Cubic Yard (3 Cu. Meter) Debris Hopper Capacinch (158 cm) terrain following sweeper head, 31 kW) Vanguard two cylinder, gasoline engine, med drive vacuum impeller, hydraulic drive sweeper he Electric start battery not included st be ordered with one hitch kit and one sweeper he	hp (23 hanical ead.	\$22,539.00
HITCH KITS	S (Specify one)		
78-204	5th Wheel Hitch Kit for Textron & Toro vehicles for model 78-200	75	\$3,162.00
78-206	Clevis Hitch (for tractor applications)	75	\$1,719.00
78-209	Ball Hitch	75	\$1,719.00
SWEEPER	HEADS (Specify one)		
78-210	Nylon Brush Sweeper Head	230	\$6,350.00
78-211	Rubber Finger Sweeper Head	230	\$5,905.00
ACCESSOI	RIES		
78-207	Hydraulic Lift System for Sweeper Head (Dealer installed)	150	\$3,072.00
78-214	Hydraulic Lift System for Sweeper Head (Factory installed)	150	\$3,793.00
78-208	Dust & Dirt Filtration System for Model 78-200B & Model 78-500	25	\$898.00
78-205	12.5 ft. (4 m) Hand Held Vacuum Hose with Suction Nozzle	25	\$1,673.00
78-215	Electric Brake Kit for 78-200 with 78-204 Only	30	\$2,342.00
78-441K	CE Compliance Option	1	\$572.00
78-500	SWEEP STAR V62-V TURF VACUUM (Complete)	2395	\$15,883.00
4 Cubic Yard (3 Cu. Meter) Debris Hopper Capacity, 62 inch (158 cm) terrain following sweeper head (included) 23 hp (17 kW) Vanguard two cylinder, gasoline engine, mechanical drive vacuum impeller, Electric/hydraulic tailgate lift & dump. Clevis Hitch, Electric start, battery not			

ACCESSORIES

Bid Term: 2/20/19 - 2/19/21

25

SWEEPER-VACUUM and DEBRIS BLOWER Sweep Star V-72 (PTO Drive) "Big Vac" Pull Type Sweeper-VacVerticut

MODEL	DESCRIPTION	SHIP	SUGGESTED
NUMBER		WT	LIST PRICE
NOMBER		***	LIGITIMOL

7 Cubic Yard (6 Cu. Meter) Debris Hopper Capacity, 72 inch (188 cm) terrain following sweeper head, tractor PTO drive (40 hp minimum). Mechanical drive vacuum impeller, hydraulic drive to rubber finger and verticut reels. Shipped set-up and mobile, factory set-up charge required for international shipment, see page #1

72-000	Sweep Star V72(Big Vac) Base Unit	3500	\$27,900.00
	Hopper, PTO drive system, hydraulic system,		
	hitch system and controls		

NOTE: (Must be ordered with one sweeper head, 72-001, 72-002, or 72-005 below)

With suction nozzle

SWEEPER HEADS (Hydraulic drive reels)				
72-001	Combination Sweeper-Verticut Head	1000	\$10,536.00	
72-002	Rubber Finger Sweeper Head	700	\$6,669.00	
72-005	Nylon Brush Sweeper Head	700	\$6,669.00	
ACCESSORIES				
72-003	25 ft. (8m) Hand Held Vacuum Hose	40	\$1,876.00	

SWEEPER-VACUUM

Sweep Star V72-E "Big Vac" (Engine Drive) Pull Type Sweeper-

MODEL	DESCRIPTION	SHIP	SUGGESTED LIST
NUMBER		WT	PRICE

7 Cubic Yard (6 Cu. Meter) Debris Hopper Capacity, 72 inch (188 cm) terrain following sweeper head, 31 hp (23 kw) twin cylinder Vanguard gasoline engine drive. Mechanical drive vacuum impeller, hydraulic drive sweeper head. Shipped set-up and mobile, factory set-up charge required for international shipment, see page #1

73-000	Sweep Star V72E (Big Vac) Base Unit	2950	\$30,732.00
	Hopper, Vacuum System, Engine Drive & Control System	7	
NOTE: (Must	be ordered with one sweeper head, (72-002 or 72-005) and one	Hitch Assemb	

SWEEPER HEADS (Order a minimum of 1)				
72-002	Rubber Finger Sweeper Head	700	\$6,669.00	
72-005	Nylon Brush Sweeper Head	700	\$6,669.00	
HITCH ASSEMBLIES (Order a minimum of 1)				
73-003	Standard Hitch (for tractor drawbar)	300	\$1,969.00	
73-005	5th wheel Hitch f/35hp (minimum) Tractor Includes 5th wheel attachment for tractor 3pt hitch	400	\$3,285.00	

ACCESSORI	ES		
73-006	25 ft. (8m) Hand Held Vacuum Hose With suction nozzle	40	\$1,992.00

Grounds Equipment Bid #ESCNJ 18/19-25

DEDICATED SPRAY VEHICLE SPRAY STAR 1000

MODEL DESCRIPTION NUMBER	SHIP WT	SUGGESTED LIST PRICE
--------------------------	------------	-------------------------

Hydraulic drive spray vehicle with 110-Gallon (416 L) "Perfect Solution" elliptical polyethylene spray tank with lifetime guarantee. 23 hp (19 kW) gasoline engine, High volume STAINLESS STEEL centrifugal spray pump Choice of manual, electric or computer spray control system. O-ring seal threadless spray system, Self-cleaning strainer, Speedometer. Certified ROPS w/seat belts. Electric start with 12 volt battery (North American Shipments only), CE & British Sprayer Standards compliance (Optional at extra cost)

1002	SPRAY STAR 1000	1260	\$32,908.00
	Electric spray control system. Pressure control valve, 3 Electronic motorized ball valves for boom control.		
1008	SPRAY STAR 1000	1260	\$38,408.00
	TeeJet Radion 8140 flow based Field computer spray control system with GPS speed sensor. Motorized ball valves for boom section control.		
1010	SPRAY STAR 1000 Manual spray control system, Manual boom section control	1260	\$30,636.00

200

\$6,773.00

SMITHCO SUPER BOOM

17-601

Triangular structure spray boom. Electric / hydraulic outer boom section fold / deploy. Triple nozzle body, suitable for use with all TeeJet Flat Fan & Turbo TurfJet)Nozzles. One Flat Fan nozzle included. Additional Nozzles available at extra cost at time of order at additional cost.)

15 ft / 4.5 m, Spray Width, 9 nozzles. 20 in. (50 cm) nozzle

	spacing	200	φο,773.00
17-575	15 ft / 4.5 m, Spray Width, 17 nozzles.10 in. (25 cm) nozzle spacing	200	\$7,450.00
17-585	18.5 ft / 5.5 m , Spray Width, 11 nozzles. 20" (50 cm) Nozzle spacing	295	\$6,995.00
17-622	DRIFT REDUCTION BOOM SHIELD f/17-585 only	50	\$1,620.00
ACCESSOF	RIES (DEALER INSTALLED)		
10-365	Water Fill Meter (Gallons)	30	\$460.00
10-370	Water Fill Meter (Liters)	20	\$460.00
10-378	Foam Marker (dealer installed)	10	\$1,666.00
10-417	Smithco Safe-Fill chemical eduction-induction system	10	\$2,212.00
10-419	Fresh Water Wash Tank (dealer installed)	30	\$410.00
10-422	Hose Reel Mounting Kit (use with any Super Boom)	40	\$520.00
15-835	Tank Rinsing Device	2	\$420.00
16-129	Manual Rewind Hose Reel, 200-foot/61-meter capacity	43	\$600.00
16-906	Electric Rewind Hose Reel, 200-foot/61-meter capacity	62	\$1,282.00
17-590	Sonar Boom Kit for 17-585 & 17-580 Super Booms	30	\$5,205.00
30-140	Wash System 26 Gal (98 l.) with electric pump	30	\$1,295.00
10-355	CE Compliance Option. Also note: CE/British compliance requires #10-417 Smithco Safe Fill System at additional cost	20	\$400.00

(See page "20. Spray Accessories" for additional spray items)

Grounds Equipment Bid #ESCNJ 18/19-25

DEDICATED SPRAY VEHICLE STAR COMMAND 1000

MODEL DESCRIPTION SHIP SUGGESTED WT LIST PRICE

STAR COMMAND 1000

- * Hydraulic drive spray vehicle with 110-Gallon (416 L) "Perfect Solution" elliptical polyethylene spray tank with lifetime guaranty.
- * 23 hp (19 kW) gasoline engine, High volume STAINLESS STEEL centrifugal spray pump
- * O-ring seal threadless spray system, Self-cleaning strainer, Speedometer.
- * Certified ROPS w/seat belts.
- * CE & British Sprayer Standards compliant (Optional at extra cost)

SPRAY STAR 1000 WITH STAR COMMAND I

1011-A SPRAY STAR 1000 with *STAR COMMAND I SYSTEM* & 15 Foot 1480 \$55,012.00 (4.5m) Spray Boom

Advanced Rate Control Field Computer (TeeJet Radion 8140) with DynaJet Pulse Width Modulation System. Presssure and droplet size control. Wide range of ground speed. Purpose-built spray boom with dual nozzles and dual solenoid valves

1012-A SPRAY STAR 1000 with *STAR COMMAND I SYSTEM* & **18.5 Foot** 1480 \$56,155.00 (5.5m) Spray Boom

Same extreme application ability as Model 1011A (Above) except 18.5 Foot/5.5m Spray Boom

1015-A SPRAY STAR 1000 with *STAR COMMAND II SYSTEM* & 15 1500 \$66,823.00 Foot (4.5m) Spray Boom

Advanced precision TeeJet Aeros GPS Satellite guided Field Computer. Terra Star Antenna for use with GS, WAAS & Glonass Satellites. Provides Sub-2 in (5 cm) position control and permanently retained mapping. Smithco/TeeJet DynaJet Pulse Width Modulation. Pressure & droplet size control. Wide ground speed range. Purpose built 5 ft (4.5 meter) Spray Boom. Dual Nozzle-Dual Solenoid Valve System.

1016-A SPRAY STAR 1000 with *STAR COMMAND II SYSTEM* & **18.5** Foot 1500 \$67,966.00 (5.5m) Spray Boom

Same extreme application accuracy as Model 1015 (Above) except 18.5 ft./5.5mm Spray Boom. Same Annual Subscription Required for GS, GPS & Glonass Satellites

20-742 NOTICE MODELS 1015-A & 1016-A: ANNUAL SUBSCRIPTION \$1,100.00

REQUIRED to activate Terra Star Antenna for use with GS, GPS & Glonass Satellite systems. Contact Smithco (610)688-4009 or sales @smithco.com. Re-order annually by the product number (left). No subscription required for use with WAAS Satellites.

ТВА	Field-Pilot Auto Steer system (for models: 1015-A & 1016-A	40	\$7,000.00
IBA	only)	40	

10-355 CE Compliance Option. Also note: CE/British compliance requires 20 \$400.00 #10-417 Smithco Safe Fill System at additional cost

NOTE: Accessories for Star Command 1000 are found on pages "12. Spray Star 1000" & "20. Spray

DEDICATED SPRAY VEHICLE SPRAY STAR 1750

NUMBER DESCRIPTION WT PRICE	MODEL NUMBER	DESCRIPTION		SUGGESTED LIST PRICE
-----------------------------	-----------------	-------------	--	-------------------------

Hydrostatic Drive Spray Vehicle

*175-Gallon (661 L) capacity "Perfect Solution" elliptical polyethylene spray tank with lifetime guarantee

*High volume STAINLESS STEEL centrifugal spray pump

^{*}CE & British Sprayer Standards compliant (Optional at extra cost)

SPRAY STAF	R 1750		
1752	SPRAY STAR 1750	1825	\$36,766.00
	TeeJet Radion 8140 flow based Field computer spray control system with GPS speed sensor. Motorized ball valves for boom section control.		
1754	SPRAY STAR 1750	1825	\$31,948.00
	Electric spray control system. Pressure control valve, 3 Electronic Motorized ball valves for boom section control.		
1710	SPRAY STAR 1750	1825	\$30,068.00
	Manual spray control system, Manual boom section control		

SMITHCO SUPER BOOM

17-508

Triangular structure spray boom. Electric / hydraulic outer boom section fold / deploy. Triple nozzle body, suitable for use with all TeeJet Flat Fan & Turbo TurfJet)Nozzles. One Flat Fan nozzle included. Additional Nozzles available at extra cost at time of order at additional cost.)

17-585	18.5 ft / 5.5 m , Spray Width, 11 nozzles. 20" (50 cm) spacing	275	\$6,995.00
17-580	20 ft / 6 m , Spray Width, 12 nozzles. 20" (50 cm) spacing	290	\$7,568.00
17-622	DRIFT REDUCTION BOOM SHIELD f/17-585 only	50	\$1,620.00
SPRAY STAI	R 1750 ACCESSORIES (DEALER INSTALLED)		
14-308	Hose Reel Mounting Kit (use with any Super Boom)	20	\$612.00
14-515	Water Fill Meter (Gallons)	10	\$460.00
15-618	Water Fill Meter (Liters)	10	\$460.00
15-619	Smithco Safe-Fill chemical eduction-induction system for 1750	30	\$2,190.00
15-835	Tank Rinsing Device	2	\$419.00
16-129	Manual Rewind Hose Reel, 200-foot/61-meter capacity	43	\$600.00
16-906	Electric Rewind Hose Reel, 200-foot/61-meter capacity	62	\$1,282.00
17-505	Foam Marker (dealer installed)	30	\$1,666.00
17-590	Sonar Boom Kit for 17-585 & 17-580 Super Booms	30	\$5,205.00
30-006	Fresh Water Wash Tank (dealer installed)	30	\$410.00
30-140	Wash System 26 Gal (98 I.) with electric pump	30	\$1,295.00

(See page "20. Spray Accessories" for additional spray items)

Smithco Safe Fill System at additional cost

CE Compliance Option. Also note: CE/British compliance requires #15-619

\$400.00

10

^{*31} hp (24 kW) gasoline engine

^{*}Choice of manual, electric or computer spray control system

The Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

ices Commission of New Jersey Grounds Equipment Bid #ESCNJ 18/19-25

DEDICATED SPRAY VEHICLE SPRAY STAR 1750

MODEL DESCRIPTION

SHIP WT SUGGESTED LIST PRICE

STAR COMMAND 1750

Hydrostatic Drive Spray Vehicle

*175-Gallon (661 L) capacity "Perfect Solution" elliptical polyethylene spray tank with lifetime guarantee

*High volume STAINLESS STEEL centrifugal spray pump

*31 hp (24 kW) gasoline engine

*CE & British Sprayer Standards compliant (Optional at extra cost)

*Smithco Operator Protection Structure w/Seat Belts

1758 SPRAY STAR 1750 w/ *STAR COMMAND I SYSTEM* & 18 ft. (5.5 m) 1,825 \$58,780.00 Spray Boom

Advanced Rate Control Field Computer (TeeJet Radion 8140) with DynaJet Pulse Width Modulation System. Presssure and droplet size control. Wide range of ground speed. Purpose-built spray boom with dual nozzles and dual solenoid valves

1755 SPRAY STAR 1750 with *STAR COMMAND II SYSTEM* & 18.5 Foot 1500 \$64,365.00 (5.5m) Spray Boom

Advanced precision TeeJet Aeros GPS Satellite guided Field Computer. Terra Star Antenna for use with GS, WAAS & Glonass Satellites. Provides Sub-2 in (5 cm) position control and permanently retained mapping. Smithco/TeeJet DynaJet Pulse Width Modulation. Pressure & droplet size control. Wide ground speed range. Purpose built 18 ft (5.5 meter) Spray Boom. Dual Nozzle-Dual Solenoid Valve System.

20-742	NOTICE MODEL 1755: ANNUAL SUBSCRIPTION REQUIRED to activate Terra	\$1,100.00
	Star Antenna for use with GS, GPS & Glonass Satellite systems. Contact Smithco	
	(610)688-4009 or sales@smithco.com. Re-order annually by the product number	

(left). No subscription required for use with WAAS Satellites.

TBA	Field-Pilot Auto Steer system (for model: 1755-A only)	40	\$7,000.00
-----	--	----	------------

17-508 CE Compliance Option. Also note: CE/British compliance requires #15-619 10 \$400.00

Smithco Safe Fill System at additional cost

NOTE: Accessories for Star Command 1750 are found on pages "14. Spray Star 1750" & "20. Spray Accessories"

The Educational Services Commission of New Jersey

NJ State Approved Co-op #65MCESCCPS DEDICATED SPRAY VEHICLES **SPRAY STAR 2000**

MODEL NUMBER	DESCRIPTION	SHIP SUGGESTED WT LIST PRICE
-----------------	-------------	---------------------------------

SPRAY STAR 2000

*Hydraulic drive spray vehicle with 200-Gallon (757 L) capacity "Perfect Solution" Ultra-Low-Profile fiber re-enforced polystyrene spray tank)

*Automatic Aeros GPS Guided Field Spray Controller (Star Command II-a)

2002	SPRAY STAR 2000	1980	\$44,740.00
	TeeJet Radion 8140 flow based Field computer spray control system to GPS speed sensor. Motorized ball valves for boom section control.	vith	
2002D	Same as above except 3 cylinder, 25hp/18.5 kW, Diesel engine power	2090	\$55,958.00
2004	SPRAY STAR 2000	1980	\$40,616.00
	Electric spray control system with Motorized ball valves for boom section control	on	
2004D	Same as above except 3 cylinder, 25hp/18.5 kW, Diesel engine power	2090	\$52,019.00
вмітнсо	SUPER BOOM		
Vozzles. Eq	e, triangular structure spray boom suitable for use with all TeeJet Flat Fan & Turbo T uipped with 3 fan spray nozzles. Alternate sizes available at time of order.) Electric er boom section fold / deploy.		
17-585	18.5 ft / 5.5 m , Spray Width, 11 nozzles. 20" (50 cm) spacing	275	\$6,995.00
17-580	20 ft / 6 m , Spray Width, 12 nozzles. 20" (50 cm) spacing	290	\$7,568.00
17-622	DRIFT REDUCTION BOOM SHIELD f/17-585 only	50	\$1,620.00
ACCESSO	RIES (DEALER INSTALLED)		
14-515	Water Fill Meter (US Gal)	10	\$460.00
15-618	Water Fill Meter (Liters)	10	\$460.00
15-835	Tank Rinsing Device	2	\$420.00
15-850	Sunshade Canopy f/ Spray Star 2000 / 3180 (Canvas)	10	\$578.00
17-590	Sonar Boom Kit for 17-585 & 17-580 Super Booms	30	\$5,205.00
20-503	Smithco Safe-Fill chemical education-induction system	30	\$2,190.00
20-725	Wash System 26 Gal (98 I.) with electric pump	30	\$1,295.00
30-004	Foam Marker (Dealer installed)	30	\$1,666.00
30-006	Fresh Water Wash Tank (dealer installed)	30	\$410.00
30-009	Manual Rewind Hose Reel, 200-foot/61-meter capacity + mounting	43	\$815.00
30-010	Electric Rewind Hose Reel, 200-foot/61-meter capacity + mounting	62	\$1,513.00
30-140	Wash System 26 Gal (98 I.) with electric pump	30	\$1,280.00
31-004	All-weather Top f/ Spray Star 2000, 3180 & TCV-5000 (fiberglass)	70	\$1,079.00
20-504	CE Compliance Option Also note: CE/British compliance requires #20- 503 Smithco Safe Fill System at additional cost	5	\$450.00

^{*3} cylinder, 25hp/18.5 kW, 1.12 L, liquid cooled Kubota Diesel engine.

^{*}Ultra high volume STAINLESS STEEL centrifugal spray pump.

^{*}Smithco Operator Protection Structure with seat belts.

^{*}CE & British Sprayer Standards compliant (Optional at extra cost)

^{*}SMITHCO Pulse Width Modulation Advanced Rate Control/Nozzle system with choice of either:

^{*}Automatic Fielld Computer Spray Control System (Star Command I-a), OR

ial Price List The Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS DEDICATED SPRAY VEHICLES - 2000 STAR COMMAND

MODEL NUMBER	DESCRIF	PTION	SHIP WT	SUGGESTED LIST PRICE
	*Hydraulic drive spray vehicle with 2 fiber re-enforced polystyrene spray t		Solution"	Ultra-Low-Profile
	*31 hp (24 kW) 2 cylinder gasoline e *Ultra high volume STAINLESS STE	•	kW, 1.12	L, liquid cooled Kub
	*Smithco Operator Protection Struct	ure with seat belts.		
	*CE & British Sprayer Standards cor	mpliant (Optional at extra cost)		
	*SMITHCO Pulse Width Modulation	Advanced Rate Control/Nozzle sys	tem with o	choice of either:
	*Automatic Fielld Computer Sp	ray Control System <mark>(Star Commar</mark>	nd I-a), O	R
	*Automatic Aeros GPS Guided	Field Spray Controller (Star Comm	nand II-a)	
2005-G	SPRAY STAR 2000 with STAR COM (5.5m) Spray Boom (Gasoline engil		2,380	\$70,428.00
	Antenna for use with GS, WAAS & Glo position control and permanently retai Width Modulation. Pressure & droplet	S Satellite guided Field Computer. Tenonass Satellites. Provides Sub-2 in (5 ined mapping. Smithco/TeeJet DynaJet size control. Wide ground speed rang Boom. Dual Nozzle-Dual Solenoid Val	cm) et Pulse ge.	
20-742	to activate Terra Star Antenna for use Contact Smithco (610)688-4009 or sa	-G/D: ANNUAL SUBSCRIPTION RE with GS, GPS & Glonass Satellite sys les@smithco.com. Re-order annually b n required for use with WAAS Satellites	tems. by the	\$1,100.00
2005-D	Same as above except 3 cylinder, 2 engine power	5hp/18.5 kW, Kubota Diesel	2,480	\$80,236.00
2006-G	SPRAY STAR 2000 with STAR COM (6 m) Spray Boom (Gasoline engine		2,380	\$71,060.00
	• •	cy as Model 2005 G/D (Above) exce Subscription Required for GS, GPS	•	
2006-D	Same as 2006-G (above) except 3 cy Diesel engine power	ylinder, 25hp/18.5 kW, Kubota	2,480	\$80,872.00
2007-G	SPRAY STAR 2000 with STAR COM m) Spray Boom (Gasoline engine po	•	2,380	\$57,016.00
	Width Modulation System. Presssure	er (TeeJet Radion 8140) with DynaJet and droplet size control. Wide range o n dual nozzles and dual solenoid valves	f ground	
2007-D	Same as Model 2007-G (above) exce Kubota Diesel engine power	ept 3 cylinder, 25hp/18.5 kW,	2,480	\$67,638.00
2008-G	SPRAY STAR 2000 with STAR COM (5.5m) Spray Boom (Gasoline engin	e power)	2,380	\$56,486.00
		s Model 2007 G/D (Above) except 2		
2008-D	Same as Model 2008-G (above) exce Kubota Diesel engine power	ept 3 cylinder, 25hp/18.5 kW,	2,480	\$67,106.00
20-745-A	FIELD PILOT AUTO STEER SYSTEM 2006-G, 2006-D only)	I (for models: 2005-G, 2005-D,		\$7,000.00
30-743-A	REAR VIEW CAMERA with mount, 2			\$ 520.00
20-504	CE Compliance Option Also note: 0 503 Smithco Safe Fill System at add	CE/British compliance requires #20-	5	\$450.0

DEDICATED SPRAY VEHICLE SPRAY STAR 3180

MODEL DESCRIPTION NUMBER	SHIP SUGGESTED WT LIST PRICE
--------------------------	---------------------------------

^{*}Hydraulic drive spray vehicle with 318-Gallon (1,202 L) capacity "Perfect Solution"

Ultra-Low-Profile fiber re-enforced polystyrene tank

3182 SPRAY STAR 3180 2350 \$63,200.00 TeeJet Radion 8140 flow based Field computer spray control system with GPS speed sensor. Motorized ball valves for boom section control. 3184 SPRAY STAR 3180 2350 \$59,183.00 Electric spray control system with Motorized ball valves for boom section control

SPRAY STAR 3180 ACCESSORIES

SMITHCO SUPER BOOM

(Triple nozzle, triangular structure spray boom suitable for use with all TeeJet Flat Fan & Turbo TurfJet Nozzles. Equipped with 3 fan spray nozzles. Alternate sizes available at time of order.) Electric / hydraulic outer boom section fold / deploy.

17-585	18.5 ft / 5.5 m , Spray Width, 11 nozzles. 20" (50 cm) spacing	275	\$6,995.00
17-580	20 ft / 6 m , Spray Width, 12 nozzles. 20" (50 cm) spacing	290	\$7,568.00
17-622	DRIFT REDUCTION BOOM SHIELD f/17-585 only	50	\$1,620.00
ACCESSORII	ES (DEALER INSTALLED)		
14-515	Water Fill Meter (Gallons)	10	\$460.00
15-618	Water Fill Meter (Liters)	10	\$460.00
15-835	Tank Rinsing Device	2	\$420.00
15-850	Sunshade Canopy f/ Spray Star 2000 / 3180 (Canvas)	10	\$578.00
17-590	Sonar Boom Kit for 17-585 & 17-580 Super Booms	30	\$5,205.00
30-004	Foam Marker (dealer installed)	30	\$1,666.00
30-006	Fresh Water Wash Tank (dealer installed)	30	\$410.00
30-007	Smithco Safe-Fill chemical eduction-induction system	30	\$2,212.00
30-009	Manual Rewind Hose Reel, 200-foot/61-meter capacity + mounting	43	\$815.00
30-010	Electric Rewind Hose Reel, 200-foot/61-meter capacity + mounting	62	\$1,513.00
30-215	Wash System 26 Gal (98 l.) with electric pump	30	\$1,295.00
31-004	All-weather Top f/ Spray Star 2000, 3180 & TCV-5000 (fiberglass)	70	\$1,079.00
30-015K	CE Compliance Option Also note: CE/British compliance requires #30-007 Smithco Safe Fill System at additional cost	5	\$500.00

(See page "20. Spray Accessories" for additional spray items)

^{*}Diesel -or- Gasoline 4 cylinder, Liquid cooled, engine.

^{*}Ultra high-volume STAINLESS STEEL centrifugal spray pump.

^{*}Choice of electric or computer spray control system.

^{*}Smithco Operator Protection Structure with seat belts.

^{*}CE & British Sprayer Standards compliant (Optional at extra cost)

Grounds Equipment Bid #ESCNJ 18/19-25

DEDICATED SPRAY VEHICLES SPRAY STAR 3180 STAR COMMAND

MODEL	DESCRIPTION	SHIP	SUGGESTED LIST
NUMBER		WT	PRICE

^{*}Hydraulic drive spray vehicle with 318-Gallon (1,202 L) capacity

^{*}Automatic Fielld Computer Spray Control System (Star Command I-a), OR

3185-A	SPRAY STAR 3180 with STAR <i>COMMAND II SYSTEM</i> & 18 Foot (6.6; m) Spray Boom	2380	\$91,299.00
	Advanced precision TeeJet Aeros GPS Satellite guided Field Co Terra Star Antenna for use with GS, WAAS & Glonass Satellites Provides Sub-2 in (5 cm) position control and permanently retained in Smithco/TeeJet DynaJet Pulse Width Modulation. Pressure & drople control. Wide ground speed range. Purpose built 18 ft (5.5 meter) S Boom. Dual Nozzle-Dual Solenoid Valve System.	a. mapping. et size	
3186-A	SPRAY STAR 3180 with STAR <i>COMMAND II SYSTEM</i> & 20 Foot (6 m) Spray Boom	2380	\$91,689.00
	Same extreme application accuracy as Model 3185-B (Above) except./6m Spray Boom. Same Annual Subscription Required for GS, GF Glonass Satellites		
20-742	NOTICE MODELS 3185-A, 3186-A: ANNUAL SUBSCRIPTION RE to activate Terra Star Antenna for use with GS, GPS & Glonass Sate systems. Contact Smithco (610)688-4009 or sales @smithco.com. Re annually by the product number (left). No subscription required for a WAAS Satellites.	ellite Pe-order	\$1,100.00
3187-A	SPRAY STAR 3180 with STAR COMMAND I SYSTEM & 20 Foot (6 m) Spray Boom		\$77,343.00
	Advanced Rate Control Field Computer (TeeJet Radion 8140) with I Pulse Width Modulation System. Presssure and droplet size control. range of ground speed. Purpose-built spray boom with dual nozzles solenoid valves	Wide	
3188-A	SPRAY STAR 3180 with STAR COMMAND I SYSTEM & 18.5 Foot Spray Boom	t (5.5m)	\$76,956.00
	Same extreme application ability as Model 3187-B (Above) except 20 ft./6m Spray Boom		
30-319-A	Field-Pilot Auto Steer system (for models: 3185; 3186 only)	40	\$7,000.00
30-743-A	REAR VIEW CAMERA with mount, 20 ft/6 m. cable		\$520.00
30-015K	CE Compliance Option Also note: CE/British compliance	5	\$500.00

NOTE: Accessories for Star Command 3180 are found on pages "18. Spray Star 3180" & "20. Spray Accessories"

requires #30-007 Smithco Safe Fill System at additional cost

[&]quot;Perfect Solution" Ultra-Low-Profile fiber re-enforced polystyrene spray tank)

^{*}Diesel -or- Gasoline 4 cylinder, Liquid cooled, engine.

^{*}Ultra high volume STAINLESS STEEL centrifugal spray pump.

^{*}Smithco Operator Protection Structure with seat belts.

^{*}CE & British Sprayer Standards compliant (Optional at extra cost)

^{*}SMITHCO Pulse Width Modulation Advanced Rate Control/Nozzle system with choice of either:

SPRAY ACCESSORIES

MODEL DESCRIPTION SHIP SUGGESTED WT LIST PRICE

SPRAY ACCESSORIES FOR ALL SMITHCO SPRAY STARS AND SPRAYERS

5/8" ID Pressure Hose Kits						
15-866	50 ft. Hose with male/female GHT fittings installed	25	\$249.00			
15-867	100 ft Hose with male/female GHT fittings installed	50	\$450.00			
15-868	200 ft Hose with male/female GHT fittings installed	100	\$750.00			
3/4" ID Press 15-644 15-645 15-646	ure Hose Kits 50 ft. Hose with male/female GHT fittings installed 100 ft Hose with male/female GHT fittings installed 200 ft Hose with male/female GHT fittings installed	40 80 160	\$342.00 \$616.00 \$1,066.00			
SPRAY GUNS 15-647 Pistol Grip JD9 Gun 4 \$448.00						

DESCRIPTION	SHIP WT	SUGGESTED LIST PRICE
TOURNAMENT XL 7000 ULTRA-WIDE GREENS ROLLER 70 inch / 178 cm Rolling Width, 16hp (12 Kw) Vanguard OHV gasoline engine, TRIPLE hydraulic DIRECT drive to rollers, HD Transport Trailer #7515 Included (see below), Battery not included, CE Compliant	1143	\$22,328.00
TOURNAMENT ULTRA GREENS ROLLER 16hp (12 KW) Vanguard OHV gasoline engine with #7505 trailer,dual control cables, DUAL hydraulic direct drive rollers, battery not included.	980	\$19,358.00
TOURNAMENT ULTRA PLUS GREENS ROLLER	980	\$21,846.00
All the features of the ULTRA ROLLER (Above) PLUS Hydraulic Power Steering		
TOURNAMENT ULTRA LITE GREENS ROLLER	765	\$15,582.00
World's only lightweight greens roller with power to each roller, 8hp (6.5 kW) Honda commercial 12volt electric start engine with Trailer, Dual Pedal Control, Direct drive to rollers. CE Compliant.		
EXTRA / REPLACEMENT TRANSPORT TRAILER for Gasoline powered Greens Rollers	425	\$2,893.00
GREENS SPIKER ATTACHMENT For 7590 Tournament Ultra PLUS 2012 & Earlier. For 7590, 7580 & 7575	36	\$1,958.00
BRUSH KIT (2 Brushes) For 7580 Ultra,7575 & 7590 Ultra Plus Greens rollers ONLY.	49	\$923.00
HD TRANSPORT TRAILER for Roller Model 7000 with Ball Hitch	425	\$2,730.00
Light Kit f/7580, 7590 , 7000 ULTRA greensrollers	3	\$249.00
Light Kit f/7575 ULTRA greensrollers	3	\$286.00
CE COMPLIANCE F/7580, 7590	3	\$250.00
CE COMPLIANCE F/7000	3	\$250.00

MODEL NUMBER	DESCRIPTION	SHIP WT	SUGGESTED LIST PRICE		
10 FT / 3 Meter Models					
12-500-B	FAIRWAY ULTRA-10-SC Fairway Roller TO FT.(3 III) wide, sell-contained lairway roller with integrated electric / hydraulic power system to fold wing rollers & lift / lower for transport, 100 gallon (379 L) ballast tank, battery charge cable, roller scrapers (battery not	1675	\$15,038.00		
12-501-B	FAIRWAY ULTRA-10-TV Fairway Roller 10 FT.(3 m) wide fairway roller, electric / hydraulic power system to fold wing rollers. 100 Gallon (379 L) ballast tank. Hydraulic power for transport lift / lower supplied by tow vehicle (couplers not included). Roller Scrapers	1900	\$12,999.00		
12-502	SPIKER REELS (for 12-500, 12-501)	200	\$1,585.00		
12-503	FOAM MARKER (Dealer installed for 12-500, 12-501)	30	\$1,666.00		
15 FT / 4.5 Meter Models					
12-750	FAIRWAY ULTRA 15-SC Fairway Roller 15 Ft (4.5 meter) wide, self-contained 5-GANG fairway roller with integrated electric / hydraulic power system to fold wing rollers & lift / lower for transport, 150 gallon (570 L.) ballast tank, battery charge cable, roller scrapers (battery not included)	2100	\$21,856.00		
12-751	FOAM MARKER (Dealer installed for 12-750)	30	\$1,666.00		

ROLLING AERATION TAKEN TO A NEW LEVEL...The Smithco Aer-8 Rolling Aerator Includes Electrically Welded high strength agricultural steel frame & horizontal water ballast tank. Choice of 60" (153 cm) or 78" (198 cm) aeration width. (Optional conversion to wheel-mounted pull-type available)

STEP #1, Choose aeration width	by selecting one base unit
--------------------------------	----------------------------

STEP #1, Choose aeration width by selecting one base unit			
	Base Units include frame, ballast tank, storage stands		
AER8-600	60" (153cm) Base Unit	727	\$2,888.00
AER8-780	78" (198 cm) Base Unit	827	\$3,256.00
STEP #2, Che	oose how your unit will be operated & transported		
AER8-004	Tractor Mounted 3-point hitch carrie r (attatches to AER8-600 or AER8-780)	90	\$1,188.00
AER8-001	Transport Frame Assembly, hydraulically operated to convert 3pt. Hitch Aer-8 models to wheel mounted pull-type aerifier (Includes bolt-on frame, axle, wheels, tires, drawbar, pin hitch, jackstand & hydraulic lift cylinder) NOTE: If AER8-001 is selected, you Must select one of #AER8-002 or #AER8-003 (below) in order to lift/lower aerifier	250	\$2,459.00
AER8-002	Electric/Hydraulic Lift System for AER8-001 (NOTE: INCLUDES complete 12 volt charging system to connect to tow vehicle electric power, battery not included)	125	\$2,335.00
AER8-003	Hydraulic hose kit to connect Aer-8 to tow vehicle hydraulic system. NOTE: Hydraulic quick couplers to connect to tow vehicle are Dealer Supplied	10	\$539.00
STEP #3, Choose the reel assemblies which contain the aerification tines best suited to your needs. (Note that complete reel assemblies are quick and easy to change from one style to another so you should have multiple reels on hand to meet your various applications)			
AER8-60R60	160" (153 cm) Tine Reel Assembly (Fits all 60"/153cm Aer-8) "Turf Quake" Fracture Tines (5" / 13 cm spacing)	332	\$4,850.00
AER8-60R602	60" (153 cm) Tine Reel Assembly (Fits all 60"/153cm Aer-8) "Turf Quake" Fracture Tines (7.5" / 19 cm spacing)	285	\$3,776.00
AER8-60R603	60" (153 cm) Tine Reel Assembly (Fits all 60"/153cm Aer-8) "All-Star" Sports Field Tines (5" / 13 cm spacing)	284	\$4,816.00
AER8-60R604	460" (153 cm) Tine Reel Assembly (Fits all 60"/153cm Aer-8) "All-Star" Sports Field Tines (7.5" / 19 cm spacing)	237	\$3,776.00
AER8-60R60	60" (153 cm) Tine Reel Assembly (Fits all 60"/153cm Aer-8) "Aerfine" Thin Blade Tines (3" / 8 cm spacing)	300	\$5,725.00

(i.e. 78-786 instead of AER8-78R786).

MODEL NUMBER	DESCRIPTION	SHIP WT	SUGGESTED LIST PRICE
SMITHCO	Aer-8 AERIFIER (Continued)		
AER8-60R60€	60" (153 cm) Tine Reel Assembly (Fits all 60"/153cm Aer-8) "Aerfine" Thin Blade Tines (5" / 13 cm spacing)	228	\$4,388.00
AER8-60R607	60" (153 cm) Tine Reel Assembly (Fits all 60"/153cm Aer-8) 3/4" (1.9 cm) Coring Tines	117	\$5,335.00
AER8-78R781	78" (198 cm) Tine Reel Assembly (Fits all 78"/198 cm Aer-8 "Turf Quake" Fracture Tines (5" / 13 cm spacing)	500	\$6,236.00
AER8-78R782	78" (198 cm) Tine Reel Assembly (Fits all 78"/198 cm Aer-8 "Turf Quake" Fracture Tines (7.5" / 19 cm spacing)	357	\$4,578.00
AER8-78R783	78" (198 cm) Tine Reel Assembly (Fits all 78"/198 cm Aer-8 "All-Star" Sports Field Tines (5" / 13 cm spacing)	369	\$6,236.00
AER8-78R784	78" (198 cm) Tine Reel Assembly (Fits all 78"/198 cm Aer-8 "All-Star" Sports Field Tines (7.5" / 19 cm spacing)	307	\$4,483.00
AER8-78R785	78" (198 cm) Tine Reel Assembly (Fits all 78"/198 cm Aer-8 "Aerfine" Thin Blade Tines (3" / 8 cm spacing)	385	\$6,910.00
AER8-78R786	78" (198 cm) Tine Reel Assembly (Fits all 78"/198 cm Aer-8 "Aerfine" Thin Blade Tines (5" / 13 cm spacing)	295	\$5,393.00
AER8-78R787	78" (198 cm) Tine Reel Assembly (Fits all 78"/198 cm Aer-8 3/4" (1.9 cm) Coring Tines	153	\$6,269.00
STEP #4, Choose a smoothing roller (Optional but HIGHLY recommended when using "Aerfine" or "All-Star" sports field tines to make the turf instantly playable)			
AER8-610	60 " (153 cm) Rear Roller Assembly Highly recommended for Aer-8 Models with "All-Star" sport field tines & "Aerfine" Thin blade tines	190	\$2,488.00
AER8-710	78" (198 cm) Rear Roller Assembly Highly recommended for Aer-8 Models with "All-Star" sport field tines & "Aerfine" Thin blade tines	208	\$2,633.00

The Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS ATHLETIC FIELD LINE MARKERS

MODEL NUMBER	DESCRIPTION	SHIP WT	SUGGESTED LIST PRICE
44-901	SUPER LINER Riding Line Marker	965	\$20,726.00
	Hydrostatic drive with 16 hp (12 KW) Twin cylinder engine, 6 gpm (22.7 lpm) diaphragm paint pump, max. psi 290 (20 Bar), 50 gallon poly tank.		
ACCESSORI	ES FOR RIDING ATHLETIC FIELD LINE MARKERS		
49-028	Side Line Boom f/44-901	21	\$470.00
49-400	6-Nozzle Spray Boom f/44-901	26	\$1,683.00
49-027	49-027 Gun & Hose Kit	5	\$419.00

29

Bid Term: 2/20/19 - 2/19/21

Bid Term: 2/20/19 - 2/19/21