

# **COMPACT TRACK LOADER**

**EFFECTIVE: January 1, 2022** 

Revised: October 2021

THIS IS AN ELECTRONIC COPY ONLY - HARD COPIES WILL NOT BE DISTRIBUTED.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Compact Track Loaders:

C327

C332

C334

C337

C345

C362 - NEW MODEL

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

Copyright 2021 By

**CNH Industrial America LLC** 



## **INDEX**

# **Compact Track Loader Line Price & Data Pages**

EQUIPMENT DESCRIPTION	PAGE
C327	4
<u>C332</u>	13
C334	24
C337	32
C345	42
C362	52

#### **NOTE:**

#### **New Holland FastPick Packages**

When configuring a New Holland SSL/CTL, FastPick Package option codes offer discounts. The price in parentheses for each FastPick Package option must be deducted from the final configured price. FastPick Package option codes must be selected in order to receive the discount.

Package	Models	Description	Cab	HVAC	Display	Seat	Controls	High Flow Aux Hydraulics	Performance Package (1-way self level + Glide Ride control)	Coupler	Multi- Function 14 pin Connector	Lap Bar
761639	L328, L334, C327, C332, C334, C337, C345	FC2-Basic-ROPS	Open ROPS	No	IC	Suspension	FC	No	No	Hydraulic	Yes	Yes
761638	L321, L328, L334, C327, C332, C334, C337, C345	EH2-Basic-ROPS	Open ROPS	No	LCD	Suspension	EH	No	No	Hydraulic	Yes	Yes
761619	L320, L321, L328, L334, C327, C332, C334, C337, C345	FC2-Plus-Cab	Closed CAB	Yes - Glass Door	LCD	Suspension	FC	No	No	Hydraulic	Yes	Yes
464137	L318, L320, L321, L328, L334, C327, C332, C337	FC2-Plus-Cab	Closed CAB	Yes - Glass Door	IC	Suspension	FC	No	No	Hydraulic	Yes	Yes
761633	L320, L328, C327, C332, C345	HC2-Plus-Cab	Closed CAB	Yes - Glass Door	IC	Suspension	HC	No	No	Hydraulic	Yes	Yes
761634	L320, L328, C327, C332, C345	HC2-Plus-Air Cab	Closed CAB	Yes - Glass Door	LCD	Air Ride	HC	No	No	Hydraulic	Yes	Yes
761611	L318, L320, L321, L328, L334, C332	EH2-Plus-Cab	Closed CAB	Yes - Glass Door	LCD	Suspension	EH	No	No	Hydraulic	Yes	Yes
464140	L318, L320, L321, L328, L334, C332, C337	FC2-Deluxe-Air Cab	Closed CAB	Yes - Glass Door	IC	Air Ride	FC	No	No	Hydraulic	Yes	Yes
761622	L320, L321, L328, C332, C337	FC2-Deluxe-Air Cab	Closed CAB	Yes - Glass Door	LCD	Air Ride	FC	No	No	Hydraulic	Yes	Yes
761614	L318, L320, L321, L328, L334, C327, C332, C337, C345	EH2-Deluxe-Air Cab	Closed CAB	Yes - Glass Door	LCD	Air Ride	EH	No	No	Hydraulic	Yes	Yes
761624	L320, L328, L334, C327, C334, C337, C345	EH2-Elite-Air Cab	Closed CAB	Yes - Glass Door	LCD	Air Ride	FC	No	Yes	Hydraulic	Yes	Yes
761632	L320, L328, L334, C327, C332, C337, C345	EH2-Elite-Air Cab	Closed CAB	Yes - Glass Door	LCD	Air Ride	EH	No	Yes	Hydraulic	Yes	Yes
761618	L320, L328, C332, C345	FC2-Limited-ROPS	Open ROPS	No	IC	Suspension	FC	Yes	No	Manual	Yes	Yes
761621	L320, L328, C332, C345	EH2-Limited-ROPS	Open ROPS	No	LCD	Suspension	EH	Yes	No	Manual	Yes	Yes
468158	C362	EH Limited ROPS	Open ROPS	No	LCD	Suspension	EH	Yes	Yes	Hydraulic	Yes	Yes
761630	C332, C337	FC2-Limited-Air Cab	Closed CAB	Yes - Glass Door	IC	Air Ride	FC	Yes	Yes	Hydraulic	Yes	Yes
761631	L328, L334, C332, C337, C345	FC2-Limited-Air Cab	Closed CAB	Yes - Glass Door	LCD	Air Ride	FC	Yes	Yes	Hydraulic	Yes	Yes
761627	L320, L321, L328, L334, C327, C332, C334, C337, C345	EH2-Limited-Air Cab	Closed CAB	Yes - Glass Door	LCD	Air Ride	EH	Yes	Yes	Hydraulic	Yes	Yes
761636	L334, C332, C334, C337, C345	EH2-Limited-HF Air Cab	Closed CAB	Yes - Glass Door	LCD	Air Ride	EH	Yes	No	Hydraulic	Yes	Yes
468160	C362	Limited Air Cab	Closed Cab	Yes - Glass Door	LCD	Air Ride	EH	Yes	Yes	Hydraulic	Yes	Yes
761637	L328, C332, C345	EH2-Limited-DEMO Cab	Closed CAB	Yes - Demo Door	LCD	Air Ride	EH	Yes	Yes	Hydraulic	Yes	Yes
468161	C362	Limited DEMO Cab	Closed Cab	Yes - Demo Door	LCD	Air Ride	EH	Yes	Yes	Hydraulic	Yes	Yes
464474	L334, C334, C345	EH2-Platinum EHF-DEMO Cab	Closed CAB	Yes - Demo Door	LCD	Air Ride	EH	EHF	Yes	Hydraulic	Yes	Yes
468159	C362	EH Platinum ROPS	Open ROPS	No	LCD	Suspension	EH	EHF	Yes	Hydraulic	Yes	Yes
468162	C362	Platinum DEMO Cab	Closed Cab	Yes - Demo Door	LCD	Air Ride	EH	EHF	Yes	Hydraulic	Yes	Yes

1. Basic - Open ROPS, suspension seat

2. Plus - Closed CAB

3. Deluxe - Closed Cab, Air ride seat

4. Elite - Closed CAB, Air ride seat, performance package

5. Limited - High Flow aux hydraulics

6. Platinum - EHF aux hydraulics. L334, C334, C345, C362 only

7. Air - Air ride suspension seat

8. Demo - polycarbonate door

9. LCD - 8" Multi-function display

10. IC - Instrument cluster

11. FC - Mech levers + foot controls

12. HC - Mech hand controls

13. EH - Electro-Hydraulic joysticks

14. HF - High Flow aux hydraulics

15. EHF - Enhanced High Flow aux hydraulics

Headliner



#### C327 US PRICE LIST

## **Standard Equipment**

```
ENGINE:
                                                      Alarm package (backup and horn)
 FPT F5H FL463A water cooled diesel
                                                    HYDRAULICS:
                                                      6 micron oil filtration system
   engine
  207 CID (3.4 L) Turbo
                                                      3 spool loader control valve
  Tier 4 Final Certified
                                                      Auxiliary hydraulics, Proportional thumb
 High Pressure Common Rail (HPCR)
                                                        wheel activated: loader arm mounted
   Fuel Injection
                                                        with ISO specification flat face
 Horsepower:
                                                        "connect-under-pressure"
    - Gross 74
                                                        disconnects
    - Net 68
                                                        Including case drain
 120 amp alternator
                                                      Heavy duty hydraulic oil cooler
 Air cleaner - dual element
                                                      Loader arm float position
 Anti-freeze solution to -34° F
                                                      Auxiliary hydraulic function lockout
 Fuel tank - 19.5 gal. (U.S.)
                                                        override
 Particulate Matter Catalyst (PMCat)
                                                      Loader arm circuit lockout override
 Single Plane, Top and Bottom Oil
    Cooler/Radiator Configuration
                                                    LOADER:
 No maintenance belt
                                                      Hydraulic Attachment Coupler
 Glow Plugs
                                                      Radial arm geometry
 Maintenance free 1000 CCA battery
                                                      Loader lift arm support strut
                                                      SAE operating load:
OPERATOR'S PROTECTIVE
                                                        2700 lbs. at 50%
                                                        1890 lbs. at 35%
STRUCTURE:
 ROPS/FOPS Level 1 canopy with side
                                                      Tipping load: 5400 lbs.
    screens
 Control lockout system
                                                    INSTRUMENTATION:
 Tilt forward ROPS/FOPS
                                                      Advanced Instrument Cluster with
                                                        hour meter, tachometer, fuel
 Electric parking brake control
 Hand throttle
                                                        gauge, hydraulic oil temperature
 Foot throttle
                                                        gauge, engine coolant temperature
 Switchable (ISO - H) Electro Hydraulic
                                                        gauge, diagnostic features and
                                                        security lock-out
    Controls
 Operator's compartment floor cleanout
                                                      Warning lights with alarms:
 Rear window with emergency escape
                                                        Critical system stop
 Padded Arm Rests (EH Controls ONLY)
                                                        Engine system
 Suspension Seat, vinyl with
                                                        Hydraulic system
    2" retractable lap seat belt
                                                        Electrical and diagnostic system
 Lap Bar
                                                      Warning alarms:
 Foot rest
                                                        Battery voltage (plus display)
                                                        Oil Service
 Dome Light
  12V Power plug socket
                                                      Indicator Light:
 Cup holder
                                                        Engine preheat, Parking brake,
 Tool Pocket
                                                        Seat belt reminder
 Top window
```



# **Standard Equipment**

#### TRACK SYSTEM:

Electro Hydraulic Controlled Hydrostatic
2-speed planetary final drive
Positive drive imbedded steel rubber
track belt
Spring applied hydraulic release
(SAHR) disc parking brake
Dynamic braking

#### UNDERCARRIAGE:

Rigid track frame mounting
Permanently sealed (duo cone face
seal) & lubricated idlers and rollers
Triple flange lower rollers
Single flange front and rear idlers
Hydraulic track adjustment
Track recoil spring
Undercarriage Hose Covers

#### OTHER STANDARD FEATURES:

Steel lights with integrated turn signals
Lights - 4 front lights (2 forward
facing, 2 @ 45 degree forward),
2 rear (halogen)
Pre-wired for rotating beacon
Service access hood, lockable
Steel Hoods & Covers
Single point daily service
Tail lights
Options harness
Remote Oil and Fuel Filters
Heavy Duty Rear door
Front Electric Multi-Function Control
Battery disconnect
Block Heater - 120v USA



## **Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
C327	C327-RG	8,270 LBS		\$79,109.00

# **Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
Oldol Oddo	p Dood i ption	Troigin.	I dotory Data	_iot i iioo

#### **FAST PICK CONFIGURATION**

SD\_T9999 NEW HOLLAND CTL/SSL PACKAGES

EH Control I	FastPicks	
761614	761614 EH2-Deluxe-Air Cab	(\$5,665.00)
	761042#E-H CONTROLS	
	761031#E-H CONTROL 2SPD	
	761034#FRONT ELEC/MULTI-FUNC	
	761311#EH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	
761627	761627 EH2-Limited-Air Cab	(\$5,665.00)
	761042#E-H CONTROLS	
	761031#E-H CONTROL 2SPD	
	761037#HIGH FLOW PLUS PACK	
	761311#EH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	
761632	761632 EH2-Elite-Air Cab	(\$5,665.00)
	761042#E-H CONTROLS	
	761031#E-H CONTROL 2SPD	
	761035#PERF w/FRONT ELEC	
	761311#EH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	



761638	EH2-Basic-ROPS		(\$5,665.00)
	EH2-Basic-ROPS		
	761042#E-H CONTROLS		
	761031#E-H CONTROL 2SPD		
	761034#FRONT ELEC/MULTI-FUNC		
	761310#EH LCD DISPLAY OPEN CAB		
	761325#HYDRAULIC COUPLER		
	761313#OPEN NO HEAT OR HVAC		
	761052#SUSPENSION SEAT		
	761224#LAP BAR		
Hand & Foo	t Control FastPicks		
464137	FC2-PLUS-CAB		(\$5,665.00)
	FC2-Plus-Cab		
	761041#FOOT CONTROLS		
	761029#MECH CONTROL 2SPD		
	761034#FRONT ELEC/MULTI-FUNC		
	761305#MECH IC CLOSED CAB		
	761325#HYDRAULIC COUPLER		
	761156#HVAC-GLASS DOOR		
	761052#SUSPENSION SEAT		
	761224#LAP BAR		
464143	FC2-Elite-Air Cab		(\$5,665.00)
	FC2-Elite-Air Cab		
	761041#FOOT CONTROLS		
	761029#MECH CONTROL 2SPD		
	761035#PERF w/FRONT ELEC		
	761305#MECH IC CLOSED CAB		
	761325#HYDRAULIC COUPLER		
	761156#HVAC-GLASS DOOR		
	761062#AIR SUSPENSION SEAT		
	761224#LAP BAR		
761619	761619 FC2-Plus-Cab		(\$5,665.00)
	761041#FOOT CONTROLS		
	761029#MECH CONTROL 2SPD		
	761034#FRONT ELEC/MULTI-FUNC		
	761309#MECH LCD DISPLAY CLOSED CAB		
	761325#HYDRAULIC COUPLER		
	761156#HVAC-GLASS DOOR		
	761052#SUSPENSION SEAT		
	761224#LAP BAR		



	T		_	
761624	761624 FC2-Elite-Air Cab			(\$5,665.00)
	761041#FOOT CONTROLS			
	761029#MECH CONTROL 2SPD			
	761035#PERF w/FRONT ELEC			
	761309#MECH LCD DISPLAY CLOSED CAB			
	761325#HYDRAULIC COUPLER			
	761156#HVAC-GLASS DOOR			
	761062#AIR SUSPENSION SEAT			
	761224#LAP BAR			
761639	FC2-Basic-ROPS			(\$5,665.00)
	FC2-Basic-ROPS			
	761041#FOOT CONTROLS			
	761029#MECH CONTROL 2SPD			
	761034#FRONT ELEC/MULTI-FUNC			
	761304#MECH IC OPEN CAB			
	761325#HYDRAULIC COUPLER			
	761313#OPEN NO HEAT OR HVAC			
	761052#SUSPENSION SEAT			
	761224#LAP BAR			
Hand Contro	ol FastPicks	•	•	
761633	761633 HC2 - Plus - Cab			(\$5,665.00)
	761040#HAND CONTROLS			
	761029#MECH CONTROL 2SPD			
	761034#FRONT ELEC/MULTI-FUNC			
	761305#MECH IC CLOSED			
	761325#HYDRAULIC COUPLER			
	761156#HVAC-GLASS DOOR			
	761052#SUSPENSION SEAT			
	761224#LAP BAR			
761634	761634 HC2 - Plus - Air Cab			(\$5,665.00)
	761040#HAND CONTROLS			(+-,,
	761029#MECH CONTROL 2SPD			
	761034#FRONT ELEC/MULTI-FUNC			
	761309#MECH LCD DISPLAY CLOSED CAB			
	761325#HYDRAULIC COUPLER			
	761156#HVAC-GLASS DOOR			
	761062#AIR SUSPENSION SEAT			
	761224#LAP BAR			
	I VIZZETERE DAN		I	

## **OPERATORS MANUAL**

SD\_32004 LANGUAGE OPTIONS

	761328	English		No Charge
	761329	French		No Charge
	761331	Spanish		No Charge

jrmuzzy@burlinst.com



TRACK BELT O	PTIONS		
SD_10015 T	RACK OPTIONS		
8500117	7 320 mm (12.6 inch)		No Charge
	Standard duty rail type track with zig zag tread pattern.		
	86 Pitch, 67" OTW		
FRONT ATTACH	IMENTS		
BUCKETS			
BOOKETO			
SD_K5231 E	BUCKETS		
761125	72" Dirt & Foundry Bucket		\$1,324.00
761126	78" Dirt & Foundry Bucket		\$1,363.00
761129	72" Low Profile Bucket		\$1,224.00
761132	72" Low Profile Extended		\$1,328.00
761133	78" Low Profile Extended		\$1,412.00
761136	72" Light Material Bucket		\$1,217.00
761137	84" Light Material Bucket		\$1,304.00
761142	72" Heavy Duty Dirt Bucket		\$1,745.00
761143	78" Heavy Duty Dirt Bucket		\$1,878.00
761144	84" Heavy Duty Dirt Bucket		\$1,930.00
761254	72" HD Ext. w/ SmartFit Teeth		\$2,036.00
761255	78" HD Ext. w/ SmartFit Teeth		\$2,248.00
761256	84" HD Ext. w/ SmartFit Teeth		\$2,387.00
BOLT ON CUTT	NG EDGE		
CD 1/0200 F	DOLT ON CUTTING EDGE		
	SOLT ON CUTTING EDGE	<del></del>	<u> </u>
761146	66" Bolt on Cutting Edge	<del>                                     </del>	\$222.00
761147	72" Bolt on Cutting Edge		\$248.00
761148	78" Bolt on Cutting Edge		\$267.00
761149 XK6399	84" Bolt on Cutting Edge  X No Bolt on Cutting Edge		\$287.00 No Charge
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	A   NO BOIL OIT Cutting Eage		NO Charge
MOVE TO BIC			
SD_K6440 (	DFF-SITE SERVICE		
761175	Offsite Service Arrangement		No Charge
	Pricing is dealer negotiated with Burlington Installation Corp.		
	For BIC Products and Pricing Call: (316) 943-2515 or email		
1 1			



#### **SPECIAL PAINT**

SD\_50103 SPECIAL PAINT

726029	Special Paint		\$3,089.00
	The price listed is for a color change only from the standard		
	factory color: CNH #86572648 (NH-Yellow). All Special Color		
	formulations will be applied using approved factory processes		
	and materials. Metallic or other special formulations and/or		
	materials are not available. A color chip must be provided to		
	CNH for non CNH colors. A minimum lead time of 8 business		
	weeks will be required prior to production.		
	Unless specified, regular production decals will be applied.		
	Requests can be made that decals not be applied. However,		
	SAFETY decals MUST BE APPLIED in all cases. The following		
	components remain CNH grey: lift & bucket cylinders, front		
	coupler and attachments, ROPS, side screens, upper chassis,		
	control links, rear door, and wheels. Approved special paint colors:		
	NH-Yellow - 86572648, CNH Dark Grey - SPU65292, NH Blue -		
	SAC81271		

#### **TELEMATICS**

SD\_K6451 TELEMATICS-CNTRLS

761318	NH TELEMATICS-E-H		\$851.00
	Factory installed telematics for EH control machines.		
	All hardware included.		
	Includes 1 yr. Advanced subscription		
	Additional Subscription service available through parts.		
	TDAC Code located on invoice.		
761319	NH TELEMATICS-MECH		\$851.00
	Factory installed telematics for mechanical control machines.		
	All hardware included.		
	Includes 1 yr. Advanced subscription		
	Additional Subscription service available through parts.		
	TDAC Code located on invoice.		



# **Factory Supplied Attachments**

Order Code	Description	Weight	Factory Data	List Price
Dirt & Foundry				
736054016	KIT, BUCKET 66IN DF	374 LB		\$1,273.00
736055016	KIT-BUCKET-72IN DF	407 LB		\$1,285.00
736056016	KIT-BUCKET-78IN DF	429 LB		\$1,444.00
	•			<u> </u>
Heavy Duty	IVIT DUCKET 70IN LID	504   D	1	Ф4 745 00
736072016	KIT-BUCKET-72IN HD	501 LB		\$1,745.00
736073016	KIT-BUCKET-78IN HD	526 LB 550 LB		\$1,990.00
736074016	KIT-BUCKET-84IN HD	550 LB		\$2,046.00
ight Material	1			
736066016	KIT-BUCKET-72IN LM	466 LB		\$1,229.00
736067016	KIT-BUCKET-84IN LM	532 LB		\$1,382.00
_ow Profile				
736058016	KIT-BUCKET-66IN LP	431 LB		\$1,214.00
736059016	KIT-BUCKET-72IN LP	471 LB		\$1,297.00
		-		
ow Profile Extended	KIT-BUCKET-66IN LPE	460 LB		¢4 249 00
736062016	KIT-BUCKET-72IN LPE	504 LB		\$1,318.00 \$1,407.00
736062016	KIT-BUCKET-72IN LPE KIT-BUCKET-78IN LPE	531 LB		\$1,407.00
736064016	KIT-BUCKET-84IN LPE	607 LB		\$1,497.00
<u>'</u>	MIT-DOOKE IT-04IN EI E	007 LB	I	ψ1,592.00
Manure Slurry				
736069016	KIT-BUCKET-72IN MS	469 LB		\$1,246.00
Toothed				
736184006	KIT, BUCKET 72IN TOOTHED	624 LB		\$1,977.00
736006006	KIT, BEACON	1 LB	T	\$154.00
	Install Time = 0.2 hours			****
736011006	KIT, GLASS FRONT DOOR	182 LB		\$1,900.00
	Install Time = 2.0 hours			
	Mounted wiper			
	Required three point seat belt  Must order applicable harness. Reference dependency matrix.			
736012006	KIT, DEMO FRONT DOOR	182 LB		\$3,330.00
730012000	Install Time = 2.0 hours	102 LD		ψ5,550.00
	1/2" polycarbonate door (will not shatter like glass)			
	Mounted wiper			
	Requires three point seat belt.			
	Must order applicable harness. Reference dependency matrix.			
736013006	KIT, CAB SIDE WINDOWS	100 LB		\$891.00
<del>     </del>	Install Time = 1.0 hours			
736017006	BT RADIO KIT	16 LB		\$728.00



736021006	KIT, MULTI-FUNCTION ELEC MECH	11 LB	\$299.00
736022136	KIT, SELF LEVEL	14 LB	\$530.00
736024036	KIT, HYDRAULIC COUPLER	33 LB	\$1,349.00
736036016	KIT, 4 POINT LIFT HOOK Install Time = 2.0 hours	11 LB	\$242.00
736045046	KIT, FOOT CONTROL Install Time = 8.0 hours Converting to Hand&Foot control from Hand (H-Pattern) Mechanical control units only.	52 LB	\$671.00
736046066	KIT, HAND CONTROL Install Time = 6.0 hours Convert to Hand (H-Pattern) from Hand&Foot Mechanical control only.	76 LB	\$900.00
736047006	KIT, BLOCK HTR-120V-USA Install Time = 0.5 hours	6 LB	\$225.00
736075006	KIT PALLET FORK W-48IN TINES	330 LB	\$1,381.00
736142006	KIT-CYL GUARD Install Time = 0.5 hours Provides protection to the loader bucket dump/curl cylinders in severe operating conditions.	21 LB	\$485.00
736158106	KIT, COMPLETE HVAC Install Time = 27.7 hours Must order applicable harness. Reference dependency matrix.	332 LB	\$3,222.00



# **Standard Equipment**

```
ENGINE:
 FPT F5H FL463H water cooled
   diesel engine
  207 CID (3.4 L) Turbo
  Tier 4 Final Certified
 High Pressure Common Rail (HPCR)
   Fuel Injection
 Horsepower:
    - Gross 74
    - Net 68
    - Peak torque 232 lb*ft (314 Nm)
  120 amp alternator
 Air cleaner - dual element
 Organic Acid Technology (OAT)
 Diesel Oxidation Catalyst
 Anti-freeze solution to -34° F
 Fuel tank - 25.5 gal. (U.S.)
  2-stack engine/hydraulic cooler
 Single plane, top/bottom oil
 cooler/radiator configuration
 Maintenance-Free Belt
 Glow Plugs
 Maintenance free 1000 CCA battery
OPERATOR'S PROTECTIVE
STRUCTURE:
 ROPS/FOPS Level 1 canopy with side
    screens
 Control lockout system
 Tilt forward ROPS/FOPS
 Electric parking brake control
 Hand throttle and Foot throttle
 Switchable (ISO - H) Electro Hydraulic
   Controls (only on EH models)
  Operator's compartment floor cleanout
 Rear window with emergency escape
 Suspension Seat, vinyl with
    2" retractable lap seat belt
 Lap Bar
 Foot rest
 Dome Light
  12V Power plug socket
  Cup holder
```

```
OPERATOR'S PROTECTIVE
STRUCTURE (Continued):
  Tool Pocket
  Top window
 Headliner
 Alarm package (backup and horn)
HYDRAULICS:
  6 micron oil filtration system
  3 spool loader control valve
  Auxiliary hydraulics, Proportional thumb
    wheel activated: loader arm mounted
    with ISO specification flat face
    "connect-under-pressure"
    disconnects
    Including case drain
 Heavy duty hydraulic oil cooler
 Loader arm float position
 Auxiliary hydraulic function lockout
    override
  Loader arm circuit lockout override
LOADER:
 Hyrdaulic Attachment Coupler
 Vertical Lift SUPERBOOM Geometry
  In-Cab Boom Locks
  SAE operating load:
    For C332:
      3200 lbs. at 50%
      2240 lbs. at 35%
      Tipping load: 6400 lbs.
```



# **Standard Equipment**

#### INSTRUMENTATION:

Advanced Instrument Cluster with hour meter, tachometer, fuel gauge, hydraulic oil temperature gauge, engine coolant temperature gauge, diagnostic features and security lock-out Warning lights with alarms: Critical system stop Engine system Hydraulic system Electrical and diagnostic system Warning alarms: Battery voltage (plus display) DPF Oil Service Indicator Light:

Engine preheat, Parking brake,

Seat belt reminder

#### TRACK SYSTEM:

Electro Hydraulic Controlled Hydrostatic
2-speed planetary final drive
Positive drive imbedded steel rubber
track belt
Spring applied hydraulic release
(SAHR) disc parking brake
Dynamic braking

#### UNDERCARRIAGE:

Rigid track frame mounting
Permanently sealed (duo cone face
seal) & lubricated idlers and rollers
Triple flange lower rollers
Single flange front and rear idlers
Hydraulic track adjustment
Track recoil spring
Undercarriage Hose Covers

#### OTHER STANDARD FEATURES:

Steel lights with integrated turn signals Lights - 4 front lights (2 forward facing, 2 @ 45 degree forward), 2 rear (halogen) Pre-wired for rotating beacon Service access hood, lockable Steel Hoods & Covers Single point daily service Tail lights Options harness (only on EH models) Remote Oil and Fuel Filters Debris Ingression Prevention Sealing Heavy Duty Rear Door Front Electric Multi-Function Control Battery disconnect Block Heater - 120v USA



## **Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
C332	C332-RG	9,630 LBS		\$90,933.00

# **Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
0.40.0040			. actory Data	

#### **FAST PICK CONFIGURATION**

SD\_T9999 NEW HOLLAND CTL/SSL PACKAGES

EH Control F	FastPicks	
761611	761611 EH2-Plus-Cab	(\$6,180.00)
	761042#E-H CONTROLS	
	761031#E-H CONTROL 2SPD	
	761034#FRONT ELEC/MULTI-FUNC	
	761311#EH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761052#SUSPENSION SEAT	
	761224#LAP BAR	
761614	761614 EH2-Deluxe-Air Cab	(\$6,180.00)
	761042#E-H CONTROLS	
	761031#E-H CONTROL 2SPD	
	761034#FRONT ELEC/MULTI-FUNC	
	761311#EH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	
761621	EH2-LIMITED-ROPS	(\$6,180.00)
	761042#E-H CONTROLS	
	761031#E-H CONTROL 2SPD	
	761036#HIGH FLOW w/ MULTIFUNC FRNT ELEC	
	761310#E-H Open Cab LCD Display	
	761324#MANUAL COUPLER	
	761313#OPEN NO HEAT OR HVAC	
	761052#SUSPENSION SEAT	



П	761627	761627 EH2-Limited-Air Cab	(\$6,180.00)
	761627	761042#E-H CONTROLS	(φο, 1ου.υυ)
		761031#E-H CONTROL 2SPD	
		761037#HIGH FLOW PLUS PACK	
		761311#EH LCD DISPLAY CLOSED CAB	
		761325#HYDRAULIC COUPLER	
		761156#HVAC-GLASS DOOR	
		761062#AIR SUSPENSION SEAT	
$\vdash$	704000	761224#LAP BAR	(00.400.00)
	761632	761632 EH2-Elite-Air Cab	(\$6,180.00)
		761042#E-H CONTROLS	
		761031#E-H CONTROL 2SPD	
		761035#PERF w/FRONT ELEC	
		761311#EH LCD DISPLAY CLOSED CAB	
		761325#HYDRAULIC COUPLER	
		761156#HVAC-GLASS DOOR	
		761062#AIR SUSPENSION SEAT	
$\vdash$		761224#LAP BAR	
	761636	761636 EH2-Limited HF Air Cab	(\$6,180.00)
		761042#E-H CONTROLS	
		761031#E-H CONTROL 2SPD	
		761036#HIGH FLOW w/ Front Electric Multifunction	
		761311#EH LCD DISPLAY CLOSED CAB	
		761325#HYDRAULIC COUPLER	
		761156#HVAC-GLASS DOOR	
		761062#AIR SUSPENSION SEAT	
		761224#LAP BAR	
	761637	EH2-Limited-DEMO CAB	(\$6,180.00)
		761042#E-H CONTROLS	
		761031#E-H CONTROL 2SPD	
		761037#HIGH FLOW PLUS PACK	
		761311#EH LCD CLOSED	
		761325#HYDRAULIC COUPLER	
		761157#HVAC-DEMO DOOR	
		761062#AIR SUSPENSION SEAT	
		761224#LAP BAR	
	761638	EH2-Basic-ROPS	(\$6,180.00)
		EH2-Basic-ROPS	
		761042#E-H CONTROLS	
		761031#E-H CONTROL 2SPD	
		761034#FRONT ELEC/MULTI-FUNC	
		761310#EH LCD DISPLAY OPEN CAB	
		761325#HYDRAULIC COUPLER	
		761313#OPEN NO HEAT OR HVAC	
		761052#SUSPENSION SEAT	
		761224#LAP BAR	
$\vdash$			 



464137	t Control FastPicks FC2-PLUS-CAB	(\$6,180.00
404137	FC2-Plus-Cab	(ψ0,100.00
	761041#FOOT CONTROLS	
	761029#MECH CONTROL 2SPD	
	761034#FRONT ELEC/MULTI-FUNC	
	761305#MECH IC CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761052#SUSPENSION SEAT	
	761224#LAP BAR	
464139	464139 FC2-PLUS-CAB	(\$6,180.00
	FC2-Plus-Cab	(ψο,100.00)
	761041#FOOT CONTROLS	
	761029#MECH CONTROL 2SPD	
	761034#FRONT ELEC/MULTI-FUNC	
	761305#MECH IC CLOSED	
	761205#HEAVY DUTY REAR DOOR	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761052#SUSPENSION SEAT	
464140	FC2-Deluxe-Air Cab	(\$6,180.00
	FC2-Deluxe-Air Cab	
	761041#FOOT CONTROLS	
	761029#MECH CONTROL 2SPD	
	761034#FRONT ELEC/MULTI-FUNC	
	761305#MECH IC CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	
464473	FC2-LIMITED- Air Cab	(\$6,180.00
	FC2-LIMITED- Air Cab	
	761041#FOOT CONTROLS	
	761029#MECH CONTROL 2SPD	
	761037#HIGH FLOW PLUS PACK	
	761305#MECH IC CLOSED	
	761205#HEAVY DUTY REAR DOOR	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	

761618	FC2-LIMITED-ROPS	(\$6,180.00)
/01010	761041#FOOT CONTROLS	(φο, 1ου.υυ)
	761029#MECH CONTROL 2SPD	
	761036#HIGH FLOW w/ MULTIFUNC FRNT ELEC	
	761304#MECH IC OPEN CAB	
	761324#MANUAL COUPLER	
	761313#OPEN NO HEAT OR HVAC	
	761052#SUSPENSION SEAT	
	761224#LAP BAR	
761619	761619 FC2-Plus-Cab	(\$6,180.00)
	761041#FOOT CONTROLS	
	761029#MECH CONTROL 2SPD	
	761034#FRONT ELEC/MULTI-FUNC	
	761309#MECH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761052#SUSPENSION SEAT	
	761224#LAP BAR	
761622	761622 FC2-Deluxe-Air Cab	
	761041#FOOT CONTROLS	
1 1 1	761029#MECH CONTROL 2SPD	
	761034#FRONT ELEC/MULTI-FUNC	
	761309#MECH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	
	if MODEL is C332-RG	(\$6,180.00)
761630	761630 FC2-Limited-Air Cab	
	761041#FOOT CONTROLS	
	761029#MECH CONTROL 2SPD	
1 1 1	761037#HIGH FLOW PLUS PACK	
1 1 1	761305#MECH IC CLOSED CAB	
1 1 1	761325#HYDRAULIC COUPLER	
1 1 1	761156#HVAC-GLASS DOOR	
	761136#HVAC-GLASS BOOK 761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	/fic 400 00)
704004	if MODEL is C332-RG	(\$6,180.00)
761631	761631 FC2-Limited-Air Cab	(\$6,180.00)
	761041#FOOT CONTROLS	
	761029#MECH CONTROL 2SPD	
	761037#HIGH FLOW PLUS PACK	
	761309#MECH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	



704000	FOOR : DODG	1	(\$0.400.00)
761639	FC2-Basic-ROPS		(\$6,180.00)
	FC2-Basic-ROPS		
	761041#FOOT CONTROLS		
	761029#MECH CONTROL 2SPD		
	761034#FRONT ELEC/MULTI-FUNC		
	761304#MECH IC OPEN CAB		
	761325#HYDRAULIC COUPLER		
	761313#OPEN NO HEAT OR HVAC		
	761052#SUSPENSION SEAT		
	761224#LAP BAR		
Hand Contro	I FastPicks		
761633	761633 HC2 - Plus - Cab		(\$6,180.00)
	761040#HAND CONTROLS		
	761029#MECH CONTROL 2SPD		
	761034#FRONT ELEC/MULTI-FUNC		
	761305#MECH IC CLOSED		
	761325#HYDRAULIC COUPLER		
	761156#HVAC-GLASS DOOR		
	761052#SUSPENSION SEAT		
	761224#LAP BAR		
761634	761634 HC2 - Plus - Air Cab		(\$6,180.00)
	761040#HAND CONTROLS		
	761029#MECH CONTROL 2SPD		
	761034#FRONT ELEC/MULTI-FUNC		
	761309#MECH LCD DISPLAY CLOSED CAB		
	761325#HYDRAULIC COUPLER		
	761156#HVAC-GLASS DOOR		
	761062#AIR SUSPENSION SEAT		
	761224#LAP BAR		

#### **OPERATORS MANUAL**

SD\_32004 LANGUAGE OPTIONS

	761328	English		No Charge
	761329	French		No Charge
	761331	Spanish		No Charge

## TRACK BELT OPTIONS

SD\_10015 TRACK OPTIONS

	8500147	450 mm (17.7 inch)		No Charge
		Standard Duty rail type track with zig zag tread pattern.		
		78"OTW		
		100 Pitch		



#### FRONT ATTACHMENTS **BUCKETS** SD\_K5231 BUCKETS 761126 78" Dirt & Foundry Bucket \$1,363.00 761133 78" Low Profile Extended \$1,412.00 761134 84" Low Profile Extended \$1,502.00 84" Light Material Bucket \$1,304.00 761137 78" Heavy Duty Dirt Bucket \$1,878.00 761143 761144 84" Heavy Duty Dirt Bucket \$1,930.00 761255 78" HD Ext. w/ SmartFit Teeth \$2,248.00 761256 84" HD Ext. w/ SmartFit Teeth \$2,387.00 **BOLT ON CUTTING EDGE** SD\_K6399 BOLT ON CUTTING EDGE 72" Bolt on Cutting Edge \$248.00 761147 \$267.00 761148 78" Bolt on Cutting Edge 761149 84" Bolt on Cutting Edge \$287.00 XK6399X No Bolt on Cutting Edge No Charge **MOVE TO BIC** SD\_K6440 OFF-SITE SERVICE 761175 Offsite Service Arrangement No Charge Pricing is dealer negotiated with Burlington Installation Corp.

For BIC Products and Pricing Call: (316) 943-2515 or email

jrmuzzy@burlinst.com



#### **SPECIAL PAINT**

SD\_50103 SPECIAL PAINT

726029	Special Paint	\$3,089.00
	The price listed is for a color change only from the standard	
	factory color: CNH #86572648 (NH-Yellow). All Special Color	
	formulations will be applied using approved factory processes	
	and materials. Metallic or other special formulations and/or	
	materials are not available. A color chip must be provided to	
	CNH for non CNH colors. A minimum lead time of 8 business	
	weeks will be required prior to production.	
	Unless specified, regular production decals will be applied.	
	Requests can be made that decals not be applied. However,	
	SAFETY decals MUST BE APPLIED in all cases. The following	
	components remain CNH grey: lift & bucket cylinders, front	
	coupler and attachments, ROPS, side screens, upper chassis,	
	control links, rear door, and wheels. Approved special paint colors:	
	NH-Yellow - 86572648, CNH Dark Grey - SPU65292, NH Blue -	
	SAC81271	

#### **TELEMATICS**

SD\_K6451 TELEMATICS-CNTRLS

761318	NH TELEMATICS-E-H		\$851.00
	Factory installed telematics for EH control machines.		
	All hardware included.		
	Includes 1 yr. Advanced subscription		
	Additional Subscription service available through parts.		
	TDAC Code located on invoice.		
761319	NH TELEMATICS-MECH		\$851.00
	Factory installed telematics for mechanical control machines.		
	All hardware included.		
	Includes 1 yr. Advanced subscription		
	Additional Subscription service available through parts.		
	TDAC Code located on invoice.		



# **Factory Supplied Attachments**

	Order Code	Description	Weight	Factory Data	List Price
Dirt	& Foundry				
	736056016	KIT-BUCKET-78IN DF	429 LB		\$1,444.00
Неа	vy Duty				
	736073016	KIT-BUCKET-78IN HD	526 LB		\$1,990.00
	736074016	KIT-BUCKET-84IN HD	550 LB		\$2,046.00
	ot Matarial		'		. ,
Ligi	ht Material 736067016	KIT-BUCKET-84IN LM	532 LB		\$1,382.00
ш	1730007010	KIT BOOKET OHIVEW	332 LD		ψ1,302.00
Low	v Profile Extende	ed			
	736063016	KIT-BUCKET-78IN LPE	531 LB		\$1,497.00
	736064016	KIT-BUCKET-84IN LPE	607 LB		\$1,592.00
Τοο	thed				
	736185006	KIT, BUCKET 78IN TOOTHED	728 LB		\$2,383.00
	736186006	KIT, BUCKET 84IN TOOTHED	728 LB		\$2,530.00
	•			·	
	736006006	KIT, BEACON	1 LB		\$154.00
	700044000	Install Time = 0.2 hours	100   5		<b>\$4,000,00</b>
	736011006	KIT, GLASS FRONT DOOR Install Time = 2.0 hours	182 LB		\$1,900.00
		Mounted wiper			
		Required three point seat belt			
$\vdash$		Must order applicable harness. Reference dependency matrix.			
	736012006	KIT, DEMO FRONT DOOR	182 LB		\$3,330.00
		Install Time = 2.0 hours 1/2" polycarbonate door (will not shatter like glass)			
		Mounted wiper			
		Requires three point seat belt.			
		Must order applicable harness. Reference dependency matrix.			
	736013006	KIT, CAB SIDE WINDOWS Install Time = 1.0 hours	100 LB		\$891.00
	736017006	BT RADIO KIT	16 LB		\$728.00
	736021006	KIT, MULTI-FUNCTION ELEC MECH	11 LB		\$299.00
	736022106	KIT, SELF LEVEL	14 LB		\$530.00
	736024016	KIT, HYDRAULIC COUPLER	33 LB		\$1,349.00
	736036026	KIT, 4 POINT LIFT HOOK	11 LB		\$242.00
$\vdash$		Install Time = 2.0 hours			<b>^</b>
	736045046	KIT, FOOT CONTROL Install Time = 8.0 hours	52 LB		\$671.00
		Converting to Hand&Foot control from Hand (H-Pattern)			
		Mechanical control units only.			
	736046066	KIT, HAND CONTROL	76 LB		\$900.00
		Install Time = 6.0 hours			
		Convert to Hand (H-Pattern) from Hand&Foot Mechanical control only.			
		iviconariicai contitui oniy.			



736047006	KIT, BLOCK HTR-120V-USA Install Time = 0.5 hours	6 LB	\$225.00
736075006	KIT PALLET FORK W-48IN TINES	330 LB	\$1,381.00
736142006	KIT-CYL GUARD Install Time = 0.5 hours Provides protection to the loader bucket dump/curl cylinders in severe operating conditions.	21 LB	\$485.00
736158136	KIT, COMPLETE HVAC Install Time = 27.7 hours Must order applicable harness. Reference dependency matrix.	330 LB	\$3,222.00

ENGINE:



#### C334 US PRICE LIST

## Standard Equipment

```
FPT F5B FL413E water cooled diesel
                                                    OPERATOR'S PROTECTIVE
                                                    STRUCTURE (Continued):
   engine
  207 CID (3.4 L) Turbo
                                                      Dome Light
  Tier 4 Final Certified
                                                      12V Power plug socket
 High Pressure Common Rail (HPCR)
                                                      Cup holder
                                                      Tool Pocket
    Fuel Injection
 Charged Air Cooler (CAC)
                                                      Top window
 Horsepower:
                                                      Headliner
   - Gross 90
                                                      Alarm package (backup and horn)
    - Net 84

    Peak torque 282 lb*ft (383 Nm)

                                                    HYDRAULICS:
 120 amp alternator
                                                      6 micron oil filtration system
                                                      3 spool loader control valve
 Air cleaner - dual element
 Organic Acid Technology (OAT)
                                                      Auxiliary hydraulics, Proportional thumb
                                                        wheel activated: loader arm mounted
 Anti-freeze solution to -34° F
 Fuel tank - 25.5 gal. (U.S.)
                                                        with ISO specification flat face
 Selective Catalytic Reduction (SCR)
                                                        "connect-under-pressure"
   Muffler
                                                        disconnects
 Diesel Exhaust Fluid (DEF) Tank -
                                                        Including case drain
    2.8 gal. (U.S.)
                                                      Heavy duty hydraulic oil cooler
  3-stack after cooler / radiator /
                                                      Loader arm float position
   Oil cooler configuration
                                                      Auxiliary hydraulic function lockout
 Maintenance Free Belt
                                                        override
 Glow Plugs
                                                      Loader arm circuit lockout override
 Maintenance free 1000 CCA battery
     with master electrical disconnect
                                                    LOADER:
                                                      Hydraulic attachment coupler
OPERATOR'S PROTECTIVE
                                                      Radial Lift Geometry
STRUCTURE:
                                                      Mechanical Boom Locks (on loader arm)
 ROPS/FOPS Level 1 canopy with side
                                                      SAE operating load:
                                                        For C334:
    screens
 Control lockout system
                                                          3400 lbs. at 50%
 Tilt forward ROPS/FOPS
                                                          2380 lbs. at 35%
 Electric parking brake control
                                                          Tipping load: 6800 lbs.
 Hand throttle and Foot throttle
 Switchable (ISO - H) Electro Hydraulic
   Controls (only on EH models)
 Operator's compartment floor cleanout
 Rear window with emergency escape
                                                    INSTRUMENTATION:
 Padded Arm Rests (EH Controls ONLY)
                                                      Advanced Instrument Cluster with
 Suspension Seat, vinyl with
                                                        hour meter, tachometer, fuel
    2" retractable lap seat belt
                                                        gauge, Diesel Exhaust Fluid gauge,
 Lap Bar
                                                       engine coolant temperature
 Foot rest
                                                        gauge, diagnostic features and
```



# **Standard Equipment**

security lock-out
Warning lights with alarms:
Critical system stop
Engine system
Hydraulic system
Electrical and diagnostic system
Warning alarms:
Battery voltage (plus display)
Diesel Exhaust Fluid (DEF)
Oil Service
Indicator Light:
Engine preheat, Parking brake,
Seat belt reminder

#### TRACK SYSTEM:

Electro Hydraulic Controlled Hydrostatic
2-speed planetary final drive
Positive drive imbedded steel rubber
track belt
Spring applied hydraulic release
(SAHR) disc parking brake
Dynamic braking

#### UNDERCARRIAGE:

Rigid track frame mounting
Permanently sealed (duo cone face
seal) & lubricated idlers and rollers
Triple flange lower rollers
Single flange front and rear idlers
Hydraulic track adjustment
Track recoil spring
Undercarriage Hose Covers

#### OTHER STANDARD FEATURES:

Steel lights with integrated turn signals
Lights - 4 front (2 forward, 2 @
45 deg), 2 rear (halogen)
Pre-wired for rotating beacon
Service access hood, lockable
Steel Hoods & Covers
Single point daily service
Tail lights
Options harness (only on EH models)
Remote Oil and Fuel Filters
Debris Ingression Prevention Sealing
Heavy Duty Rear Door
Block Heater 120V - USA
Battery disconnect



## **Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
C334	C334-RG	10,000 LBS		\$102,928.00

# **Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
0.40.0040			. actory Data	

#### **FAST PICK CONFIGURATION**

SD\_T9999 NEW HOLLAND CTL/SSL PACKAGES

EH Control	FastPicks	
464474	EH2-Platinum EHF-DEMO CAB	(\$6,695.0
	EH2-Platinum EHF-DEMO CAB HAWK	
	761042#E-H CONTROLS	
	761031#E-H CONTROL 2SPD	
	761039#ENHANCED HIGH FLOW w/ RC and SL	
	761311#EH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761157#HVAC-DEMO DOOR	
	761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	
761627	761627 EH2-Limited-Air Cab	(\$6,695.0
	761042#E-H CONTROLS	
	761031#E-H CONTROL 2SPD	
	761037#HIGH FLOW PLUS PACK	
	761311#EH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	
761636	761636 EH2-Limited HF Air Cab	(\$6,695.0
	761042#E-H CONTROLS	
	761031#E-H CONTROL 2SPD	
	761036#HIGH FLOW w/ Front Electric Multifunction	
	761311#EH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	



761638	EH2-Basic-ROPS		(\$6,695.00)
701036	EH2-Basic-ROPS		(\$0,093.00)
	761042#E-H CONTROLS		
	761031#E-H CONTROL 2SPD		
	761034#FRONT ELEC/MULTI-FUNC		
	761310#EH LCD DISPLAY OPEN CAB		
	761325#HYDRAULIC COUPLER		
	761313#OPEN NO HEAT OR HVAC		
	761052#SUSPENSION SEAT		
	761224#LAP BAR		
Hand & Foot	t Control FastPicks	ı	
761619	761619 FC2-Plus-Cab		(\$6,695.00)
	761041#FOOT CONTROLS		(+1,-11-11)
	761029#MECH CONTROL 2SPD		
	761034#FRONT ELEC/MULTI-FUNC		
	761309#MECH LCD DISPLAY CLOSED CAB		
	761325#HYDRAULIC COUPLER		
	761156#HVAC-GLASS DOOR		
	761052#SUSPENSION SEAT		
	761224#LAP BAR		
761624	761624 FC2-Elite-Air Cab		(\$6,695.00)
	761041#FOOT CONTROLS		
	761029#MECH CONTROL 2SPD		
	761035#PERF w/FRONT ELEC		
	761309#MECH LCD DISPLAY CLOSED CAB		
	761325#HYDRAULIC COUPLER		
	761156#HVAC-GLASS DOOR		
	761062#AIR SUSPENSION SEAT		
	761224#LAP BAR		
761639	FC2-Basic-ROPS		(\$6,695.00)
	FC2-Basic-ROPS		
	761041#FOOT CONTROLS		
	761029#MECH CONTROL 2SPD		
	761034#FRONT ELEC/MULTI-FUNC		
	761304#MECH IC OPEN CAB		
	761325#HYDRAULIC COUPLER		
	761313#OPEN NO HEAT OR HVAC		
	761052#SUSPENSION SEAT		
	761224#LAP BAR		

## **OPERATORS MANUAL**

SD\_32004 LANGUAGE OPTIONS

_	OD_OZOO+ EMMOOMOE OF HOMO					
		761328	English			No Charge
		761329	French			No Charge
Γ		761331	Spanish			No Charge

jrmuzzy@burlinst.com



TRACK BELT OP	TIONS		
SD 10015 TF	RACK OPTIONS		
8500147	450 mm (17.7 inch)		No Charge
	Standard Duty rail type track with zig zag tread pattern.		
	78"OTW		
	100 Pitch		
	100 Filon		
FRONT ATTACH	MENTS		
BUCKETS			
DOUNLIS			
SD_K5231 BI	ICKETS		
761126	78" Dirt & Foundry Bucket		\$1,363.00
761133	78" Low Profile Extended		\$1,412.00
761134	84" Low Profile Extended		\$1,502.00
761137	84" Light Material Bucket		\$1,304.00
761143	78" Heavy Duty Dirt Bucket		\$1,878.00
761144	84" Heavy Duty Dirt Bucket		\$1,930.00
761255	78" HD Ext. w/ SmartFit Teeth		\$2,248.00
761256	84" HD Ext. w/ SmartFit Teeth		\$2,387.00
701200	of the Ext. W. Smarth (1994)	-	Ψ2,007.00
BOLT ON CUTTII	NG EDGE		
BOLT ON COTTI	NG EDGE		
SD N8300 B	OLT ON CUTTING EDGE		
761147	72" Bolt on Cutting Edge		\$248.00
761147	78" Bolt on Cutting Edge	+	\$267.00
761149	84" Bolt on Cutting Edge	+	\$287.00
XK6399X		+	No Charge
	140 Bolt off Cutting Lage		140 Griarge
MOVE TO DIC			
MOVE TO BIC			
00 1/0440 0	FF OUTE OFFICE		
	FF-SITE SERVICE	<u> </u>	N. Ob.
761175	Offsite Service Arrangement		No Charge
	Pricing is dealer negotiated with Burlington Installation Corp.		
	For BIC Products and Pricing Call: (316) 943-2515 or email		



#### **SPECIAL PAINT**

SD\_50103 SPECIAL PAINT

726029	Special Paint	\$3,089.00
	The price listed is for a color change only from the standard	
	factory color: CNH #86572648 (NH-Yellow). All Special Color	
	formulations will be applied using approved factory processes	
	and materials. Metallic or other special formulations and/or	
	materials are not available. A color chip must be provided to	
	CNH for non CNH colors. A minimum lead time of 8 business	
	weeks will be required prior to production.	
	Unless specified, regular production decals will be applied.	
	Requests can be made that decals not be applied. However,	
	SAFETY decals MUST BE APPLIED in all cases. The following	
	components remain CNH grey: lift & bucket cylinders, front	
	coupler and attachments, ROPS, side screens, upper chassis,	
	control links, rear door, and wheels. Approved special paint colors:	
	NH-Yellow - 86572648, CNH Dark Grey - SPU65292, NH Blue -	
	SAC81271	

#### **TELEMATICS**

SD\_K6451 TELEMATICS-CNTRLS

	761318	NH TELEMATICS-E-H		\$851.00
		Factory installed telematics for EH control machines.		
		All hardware included.		
		Includes 1 yr. Advanced subscription		
		Additional Subscription service available through parts.		
		TDAC Code located on invoice.		
	761319	NH TELEMATICS-MECH		\$851.00
		Factory installed telematics for mechanical control machines.		
		All hardware included.		
		Includes 1 yr. Advanced subscription		
		Additional Subscription service available through parts.		
		TDAC Code located on invoice.		



# **Factory Supplied Attachments**

Order Cod	le Description	Weight	Factory Data	List Price
Dirt & Foundry				
7360560	16 KIT-BUCKET-78IN DF	429 LB		\$1,444.00
<u> </u>				. ,
Heavy Duty 7360730	16 KIT-BUCKET-78IN HD	526 LB		\$1,990.00
7360740		550 LB		\$2,046.00
	INT BOOKET OFINITIE	300 ED	L	Ψ2,040.00
Light Material 7360670	16 KIT-BUCKET-84IN LM	532 LB		\$1,382.00
/3606/0	10 KIT-BUCKET-04IIN LIVI	332 LB		\$1,362.00
Low Profile Ex				
7360630		531 LB		\$1,497.00
7360640	16 KIT-BUCKET-84IN LPE	607 LB		\$1,592.00
Toothed				
7361850	06 KIT, BUCKET 78IN TOOTHED	728 LB		\$2,383.00
7361860	06 KIT, BUCKET 84IN TOOTHED	728 LB		\$2,530.00
7360060	, = =	1 LB		\$154.00
	Install Time = 0.2 hours			
7360110	,	182 LB		\$1,900.00
	Install Time = 2.0 hours			
	Mounted wiper Required three point seat belt			
	Must order applicable harness. Reference de	enendency matrix		
7360120		182 LB		\$3,330.00
7300120	Install Time = 2.0 hours	102 LD		ψ5,550.00
	1/2" polycarbonate door (will not shatter like o	glass)		
	Mounted wiper			
	Requires three point seat belt.			
	Must order applicable harness. Reference de	ependency matrix.		
7360130	,	100 LB		\$891.00
7360170	Install Time = 1.0 hours  BT RADIO KIT	16 LB		\$728.00
7360210		62 LB		\$299.00
7360240		33 LB		\$1,349.00
7360360		11 LB		\$242.00
	Install Time = 2.0 hours			
7360450		52 LB		\$671.00
	Install Time = 8.0 hours			
	Converting to Hand&Foot control from Hand	(H-Pattern)		
$\vdash$	Mechanical control units only.			
7360460	· · · · · · · · · · · · · · · · · · ·	76 LB		\$900.00
	Install Time = 6.0 hours	.		
	Convert to Hand (H-Pattern) from Hand&Foo Mechanical control only.			
	iviechanicai control only.			



736047006	KIT, BLOCK HTR-120V-USA Install Time = 0.5 hours	6 LB	\$225.00
736075006	KIT PALLET FORK W-48IN TINES	330 LB	\$1,381.00
736142006	KIT-CYL GUARD Install Time = 0.5 hours Provides protection to the loader bucket dump/curl cylinders in severe operating conditions.	21 LB	\$485.00
736158196	KIT, COMPLETE HVAC Install Time = 27.7 hours Must order applicable harness. Reference dependency matrix.	394 LB	\$3,222.00

ENGINE:



#### C337 US PRICE LIST

## **Standard Equipment**

```
FPT F5H FL463H water cooled
   diesel engine
  207 CID (3.4 L) Turbo
  Tier 4 Final Certified
 High Pressure Common Rail (HPCR)
   Fuel Injection
 Horsepower:
    - Gross 74
    - Net 68
    - Peak torque 232 lb*ft (314 Nm)
  120 amp alternator
 Air cleaner - dual element
 Organic Acid Technology (OAT)
 Anti-freeze solution to -34° F
 Fuel tank - 25.5 gal. (U.S.)
 Diesel Oxidation Catalyst
  3-stack after cooler / radiator /
   Oil cooler configuration
 Maintenance-Free Belt
 Glow Plugs
 Maintenance free 1000 CCA battery
OPERATOR'S PROTECTIVE
STRUCTURE:
 ROPS/FOPS Level 1 canopy with side
   screens
 Control lockout system
 Tilt forward ROPS/FOPS
 Electric parking brake control
 Hand throttle and Foot throttle
 Switchable (ISO - H) Electro Hydraulic
    Controls (only on EH models)
 Operator's compartment floor cleanout
 Rear window with emergency escape
 Padded Arm Rests (EH Controls ONLY)
 Suspension Seat, vinyl with
    2" retractable lap seat belt
 Lap Bar
 Foot rest
 Dome Light
  12V Power plug socket
  Cup holder
```

```
OPERATOR'S PROTECTIVE
STRUCTURE (Continued):
  Tool Pocket
  Top window
 Headliner
 Alarm package (backup and horn)
HYDRAULICS:
  6 micron oil filtration system
  3 spool loader control valve
 Auxiliary hydraulics, Proportional thumb
    wheel activated: loader arm mounted
    with ISO specification flat face
    "connect-under-pressure"
    disconnects
    Including case drain
 Heavy duty hydraulic oil cooler
 Loader arm float position
  Auxiliary hydraulic function lockout
    override
 Loader arm circuit lockout override
LOADER:
 Hydraulic Attachment Coupler
 Vertical Lift SUPERBOOM Geometry
  In-Cab Boom Locks
  SAE operating load:
    For C337:
      3700 lbs. at 50%
      2590 lbs. at 35%
      Tipping load: 7400 lbs.
```



# **Standard Equipment**

#### INSTRUMENTATION:

Advanced Instrument Cluster with hour meter, tachometer, fuel gauge, hydraulic oil temperature gauge, engine coolant temperature gauge, diagnostic features and security lock-out Warning lights with alarms: Critical system stop Engine system Hydraulic system Electrical and diagnostic system Warning alarms: Battery voltage (plus display) DPF Oil Service Indicator Light:

Engine preheat, Parking brake,

Seat belt reminder

#### TRACK SYSTEM:

Electro Hydraulic Controlled Hydrostatic
2-speed planetary final drive
Positive drive imbedded steel rubber
track belt
Spring applied hydraulic release
(SAHR) disc parking brake
Dynamic braking

#### UNDERCARRIAGE:

Rigid track frame mounting
Permanently sealed (duo cone face
seal) & lubricated idlers and rollers
Triple flange lower rollers
Single flange front and rear idlers
Hydraulic track adjustment
Track recoil spring
Undercarriage Hose Covers

#### OTHER STANDARD FEATURES:

Steel lights with integrated turn signals Lights - 4 front lights (2 forward facing, 2 @ 45 degree forward), 2 rear (halogen) Pre-wired for rotating beacon Service access hood, lockable Steel Hoods & Covers Single point daily service Tail lights Options harness (only on EH models) Remote Oil and Fuel Filters Debris Ingression Prevention Sealing Heavy Duty Rear Door Front Electric Multi-Function Control Battery disconnect Block Heater - 120v USA



## **Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
C337	C337-RG	9,630 LBS		\$95,105.00

# **Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
Oldol Oddo	p Dood i ption	Troigin.	I dotory Data	_iot i iioo

#### **FAST PICK CONFIGURATION**

SD\_T9999 NEW HOLLAND CTL/SSL PACKAGES

EH Control I	FastPicks	
761614	761614 EH2-Deluxe-Air Cab	(\$6,695.00)
	761042#E-H CONTROLS	
	761031#E-H CONTROL 2SPD	
	761034#FRONT ELEC/MULTI-FUNC	
	761311#EH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	
761627	761627 EH2-Limited-Air Cab	(\$6,695.00)
	761042#E-H CONTROLS	
	761031#E-H CONTROL 2SPD	
	761037#HIGH FLOW PLUS PACK	
	761311#EH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	
761632	761632 EH2-Elite-Air Cab	(\$6,695.00)
	761042#E-H CONTROLS	
	761031#E-H CONTROL 2SPD	
	761035#PERF w/FRONT ELEC	
	761311#EH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	



761636	761636 EH2-Limited HF Air Cab		(\$6,695.00)
	761042#E-H CONTROLS		
	761031#E-H CONTROL 2SPD		
	761036#HIGH FLOW w/ Front Electric Multifunction		
	761311#EH LCD DISPLAY CLOSED CAB		
	761325#HYDRAULIC COUPLER		
	761156#HVAC-GLASS DOOR		
	761062#AIR SUSPENSION SEAT		
	761224#LAP BAR		
761638	EH2-Basic-ROPS		(\$6,695.00)
	EH2-Basic-ROPS		
	761042#E-H CONTROLS		
	761031#E-H CONTROL 2SPD		
	761034#FRONT ELEC/MULTI-FUNC		
	761310#EH LCD DISPLAY OPEN CAB		
	761325#HYDRAULIC COUPLER		
	761313#OPEN NO HEAT OR HVAC		
	761052#SUSPENSION SEAT		
	761224#LAP BAR		
Hand & Foot	t Control FastPicks		
464137	FC2-PLUS-CAB		(\$6,695.00)
	FC2-Plus-Cab		
	761041#FOOT CONTROLS		
	761029#MECH CONTROL 2SPD		
	761034#FRONT ELEC/MULTI-FUNC		
	761305#MECH IC CLOSED CAB		
	761325#HYDRAULIC COUPLER		
	761156#HVAC-GLASS DOOR		
	761052#SUSPENSION SEAT		
	761224#LAP BAR		
464139	464139 FC2-PLUS-CAB		(\$6,695.00)
	FC2-Plus-Cab		
	761041#FOOT CONTROLS		
	761029#MECH CONTROL 2SPD		
	761034#FRONT ELEC/MULTI-FUNC		
	761305#MECH IC CLOSED		
	761205#HEAVY DUTY REAR DOOR		
	761325#HYDRAULIC COUPLER		
	761156#HVAC-GLASS DOOR		
	761052#SUSPENSION SEAT	<u> </u>	



	464140	FC2-Deluxe-Air Cab		(\$6,695.00)
		FC2-Deluxe-Air Cab		
		761041#FOOT CONTROLS		
		761029#MECH CONTROL 2SPD		
		761034#FRONT ELEC/MULTI-FUNC		
		761305#MECH IC CLOSED CAB		
		761325#HYDRAULIC COUPLER		
		761156#HVAC-GLASS DOOR		
		761062#AIR SUSPENSION SEAT		
		761224#LAP BAR		
	761619	761619 FC2-Plus-Cab		(\$6,695.00)
		761041#FOOT CONTROLS		
		761029#MECH CONTROL 2SPD		
		761034#FRONT ELEC/MULTI-FUNC		
		761309#MECH LCD DISPLAY CLOSED CAB		
		761325#HYDRAULIC COUPLER		
		761156#HVAC-GLASS DOOR		
		761052#SUSPENSION SEAT		
		761224#LAP BAR		
	761622	761622 FC2-Deluxe-Air Cab		
		761041#FOOT CONTROLS		
		761029#MECH CONTROL 2SPD		
		761034#FRONT ELEC/MULTI-FUNC		
		761309#MECH LCD DISPLAY CLOSED CAB		
		761325#HYDRAULIC COUPLER		
		761156#HVAC-GLASS DOOR		
		761062#AIR SUSPENSION SEAT		
		761224#LAP BAR		
		(MODEL :- 0007 DO		(\$0.005.00)
$\vdash$	761604	if MODEL is C337-RG		(\$6,695.00)
	761624	761624 FC2-Elite-Air Cab		(\$6,695.00)
		761041#FOOT CONTROLS		
		761029#MECH CONTROL 2SPD		
		761035#PERF W/FRONT ELEC		
		761309#MECH LCD DISPLAY CLOSED CAB		
		761325#HYDRAULIC COUPLER		
		761156#HVAC-GLASS DOOR		
		761062#AIR SUSPENSION SEAT		
		761224#LAP BAR		



	T-0.000 F00.11 /1 / 1 / 0 /		
761630	761630 FC2-Limited-Air Cab		
	761041#FOOT CONTROLS		
	761029#MECH CONTROL 2SPD		
	761037#HIGH FLOW PLUS PACK		
	761305#MECH IC CLOSED CAB		
	761325#HYDRAULIC COUPLER		
	761156#HVAC-GLASS DOOR		
	761062#AIR SUSPENSION SEAT		
	761224#LAP BAR		
	if MODEL is C337-RG		(\$6,695.00)
761631	761631 FC2-Limited-Air Cab		(\$6,695.00)
	761041#FOOT CONTROLS		
	761029#MECH CONTROL 2SPD		
	761037#HIGH FLOW PLUS PACK		
	761309#MECH LCD DISPLAY CLOSED CAB		
	761325#HYDRAULIC COUPLER		
	761156#HVAC-GLASS DOOR		
	761062#AIR SUSPENSION SEAT		
761639	FC2-Basic-ROPS		(\$6,695.00)
	FC2-Basic-ROPS		
	761041#FOOT CONTROLS		
	761029#MECH CONTROL 2SPD		
	761034#FRONT ELEC/MULTI-FUNC		
	761304#MECH IC OPEN CAB		
	761325#HYDRAULIC COUPLER		
	761313#OPEN NO HEAT OR HVAC		
	761052#SUSPENSION SEAT		
	761224#LAP BAR		

## **OPERATORS MANUAL**

SD\_32004 LANGUAGE OPTIONS

	<u> </u>					
	761328	English			No Charge	
	761329	French			No Charge	
Ī	761331	Spanish			No Charge	

### TRACK BELT OPTIONS

SD 10015 TRACK OPTIONS

	OB_10010 THATOK OF HOTO					
	8500147	450 mm (17.7 inch)			No Charge	
		Standard Duty rail type track with zig zag tread pattern.				
		78"OTW				
		100 Pitch				



# BUCKETS SD\_K5231 BUCKETS 761126 78" Dirt & Foundry Bucket \$1,363.00

	761126	78" Dirt & Foundry Bucket		\$1,363.00
	761133	78" Low Profile Extended		\$1,412.00
	761134	84" Low Profile Extended		\$1,502.00
	761137	84" Light Material Bucket		\$1,304.00
	761143	78" Heavy Duty Dirt Bucket		\$1,878.00
	761144	84" Heavy Duty Dirt Bucket		\$1,930.00
	761255	78" HD Ext. w/ SmartFit Teeth		\$2,248.00
	761256	84" HD Ext. w/ SmartFit Teeth		\$2,387.00

#### **BOLT ON CUTTING EDGE**

#### SD\_K6399 BOLT ON CUTTING EDGE

	761147	72" Bolt on Cutting Edge		\$248.00
	761148	78" Bolt on Cutting Edge		\$267.00
	761149	84" Bolt on Cutting Edge		\$287.00
Γ	XK6399X	No Bolt on Cutting Edge		No Charge

#### **MOVE TO BIC**

SD\_K6440 OFF-SITE SERVICE

	761175	Offsite Service Arrangement		No Charge
		Pricing is dealer negotiated with Burlington Installation Corp.		
		For BIC Products and Pricing Call: (316) 943-2515 or email		
L		jrmuzzy@burlinst.com		



#### **SPECIAL PAINT**

SD\_50103 SPECIAL PAINT

726029	Special Paint	\$3,089.00
	The price listed is for a color change only from the standard	
	factory color: CNH #86572648 (NH-Yellow). All Special Color	
	formulations will be applied using approved factory processes	
	and materials. Metallic or other special formulations and/or	
	materials are not available. A color chip must be provided to	
	CNH for non CNH colors. A minimum lead time of 8 business	
	weeks will be required prior to production.	
	Unless specified, regular production decals will be applied.	
	Requests can be made that decals not be applied. However,	
	SAFETY decals MUST BE APPLIED in all cases. The following	
	components remain CNH grey: lift & bucket cylinders, front	
	coupler and attachments, ROPS, side screens, upper chassis,	
	control links, rear door, and wheels. Approved special paint colors:	
	NH-Yellow - 86572648, CNH Dark Grey - SPU65292, NH Blue -	
	SAC81271	

#### **TELEMATICS**

SD\_K6451 TELEMATICS-CNTRLS

	761318	NH TELEMATICS-E-H		\$851.00
		Factory installed telematics for EH control machines.		
		All hardware included.		
		Includes 1 yr. Advanced subscription		
		Additional Subscription service available through parts.		
		TDAC Code located on invoice.		
	761319	NH TELEMATICS-MECH		\$851.00
		Factory installed telematics for mechanical control machines.		
		All hardware included.		
		Includes 1 yr. Advanced subscription		
		Additional Subscription service available through parts.		
		TDAC Code located on invoice.		



# **Factory Supplied Attachments**

	Order Code	Description	Weight	Factory Data	List Price
Dirt	& Foundry				
	736056016	KIT-BUCKET-78IN DF	429 LB		\$1,444.00
Неа	vy Duty				
	736073016	KIT-BUCKET-78IN HD	526 LB		\$1,990.00
	736074016	KIT-BUCKET-84IN HD	550 LB		\$2,046.00
	ot Matarial		'		. ,
Ligi	ht Material 736067016	KIT-BUCKET-84IN LM	532 LB		\$1,382.00
ш	1730007010	KIT BOOKET OHIVEW	332 LD		ψ1,302.00
Low	v Profile Extende	ed			
	736063016	KIT-BUCKET-78IN LPE	531 LB		\$1,497.00
	736064016	KIT-BUCKET-84IN LPE	607 LB		\$1,592.00
Τοο	thed				
	736185006	KIT, BUCKET 78IN TOOTHED	728 LB		\$2,383.00
	736186006	KIT, BUCKET 84IN TOOTHED	728 LB		\$2,530.00
	•			·	
	736006006	KIT, BEACON	1 LB		\$154.00
	700044000	Install Time = 0.2 hours	100   5		<b>\$4,000,00</b>
	736011006	KIT, GLASS FRONT DOOR Install Time = 2.0 hours	182 LB		\$1,900.00
		Mounted wiper			
		Required three point seat belt			
$\vdash$		Must order applicable harness. Reference dependency matrix.			
	736012006	KIT, DEMO FRONT DOOR	182 LB		\$3,330.00
		Install Time = 2.0 hours 1/2" polycarbonate door (will not shatter like glass)			
		Mounted wiper			
		Requires three point seat belt.			
		Must order applicable harness. Reference dependency matrix.			
	736013006	KIT, CAB SIDE WINDOWS Install Time = 1.0 hours	100 LB		\$891.00
	736017006	BT RADIO KIT	16 LB		\$728.00
	736021006	KIT, MULTI-FUNCTION ELEC MECH	11 LB		\$299.00
	736022106	KIT, SELF LEVEL	14 LB		\$530.00
	736024016	KIT, HYDRAULIC COUPLER	33 LB		\$1,349.00
	736036026	KIT, 4 POINT LIFT HOOK	11 LB		\$242.00
$\vdash$		Install Time = 2.0 hours			<b>^</b>
	736045046	KIT, FOOT CONTROL Install Time = 8.0 hours	52 LB		\$671.00
		Converting to Hand&Foot control from Hand (H-Pattern)			
		Mechanical control units only.			
	736046066	KIT, HAND CONTROL	76 LB		\$900.00
		Install Time = 6.0 hours			
		Convert to Hand (H-Pattern) from Hand&Foot Mechanical control only.			
		iviconariicai contitui oniy.			



736047006	KIT, BLOCK HTR-120V-USA Install Time = 0.5 hours	6 LB	\$225.00
736075006	KIT PALLET FORK W-48IN TINES	330 LB	\$1,381.00
736142006	KIT-CYL GUARD Install Time = 0.5 hours Provides protection to the loader bucket dump/curl cylinders in severe operating conditions.	21 LB	\$485.00
736158136	KIT, COMPLETE HVAC Install Time = 27.7 hours Must order applicable harness. Reference dependency matrix.	330 LB	\$3,222.00



# **Standard Equipment**

```
Foot rest
ENGINE:
  FPT F5B FL413E water cooled diesel
                                                    OPERATOR'S PROTECTIVE
    engine
  207 CID (3.4 L) Turbo
                                                    STRUCTURE (Continued):
  Tier 4 Final Certified
                                                      Dome Light
  High Pressure Common Rail (HPCR)
                                                      12V Power plug socket
    Fuel Injection
                                                      Cup holder
                                                      Tool Pocket
  Charged Air Cooler (CAC)
  Horsepower:
                                                      Top window
    - Gross 90
                                                      Headliner
    - Net 84
                                                      Alarm package (backup and horn)

    Peak torque 282 lb*ft (383 Nm)

  160am alternator
                                                    HYDRAULICS:
  Air cleaner - dual element
                                                      6 micron oil filtration system
  Organic Acid Technology (OAT)
                                                      3 spool loader control valve
  Anti-freeze solution to -34° F
                                                      Auxiliary hydraulics, Proportional thumb
  Fuel tank - 25.5 gal. (U.S.)
                                                        wheel activated: loader arm mounted
 Diesel Oxidation Catalyst (DOC) with
                                                        with ISO specification flat face
  Selective Catalytic Reduction (SCR)
                                                        "connect-under-pressure"
    Muffler
                                                        disconnects
 Diesel Exhaust Fluid (DEF) Tank -
                                                        Including case drain
                                                      Heavy duty hydraulic oil cooler
    2.8 gal. (U.S.)
  3-stack after cooler / radiator /
                                                      Loader arm float position
    Oil cooler configuration
                                                      Auxiliary hydraulic function lockout
 Maintenance Free Belt
                                                        override
  Glow Plugs
                                                      Loader arm circuit lockout override
  Maintenance free 1000 CCA battery
     with master electrical disconnect
                                                    LOADER:
                                                      Hydraulic attachment coupler
OPERATOR'S PROTECTIVE
                                                      Vertical Lift SUPERBOOM Geometry
STRUCTURE:
                                                      In-Cab Boom Locks
 ROPS/FOPS Level 1 canopy with side
                                                      SAE operating load:
    screens
                                                        For C345
                                                          4500 lbs. at 50%
  Control lockout system
  Tilt forward ROPS/FOPS
                                                          3150 lbs. at 35%
                                                          Tipping load: 9000 lbs.
  Electric parking brake control
  Hand throttle and Foot throttle
  Switchable (ISO - H) Electro Hydraulic
    Controls (only on EH models)
  Operator's compartment floor cleanout
  Rear window with emergency escape
  Padded Arm Rests (EH Controls ONLY)
  Suspension Seat, vinyl with
    2" retractable lap seat belt
  Lap Bar
```



# **Standard Equipment**

#### INSTRUMENTATION:

Advanced Instrument Cluster with hour meter, tachometer, fuel gauge, Diesel Exhaust Fluid gauge, engine coolant temperature gauge, diagnostic features and security lock-out Warning lights with alarms: Critical system stop Engine system Hydraulic system Electrical and diagnostic system Warning alarms: Battery voltage (plus display) Diesel Exhaust Fluid (DEF) Oil Service Indicator Light: Engine preheat, Parking brake,

#### TRACK SYSTEM:

Seat belt reminder

Electro Hydraulic Controlled Hydrostatic 2-speed planetary final drive Positive drive imbedded steel rubber track belt Spring applied hydraulic release (SAHR) disc parking brake Dynamic braking

#### UNDERCARRIAGE:

Rigid track frame mounting Permanently sealed (duo cone face seal) & lubricated idlers and rollers Triple flange lower rollers Single flange front and rear idlers Hydraulic track adjustment Track recoil spring Tapered track frame cover

#### OTHER STANDARD FEATURES:

Steel lights with integrated turn signals Lights - 4 front lights (2 forward facing, 2 @ 45 degree forward), 2 rear (halogen) Pre-wired for rotating beacon Service access hood, lockable Single point daily service Tail lights Options harness (only on EH models) Remote Oil and Fuel Filters Debris Ingression Prevention Sealing Heavy Duty Rear Door Bucket Cylinder Guards Block Heater 120V - USA Front Electric Multi-Function Control Battery disconnect



# **Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
C345	C345-RG	10,610 LBS		\$108,783.00

# **Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
Older Code	Doodription	Troigin.	I dottory Data	_IOC 1 1100

#### **FAST PICK CONFIGURATION**

SD T9999 NEW HOLLAND CTL/SSL PACKAGES

		W HOLLAND CTL/SSL PACKAGES FastPicks		
46	64474	EH2-Platinum EHF-DEMO CAB		(\$8,240.00)
		EH2-Platinum EHF-DEMO CAB HAWK		
		761042#E-H CONTROLS		
		761031#E-H CONTROL 2SPD		
		761039#ENHANCED HIGH FLOW w/ RC and SL		
		761311#EH LCD DISPLAY CLOSED CAB		
		761325#HYDRAULIC COUPLER		
		761157#HVAC-DEMO DOOR		
		761062#AIR SUSPENSION SEAT		
		761224#LAP BAR		
76	61614	761614 EH2-Deluxe-Air Cab		(\$8,240.00)
		761042#E-H CONTROLS		
		761031#E-H CONTROL 2SPD		
		761034#FRONT ELEC/MULTI-FUNC		
		761311#EH LCD DISPLAY CLOSED CAB		
		761325#HYDRAULIC COUPLER		
		761156#HVAC-GLASS DOOR		
		761062#AIR SUSPENSION SEAT		
		761224#LAP BAR		
76	61621	EH2-LIMITED-ROPS		(\$8,240.00)
		761042#E-H CONTROLS		
		761031#E-H CONTROL 2SPD		
		761036#HIGH FLOW w/ MULTIFUNC FRNT ELEC		
		761310#E-H Open Cab LCD Display		
		761324#MANUAL COUPLER		
		761313#OPEN NO HEAT OR HVAC		
		761052#SUSPENSION SEAT		



	704007	704007 FIIO Limited Air Oak		(ft0 040 00)
	761627	761627 EH2-Limited-Air Cab		(\$8,240.00)
		761042#E-H CONTROLS		
		761031#E-H CONTROL 2SPD		
		761037#HIGH FLOW PLUS PACK		
		761311#EH LCD DISPLAY CLOSED CAB		
		761325#HYDRAULIC COUPLER		
		761156#HVAC-GLASS DOOR		
		761062#AIR SUSPENSION SEAT		
$\vdash$	+	761224#LAP BAR		
	761632	761632 EH2-Elite-Air Cab		(\$8,240.00)
		761042#E-H CONTROLS		
		761031#E-H CONTROL 2SPD		
		761035#PERF w/FRONT ELEC		
		761311#EH LCD DISPLAY CLOSED CAB		
		761325#HYDRAULIC COUPLER		
		761156#HVAC-GLASS DOOR		
		761062#AIR SUSPENSION SEAT		
$\sqcup \!\!\! \perp$		761224#LAP BAR		
	761636	761636 EH2-Limited HF Air Cab		(\$8,240.00)
		761042#E-H CONTROLS		
		761031#E-H CONTROL 2SPD		
		761036#HIGH FLOW w/ Front Electric Multifunction		
		761311#EH LCD DISPLAY CLOSED CAB		
		761325#HYDRAULIC COUPLER		
		761156#HVAC-GLASS DOOR		
		761062#AIR SUSPENSION SEAT		
		761224#LAP BAR		
	761637	EH2-Limited-DEMO CAB		(\$8,240.00)
		761042#E-H CONTROLS		
		761031#E-H CONTROL 2SPD		
		761037#HIGH FLOW PLUS PACK		
		761311#EH LCD CLOSED		
		761325#HYDRAULIC COUPLER		
		761157#HVAC-DEMO DOOR		
		761062#AIR SUSPENSION SEAT		
		761224#LAP BAR		
	761638	EH2-Basic-ROPS		(\$8,240.00)
		EH2-Basic-ROPS		(+=,= :::30)
		761042#E-H CONTROLS		
		761031#E-H CONTROL 2SPD		
		761034#FRONT ELEC/MULTI-FUNC		
		761310#EH LCD DISPLAY OPEN CAB		
		761325#HYDRAULIC COUPLER		
		761313#OPEN NO HEAT OR HVAC		
		761052#SUSPENSION SEAT		
$\Box$	1	761224#LAP BAR		



Hand & Foo	ot Control FastPicks	
761618	FC2-LIMITED-ROPS	(\$8,240.00)
	761041#FOOT CONTROLS	
	761029#MECH CONTROL 2SPD	
	761036#HIGH FLOW w/ MULTIFUNC FRNT ELEC	
	761304#MECH IC OPEN CAB	
	761324#MANUAL COUPLER	
	761313#OPEN NO HEAT OR HVAC	
	761052#SUSPENSION SEAT	
	761224#LAP BAR	
761619	761619 FC2-Plus-Cab	(\$8,240.00)
	761041#FOOT CONTROLS	
	761029#MECH CONTROL 2SPD	
	761034#FRONT ELEC/MULTI-FUNC	
	761309#MECH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761052#SUSPENSION SEAT	
	761224#LAP BAR	
761624	761624 FC2-Elite-Air Cab	(\$8,240.00)
	761041#FOOT CONTROLS	
	761029#MECH CONTROL 2SPD	
	761035#PERF w/FRONT ELEC	
	761309#MECH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	
	761224#LAP BAR	
761631	761631 FC2-Limited-Air Cab	(\$8,240.00)
	761041#FOOT CONTROLS	
	761029#MECH CONTROL 2SPD	
	761037#HIGH FLOW PLUS PACK	
	761309#MECH LCD DISPLAY CLOSED CAB	
	761325#HYDRAULIC COUPLER	
	761156#HVAC-GLASS DOOR	
	761062#AIR SUSPENSION SEAT	
761639	FC2-Basic-ROPS	(\$8,240.00)
	FC2-Basic-ROPS	
	761041#FOOT CONTROLS	
	761029#MECH CONTROL 2SPD	
	761034#FRONT ELEC/MULTI-FUNC	
	761304#MECH IC OPEN CAB	
	761325#HYDRAULIC COUPLER	
	761313#OPEN NO HEAT OR HVAC	
	761052#SUSPENSION SEAT	
	761224#LAP BAR	



H	Hand Contro	l FastPicks		
	761633	761633 HC2 - Plus - Cab		(\$8,240.00)
		761040#HAND CONTROLS		
		761029#MECH CONTROL 2SPD		
		761034#FRONT ELEC/MULTI-FUNC		
		761305#MECH IC CLOSED		
		761325#HYDRAULIC COUPLER		
		761156#HVAC-GLASS DOOR		
		761052#SUSPENSION SEAT		
		761224#LAP BAR		
	761634	761634 HC2 - Plus - Air Cab		(\$8,240.00)
		761040#HAND CONTROLS		
		761029#MECH CONTROL 2SPD		
		761034#FRONT ELEC/MULTI-FUNC		
		761309#MECH LCD DISPLAY CLOSED CAB		
		761325#HYDRAULIC COUPLER		
		761156#HVAC-GLASS DOOR		
		761062#AIR SUSPENSION SEAT		
		761224#LAP BAR		

#### **OPERATORS MANUAL**

SD\_32004 LANGUAGE OPTIONS

	761328	English		No Charge
	761329	French		No Charge
	761331	Spanish		No Charge

## TRACK BELT OPTIONS

SD\_10015 TRACK OPTIONS

	8500147	450 mm (17.7 inch)		No Charge
		Standard Duty rail type track with zig zag tread pattern.		
		78"OTW		
		100 Pitch		

#### FRONT ATTACHMENTS

BUCKETS

SD\_K5231 BUCKETS

L	761126	78" Dirt & Foundry Bucket		\$1,363.00
	761133	78" Low Profile Extended		\$1,412.00
	761134	84" Low Profile Extended		\$1,502.00
	761137	84" Light Material Bucket		\$1,304.00
	761143	78" Heavy Duty Dirt Bucket		\$1,878.00



	761144	84" Heavy Duty Dirt Bucket		\$1,930.00
	761255	78" HD Ext. w/ SmartFit Teeth		\$2,248.00
	761256	84" HD Ext. w/ SmartFit Teeth		\$2,387.00

#### **BOLT ON CUTTING EDGE**

#### SD\_K6399 BOLT ON CUTTING EDGE

	761147	72" Bolt on Cutting Edge		\$248.00
	761148	78" Bolt on Cutting Edge		\$267.00
	761149	84" Bolt on Cutting Edge		\$287.00
	XK6399X	No Bolt on Cutting Edge		No Charge

#### **MOVE TO BIC**

SD\_K6440 OFF-SITE SERVICE

	761175	Offsite Service Arrangement		No Charge
		Pricing is dealer negotiated with Burlington Installation Corp.		
		For BIC Products and Pricing Call: (316) 943-2515 or email		
		jrmuzzy@burlinst.com		

## **SPECIAL PAINT**

SD\_50103 SPECIAL PAINT

726029	Special Paint		\$3,089.00
1 20029	· ·		\$3,069.00
	The price listed is for a color change only from the standard		
	factory color: CNH #86572648 (NH-Yellow). All Special Color		
	formulations will be applied using approved factory processes		
	and materials. Metallic or other special formulations and/or		
	materials are not available. A color chip must be provided to		
	CNH for non CNH colors. A minimum lead time of 8 business		
	weeks will be required prior to production.		
	Unless specified, regular production decals will be applied.		
	Requests can be made that decals not be applied. However,		
	SAFETY decals MUST BE APPLIED in all cases. The following		
	components remain CNH grey: lift & bucket cylinders, front		
	coupler and attachments, ROPS, side screens, upper chassis,		
	control links, rear door, and wheels. Approved special paint colors:		
	NH-Yellow - 86572648, CNH Dark Grey - SPU65292, NH Blue -		
	SAC81271		



#### **TELEMATICS**

SD\_K6451 TELEMATICS-CNTRLS

	 D_NOTOT TE	EEM/(1166 CIVITAE)		
	761318	NH TELEMATICS-E-H		\$851.00
		Factory installed telematics for EH control machines.		
		All hardware included.		
		Includes 1 yr. Advanced subscription		
		Additional Subscription service available through parts.		
L		TDAC Code located on invoice.		
	761319	NH TELEMATICS-MECH		\$851.00
		Factory installed telematics for mechanical control machines.		
		All hardware included.		
		Includes 1 yr. Advanced subscription		
		Additional Subscription service available through parts.		
		TDAC Code located on invoice.		



# **Factory Supplied Attachments**

(	Order Code	Description	Weight	Factory Data	List Price
Dirt &	Foundry				
	736056016	KIT-BUCKET-78IN DF	429 LB		\$1,444.00
Нозул	Duty				
	736073016	KIT-BUCKET-78IN HD	526 LB		\$1,990.00
	736074016	KIT-BUCKET-84IN HD	550 LB		\$2,046.00
				•	<del></del>
Light	Material 736067016	KIT-BUCKET-84IN LM	532 LB		\$1,382.00
	1730007010	KIT-BOOKET-04IIV EWI	332 LD		ψ1,302.00
Low F	rofile Extende	ed			
	736063016	KIT-BUCKET-78IN LPE	531 LB		\$1,497.00
	736064016	KIT-BUCKET-84IN LPE	607 LB		\$1,592.00
Tooth	ed				
1	736185006	KIT, BUCKET 78IN TOOTHED	728 LB		\$2,383.00
$\top$	736186006	KIT, BUCKET 84IN TOOTHED	728 LB		\$2,530.00
	,	, , , , , , , , , , , , , , , , , , , ,	· · ·		¥ ,
	736006006	KIT, BEACON Install Time = 0.2 hours	1 LB		\$154.00
+	736011006	KIT, GLASS FRONT DOOR	182 LB		\$1,900.00
	730011000	Install Time = 2.0 hours	102 LB		ψ1,900.00
		Mounted wiper			
		Required three point seat belt			
+		Must order applicable harness. Reference dependency matrix.			
	736012006	KIT, DEMO FRONT DOOR	182 LB		\$3,330.00
		Install Time = 2.0 hours 1/2" polycarbonate door (will not shatter like glass)			
		Mounted wiper			
		Requires three point seat belt.			
		Must order applicable harness. Reference dependency matrix.			
	736013006	KIT, CAB SIDE WINDOWS	100 LB		\$891.00
+	736017006	Install Time = 1.0 hours BT RADIO KIT	16 LB		\$728.00
+	736021006	KIT, MULTI-FUNCTION ELEC MECH	11 LB		\$299.00
+	736022116	KIT, SELF-LEVEL	14 LB		\$530.00
	730022110	Install Time = 4.0 hours	14 LB		φ330.00
	736024066	KIT, HYDRAULIC COUPLER	33 LB		\$1,349.00
	736036036	KIT, 4 POINT LIFT HOOK	11 LB		\$242.00
		Install Time = 2.0 hours			
	736045046	KIT, FOOT CONTROL	52 LB		\$671.00
		Install Time = 8.0 hours			
- 1	1	Converting to Hand&Foot control from Hand (H-Pattern) Mechanical control units only.			



736046066	KIT, HAND CONTROL Install Time = 6.0 hours Convert to Hand (H-Pattern) from Hand&Foot Mechanical control only.	76 LB	\$900.00
736047006	KIT, BLOCK HTR-120V-USA Install Time = 0.5 hours	6 LB	\$225.00
736075006	KIT PALLET FORK W-48IN TINES	330 LB	\$1,381.00
736158206	KIT, COMPLETE HVAC Install Time = 27.7 hours Must order applicable harness. Reference dependency matrix.	396 LB	\$3,222.00

ENGINE:



#### C362 **US PRICE LIST**

# Standard Equipment

```
Dome Light
 FPT F5B FL413E water cooled diesel
                                                      12V Power plug socket
                                                      USB charge port
   engine
  207 CID (3.4 L) Turbo
                                                      Cup holder
  Tier 4 Final Certified
                                                      Tool Pocket
 High Pressure Common Rail (HPCR)
                                                     Top window
    Fuel Injection
                                                     Headliner
 Charged Air Cooler (CAC)
                                                      Alarm package (backup and horn)
 Horsepower:
                                                     Lap Bar
    - Gross 114
    - Peak torque 339 lb*ft (460 Nm)
                                                   HYDRAULICS:
  160 amp alternator
                                                      6 micron oil filtration system
 Air cleaner - dual element
                                                      3 spool loader control valve
 Organic Acid Technology (OAT)
                                                     Auxiliary hydraulics, Proportional thumb
 Anti-freeze solution to -34° F
                                                        wheel activated: loader arm mounted
 Fuel tank - 25.5 gal. (U.S.)
                                                        with ISO specification flat face
 Diesel Oxidation Catalyst (DOC) with
                                                        "connect-under-pressure"
 Selective Catalytic Reduction (SCR)
                                                        disconnects
   Muffler
                                                        Including case drain
 Diesel Exhaust Fluid (DEF) Tank -
                                                     Heavy duty hydraulic oil cooler
    2.8 gal. (U.S.)
                                                     Loader arm float position
  3-stack after cooler / radiator /
                                                     Auxiliary hydraulic function lockout
    Oil cooler configuration
 Maintenance Free Belt
                                                      Loader arm circuit lockout override
 Glow Plugs
 Maintenance free 1000 CCA battery
                                                   LOADER:
     with master electrical disconnect
                                                     Hydraulic attachment coupler
                                                      Vertical Lift SUPERBOOM Geometry
OPERATOR'S PROTECTIVE
                                                      In-cab activated boom lock
STRUCTURE:
                                                      SAE operating load:
 ROPS/FOPS Level 1 canopy with side
                                                        For C362
                                                          6200 lbs. at 50%
    screens
 Control lockout system
                                                          4340 lbs. at 35%
                                                          Tipping load: 12,400 lbs.
 Tilt forward ROPS/FOPS
 Electric parking brake control
 Throttle dial and Foot throttle
  Switchable (ISO - H)
 Operator's compartment floor cleanout
 Rear window with emergency escape
 Padded Arm Rests
 Suspension Seat, vinyl with
    2" retractable lap seat belt
 Foot rest
OPERATOR'S PROTECTIVE
STRUCTURE (Continued):
```



# **Standard Equipment**

#### INSTRUMENTATION:

8" LCD Multifunction display with hour meter, tachometer, fuel gauge, Diesel Exhaust Fluid gauge, engine coolant temperature gauge, diagnostic features and security lock-out Warning lights with alarms: Critical system stop Engine system Hydraulic system Electrical and diagnostic system Warning alarms: Battery voltage (plus display) Diesel Exhaust Fluid (DEF) Oil Service Indicator Light: Engine preheat, Parking brake, Seat belt reminder

#### TRACK SYSTEM:

Electro Hydraulic Controlled Hydrostatic
2-speed planetary final drive
Positive drive imbedded steel rubber
track belt
Spring applied hydraulic release
(SAHR) disc parking brake
Dynamic braking

#### UNDERCARRIAGE:

Rigid track frame mounting
Permanently sealed (duo cone face
seal) & lubricated idlers and rollers
Triple flange lower rollers
Double flange front and rear idlers
Hydraulic track adjustment
Track recoil spring
Tapered track frame cover

#### OTHER STANDARD FEATURES:

Steel lights with integrated turn signals Lights - 4 front lights (2 forward facing, 2 @ 45 degree forward), 2 rear (LED) Pre-wired for rotating beacon Service access hood, lockable Tail lights Remote Oil and Fuel Filters Debris Ingression Prevention Sealing Heavy Duty Rear Door Bucket Cylinder Guards Block Heater 120V - USA Front Electric Multi-Function Control Battery master disconnect Factory fit backup camera Creep Mode Auto straight line tracking



# **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price	
C362	16,100 LBS.		\$133,479.00	

# **Factory Supplied Options**

Order Code	Description	Weight	Factory Data	List Price
Oraci ooac	Description	TTCIGIIL	I dolory Data	LIST I HOC

## **FAST PICK CONFIGURATION**

SD\_T9999 NEW HOLLAND CTL/SSL PACKAGES

	CAB Fast Pi	icks		
	468160	Limited AIR CAB		No Charge
		E-H CONTROLS		
		HIGH FLOW PLUS		
		HYDRAULIC COUPLER		
		E-H CAB LCD DISPLAY		
		AIR SUSPENSION SEAT		
		GLASS FRONT DOOR		
		RUBBER TRACK		
	468161	Limited DEMO CAB		No Charge
		E-H CONTROLS		
		HIGH FLOW PLUS		
		HYDRAULIC COUPLER		
		E-H CAB LCD DISPLAY		
		AIR SUSPENSION SEAT		
		DEMO FRONT DOOR		
Ш		RUBBER TRACK		
	468162	Platinum DEMO CAB		No Charge
		E-H CONTROLS		
		ENHANCED HIGH FLOW PACKAGE		
		HYDRAULIC COUPLER		
		E-H CAB LCD DISPLAY		
		AIR SUSPENSION SEAT		
		DEMO FRONT DOOR		
		RUBBER TRACK		



ROPS Fast Picks						
468158	EH Limited ROPS			No Charge		
	E-H CONTROLS					
	HIGH FLOW PLUS					
	HYDRAULIC COUPLER					
	E-H OPEN CAB LCD DISPLAY					
	SUSPENSION SEAT (VINYL)					
	NO FRONT DOOR					
	RUBBER TRACK					
468159	EH Platinum ROPS			No Charge		
	E-H CONTROLS					
	ENHANCED HIGH FLOW PACKAGE					
	HYDRAULIC COUPLER					
	E-H OPEN CAB LCD DISPLAY					
	SUSPENSION SEAT (VINYL)					
	NO FRONT DOOR					
	RUBBER TRACK					

#### **OPERATORS MANUAL**

SD\_32004 LANGUAGE OPTIONS

	761328	English		No Charge
	761329	French		No Charge
Г	761331	Spanish		No Charge

#### **BUCKETS**

BUCKETS

SD\_K5231 BUCKETS

	761133	78" Low Profile Extended		\$1,119.00
	761134	84" Low Profile Extended		\$1,208.00
	761137	84" Light Material Bucket		\$1,078.00
	761143	78" Heavy Duty Dirt Bucket		\$1,584.00
	761144	84" Heavy Duty Dirt Bucket		\$1,637.00
	761255	78" HD Ext. w/ SmartFit Teeth		\$1,955.00
	761256	84" HD Ext. w/ SmartFit Teeth		\$2,093.00
	761347	BUCKET 84" XHD 1.25 yd3		\$2,009.00
	761348	BUCKET 84" XHD TOOTH 1.25 yd3		\$3,039.00
	XK5231X	No Bucket		No Charge

## **BOLT ON CUTTING EDGES**

SD K6399 BOLT ON CUTTING EDGE

3D_N0399 BOLT ON COTTING EDGE							
		761148	78" Bolt on Cutting Edge			\$267.00	
		761149	84" Bolt on Cutting Edge			\$287.00	

SAC81271



#### C362 US PRICE LIST

M	OVE TO E	BIC			
	SD_K64	40 OF	F-SITE SERVICE		
	76	1175	Offsite Service Arrangement		No Charge
			Pricing is dealer negotiated with Burlington Installation Corp.		
			For BIC Products and Pricing Call: (316) 943-2515 or email		
			jrmuzzy@burlinst.com		
S	PECIAL P	AINT			
	SD_5010	)3 SP	ECIAL PAINT		
	72	6029	Special Paint		\$3,089.00
			The price listed is for a color change only from the standard		
			factory color: CNH #86572648 (NH-Yellow). All Special Color		
			formulations will be applied using approved factory processes		
			and materials. Metallic or other special formulations and/or		
			materials are not available. A color chip must be provided to		
			CNH for non CNH colors. A minimum lead time of 8 business		
			weeks will be required prior to production.		
			Unless specified, regular production decals will be applied.		
			Requests can be made that decals not be applied. However,		
			SAFETY decals MUST BE APPLIED in all cases. The following		
			components remain CNH grey: lift & bucket cylinders, front		
			coupler and attachments, ROPS, side screens, upper chassis,		
			control links, rear door, and wheels. Approved special paint colors:		
			NH-Yellow - 86572648, CNH Dark Grey - SPU65292, NH Blue -		



# **Factory Supplied Attachments**

Order Code		Description	Weight	Factory Data	List Price
7360	56016	KIT-BUCKET-78IN DF	429 LB		\$1,444.00
7360	63016	KIT-BUCKET-78IN LPE	531 LB		\$1,497.00
7360	64016	KIT-BUCKET-84IN LPE	607 LB		\$1,592.00
7360	67016	KIT-BUCKET-84IN LM	532 LB		\$1,382.00
7360	73016	KIT-BUCKET-78IN HD	526 LB		\$1,990.00
7360	74016	KIT-BUCKET-84IN HD	550 LB		\$2,046.00
7361	85006	KIT, BUCKET 78IN TOOTHED	728 LB		\$2,383.00
7361	86006	KIT, BUCKET 84IN TOOTHED	728 LB		\$2,530.00
7361	87006	KIT, BUCKET 84IN XHD	902 LB		\$2,009.00
7361	88006	KIT, BUCKET 84IN XHD TOOTHED	1,003 LB		\$3,039.00