

Index - T6 Series Tractor

EQUIPMENT DESCRIPTION	LATEST REVISION	PAGE NUMBER
T6 Series Electro Command	10/01/2021	2
T6 Series Dynamic Command	10/01/2021	18
10 Series Dynamic Command	10/01/2021	10
T6 Series Auto Command	10/01/2021	39
Special Paint Color Information	10/01/2021	59
Service Parts Supplied Dealer Installed Accessories	10/01/2021	60



Standard Equipment

KEY SELLING POINTS:

compliant with

-Fuel efficient high torque 4.5L, 4-cylinder or 6.7L, 6 cylinder with power boost

FPT engines with 4 valves per cylinder and common rail fuel injection systems -Tier 4B Stage V EPA emissions

SCR only ECOBlue™ HI-eSCR

- Electro Command™ Semi-powershift

-Standard LED work lighting

-Easy attach remote outlets

-Long Stable 104" wheel base

ENGINE

T6.145

Rated PTO HP - 95
Rated Engine HP - 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)

DEF Tank: 10.4 Gallon (39.5L)

T6.155

Rated PTO HP - 105
Rated Engine HP - 125
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 155
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.160

Rated PTO HP - 115
Rated Engine HP - 135
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 165
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP - 120
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP - 125
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBlue™ HI-eSCR Tier 4B Stage V
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Standard Cooling Fan
Foot and Hand Throttle



Standard Equipment

TRANSMISSION

16x16 Electro Command™ Semipowershift w/opt. AutoShift feature
Clutchless Range Change Between
Ranges A/B and C/D
Steering Column Mounted Left-hand
Power Shuttle
Multi-plate Wet Clutch Design

ROAD SPEEDS

Std 4WD - 25 mph/40 kph

STEERING & BRAKES

Hydrostatic Power Steering
Hydraulic Wet Disc Brakes
(self-equalizing/self-adjusting)
Parking Brake (automotive style)

REAR AXLE

Heavy Duty Flange
Wet Plate Differential Lock
Electrohydraulic Engaged Rear Diff Lock

FRONT AXLE

STD Front FWD (limited slip)
Class 4 Heavy Duty FWD Axle
55 Degree Turning Angle -4WD
Dual Steering Cylinders
8 Degree Axle Oscillation(adjustable)
Adjustable Tread Width from
61.4 in. to 88.8 in. (varies by tire size)
Electrohydraulic FWD Engagement
Limited Slip Differential
Drive Shaft Shield

PTO

Independent 540/1000 rpm PTO
with Reversible Shaft
Multi-Plate Wet Clutch Design
Electrohydraulic Engagement
with Soft Start/Auto Feathering
Hydraulic Piston PTO Brake with Manual
Override (coast-down feature)
Flip-up PTO Shaft Guard
Rear Fender Mounted PTO Controls

HYDRAULIC SYSTEM

Fixed Displacement Gear Pumps
with closed center remote valves
Maximum Flow at Rated Engine Speed
21.1 gpm (80 1/m) Implement Pump
12.4 gpm (47 1/m) Steering Pump
(2) Lever Controlled, Configurable,
Mechanical Remote Valves with Quick
Couplers, Flow Control & Anti-leak-down
Oil Collection Bottles
Hydraulic Tapping Port (power beyond)
Low Pressure Return Quick Coupler

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC)
Lower Link Sensing
Fast Raise/Lower Control in Cab
Rear Fender Mounted 3-PT Raise/Lower
Switches
Dynamic Ride Control™
Category II/III Flex Link Ends
Telescoping Stabilizers

9,214 lb. Lift Capacity (OECD)



Standard Equipment

DRAWBAR
-----Independent Swinging Drawbar

ELECTRICAL

(1) 12-volt 1300 cca Battery
150 amp Alternator
Geared Starter Motor (4.2 kW)

with Dual 80mm External Rams

3-pin, 40 amp Implement Socket

3-pin, 40 amp implement socket

ISO/JD (30 amp) Socket

15 amp Screw-type Positive/Negative Terminals

Single Pin (8 amp) Accessory Outlet Cigar Lighter

(2) Roof Mounted Single Pin Outlets Battery Boost Terminals

LIGHTS

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (8) LED cab mounted work lights
 - (4) LED high front & rear cab
 - (4) LED mid-mount front & rear
- (2) taillights

Front & Rear Flashing Cab Safety Lights INSTRUMENTATION

Analog/Digital Instrument Cluster with

Analog/Digital Instrument Cluster with LCD Display

CAB

Low Roof w/Fixed Visibility Panel and Sunshade

Flat Deck Platform

Air Conditioner and Heater with

4-speed Pressurizer

Two Doors with Locks

Two-speed Intermittent Front

Wiper/Washer

Rear Intermittent Wiper/Washer

Hinged Rear Window

Tinted Glass with Sunshade

Tilt and Telescoping Steering Wheel

Air Suspension Seat with Operator

Presence Switch and Lap Belt

Instructor Seat

Deluxe Bluetooth radio

Digital Clock

Integral ROPS

Interior Dome Light

- (2) External Courtesy Lights
- (2) Fixed External Mirrors

Horn

MISCELLANEOUS

Pivoting Engine Hood

SMV Emblem

Toolbox

WARRANTY

New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 EC 4CYL STG5	11,120 LB	9103918P43	\$134,959.00
Includes the following Equipment HD Flange Multi-Diff (758430)	\$363.00		
T6.155 EC 4CYL STG5	20,944 LB	9110485P76	\$143,488.00
Includes the following Equipment HD Flange Multi-Diff (758430)	\$363.00		
T6.160 EC 6CYL STG5	12,950 LB	9117874P68	\$153,084.00
Includes the following Equipment HD Flange Multi-Diff (758430)	\$363.00		
T6.175 EC 4CYL STG5	11,045 LB	9118955P76	\$154,488.00
Includes the following Equipment HD Flange Multi-Diff (758430)	\$363.00		
T6.180 EC 6CYL STG5	19,841 LB	9123641P21	\$160,573.00
Includes the following Equipment HD Flange Multi-Diff (758430)	\$363.00		

Factory Supplied Options

Order Code Description Weight Factory Data List Price	Order Code
---	------------



FAST PICK CONFIGURATION

SD	T9980	PACKAGING

	X0789XX	T6 EC FAST PICK 1	(906001P38)	(\$7,794.00)
		Package Includes (DF):		
		759128 Std Fuel Tank + Guard		
		390166 Std HD Brakes		
		390711 Less Trailer Brakes		
		390703 Less Ground Speed Radar		
		743902 Enhanced Instrument Panel w/ ISO Socket		
		758441 29.9 GPM Hydraulic Pump		
		391283 Basic Air Suspension Seat		
		390160 Less Auto PTO		
		Selectable Options (some choices are limited)		
		Alternator, Weather Pack, Ballast, Transmission, Rear Axle, Front		
		Axle, Tires, Battery, Loader		
1 1 1		Ready, Mechanical Rear Remotes, Front Fenders, Hydraulic Lift		
		Cylinders, Rotary Beacon, Cab		
1 1 1		Type, External Cab Mirrors		

X0790XX	T6 EC FAST PICK 2	(906001P38)	(\$7,794.00)
	Package Includes (KF):	(0000000)	(\$1,7.5.100)
	,		
	758557 150 AMP Alternator		
	759128 Std Fuel Tank + Guard		
	758430 HD Flange Rear Axle		
	390166 Std HD Brakes		
	391296 Class 3 Front Axle		
	390711 Less Trailer Brakes		
	390703 Less Ground Speed Radar		
	743902 Enhanced Instrument Panel w/ ISO Socket		
	391828 21.1 GPM Hydraulic Pump		
	391283 Basic Air Suspension Seat		
	390160 Less Auto PTO		
	391610 Cab w/ no suspension		
	759453 2 Std Mirrors		
	Selectable Options (some choices are limited)		
	Weather Pack, Ballast, Transmission, Tires, Battery, Loader Ready,		
	Mechanical Rear Remotes,		
	Front Fenders, Hydraulic Lift Cylinders, Rotary Beacon, Rear		
	Sunshade		
X0791XX	T6 EC FAST PICK 3	(906001P38)	(\$7,794.00)
	2WD Package		
	Package Includes:		
	759128 Std Fuel Tank + Guard		
	759375 30KPH 16x16 Less AutoShift		
	390166 Std HD Brakes		
	759381 2WD HD Front Axle		
	390711 Less Trailer Brakes		
	390703 Less Ground Speed Radar		
	743902 Enhanced Instrument Panel w/ ISO Socket		
	391283 Basic Air Suspension Seat		
	390160 Less Auto PTO		
	390875 Less Front Fenders		
	Salastable Ontions (same absides are limited)		
	Selectable Options (some choices are limited) Alternator, Weather Pack, Ballast, Rear Axle, Tires, Battery, Loader		
	Ready, Hydraulic Pump, Mechanical Boar Remotes, Hydraulic Lift Cylinders, Betary Reacon		
	Mechanical Rear Remotes, Hydraulic Lift Cylinders, Rotary Beacon,		
	Cab Type, Rear Sunshade, External Cab Mirrors		
	External Cab Militors		
1 1 1			1



X0792XX	T6 EC FAST PICK 4	(906001P38)	(\$7,794.00)
	Deluxe Loader Package		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	Package Includes:		
	759128 Std Fuel Tank + Guard		
	392195 40 KPH 16x16 Less AutoShift		
	390166 Std HD Brakes		
	758420 Class 3 Hydraulic Lock Front Axle		
	390711 Less Trailer Brakes		
	390703 Less Ground Speed Radar		
	758351 Loader Ready plus 3 Mech MMV plus Joystick		
	743902 Enhanced Instrument Panel w/ ISO Socket		
	758441 29.9 GPM Hydraulic Pump		
	391283 Basic Air Suspension Seat		
	390160 Less Auto PTO		
	758479 Cab w/ Suspension		
	758580 Rear Sunshade		
	759153 2 Telescopic Mirrors		
	Selectable Options (some choices are limited)		
	Alternator, Weather Pack, Ballast, Rear Axle, Tires, Battery, Rear		
	Remotes, Front Fenders, Hydraulic Lift Cylinders, Rotary Beacon,		
	Rear		
	Sunshade		
XT9980X	Less Packaging		No Charge
	Custom Configuration		
	No Package selected; Custom premium pricing included in base		
	model		

OPERATOR STRUCTURE

SD_T7610 INSTRUMENT PANEL

390761	Analog/Digital Basic Cluster		No Charge
	Basic instrument cluster		
	Does not monitor PTO speed		
743902	Enhanced Inst w/ ISO Socket	9000143P99	\$187.00
	Required with radar		
	Includes 7-pin DIN/ISO 11786 socket in RH console to power		
	implement monitors		
	Includes ground speed, rear PTO speed, and rear 3-point position		
	&		
	work status		
	Includes functionality for Area accumulator, odometer, PTO speed		
	display, and wheel slip on dashboard instrument cluster.		



SD_T8500	SEAT		
758485	Deluxe Seat Air Susp Heated	9001637P02	\$2,126.00
	Super Deluxe Seat with Low Frequency		
	Suspension (+DDS) Belt and Swivel		
	Headrest Heated Leather/Alacantara		
CD T0040			
	REAR CAB STORAGE BO	0000407D44	¢0.40.00
758570		9000187P11	\$243.00
	Large LH storage box		
	Located in the back left hand corner, behind instructor seat area		
	Compatible with or without		
	instructor seat/front toolbox options		
SD_T9146	ROTARY BEACON		
758489		9000349P58	\$454.00
	Single rotary beacon mounted on rear left side		.
	of tractor for increased safety and visibility		
758491		9000699P93	\$909.00
	Rotary beacons mounted on rear of the cab		,
	on both left and right side of tractor for		
	maximum safety and visibility		
X9146 ⁻			No Charge
	OPERATOR STRUCTURE #1		
391610			No Charge
758479	Suspended_Cab	9001479P17	\$1,921.00
	Cab suspension reduces shock loads to the tractor by up to 25%		
	utilitizing two adjustable shocks to increase confort to the		
	operator.		
SD_T9230	CLIMATE CONTROL		
392701			No Charge
002701	THE CONDITIONING COZIO		140 Charge
SD T9291	REAR WINDOW SUNSHADE		
758580		9000171P71	\$223.00
	X No Rear Window Sunshade		No Charge
	·		<u> </u>
SD_T9360	RR MIRRORS		
759153		9000231P77	\$301.00
759154	·	9000286P44	\$372.00
	(2) External Mirrors (Electric-adjust, Telescopic and Heated)		
	Requires:		
	- 743729, 713816, or 743730 (High Roof Cab)		
759453	2 Std Mirrors	1	No Charge



ENGINE			
SD_T1000 E			
393110	ENG STG V W/BOOST		No Charge
762186	ENG STG V W/BST W/BR	9001597P75	\$2,075.00
SD T1010 F	NGINE OPTIONS		
392300	STD ENG COOLING FAN		No Charge
	<u> </u>	<u> </u>	
SD_T1040 C	HARGING SYSTEMS		
758557	150 AMP_Alternator		No Charge
758558	200 AMP_Alternator	9000200P97	\$261.00
SD_T1400 FI			
759128	Std Fuel Tank+Guard		No Charge
	Standard fuel tank with guard - 52.2 gallons (197.5 L)		
	Required for use with 34" rear wheels		
759130	Large Fuel Tank+Guard	9000197P12	\$256.00
	Standard fuel tank plus auxiliary tank - 58.6 gal (222 L)		
	Incompatible with 34" rear wheels		
CD T4024 F	NO ODEED MANAGEMENT		
	NG SPEED MANAGEMENT		No Chann
743814	Engine Speed Management		No Charge
STARTING AID			
STAINTING AID			
SD T1938 W	EATHER PACK		
758401	Grid_Heater		No Charge
758402	Grid_Heater + 110V Pack	9000339P57	\$441.00
	Grid heater and cold weather pack		
	Includes engine block heater and transmission heater		
	·	•	
BATTERY			
SD_T7420 B			
758407	HD Battery 176AH		No Charge
	Does not include battery isolator		

	758409	HD Battery W/Isolator 176AH Includes electronic battery isolator switch on right hand rear c-pillar in cab. In-cab switch disconnects battery to prevent battery drainage.	9000367P29	\$477.00
	759140	Hvy Dty Bty Mech ISO	9000274P89	\$357.00
		Mechanical switch disconnects battery to prevent battery drainage.		

TRANSMISSION

SD_T2800 SPEED

39	92195	40KPH_16X16_L/Autoshift		No Charge
		16x16 Electro Command semi-powershift		
74	43764	40 KPH (17x16) ECO	9001841P84	\$2,392.00
		17x16 Electro Command "Economy"		
		Semipowershift with AutoShift		
75	58413	40KPH_16X16_w/Autoshift	9000664P51	\$863.00
		16x16 Electro Command semi-powershift with AutoShift		
		feature		
75	58414	40KPH_32X32_Autoshift+Creeper	9002758P14	\$3,582.00
		32x32 Electro Command semi-powershift with AutoShift		
		and creeper		
75	59375	30KPH 16X16 L/Autoshift	(901211P21)	(\$1,573.00)
		16x16 Electro Command semi-powershift for 2WD axle		
75	59377	30KPH 16X16 W/Autoshift	(900558P25)	(\$725.00)
		16x16 Electro Command semi-powershift with AutoShift		
		feature for 2WD axle		
				^.
75	59379	30KPH 16X16 Autoshift+Creeper	9001494P57	\$1,941.00
		16x16 Electro Command semi-powershift with AutoShift		
		and creeper for 2WD axle		

RADAR

SD	T7580	RADAR

390703 Less Radar		No Charge
-------------------	--	-----------

нітсн			
SD_T8950	AUX RAMS		
390911	1 ' '		No Charge
	3-Point Hitch Capacity with two 80mm lift cylinders		
	6,990 lbs. (3,170 kg) OECD rated lift capacity		
	through the whole range per Nebraska Tractor Test		
743811	2 External 90mm Cylinders -EDC	9000443P52	\$576.00
	3-Point Hitch Capacity with two 90mm lift cylinders		
	8945 lbs. (4057 kg) OECD rated lift capacity		
	through the whole range per Nebraska Tractor Test		
HYDRAULICS			
SD_T8230	HYD PUMP		
391828	80L/Min Fixed Displacement Pmp		No Charge
758441	CCLS Pump	9001386P77	\$1,801.00
	113L/MIN CCLS PUMP		
SD_T8275	POWER BEYOND COUPLE		
758540	Low-Pressure Return		No Charge
REAR REMOTE	VALVES		
SD_T8270	REAR REMOTES		
743685	4 Mech Rear Remotes (2NC+2C)	9001778P70	\$2,310.00
	2 Configurable, 2 Non-Configurable Rear Remotes		
743740	2 Mech Rear Remote Valves (2C)		No Charge
	2 Configurable Rear Remotes		
743741	3 Mech Rear Remote Valves (2C)	9000750P75	\$975.00
	2 Configurable, 1 Non-Configurable Rear Remotes		
REAR AXLE			
SD_T3200	REAR AXLE		
758430	HD Flange Multi-Diff	9000279P51	\$363.00
	Axle: HD Flange- 56.3"-84" (1430 mm - 2134 mm)		
	Differential: Hydraulic		
	Wheel: Steel Wheel Rims		
758432	HD Bar Steel Multi-Diff	9001247P40	\$1,620.00

Heavy duty 98" bar axle for steel wheels

REAR WHEELS AND TIRES

SD_T4950 RE	AR WHEELS AND TIRES		
8334406	460/85(18.4)R38 R1W- MI,FI,CM	9001322P86	\$1,718.00
	Matching Front Tire - 16.9R28 R1W		
	- 8241401 (Class 3 Axle)		
	- 8241901 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8365401	460/85(18.4)R34 A8 FI,MI,CO,TR	(901189P65)	(\$1,545.00)
	Matching Front Tire - 14.9R24 R1W		
	- 8240402 (Class 3 Axle)		
8370404	380/90(14.9)R46R1WAdj Rim-C,MI	9000322P63	\$419.00
	Matching Front Tire - 14.9R30 R1		
	- 8258404 (Class 3 Axle)		
	- 8258704 (Class 4 Axle)		
	Adjustable Rims		
8388404	460/85(18.4)R42R1W MI,F,T,C,A	9000399P63	\$519.00
	Matching Front Tire - 14.9R30 R1W		
	- 8258404 (Class 3 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
	- 8258704 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8399906	Rear Shipping Wheels	(903013P78)	(\$3,914.00)
	Matching Front Shipping Wheels		
	- 8299905 (Class 3 Axle)		
	- 8299906 (Class 4 Axle)		
8963504	320/90R50 R1W MI	9000519P75	\$675.00
	Matching Front Tire - 320/85R34 R1W		
	- 8859604 (Class 3 Axle)		
	- 8801604 (Class 4 Axle)		
	Adjustable Rims		

FRONT AXLE

SD T4010 FRONT AXLE

 OB_14010 TROITTINEE					
	392196	Class 3, L/Brakes			No Charge
		Limited slip front axle			
	758420	Class 3 Hydraulic Lock		9000279P51	\$363.00
		With TerraLock traction management system with multi-plate			
		differential			

	758425	Class 4 Hydraulic Lock	9001054P13	\$1,369.00
		-With TerraLock traction management system with		
		multi-plate differential		
		-Incompatible with 34" rear wheels		
	758429	Class 4 SuperSteer L/Water	9003939P32	\$5,116.00
		SuperSteer front axle with TerraLock traction management system.		
		Includes mulit-plate differential lock.		
	759381	2WD Heavy Duty Axle	(907538P30)	(\$9,790.00)

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

 <u>OD_14040 110</u>	ON WHELEO AND TINEO		
8138401	11.00-16 10PR F2 2WD	(901455P30)	(\$1,890.00)
	Alliance brand		
	2WD front tire		
8240402	380/85(14.9)R24 A8	9000265P65	\$345.00
	Requires 460/85(18.4)R34 R1W		
8241401	380/85(14.9)R28 A8		No Charge
	Requires 460/85(18.4R38) R1W		
8255404	420/85(16.9) R28 R1W MI-FI-TR	9000620P62	\$806.00
	Requires 20.8R38 R1W		
8258404	380/85(14.9)R30R1W MI,F,T,C,A	9000470P47	\$611.00
	Requires 18.4R42 R1W		
8299905	Front Shipping Wheels-4WD	(901018P71)	(\$1,323.00)
	Requires rear shipping wheels		
8859604	320/85R34 R1W MI,FI	9000613P69	\$797.00
	Requires 320/90R50 R1W		

FENDERS

SD_T8710 FENDERS PTO CONTROL

392803	Fender Mounted Controls		No Charge	

FRONT FENDERS

SD_T8740 FRONT FENDERS

_	65_10110 11(011112110					
Е		390875	Less front fender			No Charge
		758505	Front Fender 420mm Dynamic		9000658P35	\$855.00
			Recommended for tire sizes less than 420/16.9"			
			Dynamic front fenders allow the fenders to turn with the tires			
		758506	Front Fender 480mm Dynamic		9000764P61	\$993.00
			Recommended for tire sizes less than 480/18.9"			
			Dynamic front fenders allow the fenders to turn with the tires			

LOADER BRACKETS

SD_T8110 LOADER BRACKETS

390819 Less Loader Ready



T6 ELECTRO COMMAND - STAGE V US PRICE LIST

US PRICE LIST			
758507	Front Fender 540mm Dynamic	9000859P32	\$1,116.00
	Recommended for tire sizes larger than 520/20.8"		* ,
	Dynamic front fenders allow the fenders to turn with the tires		
		•	
REAR FENDERS			
SD_T8700 FE	ENDERS		
391153	Standard Fenders		No Charge
TRAILER BRAKE	S		
TRAILER BRAKES			
SD_T7130 TF	RLR BRK VLV		
390711	Less trailer brakes		No Charge
759472	HYD TRLBRK - NOT ISO	9000947P10	\$1,230.00
	HYDRAULIC TRAILER BRAKE - NOT ISO		
	NEUM TRAILER BRAKE		N. Oleana
390729 758447	L/ Pneumatic Trailer Brakes Pneumatic Trailer Brake Univ	9006777P54	No Charge \$8,802.00
/5844/		9006777P54	\$8,802.00
	Requires hydraulic trailer brakes (759472). Dual air line system is used for dual cylinder truck type trailer		
	brakes. For customerswith air		
	brakes in heavy applications, such as manure tankers.		
	brakes in heavy applications, such as manure tankers.		
TIRES			
TIKES			
BRAND CHOICE			
BITAIND CHOICE			
SD T4900 TI	RE CATEGORY CHOICE		
330438	No tire brand preference		No Charge
330439	Mitas	9000468P93	\$609.00
330442	Michelin	9000468P93	\$609.00
330446	Firestone	9000468P93	\$609.00
LOADER			

No Charge

75	8351	Loader Ready + 3Mech MMV+Joy	9007776P23	\$10,099.00
		Complete Loader Ready: Includes 3 slice mechanical mid-mount		
		valve (MMMV), horizontal and vertical two piece system (TPS)		
		mounting brackets, grill guard, hydraulic plumbing, tractor half		
		of the multi-coupler and joystick. Incompatible with electro-		
		hydraulic rear remotes & electronic joystick.		
		Includes predisposition for Complete Loader Ready (758622)		
		Does not include front end loader frame, buckets or loader		
		attachments. Order a front end loader from the 805TL		
		Series Front End Loader Price & Data Pages.		

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

758518	Weight Pack A w/Hook	9000945P56	\$1,228.00
	Pack "A" includes weight rack - 199.3 lbs.,		
	(6) 99.2 lbs. weights, plus the tow hook		
	- 15.4 lbs., total weight is 703 lbs. (319 kg)		
758519	Weight Pack B w/Hook	9001472P24	\$1,912.00
	Pack "B" includes: weight rack - (1) 199 lbs., (10) 99 lbs. weights,		
	plus the tow hook - 15 lbs., total weight is 1,207 lbs. (547 kg)		
758520	Weight Pack C w/Hook	9002398P55	\$3,115.00
	Pack "C" includes: (1) weight rack - 199 lbs., (18) 99 lbs. weights,		
	plus the tow hook - 15 lbs., total weight is 2000 lbs. (907 kg)		
	Not compatible with two wheel drive (2WD) option		
	Not compatible with loader ready packages:		
	758344, 758351, 758353, 758354, 758351		
758562	Weight Carrier w/Hook	9000218P68	\$284.00
	Weight carrier with tow hook - 199 lbs (90.4 kg)		

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

	758564	6X65KG Wheel Weight	9001003P31	\$1,303.00
		Includes (6) 143 lbs. weights totalling 860 lbs.		
	762228	R WHL WEIGHTS 4X200	9001308P23	\$1,699.00
		Rear Wheel Weights		
		Includes 2 Left Hand X 200 KG and 2 Right Hand X 200 KG Weights		
		Four weights totaling 800 KG or 1,764 lbs.		



Γ	762229	R WHL WEIGHTS 6X200	9002245P32	\$2,916.00
		Rear Wheel Weights Includes 3 Left Hand X 200 KG and 3 Right Hand X 200 KG Weights Six weights totaling 1200 KG or 2,646 lbs.		
	X49601X	L/Wheel Weights		No Charge

ADDITIONAL EQUIPMENT

SD_T3600 BRAKE PACK

	390166	Std. Heavy Duty Brake Discs		No Charge
Γ	758435	Extended-Life Brake Discs	9000286P44	\$372.00

SD_T9560 FRONT TOOLBOX

390996	Standard Toolbox		No Charge
	5.5 in. x 12.5 in. (140 mm x 315 mm)		
743848	Large Toolbox	9000079P31	\$103.00
	5.5 in. x 16.5 in. (140 mm x 420 mm)		
	Great for larger tools, like hammers and larger wrenches		



Standard Equipment

T6.175

KEY SELLING POINTS: -Fuel efficient high torque 4.5L, 4cylinder with power boost FPT engines with 4 valves per cylinder and common rail fuel injection systems -Tier 4B Stage V EPA emissions compliant with SCR only ECOBlue™ HI-eSCR -23X23 Dynamic Command™ Powershift with AutoShift feature -Standard LED work lighting -Easy attach remote outlets -Bold styling (hood, cab roof, lighting) -Long Stable 104" wheel base for all 4WD models -15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

ENGINE

Rated PTO HP - 95
Rated Engine HP - 116
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 145
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.155
Rated PTO HP - 105
Rated Engine HP - 125
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 155
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.160
Rated PTO HP - 115
Rated Engine HP - 135

Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 165
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

Rated PTO HP - 120
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
274 cu. in. (4.5L) - 4 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

T6.180
Rated PTO HP - 125
Rated Engine HP - 145
Engine Power Management (EPM)
Maximum Engine HP w/ EPM - 175
Rated Speed - 2200 RPM
411 cu. in. (6.7L) - 6 Cylinder
Fuel Tank: 52.2 Gallon (197.5L)
DEF Tank: 10.4 Gallon (39.5L)

COMMON ENGINE FEATURES

Tier 4B Stage V Emissions Compliant
ECOBlue™ HI-eSCR Engine with
Turbocharger and Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Power Management and Constant RPM
Power Boost in PTO & Transport Modes
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Vistronic Fan (5 blade)
Foot and Hand Throttle



Standard Equipment

TRANSMISSION _____ PTO 23 X 23 Dynamic Command ™ _____ Independent 540/1000 rpm PTO Powershift Clutchless Range Change between with Reversible Shaft Ranges A/B, B/C Multi-Plate Wet Clutch Design Steering Column Mounted Left-hand Electrohydraulic Engagement with Power Shuttle Soft Start/Auto Feathering Multi-plate Wet Clutch Design Hydraulic Piston PTO Brake with Manual Override (coast-down feature) ROAD SPEEDS Flip-up PTO Shaft Guard Auto PTO Management System Std 4WD - 25 mph/40 kphRear Fender Mounted PTO Controls Optional 4WD - 31 mph/50KPH (speeds varies by tire size) HYDRAULIC SYSTEM STEERING & BRAKES CCLS: Closed-Center-Load-Sensing System Hydrostatic Power Steering Variable Displacement Piston Pump Hydraulic Wet Disc Brakes Maximum Flow at Rated Engine Speed (self-equalizing/self-adjusting) 29.9 gpm (113 1/m) Implement Pump Parking Brake (automotive style) 12.4 gpm (47 l/m) Steering Pump (2) Lever Controlled, Configurable, Mechanical Remote Valves with Quick REAR AXLE ______ Couplers, Flow Control & Anti-leak-down Heavy Duty Flange Oil Collection Bottles Hydraulic Tapping Port (power beyond) Wet Plate Differential Lock Electrohydraulic Engaged Rear Diff Lock Low Pressure Return Quick Coupler FRONT AXLE 3-POINT LIFT SYSTEM ______ SELECTION MUST BE MADE WHEN Electronic Draft Control (EDC) ORDERING. ENTRY LEVEL OPTION IS: Lower Link Sensing Front FWD (TerraLock™) Fast Raise/Lower Control in Cab Class 4 Heavy Duty FWD Axle Rear Fender Mounted 3-PT Raise/Lower 55 Degree Turning Angle Switches Dual Steering Cylinders Dynamic Ride Control™ 8 Degree Axle Oscillation Category II/III Flex Link Ends Adjustable Tread Width from Telescoping Stabilizers 61.4 in. to 88.8 in. (varies by tire size) 8,338 lb. Lift Capacity (OECD) Electrohydraulic FWD Engagement TerraLock™ Auto FWD/Diff-Lock DRAWBAR Drive Shaft Shield _____

Independent Swinging Drawbar

Standard Equipment

CUSTOM HEADLAND
MANAGEMENT SYSTEM

Allows Programming of the Following

-Transmission Upshift/Downshift

- Fast Raise/Lower of the 3-PT Hitch
- Engine rpm Increase/Decrease via Throttle
- Engine rpm Increase/Decrease via Constant RPM
- Optional Electro-Hydraulic Remotes

ELECTRICAL

(1) 12-volt 1300 cca Battery ALTERNATOR SELECTION MUST BE MADE. ENTRY LEVEL OPTION IS: 150 amp Alternator Geared Starter Motor (4.2 kW) 3-pin, 40 amp Implement Socket

ISO/JD (30 amp) Socket

15 amp Screw-type Positive/Negative Terminals

ISO BUS Class 2 Basic Single Pin (8 amp) Accessory Outlet Cigar Lighter

(2) Roof Mounted Single Pin Outlets for beacon

Battery Boost Terminals

LIGHTS

WORK LIGHT SELECTION MUST BE MADE. STANDARD EQUIPMENT IS:

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
 - (8) LED high front & rear
 - (4) LED mid-mount front & rear
- (2) taillights

Front & Rear Flashing Cab Safety Lights Time Delayed, Self-Cancelling Turn Indicators with Audible Warning

INSTRUMENTATION

Analog/Digital Instrument Cluster with LCD Display, Enhanced Key Pad and Performance Monitor

CAL

High Roof w/ Opening Visibility Panel and Sunshade

Flat Deck Platform with Integrated ROPS

Standard A/C manual control Two doors with Locks

Two-speed Intermittent Front

Wiper/Washer

Rear Intermittent Wiper/Washer

Hinged Rear Window

Tinted Glass with Sunshade

Tilt and Telescoping Steering Wheel

Deluxe Air Suspension Seat with Automatic Adjustment, Operator Presence Switch and Lap Belt Instructor Seat Deluxe Radio with BlueTooth, High Performance Speakers & Antenna Digital Clock

Interior Dome Light

- (2) External Courtesy Lights
- (2) Electronically Adjustment

Telescoping, Heated External Mirrors

Horn

MISCELLANEOUS

Pivoting Engine Hood

SMV Emblem

Toolbox

WARRANTY

New Holland Standard Warranty Applies

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 DCT	19,841 LB	9116963P77	\$151,901.00
T6.155 DCT	20,944 LB	9123916P10	\$160,930.00
T6.160 DCT	19,841 LB	9131243P42	\$170,446.00
T6.175 DCT	11,045 LB	9132386P10	\$171,930.00
T6.180 DCT	19,841 LB	9137113P13	\$178,069.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
Oldol Codo	Description	Troignic	I dottory Data	

FAST PICK CONFIGURATION

SD_T9980 PACKAGING

X0805XX	T6 DCT FAST PICK 1	(906001P38)	(\$7,794.00)
	Package Includes:		
	390703 Less Ground Speed Radar 758482 Air Conditioning w/ Automatic Temperature Control 758580 Rear Window Shade 758483 Leather Steering Wheel plus Carpet		
	Selectable Options (some choices are limited) Alternator, Fuel Tank, Weather Pack, Ballast, Transmission, Auto		
	Features, Park Brake, Rear		
	Axle, Brake Pack, Front Axle, Headland Management, Tires,		
	Steering Type, Hydraulic Trailer		
	Brakes, Pneumatic Trailer Brakes, Battery, AutoGuidance, ISOBus, Joystick, Electronic MMV,		
	Loader Brackets, Rear Remotes, Seat, Rear Fenders, Front Fenders, 3 Point Hitch Lift		
	Cylinders, Cab Roof Lights, Rotary Beacons, Cab Suspension, RH		
	Window Bar Mount,		
	Armrest Display		

	X0806XX	T6 DCT FAST PICK 2	(906001P38)	(\$7,794.00)
		Loader Package		
l		Package Includes:		
l		392464 40 KPH DCT Transmission		
		390166 Std Heavy Duty Brake Discs		
		759109 Class 4 Heavy Duty Front Axle		
l		743737 End of Row Function		
l		390711 Less Hydraulic Trailer Brakes		
l		390729 Less Pneumatic Trailer Brakes		
l		390703 Less Ground Speed Radar		
l		759396 EH Advanced Joystick		
l		743690 3 Electronic MMV		
l		759471 Loader Ready plus 3 Electronic MMV		
l		391153 Standard Rear Fenders		
l		758594 12 LED High Power Lights, Roof Cab		
l		758479 Suspended Cab		
l		392701 Air Conditioning w/ Manual Temperature Control		
l		758580 Rear Window Shade		
l		391152 Std Steering Wheel		
		Selectable Options (some choices are limited)		
l		Alternator, Fuel Tank, Weather Pack, Ballast, Auto Features, Park		
l		Brake, Rear Axle, Tires,		
l		Steering Type, Battery, AutoGuidance, ISOBus, Rear Remotes, Seat,		
		Front Fenders, 3 Point		
		Hitch Lift Cylinders, Rotary Beacons, RH Window Bar Mount,		
		Armrest Display		
l				



	X0807XX	T6 DCT FAST PICK 3	(906001P38)	(\$7,794.00)
		Package Includes:		
		390166 Std Heavy Duty Brake Discs		
		743737 End of Row Function		
		390711 Less Hydraulic Trailer Brakes		
		390729 Less Pneumatic Trailer Brakes		
		390703 Less Ground Speed Radar		
		391284 Deluxe Air Suspension Seat		
		391153 Standard Rear Fenders		
		758594 12 LED High Power Lights, Roof Cab		
		392701 Air Conditioning w/ Manual Temperature Control		
		X92911X Less Rear Window Shade		
		391152 Std Steering Wheel		
		Selectable Options (some choices are limited)		
		Alternator, Fuel Tank, Weather Pack, Ballast, Transmission, Auto		
		Features, Park Brake, Rear		
		Axle, Front Axle, Tires, Steering Type, Battery, AutoGuidance,		
		SOBus, Joystick, Electronic		
		MMV, Loader Brackets, Rear Remotes, Front Fenders, 3 Point Hitch		
		Lift Cylinders, Rotary		
		Beacons, Cab Suspension, RH Window Bar Mount, Armrest Display		

X0810XX	T6 DCT BLUE POWER FAST PICK	(906001P38)	(\$7,794.00)
	Blue Power Edition Package		
	Package Includes:		
	390711 Less Hydraulic Trailer Brakes		
	390703 Less Ground Speed Radar		
	759384 Super Deluxe Seat w/ Low Frequency Suspension,		
	Heated, Leather		
	758596 16 LED High Power Lights, Roof Cab		
	758482 Air Conditioning w/ Automatic Temperature Control		
	758580 Rear Window Shade		
	758483 Leather Steering Wheel plus Carpet		
	758320 Blue Power Edition Special Paint		
	Selectable Options (some choices are limited) Alternator, Fuel Tank, Weather Pack, Ballast, Transmission, Auto Features, Park Brake, Rear Axle, Brake Pack, Front Axle, Headland Management, Tires, Steering Type, Pneumatic Trailer Brakes, Battery, AutoGuidance, ISOBus, Joystick, Electronic MMV, Loader Brackets, Rear Remotes, Rear Fenders, Front Fenders, 3 Point Hitch Lift Cylinders, Rotary Beacons, Cab Suspension, RH Window Bar Mount, Armrest Display		
XT9980X	Less Packaging Custom Configuration No Package selected; Custom premium pricing included in base model		No Charge

OPERATOR STRUCTURE

 SD_T7620 SP	EAKERS		
743714	Deluxe Radio with Bluetooth		No Charge
	Deluxe Radio that includes AM, FM, Micro SD, USB,		
	AUX and Bluetooth with noise cancelling microphone		
	complete with wires and speakers in the cab.		
SD_T9180 AU	DIBLE WARNING TURN INDICATOR		
758504	Self-Cancel + Audible Turn		No Charge
 SD_T9200 OF	PERATOR STRUCTURE #1		
391610	Cab w/Fixed Front Screen	(901479P17)	(\$1,921.00)

Standard Cab - Does not include cab suspension.

758479	Suspended_Cab		No Charge
	Suspended Cab includes two adjustable rear shocks		
	Cab suspension reduces shock loads to the tractor by up to 25%		
	utilitizing two adjustable shocks to increase confort to the		
	operator.		
758480	Suspended Cab w/Heated Screens	9000424P27	\$551.00
	Includes 758479 Cab Suspension plus defrost elements on		
	front and rear windows		
	Requires 200 Amp alternator		
SD_T9223 R	H WINDOW BAR MOUNT		
390665	Fixings for Mounted Monitor		No Charge
	No Bar or Monitor		
758154	RH Window Bar Display Ready.	9000204P05	\$265.00
	Includes Bar mounted in right hand side of cab with		
	Intelliview ready harness and window mount without		
	Monitor		
	10 Color Touch Screen Display	9004441P36	\$5,768.00
758621	To Color Touch Screen Display		
758621	Monitor mounting bracket with IntelliView IV		. ,
	Monitor mounting bracket with IntelliView IV		
SD_T9230 C	Monitor mounting bracket with IntelliView IV LIMATE CONTROL		No Charge
SD_T9230 C 392701	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701	9000610P61	No Charge \$793.00
SD_T9230 C	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701 Air Conditioning W/ATC	9000610P61	No Charge \$793.00
SD_T9230 C 392701	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701 Air Conditioning W/ATC Automatic Temperature Control (ATC) allows the operator to set a	9000610P61	
SD_T9230 C 392701	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701 Air Conditioning W/ATC Automatic Temperature Control (ATC) allows the operator to set a desired temperature and the system maintains the desired set	9000610P61	
SD_T9230 C 392701	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701 Air Conditioning W/ATC Automatic Temperature Control (ATC) allows the operator to set a	9000610P61	
SD_T9230 C 392701 758482	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701 Air Conditioning W/ATC Automatic Temperature Control (ATC) allows the operator to set a desired temperature and the system maintains the desired set temperature.	9000610P61	
SD_T9230 C 392701 758482 SD_T9291 R	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701 Air Conditioning W/ATC Automatic Temperature Control (ATC) allows the operator to set a desired temperature and the system maintains the desired set temperature.		\$793.00
SD_T9230 C 392701 758482	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701 Air Conditioning W/ATC Automatic Temperature Control (ATC) allows the operator to set a desired temperature and the system maintains the desired set temperature. EAR WINDOW SUNSHADE Sunshade, Rear Window	9000610P61 9000171P71	
SD_T9230 C 392701 758482 SD_T9291 R	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701 Air Conditioning W/ATC Automatic Temperature Control (ATC) allows the operator to set a desired temperature and the system maintains the desired set temperature.		\$793.00
SD_T9230 C 392701 758482 SD_T9291 R	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701 Air Conditioning W/ATC Automatic Temperature Control (ATC) allows the operator to set a desired temperature and the system maintains the desired set temperature. EAR WINDOW SUNSHADE Sunshade, Rear Window		\$793.00
SD_T9230 C 392701 758482 SD_T9291 R 758580	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701 Air Conditioning W/ATC Automatic Temperature Control (ATC) allows the operator to set a desired temperature and the system maintains the desired set temperature. EAR WINDOW SUNSHADE Sunshade, Rear Window		\$793.00
SD_T9230 C 392701 758482 SD_T9291 R 758580	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701 Air Conditioning W/ATC Automatic Temperature Control (ATC) allows the operator to set a desired temperature and the system maintains the desired set temperature. EAR WINDOW SUNSHADE Sunshade, Rear Window Perforated sun screen used to reduce sun shine on operator		\$793.00
SD_T9230 C 392701 758482 SD_T9291 R 758580 3 SD_T9010 R	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701 Air Conditioning W/ATC Automatic Temperature Control (ATC) allows the operator to set a desired temperature and the system maintains the desired set temperature. EAR WINDOW SUNSHADE Sunshade, Rear Window Perforated sun screen used to reduce sun shine on operator EAR CAB STORAGE BO	9000171P71	\$223.00
SD_T9230 C 392701 758482 SD_T9291 R 758580 3 SD_T9010 R	Monitor mounting bracket with IntelliView IV LIMATE CONTROL AIR CONDITIONING 392701 Air Conditioning W/ATC Automatic Temperature Control (ATC) allows the operator to set a desired temperature and the system maintains the desired set temperature. EAR WINDOW SUNSHADE Sunshade, Rear Window Perforated sun screen used to reduce sun shine on operator EAR CAB STORAGE BO Lefthand Rear Cab Storage Box	9000171P71	\$223.00

Incompatible with Autoguidance



MIRRORS			
WIIKKOKS			
SD T9360	RR MIRRORS		
759			No Charge
	(2) External Mirrors (Electric-adjust, Telescopic and Heated)		ŭ
	Requires:		
	- 743729, 713816, or 743730 (High Roof Cab)		
	1.10.20, 1.10.10, 0.1.1.10.10, 1.10.10, 0.10, 1.10.10, 0.10, 1.10.	1	
WORK LIGHT	TING		
SD_T9130	WORK LAMPS		
7585	594 12 LED High Power Hi-Roof		No Charge
	Work Lamp Package includes: 12 total LED cab mounted work		
	lights:		
	8 high roof mounted; 4 front, 4 rear		
	4 mid-cab mounted; 2 front, 2 rear		
	Total work light package emits 23,400 lumens		
7585	596 16 LED High Power Hi-Roof	9000820P05	\$1,065.00
	Work Lamp Package includes: 16 Cab mounted LED work lights		
	12 high cab-mounted; 6 front, 6 rear		
	4 mid-cab mounted; 2 front, 2 rear		
	16 LED work lights emiting 31,200 lumens		
BEACON LIG	HTING		
	S ROTARY BEACON		
7584	Rotary Beacon Lefthand Side	9000349P58	\$454.00
	Single rotary beacon mounted on rear left side of tractor		
	for increased safety and visibility		
7584		9000699P93	\$909.00
	Rotary beacons mounted on rear of the cab on both		
	left and right side of tractor for maximum safety		
	and visibility		
SEAT			
QD TOFOO) SEAT		
SD_T8500			No Charge
	Deluxe Air suspension seat with adjustable headrest		140 Charge
7584		9001637P02	\$2,126.00
'36.	Super Deluxe Seat with Low Frequency	33010371 02	ΨΖ, 120.00
	Suspension (+DDS) Belt and Swivel		
i I I	Guapenaion (4003) Delt and Swiver		

Headrest Heated Leather/Alacantara

758486	MAXIMO EVO	9003208P59	\$4,167.00
	Semi Active Suspension, Heated, Vented, Belt,		
	Alacantara/Leather, Up/Down Headrest		
	(Maximo Evo)		
	ARMREST MOUNT		
759155	BASIC ARMRST MTD DOG		No Charge
700404	Basic display of gears mounted on the armrest	0004444500	#5.700.0
763121	FRED DISPLAY ARMREST 763121	9004441P36	\$5,768.00
	10.4 inch, wide screen Intellivew touchscreen monitor attached to		
	SideWinder II armrest		
ECISION FARM	IING		
SD_T4820 HE 758592	ADLAND SYSTEM Adv. Headland Ctrl Confg EHR	9000815P43	\$1,059.00
730392	Adv. Headiand Citi Conig LTIK	9000013F43	φ1,039.00
SD_T7630 AU	TOGUIDANCE		
758803	Full AG Nav GPS L1	9007244P16	\$9,408.0
	Autoguidance Complete		
	Includes Nav II controller and NH 372 receiver		
	Requires Autoguidance ready, IntelliView IV display		
	Activated to WAAS level accuracy (Level 1)		
758804	Full AG Nav GPS L2	9009337P79	\$12,127.0
	Autoguidance - Complete Pack		
	Autoguidance Complete		
	Includes Nav II controller and NH 372 receiver		
	Requires Autoguidance ready, IntelliView IV display		
	Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level		
	accuracy (Level 2)		
758871	Autoquidance Lvl 3 RTK Modem	9011430P65	\$14,845.0
758871	Autoguidance Lvl 3 RTK Modem Autoguidance Complete	9011430P65	\$14,845.0
758871	Autoguidance Complete	9011430P65	\$14,845.0
758871	Autoguidance Complete Includes Nav II controller, NH 372 receiver	9011430P65	\$14,845.0
758871	Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, IntelliView IV display	9011430P65	\$14,845.0
758871	Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, IntelliView IV display Activated to RTK level accuracy (Level 3)	9011430P65	\$14,845.0
758871	Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, IntelliView IV display	9011430P65	\$14,845.00
	Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, IntelliView IV display Activated to RTK level accuracy (Level 3)	9011430P65	\$14,845.00
758871 JTOGUIDANCE	Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, IntelliView IV display Activated to RTK level accuracy (Level 3)	9011430P65	\$14,845.00
JTOGUIDANCE SD_T6300 ST	Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, IntelliView IV display Activated to RTK level accuracy (Level 3)	9011430P65	\$14,845.00
JTOGUIDANCE	Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, IntelliView IV display Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included	9011430P65	
JTOGUIDANCE SD_T6300 ST	Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, IntelliView IV display Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included EERING OR AUTOGUIDANCE READY Autoguidance Ready Autoguidance Ready with steering sensor, electronic steering	9011430P65	
JTOGUIDANCE SD_T6300 ST	Autoguidance Complete Includes Nav II controller, NH 372 receiver Requires Autoguidance ready, IntelliView IV display Activated to RTK level accuracy (Level 3) Requires either a RTK radio or modem not included EERING OR AUTOGUIDANCE READY Autoguidance Ready	9011430P65	\$14,845.00 No Charge

Grid_Heater + 110V Pack

transmission heater

Improves starting in cold weather conditions. Option includes grid heater and 110V electrical plug in of engine block heater and

758402

T6 DYNAMIC COMMAND - STAGE V US PRICE LIST

759186	Variable Ratio Steer	9002268P42	\$2,946.00
	CUSTOMSTEER™ OPTION feature allows operators		
	to turn fully from lock to lock with as little as one		
	rotation of the steering wheel with precision control.		
	You can choose a steering ratio preference from		
	1:1 to 1:4 for quicker maneuvering at the headland,		
	reversing with trailers, or during repetitive loader work.		
759187	Va.Ratio + Autoguidance	9004429P04	\$5,752.00
	Includes Variable Ratio Steer 759186 and Autoguidance Ready (759185)		
NGINE			
SD T1010 E	NGINE OPTIONS		
758700	VISTRONIC FAN		No Charge
	Can vary speed independent of engine speed, based on the		J
	demand for cooling		
SD_T1040 C	HARGING SYSTEMS		
758557	150 AMP_Alternator		No Charge
758558	200 AMP_Alternator	9000200P97	\$261.00
	Required for units equipped wtih 758480 Suspended Cab w/Heated		
	Screens		
SD_T1400 FI	ΙΕΙ ΤΔΝΙΚ		
759128	Std Fuel Tank+Guard		No Charge
100120	Standard fuel tank with guards		rto onarge
	Compatible with 34" Rear Wheels		
	55 Gallon / 210 Liter Capacity		
759130	Large Fuel Tank+Guard	9000197P12	\$256.00
	Large fuel tank with guards		•
	Not compatible with 34" Rear Wheels		
	59 Gallon / 222 Liters Capacity		
STARTING AID			
SD T1029 W	EATHER PACK		
T T	LATTICK FACILITY	1	

9000339P57

\$441.00

BATTERY

SD T7420 BATTERY

	758407	HD Battery 176AH		No Charge
		Does not include battery isolator		-
	758409	HD Battery W/Isolator 176AH	9000367P29	\$477.00
		Heavy duty battery with electronic isolator switch		
		on right hand rear c-pillar in cab.		
		In-cab switch disconnects battery to prevent		
		battery drainage.		
	759140	Hvy Dty Bty Mech ISO	9000275P66	\$358.00
		Includes mechanical battery isolator switch		
		Mechanical switch disconnects battery to prevent battery drainage		

TRANSMISSION

SD T2800 SPEED

3D_120	300 SP	EED	 	
75	59111	40 KPH ECO - DCT	9001534P61	\$1,993.00
		Dynamic Command Transmission: 24 Speed		
		Transmission with Economy 24th gear		
		24 gear limited @ 1650 engine rpm , 23 gear limited		
		@ 2000 engine rpm both forward and reverse		
75	59112	40K ECO - DCT+CREEPE	9003627P47	\$4,711.00
	00112	Creeper Transmisison - provides 722 Feet per Hour (220 meters per	00000211 11	ψ1,711.00
		hour)		
75	59113	50 KPH - DCT	9001534P61	\$1,993.00
		Dynamic Command Transmission: 24 Speed		
		Transmission with 50 KPH 24th gear providing		
		top transport speed of 31 MPH		
75	59131	40KPH DCT + CREEPER	9002093P63	\$2,719.00
		Creeper Transmisison - provides 722 Feet per Hour (220 meters per		
		hour)		
75	59134	50KPH DCT + CREEPER	9003627P47	\$4,711.00
		Creeper Transmisison - provides 722 Feet per Hour (220 meters per		
		hour)		
		Requires 113l Hyd Pump (758441) which is base equipment		

743741

3 Mech Rear Remote Valves (2C)

3 mechanical rear remotes, 2 configurable detents and flow control

T6 DYNAMIC COMMAND - STAGE V US PRICE LIST

	SD_T2816 AU	JTO FEATURES		
	758631	ADV TRANS AUTO FEAT	9000623P70	\$810.00
		Ground Speed Management: Allows an operator		
		to select a target ground speed.		
	759166	BASIC AUTO FEATURE		No Charge
		Basic Auto Features include: Smart Range Shift, Memory Shuttle,		3
		Smooth Shift, Pedal Kick Down, Auto Functions and		
		Brake-To-Clutch		
	!	,	' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	
RA	DAR			
	SD_T7580 R/	ADAR		
\top	758501	Radar NAR	9000684P53	\$889.00
	'	-		·
HIT	n			
11111	511			
	SD_T8950 AL	JX RAMS		
	390911	EDC Base Hydraulic Lift Cyl.		No Charge
		Lift cpacity (3782 kg) 8,338 lbs		-
	743811	2 External 90mm Cylinders -EDC	9000443P52	\$576.00
		Lift Capacity 11,649 lbs (5284 kg)		
	•		<u> </u>	
НΠ	TCH AND DRAV	VBAR		
	SD_T8960 DI	RAWBAR AND 3 POINT HITCH		
	758452	Cat II/III Flex Links		No Charge
	•			
HYE	RAULICS			
	SD_T8230 H	YD PUMP		
	758441	CCLS Pump		No Charge
		29.9 gpm (Implement Pump)		-
	•	· - · · · · · · · · · · · · · · · · · ·	•	
RE	AR REMOTE V	ALVES		
	SD_T8270 RI	EAR REMOTES		
	743685	4 Mech Rear Remotes (2NC+2C)	(901009P47)	(\$1,311.00)
		4 mechanical rear remotes, 2 configurable detents and flow control		
	743686	3 Elect Hyd. Rear Remote Valve		No Charge
\perp		3 electronic rear remotes		
	743733	4 Elect Hyd. Rear Remote Valve	9001031P03	\$1,339.00
\perp		4 electronic rear remotes		

(902038P96)

(\$2,648.00)

REAR AXLE

SD T3200 REAR AXLE

 T	AR AALE		
758430	HD Flange Multi-Diff		No Charge
	HD Flange, Hydraulic, Steel wheel rims		
	Track setting with adjustable wheels 56.3 - 84.0 in (1430 - 2134 mm)		
758432	HD Bar Steel Multi-Diff	9001247P40	\$1,620.00
	Heavy duty 98" bar axle for steel wheels		
758434	HD Bar Cast Multi-Diffential	9001247P40	\$1,620.00
	Heavy duty 98" bar axle for cast wheels		
759136	HD 98"BAR STEEL MULT	9001247P40	\$1,620.00
	This bar axle is for dual wheels		
	- 320/90R50 (8440104)		
	- 380/90R46 (8470404)		
	Includes 4 hubs with steel wheels		
	Multiplate Diff Lock 4WD Clutch		

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

8328401	460/85(18.4)R38 R1W-MIFITRCO		No Charge
	Matching Front Tire - 14.9R28 R1W		
	- 8241901 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8370404	380/90(14.9)R46R1WAdj Rim-C,MI	9000322P63	\$419.00
	Matching Front Tire - 14.9R30 R1W		
	- 8258404 (Class 3 Axle)		
	- 8258704 (Class 4 Axle)		
	Adjustable Rims		
8380404	520/85 (20.8) R38 R1W MI, TR	9001797P95	\$2,335.00
	Matching front tire is 8255404		
	420/85(16.9) R28 R1W MI-FI-TR		
8388404	460/85(18.4)R42R1W MI,F,T,C,A	9000399P63	\$519.00
	Matching Front Tire - 14.9R30 R1W		
	- 8258704 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8399906	Rear Shipping Wheels	9001633P94	\$2,122.00
	Matching Front Shipping Wheels		
	- 8299906 (Class 4 Axle)		

8440104	DUAL 320/90R50	9005430P81	\$7,053.00
	This option is for Dual Rear Wheels and Tires		, ,
	Must be ordered with Dual Rear Axle (759136)		
8470404	DUAL 380/90R46 (14.9) R1W MICO	9005231P38	\$6,794.00
	This option is for Dual Rear Wheels and Tires		
	Must be ordered with Dual Rear Axle (759136)		
8907601	650/60R38 R1W F/Bar AXL - MI	9001154P23	\$1,499.00
	Matching Front Tire - 520/60R28 R1W		
	- 8801301 (Class 3 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Adjustable Rims		
8963504	320/90R50 R1W MI	9000519P75	\$675.00
	Matching Front Tire - 320/85R34 R1W		
	- 8801604 (Class 4 Axle)		
	Adjustable Rims		
8998401	650/65R38 A8 R1W FI/MI/TR/CO	9000744P59	\$967.00
	Matching Front Tire - 540/65R28 R1W		
	- 8858501 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Requires:		
	- 743707 (Full Cover Rear Fenders)		
	Fixed Rims		

FRONT AXLE

SD_T4010 FRONT AXLE

 SD_14010 FR	ONT AXLE		
758425	Class 4 Hydraulic Lock		No Charge
	With TerraLock traction management system		
	with multi-plate differential		
	Incompatible with 34" rear wheels		
758428	Class 4 Susp + Brake Hyd Lock	9005309P92	\$6,896.00
	With TerraGlide suspended axle with TerraLock		
	traction management system. Includes mult-plate		
	differential and front brakes.		
	Incompatible with 34" rear wheels		
758429	Class 4 SuperSteer L/Water	9003939P32	\$5,116.00
	SuperSteer front axle with TerraLock		
	traction management system.		
	Includes mulit-plate differential lock.		
	·		
759109	Class 4 HD Std Axle	9000210P98	\$274.00



FRONT WHEELS AND TIRES

SD_T4940 F	RONT WHEELS AND TIRES		
824140	1 380/85(14.9)R28 A8		No Charge
	Requires 460(18.4)R38		
824190	1 380/85(14.9)R28R1W HD-MIFITRCO		No Charge
	Requires: 460(18.4)R38 R1W		
825540	4 420/85(16.9) R28 R1W MI-FI-TR	9000620P62	\$806.00
	Requires 20.8R38 R1W		
825590	4 420/85(16.9)R28 R1W MI-FI	9000620P62	\$806.00
	Requires 20.8R38 R1W or 18.4R42 R1W		
825870	4 380/85(14.9)R30 R1W MI-FI-CM	9000470P47	\$611.00
	Requires 18.4R42 R1W or 14.9R46 R1W		
829990	Front Shipping Wheels-4WD	(901018P71)	(\$1,323.00)
	Requires rear shipping wheels		
829990	Front Shipping Wheels	(901018P71)	(\$1,323.00)
1 1 1	Requires rear shipping wheels		
880130	1 520/60R28 MAVT Rims - MI	9001930P39	\$2,507.00
880160	1 520/60R28 R1W Fixed HD	9002754P29	\$3,577.00
1 1 1	Brand: Michelin		
1 1 1	fixed rims, not adjustable		
1 1 1	Requires 650/60R38		
880160	4 320/85R34 R1W Brands - MI	9000613P69	\$797.00
	Requires 320/90R50 R1W		
881560	1 480/65R28 R1W HD	9000303P38	\$394.00
	Brands: Firestone, Michelin, Trelleborg		
	Requires 600/65R38 R1W		
	Requires Full Cover Rear Fenders		
1 1 1			
1 1 1			
885960	4 320/85R34 R1W MI,FI	9000613P69	\$797.00
	,	9000013F69	φ191.00
	Requires 320/90R50 R1W		

FEN	IDERS			
	00 70740 55	TAIDEDO DEO CONTROL		
	743680	ENDERS PTO CONTROL Fender EDC/PTO/Rem Valv Contrl	9000243P32	\$316.00
	743000	Rear Fender Mounted (Right/Left) 3-PT, PTO & 3rd Rear Remote	9000243F32	\$310.00
		Control Switches.		
		Requires:		
		- 743686 or 743733 (3 or 4 EH Rear Remotes)		
		- 330345 (Advanced Processor)		
		- 330343 (Advanced i Tocessor)		
FR	ONT FENDERS			
				_
	SD_T8740 FF	RONT FENDERS		
	390875	Less front fender		No Charge
	758505	Front Fender 420mm Dynamic	9000658P35	\$855.00
		Recommended for tire sizes less than 420/16.9"		
		Dynamic front fenders allow the fenders to turn with the tires		
	758506	Front Fender 480mm Dynamic	9000764P61	\$993.00
		Recommended for tire sizes less than 480/18.9"		
		Dynamic front fenders allow the fenders to turn with the tires		
	758507	Front Fender 540mm Dynamic	9000859P32	\$1,116.00
		Recommended for tire sizes larger than 520/20.8"		
		Dynamic front fenders allow the fenders to turn with the tires		
KE	AR FENDERS			
	SD_T8700 FE	NDERS		
	743707	Full Cover	9000607P53	\$789.00
	1 10101	Full Cover Rear Fender (92.1 in. / 2,340 mm)		ψ100.00
		Tall devel read reliad (earl in 2,0 to thin)	<u> </u>	
TRA	AILER BRAKE	SS .		
1117	WEEK BROKKE			
TR	AILER BRAKES			
	SD_T7130 TF	RLR BRK VLV		
	759472	HYD TRLBRK - NOT ISO	9000947P10	\$1,230.00
		HYDRAULIC TRAILER BRAKE - NOT ISO		
-	-			
	SD_T7230 PM	NEUM TRAILER BRAKE		
	758447	Pneumatic Trailer Brake Univ	9006777P54	\$8,802.00
		Requires hydraulic trailer brakes (759472).		
		Dual air line system is used for dual cylinder truck type trailer		
		brakes. For customerswith air		
- 1	1	1	1 1	

brakes in heavy applications, such as manure tankers.

LOADER

MOUNTING BRACKETS

SD_T8110 LC	DADER BRACKETS	 	
758478	Engine Side Rails	9000814P66	\$1,058.00
759470	NA LDR RDY+2MMV+ADV	9008203P58	\$10,654.00
	Complete Loader Ready: Includes 2 slice		
	electronic mid-mount valve (EMMV), horizontal		
	and vertical two piece system (TPS) mounting		
	brackets, grill guard, hydraulic plumbing, tractor half		
	of the mulit-coupler and joystick.		
	Includes predisposition for Complete Loader		
	Ready (758622)		
	Does not include front end loader frame, buckets or loader		
	attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages		
759471	NA LDR RDY+3MMV+ADV	9009465P61	\$12,293.00
	Complete Loader Ready: Includes 3 slice electronic		
	mid-mount valve (EMMV), horizontal and vertical two		
	piece system (TPS) mounting brackets, grill guard,		
	hydraulic plumbing, tractor half of the multi-coupler		
	and joystick.		
	Includes predisposition for Complete Loader Ready (758622)		
	Does not include front end loader frame, buckets or loader		
	attachments. Order a front end loader from the 805TL		
	Series Front End Loader Price & Data Pages.		

OPERATOR'S MANUAL

SD_T9802 OPERATORS MANUAL

	758534	English USA			No Charge
	758535	Spanish NAR			No Charge
	759101	French NAR			No Charge

TIRES

BRAND CHOICE

SD_T4900 TIRE CATEGORY CHOICE

330418	Trelleborg		9000468P93	\$609.00
--------	------------	--	------------	----------

	330438	No tire brand preference		No Charge
	330439	Mitas	9000468P93	\$609.00
	330442	Michelin	9000468P93	\$609.00
	330446	Firestone	9000468P93	\$609.00
	330447	Alliance	9000468P93	\$609.00

3-POINT HITCH

FRONT 3 POINT HITCH

SD_T8100 FRONT THREE POINT HITCH

390811	Less Front Linkage		No Charge
759144	Integrated FHPL 759144	9006511P12	\$8,456.00
	Front Hitch for units with Standard or Suspended Front Axles		
	Requires hoses (758473, 758474, 758475, 758544 or 758582)		
	Incompatible with front weights		
	Includes integrated tow hook		
759147	Int FHPL+FPTO	9013734P49	\$17,837.00
	Front Hitch and PTO for units with standard or		
	suspended Front Axle (ratio matches rear PTO)		
	hoses (758473, 758474,758475, 758544 or 758582)		
	Incompatible with front weights		
	Includes integrated tow hook		
	1,000 RPM 6 spline counter clockwise rotation (looking at the PTO)		
	Engine RPM's at 1895		
	Maximum power transmission:		
	87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient		

SD_T8106 7P PLUG ON FHPL SUP

	758713	7PIN + 3 PIN 40AMP	9000138P60	\$180.00
Γ	XT8106X	Std L/ 7P Plug On F		No Charge

SD_T8300 HOSES FOR FHPL

L	390926	Less Tubes for FHPL		No Charge
ſ	758473	Tubes FHPL Connect Mech RR		No Charge
L		Front hitch hoses to connect front hitch to mechanical rear remotes		
	758474	Hose pkg for frt hitch w/ ERV		No Charge
		Front hitch hoses to connect front hitch to electro-hydraulic rear		
L		remotes		
	758475	Hose pkg for frt hitch w/ MMV		No Charge
		Front hitch hoses to connect front hitch to mid mount valve		
		Incompatible with loader ready		

T6 DYNAMIC COMMAND - STAGE V US PRICE LIST

	758582	Tubes + Coupler Mech Rear Rem.	9000161P70	\$210.00
		Front couplers and hoses for front hitch to connect		
		to mechanical rear remotes.		
		Requires 4 rear remotes		
		Incompatible with mid mount valve		

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

OD_12100 1	RONT BALLAST		
390444	Tow Hook-Only		No Charge
	Tow hook with attachment hardware - 15.4 lbs.		
758518	Weight Pack A w/Hook	9000945P56	\$1,228.00
	Pack "A" includes weight rack - 199.3 lbs., (6) 99.2 lbs. weights,		
	plus the tow hook - 15.4 lbs., total weight is 703 lbs. (319 kg)		
	Not compatible with front 3-PT hitch: 743699 and 743700		
758519	Weight Pack B w/Hook	9001472P24	\$1,912.00
	Pack "B" includes: weight rack - 199.3 lbs., 10 99.2 lbs. weights,		
	plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg)		
	Not compatible with front 3-PT hitch: 743699 and 743700		
758520	Weight Pack C w/Hook	9002398P55	\$3,115.00
	Pack "C" includes: weight rack - 199.3 lbs., 18 99.2 lbs. weights,		
	plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg)		
	Not compatible with front 3-PT hitch: 743699 and 743700		
	Not compatible with loader ready packages:		
	758344, 758351, 758353, 758354, 758351		
758562	Weight Carrier w/Hook	9000218P68	\$284.00
	Weight carrier with tow hook - 199.3 lbs (90.4 kg)		

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

758564	6X65KG Wheel Weight	9001003P31	\$1,303.00
	Includes (6) 143 lbs. weights totalling 860 lbs.		
762228	R WHL WEIGHTS 4X200	9001308P23	\$1,699.00
	Rear Wheel Weights		
	Includes 2 Left Hand X 200 KG and 2 Right Hand X 200 KG Weights		
	Four weights totaling 800 KG or 1,764 lbs.		
762229	R WHL WEIGHTS 6X200	9002245P32	\$2,916.00
	Rear Wheel Weights		
	Includes 3 Left Hand X 200 KG and 3 Right Hand X 200 KG Weights		
	Six weights totaling 1200 KG or 2,646 lbs.		



T6 DYNAMIC COMMAND - STAGE V US PRICE LIST

ADDITIONAL EQUIPMENT

SD	T2820	PARK LOCK

	758034	EPL Electronic parkbrake75803	9001027P95	\$1,335.00

SD_T7642 ISO BUS

	758632	ISO CL2+9PIN IN CAB		No Charge
	759062	CL 3 ISO BUS W/Stop	9000328P02	\$426.00

SPECIAL PAINT

SD_T9850 SPECIAL COLORS/PANELS

	758320	BLUE POW. SPEC. ED.	9007950P25	\$10,325.00
		T6.175 and T6.180 Models only		
	763200	METALLIC HI ROOF W/H	9003646P72	\$4,736.00
		Special paint code used for Hi Vis Panel models		
	763201	METALLIC HI ROOF L/H	9003646P72	\$4,736.00
		Special paint code used for no Hi Vis Panel models		



Standard Equipment

KEY SELLING POINTS: -Fuel efficient high torque 4.5L, 4cylinder with power boost FPT engines with 4 valves per cylinder and common rail fuel injection systems -Tier 4B Stage V EPA emissions compliant with SCR only ECOBlue™ HI-eSCR -Auto Command™ CVT high efficiency transmission -Standard LED work lighting -Easy attach remote outlets -Bold styling (hood, cab roof, lighting) -Long Stable 104" wheel base for all models -15' 1" (181") turning radius (Std FWD disengaged, no brake, no fenders)

MODELS

T6.145

Rated PTO HP - 95 Rated Engine HP - 116

Engine Power Management (EPM)

Maximum Engine HP w/ EPM - 145

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 52.2 Gallon (197.5L)

DEF Tank: 10.4 Gallon (39.5L)

T6.160

Rated PTO HP - 115

Rated Engine HP - 135

Engine Power Management (EPM)

Maximum Engine HP w/ EPM - 165

Rated Speed - 2200 RPM

411 cu. in. (6.7L) - 6 Cylinder

Fuel Tank: 52.2 Gallon (197.5L)

DEF Tank: 10.4 Gallon (39.5L)

T6.175

Rated PTO HP - 120

Rated Engine HP - 145

Engine Power Management (EPM)

Maximum Engine HP w/ EPM - 175

Rated Speed - 2200 RPM

274 cu. in. (4.5L) - 4 Cylinder

Fuel Tank: 52.2 Gallon (197.5L)

DEF Tank: 10.4 Gallon (39.5L)

T6.180

Rated PTO HP - 125

ENGINE Rated Engine HP - 145

Engine Power Management (EPM)

Maximum Engine HP w/ EPM - 175

Rated Speed - 2200 RPM

411 cu. in. (6.7L) - 6 Cylinder

Fuel Tank: 52.2 Gallon (197.5L)

DEF Tank: 10.4 Gallon (39.5L)

ENGINE

Tier 4B Stage V Emissions Compliant

ECOBlue™ HI-eSCR Engine with

Turbocharger and Air-to-Air Intercooler

4 Valves Per Cylinder

Bosch Common Rail Fuel Injection

Pump (electronic)

Power Management and Constant RPM

Power Boost in PTO & Transport Modes

Grid Heater Starting Aid

Dual Element Air Filter with Pre-Cleaner

(spin tube intakes)

A-Pillar Exhaust with Integral Muffler

Standard Cooling Fan

Hand Throttle

TRANSMISSION

Auto Command™ CVT with

column-mounted power shuttle

Command Grip™ multi-function controller

Infinite speed from 0 to 25 MPH

(Opt.31 MPH / 50 KPH)

3 target speed selections

Infinite target speed thumb wheel

Three choice forward/reverse shuttle

controls

Right foot "go pedal"



Standard Equipment

25-MPH (40-KPH) (varies by tire size)

Hydraulic wet disc brakes (self-equalizing/self-adjusting)
Parking brake (automotive style)

CAB

High Roof w/ Opening Visibility Panel
 and Sunshade

Flat Deck Platform with Integrated ROPS Standard Air Conditioner and Heater

with 4-Speed Pressurizer and dual zone air conditioning

Two doors with Locks

Two-speed Intermittent Front

Wiper/Washer

Rear Intermittent Wiper/Washer

Hinged Rear Window

Tinted Glass with Sunshade

Tilt and Telescoping Steering Wheel

IntelliView™ IV disp. mtd. on arm rest

SEAT SELECTION MUST BE MADE

WHEN ORDERING. ENTRY LEVEL SEAT

FOR AC CONFIGURATION IS:

Deluxe Air Suspension Seat with Automatic Adjustment, Operator

Presence Switch and Lap Belt

Instructor Seat

Deluxe Bluetooth radio

Digital clock

Integral ROPS

Interior dome light

- (2) External courtesy lights
- (2) External telescopic remote

adjustable, heated mirrors

Horn

Std steering wheel & floor mat

ISOBUS connector

STEERING & BRAKES

Hydrostatic power steering

FRONT AXLE

Front FWD (TerraLock™)

Class 4 heavy-duty FWD axle

55-degree turning angle

Dual steering cylinders

8-degree axle oscillation

Adjustable tread width from 62.2 in. to

92 in. (varies by tire size)

Electrohydraulic FWD engagement

TerraLock™ Auto FWD/Diff-Lock

REAR AXLE

Driveshaft shield

Heavy-duty flange axle
Wet plate differential lock
Electrohydraulic-engaged dif. lock

ELECTRICAL

(1) 12-volt 1300 CCA battery ALTERNATOR SELECTION MUST BE MADE. ENTRY LEVEL OPTION IS:

150-amp alternator

Geared starter motor (4.2 kW)

3-pin 40-amp implement socket

ISO/JD (30 amp) socket

15 amp screw-type +/- terminals

Single pin (8 amp) accessory outlet

Cigarette lighter

(2) single-pin outlets for beacon on roof

Battery boost terminals

ISOBUS Class 3 Basic Speed Control



Standard Equipment

LIGHTS

WORK LIGHT SELECTION MUST BE MADE. ENTRY LEVEL OPTION IS:

- (4) Halogen front hood headlights
- (2) LED front hood signature lights
- (12) LED cab mounted work lights
 - (8) LED high front & rear
 - (4) LED mid-mount front & rear
- (2) taillights

Front & Rear Flashing Cab Safety Lights Time Delayed, Self-Cancelling Turn Indicators with Audible Warning

Independent 540/1000 RPM PTO with reversible shaft and flip-up shield Multi-plate wet clutch design Electrohydraulic-engagement with soft start/auto feathering Hydraulic piston PTO brake w/override

HYDRAULIC SYSTEM

Closed-center load-sensing pump Flow at 1,900 RPM: 33.5 gpm (127 1/m) (3) electro-hydraulic rear remote valves controlled in SideWinder II™ console (fully programmable) Oil collection bottles Independent pump for CVT and operating circuits

3-POINT LIFT SYSTEM

Electronic Draft Control (EDC) Lower link sensing Fast raise/lower control Dynamic Ride Control™ Category II/III flex link ends Telescopic stabilizers 8,338 lb. Lift Capacity (OECD)

with Dual 80mm External Rams MISCELLANEOUS

Flip-up engine hood Swinging drawbar SMV emblem Toolbox

WARRANTY

New Holland standard warranty applies

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
T6.145 AC CVT ST 5	20,944 LB	9131589P92	\$170,896.00
T6.155 AC CVT ST 5	20,944 LB	9140328P65	\$182,245.00
T6.160 AC CVT ST 5	20,944 LB	9153688P15	\$199,595.00
T6.175 AC CVT ST 5	11,045 LB	9154891P66	\$201,158.00
T6.180 AC CVT ST 5	20,944 LB	9159728P80	\$207,440.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

FAST PICK CONFIGURATION

SD T9980 PACKAGING

3D_19900 PA	CRAGING		
X0819XX	T6 ACT CVT FAST PICK 1	(906001P38)	(\$7,794.00)
	Package Includes:		
	758402 Grid Heater plus 110v Pack		
	390703 Less Ground Speed Radar		
	758482 Air Conditioning w/ Automatic Temperature Control		
	758580 Rear Cab Window Sunshade		
	759154 2 Telescopic/Heated/Remote Adjustable Mirrors		
	758483 Leather Steering Wheel plus Carpet		
	Selectable Options (some choices are limited)		
	Alternator, Fuel Tank, Ballast, Transmission, Rear Axle, Brake Pack,		
	Front Axle, Tires,		
	Steering Type, Trailer Brakes, Battery, AutoGuidance, Joystick,		
	Electronic MMV, Loader		
	Brackets, Rear Remotes, Seat Type, Rear Fenders, Front Fenders, 3		
	Point Hitch Lift Cylinders,		
	Cab Roof Lights, Rotary Beacons, Cab Suspension, RH Window Bar		
	Mount		

	X0820XX	T6 ACT CVT FAST PICK 2	(906001P38)	(\$7,794.00)
		Package Includes:		
		758402 Grid Heater plus 110v Pack		
		396247 40 KPH Economy		
		390166 Std Heavy Duty Brake Discs		
		390711 Less Trailer Brakes		
		390703 Less Ground Speed Radar		
		391284 Deluxe Air Suspension Seat		
		391153 Standard Fenders		
		758594 12 LED High Power Lights, Roof Cab		
		392701 Air Conditioning w/ Manual Temperature Control		
		X92911X Less Rear Cab Window Sunshade		
		759154 2 Telescopic/Heated/Remote Adjustable Mirrors		
		391152 Standard Steering Wheel		
		Selectable Options (some choices are limited)		
		Alternator, Fuel Tank, Ballast, Rear Axle, Front Axle, Tires, Steering		
		Type, Battery,		
		AutoGuidance, Joystick, Electronic MMV, Loader Brackets, Rear		
		Remotes, Front Fenders, 3		
		Point Hitch Lift Cylinders, Rotary Beacons, Cab Suspension, RH		
		Window Bar Mount		

	X0821XX	T6 ACT CVT FAST PICK 3	(906001P38)	(\$7,794.00)
		Loader Package		
		Package Includes:		
		758402 Grid Heater plus 110v Pack		
		396247 40 KPH Economy		
		390166 Std Heavy Duty Brake Discs		
		759109 Class 4 HD Std Front Axle		
		390711 Less Trailer Brakes		
		390703 Less Ground Speed Radar		
		758069 Joystick w/ Rocker Switch		
		743690 3 Electronic MMV		
		758354 Loader Ready plus 3 EH MMV		
		391153 Standard Fenders		
		758594 12 LED High Power Lights, Roof Cab		
		392701 Air Conditioning w/ Manual Temperature Control		
		758580 Rear Cab Window Sunshade		
		759154 2 Telescopic/Heated/Remote Adjustable Mirrors		
		391152 Standard Steering Wheel		
		Selectable Options (some choices are limited)		
		Alternator, Fuel Tank, Ballast, Rear Axle, Tires, Steering Type,		
		Battery, AutoGuidance, Rear		
l		Remotes, Seat Type, Front Fenders, 3 Point Hitch Lift Cylinders,		
l		Rotary Beacons, Cab		
l		Suspension, RH Window Bar Mount		
١				



X0825XX	T6 ACT CVT BLUE POWER FP	(906001P38)	(\$7,794.00)
	Blue Power Edition Package		
	Package Includes:		
	758558 200 AMP Alternator 330442 Michelin brand tires 390711 Less Trailer Brakes 390703 Less Ground Speed Radar 759384 Super Deluxe Seat w/ Low Frequency Suspension, Heated, Leather 758596 16 LED High Power Lights, Roof Cab 758482 Air Conditioning w/ Automatic Temperature Control 758580 Rear Cab Window Sunshade 759154 2 Telescopic/Heated/Remote Adjustable Mirrors 758483 Leather Steering Wheel plus Carpet		
	758320 Blue Power Edition Special Paint Selectable Options (some choices are limited) Fuel Tank, Weather Pack, Ballast, Transmission, Rear Axle, Brake Pack, Front Axle, Tires, Steering Type, Battery, AutoGuidance, Joystick, Electronic MMV, Loader Brackets, Rear Remotes, Rear Fenders, Front Fenders, 3 Point Hitch Lift Cylinders, Rotary Beacons, Cab Suspension, RH Window Bar Mount		
XT9980X	Less Packaging Custom Configuration No Package selected; Custom premium pricing included in base model		No Charge

OPERATOR STRUCTURE

SD_T8500 SEAT

_	 D_16300 SE	AT		
	758485	Deluxe Seat Air Susp Heated	9001637P02	\$2,126.00
		Super Deluxe Seat with Low Frequency Suspension		
		(+DDS) Belt and Swivel Headrest Heated		
		Leather/Alacantara		
		Seat swivel:		
		10 degrees left and 20 degrees right.		

759384	SDLX HTD ALCANT BP	9001796P41	\$2,333.00
	BLUE POWER		
	Super Deluxe Seat with Low Frequency Suspension		
	(+DDS) Belt and Swivel Headrest Heated		
	Leather/Alacantara		
	Leather/Alacantala		
	Seat swivel:		
	10 degrees left and 20 degrees right		
SD_T9130 W	ORK LAMPS		
758357	8 LED High Power Hi-Roof	(901312P85)	(\$1,705.00
758594	12 LED High Power Hi-Roof		No Charge
	Work Lamp Package includes: 12 total LED cab mounted work		
	lights:		
	8 high roof mounted; 4 front, 4 rear		
	4 mid-cab mounted; 2 front, 2 rear		
	Total work light package emits 23,400 lumens		
758596	16 LED High Power Hi-Roof	9000820P05	\$1,065.0
	Work Lamp Package includes: 16 Cab mounted LED work lights		
	12 high cab-mounted; 6 front, 6 rear		
	4 mid-cab mounted; 2 front, 2 rear		
	16 LED work lights emiting 31,200 lumens		
SD T9146 R	OTARY BEACON		
758489	Rotary Beacon Lefthand Side	9000349P58	\$454.00
	Single rotary beacon mounted on rear left side of tractor		·
	for increased safety and visibility		
758491	Twin Beacon	9000699P93	\$909.00
	Rotary beacons mounted on rear of the cab on both		
	left and right side of tractor for maximum safety and		
	visibility		
X91461X	No Rotary Beacon		No Charge
	PERATOR STRUCTURE #1		N. O.
758479	Suspended_Cab		No Charge
750400	Cab Suspension	0000404507	0 554.04
758480	Suspended Cab w/Heated Screens	9000424P27	\$551.00
	Cab Suspension with defrost elements on front and rear windows		
	Requires 200 Amp alternator		
SD T9223 RI	H WINDOW BAR MOUNT		
390665	Fixings for Mounted Monitor		No Charge
	Predisposition for installing DIA monitor mounting bracket		1.0 090
758154	RH Window Bar Display Ready.	9000220P22	\$286.00
1			+

Monitor mounting bracket with wiring harness and monitor mount

Requires ISOBUS socket 743795, 758561 or 758624

	758621	10 Color Touch Screen Display	9004455P22	\$5,786.00
		Monitor mounting bracket with IntelliView IV		
		Requires ISOBUS socket 743795, 758561 or 758624		
;	SD_T9230 CL	IMATE CONTROL		
	392701	AIR CONDITIONING 392701		No Charge
	758482	Air Conditioning W/ATC	9000610P61	\$793.00
;	SD_T9360 RF	RMIRRORS		
	759153	2 Telescopic Mirrors 759153		No Charge
		2 Telescopic Mirrors: Shatter Proof with Large Head and Spotter		
		7.9" x 11.8" (200 x 300 mm)		
	759154	2 Tele/Heat/Rem Adj Mirror	9000055P44	\$72.00
		2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof		
		with Large Head and Spotter		
		7.9" x 11.8" (200 x 300 mm)		
		· · · · · · · · · · · · · · · · · · ·	-	
;	SD_T9553 LU	IXURY PACK		
	391152	Std Steering Wheel		No Charge
	758483	Leather Steering Wheel +Carpet	9000217P91	\$283.00

PRECISION FARMING

SD_T7630 AUTOGUIDANCE

392484	Less Autoguidance		No Charge
	<u> </u>	_	
758803	Full AG Nav GPS L1	9007244P16	\$9,408.00
	Autoguidance Complete		
	Includes Nav II controller and NH 372 receiver		
	Requires Autoguidance ready, IntelliView IV display		
	Activated to WAAS level accuracy (Level 1)		
758804	Full AG Nav GPS L2	9009337P79	\$12,127.00
	Autoguidance - Complete Pack		
	Autoguidance Complete		
	Includes Nav II controller and NH 372 receiver		
	Requires Autoguidance ready, IntelliView IV		
	Activated to OmniSTAR HP/G2/XP & CenterPoint RTX level		
	accuracy (Level 2)		

200 AMP_Alternator

Std Fuel Tank+Guard

Required when ordering 758480 Suspended Cab w/Heated Screens

Standard fuel tank with guard - 52.2 gallons (197.5 L)

Required for use with 34" rear wheels

758558

<u>SD_T1400</u> <u>FUEL TANK</u> 759128 Std Fuel

T6 AUTO COMMAND - STAGE V US PRICE LIST

758871	Autoguidance Lvl 3 RTK Modem	9011430P65	\$14,845.00
	Autoguidance Complete		
	Includes Nav II controller, NH 372 receiver		
	Requires Autoguidance ready, IntelliView IV display		
	Activated to RTK level accuracy (Level 3)		
	Requires either a RTK radio or modem not included		
AUTOGUIDANCE	•		
	TEERING OR AUTOGUIDANCE READY		
391630	Standard Steering		No Charge
759186	Variable Ratio Steer	9002268P42	\$2,946.00
	CUSTOMSTEER™ OPTION feature allows operators		
	to turn fully from lock to lock with as little as one		
	rotation of the steering wheel with precision control.		
	You can choose a steering ratio preference from		
	1:1 to 1:4 for quicker maneuvering at the headland,		
	reversing with trailers, or during repetitive loader work.		
759187	Va.Ratio + Autoguidance	9004429P04	\$5,752.00
	Includes steering valve and manifold, hoses, wiring harness and		
	roof mounting bracket for		
	receiver. Also includes everything from 759186.		
NGINE			
SD_T1000 E	NGINE		
393110	ENG STG V W/BOOST		No Charge
762186	ENG STG V W/BST W/BR	9001597P75	\$2,075.00
SD T1010 E	NGINE OPTIONS		
392300	STD ENG COOLING FAN		No Charge
758700	VISTRONIC FAN	9000140P14	\$182.00
	Can vary speed independent of engine speed, based on the demand		
	for cooling.		
SD T1040 C	CHARGING SYSTEMS		
758557	150 AMP_Alternator		No Charge
750	000 1115 111		

9000200P97

\$261.00

No Charge

9000197P12	\$256.00
s	
ear Wheels	
acity	
	No Charge
9000339P57	\$441.00
ner pack	
ter and transmission heater	
	No Charge
n 1300 EN cca)	
solator	
H 9000367P29	\$477.00
r isolator switch on right hand rear	
s battery to prevent battery drainage.	
9000275P66	\$358.00
ry isolator switch	
nects battery to prevent battery drainage.	
	No Charge
9001180P41	\$1,533.00
	ψ.,σσσ.σσ
	*
9000684P53	\$889.00
	No Charge
s (21.1 gpm pump) or 9,214 lbs (w/ 33.5	No Charge
	s ear Wheels acity mer pack ter and transmission heater 1300 EN cca) solator risolator switch on right hand rear s battery to prevent battery drainage. 9000275P66 ry isolator switch

- 8241901 (Class 4 Axle)

 8365401
 460/85(18.4)R34 A8 FI,MI,CO,TR

Compatible with 31 MPH (50 KPH)

T6 AUTO COMMAND - STAGE V US PRICE LIST

74381	1 2 External 90mm Cylinders -EDC	9000443P52	\$576.00
	Increased 3-point lift capacity to 11,649 lbs.		
		·	
HITCH AND DE	RAWBAR		
SD_T8900	REAR HITCHES/DRAWBAR		
75846	6 Ind. Swinging Drawbar L/Clevis		No Charge
SD_T8960	DRAWBAR AND 3 POINT HITCH		
75845	2 Cat II/III Flex Links		No Charge
HYDRAULICS			
REAR REMOT	EVALVES		
	REAR REMOTES		
74368			No Charge
	3 electro-hydraulic rear remotes		
74373		9001031P03	\$1,339.00
	4 electro-hydraulic rear remote valves		
75835	·	9001678P60	\$2,180.00
	4 electro-hydraulic rear remotes for power beyond		
	Requires 758542 power beyond plus low pressure return		
REAR AXLE			
	REAR AXLE		
39122		0004047040	No Charge
75843		9001247P40	\$1,620.00 \$4,630.00
75913		9001247P40	\$1,620.00
	This bar axle is for dual wheels		
	- 320/90R50 (8440104)		
	- 380/90R46 (8470404)		
	Includes 4 hubs with steel wheels		
	Multiplate Diff Lock 4WD Clutch		
REAR WHEEL	S AND TIRES		
a=			
SD_T4950	REAR WHEELS AND TIRES		
83344			No Charge
	Matching Front Tire - 16.9R28 R1W		

(901189P65)

(\$1,545.00)

8370404	380/90(14.9)R46R1WAdj Rim-C,MI	9000322P63	\$419.00
	Matching Front Tire - 14.9R30 R1		
	- 8258704 (Class 4 Axle)		
	Adjustable Rims		
8375501	420/85(16.9)R38 R1W FI,CM	(900048P51)	(\$63.00)
	Brands: Firestone, Mitas		
8380404	520/85 (20.8) R38 R1W MI, TR	9001797P95	\$2,335.00
	Matching front tire is 8255904 - 16,9 R28		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8384406	460/85(18.4)R42 R1W - MI	9001667P82	\$2,166.00
	Matching Front Tire - 14.9R30 (380/85R30)		
	- 8258704 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8388404	460/85(18.4)R42R1W MI,F,T,C,A	9000399P63	\$519.00
	Matching Front Tire - 14.9R30 R1W		
	- 8258704 (Class 4 Axle)		
	Compatible with 31 MPH (50 KPH)		
	Adjustable Rims		
8399906	Rear Shipping Wheels	(903013P78)	(\$3,914.00)
	Matching Front Shipping Wheels		
	- 8299906 (Class 4 Axle)		
8440104	DUAL 320/90R50	9005430P81	\$7,053.00
	This option is for Dual Rear Wheels and Tires		
	Must be ordered with Dual Rear Axle (759136)		
8470404	DUAL 380/90R46 (14.9) R1W MICO	9005231P38	\$6,794.00
8907601	650/60R38 R1W F/Bar AXL - MI	9001154P23	\$1,499.00
	Brands: Michelin		
8919401	480/80R38 Alliance	9001185P03	\$1,539.00
	Matching Front Tire - 400/80 R28 Municipality		
	- 8866501 (Class 4 Axle)Fixed steel rims		
8963504	320/90R50 R1W MI	9000519P75	\$675.00
	Matching Front Tire - 320/85R34 R1W		
	- 8801604 (Class 4 Axle)		
	Adjustable Rims		
8969401	600/65R38 R1W-FI,MI,CO,TR	9000887P04	\$1,152.00
	Brands: Trelleborg, Michelin, Firestone, Mitas		

FRONT AXLE

SD_T4010 FRONT AXLE

ſ	758420	Class 3 Hydraulic Lock	(901054P13)	(\$1,369.00)
		Hydraulic Differential Lock: Multiplate differential lock, engages		
		when operator engages the rear differential lock		

	758425	Class 4 Hydraulic Lock		No Charge
		With TerraLock traction management system		
		with multi-plate differential.		
		haranna atti la critta OAII aran caba a la		
\vdash		Incompatible with 34" rear wheels		
	758428	Class 4 Susp + Brake Hyd Lock	9005309P92	\$6,896.00
		With TerraGlide suspended axle with TerraLock traction		
		management system. Includes mult-plate differential and brakes.		
		Incompatible with 34" rear wheels		
	758429	Class 4 SuperSteer L/Water	9003939P32	\$5,116.00
		-SuperSteer front axle with TerraLock traction		
		management system.		
		-Includes mulit-plate differential lock.		

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

380/85(14.9)R28R1W HD-MIFITRCO		No Charge
Requires 18.4 R38		
420/85(16.9)R28 R1W MI-FI	9000620P62	\$806.00
Requires 20.8R38 R1W or 18.4R42 R1W		
380/85(14.9)R30 R1W MI-FI-CM	9000470P47	\$611.00
Requires 18.4R42 R1W or 14.9R46 R1W		
Front Shipping Wheels	(901018P71)	(\$1,323.00)
520/60R28 R1W Fixed HD	9002754P29	\$3,577.00
Brand: Michelin		
Requires 650/60R38		
320/85R34 R1W Brands - MI	9000613P69	\$797.00
Requires 320/90R50 R1W		
480/65R28 R1W HD	9000303P38	\$394.00
Brands: Firestone, Michelin, Trelleborg		
Requires 600/65R38 R1W		
Requires Full Cover Rear Fenders		
400/80R28 Fixed Cls 4 Alliance	9000869P33	\$1,129.00
Requires 480/80 R38 Municipality		
	Requires 18.4 R38 420/85(16.9)R28 R1W MI-FI Requires 20.8R38 R1W or 18.4R42 R1W 380/85(14.9)R30 R1W MI-FI-CM Requires 18.4R42 R1W or 14.9R46 R1W Front Shipping Wheels 520/60R28 R1W Fixed HD Brand: Michelin Requires 650/60R38 320/85R34 R1W Brands - MI Requires 320/90R50 R1W 480/65R28 R1W HD Brands: Firestone, Michelin, Trelleborg Requires 600/65R38 R1W Requires Full Cover Rear Fenders 400/80R28 Fixed Cls 4 Alliance	Requires 18.4 R38 9000620P62 420/85(16.9)R28 R1W MI-FI 9000620P62 Requires 20.8R38 R1W or 18.4R42 R1W 9000470P47 380/85(14.9)R30 R1W MI-FI-CM 9000470P47 Requires 18.4R42 R1W or 14.9R46 R1W (901018P71) 520/60R28 R1W Fixed HD 9002754P29 Brand: Michelin 80006754P29 Requires 650/60R38 9000613P69 320/85R34 R1W Brands - MI 9000613P69 Requires 320/90R50 R1W 9000303P38 Brands: Firestone, Michelin, Trelleborg 9000303P38 Requires 600/65R38 R1W 9000869P33 400/80R28 Fixed Cls 4 Alliance 9000869P33

FENDERS			
CD T0740 FF	INDERCATO CONTROL		
743680	ENDERS PTO CONTROL Fender EDC/PTO/Rem Valv Contrl		No Charge
743000	Rear Fender Mounted (Right/Left) 3-PT, PTO & 3rd Rear Remote		No Charge
	Control Switches.		
	Requires:		
	- 743686 or 743733 (3 or 4 EH Rear Remotes)		
	- 330345 (Advanced Processor)		
	- 330343 (Advanced Flocessor)		
FRONT FENDERS			
SD_T8740 FF	RONT FENDERS		
390875	Less front fender		No Charge
758505	Front Fender 420mm Dynamic	9000658P35	\$855.00
	Recommended for tire sizes less than 420/16.9"		
	Dynamic front fenders allow the fenders to turn with the tires		
758506	Front Fender 480mm Dynamic	9000764P61	\$993.00
	Recommended for tire sizes less than 480/18.4"		
	Dynamic front fenders allow the fenders to turn with the tires		
758507	Front Fender 540mm Dynamic	9000859P32	\$1,116.00
	Recommended for tire sizes larger than 520/20.8"		
	Dynamic front fenders allow the fenders to turn with the tires		
TRAILER BRAKE	S		
TRAILER BRAKES	8		
SD_T7130 TF	RLR BRK VLV		
390711	Less trailer brakes		No Charge
759472	HYD TRLBRK - NOT ISO	9000947P10	\$1,230.00
	HYDRAULIC TRAILER BRAKE - NOT ISO		
	NEUM TRAILER BRAKE	I	.
758447	Pneumatic Trailer Brake Univ	9006777P54	\$8,802.00
	Requires hydraulic trailer brakes (759472).		
	Dual air line system is used for dual cylinder truck type trailer		
	brakes. For customerswith air		
	brakes in heavy applications, such as manure tankers.		
LOADER			
	W. (27) 0.1		
	DYSTICK Transplantists		N. O.
394782	Less Joystick		No Charge

	758069	Joystick with Rocker Switch		
		Electro-hydraulic joystick		
		Incompatible with Complete Loader Ready		
		Electronic Joystick with Proportional Rocker		
		Required if loader will include "Live" 3rd function circuit		
Ш		if LOADER BRACKETS is Loader Ready + 2 EH MMV + Joy		No Charge
		if LOADER BRACKETS is Loader Ready + 3 EH MMV + Joy		No Charge

SD_T7790 MID-MOUNT VALVES

 <u></u>			
390560	Less Mid-Mount Valves		No Charge
743689	2 Electronic MMV		No Charge
	2 function electronic mid-mount valve		
	Requires electronic joystick 758069		
	Incompatible with Complete Loader Ready		
	Included in Complete Loader Ready option 758353		
743690	3 Electronic MMV		No Charge
	3 function electronic mid mount valve (EMMV)		
	Requires electronic joystick 758069		
	Incompatible with Complete Loader Ready		
	Included in Complete Loader Ready 758354		

SD_T8110 LOADER BRACKETS

ПТ	390819	Less Loader Ready		No Charge
	758353	Loader Ready + 2 EH MMV + Joy	9007830P90	\$10,170.00
		Complete Loader Ready Includes 2 slice electronic mid-mount		
		valve (EMMV), horizontal and verticle two piece system (TPS)		
		mounting brackets, grill guard, hydraulic plumbing, tractor half		
		of the multi-coupler and joystick.		
		Includes predisposition for Complete Loader Ready (758622)		
		Does not include front end loader frame, buckets or loader		
		attachments. Order a front end loader from the 805TL		
		Series Front End Loader Price & Data Pages.		
	758354	Loader Ready + 3 EH MMV + Joy	9009093P70	\$11,810.00
		Complete Loader Ready Includes 3 slice electronic mid-mount		
		valve (EMMV), horizontal and vertical two piece system (TPS)		
		mounting brackets, grill guard, hydraulic plumbing, tractor half		
		of the hydraulic multi-coupler and joystick.		
		Includes predisposition for Complete Loader Ready (758622)		
		Does not include front end loader frame, buckets or loader		
		attachments. Order a front end loader from the 805TL		
		Series Front End Loader Price & Data Pages.		

TIRE	ES			
BR	AND CHOICE			
	SD_T4900 TIF	RE CATEGORY CHOICE		
	330438	No tire brand preference		No Charge
	330439	Mitas	9000468P93	\$609.00
	330442	Michelin	9000468P93	\$609.00
	330446	Firestone	9000468P93	\$609.00
3-P0	DINT HITCH			
FR	ONT 3 POINT H	ITCH		
		ONT THREE POINT HITCH		
	390811	Less Front Linkage		No Charge
	759144	Integrated FHPL 759144	9006511P12	\$8,456.00
		Front Hitch for units with Standard or Suspended Front Axles		
		Requires hoses (758473, 758474, 758475, 758544 or 758582)		
		Incompatible with front weights		
		Includes integrated tow hook		
	759147	Int FHPL+FPTO	9013734P49	\$17,837.00
		Front Hitch and PTO for units with standard or		
		suspended Front Axle (ratio matches rear PTO),		
		hoses (758473, 758474,758475, 758544 or 758582)		
		Incompatible with front weights		
		Includes integrated tow hook		
		1,000 RPM 6 spline counter clockwise rotation (looking at the PTO)		
		Engine RPM's at 1895		
		Maximum power transmission:		
		87 HP @ 86 deg. F ambient/ 107 HP @ 32 deg F Ambient		
	SD_T8106 7P	PLUG ON FHPL SUP		
	758713	7PIN + 3 PIN 40AMP	9000138P60	\$180.00
	XT8106X	Std L/ 7P Plug On F		No Charge
		DSES FOR FHPL		
	390926	Less Tubes for FHPL		No Charge
	758474	Hose pkg for frt hitch w/ ERV		No Charge
		Front hitch hoses to connect front hitch to electro-hydraulic rear		
oxdot		remotes		
	758475	Hose pkg for frt hitch w/ MMV		No Charge
		Front hitch hoses to connect front hitch to mid mount valve		

Incompatible with loader ready

	758544	Hse pkg frt hit w/MMV/frt coup	9000161P70	\$210.00
		Front couplers and hoses for front hitch to connect to		
		mid mount valve		
		Incompatible with loader ready		

WEIGHTS

FRONT WEIGHTS

SD_T2150 FRONT BALLAST

<u> </u>	ON BALLAGI		
390444	Tow Hook-Only		No Charge
758519	Weight Pack B w/Hook	9001472P24	\$1,912.00
	Pack "B" includes weight rack - 199.3 lbs., 10 99.2 lbs. weights,		
	plus the tow hook - 15.4 lbs., total weight is 1207 lbs. (547 kg)		
	Not compatible with front 3-PT hitch - 743699 and 743700		
758520	Weight Pack C w/Hook	9002398P55	\$3,115.00
	Pack "C" includes weight rack - 199.3 lbs., 18 99.2 lbs. weights,		
	plus the tow hook - 15.4 lbs., total weight is 2000 lbs. (907 kg)		
	Not compatible with front 3-PT hitch - 743699 and 743700		
	Not compatible with loader ready packages		
	758344,758351,758353,758354,758478		
758562	Weight Carrier w/Hook	9000218P68	\$284.00
	Weight carrier with tow hook - 199.3 lbs (90.4 kg)		

REAR WHEEL WEIGHTS

SD_T4960 WHEEL WEIGHTS

 3D_14300 VVI	ILLE WEIGHTS	 	
758564	6X65KG Wheel Weight	9001003P31	\$1,303.00
	Includes (6) 143 lbs. weights totalling 860 lbs.		
762228	R WHL WEIGHTS 4X200	9001308P23	\$1,699.00
	Rear Wheel Weights		
	Includes 2 Left Hand X 200 KG and 2 Right Hand X 200 KG Weights		
	Four weights totaling 800 KG or 1,764 lbs.		
762229	R WHL WEIGHTS 6X200	9002245P32	\$2,916.00
	Rear Wheel Weights		
	Includes 3 Left Hand X 200 KG and 3 Right Hand X 200 KG Weights		
	Six weights totaling 1200 KG or 2,646 lbs.		
X49601X	L/Wheel Weights		No Charge

ADDITIONAL EQUIPMENT

SD_T3600 BRAKE PACK

_	 			
	390166	Std. Heavy Duty Brake Discs		No Charge
Γ	758435	Extended-Life Brake Discs	9000286P44	\$372.00



SD_T7642 ISO BUS	
758710 ISO CL3+9PIN+SPEED	No Charge
SD_T9560 FRONT TOOLBOX	
743848 Large Toolbox	No Charge
SPECIAL PAINT	
SD_T9850 SPECIAL COLORS/PANELS	
758320 BLUE POW. SPEC. ED.	9007950P25 \$10,325.00
Blue Power Special Edition	
Available on T6.175 or T6.180 ONLY	

330446

Firestone

US PRICE LIST

Factory Supplied Options

Or	der Code	Description	on	Weight	Factory Data	List Price
TIRE	 S					
BRA	ND CHOICE					
S	SD_T4900 TIF	E CATEGORY CHOICE				
	330438	No tire brand preference				No Charge
	330439	Mitas			9000468P93	\$609.00
	330442	Michelin			9000468P93	\$609.00

9000468P93

\$609.00



Special Paint Color Information

Customer demand may require special color paint. New Holland can supply many of the standard colors that are listed in the Classic RAL System on the exterior of T6 Series Tractors. The Special Paint service is aimed at meeting the requirement by operations such as highway maintenance agencies, airport authorities, etc. for a tractor painted in a nonstandard color. This process delivers to the customer a professionally painted tractor with no requirement for a dealer to strip down and paint the tractor locally.

The Process:

The New Holland Territory Business Manager (TBM) must be involved to authorize the color choice and coordinate contact with the order management team.

- 1. TBM approval of RAL color
- 2. The tractor retail order* is placed including the Special Paint Color order as listed in options in the Price & Data pages.
- 3. The Special Paint order code flags order management and the plant of the request for special paint
- 4. The RAL paint color is communicated to order management to go along with the retail tractor order
- 5. Order management then contacts the manufacturing plant to gain authorization
- 6. The tractor with special paint is scheduled into production**

Please determine the RAL System color number your customer requests (example Omaha Orange = RAL 2005). Please visit www.ralcolor.com or https://www.ral-farben.de/info-ral-classic.html?&L=1 for more information on RAL colors.

The Special Paint Color order codes are offered in two levels of special paint inclusion:

- 1. Hood, roof, rear fenders
- 2. Chassis, wheels, hood, roof, fenders

See the Price & Data pages for order codes and other details

More information:

Any replacement panels for special color tractors do have to be sourced locally. Unlike Blue Power parts, they will not be available through the CNH parts system.

*New Holland will only accept retail sales orders for tractors with special paint colors and we reserve the right to refuse to paint tractors in colors deemed inappropriate (example: competitor paint schemes).

**Tractors with special color paint schemes may require additional lead times. Once a tractor order is submitted with a special color paint request, the tractor order cannot be changed to another color.



Service Parts Supplied DIA Kits – T6 Series

Service Parts Supplied Dealer Installed Accessories (DIA's)		Т6	T6 Electro Command Semi- Powershift						T6 Dynamic Command						T6 Auto Command					
DIA Description	Part Number	T6.145 SPS	T6.155 SPS	T6.165 SPS	T6.175 SPS	T6.160 SPS	T6.180 SPS		T6.145 DCT	T6.155 DCT	T6.165 DCT	T6.175 DCT	T6.160 DCT	T6.180 DCT	T6.145 AC	T6.155 AC	T6.165 AC	T6.175 AC	T6.160 AC	T6.180 AC
ENGINE & STARTING SYSTEM																				
DIA - GRID HEATER - STAGE V	718203154	X	X	X	X	X	X		X	X	X	X	X	X	X	X	Х	X		X
COLD WEATHER PACK (BLOCK AND TRANS HEATER 110V)	710206154	X	X	X	X	X	X		X	X	X	X	X	Х	Х	X	X	X		X
DIA - COLD WEATHER PACK (BLOCK AND TRANS HEATER 240V)	719106124	X	X	X	X	X	X		X	X	X	X	X	Х	Х	X	X	X		X
DIA - FUEL HEATER -STAGE V	718204094	X	X	X	X	X	X		X	X	X	X	X	Х	Х	X	X	X		X
FUEL COOLER (6CYL)	719831064					X	Χ						X	Х	L				X 2	X
FUEL COOLER (4CYL)	719831054	X	X	X	X			_	X	X	X	X		Щ	X	X	Х	X	\vdash	
ENGINE SIDE RAILS 4 AND 6 CYL	710245124	X	X	X	X	X	X		X	X	X	X	X	X	X	X	Х	X		X
LOCKABLE DEF AND FUEL CAP	718221024	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
CREEPER																				
CREEPER SPEED FOR 16X16 SPS	718100024	Х	X	X	X	X	X							Щ				Ļ	<u> </u>	┙
CLOSED CENTRE MECHANICAL - CONFIG/NON-CONFIG MIX DETENTS																				
DIA - ADDITIONAL REAR REMOTE VALVE (FROM 2 TO 3)	718715094	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X 2	X
ADDITIONAL REAR REMOTE VALVE (FROM 3 TO 4)	710020084	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
ELECTRO-HYDRAULIC																				
EH REMOTE SLICE 3 TO 4 GARU - EHS 1	719411204														X	X	X	X	X Z	X
DIA - EH REMOTE SLICE 3 TO 4 DCT - EHS 1	719411214								X	X	X	X	X	X					Ш	
DIA - EH REMOTE SLICE 3 TO 4 MTA (1 ARCHITECTURE) EHS 1	719411224	X	X	X	X	X	X												Ш	
DETENT KITS FOR NON-CONFIGURABLE RCV SLICES																				
PERMANENT DETENT KIT FOR SINGLE RCV SPOOL (CLOSED CENTRE VALVES)	710362024	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
ZERO DETENT KIT FOR SINGLE RCV SPOOL (CLOSED CENTRE VALVES)	718362024	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
ZERO DETENT KIT (PLUS FLOAT) FOR SINGLE RCV SPOOL (CLOSED CENTRE VALVES)	719362024	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
HYDRAULIC FREE FLOW RETURN PIPE KIT	719979054	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
HYDRAULIC POWER BEYOND SLICE WITH FLAT FACE COUPLERS	719143014	X	X	X	X	X	X		X	X	X	X	X	X	X	X	X	X	X	X
MID MOUNT VALVE KITS																				
DIA - 2 MECH SLICE MMV FOR 113L/MIN CCLS	710919074	X	X	X	X	X	X													
DIA 2 MECH SLICE MMV NAR CC FOR 80L/MIN PUMP	710921054	X	Х	X	Х	X	X													
DIA - ELEC MMV KIT (1SLICE) - JOYSTICK NOT INCLUDED - CVT	718223084														X	Х	Х	χ	X	Χ
DIA - ELEC MMV KIT (1SLICE) - JOYSTICK NOT INCLUDED - SPS	718223074	Х	Х	χ	Х	χ	χ												П	T
DIA - ELEC MMV KIT (1SLICE) - JOYSTICK NOT INCLUDED - DCT - STAGE V	718223054								X	X	Χ	X	χ	χ						ī
DIA - ELEC MMV KIT (2SLICE) - JOYSTICK NOT INCLUDED - CVT	719763204														Х	Х	Х	χ	X	χ
DIA - ELEC MMV KIT (2SLICE) - JOYSTICK NOT INCLUDED - SPS	719763194	Х	Х	Χ	χ	χ	χ													٦
DIA - ELEC MMV KIT (2SLICE) - JOYSTICK NOT INCLUDED - DCT- STAGE V	719763174	-							Х	Х	χ	χ	χ	χ						П
DIA - ELEC MMV KIT (3SLICE) - JOYSTICK NOT INCLUDED - CVT	718229074	-													Х	Х	Х	χ	X Z	χ
DIA - ELEC MMV KIT (3SLICE) - JOYSTICK NOT INCLUDED - SPS	718229084	Х	Х	χ	Х	Х	χ							\Box						╗
DIA - ELEC MMV KIT (3SLICE) - JOYSTICK NOT INCLUDED - DCT- STAGE V	718229054								χ	Х	χ	χ	χ	χ					ıΤ	T
ELECTRONIC JOYSTICK/ELECTRONIC MID MOUNT VALVE KITS																				
		Т	П						,	,	.,	,	χ	v	, v	, ,	х	v	J.	Ţ
ELECTRONIC JOYSTICK WITH PROPORTIONAL SIMULTANEOUS CONTROL OF 3RD FUNCTION (NH)	719300044								X	X	X	X	X	X	X	X	X	X	X	X
ELECTRONIC JOYSTICK WITH 2 ANCILLARY BUTTONS FOR 12 V SUPPLY TO DIVERTER VALVE	740204004								v	χ	χ	χ	Х	Х	v	χ	Х	χ	х	χ
(NH)	719301064								X	X	X	X	X	X	Х	X	Α.	X		X
ELECTRONIC JOYSTICK WITH 2 ANCILLARY BUTTONS FOR 12 V SUPPLY TO DIVERTER VALVE	719304014	Х	Х	χ	х	Х	χ		П		П			\Box					ıΤ	٦
MTA	7 13304014	_ ^	^	^	^	^	^												Щ.	
ADV LOADER JOYSTICK 3RD FUNCTION NH	731183014							_	X	X	X			_	X	_	_			X
ADV LOADER JOYSTICK PROP NH	731184014								X	X	X	X	X	X	X	X	X	X	X	X
PNEUMATIC TRAILER BRAKES																				
DIA - PNEUMATIC AIR BRAKE BASE KIT - STAGE V	718264084	X	_		X	_	X	_	X	X	X	X		X	X	_	X	_		X
UNIVERSAL PNEUMATIC AIR BRAKE FINISHING KIT	718266074	Х	χ	χ	X	Х	χ		X	X	χ	χ	χ	χ	Х	X	χ	χ	X	Χ
REAR LINKAGE																				
HYDRAULIC ADJUST TOP LINK	719790044	Х	Х	Х	χ	Х	Х		Х	χ	χ	χ	χ	Х	Х	Х	Х	Χ	X	Х
HYDRAULIC ADJUST ADJ. RH LIFT LINK	718485044	X	χ	χ	χ	Х	χ		Х	χ	χ	χ	χ	χ	χ	Х	Х	χ	X Z	Χ
			_	-	-	•		_	_	_		_	_	_	_	•	•			_



Service Parts Supplied DIA Kits - T6 Series

Service Parts Supplied Dealer Installed Accessories	(DIA's)	T6 Electro Command Semi- Powershift	T6 Dynamic Command	T6 Auto Command
DIA Description	Part Number	T6.145 SPS T6.155 SPS T6.165 SPS T6.165 SPS T6.160 SPS T6.180 SPS	T6.145 DCT T6.155 DCT T6.155 DCT T6.175 DCT T6.170 DCT T6.180 DCT	T6.145 AC T6.155 AC T6.155 AC T6.175 AC T6.176 AC T6.180 AC
REAR WHEEL WEIGHTS DIA - WEIGHTS - REAR WHEEL - 2X200 KG - 1XLH - 1XRH	731288014	X X X X X X		X X X X X X
FRONT HPL & PTO	731200014			
FRONT LINKAGE FOR SUPERSTEER AXLE - LESS PTO LESS AUX COUPLER	710063154	X X X X X X	X X X X X X	X X X X X X
FRONT PTO, 6 SPLINE - NOT SUITABLE FOR INTEGRATED FRONT HPL DIA - 2 FRT MTD (LHS) HYD COUPLER OP. FROM 1 REAR RCV F/INT. FHPL	718041074 731176024	X X X X X X X X X	X X X X X X X X X X	X X X X X X X X X X
2 FRT MTD (LHS) HYD COUPLERS OPERATED FROM 1 MID RCV FOR INTEGRATED F.HPL	731177014	X X X X X X X	x x x x x x x	X X X X X X
FHPL FLOAT PREDISPOSITION FOR INTERGRATED FHPL	718205014	X X X X X X	X X X X X X	X X X X X X
FRONT PTO 6 SPLINE FOR INTEGRATED FHPL	719098134	x x x x x x x	x x x x x x x	x x x x x x
FRONT TOW HOOK & FRONT WEIGHTS SUPERSTEER CARRIER LESS WEIGHTS LESS TOW HOOK	710022014			
STANDARD STEER CARRIER LESS WEIGHTS LESS TOW HOOK NH	710023014	X X X X X X	X X X X X X	X X X X X X
PACK OF 45 KG FRONT END WEIGHTS & ATTACHING HARDWARE - NH = 10	719065034	X X X X X X	x x x x x x x	X X X X X X
1000 KG FRONT END WEIGHT & ATTACHING HARDWARE NH	710061024	X X X X X X	x x x x x x	x x x x x x
FRONT FENDERS FENDER 420 DYNAMIC	718510024			
FENDER 480 DYNAMIC	718511024	X X X X X X	x x x x x x	x x x x x x
FENDER 540 DYNAMIC	718775024	x x x x x x	X X X X X X	X X X X X X
REAR FENDERS REAR FENDER EXTENSIONS NARROW	710869164	X X X X X X		
REAR FENDER EXTENSIONS FOR FULL COVER FENDERS 75 MM	710869164	X X X X X X X	X X X X X X X X	X X X X X X X X
REAR FENDER EXTENSIONS FOR FULL COVER FENDERS 150 MM	718601014	X X X X X X	x x x x x x	x x x x x x
CAB & PLATFORM				
DIA - TELESCOPIC ARMS FOR REAR VIEW MIRROR MIRROR INT WIDE R/VIEW	718794034 719876024	X X X X X X X X X	X X X X X X X X X X	X X X X X X X X X
DIA - REAR SUNSHADE KIT - MR	719576024	X X X X X X X X X	X X X X X X X	X X X X X X X X X X
LH REAR CAB STORAGE BOX NH	718577054	X X X X X X X	X X X X X X X	X X X X X X
SEATS				
INSTRUCTION SEAT WITH BELT (NEW FABRIC - NH) (INCLUDES WARNING DECAL FOR NAR) WORKLIGHTS / HEADLIGHTS	718248044	X X X X X X		X X X X X X
FRONT HEADLIGHTS KIT FOR TOP OF SIDELIGHTS LH DIP	710177124	X X X X X X		X X X X X X
FRONT HEADLIGHTS KIT FOR TOP OF SIDELIGHTS RH DIP	718177124	X X X X X X	x x x x x x	x x x x x x
2 X ADDITIONAL WORKLIGHT FOR UNDER SIDE LIGHTS NH	710768084	X X X X X X	x x x x x x	X X X X X X
2 X WORKLAMPS ON "C" PILLAR NH	719766064	X X X X X X	x x x x x x	x x x x x x
INSTRUMENTS & PERFORMANCE MONITORS BRACKET FOR MOUNTING EQUIPMENT MONITORS ('BALER BAR')	710686024	X X X X X X		X X X X X X
DIA - MOUNTING BRACKET AND HARNESS FOR MOUNTING FRED	719343024	x x x x x x	x x x x x x	x x x x x x
DIA - REAR ISOBUS HARNESS AND SOCKET F/VEHICLES W/FRED SCREENS_STAGE V	719344164	X X X X X X	x x x x x x x	x x x x x x x
FRONT ISOBUS HARNESS AND SOCKET FOR VEHICLES WITH FRED SCREENS TECU HARDWARE	731161024 710059014	X X X X X X X X X X X X X X X X X X X	x x x x x x	x x x x x x
AUTOGUIDANCE	710059014			
DIA - FITMENT OF AUTOGUIDANCE SYS CVT CL 3_STAGE V	718083044			X X X X X X
DIA - FITMENT OF AUTOGUIDANCE SYS CVT CL 4_STAGE V	718084044			X X X X X X
DIA - FITMENT OF AUTOGUIDANCE SYS SPS CL 3 DIA - FITMENT OF AUTOGUIDANCE SYS DCT CL 3 STAGE V	718228034 718083064	X X X X X X	x x x x x x	
DIA FITMENT OF AUTOGUIDANCE SYSTEM SPS CLASS 4	718083064	x x x x x x		
DIA - FITMENT OF AUTOGUIDANCE SYS DCT CL 4 STAGE V	718084064		x x x x x x	
DIA P&CM TELEMATIC 4G KIT – LOW ROOF	731326014	X X X X X X	X X X X X X	X X X X X X
DIA P&CM TELEMATIC 4G KIT – HIGH ROOF MISCELLANEOUS	731327014	X X X X X X	X X X X X X	X X X X X X
DIA REVERSE ALARM WITH LIGHT	719161034			
UNLOCK CODE		1 1 1 1 1 1 1 1		
ISOBus Class III Base	47636543		X X X X X X	
ISOBus Class III Speed Control ISOBus Class III Steering Control	47645762 47645764		X X X X X X X X X X	
HMC_2 / HTS_II / Easy_Tronic_2	47611682		X X X X X X X	
Remote Valve Configurator/Management	47850811		x x x x x x	
Variable Ratio Steering	48158902		X X X X X X	
Engine Speed Management (CRPM) Basic Transmission Features (Requires Advanced Multi-Function Handle)	48103010 48103007		X X X X X X X X X X	
Advanced Transmission Features (Requires Advanced Multi-Function Handle)	48103007		X X X X X X X	
Pneumatic Trailer Stabilization System	48178349		X X X X X X	
Basic HTS	51419116		x x x x x x	
Auto-PTO Economy Made	51419113		X X X X X X	
Economy Mode	51419120		x x x x x x	