

Index – TS6 Series Tractor

EQUIPMENT DESCRIPTION	LATEST <u>REVISION</u>	PAGE <u>NUMBER</u>
TS6 All Purpose Cab FWD 16X8 Less Loader Fast Pick	10/04/21	2
TS6 All Purpose Cab FWD 16X8 Loader Ready Fast Pick	10/04/21	9
TS6 All Purpose Cab 2WD 16X8 Less Loader Fast Pick	10/04/21	16
TS6 All Purpose ROPS FWD 16X8 Less Loader Fast Pick	10/04/21	23
TS6 All Purpose ROPS FWD 8X8 Less Loader Fast Pick	10/04/21	29
TS6 All Purpose - Less Fast Pick	10/04/21	35
TS6.120 High Clearance ROPS Tanks & Canopy Fast Pick	10/04/21	46
TS6.120 High Clearance ROPS Less Tanks & Canopy Fast Pick	10/04/21	51
TS6.120 High Clearance - Less Fast Pick	10/04/21	56
Tire Chart	10/04/21	65
Referral Attachment - Front 3-Point Hitch & PTO	10/04/21	66
TS6 Tier 4B Dealer Installed Accessories	10/04/21	67



Standard Equipment

KEY SELLING POINTS:

- -CommandArc™ ergonomically places most frequently used controls to operator's right
- -Cab has ten repositionable vents for heating and air conditioning
- -Full-size instructor seat (option)
- -Creeper transmission (option)
- -4.5L, 4-cylinder, FPT engines with
- 4 valves per cylinder, and common rail fuel injection systems
- -Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emmissions system

ENGINE

TS6.110 Series II
Rated PTO HP - 92
Rated Engine HP - 110
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.120 Series II
Rated PTO HP - 102
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Engine

TS6.130 Series II
Rated PTO HP - 112
Rated Engine HP - 130
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Engine

TS6.140 Series II
Rated PTO HP - 118
Rated Engine HP - 139

Rated Engine Speed - @ 2200 rpm 274 cu. in. (4.5L) Displacement 4 Cylinders, Turbocharged Intercooled Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B emmissions system Engine with Turbocharger and Air-to-Air Intercooler 4 Valves Per Cylinder Bosch Common Rail Fuel Injection Pump (electronic) Grid Heater Starting Aid Dual Element Air Filter with Pre-Cleaner (spin tube intakes) A-Pillar Exhaust with Integral Muffler Air cleaner with integrated pre-cleaner & dust ejector Fixed Fan Cooling System with Antifreeze Water Separator and Dual Fuel Filters Plastic Fuel Tank 57.5 gallon (217.6 liter) fuel capacity 7.9 gallon (30 liter) DEF tank capacity

TRANSMISSION

Fuel tank guard

16 X 8 Power Shuttle
16 Forward x 8 Reverse
24.9 MPH (40 KPH)
Main gearbox synchronized in range
Left-hand shuttle lever
(2) Right-hand Shift Levers
Multiplate Wet Clutch (7) 6in. plates

STEERING

Hydrostatic Power Steering



Standard Equipment

AXLES

Front - FWD

104" Wheel Base

Class 3 Heavy Duty

Limited Slip Front Wheel Drive

Mechanical FWD Engagement

55° Turning Angle

12° Axle Oscillation

Front Drive Shaft Shield

Manual Adjustable Tread Width from

64 in. to 80 in.

Rear

Hydraulic Wet Brakes (equalizing)
Park Brake Lever
Swinging Drawbar
Manual Adjustable Tread Width from
64 in. to 80 in.

PTO

Independent, 540/1000 rpm PTO Multi-plate Wet Clutch Mechanical Engagement

HYDRAULIC SYSTEM

Fixed displacement pumps
Dual Gear Pumps
Maximum Flow at Rated Eng

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm Steering Pump: 7 gpm Total Flow: 29 gpm

(2) Close Center Deluxe Remotes (opt.

for 3) with Flow Control and

(4) Couplers

3-POINT LIFT SYSTEM

Top Link Draft Sensing 3735 lbs. Lift Capacity @ 24 in. (ASAE) Category II, 3-point Linkage with Flexible Link Ends Telescopic Stabilizers

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
 and signals
3-pin Power Outlet (30 amp) - cab only
Single Pin (8 amp) Accessory Power
outlet

12V power socket (cigarette lighter) - cab only

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, digital speed readout

Gauges for fuel level, engine temperature, tachometer and hour meter

Horn

LIGHTING:

CAE

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, FOPS Certified, flat deck platform with heat and air conditioning, tinted windshield, two doors with locks, two external mirrors, openable side windows, hinged rear window (opens completely) Steering Wheel - adjustable tilt Seat - Cloth covered with mechanical



Standard Equipment

suspension, operator's presence sensor, retractable seat belt and arm rests
Suspended pedals
Radio, wires, speakers, and antenna
Front window washer and wiper

MISCELLANEOUS

Pivoting Engine Hood

SMV Emblem Toolbox

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price		
TS6.110 II T4B	Cab	MFD	12,000 LB	9074639P76	\$95,692.00		
Includes the following E 40 KPH (337280) 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83 Radio 392295 (392295)	\$275.00 201703) \$2,025.00 301703) \$3,925.00						
TS6.120 II T4B	Cab	MFD	12,000 LB	9077461P02	\$99,309.00		
40 KPH (337280) 13.6R28 MICHELIN (82	13.6R28 MICHELIN (8201703) \$2,025.00 18.4R34 MICHELIN (8301703) \$3,925.00						
TS6.130 II T4B	Cab	MFD	12,000 LB	9081248P70	\$104,165.00		
Includes the following E 40 KPH (337280) 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83 Radio 392295 (392295)	\$275.00 201703) \$2,025.00 301703) \$3,925.00						
TS6.140 II T4B	Cab	MFD	12,000 LB	9087691P50	\$112,425.00		
Includes the following E 40 KPH (337280) 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83 Radio 392295 (392295)	\$275.00 201703) \$2,025.00 301703) \$3,925.00						



Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
SD_TR TRAC	i e e e e e e e e e e e e e e e e e e e			
4WD	MFD			No Charge
FAST PICK CONF	GURATION			
CD T0000 DA	OKA OINO			
SD_T9980 PA	NH FAST PICK #3	1	(900652P08)	(\$836.00)
	NH FAST PICK #3		(900032F00)	(φοσο.υυ)
	TS6 Cab FWD 16X8 Less Loader			
	130 Cab I WD 10X0 Less Loadel			
	Includes:			
	337280: 40 KPH			
	330061: 16x8 With Power Shuttle			
	390331: Heavy-duty Flange Axle			
	429472: 2 Bosch RR Flow Ctrl			
	390819: Less Loader Ready			
	XT8240X: Std less External 3-pt Control			
	390215: Less Front Carrier and Weights			
	XT4961X: Standard less rear ballast			
	334743: High-visibility window			
	336937: Instructor seat			
	390860: Less Front Fenders			
	392295: Radio 392295			
	X5701XX: Floor mat in Cab base			
OTHER EQUIPME	NT			
	IGINE SIDE RAILS	_	г г	
463924	INSTALLED PUSH BAR		9001866P54	\$2,393.00
LUTOULAND DE	(DAD			1
HITCH AND DRAV	\RAK			
CD T0000 DE				
336941	AR HITCHES/DRAWBAR DRAWBAR CLEVIS + PIN		9000127P92	\$164.00
464040	PINTLE HITCH	+	9000127F92 9000405P60	\$520.00
1 404040			3000403100	Ψ020.00



TRANSMISSION

SD_T3230 CREEPER or Interlock

	330066	10:1 CREEPER FOR 8+8 & 16+8	9002145P00	\$2,750.00
		Creeper Transmission		
		NOT Compatible with 16x8 (330061) AND 46" rear		
		wheels (8360761 or 8360781).		

TIRES

FRONT WHEELS & TIRES

SD T4940 FRONT WHEELS AND TIRES

 SD_14940 FR	ONT WHEELS AND TIRES		
4WD Front			
8230608	14.9X24 6 PLY R1 8230608	9001453P92	\$1,864.00
8201703	13.6R28 MICHELIN	9001579P50	\$2,025.00
	Requires 18.4R34 R1W Rear Tires		
8282201	12.4 x 28 6PR R1	9001834P56	\$2,352.00
	Requires 12.4x42 Rear Tires		
8201705	380/85R30 MICHELIN	9001804P92	\$2,314.00
	Models TS6.130/TS6.140 - Requires 18.4R38 R1W Michelin Agribib		
	or		
	520/70R38 R1W Michelin		
	Omnibib Rear Tires		
8248621	250/95 R34 R1	9002088P84	\$2,678.00
	Requires 12.4R46 or 320/90R46 R1 Rear Tires		
8248631	320/85 R34 R1	9003570P06	\$4,577.00
	Requires 14.9R46 (380/85R46) Rear Tires		
8299905	Front Shipping Wheels-4WD	9000166P14	\$213.00
	4WD Shipping Wheels		

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Flange Axle					
8340612	18.4x34 8 ply R1 8340612		9002998P32	\$3,844.00	
8301702	18.4R30 MICHELIN		9002610P66	\$3,347.00	
8301707	520/70R38 MICHELIN		9006143P28	\$7,876.00	
	520/70R38 R1W Michelin Omnibib				
8301703	18.4R34 MICHELIN		9003061P50	\$3,925.00	
8301705	18.4R38 MICHELIN		9003563P82	\$4,569.00	
8380100	12.4x42 8PR R1		9003937P44	\$5,048.00	
8399905	Shipping Wheels-Rear		9000624P78	\$801.00	



3-POINT HITCH			
REAR 3 POINT HI	TCH		
KLAK 3 FOINT TII	1011		
SD_T8950 Al	IX RAMS		
390344	Hyd Lift w/ 1 int. cyl		No Charge
	1 Internal Lift Ram		110 0114190
	3,735 pounds lift capacity		
336784	Hyd Lift w/ 1 int. & 1 ext cyl	9000602P16	\$772.00
	1 Auxiliary Lift Ram		,
	5,499 pounds lift capacity		
339784	Hyd Lift w/ 1 int. & 2 ext cyl	9001137P24	\$1,458.00
	2 Auxiliary Lift Rams		, ,
	7,326 pounds lift capacity		
	Triese permane mesopherery		
CAB OPTION			
OAD OI HON			
SEATS			
GEATIO			
SD_T8500 SE	FAT		
336923	Air suspension seat w/swivel	9000800P28	\$1,026.00
	With 15 degree swivel		ψ.,σ2σ.σσ
	The state of the s		
REAR WINDOW V	VIPER/WASHER		
SD_T9150 RI	EAR WIPER & WASHER		
330642	Rear wiper/washer - CAB	9000230P88	\$296.00
	Rear window wiper/washer for Cab		
OPERATOR'S MA	ANUALS		
SD T9802 OI	PERATORS MANUAL		
429481	Spanish Bosch T4B		No Charge
429482	French Bosch T4B		No Charge
			ge
SD_T9840 C	DUNTRY CONFIGURATION		
339982	French Decals		No Charge
339986	Spanish Decals		No Charge



TS6 CAB FWD 16X8 LOADER READY FAST PICK US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- -CommandArc™ ergonomically places most frequently used controls to operator's right
- -High visibility panel provides a better view of loader when at full height
- -Ten repositionable vents for heating and air conditioning
- -Full-size instructor seat
- -4.5L, 4-cylinder, FPT engines with
 4 valves per cylinder, and common rail
 fuel injection systems
- -Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emmissions system
- -Factory Installed joystick and loader mounts
- -Economy priced All Purpose Heavy tractor

ENGINE

TS6.110 Series II
Rated PTO HP - 92
Rated Engine HP - 110
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.120 Series II
Rated PTO HP - 102
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.130 Series II
Rated PTO HP - 112
Rated Engine HP - 130
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.140 Series II
Rated PTO HP - 118
Rated Engine HP - 139
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B emmissions system Engine with Turbocharger and Air-to-Air Intercooler 4 Valves Per Cylinder Bosch Common Rail Fuel Injection Pump (electronic) Grid Heater Starting Aid Dual Element Air Filter with Pre-Cleaner (spin tube intakes) A-Pillar Exhaust with Integral Muffler Air cleaner with integrated pre-cleaner & dust ejector Fixed Fan Cooling System with Antifreeze Water Separator and Dual Fuel Filters Plastic Fuel Tank 57.5 gallon (217.6 liter) fuel capacity 7.9 gallon (30 liter) DEF tank capacity

TRANSMISSION

Fuel tank guard

16 X 8 Power Shuttle
16 Forward x 8 Reverse
4WD - 24.9 MPH (40 KPH)
Main gearbox synchronized in range

Left-hand shuttle lever

(2) Right-hand shift Levers
Multi-plate wet clutch (7) 6in. plates

STEERING



TS6 CAB FWD 16X8 LOADER READY FAST PICK US PRICE LIST

Standard Equipment

Hydrostatic Power Steering

AXLES

Front - FWD

104" Wheel Base

Class 3 Heavy Duty
Limited Slip Front Wheel Drive

Mechanical FWD Engagement

55° Turning Angle

12° Axle Oscillation

Front Drive Shaft Shield

Manual Adjustable Tread Width from

64 in. to 80 in.

Rear
Hydraulic Wet Brakes (equalizing)
Park Brake Lever
Swinging Drawbar
Manual Adjustable Tread Width from
64 in. to 80 in.

PTO

Independent, 540/1000 rpm PTO Multi-plate Wet Clutch Mechanical Engagement

HYDRAULIC SYSTEM

Dual Gear Pumps Maximum Flow at Rated Engine Speed: Implement Pump: 22 gpm

Fixed displacement pumps

Steering Pump: 7 gpm Total Flow: 29 gpm

(3) Close Center Deluxe Remotes

(6) Couplers

2 function mid mount valve and joystick with loader brackets, hoses and multi-coupler quick coupler

3-POINT LIFT SYSTEM

Top Link Draft Sensing
3735 lbs. Lift Capacity @ 24 in. (ASAE)
Category II, 3-point Linkage with Flexible
Link Ends

Telescopic Stabilizers

External 3-point hitch control

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

120 amp Alternator

7-pin Outlet for trailer/implement lighting

and signals

3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power

outlet

12V power socket (cigarette lighter) -

cab only

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake,

digital speed readout

Gauges for fuel level, engine temperature, tachometer and hour

Horn

LIGHTING:

meter

CAB

Front: (2) Halogen Headlights and

(4) cab mounted worklights

Rear: (4) cab mounted worklights

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS protected, FOPS certified, flat

deck platform

with heat and air conditioning, tinted windshield, two doors with locks, two external mirrors, openable side



TS6 CAB FWD 16X8 LOADER READY FAST PICK US PRICE LIST

Standard Equipment

windows, hinged rear window (opens completely)

Steering Wheel - adjustable tilt

Seat - Cloth covered with air suspension, operator's presence sensor, retractable seat belt and arm rests

Instructor seat

Suspended pedals

Radio complete with radio, wires, speakers, and antenna

Front and rear window washer and wiper

Overhead high visibility window

Sun visor

New Holland Standard Warranty Applies



TS6 CAB FWD 16X8 LOADER READY FAST PICK **US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price		
TS6.110 II T4B	Cab	MFD	12,000 LB	9074639P76	\$95,692.00		
Includes the following E 40 KPH (337280) 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83 Radio 392295 (392295)	\$275.00 201703) \$2,025.00 301703) \$3,925.00						
TS6.120 II T4B	Cab	MFD	12,000 LB	9077461P02	\$99,309.00		
40 KPH (337280) 13.6R28 MICHELIN (82	13.6R28 MICHELIN (8201703) \$2,025.00 18.4R34 MICHELIN (8301703) \$3,925.00						
TS6.130 II T4B	Cab	MFD	12,000 LB	9081248P70	\$104,165.00		
Includes the following E 40 KPH (337280) 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83 Radio 392295 (392295)	\$275.00 201703) \$2,025.00 301703) \$3,925.00						
TS6.140 II T4B	Cab	MFD	12,000 LB	9087691P50	\$112,425.00		
Includes the following E 40 KPH (337280) 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83 Radio 392295 (392295)	\$275.00 201703) \$2,025.00 301703) \$3,925.00						

DRAWBAR CLEVIS + PIN

PINTLE HITCH

336941

464040



TS6 CAB FWD 16X8 LOADER READY FAST PICK US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
SD TR TRAC	TION			
SD_IR TRAC	MFD			No Charge
	, <u>-</u>	Į.		
FAST PICK CONF	IGURATION			
OD T0000 DA	OVA ON O			
SD_T9980 PA			9005618P34	\$7,203.00
1 1 7054977	NH FAST PICK #4		9003018F34	\$7,203.00
	Cab FWD 16X8 Loader Ready			
	,,,			
	Include:			
	337280: 40 KPH			
	330061: 16x8 With Power Shuttle			
	390331: Heavy-duty Flange Axle			
	390266: L/CREEPER FOR 8+8			
	429473: 3 Bosch RR Flow Ctrl			
	330845: External 3-pt Control for MDC			
	429475: Loader Ready 429475 330471: 6 Rear Wheel Weights			
	334743: High-visibility window			
	336937: Instructor seat			
	390860: Less Front Fenders			
	392295: Radio 392295			
	X5701XX: Floor mat in Cab base			
OTHER EQUIPME	NT			
LUTOLLAND DDAY	(DAD			
HITCH AND DRAV	/BAK			
SD_T8900 RE	AR HITCHES/DRAWBAR			
55_10000 KE			1	

9000127P92

9000405P60

\$164.00

\$520.00

TS6 CAB FWD 16X8 LOADER READY FAST PICK US PRICE LIST

TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

4WD Front			
8230608	14.9X24 6 PLY R1 8230608	9001453P92	\$1,864.00
8201703	13.6R28 MICHELIN	9001579P50	\$2,025.00
	Requires 18.4R34 R1W Rear Tires		
8282201	12.4 x 28 6PR R1	9001834P56	\$2,352.00
	Requires 12.4x42 Rear Tires		
8201705	380/85R30 MICHELIN	9001804P92	\$2,314.00
	Models TS6.130/TS6.140 - Requires 18.4R38 R1W Michelin Agribib		
	or		
	520/70R38 R1W Michelin		
	Omnibib Rear Tires		
8299905	Front Shipping Wheels-4WD	9000166P14	\$213.00
	4WD Shipping Wheels		

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Flange Axle						
8340612	18.4x34 8 ply R1 8340612		9002998P32	\$3,844.00		
8301702	18.4R30 MICHELIN		9002610P66	\$3,347.00		
8301707	520/70R38 MICHELIN		9006143P28	\$7,876.00		
	520/70R38 R1W Michelin Omnibib					
8301703	18.4R34 MICHELIN		9003061P50	\$3,925.00		
8301705	18.4R38 MICHELIN		9003563P82	\$4,569.00		
8380100	12.4x42 8PR R1		9003937P44	\$5.048.00		

3-POINT HITCH

REAR 3 POINT HITCH

SD_T8950 AUX RAMS

	390344	Hyd Lift w/ 1 int. cyl		No Charge
		1 Internal Lift Ram		
		3,735 pounds lift capacity		
	336784	Hyd Lift w/ 1 int. & 1 ext cyl	9000602P16	\$772.00
		1 Auxiliary Lift Ram		
L		5,499 pounds lift capacity		



TS6 CAB FWD 16X8 LOADER READY FAST PICK US PRICE LIST

WEIGHTS		
FRONT WEIGHTS		
TROM WEIGHTO		
SD_T2150 FRONT BALLAST		
334923 Carrier less front weights	9000266P76	\$342.00
330213 Front Weight Carrier +8 wghts	9001050P66	\$1,347.00
Front weight carrier & 8 weight slices (31kgs / 68 lbs each)		
330214 Front Weight Carrier +12 wghts	9001485P12	\$1,904.00
Front weight carrier & 12 weight slices (31kgs / 68 lbs each)		
330218 Front Weight Carrier +16 wghts	9001625P52	\$2,084.00
Front weight carrier & 16 weight slices (31kgs / 68 lbs each)		
CAB OPTION		
SEATS		
SD_T8500 SEAT		
336923 Air suspension seat w/swivel	9000800P28	\$1,026.00
With 15 degree swivel	30008001 20	Ψ1,020.00
With 13 degree swiver		
REAR WINDOW WIPER/WASHER		
SD_T9150 REAR WIPER & WASHER		
330642 Rear wiper/washer - CAB	9000230P88	\$296.00
Rear window wiper/washer for Cab		
MISCELLANEOUS		
FENDERS FRONT		
SD_T8740 FRONT FENDERS		
336940 Front Fenders-Dynamic	9000624P78	\$801.00
Requires 331497 axle oscillation stops.	30000241 70	ψ001.00
requires 351457 axie oscination stops.		
OPERATOR'S MANUALS		
SD_T9802 OPERATORS MANUAL		
429481 Spanish Bosch T4B		No Charge
429482 French Bosch T4B		No Charge
SD_T9840 COUNTRY CONFIGURATION		
339982 French Decals		No Charge
339986 Spanish Decals		No Charge



Standard Equipment

KEY SELLING POINTS:

- -CommandArc™ ergonomically places most frequently used controls to operator's right
- -Ten repositionable vents for heating and air conditioning
- -Full-size instructor seat
- -4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- -Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emmissions system
- -Economy priced All Purpose Heavy tractor

ENGINE

TS6.110 Series II
Rated PTO HP - 92
Rated Engine HP - 110
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.120 Series II
Rated PTO HP - 102
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.130 Series II
Rated PTO HP - 112
Rated Engine HP - 130
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.140 Series II
Rated PTO HP - 118
Rated Engine HP - 139

Rated Engine Speed - @ 2200 rpm 274 cu. in. (4.5L) Displacement 4 Cylinders, Turbocharged Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B emmissions system Engine with Turbocharger and Air-to-Air Intercooler 4 Valves Per Cylinder Bosch Common Rail Fuel Injection Pump (electronic) Grid Heater Starting Aid Dual Element Air Filter with Pre-Cleaner (spin tube intakes) A-Pillar Exhaust with Integral Muffler Air cleaner with integrated pre-cleaner & dust ejector Fixed Fan Cooling System with Antifreeze Water Separator and Dual Fuel Filters Plastic Fuel Tank 57.5 gallon (217.6 liter) fuel capacity 7.9 gallon (30 liter) DEF tank capacity Fuel tank guard

TRANSMISSION

16 X 8 Power Shuttle
16 Forward x 8 Reverse
2WD - 18.7 MPH (30 KPH)
Main gearbox synchronized in range
Left-hand shuttle lever
(2) Right-hand shift Levers
Multi-plate wet clutch (7) 6in. plates

STEERING

Hydrostatic Power Steering

AXLES



Standard Equipment

Front - 2WD

STD - 100" Wheel Base - TS6.110 &

TS6.120

HD - 96" wheel Base - TS6.130 &

TS6.140

55° Turning Angle

12° Axle Oscillation

Adjustable Tread Width from 60 in.

to 80 in.

Rear

Hydraulic Wet Brakes (equalizing)
Park Brake Lever
Swinging Drawbar
Manual Adjustable Tread Width from
64 in. to 80 in.

PTO

Independent, 540/1000 rpm PTO

Multi-plate Wet Clutch Mechanical Engagement

HYDRAULIC SYSTEM

Fixed displacement pumps Dual Gear Pumps

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm
Steering Pump: 7 gpm
Total Flow: 29 gpm

(2) Close Center Deluxe Remotes

(4) Couplers

3-POINT LIFT SYSTEM

Top Link Draft Sensing
5499 lbs. Lift Capacity @ 24 in. (ASAE)
Category II, 3-point Linkage with Flexible
Link Ends
Telescopic Stabilizers

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

7-pin Outlet for trailer/implement lighting
 and signals
3-pin Power Outlet (30 amp) - cab only
Single Pin (8 amp) Accessory Power

12V power socket (cigarette lighter) - cab only

INSTRUMENTATION:

outlet

120 amp Alternator

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, digital speed readout

Gauges for fuel level, engine

temperature, tachometer and hour meter

Horn

CAB

Front: (2) Halogen Headlights and (4) cab mounted worklights
Rear: (4) cab mounted worklights

Turn Signals/Flashers/Rear Lights

CAB MODELS

ROPS protected, FOPS certified, flat deck platform

with heat and air conditioning, tinted windshield, two doors with locks, two external mirrors, openable side windows, hinged rear window (opens completely)

Steering Wheel - adjustable tilt Seat - Cloth covered with air suspension, operator's presence sensor, retractable seat belt and arm rests

Instructor seat
Suspended pedals

Radio complete with radio, wires,

speakers, and antenna

Front and rear window washer and

SMV Emblem Toolbox



TS6 CAB 2WD 16X8 LESS LOADER FAST PICK US PRICE LIST

Standard Equipment

wiper	
Sun visor	WARRANTY
MISCELLANEOUS	New Holland Standard Warranty Applies
Pivoting Engine Hood	



Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.130 II T4B	Cab	2WD	12,000 LB	9074265P36	\$95,212.00
Includes the following Equipment Front Shipping Wheels 2WD (8843901) \$124.00 18.4R34 MICHELIN (8301703) \$3,925.00 Radio 392295 (392295) \$266.00					
TS6.140 II T4B	Cab	2WD	12,000 LB	9080708P16	\$103,472.00
Includes the following Includes the following Includes the Front Shipping Wheels 18.4R34 MICHELIN (8 Radio 392295 (392295)	2WD (8843901) \$124.00 301703) \$3,925.00)			

PINTLE HITCH

464040



TS6 CAB 2WD 16X8 LESS LOADER FAST PICK US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
SD_TR TRAC		1	1	
2WD	2WD		(905286P06)	(\$6,777.00)
FAST PICK CONF	SIGUEATION			
TAOT FIOR CONT	IONATION			
SD_T9980 PA	CKAGING			
X0552XX			(900975P00)	(\$1,250.00)
	X0552XX: NH FAST PICK #7			,
	TS6 Cab 2WD 16X8 Less Loader			
	Include:			
	330061: 16x8 With Power Shuttle			
	390331: Heavy-duty Flange Axle			
	429472: 2 Bosch RR Flow Ctrl			
	390819: Less Loader Ready			
	336784: Hyd Lift w/ 1 int. & 1 ext cyl			
	XT4961X: Standard less rear ballast			
	330642: Rear wiper/washer - CAB			
	392295: Radio 392295			
	X5701XX: Floor mat in Cab base			
•		•		
OTHER EQUIPME	NT			
SD_T8112 EN	IGINE SIDE RAILS			
463924	INSTALLED PUSH BAR		9001866P54	\$2,393.00
HITCH AND DRAW	/BAR			
	AR HITCHES/DRAWBAR	1	T T	. 1
336941	DRAWBAR CLEVIS + PIN		9000127P92	\$164.00

9000405P60

\$520.00

SD_T2150 FRONT BALLAST

Less Front Carrier and Weights

Front Weight Carrier +8 wghts

Front weight carrier & 8 weight slices (31kgs / 68 lbs each)

Carrier less front weights

390215

334923

330213

TS6 CAB 2WD 16X8 LESS LOADER FAST PICK US PRICE LIST

FRONT AXLE			
SD_T4010 FRON	Τ ΔΥΙ Ε		
	VD Front Axle HD	9002266P68	\$2,906.00
	tandard Equipment Heavy Duty 2WD Front Axle		ψΞ,000.00
	MODEL is TS6.140SERII		No Charge
	MODEL is TS6.130SERII		No Charge
TIRES			
FRONT WHEELS & TI	RES		
CD T4040 FDON	TAMBEL CAND TIDEC		
2WD Front	T WHEELS AND TIRES		
	0.00 x 16 8ply For HD Axle	9000735P54	\$943.00
1 1 1	restone Brand - 2WD	30007001 04	φο-ιοιου
	ont Shipping Wheels 2WD HD	9000096P72	\$124.00
	equires 2WD Heavy Duty axle 390373		
REAR WHEELS & TIR	ES		
	WHEELS AND TIRES		
Flange Axle			
	3.4R34 MICHELIN	9003061P50	\$3,925.00
	3.4R38 MICHELIN	9003563P82	\$4,569.00
8380100 12	2.4x42 8PR R1	9003937P44	\$5,048.00
2 DOINT HITCH			
3-POINT HITCH			
REAR 3 POINT HITCH			
REAR 31 OINT HITOH			
SD T8240 EXTER	RNAL LIFT CONTROL		
	kternal 3-pt Control for MDC	9000155P22	\$199.00
	echanical ground control for 3 point hitch		
1 1 1	ot compatible with 2 external lift cylinders 339784)		
WEIGHTS			
FRONT WEIGHTS			

9000266P76

9001050P66

No Charge

\$342.00

\$1,347.00

339982

339986

French Decals

Spanish Decals



TS6 CAB 2WD 16X8 LESS LOADER FAST PICK US PRICE LIST

330214	Front Weight Carrier +12 wghts	9001485P12	\$1,904.00
	Front weight carrier & 12 weight slices (31kgs / 68 lbs each)		
330218	Front Weight Carrier +16 wghts	9001625P52	\$2,084.00
	Front weight carrier & 16 weight slices (31kgs / 68 lbs each)		
CAB OPTION			
OD T0444 III	OLL VIOLEN ITV MINE ON		
SD_T9411 HI	GH VISIBILITY WINDOW High-visibility window	9000451P62	\$579.00
334743	nigh-visibility window	9000431F62	φ379.00 <u>]</u>
SEATS			
02/110			
SD_T8500 SE	EAT		
336923	Air suspension seat w/swivel	9000800P28	\$1,026.00
	With 15 degree swivel		
INSTRUCTOR SEA	AT		
OD T5700 IN	OTPLICTOR OF AT		
SD_T5702 IN	STRUCTOR SEAT	9000490P62	\$629.00
330937	Instructor seat	9000490F62	φ029.00
MISCELLANEOU	8		
WIISCLLLANLOO	<u> </u>		
BRAKES/TRAILER	R BRAKE		
SD_T7130 TF	RLR BRK VLV		
330718	Hydraulic trailer brakes	9000779P22	\$999.00
REVERSE ALARM	1		
OD T0040 DE	TVEDOE ALADM		
SD_T9249 RE 330692	Reverse Alarm	9000143P52	\$184.00
330092	Nevelse Alailli	9000143F32	\$104.00
OPERATOR'S MA	ANIIAI S		
OI ENATOR O MIA	MONEO		
SD_T9802 OF	PERATORS MANUAL		
429481	Spanish Bosch T4B		No Charge
429482	French Bosch T4B		No Charge
SD_T9840 CO	DUNTRY CONFIGURATION		No Observe

No Charge

No Charge

Standard Equipment

KEY SELLING POINTS:

- -CommandArc™ ergonomically places most frequently used controls to operator's right
- -4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- -Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emmissions system
- -Economy priced All Purpose Heavy tractor

ENGINE

TS6.110 Series II Rated PTO HP - 92 Rated Engine HP - 110 Rated Engine Speed - @ 2200 rpm 274 cu. in. (4.5L) Displacement 4 Cylinders, Turbocharged Intercooled Diesel Engine

TS6.120 Series II Rated PTO HP - 102 Rated Engine HP - 119 Rated Engine Speed - @ 2200 rpm 274 cu. in. (4.5L) Displacement 4 Cylinders, Turbocharged Intercooled Diesel Engine

TS6.130 Series II Rated PTO HP - 112 Rated Engine HP - 130 Rated Engine Speed - @ 2200 rpm 274 cu. in. (4.5L) Displacement 4 Cylinders, Turbocharged Intercooled Diesel Engine

TS6.140 Series II Rated PTO HP - 118 Rated Engine HP - 139 Rated Engine Speed - @ 2200 rpm 274 cu. in. (4.5L) Displacement 4 Cylinders, Turbocharged

Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B emmissions system Engine with Turbocharger and

Air-to-Air Intercooler 4 Valves Per Cylinder Bosch Common Rail Fuel Injection

Pump (electronic)

Grid Heater Starting Aid

Dual Element Air Filter with Pre-Cleaner (spin tube intakes)

A-Pillar Exhaust with Integral Muffler Air cleaner with integrated pre-cleaner & dust ejector

Fixed Fan

Cooling System with Antifreeze Water Separator and Dual Fuel Filters Plastic Fuel Tank 57.5 gallon (217.6 liter) fuel capacity 7.9 gallon (30 liter) DEF tank capacity Fuel tank quard

TRANSMISSION

16 X 8 Power Shuttle 16 Forward x 8 Reverse 4WD - 24.9 MPH (40 KPH) Main gearbox synchronized in range Left-hand shuttle lever (2) Right-hand shift Levers Multi-plate wet clutch (7) 6in. plates

STEERING

Hydrostatic Power Steering

Front - FWD 104" Wheel Base



Standard Equipment

Class 3 Heavy Duty Limited Slip Front Wheel Drive Mechanical FWD Engagement 55° Turning Angle 12° Axle Oscillation Front Drive Shaft Shield Manual Adjustable Tread Width from 64 in. to 80 in.

Rear

Hydraulic Wet Brakes (equalizing) Park Brake Lever Swinging Drawbar Manual Adjustable Tread Width from 64 in. to 80 in.

PTO

Independent, 540/1000 rpm PTO Multi-plate Wet Clutch Mechanical Engagement

HYDRAULIC SYSTEM

Fixed displacement pumps Dual Gear Pumps

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm Steering Pump: 7 gpm Total Flow: 29 qpm

(2) Close Center Deluxe Remotes

(4) Couplers

3-POINT LIFT SYSTEM

Top Link Draft Sensing 5499 lbs. Lift Capacity @ 24 in. (ASAE) Category II, 3-point Linkage with Flexible Link Ends Telescopic Stabilizers External 3-point hitch control

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery Pivoting Engine Hood SMV Emblem Toolbox

WARRANTY

120 amp Alternator 7-pin Outlet for trailer/implement lighting and signals 3-pin Power Outlet (30 amp) - cab only Single Pin (8 amp) Accessory Power outlet 12V power socket (cigarette lighter) -

INSTRUMENTATION:

cab only

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, digital speed readout Gauges for fuel level, engine temperature, tachometer and hour meter Horn

LIGHTING:

ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

2-Post Foldable ROPS with ISOmounted flat deck platform

with rubber floor mat

Steering Wheel - adjustable tilt Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts and arm rests

Suspended pedals Locking brake pedals

MISCELLANEOUS

New Holland Standard Warranty Applies



Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 II T4B	Rops	MFD	12,000 LB	9067138P50	\$86,075.00
Includes the following E 40 KPH (337280) 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	\$275.00 201703) \$2,025.00				
TS6.140 II T4B	Rops	MFD	12,000 LB	9077368P98	\$99,191.00
Includes the following E 40 KPH (337280) 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	\$275.00 201703) \$2,025.00				



Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
	•			
SD_TR TRAC	TION			
4WD	MFD			No Charge
FACT DICK CONF	TICLID ATION			
FAST PICK CONF	IGURATION			
SD_T9980 PA	CKAGING			
X0550XX	NH FAST PICK #5		(901047P54)	(\$1,343.00)
	X0550XX: NH FAST PICK #5			
	TS6 ROPS FWD 16X8 Less Loader			
	Include:			
	337280: 40 KPH			
	330061: 16x8 With Power Shuttle			
	390266: L/CREEPER FOR 8+8			
	XT401XX: Less 2WD Front Axle			
	390331: Heavy-duty Flange Axle			
	429472: 2 Bosch RR Flow Ctrl			
	390819: Less Loader Ready			
	330845: External 3-pt Control for MDC			
	336784: Hyd Lift w/ 1 int. & 1 ext cyl			
	390215: Less Front Carrier and Weights			
	XT4961X: Standard less rear ballast			
OTHER EQUIPME	NT			
CD T0440 FA	ICINE CIDE DAILS			
5D_18112 EN 463924	IGINE SIDE RAILS INSTALLED PUSH BAR		9001866P54	\$2,393.00
1 1 403924	INCIALLED I COLLDAIN		3001000F34	φ2,393.00
HITCH AND DRAW	/BAR			
SD T8900 RF	AR HITCHES/DRAWBAR			
336941	DRAWBAR CLEVIS + PIN		9000127P92	\$164.00
464040	PINTLE HITCH		9000405P60	\$520.00



TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

4WD Front			
8230608	14.9X24 6 PLY R1 8230608	9001453P92	\$1,864.00
8201703	13.6R28 MICHELIN	9001579P50	\$2,025.00
	Requires 18.4R34 R1W Rear Tires		
8282201	12.4 x 28 6PR R1	9001834P56	\$2,352.00
	Requires 12.4x42 Rear Tires		
8201705	380/85R30 MICHELIN	9001804P92	\$2,314.00
	Models TS6.130/TS6.140 - Requires 18.4R38 R1W Michelin Agribib		
	or		
	520/70R38 R1W Michelin		
	Omnibib Rear Tires		
8248621	250/95 R34 R1	9002088P84	\$2,678.00
	Requires 12.4R46 or 320/90R46 R1 Rear Tires		
8248631	320/85 R34 R1	9003570P06	\$4,577.00
	Requires 14.9R46 (380/85R46) Rear Tires		
8299905	Front Shipping Wheels-4WD	9000166P14	\$213.00
	4WD Shipping Wheels		

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Flange Axle				
8340612	18.4x34 8 ply R1 8340612	9002998P32	\$3,844.00	
8301702	18.4R30 MICHELIN	9002610P66	\$3,347.00	
8301707	520/70R38 MICHELIN	9006143P28	\$7,876.00	
	520/70R38 R1W Michelin Omnibib			
8301703	18.4R34 MICHELIN	9003061P50	\$3,925.00	
8301705	18.4R38 MICHELIN	9003563P82	\$4,569.00	
8380100	12.4x42 8PR R1	9003937P44	\$5,048.00	
8399905	Shipping Wheels-Rear	9000624P78	\$801.00	

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

	336940	Front Fenders-Dynamic	9000624P78	\$801.00
		Requires 331497 axle oscillation stops.		



R	OPS CANOPY				
					_
	SD_T8771 CA	NOPY			
	335857	Canopy		9000677P04	\$868.00
		Only for Open Station ROPS tractor			
R	UBBER FLOOR N	MAT			
	SD_T5701 FL	OOR MAT			
	334742	Rubber floor mat		9000089P70	\$115.00
		Only for open station ROPS tractors			
OP	ERATOR'S MA	NUALS			
	SD_T9802 OF	PERATORS MANUAL			
	429481	Spanish Bosch T4B			No Charge
	429482	French Bosch T4B			No Charge
			•		
	SD_T9840 CC	OUNTRY CONFIGURATION			
	339982	French Decals			No Charge
	339986	Spanish Decals			No Charge



Standard Equipment

KEY SELLING POINTS:

- -CommandArc™ ergonomically places most frequently used controls to operator's right
- -4.5L, 4-cylinder, FPT engines with
 4 valves per cylinder, and common rail
 fuel injection systems
- -Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emmissions system
- -Economy priced All Purpose Heavy tractor

ENGINE

TS6.110 Series II
Rated PTO HP - 92
Rated Engine HP - 110
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.120 Series II
Rated PTO HP - 102
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.130 Series II
Rated PTO HP - 112
Rated Engine HP - 130
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.140 Series II
Rated PTO HP - 118
Rated Engine HP - 139
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged

Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B emmissions system

Engine with Turbocharger and Air-to-Air Intercooler 4 Valves Per Cylinder

Bosch Common Rail Fuel Injection

Pump (electronic)

Grid Heater Starting Aid

Dual Element Air Filter with Pre-Cleaner (spin tube intakes)

A-Pillar Exhaust with Integral Muffler Air cleaner with integrated pre-cleaner & dust ejector

Fixed Fan

Cooling System with Antifreeze
Water Separator and Dual Fuel Filters
Plastic Fuel Tank
57.5 gallon (217.6 liter) fuel capacity
7.9 gallon (30 liter) DEF tank capacity
Fuel tank guard

TRANSMISSION

8 X 8 Power Shuttle 8 Forward x 8 Reverse 4WD - 24.9 MPH (40 KPH) Main gearbox synchronized in range Left-hand shuttle lever (2) Right-hand shift Levers Multi-plate wet clutch (7) 6in. plates

STEERING

Hydrostatic Power Steering

AXLES

Front - FWD 104" Wheel Base



Standard Equipment

Class 3 Heavy Duty Limited Slip Front Wheel Drive Mechanical FWD Engagement 55° Turning Angle 12° Axle Oscillation Front Drive Shaft Shield Manual Adjustable Tread Width from 64 in. to 80 in.

Rear

Hydraulic Wet Brakes (equalizing) Park Brake Lever Swinging Drawbar Manual Adjustable Tread Width from 64 in. to 80 in.

PTO

Independent, 540/1000 rpm PTO Multi-plate Wet Clutch Mechanical Engagement

HYDRAULIC SYSTEM

Fixed displacement pumps

Dual Gear Pumps

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm Steering Pump: 7 gpm Total Flow: 29 gpm

(2) Close Center Deluxe Remotes (opt. f/ 3 & 4) with Flow Controls and

(4) Couplers

3-POINT LIFT SYSTEM

Telescopic Stabilizers

Top Link Draft Sensing 5499 lbs. Lift Capacity @ 24 in. (ASAE) Category II, 3-point Linkage with Flexible Link Ends

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery

Pivoting Engine Hood SMV Emblem Toolbox

WARRANTY

120 amp Alternator

7-pin Outlet for trailer/implement lighting and signals

3-pin Power Outlet (30 amp) - cab only Single Pin (8 amp) Accessory Power outlet

12V power socket (cigarette lighter) cab only

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, digital speed readout

Gauges for fuel level, engine temperature, tachometer and hour meter

Horn

LIGHTING:

ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

2-Post Foldable ROPS with ISOmounted flat deck platform

with rubber floor mat

Steering Wheel - adjustable tilt Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts and

arm rests Suspended pedals Locking brake pedals

MISCELLANEOUS

New Holland Standard Warranty Applies



Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 II T4B	Rops	MFD	12,000 LB	9067138P50	\$86,075.00
Includes the following Equipment 40 KPH (337280) \$275.00 13.6R28 MICHELIN (8201703) \$2,025.00 18.4R34 MICHELIN (8301703) \$3,925.00					
TS6.140 II T4B	Rops	MFD	12,000 LB	9077368P98	\$99,191.00
Includes the following Equipment 40 KPH (337280) \$275.00 13.6R28 MICHELIN (8201703) \$2,025.00 18.4R34 MICHELIN (8301703) \$3,925.00					



Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
Jidei Jode	Dosoription	rreignt	i dotory Data	LIST I IIOC
SD_TR TRAC				
4WD	MFD			No Charge
FAST PICK CONF	IGURATION			
SD_T9980 PA	CKAGING			
X0551XX			(902779P92)	(\$3,564.00)
	X0551XX: NH FAST PICK #6		(**=********	(40,000.00)
	TS6 ROPS FWD 8X8 Less Loader			
	Include:			
	337280: 40 KPH			
	330059: 8x8 With Power Shuttle			
	390266: L/CREEPER FOR 8+8			
	XT401XX: Less 2WD Front Axle			
	390331: Heavy-duty Flange Axle			
	429472: 2 Bosch RR Flow Ctrl			
	390819: Less Loader Ready			
	330845: External 3-pt Control for MDC			
	336784: Hyd Lift w/ 1 int. & 1 ext cyl			
	390215: Less Front Carrier and Weights			
	XT4961X: Standard less rear ballast			
OTHER EQUIPME	NT			
CD T0440 EN	GINE SIDE RAILS			
463924	INSTALLED PUSH BAR		9001866P54	\$2,393.00
1 1 400324	INOTALLED I COLLDAIX		3001000134	Ψ2,393.00
HITCH AND DRAW	/BAR			
SD_T8900 RE	AR HITCHES/DRAWBAR			
336941	DRAWBAR CLEVIS + PIN		9000127P92	\$164.00
464040	PINTLE HITCH		9000405P60	\$520.00

TIRES

FRONT WHEELS & TIRES

SD T4940 FRONT WHEELS AND TIRES

4WD Front	ONT WILLES AND TIKES		
	44 0V04 C DI V D4 0000000	0004450000	¢4.004.00
8230608	14.9X24 6 PLY R1 8230608	9001453P92	+ ,
8201703	13.6R28 MICHELIN	9001579P50	\$2,025.00
	Requires 18.4R34 R1W Rear Tires		
8282201	12.4 x 28 6PR R1	9001834P56	\$2,352.00
	Requires 12.4x42 Rear Tires		
8201705	380/85R30 MICHELIN	9001804P92	\$2,314.00
	Models TS6.130/TS6.140 - Requires 18.4R38 R1W Michelin Agribib		
	or		
	520/70R38 R1W Michelin		
	Omnibib Rear Tires		
8248621	250/95 R34 R1	9002088P84	\$2,678.00
	Requires 12.4R46 or 320/90R46 R1 Rear Tires		
8248631	320/85 R34 R1	9003570P06	\$4,577.00
	Requires 14.9R46 (380/85R46) Rear Tires		
8299905	Front Shipping Wheels-4WD	9000166P14	\$213.00
	4WD Shipping Wheels		

REAR WHEELS & TIRES

SD_T4950 REAR WHEELS AND TIRES

Flange Axle				
8340612	18.4x34 8 ply R1 8340612		9002998P32	\$3,844.00
8301702	18.4R30 MICHELIN		9002610P66	\$3,347.00
8301707	520/70R38 MICHELIN		9006143P28	\$7,876.00
	520/70R38 R1W Michelin Omnibib			
8301703	18.4R34 MICHELIN		9003061P50	\$3,925.00
8301705	18.4R38 MICHELIN		9003563P82	\$4,569.00
8380100	12.4x42 8PR R1		9003937P44	\$5,048.00
8399905	Shipping Wheels-Rear		9000624P78	\$801.00

MISCELLANEOUS

FENDERS FRONT

SD_T8740 FRONT FENDERS

	336940	Front Fenders-Dynamic	9000624P78	\$801.00
		Requires 331497 axle oscillation stops.		



ROPS CANOPY				
SD_T8771 CA	NOPY			
335857	Canopy	9000677P04	\$868.00	
	Only for Open Station ROPS tractor			
RUBBER FLOOR N	MAT			
SD_T5701 FL0	OOR MAT			
334742	Rubber floor mat	9000089P70	\$115.00	
	Only for open station ROPS tractors			
OPERATOR'S MA	OPERATOR'S MANUALS			
SD_T9802 OP	ERATORS MANUAL			
429481	Spanish Bosch T4B		No Charge	
429482	French Bosch T4B		No Charge	
SD_T9840 CC	OUNTRY CONFIGURATION			
339982	French Decals		No Charge	
339986	Spanish Decals		No Charge	



TS6 ALL PURPOSE - LESS FAST PICK US PRICE LIST

Standard Equipment

KEY SELLING POINTS:

- -CommandArc™ ergonomically places most frequently used controls to operator's right
- -High visibility panel provides a better view of loader when at full height
- -Ten repositionable vents for heating and air conditioning
- -Full-size instructor seat
- -Creeper transmission option
- -4.5L, 4-cylinder, FPT engines with
- 4 valves per cylinder, and common rail fuel injection systems
- -Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emmissions system
- -Cab, ROPS, 2WD or 4WD options
- -Factory Installed joystick and loader mounts (optional)
- -Economy priced All Purpose Heavy tractor

ENGINE

TS6.110 Series II
Rated PTO HP - 92
Rated Engine HP - 110
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.120 Series II
Rated PTO HP - 102
Rated Engine HP - 119
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

TS6.130 Series II
Rated PTO HP - 112
Rated Engine HP - 130
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement

4 Cylinders, Turbocharged Intercooled Diesel Engine

TS6.140 Series II
Rated PTO HP - 118
Rated Engine HP - 139
Rated Engine Speed - @ 2200 rpm
274 cu. in. (4.5L) Displacement
4 Cylinders, Turbocharged
Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B emmissions Engine with Turbocharger and Air-to-Air Intercooler 4 Valves Per Cylinder Bosch Common Rail Fuel Injection Pump (electronic) Grid Heater Starting Aid Dual Element Air Filter with Pre-Cleaner (spin tube intakes) A-Pillar Exhaust with Integral Muffler Air cleaner with integrated pre-cleaner & dust ejector Fixed Fan Cooling System with Antifreeze Water Separator and Dual Fuel Filters Plastic Fuel Tank 57.5 gallon (217.6 liter) fuel capacity 7.9 gallon (30 liter) DEF tank capacity Fuel tank guard

TRANSMISSION

8 X 8 Power Shuttle 8 Forward x 8 Reverse 4WD - 24.9 MPH (40 KPH) 2WD - 18.7 MPH (30 KPH) Main gearbox synchronized in range Left-hand shuttle lever (2) Right-hand shift Levers Multi-plate wet clutch (7) 6in. plates



TS6 ALL PURPOSE - LESS FAST PICK US PRICE LIST

Standard Equipment

Dual Gear Pumps

STEERING	Maximum Flow at Rated Engine Speed:
	Implement Pump: 22 gpm
Hydrostatic Power Steering	Steering Pump: 7 gpm
	Total Flow: 29 gpm
AXLES	(2) Close Center Deluxe Remotes (opt.
Front - 2WD	<pre>f/ 3 & 4) with Flow Controls and (4) Couplers</pre>
STD - 100" Wheel Base - TS6.110 &	(4) Couplels
TS6.120	3-POINT LIFT SYSTEM
HD - 96" wheel Base - TS6.130 &	3-POINI LIFI SISIEM
TS6.140	Top Link Draft Sensing
55° Turning Angle	2725 lbs. Tift Gamerites @ 24 im (2028)
12° Axle Oscillation Adjustable Tread Width from 60 in.	3735 lbs. Lift Capacity @ 24 in. (ASAE) Category II, 3-point Linkage with Flexible
to 80 in.	Link Ends
to 80 III.	
Front - FWD	Telescopic Stabilizers
104" Wheel Base	ELECTRICAL:
Class 3 Heavy Duty	(1) 950 cca Heavy-Duty Battery
Limited Slip Front Wheel Drive	120 amp Alternator
Mechanical FWD Engagement	7-pin Outlet for trailer/implement lighting
55° Turning Angle	and signals
12° Axle Oscillation	3-pin Power Outlet (30 amp) - cab only
Front Drive Shaft Shield	Single Pin (8 amp) Accessory Power
Manual Adjustable Tread Width from	outlet
64 in. to 80 in.	12V power socket (cigarette lighter) -
01 111. 60 00 111.	cab only
Rear	
Hydraulic Wet Brakes (equalizing)	INSTRUMENTATION:
Park Brake Lever	Analog Instrumentation with warning
Swinging Drawbar	lights for air cleaner service,
Manual Adjustable Tread Width from	alternator, oil pressure, fuel
64 in. to 80 in.	sediment/water sensor, PTO
	engagement, head light high beam,
PTO	low fuel and parking brake,
	digital speed readout
Independent, 540/1000 rpm PTO	Gauges for fuel level, engine
Multi-plate Wet Clutch	temperature, tachometer and hour
Mechanical Engagement	meter
5 5	Horn
HYDRAULIC SYSTEM	
	LIGHTING:
Fixed displacement pumps	ROPS



Standard Equipment

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

CAB

Front: (2) Halogen Headlights and (4) cab mounted worklights

Rear: (4) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE: ROPS MODELS

2-Post Foldable ROPS with ISOmounted flat deck platform with rubber floor mat

Steering Wheel - adjustable tilt Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts and

arm rests
Suspended pedals
Locking brake pedals

CAB MODELS

ROPS protected, FOPS certified, flat deck platform

with heat and air conditioning, tinted windshield, two doors with locks, two

external mirrors, openable side windows, hinged rear window (opens

completely)

Steering Wheel - adjustable tilt Seat - Cloth covered with air suspension,

operator's presence sensor, retractable

seat belt and arm rests

Suspended pedals

Radio complete with radio, wires,

speakers, and antenna

Front and rear window washer and

wiper

Sun visor

MISCELLANEOUS

Pivoting Engine Hood SMV Emblem

Toolbox

WARRANTY

New Holland Standard Warranty Applies



Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.110 II T4B	Cab	MFD	12,000 LB	9074639P76	\$95,692.00
Includes the following E 40 KPH (337280) 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83 Radio 392295 (392295)	\$275.00 201703) \$2,025.00 301703) \$3,925.00				
TS6.120 II T4B	Rops	MFD	12,000 LB	9067138P50	\$86,075.00
Includes the following E 40 KPH (337280) 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	\$275.00 201703) \$2,025.00				
TS6.120 II T4B	Cab	MFD	12,000 LB	9077461P02	\$99,309.00
Includes the following E 40 KPH (337280) 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83 Radio 392295 (392295)	\$275.00 201703) \$2,025.00 301703) \$3,925.00				
TS6.130 II T4B	Cab	2WD	12,000 LB	9074265P36	\$95,212.00
Includes the following E Front Shipping Wheels 18.4R34 MICHELIN (83 Radio 392295 (392295)	2WD (8843901) \$124.00 301703) \$3,925.00)			
TS6.130 II T4B	Cab	MFD	12,000 LB	9081248P70	\$104,165.00
Includes the following E 40 KPH (337280) 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83 Radio 392295 (392295)	\$275.00 201703) \$2,025.00 301703) \$3,925.00				
TS6.140 II T4B	Rops	MFD	12,000 LB	9077368P98	\$99,191.00
Includes the following E 40 KPH (337280) 13.6R28 MICHELIN (82 18.4R34 MICHELIN (83	\$275.00 201703) \$2,025.00				
TS6.140 II T4B	Cab	2WD	12,000 LB	9080708P16	\$103,472.00
Includes the following E Front Shipping Wheels 18.4R34 MICHELIN (83 Radio 392295 (392295)	equipment 2WD (8843901) \$124.00 301703) \$3,925.00				
TS6.140 II T4B	Cab	MFD	12,000 LB	9087691P50	\$112,425.00
Includes the following E 40 KPH (337280)		,	,,,,,,		, ,



Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
13.6R28 MICHELIN (82	201703) \$2,025.00				
18.4R34 MICHELIN (83	301703) \$3,925.00				
Radio 392295 (392295)	\$266.00				



Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
FAST PICK CONF	IGURATION			
SD T9980 PA	CKAGING			
	LESS PACKAGING.			No Charge
OTHER EQUIPME	NT			
SD_T8112 EN	GINE SIDE RAILS			
463924	INSTALLED PUSH BAR		9001866P54	\$2,393.00
HITCH AND DRAW	/BAR			
11101171112 21011	D/ III			
	AR HITCHES/DRAWBAR	1	1	
336941	DRAWBAR CLEVIS + PIN		9000127P92	\$164.00
464040	PINTLE HITCH		9000405P60	\$520.00
TRANSMISSION				
110 01010101				
SD_T2800 SF 337280	EED 40 KPH		9000214P50	\$275.00
337280	40 RF11		9000214F30	\$275.00
SD_T2810 TR	ANSMISSION			
330061	16x8 With Power Shuttle		9001733P16	\$2,222.00
	16x8 DualPower Power Shuttle			
	NOT Compatible with Creeper (330066) AND rear			
	wheels 8360781.			
		•		
	EEPER or Interlock			
330066	10:1 CREEPER FOR 8+8 & 16+8		9002145P00	\$2,750.00
	Creeper Transmission			
	NOT Compatible with 16x8 (330061) AND 46" rear			
	wheels (8360761 or 8360781).			

FRONT AXLE

SD_T4010 FRONT AXLE

	390373	2WD Front Axle HD	9002266P68	\$2,906.00
		Standard Equipment Heavy Duty 2WD Front Axle		
		if MODEL is TS6.140SERII		No Charge
		if MODEL is TS6 130SERII		No Charge

REAR AXLE

SD_T3200 REAR AXLE

	330331	98 in. bar axle (Steel Wheels)	9001410P24	\$1,808.00
١		Includes Extremity lights (fold down safety flashers)		

TIRES

FRONT WHEELS & TIRES

SD_T4940 FRONT WHEELS AND TIRES

2WD Front			
8114404	10.00-16 8PR F2	9000735P54	\$943.00
	Firestone Brand - 2WD		
8180522	10.00 x 16 8ply For HD Axle	9000735P54	\$943.00
	Firestone Brand - 2WD		
8199101	Front Shipping Wheels-2wd	9000096P72	\$124.00
	2WD Shipping Wheels		
	(NOT compatible with Heavy Duty 2WD front axle 390373)		
8843901	Front Shipping Wheels 2WD HD	9000096P72	\$124.00
	Requires 2WD Heavy Duty axle 390373		
4WD Front			
8230608	14.9X24 6 PLY R1 8230608	9001453P92	\$1,864.00
8201703	13.6R28 MICHELIN	9001579P50	\$2,025.00
	Requires 18.4R34 R1W Rear Tires		
8282201	12.4 x 28 6PR R1	9001834P56	\$2,352.00
	Requires 12.4x42 Rear Tires		
8201705	380/85R30 MICHELIN	9001804P92	\$2,314.00
	Models TS6.130/TS6.140 - Requires 18.4R38 R1W Michelin Agribib		
	or		
	520/70R38 R1W Michelin		
	Omnibib Rear Tires		
8248621	250/95 R34 R1	9002088P84	\$2,678.00
	Requires 12.4R46 or 320/90R46 R1 Rear Tires		
8248631	320/85 R34 R1	9003570P06	\$4,577.00
	Requires 14.9R46 (380/85R46) Rear Tires		
8299905	Front Shipping Wheels-4WD	9000166P14	\$213.00
	4WD Shipping Wheels		

DEAD	WHEEL	C & T	IDEC
KEAK	VVDEEL	.o & 1	IKEO

SD T4950	REAR WHEEL	S AND TIRES

Flange Axle			
8340612	18.4x34 8 ply R1 8340612	9002998P32	\$3,844.00
8301702	18.4R30 MICHELIN	9002610P66	\$3,347.00
8301707	520/70R38 MICHELIN	9006143P28	\$7,876.00
	520/70R38 R1W Michelin Omnibib		
8301703	18.4R34 MICHELIN	9003061P50	\$3,925.00
8301705	18.4R38 MICHELIN	9003563P82	\$4,569.00
8380100	12.4x42 8PR R1	9003937P44	\$5,048.00
8399905	Shipping Wheels-Rear	9000624P78	\$801.00
Bar Axle - S	ingles		
8301708	520/85R38 MICH BAR S	9006233P76	\$7,992.00
	520/70R38 R1W Michelin Omnibib		
8301704	18.4R34-MICH BAR S	9003061P50	\$3,925.00
8301706	18.4R38 MICH BAR S	9003563P82	\$4,569.00
8318590	Single 12.4 x 42 R1	9003937P44	\$5,048.00
8360761	320/90R46 R-1 - Bar Single	9004814P16	\$6,172.00
	Requires 250/95 R34 R1 Front Tire		
8399906	Rear Shipping Wheels	9000624P78	\$801.00

HYDRAULICS

REAR REMOTE VALVES

SD_T8270 REAR REMOTES

	429472	2 Bosch RR Flow Ctrl			No Charge
	429473	3 Bosch RR Flow Ctrl		9000885P30	\$1,135.00
	429474	4 Bosch RR Flow Ctrl	•	9001766P70	\$2,265.00

LOADER READY OPTIONS

SD_T8110 LOADER BRACKETS

	429475	Loader Ready 429475	9004511P52	\$5,784.00
		Complete Loader Ready includes TPS Subframe (with Grill Guard)		
		and Mid		
		Mounted Valve - 2 function mechanical (includes valve, joystick,		
		cables, &		
		hose kit).		



3-POIN	Т НІТСН			
REAR	3 POINT HI	тсн		
SD.	_	(TERNAL LIFT CONTROL		
	330845	External 3-pt Control for MDC	9000155P22	\$199.00
		Mechanical ground control for 3 point hitch		
		(not compatible with 2 external lift cylinders 339784)		
		N/ 2 4 4 2		
SD.	_T8950 AL			N. O.
	390344	Hyd Lift w/ 1 int. cyl		No Charge
		1 Internal Lift Ram		
+		3,735 pounds lift capacity		
	336784	Hyd Lift w/ 1 int. & 1 ext cyl	9000602P16	\$772.00
		1 Auxiliary Lift Ram		
\perp		5,499 pounds lift capacity		
	339784	Hyd Lift w/ 1 int. & 2 ext cyl	9001137P24	\$1,458.00
		2 Auxiliary Lift Rams		
		7,326 pounds lift capacity		
WEIGH	ITS			
FRON	T WEIGHTS			
SD	_T2150 FR	RONT BALLAST		
	390215	Less Front Carrier and Weights		No Charge
	334923	Carrier less front weights	9000266P76	\$342.00
	330213	Front Weight Carrier +8 wghts	9001050P66	\$1,347.00
		Front weight carrier & 8 weight slices (31kgs / 68 lbs each)		
	330214	Front Weight Carrier +12 wghts	9001485P12	\$1,904.00
		Front weight carrier & 12 weight slices (31kgs / 68 lbs each)		. ,
	330218	Front Weight Carrier +16 wghts	9001625P52	\$2,084.00
		Front weight carrier & 16 weight slices (31kgs / 68 lbs each)		. ,



REAR	WHEEL WE	IGHTS		
0.0	T4004 DE	AD DALLACT		
	<u>.14961 RE</u> Bar Axle	AR BALLAST		
	336935	6 Rear wheel weights	9000720P72	\$924.00
	330333	6 rear wheel weights for bar axle (65 kgs / 143 lbs each)	3000720172	Ψ324.00
	334354	10 rear wheel weight	9001199P64	\$1,538.00
	00 100 1	10 rear wheel weights for bar axle (65 kgs / 143 lbs each)		ψ1,000.00
	XT4961X	Standard less rear ballast		No Charge
	330471	6 Rear Wheel Weights	9000720P72	
		6 rear wheel weights (40 kgs / 88 lbs each)		, , , , , , ,
		for flange axle , total 528 lbs.		
		ONLY compatible with 18.4-34 & 18.4-38 rear wheels		
	Flange Axle			
	332497	12 Rear wheel weights	9001437P54	\$1,843.00
		12 rear wheel weights for flange axle		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
		(40 kgs / 88 lbs each)total 1056 lbs.		
		ONLY compatible with 18.4-38 rear wheels		
		ONET Compatible with 10.4-30 real wheels		
CARO	OTION			
CAB OF	TION			
SD.	T0/11 LIC	GH VISIBILITY WINDOW		
	334743	High-visibility window	9000451P62	\$579.00
	004740	Trigit violotity window	3000-011 02	φο/ 3.00
SEATS				
02/110				
SD	T8500 SE	AT		
	336923	Air suspension seat w/swivel	9000800P28	\$1,026.00
		With 15 degree swivel		, ,
		•		
REAR	WINDOW W	IPER/WASHER		
SD_	T9150 RE	AR WIPER & WASHER		
	330642	Rear wiper/washer - CAB	9000230P88	\$296.00
		Rear window wiper/washer for Cab		
MISCEL	LANEOUS	3		
FENDE	RS FRONT			
SD_	T8740 FR	ONT FENDERS		
	336940	Front Fenders-Dynamic	9000624P78	\$801.00
		Requires 331497 axle oscillation stops.		



SD_T7130 TRLR BRK VLV 330718 Hydraulic trailer brakes 9000779P22 REVERSE ALARM SD_T9249 REVERSE ALARM 330692 Reverse Alarm 9000143P52 ROPS CANOPY	\$999.00 \$184.00
330718 Hydraulic trailer brakes 9000779P22	
330718 Hydraulic trailer brakes 9000779P22	
REVERSE ALARM SD_T9249 REVERSE ALARM 330692 Reverse Alarm 9000143P52	
SD_T9249 REVERSE ALARM 330692 Reverse Alarm 9000143P52	\$184.00
330692 Reverse Alarm 9000143P52	\$184.00
330692 Reverse Alarm 9000143P52	\$184.00
	\$184.00
ROPS CANOPY	
ROPS CANOPY	
SD_T8771 CANOPY	
335857 Canopy 9000677P04	\$868.00
Only for Open Station ROPS tractor	
RUBBER FLOOR MAT	
SD_T5701 FLOOR MAT	
334742 Rubber floor mat 9000089P70	\$115.00
Only for open station ROPS tractors	φ113.00
Only for open station KOFS tractors	
OPERATOR'S MANUALS	
OPERATOR 5 MANUALS	
SD T9802 OPERATORS MANUAL	
429481 Spanish Bosch T4B	No Charge
429482 French Bosch T4B	No Charge
120.02 1.0.0200011112	110 Chargo
SD_T9840 COUNTRY CONFIGURATION	
339982 French Decals	No Charge
339986 Spanish Decals	No Charge



TS6.120 HC ROPS TANKS & CANOPY FAST PICK **US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- -CommandArc™ ergonomically places most frequently used controls to operator's right
- -Creeper transmission
- -4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- -Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emmissions system

ENGINE

TS6.120 Series II

Rated PTO HP - 102 Rated Engine HP - 119 Rated Engine Speed - @ 2200 rpm 274 cu. in. (4.5L) Displacement 4 Cylinders, Turbocharged Intercooled Diesel Engine

COMMON ENGINE FEATURES

_____ Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B emmissions system Engine with Turbocharger and Air-to-Air Intercooler 4 Valves Per Cylinder Bosch Common Rail Fuel Injection Pump (electronic) Grid Heater Starting Aid Dual Element Air Filter with Pre-Cleaner (spin tube intakes) A-Pillar Exhaust with Integral Muffler Air cleaner with integrated pe-cleaner & dust ejector Fixed Fan Cooling System with Antifreeze Water Separator and Dual Fuel Filters Plastic Fuel Tank 57.5 gallon (217.6 liter) fuel capacity

7.9 gallon (30 liter) DEF tank capacity

Fuel tank guard

TRANSMISSION

8X8 Power Shuttle 8 Forward x 8 Reverse gears Creeper transmission Synchronized gear change Main gearbox synchronized Left-hand shuttle lever 14" cerametalic clutch 18.7 MPH (30 KPH)

STEERING

Hydrostatic Power Steering

PTO

Independent, 540/1000 rpm PTO Multi-plate Wet Clutch Mechanical Engagement

AXLES

Front Axle - FWD: Class III Standard Duty Limited Slip Front Wheel Drive Axle Mechanical FWD Engagement 55° Turning Angle 12° Axle Oscillation Drive Shaft Shield Front Drive Shaft Shield Manual Adjustable Tread Width from 72 in. to 84 in. Maximum Axle Clearance - 28 in.

Rear Axle:

Drop Box Final Drives Hydraulic Wet Brakes (equalizing) Park Brake Lever Manual Adjustable Tread Width from 72 in. to 84 in. Maximum Drawbar Support Clearance -30 in.



TS6.120 HC ROPS TANKS & CANOPY FAST PICK US PRICE LIST

Standard Equipment

HYDRAULIC SYSTEM

Fixed displacement pumps

Dual Gear Pumps

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm
Steering Pump: 7 gpm
Total Flow: 29 gpm

(2) Close Center Deluxe Remotes with Flow Controls, Adjustable Detents and

(4) Couplers

3-POINT LIFT SYSTEM

One internal lift cylinder

Top Link Draft Sensing

3735 lbs. Lift Capacity @ 24 in. (ASAE)

Category II, 3-point Linkage with Flexible
Link Ends

Telescopic Stabilizers

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, digital speed readout

Gauges for fuel level, engine temperature, tachometer and hour meter

Horn

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
 and signals
3-pin Power Outlet (30 amp) - cab only
Single Pin (8 amp) Accessory Power
outlet

12V power socket (cigarette lighter) - cab only
Reverse alarm

LIGHTING:

ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

2-Post Foldable ROPS with ISOmounted flat deck platform

Canopy

Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts and
arm rests

Suspended pedals Locking brake pedals

MISCELLANEOUS

Front push frame mounts
Two 120 gallon tanks integrated
into the rear fenders
16 front weights
Pivoting Engine Hood
SMV Emblem
Toolbox

WARRANTY

New Holland Standard Warranty Applies



TS6.120 HC ROPS TANKS & CANOPY FAST PICK **US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 II HC ROPS T4B	Rops & High Clearance	MFD	12,000 LB	9078875P94	\$101,123.00
Includes the following Equipment 13.6R28 MICHELIN (8201703) \$2,025.00 13.6R38 MICHELIN HC (8301709) \$2,515.00					

TS6.120 HC ROPS TANKS & CANOPY FAST PICK US PRICE LIST

Factory Supplied Options

	2			
Order Code	Description	Weight	Factory Data	List Price
EAST DICK CONE	TOURATION			
FAST PICK CONF	IGURATION			
SD_T9980 PA	ACKAGING			
	NH FAST PICK #1		9012257P70	\$15,715.00
	NH FAST PICK #1			. ,
	TS6.120 High Clear ROPS Pkg			
	- Tanks & Canopy			
	Includes:			
	330059: 8x8 With Power Shuttle			
	30066: 10:1 CREEPER FOR 8+8 & 16+			
	8201706: 13.6R38 MICHELIN			
	8301709: 13.6R38 MICHELIN HC			
	429472: 2 Bosch RR Flow Ctrl			
	463748: 2 TANKS SET			
	463789: HYD LIFT 1CYL TANKS			
	330218: Front Weight Carrier +16 wghts			
	330692: Reverse Alarm			
	335857: Canopy			
OTHER EQUIPME	ENT			
	IGINE SIDE RAILS			
463924	INSTALLED PUSH BAR		9001866P54	\$2,393.00
HITCH AND DRAV	VBAR			
OD T	TAR LUTOUES (RRANGAR			
	EAR HITCHES/DRAWBAR		0000107500	0404.00
336941	DRAWBAR CLEVIS + PIN		9000127P92	\$164.00
464040	PINTLE HITCH	ļ	9000405P60	\$520.00
TIDEO				
TIRES				
DEAD MUSEUC A	TIDEO			
REAR WHEELS &	IIKES			
SD T4050 DE	EAD WHEELS AND TIDES			
SD_T4950 RE	AR WHEELS AND TIRES 13.6R38 MICHELIN HC		9001961P70	\$2.545.00
6301709	13.0K30 WIIGHELIN AG		900196170	\$2,515.00

Requires 13.6R38 Front Tires



TS6.120 HC ROPS TANKS & CANOPY FAST PICK US PRICE LIST

OPERATOR'S MANUALS

SD_T9802 OPERATORS MANUAL

	429481	Spanish Bosch T4B		No Charge
	429482	French Bosch T4B		No Charge

SD_T9840 COUNTRY CONFIGURATION

	339982	French Decals		No Charge
	339986	Spanish Decals		No Charge



TS6.120 HC ROPS LESS TANKS FAST PICK **US PRICE LIST**

Standard Equipment

KEY SELLING POINTS:

- -CommandArc™ ergonomically places most frequently used controls to operator's right
- -Creeper transmission
- -4.5L, 4-cylinder, FPT engines with 4 valves per cylinder, and common rail fuel injection systems
- -Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emmissions system

ENGINE

TS6.120 Series II

Rated PTO HP - 102 Rated Engine HP - 119 Rated Engine Speed - @ 2200 rpm 274 cu. in. (4.5L) Displacement 4 Cylinders, Turbocharged Intercooled Diesel Engine

COMMON ENGINE FEATURES

_____ Tier 4B Emissions Compliant ECOBlue™ HI-eSCR Tier4B emmissions system Engine with Turbocharger and Air-to-Air Intercooler 4 Valves Per Cylinder Bosch Common Rail Fuel Injection Pump (electronic) Grid Heater Starting Aid Dual Element Air Filter with Pre-Cleaner (spin tube intakes) A-Pillar Exhaust with Integral Muffler Air cleaner with integrated pe-cleaner & dust ejector Fixed Fan Cooling System with Antifreeze Water Separator and Dual Fuel Filters Plastic Fuel Tank 57.5 gallon (217.6 liter) fuel capacity

7.9 gallon (30 liter) DEF tank capacity

Fuel tank guard

TRANSMISSION

8X8 Power Shuttle 8 Forward x 8 Reverse gears Creeper transmission Synchronized gear change Main gearbox synchronized Left-hand shuttle lever 14" cerametalic clutch 18.7 MPH (30 KPH)

STEERING

Hydrostatic Power Steering

PTO

Independent, 540/1000 rpm PTO Multi-plate Wet Clutch Mechanical Engagement

AXLES

Front Axle - FWD: Class III Standard Duty Limited Slip Front Wheel Drive Axle Mechanical FWD Engagement 55° Turning Angle 12° Axle Oscillation Drive Shaft Shield Front Drive Shaft Shield Manual Adjustable Tread Width from 72 in. to 84 in. Maximum Axle Clearance - 28 in.

Rear Axle:

Drop Box Final Drives Hydraulic Wet Brakes (equalizing) Park Brake Lever Manual Adjustable Tread Width from 72 in. to 84 in. Maximum Drawbar Support Clearance -30 in.



TS6.120 HC ROPS LESS TANKS FAST PICK US PRICE LIST

Standard Equipment

HYDRAULIC SYSTEM

Fixed displacement pumps

Dual Gear Pumps

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm
Steering Pump: 7 gpm
Total Flow: 29 gpm

(2) Close Center Deluxe Remotes with Flow Controls, Adjustable Detents and

(4) Couplers

3-POINT LIFT SYSTEM

One internal lift cylinder
Top Link Draft Sensing
3735 lbs. Lift Capacity @ 24 in. (ASAE)
Category II, 3-point Linkage with Flexible
Link Ends
Telescopic Stabilizers

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, digital speed readout

Gauges for fuel level, engine temperature, tachometer and hour meter

Horn

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery120 amp Alternator7-pin Outlet for trailer/implement lighting and signals3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power outlet
12V power socket (cigarette lighter) - cab only
Reverse alarm

LIGHTING:

ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

ROPS MODELS

2-Post Foldable ROPS with ISOmounted flat deck platform Steering Wheel - adjustable tilt Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts and arm rests Suspended pedals Locking brake pedals

MISCELLANEOUS

Front push frame mounts 16 front weights Pivoting Engine Hood SMV Emblem Toolbox

WARRANTY

New Holland Standard Warranty Applies



TS6.120 HC ROPS LESS TANKS FAST PICK US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 II HC ROPS T4B	Rops & High Clearance	MFD	12,000 LB	9078875P94	\$101,123.00
Includes the following Equipment					

13.6R28 MICHELIN (8201703) \$2,025.00 13.6R38 MICHELIN HC (8301709) \$2,515.00



TS6.120 HC ROPS LESS TANKS FAST PICK US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
FAST PICK CONF	IGURATION			
TAGT FIGHT COIL				
SD_T9980 PA		1	· · · · · · · · · · · · · · · · · · ·	
X0547XX	NH FAST PICK #2		(900351P00)	(\$450.00)
	NH FAST PICK #2			
	TS6.120 High Clear ROPS Pkg			
	- Less Tanks & Canopy			
	Includes:			
	8x8 With Power Shuttle			
	10:1 CREEPER FOR 8+8 & 16+			
	13.6R38 MICHELIN			
	13.6R38 MICHELIN HC			
	2 Bosch RR Flow Ctrl Hyd Lift w/ 1 int. cyl			
	Front Weight Carrier +16 wghts			
	Reverse Alarm			
	Reverse Alaim			
		-		
OTHER EQUIPME	NT			
	GINE SIDE RAILS			
463924	INSTALLED PUSH BAR		9001866P54	\$2,393.00
LUTCH AND DRAW	(DAD			
HITCH AND DRAW	DAR			
SD TROON RE	AR HITCHES/DRAWBAR			
336941	DRAWBAR CLEVIS + PIN		9000127P92	\$164.00
464040	PINTLE HITCH		9000405P60	\$520.00
	-			,
3-POINT HITCH				
0 1 0 1 0				
REAR 3 POINT HIT	СН			
SD_T8240 EX	TERNAL LIFT CONTROL			
330845	External 3-pt Control for MDC		9000155P22	\$199.00
	Mechanical ground control for 3 point hitch			

(not compatible with 2 external lift cylinders 339784)



TS6.120 HC ROPS LESS TANKS FAST PICK US PRICE LIST

MISCELLANEOUS					
ROPS CANOPY					
SD_T8771 CANOPY					
335857 Canopy		9000677P04	\$868.00		
Only for	Open Station ROPS tractor				
OPERATOR'S MANUALS					
SD_T9802 OPERATOR	S MANUAL				
429481 Spanish	Bosch T4B		No Charge		
429482 French E	Bosch T4B		No Charge		
			_		
SD_T9840 COUNTRY C	CONFIGURATION				
339982 French [Decals		No Charge		
339986 Spanish	Decals		No Charge		



Standard Equipment

KEY SELLING POINTS:

- -VisionView™ cab
- -CommandArc™ ergonomically places most frequently used controls to operator's right
- -Cab has ten repositionable vents for heating and air conditioning w/dual fan -Full-size instructor seat (option)
- -Creeper transmission
- -4.5L, 4-cylinder, FPT engines with
 4 valves per cylinder, and common rail
 fuel injection systems
- -Tier 4B EPA emissions compliant with ECOBlue™ HI-eSCR Tier4B emmissions system
- -Offering to fit customer; Cab or ROPS

ENGINE

Fixed Fan

TS6.120 Series II

Rated PTO HP - 102 Rated Engine HP - 119 Rated Engine Speed - @ 2200 rpm 274 cu. in. (4.5L) Displacement 4 Cylinders, Turbocharged Intercooled Diesel Engine

COMMON ENGINE FEATURES

Tier 4B Emissions Compliant
ECOBlue™ HI-eSCR Tier4B emmissions
system
Engine with Turbocharger and
Air-to-Air Intercooler
4 Valves Per Cylinder
Bosch Common Rail Fuel Injection
Pump (electronic)
Grid Heater Starting Aid
Dual Element Air Filter with Pre-Cleaner
(spin tube intakes)
A-Pillar Exhaust with Integral Muffler
Air cleaner with integrated pe-cleaner &
dust ejector

Cooling System with Antifreeze
Water Separator and Dual Fuel Filters
Plastic Fuel Tank
57.5 gallon (217.6 liter) fuel capacity
7.9 gallon (30 liter) DEF tank capacity
Fuel tank guard

TRANSMISSION

8X8 Power Shuttle
8 Forward x 8 Reverse gears
Creeper transmission
Synchronized gear change
Main gearbox synchronized
Left-hand shuttle lever
14" cerametalic clutch
18.7 MPH (30 KPH)

STEERING

Hydrostatic Power Steering

PTC

Independent, 540/1000 rpm PTO
Multi-plate Wet Clutch
Mechanical Engagement

AXLES

Front Axle - FWD:
Class III Standard Duty
Limited Slip Front Wheel Drive Axle
Mechanical FWD Engagement
55° Turning Angle
12° Axle Oscillation Drive Shaft Shield
Front Drive Shaft Shield
Manual Adjustable Tread Width from
72 in. to 84 in.
Maximum Axle Clearance - 28 in.

Rear Axle:

Drop Box Final Drives

Hydraulic Wet Brakes (equalizing)

Park Brake Lever



Standard Equipment

Manual Adjustable Tread Width from 72 in. to 84 in. Maximum Drawbar Support Clearance -30 in.

HYDRAULIC SYSTEM

Fixed displacement pumps Dual Gear Pumps

Maximum Flow at Rated Engine Speed:

Implement Pump: 22 gpm Steering Pump: 7 gpm Total Flow: 29 gpm

(2) Close Center Deluxe Remotes with Flow Controls, Adjustable Detents and

(4) Couplers

3-POINT LIFT SYSTEM

One internal lift cylinder Top Link Draft Sensing 3735 lbs. Lift Capacity @ 24 in. (ASAE) Category II, 3-point Linkage with Flexible Link Ends Telescopic Stabilizers

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, digital speed readout Gauges for fuel level, engine temperature, tachometer and hour meter Horn

ELECTRICAL:

(1) 950 cca Heavy-Duty Battery 120 amp Alternator 7-pin Outlet for trailer/implement lighting and signals 3-pin Power Outlet (30 amp) - cab only

Single Pin (8 amp) Accessory Power 12V power socket (cigarette lighter) cab only

LIGHTING:

ROPS

Front: (2) Halogen Headlights

Rear: (1) Worklight

Turn Signals/Flashers/Rear Lights

CAB

Front: (2) Halogen Headlights and (4) cab mounted worklights Rear: (4) cab mounted worklights Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:


ROPS MODELS

2-Post Foldable ROPS with ISOmounted flat deck platform Steering Wheel - adjustable tilt Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts and arm rests

Suspended pedals Locking brake pedals

CAB MODELS

ROPS protected, FOPS Certified, flat deck platform with heat and air conditioning, tinted windshield, two doors with locks, two external mirrors, openable side windows, hinged rear window (opens completely) Steering Wheel - adjustable tilt Seat - Cloth covered with mechanical suspension, operator's presence sensor, retractable seat belt and arm rests Suspended pedals, Radio, wires, speakers, and antenna Front window washer and wiper



Standard Equipment

MISCELLANEOUS	WARRANTY
Front push frame mounts	New Holland Standard Warranty Applies

Front push frame mounts
Pivoting Engine Hood
SMV Emblem
Toolbox



Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
TS6.120 II HC ROPS T4B	Rops & High Clearance	MFD	12,000 LB	9078875P94	\$101,123.00
Includes the following Equipment					

13.6R28 MICHELIN (8201703) \$2,025.00 13.6R38 MICHELIN HC (8301709) \$2,515.00



Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
FAST PICK CONF	GURATION			
SD_T9980 PA	CKAGING			
	LESS PACKAGING.			No Charge
OTHER EQUIPME	:NT			
	IGINE SIDE RAILS	1		
463924	INSTALLED PUSH BAR	ļ	9001866P54	\$2,393.00
HITCH AND DRAV	VBAR			
SD_T8900 RE 336941	AR HITCHES/DRAWBAR DRAWBAR CLEVIS + PIN	<u> </u>	9000127P92	\$164.00
464040	PINTLE HITCH		9000405P60	\$520.00
TRANSMISSION				
SD_T2810 TR	ANSMISSION			
330061	16x8 With Power Shuttle		9001733P16	\$2,222.00
	16x8 DualPower Power Shuttle			
	NOT Compatible with Creeper (330066) AND rear			
	wheels 8360781.			
SD T3230 CF	REEPER or Interlock			
330066	10:1 CREEPER FOR 8+8 & 16+8			No Charge
	Creeper Transmission			
	NOT Compatible with 16x8 (330061) AND 46" rear			
	wheels (8360761 or 8360781).			
390266	L/CREEPER FOR 8+8		(902145P00)	(\$2,750.00)
	Less Creeper Option			



TIRE	ES .			
FR	ONT WHEELS 8	& TIRES		
		ONT WHEELS AND TIRES		
	4WD Front			
\vdash	8201706		9001961P70	\$2,515.00
\vdash	8296801	12.4R x 46 R2 - ANY BR	9003921P06	\$5,027.00
	8215404	9.5R48 R1W Wide Track	9004020P12	\$5,154.00
\vdash		Matches 230/95R48 R1W Rear Tire		
	8299905	Front Shipping Wheels-4WD	9000166P14	\$213.00
\Box		4WD Shipping Wheels		
RE	AR WHEELS &	TIRES		
		AR WHEELS AND TIRES		
	Flange Axle			
	8301709	13.6R38 MICHELIN HC	9001961P70	\$2,515.00
\vdash		Requires 13.6R38 Front Tires		
	8390701	12.4R X46 R2 8390701	9003921P06	\$5,027.00
\vdash		Requires 12.4 x 46 R2 Front Tires		
	8903401	230/95R48 R1W	9004020P12	\$5,154.00
\vdash		Requires 230/9.5 x 48 FrontTires		
	8399905	Shipping Wheels-Rear	9000624P78	\$801.00
HYD	RAULICS			
RE	AR REMOTE V	ALVES		
	SD_T8270 RE	AR REMOTES		
	429473	3 Bosch RR Flow Ctrl	9000885P30	\$1,135.00
	429474	4 Bosch RR Flow Ctrl	9001766P70	\$2,265.00
TAN	IKS			
TA	NKS			
	SD_P8103 TA	NK		
	463747	240G FENDER TANKS	9005113P68	\$6,556.00
		Two 120 US Gallon Tanks are intergrated into		* - /
		the fenders and installed on the tractor.		
	463748	2 TANKS SET	9011930P88	\$15,296.00
		Two 120 US Gallon Tanks are intergrated into		, ,
		the fenders and installed on the tractor and		
		The second of th		

two additional tanks shipped with the tractor

on a skid.

3-POINT HITCH

TS6 T4B HIGH CLEARANCE - LESS FAST PICK US PRICE LIST

REAR 3 POINT H	ITCH		
SD_T8240 E	XTERNAL LIFT CONTROL		
330845	External 3-pt Control for MDC	9000155P22	\$199.00
	Mechanical ground control for 3 point hitch		
	(not compatible with 2 external lift cylinders 339784)		
SD_T8950 A	UX RAMS		
390344	Hyd Lift w/ 1 int. cyl		No Charge
	1 Internal Lift Ram		
	3,735 pounds lift capacity		
336784	Hyd Lift w/ 1 int. & 1 ext cyl	9000602P16	\$772.00
	1 Auxiliary Lift Ram		
	5,499 pounds lift capacity		
339784	Hyd Lift w/ 1 int. & 2 ext cyl	9001137P24	\$1,458.00
	2 Auxiliary Lift Rams		
	7,326 pounds lift capacity		
463789	HYD LIFT 1CYL TANKS		No Charge
	1 Internal Lift Ram		
	3,735 pounds lift capacity		
	Used with 240 Gallon Fender Tanks		
463790	HYD LIFT XT CYL TANK	9000602P16	\$772.00
	1 Auxiliary Lift Ram		
	5,499 pounds lift capacity		
	Used with 240 Gallon Fender Tanks		
463791	HYD LIFT 2CYL TANKS	9001137P24	\$1,458.00
	2 Auxiliary Lift Rams		
	7,326 pounds lift capacity		
	Used with 240 Gallon Fender Tanks		
-!!		· · · · · · · · · · · · · · · · · · ·	
WEIGHTS			
WEIGHTO			
FRONT WEIGHT:			
TRONT WEIGHT			
SD T2150 F	RONT BALLAST		
334923	Carrier less front weights	9000266P76	\$342.00
330213	Front Weight Carrier +8 wghts	9001050P66	\$1,347.00
330213	Front weight carrier & 8 weight slices (31kgs / 68 lbs each)	3001030100	Ψ1,041.00
330214	Front Weight Carrier +12 wghts	9001485P12	\$1,904.00
330214	Front weight carrier & 12 weight slices (31kgs / 68 lbs each)	3001403F12	ψ1,504.00
330218	Front Weight Carrier +16 wghts	9001625P52	\$2,084.00
330216	Front weight carrier & 16 weight slices (31kgs / 68 lbs each)	9001023F32	φ2,004.00
	From weight carrier & to weight slices (31kgs / 00 lbs each)		



CAB OPTION		
SEATS		
SD_T8500 SEAT		
336923 Air suspension seat w/swiv	vel 9000800P28	\$1,026.00
With 15 degree swivel		
INSTRUCTOR SEAT		
INCINCOTOR OLIVI		
SD_T5702 INSTRUCTOR SEAT		
336937 Instructor seat	9000490P62	\$629.00
REAR WINDOW WIPER/WASHER		
SD_T9150 REAR WIPER & WASHER		*****
330642 Rear wiper/washer - CAB Rear window wiper/wash	9000230P88	\$296.00
iteal willdow wiper/wasi	iei ioi cab	
RADIO		
SD T9160 RADIO READY		
392295 Radio 392295	9000207P48	\$266.00
		,
MISCELLANEOUS		
DDAKEC/TDAILED DDAKE		1
BRAKES/TRAILER BRAKE		
SD_T7130 TRLR BRK VLV		
330718 Hydraulic trailer brakes	9000779P22	\$999.00
REVERSE ALARM		
NEVEROL ALANN		
SD_T9249 REVERSE ALARM		
330692 Reverse Alarm	9000143P52	\$184.00
ROPS CANOPY		
SD_T8771 CANOPY		
335857 Canopy	9000677P04	\$868.00
Only for Open Station Ro	UPS tractor	

339986

Spanish Decals

No Charge



TS6 T4B HIGH CLEARANCE - LESS FAST PICK US PRICE LIST

RUBBER FLOOR	MAT		
SD_T5701 FL	OOR MAT		
334742	Rubber floor mat	9000089P70	\$115.00
	Only for open station ROPS tractors		
OPERATOR'S MA	ANUALS		
			<u> </u>
SD_T9802 OI	PERATORS MANUAL		
429481	Spanish Bosch T4B		No Charge
429482	French Bosch T4B		No Charge
			_
SD_T9840 C0	DUNTRY CONFIGURATION		
339982	French Decals		No Charge

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS New Holland -2022 Price List Grounds Equipment - Bid #ESCNJ 18/19-25



TS6 Tier 4B Tire Charts

Tire Combinations - TS6.110, TS6.120, TS6.130, TS6.140

All Purpose Standard Tractor	Туре
Туре	Variant
REAR Wheels for Flange Axle	
18.4R30 R1W Michelin Agribib	8301702
18.4R34 R1W Michelin Agribib	8301703
18.4R38 R1W Michelin Agribib	8301705
520/70R38 R1W Michelin Omnibib	8301707
12.4x42 R1 Firestone	8380100
RR Shipping Wheels	8399905
REAR SINGLE Wheels for 98" Bar Axle	
18.4R34 R1W Michelin Agribib	8301704
18.4R38 R1W Michelin Agribib	8301706
520/70R38 R1W Michelin Omnibib	8301708

12.4x42 R1 Firestone

RR Shipping Wheels

320/90R46 R1 Goodyear *

380/85R46 R1 Goodyear *

320/90R54 R1W - Bar Single

									T				
			FRONT Whe	els for 4WD FF	RONT AXLE					FRONT Wheels for	2WD FRONT AXLE		
13.6R24 R1W	13.6R28 R1W	14.9R28 R1W	380/85R30 R1W	12.4x28 R1	250/95R34 R1	320/85R34 R1	13.6 R38 128A8/125B TL AGRIBIB - 54" Front	FR Shipping Whl	10.00x16 8ply	(F2) Firestone	Front S	hip Whl	
8201702	8201703	8201704	8201705	8282201	8248621	8248631	8201708	8299905	8114404	8180522	8199101	8843901	
									Std. Duty F. Axle	HD Front Axle	Std. Duty F. Axle	HD Front Axle	
X									X	X	X	Х	
	X								X	X	X	Х	
		TS6.110/120	TS6.130/140						X	X	X	Х	
		TS6.110/120	TS6.130/140						X	X	X	Х	
				Х					X	X	X	Х	
								Х	X	X	X	Х	
									1				
	Х								Х	Х	Х	Х	
		TS6.110/120	TS6.130/140						Х	Х	Х	Х	
		TS6.110/120	TS6.130/140						Х	Х	Х	Х	
				X					Х	Х	X	Х	
					Х				X	Х	Х	Х	
						Χ			Х	Х	Х	Х	
							Х		N/A	N/A	N/A	N/A	
								X	X	Х	Х	Х	

* Not compatible with 16x8 and creeper transmission #330066

8318590

8360761

8360781

8301806

8399906

Tire Combinations - TS6.120 High Clearance

High Clearance Tractor	Туре
Туре	Variant
REAR Wheels for Rear Axle	
13.6R38 R1W Michelin	8201709
12.4R46 R2 Firestone	8390701
230/9.5R48 R1W Firestone	8903401
RR Shipping Wheels	8399905

FRONT Whools for AMD FRONT AVI F										
FRONT Wheels for 4WD FRONT AXLE										
13.6R38 R1W	12.4R46 R2	230/9.5R48 R1W	FR Ship Whl							
8201706	8296801	8215405	8299905							
Х										
	Х									
		X								
			X							

Updated 7/1/2019

Authorized Referral Attachment:

Front 3-Point Hitch & Front PTO for New Holland TS6 Series (Tier 4B TS6)



For customers looking for additional TS6 versatility and productivity, a front 3-point hitch, with or without front PTO, is available from Zuidberg North America, Inc.

For process information and pricing, please contact:

Zuidberg North America Inc. 3105 Capital Way, Suite 1 Cedar Falls, IA-50613 United States of America Toll free: 844-791-4674 Phone: 319-553-4800 E-mail: sales@zuidbergna.com

Web: www.zuidbergna.com

Front hitch features (TS6 Tier 4B tractors):

- Lift capacity up to 6200 lbs (2800 kg)
- Two double acting lift cylinders with multi-valve for double/single acting operation
- Cat. II width with Cat. IIIL quick couplers and balls
- Compatible with New Holland front loaders for TS6-series
- Compatible with 4WD Cab, ROPS and HC (mudder) models. Not compatible w/ 2WD tractors
- Optional equipment:
 - o Front hydraulic outlets, chain hooks and accumulator
 - Weight frame, to carry tractor original suitcase weights
 - Push bar and torsion tube for pushing applications
- Includes all mounting hardware, hydraulic hoses, fittings and installation instruction

Front PTO features (TS6 Tier 4B tractors):

- Wet plate clutch with internal oil pump
- Adjustable engagement to accommodate different implements
- PTO options:
 - o 1000 rpm clockwise rotation, 1 3/8" shaft, 21 spline
 - 1000 rpm counter clockwise rotation, 1 3/8" shaft, 6 spline
 - o 540 clockwise rotation, 1 3/8 shaft, 6 spline
 - o 1000 rpm variants handle full engine performance
 - o 540 CW variant max. 80 HP (overload protection required)
- Compatible with 4WD Cab, ROPS and HC (mudder) models. Not compatible with 2WD tractors
- Includes all mounting hardware, hydraulic hoses, fittings and installation instruction.

Please be advised that Zuidberg North America Inc. is responsible for service parts, warranty and service support.

	TS6 Tier 4B Models and Configurations										
Part Number	DIA Description	TS6.110	TS6.120	TS6.130	TS6.140	ROPS	CAB	2WD	4WD	All Purpose	High Clear
	Engine										
710206034	Engine 110 volt Engine block heater	X	Х	Х	Х	X	X	X	X	X	X
47805466	Vehicle Clavis for draw bar (110 120)	X	X			X	X	X	X	X	X
	Clevis for draw bar (110,120)	^	^	Х							^
47805469	Clevis for draw bar (130,140)				X	X	X	X	X	X	
47805455 47805457	Front weight carrier + 8 weight slices Front weight carrier + 16 weight slices	X	X	X	X	X	X	X	X	X	X
47805459	6 rear weight slices (incl. 30" & 12 slice adaptor kits), Black	X	Х	Х	Х	Х	Х	Х	X	Х	Х
47805463	Dynamic Front Fenders for MFWD (110,120)	Х	Х	-	-	Х	Х	-	Х	Х	-
718510024	Dynamic Front Fenders for MFWD (130,140)	-	-	Х	Х	X	Х	-	Х	Х	-
	Cab										
47805414	2 additional front + 2 additional rear worklights for cab(Total 4 front and rear) NH	Х	Х	Х	Х	1	Х	Х	Х	Х	Х
47805420	2 additionl front + 2 additional rear worklights for cab(Total 4 front and	X	Х	Х	Х	_	X	X	X	Х	X
710879250	rear) CIH 2 x Telescopic External Mirrors (Shatter proof & Large head)	X	X	X	X		X	X	X	X	X
47805427	Rear window washer & wiper	X	X	X	X	-	X	X	X	X	×
718130060	Monitor Mounting Bracket (baler control box)	X	Х	Х	X	-	X	X	X	X	Х
718121253	Instructor seat DIA NH	Х	Χ	Х	Χ	-	Χ	Х	Χ	Χ	Χ
	none.										
47805456	ROPS Floor mat (Platform) Rops	X	Х	Х	X	X	-	X	Х	X	X
	r oor man (r manorm) r ope										
47805467	Canopy, Blue	Х	Х	Х	Х	Х	-	Х	Χ	Χ	Χ
47911750	Steel FOPS (White) Recommended for loader installation	Х	Х	Х	Χ	Х	-	Х	Х	Χ	Χ
47805476	Rotating beacon F/Cab	Х	Х	Х	Х	-	Х	Х	Х	Χ	Χ
47805477	Back-up alarm	Х	Х	Х	Χ	Χ	Χ	Х	Х	Χ	Χ
47805481	Extremity Lights for Duels BODS	X	Х	Х	~	X		X	X	X	
47805483	Extremity Lights for Duals ROPS Extremity Lights for Duals CAB	X	X	X	X		X	X	X	X	
	, 0										
	Driveline										
48048942	Trailer Brake- Tier 3 & 4B (not for High Clearance)	Х	Х	Х	Х	X	X	X	X	Х	
	Hydraulics										
47932558	Hydraulics Auxiliary hydraulic pump kit (9 gpm)	X	X	X	X	X	X	Х	X	Х	X
	Auxiliary hydraulic pump kit (9 gpm)	X			X	X					X
47805493	Auxiliary hydraulic pump kit (9 gpm) From 2 Deluxe Valves to 3 Cab for Sohipren	Х	Х	Х	Х	X	Х	Х	X	Х	Х
47805493 47805497	Auxiliary hydraulic pump kit (9 gpm) From 2 Deluxe Valves to 3 Cab for Sohipren From 3 Deluxe Valves to 4 Cab for Sohipren	X	X	X	X			X	×	X	X
47805493	Auxiliary hydraulic pump kit (9 gpm) From 2 Deluxe Valves to 3 Cab for Sohipren	Х	Х	Х	Х	X	Х	Х	X	Х	Х
47805493 47805497 47805499	Auxiliary hydraulic pump kit (9 gpm) From 2 Deluxe Valves to 3 Cab for Sohipren From 3 Deluxe Valves to 4 Cab for Sohipren From 2 Deluxe Valves to 3 Platform for Sohipren	X X X	X X X	X X X	X X X	X	Х	X X X	X X	X X X	X X X
47805493 47805497 47805499 47805500 47805484 47805488	Auxiliary hydraulic pump kit (9 gpm) From 2 Deluxe Valves to 3 Cab for Sohipren From 3 Deluxe Valves to 4 Cab for Sohipren From 2 Deluxe Valves to 3 Platform for Sohipren From 3 Deluxe Valves to 4 Platform for Sohipren Mid-Mount Loader Valve & Joystic (NH Cab) for Sohipren Mid-Mount Loader Valve & Joystic (NH ROPS) for Sohipren	X X X X X	x x x x x	x x x x x	x x x x x	X	x x x	X X X X X	X X X X X	X X X X X	x x x x x
47805493 47805497 47805499 47805500 47805484 47805488 47929594	Auxiliary hydraulic pump kit (9 gpm) From 2 Deluxe Valves to 3 Cab for Sohipren From 3 Deluxe Valves to 4 Cab for Sohipren From 2 Deluxe Valves to 3 Platform for Sohipren From 3 Deluxe Valves to 4 Platform for Sohipren Mid-Mount Loader Valve & Joystic (NH Cab) for Sohipren Mid-Mount Loader Valve & Joystic (NH ROPS) for Sohipren From 2 Deluxe Valves to 3 Cab for Bosch	X X X X X X	x x x x x x	x x x x x x	x x x x x x	X	x x x x	X X X X X X	x x x x x x	X X X X X X	x x x x x x
47805493 47805497 47805499 47805500 47805484 47805488 47929594 47929596	Auxiliary hydraulic pump kit (9 gpm) From 2 Deluxe Valves to 3 Cab for Sohipren From 3 Deluxe Valves to 4 Cab for Sohipren From 2 Deluxe Valves to 3 Platform for Sohipren From 3 Deluxe Valves to 4 Platform for Sohipren Mid-Mount Loader Valve & Joystic (NH Cab) for Sohipren Mid-Mount Loader Valve & Joystic (NH ROPS) for Sohipren	x x x x x x x	x x x x x x x	x x x x x x x	x x x x x x	X	x x x	X X X X X X	x x x x x x	X X X X X	x x x x x
47805493 47805497 47805499 47805500 47805484 47805488 47929594	Auxiliary hydraulic pump kit (9 gpm) From 2 Deluxe Valves to 3 Cab for Sohipren From 3 Deluxe Valves to 4 Cab for Sohipren From 2 Deluxe Valves to 3 Platform for Sohipren From 3 Deluxe Valves to 4 Platform for Sohipren Mid-Mount Loader Valve & Joystic (NH Cab) for Sohipren Mid-Mount Loader Valve & Joystic (NH ROPS) for Sohipren From 2 Deluxe Valves to 3 Cab for Bosch From 3 Deluxe Valves to 4 Cab for Bosch	X X X X X X	x x x x x x	x x x x x x	x x x x x x	X	x x x x	X X X X X X	x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x
47805493 47805497 47805499 47805500 47805484 47805488 47929594 47929596 47929608 47929610 47932560	Auxiliary hydraulic pump kit (9 gpm) From 2 Deluxe Valves to 3 Cab for Sohipren From 3 Deluxe Valves to 4 Cab for Sohipren From 2 Deluxe Valves to 3 Platform for Sohipren From 3 Deluxe Valves to 4 Platform for Sohipren Mid-Mount Loader Valve & Joystic (NH Cab) for Sohipren Mid-Mount Loader Valve & Joystic (NH ROPS) for Sohipren From 2 Deluxe Valves to 3 Cab for Bosch From 3 Deluxe Valves to 4 Cab for Bosch From 2 Deluxe Valves to 3 Platform for Bosch From 3 Deluxe Valves to 4 Platform for Bosch Mid-Mount Loader Valve & Joystic (NH Cab) Bosch	x x x x x x x x x	X	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	×	x x x x x	x x x x x x x x x	x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x
47805493 47805497 47805499 47805500 47805484 47805488 47929594 47929596 47929608 47929610	Auxiliary hydraulic pump kit (9 gpm) From 2 Deluxe Valves to 3 Cab for Sohipren From 3 Deluxe Valves to 4 Cab for Sohipren From 2 Deluxe Valves to 3 Platform for Sohipren From 3 Deluxe Valves to 4 Platform for Sohipren Mid-Mount Loader Valve & Joystic (NH Cab) for Sohipren Mid-Mount Loader Valve & Joystic (NH ROPS) for Sohipren From 2 Deluxe Valves to 3 Cab for Bosch From 3 Deluxe Valves to 4 Cab for Bosch From 2 Deluxe Valves to 3 Platform for Bosch From 3 Deluxe Valves to 4 Platform for Bosch Mid-Mount Loader Valve & Joystic (NH Cab) Bosch Mid-Mount Loader Valve & Joystic (NH ROPS) Bosch	x x x x x x x x	x x x x x x x x x	x x x x x x x x x	x x x x x x x x	×	x x x x x	x x x x x x x x	x x x x x x x x	X X X X X X X X X X X X X X X X X X X	x x x x x x x x
47805493 47805497 47805499 47805500 47805484 47805488 47929594 47929596 47929608 47929610 47932560	Auxiliary hydraulic pump kit (9 gpm) From 2 Deluxe Valves to 3 Cab for Sohipren From 3 Deluxe Valves to 4 Cab for Sohipren From 2 Deluxe Valves to 3 Platform for Sohipren From 3 Deluxe Valves to 4 Platform for Sohipren Mid-Mount Loader Valve & Joystic (NH Cab) for Sohipren Mid-Mount Loader Valve & Joystic (NH ROPS) for Sohipren From 2 Deluxe Valves to 3 Cab for Bosch From 3 Deluxe Valves to 4 Cab for Bosch From 2 Deluxe Valves to 3 Platform for Bosch From 3 Deluxe Valves to 4 Platform for Bosch Mid-Mount Loader Valve & Joystic (NH Cab) Bosch	x x x x x x x x x	X	x x x x x x x x x x x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	×	x x x x x	x x x x x x x x x	x x x x x x x x x	x x x x x x x x x x x x x x x x x x x	x x x x x x x x

R. Arnold; Mexico Product Platform Page 1 / 1