

U.S. PRICE LIST

TRACTOR LOADER BACKHOES

EFFECTIVE: January 1, 2022

THIS IS AN ELECTRONIC COPY ONLY - HARD COPIES WILL NOT BE DISTRIBUTED.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Tractor Loader Backhoe

B75D

B95C

B95C TC

B110C

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

Copyright 2021 By

CNH Industrial America LLC

Grounds Equipment - Bid #ESCNJ 18/19-25



INDEX

Utility Line Price & Data Pages

<u>EQUIPMENT DESCRIPTION</u> <u>PAGE</u>

Tractor-Loader Backhoes

B75D - NEW MODEL	3
B95C 2WD	7
B95C 4WD	15
B95C TC	23
B110C 2WD	31
B110C 4WD	39
Field Installed Kits from Parts	47

Attachment Note:

Refer to New Holland Attachment Catalog for all attachments.

For hydraulic thumbs effective with hydraulic extendable dipper (HED), not offered by New Holland, contact Burlington Installation Corp (BIC - Wichita, KS) for product availability and installation.

BIC Contact: 888-832-3462, www.coneqtec.com.

All other attachment inquiries, contact third party suppliers.



B75D TRACTOR LOADER BACKHOE US PRICE LIST

Standard Equipment

ENGINE:

FPT F5C Diesel
207 CID (3.4L)
Tier 4 Final certified
Diesel Oxidizing Catalyst (DOC) - Spark
 Arresting

Horsepower, turbocharged:

- Gross 74 HP (55 Kw)

- Net 68 HP (51 Kw) with 33 degree, 72hp (53.5 Kw) w/ viscous fan Air cleaner Replaceable Dry type with radial seal

Anti-freeze (protect to -34 degrees) Fuel tank: 34.6 gal. (131L)

POWER TRAIN:

4F-R power shuttle (synchromesh) transmission with de-clutch

OPERATOR'S PROTECTIVE STRUCTURE:

ROPS/FOPS Certified Canopy

Standard Option: Cab

Interior rear view mirror

Mechanical suspension vinyl seat, 180

degree swivel

Standard: w/ ROPS

Option: mechanical suspension

fabric seat w/ cab

Seat belt, 2" retractable

(CAB ONLY) Radio

INSTRUMENTATION:

Gauges (backlit w/ illuminated
pointers):

Engine Coolant Temp Converter oil temp

Fuel level

Tachometer/hour meter

Voltmeter

Cold Start/Pre-Heater
Transmission Oil Temp
Brake Oil Level
Engine Oil Pressure
Parking Brake Engagement
High Coolant Temp

Audible Warning Alarm for:

Hydraulic Filter Clog

Backup Alarm

Horn, Dual Switched @ Front & rear

Turn Signal Indicator w/ Switch
4 Signal Indicator Emergency

HYDRAULICS:

Variable pump (143 l/min , 37.7 GPM @ 2200 rpm), Open Center Load Sensing system

ELECTRICAL:

12 vold system
Battery, 800 cold cranking amps,
110aH

Alternator: 120 AMP

Lights:

Front

Rear

2 Amber Turn/flasher lights
 (21 W) with integrated red
 stops (21 W Stop - 10W
 position) and Reverse lights
 (21W)

4 individual 55 W Work Lights



B75D TRACTOR LOADER BACKHOE US PRICE LIST

Standard Equipment

BACKHOE - INTEGRAL:

Digging depth:

Choice of 14' standard backhoe

OR

18' Extendahoe

Mechanical 2 Lever controls

1-Way Flow w/ Manual Controls std.

OTHER STANDARD FEATURE:

Full Flow Engine Oil Filter

Aspirated Air Cleaner

Fuel Filter w/ Water Trap

Radiator with De-Aeration Bottle

Antifreeze to -37 deg C (-34 deg F)

Electronic Throttles, (Foot and

Rotary hand)

Self-Adjusting Belt

High Pressure Common Rail Computer

Controlled injection w/

Diagnostic features

4WD Heavy Duty Mechanically driven

front axle w/ 12.5/80-18 IND

tires (BKT)

Heavy Duty outboard Planetary drive

w/ 16.9-28 Tires (BKT)

300mm Torque Converter

On the go 4WD control

40 km/h travel speeds

Electric F/R Shuttle Control

Rear fender extensions

Side Mirros both (LH/RH)

Tool Box

LH Storage compartment

Adjustable opening windows

Two (2) Doors Access

Rear window open access

USB plug (1)

Radio (Cab Only)

Dome light controled by switch on light

Sealed fuse/relay enclosures located

in front and side console

10 micron spin-on return line oil filter

with clogging indicator

Heavy duty hydraulic oil cooler

Hydrostatic steering with priority

Boom priority functionality in Backhoe

valve

Hydraulic actuated wet disk brakes,

adjusting, self fill

Forward tiltable engine hood

Front wrapper and heavy duty grille

Front and rear hook towing

Mechanical transport lock

Isolated operator compartment

Mechanical parking break

Shift lever - (4) positions

Power steering pump

Front counterweight

Heating system

Center pivot

WARRANTY:

1-Year - Unlimited - Hour Full Coverage base limited warranty 2-Year - 2,000 - hour extended

Engine Warranty



B75D TRACTOR LOADER BACKHOE US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
B75D 4WD	15,225 LB		\$98,395.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
ROPS/CAB				
00 05007 0	OLLOVED PROTECTIVE OTRUCTURES			
SD_05097 R0	Cab, 2 Door with Heat and AC		1	\$9,270.00
147653	Cab, 2 Door with neat and AC			φ9,270.00
BACKHOE				
Bronne				
SD_L7009 BA	ACKHOE			
423076	Extendahoe (EHOE)			\$5,214.00
		•	•	
SD_L5215 BA	ACKHOE BUCKET			
742386	12" HD Backhoe Bucket			\$974.00
742387	18" HD Backhoe Bucket			\$1,236.00
742388	24" HD Backhoe Bucket			\$1,365.00
742389	30" HD Backhoe Bucket			\$1,467.00
	30N UNIVERSAL BACKHOE BUCKET			
	Not available with 423076 EXTENDAHOE OPTION			
742390	36" HD Backhoe Bucket			\$1,530.00
	36IN UNIVERSAL BACKHOE BUCKET			
	Not available with 423076 EXTENDAHOE OPTION			
LOADER				
SD_20248 LD	PR VALVE & CTRLS			
745249	3SPL VLV & CTRL -RTD			\$824.00
	Loader Auxiliary Hydraulics - Order with 4x1 bucket			
SD 15302 17	DADER BUCKET			
742246	STD BUCKET 1 M3 W/O		T	No Charge
142240	1910 DOCKET TWO W/O			NO Charge

728860 Front Fenders

\$432.00



B75D TRACTOR LOADER BACKHOE US PRICE LIST 464122 4X1 LDR BCKT W/ EDGE Must order 745249 3-spool Loader Auxiliary Hydraulics. ADDITIONAL EQUIPMENT SD_18011 FRONT FENDERS



Standard Equipment

ENGINE (Tier 4 Final): A/C Low/High Pressure Electronic 4 Cylinder Diesel, Direct Engine Oil Pressure Injection, Turbo aftercooler Parking Brake Engagement 3.4L (207 cu. in.) Displacement Low Fuel Power - ISO14396 Low DEF - Gross 97 SAE hp (72 KW) Master Warning - Net 95 SAE hp (71KW) Master Stop Full flow engine oil filter 108 dB(A) alarm at 2100 Hz for Aspirated air Cleaner - Replaceable dry Canopy units type dual element with radial seal 109 dB(A) alarm at 2100 Hz for Cab Glow Plugs Cold Start units Cooled EGR Audible Warning Alarm for: Fuel Tank - useable capacity 34.6 Coolant Temperature Engine Oil Pressure US gal (131 L) Radiator with Expansion bottle Parking brake engagement Antifreeze -34°F (-37°C) Low DEF Selective Catalytic Reduction (SCR) Backup Alarm Diesel Exhaust Fluid (DEF) Tank Horn, dual switched @ Front & Rear Useable Two buttons for screen navigation Capacity 3.5 us gal (13.2L) and control Turn Signal indicators with switch Viscous fan drive Self adjusting belt 4 signal indicator emergency POWERTRAIN: ELECTRICAL: 4F-4R Power shuttle Synchromesh Auto Engine Protection Transmission (PT units) 12V System 300mm Torque Converter Single 95Ah 900A Battery Electric F/R Shuttle Control High Capacity Alternator 160 Amp Electric Differential Lock control with Key Start push button activation, located on Prewired for radio (CAB only) the loader control lever Fuses/Relays located in the right console INSTRUMENTATION ILLUMINATED: Neutral start switch Sealed Fuseblock Compartment Gauges: Engine Coolant Temperature Water Resistant Main Fuseblock

Engine Coolant Temperature
Converter Oil temperature
Fuel Level
DEF Level
Tachometer/hourmeter
Backlit gauges with illuminated
pointer
Warning Lights:

Air cleaner restriction Alternator Cold Start

4 Individual 55 W work lights

and Tail lights (5 W)

2 Amber Turn flashed lights

4 Individual 55 W works lights

2 Amber Turn/flasher lights (21 W)

with integrates red stops (21 W)

Lights:

Cab/Canopy Front:

Cab/Canopy Rear:



Standard Equipment

HYDRAULICS:

Open center hydraulic system
(Mechanical control)

Twin Gear Pump 40GPM (151 L/min)
@ 2200 RPM (Mechanical control)

Load sensing, closed center hydraulic system (Pilot control)

Variable Displacement Pump from 1.5
to 41 GPM (6 to 156 L/min) @ 2200
RPM (Pilot control)

7 Micron Spin oil filter

Heavy duty Hydraulic oil cooler

FRONT AXLE:

74 in. Tread Width
8-bolt Wheel Hub
Hydrostatic Power Steering
with priority
Intergrated Steering Cylinder
2WD: Cast Construction

O-Ring Face Seal Fittings

REAR AXLE/BRAKES:

68 in. Fixed Tread Width
Outboard Planetary Final Drive
Multi-Plate Hydraulic, Self-Adjusting,
Self-Equalizing Wet Disc Brakes
Spring applied hydraulic released
(SAHR) wet parking brake located
on transmission output shaft
Differential Lock (electric actuated)

OPERATOR STATION:

ROPS/FOPS Certified Canopy & Cab
Flat Deck
Dual Side Entry
Fixed Steering Column
 (Canopy model)
Tilted Steering Column
 (Cab model)
Rear Fenders/extensions
Hand and Foot Throttle
Right-Hand Instrument Console
Interior Rearview Mirror
Exterior LH & RH Rearview Mirror

60,790 BTU Heater -3 Speed Fan(Cab)
Air-Conditioning (Cab)
Retractable Sun Shade (Cab)
Mechanical Cloth Suspension Seat
 (Cab) with 2" retractable seat belt
Mechanical Vinyl suspension seat
 (Canopy) with 2" retractable seatbelt
Antivandalism Cover for dash (Canopy)
Adjustable opening windows
2 door access
Rear window open access
All tinted glass
Front and rear winshield wipers
Oversea Protection

LOADER:

Straight Loader Arms
Single lever 4 function loader control;
Lift, Dump, Clutch Cut out, Diff lock
Mechanical Strut lock
Bucket Level Indicator
Return-to-Dig & Anti-Rollback Feature
Dual Lift and Bucket Cylinders

BACKHOE:

14'6" Dig Depth (Standard Backhoe) 161.5 degree bkt rotation in power 200 degree bucket rotation in speed hole Dirt Stabilizer Pads Mechanical operated control system: 2 lever control - NH Horn button Pedal command for extendable dipper (mechanical) 6 spool backhoe control valve (machine with Std dipperstick) 7 spool backhoe control valve (machine with HED dipperstick) Pilot operated control system: Thumb operated Proportional electrohydraulic extendahoe control Thumb operated horn button Indefinitely adjustable towers



Standard Equipment

In Cab pattern change control Thumb operated one touch Idle Backhoe lift eye

SAFETY AND SECURITY:
4-Post ROPS/FOPS
Lockable Compartments for:
Engine, Hydraulic System, Battery,
Lockable Fuel Cap
Horn

Backup Alarm

WARRANTY: Base Warranty coverage: 12-Month / Unlimited Hr Full Machine Limited Warranty

SHIPPING POINT:
Port of Entry



Models

COMMERCIAL MODEL	BRAND	MODEL	TRACTION	Weight	Factory Data	List Price
B95C SLA CP 2WD	New Holland CE	B95C SLA CP B95CSL4	2WD	17,637 LB		\$108,918.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
CONTROLS AND	TRANSMISSION			
SD 08025 TR	RANSMISSION			
745191	2WD STD TRANS 745191			No Charge
•		<u>'</u>		
SD_20038 BA	ACKHOE CONTROLS			
728393	2-Lever Backhoe Controls			No Charge
742012	4 Lever Backhoe Controls			\$577.00
745190	PILOT CONTROLS			\$3,954.00
ROPS/CAB				
T T	DLLOVER PROTECTIVE STRUCTURES		T	
745213	CANOPY			No Charge
745287	CAB			\$10,668.00
	Includes LH & RH Ext. Rearview Mirrors, Heat and AC			
WHEELS				
SD_13006 FR	RONT WHEELS			
8138664				No Charge
SD_09006 RE	AR WHEELS			
8362694	PN 21L-24 EZ Rider Galaxy			\$417.00
8366964	PN 16.9-28 EZ Rider Galaxy			\$742.00
8393664	PN 19.5L-24 EZ Rider Galaxy			No Charge

XL5302X | Without Loader Bucket

BACKHOE



B95C T4F TRACTOR LOADER BACKHOE 2WD US PRICE LIST

27.01.1101		
SD_L7010 F	IED/EXT DIPPERSTICK	
745197	BHOE STD 15FT COMMON	\$3,090.00
745198	BHOE EXT 15FT COMMON	\$10,120.00
	HED Extendable dipper. Backhoe can reach 18ft when extended.	
745240	BHoe Std Dipper 14FT	No Charge
745241	BHoe Ext Dipper 14 FT 745241	\$7,030.00
	HED Extendable dipper. Backhoe can reach 18ft when extended.	
SD 40020 F	RONT BALLAST	
742290	Front Counterweight	No Charge
	351 lbs.	
742291	Medium Front Counterweight	\$706.00
	719 lbs.	ļ , , , , , , , , , , , , , , , , , , ,
742292	Heavy Front Counterweight	\$1,082.00
	974 lbs.	, ,,,,,,,
•		•
SD L5215 B	ACKHOE BUCKET	
728517	24" BACKHOE BUCKET	\$1,494.00
742388	24" HD Backhoe Bucket	\$1,421.00
	X No Backhoe Bucket	No Charge
<u> </u>	<u> </u>	
SD L5247 B	ACKHOE MECH QUICK COUPLER	
728733	Backhoe Mech. Quick Coupler	\$1,308.00
XL52472	·	No Charge
- 	· · · · · · · · · · · · · · · · · · ·	
SD L5401 S	TABILIZER PADS	
720535	Stabilizer Pads CP Dirt	No Charge
720536	Reversible Pads	\$917.00
• •	<u> </u>	<u> </u>
LOADER		
LOADLIN		
SD 20221 I	OCKING VALVES LOADER - MACH.	
	Loader Locking Valves	\$1,633.00
742010	Locks actuator in position when no motion is desired.	\$1,033.00
	Locks actuator in position when no motion is desired.	I
SD_L5302 L	OADER BUCKET	
728537	1.3 cu. yd. bkt w/Cutting Edge	\$546.00
742471	4x1 Loader Bkt w/Cutting Edge	\$6,427.00
742473	6x1 Bkt w/Forks & Cutting Edge	\$7,159.00

No Charge



SD_L5303 MECHANICAL QUICK COUPLER

	720734	Loader Mech Quick Coupler		\$2,460.00
	XL5303X	No Loader Mech Quick Coupler		No Charge

HYDRAULICS

SD_20135 LOADER HYDRAULIC CIRCUIT

	745292	2SPL No Ldr Aux Hyd		No Charge
Г	745293	3SPL Ldr Aux Hyd Cir		\$1,633.00

SD 20211 HAMMER CIRCUIT

 3D_20211 TIAININER CIRCOTI				
742017	Rear Hammer Circuit			\$2,544.00
	Backhoe one-way aux hydraulics for machines w/ mechanical BH			
	control			
	(pedal control). Common to run hammer.			
745220	UNI-AUX SWITCH			\$2,544.00
	Backhoe one-way aux hydraulics for machines w/ pilot BH control			
	(joystick control). Common to run hammer.			
745294	1WAY/2WAY AUX HYDS			\$3,605.00
	Pilot backhoe control Only. Used to run hammer or thumb.			

CAB/ROPS FEATURES

SD_05133 SEAT

7	720851	Deluxe Seat w/2" Seat Belt		No Charge
		Mechanical Suspension, cloth		
7	720855	Deluxe Air Suspension Seat		\$1,236.00
		AIR SUSPENSION HEATED SEAT W/ 2" BELT		
7	720856	Vinyl Seat w/2" Seat Belt		No Charge
		Mechanical Suspension		
	728851	Cloth Susp Seat w/3" Belt -Cab		\$93.00
		Mechanical Suspension		
7	728855	Super Delx Seat w/3" Belt -Cab		\$1,391.00
		AIR SUSPENSION, Heated		
7	728856	Vinyl Susp Seat w/3" Belt-ROPS		\$93.00
		Mechanical Suspension		

SD_06081 LIGHTS

	745283	LED Working Lights		\$824.00
	745284	STD Working Lights		No Charge



ADDITIONAL EQ	UIPMENT	
SD_34007 C	OLD START	
861131	Single Battery	No Charge
861321	Dual Batteries	\$221.00
	OTATING BEACON	
728758	Rotating beacon	\$155.00
OD 40004 T	201 BOV BU	
SD_43004 TO		¢475.00
747875	Tool box	\$175.00
SD 47083 O	PERATOR'S MANUAL	
742974	English Operator Manual	No Charge
742975	French Operator Manual	No Charge
742976	SPANISH OPERATOR MANUAL	No Charge
•		•
LOADER ACCESS	SORIES	
SD_20217 LT	S GLIDE RIDE CONTROL SYSTEM	
423099	Glide Ride (2 WD)	\$1,833.00
ADDITIONAL BAC	CKHOE BUCKETS	
SD 15240 AI	DDITIONAL BACKHOE BLICKET	
741386	DDITIONAL BACKHOE BUCKET 12" Heavy Duty Backhoe Bkt	\$1,226.00
	No 12" Heavy Duty Backhoe Bkt	No Charge
T ALOZHOA	THO IZ HEAVY BUSINESS BILL	The charge
SD L5241 AI	DDITIONAL BACKHOE BUCKET	
741387	18" Heavy Duty Backhoe Bkt	\$1,385.00
XL5241X	No 18" Heavy Duty Backhoe Bkt	No Charge
TELEMATICS		
	ELEMATICS ON BOARD	
745122	NH FleetForce On-Board	\$851.00
	Factory installed FleetForce telematics hardware.	
	All hardware included.	
	Includes 1 yr. Advanced subscription	
	Additional Subscription service available through parts.	
	TDAC Code located on invoice.	



Standard Equipment

ENGINE (Tier 4 Final): A/C Low/High Pressure Electronic 4 Cylinder Diesel, Direct Engine Oil Pressure Injection, Turbo aftercooler Parking Brake Engagement 3.4L (207 cu. in.) Displacement Low Fuel Power - ISO14396 Low DEF - Gross 97 SAE hp (72 KW) Master Warning - Net 95 SAE hp (71KW) Master Stop Full flow engine oil filter 108 dB(A) alarm at 2100 Hz for Aspirated air Cleaner - Replaceable dry Canopy units type dual element with radial seal 109 dB(A) alarm at 2100 Hz for Cab Glow Plugs Cold Start units Cooled EGR Audible Warning Alarm for: Fuel Tank - useable capacity 34.6 Coolant Temperature Engine Oil Pressure US gal (131 L) Radiator with Expansion bottle Parking brake engagement Antifreeze -34°F (-37°C) Low DEF Selective Catalytic Reduction (SCR) Backup Alarm Diesel Exhaust Fluid (DEF) Tank Horn, dual switched @ Front & Rear Useable Two buttons for screen navigation Capacity 3.5 us gal (13.2L) and control Turn Signal indicators with switch Viscous fan drive Self adjusting belt 4 signal indicator emergency POWERTRAIN: ELECTRICAL: 4F-4R Power shuttle Synchromesh Auto Engine Protection Transmission (PT units) 12V System 300mm Torque Converter Single 95Ah 900A Battery Electric F/R Shuttle Control High Capacity Alternator 160 Amp Electric Differential Lock control with Key Start push button activation, located on Prewired for radio (CAB only) the loader control lever Fuses/Relays located in the right console INSTRUMENTATION ILLUMINATED: Neutral start switch

Gauges:

Engine Coolant Temperature
Converter Oil temperature
Fuel Level
DEF Level
Tachometer/hourmeter
Backlit gauges with illuminated
pointers
Warning Lights:

Air cleaner restriction Alternator Cold Start Sealed Fuseblock Compartment Water Resistant Main Fuseblock

Lights:

Cab/Canopy Front:

- 2 Amber Turn flashed lights
- 4 Individual 55 W works lights

Cab/Canopy Rear:

- 2 Amber Turn/flasher lights (21 W)
 with integrates red stops (21 W)
 and Tail lights (5 W)
- 4 Individual 55 W work lights



Standard Equipment

HYDRAULICS:

Open center hydraulic system
(Mechanical control)

Twin Gear Pump 40GPM (151 L/min)
@ 2200 RPM (Mechanical control)

Load sensing, closed center hydraulic system (Pilot control)

Variable Displacement Pump from 1.5 to 41 GPM (6 to 156 L/min) @ 2200 RPM (Pilot control)

7 Micron Spin oil filter

Heavy duty Hydraulic oil cooler

O-Ring Face Seal Fittings

FRONT AXLE:

74 in. Tread Width
8-bolt Wheel Hub
Hydrostatic Power Steering
with priority
Intergrated Steering Cylinder
2WD: Cast Construction
4WD: 4WD Center Drive with Electrical
Engage and Indicator Light
Outboard Planetary Final Drive

REAR AXLE/BRAKES:

68 in. Fixed Tread Width
Outboard Planetary Final Drive
Multi-Plate Hydraulic, Self-Adjusting,
Self-Equalizing Wet Disc Brakes
Spring applied hydraulic released
(SAHR) wet parking brake located
on transmission output shaft
Differential Lock (electric actuated)

OPERATOR STATION:

ROPS/FOPS Certified Canopy & Cab
Flat Deck
Dual Side Entry
Fixed Steering Column
(Canopy model)
Tilted Steering Column
(Cab model)
Rear Fenders/extensions
Hand and Foot Throttle

Right-Hand Instrument Console Interior Rearview Mirror Exterior LH & RH Rearview Mirror 60,790 BTU Heater -3 Speed Fan(Cab) Air-Conditioning (Cab) Retractable Sun Shade (Cab) Mechanical Cloth Suspension Seat (Cab) with 2" retractable seat belt Mechanical Vinyl suspension seat (Canopy) with 2" retractable seatbelt Antivandalism Cover for dash (Canopy) Adjustable opening windows 2 door access Rear window open access All tinted glass Front and rear winshield wipers Oversea Protection

LOADER:

Straight Loader Arms
Single lever 4 function loader control;
Lift, Dump, Clutch Cut out, Diff lock
Mechanical Strut lock
Bucket Level Indicator
Return-to-Dig & Anti-Rollback Feature
Dual Lift and Bucket Cylinders

BACKHOE:

14'6" Dig Depth (Standard Backhoe)
161.5 degree bkt rotation in power hole
200 degree bucket rotation in speed hole
Dirt Stabilizer Pads
Mechanical operated control system:
 2 lever control - NH
Horn button
Pedal command for extendable dipper (mechanical)
6 spool backhoe control valve (machine with Std dipperstick)
7 spool backhoe control valve (machine with HED dipperstick)
Pilot operated control system:
 Thumb operated Proportional



Standard Equipment

electrohydraulic extendahoe control
Thumb operated horn button
Indefinitely adjustable towers
In Cab pattern change control
Thumb operated one touch Idle
Backhoe lift eye

SAFETY AND SECURITY:
4-Post ROPS/FOPS
Lockable Compartments for:
Engine, Hydraulic System, Battery,

Lockable Fuel Cap Horn Backup Alarm

WARRANTY: Base Warranty coverage: 12-Month / Unlimited Hr Full Machine Limited Warranty

SHIPPING POINT:
Port of Entry



Models

COMMERCIAL MODEL	BRAND	MODEL	TRACTION	Weight	Factory Data	List Price
B95C SLA CP 4WD	New Holland CE	B95C SLA CP B95CSL4	MFD	17,560 LB		\$124,821.00

Includes the following Equipment

PN 16.9-28 EZ Rider Galaxy (8366964) PN 14-17.5 GALAXY (8278741) \$742.00

\$608.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
Oraci Coac	p bootipion	, troigin	I dotory Data	_10t 1 1100

PACKAGES

SD_L9001 NEW HOLLAND TLB PACKAGES

X11100X	Basic Canopy		(\$515.00)
	Package includes: Power Shuttle Transmission, Mechanical 2-Lever		
	BH Controls, Standard 14' Dipper, Light Cwt, Dual Battery,		
	2-Spool Loader Hydraulics, and Standard Work Lights		
X12100X	Deluxe Canopy		(\$1,030.00)
	Package includes: Power Shuttle Transmission, Pilot BH Controls,		
	HED 14' Dipper, Heavy Cwt, Dual Battery, 3-Spool Loader		
	Hydraulics, and Standard Work Lights		
X21100X	Basic Cab		(\$1,545.00)
	Package includes: Power Shuttle Transmission, Mechanical 2-Lever		
	BH Controls, HED 14' Dipper, Heavy Cwt, Dual Battery, 2-Spool		
	Loader		
	Hydraulics, Glide Ride, Rear Hammer Circuit, and Standard Work		
	Lights		
X22100X	Deluxe Cab		(\$2,060.00)
	Package includes: Power Shuttle Transmission, Pilot BH Controls,		
	HED 14' Dipper, Heavy Cwt, Dual Battery, 3-Spool Loader		
	Hydraulics,		
	Glide Ride, 1Way/2Way Auxiliary Hydraulics, Standard Work Lights		

745240

745241

BHoe Std Dipper 14FT

BHoe Ext Dipper 14 FT 745241

HED Extendable dipper. Backhoe can reach 18ft when extended.



B95C T4F TRACTOR LOADER BACKHOE 4WD US PRICE LIST

C	ONTROLS AND	TRANSMISSION		
	SD_08025 TR	ANSMISSION		
	745192	4WD STD TRANS 745192		No Charge
	745194	4WD PS TRANSMISSION		\$4,976.00
			-	·
	SD_20038 BA	CKHOE CONTROLS		
	728393	2-Lever Backhoe Controls		No Charge
	742012	4 Lever Backhoe Controls		\$577.00
	745190	PILOT CONTROLS		\$3,954.00
R	OPS/CAB			
	SD 05097 RC	DLLOVER PROTECTIVE STRUCTURES		
	745213	CANOPY		No Charge
	745287	CAB		\$10,668.00
		Includes LH & RH Ext. Rearview Mirrors, Heat and AC		
	' '	,		
v	VHEELS			
•	***************************************			
	SD_13006 FR	ONT WHEELS		
	8278741			\$608.00
	8279741			No Charge
	8288641	PN 12.5-80 18 BEEFY BABY		\$2,112.00
			ļ .	
	SD 09006 RE	AR WHEELS		
	T T =	PN 21L-24 EZ Rider Galaxy		\$417.00
	8366964	•		\$742.00
	8393664	•		No Charge
	• •	<u>, , , , , , , , , , , , , , , , , , , </u>		,
В	BACKHOE			
	MONTOL			
	SD 17010 UE	ED/EXT DIPPERSTICK		
	745197	BHOE STD 15FT COMMON	 	\$3,090.00
-	745197	BHOE EXT 15FT COMMON	+	\$10,120.00
	/43190	HED Extendable dipper. Backhoe can reach 18ft when extended.		\$10,120.00
-	745010	TIED Extendable dipper. Dacking call reach for when extended.	+ +	

No Charge

\$7,030.00

SD_40020 FRONT BALLAST

745292

745293

2SPL No Ldr Aux Hyd

3SPL Ldr Aux Hyd Cir



B95C T4F TRACTOR LOADER BACKHOE 4WD US PRICE LIST

OD_ 1 0020 11	TON DALLAGI	
742290	Front Counterweight	No Charge
	351 lbs.	
742291	Medium Front Counterweight	\$706.00
	719 lbs.	
742292	Heavy Front Counterweight	\$1,082.00
	974 lbs.	
728517 742388	24" BACKHOE BUCKET 24" HD Backhoe Bucket No Backhoe Bucket	\$1,494.00 \$1,421.00 No Charge
	CKHOE MECH QUICK COUPLER	
728733	Backhoe Mech. Quick Coupler	\$1,308.00
XL5247X	No Backhoe Mech. Quick Coupler	No Charge
SD L5401 ST	ABILIZER PADS	
720535	Stabilizer Pads CP Dirt	No Charge
720536	Reversible Pads	\$917.00
OADER		
	OCKING VALVES LOADER - MACH.	
742010	Loader Locking Valves	\$1,633.00
	Locks actuator in position when no motion is desired.	
SD 15302 10	DADER BUCKET	
728537	1.3 cu. yd. bkt w/Cutting Edge	\$546.00
742471	4x1 Loader Bkt w/Cutting Edge	\$6,427.00
742473	6x1 Bkt w/Forks & Cutting Edge	\$7,159.00
XL5302X		No Charge
•	ECHANICAL QUICK COUPLER	, s.i.a.ge
720734	Loader Mech Quick Coupler	\$2,460.00
	Loader Mech Quick Coupler No Loader Mech Quick Coupler	\$2,460.00 No Charge
XL5303X		
XL5303X		
XL5303X		
XL5303X IYDRAULICS		

No Charge

\$1,633.00



SD 20211 HAMMER	CIRCUIT
-----------------	---------

	742017	Rear Hammer Circuit		\$2,544.00
		Backhoe one-way aux hydraulics for machines w/ mechanical BH		
		control		
		(pedal control). Common to run hammer.		
	745220	UNI-AUX SWITCH		\$2,544.00
		Backhoe one-way aux hydraulics for machines w/ pilot BH control		
		(joystick control). Common to run hammer.		
	745294	1WAY/2WAY AUX HYDS		\$3,605.00
		Pilot backhoe control Only. Used to run hammer or thumb.		

CAB/ROPS FEATURES

SD_05133 SEAT

7208	51 Deluxe Seat w/2" Seat Belt	No Charge
	Mechanical Suspension, cloth	
7208	55 Deluxe Air Suspension Seat	\$1,236.00
	AIR SUSPENSION HEATED SEAT W/ 2" BELT	
7208	56 Vinyl Seat w/2" Seat Belt	No Charge
	Mechanical Suspension	
7288	51 Cloth Susp Seat w/3" Belt -Cab	\$93.00
	Mechanical Suspension	
7288	55 Super Delx Seat w/3" Belt -Cab	\$1,391.00
	AIR SUSPENSION, Heated	
7288	Vinyl Susp Seat w/3" Belt-ROPS	\$93.00
	Mechanical Suspension	

SD_06081 LIGHTS

	745283	LED Working Lights		\$824.00
	745284	STD Working Lights		No Charge

ADDITIONAL EQUIPMENT

SD_34007 COLD START

	861131	Single Battery		No Charge
	861321	Dual Batteries		\$221.00

SD_30048 ROTATING BEACON

728758	Rotating beacon			\$155.00
		•	-	

SD_43004 TOOL BOX RH

747875 Tool box \$175.0	_	 JD_ -1 300+ 10	OL BOX IVI		
7 11 01 0 10 01 00 X			Tool box		\$175.00

TDAC Code located on invoice.



B95C T4F TRACTOR LOADER BACKHOE 4WD US PRICE LIST

SD_47	7083 OP	ERATOR'S MANUAL			
	742974	English Operator Manual			No Charge
	742975	French Operator Manual			No Charge
	742976	SPANISH OPERATOR MANUAL			No Charge
LOADER	ACCESS	DRIES			
		S GLIDE RIDE CONTROL SYSTEM			
	742019	Glide Ride			\$1,833.00
ADDITIO	NAL BAC	CHOE BUCKETS			
	-	DITIONAL BACKHOE BUCKET	ı		
	741386	12" Heavy Duty Backhoe Bkt			\$1,226.00
	XL5240X	No 12" Heavy Duty Backhoe Bkt			No Charge
SD_L	5241 AD	DITIONAL BACKHOE BUCKET			
	741387	18" Heavy Duty Backhoe Bkt			\$1,385.00
	XL5241X	No 18" Heavy Duty Backhoe Bkt			No Charge
TELEMA [*]	TICS				
SD_2	1051 TEI	LEMATICS ON BOARD			
	745122	NH FleetForce On-Board			\$851.00
		Factory installed FleetForce telematics hardware.			
		All hardware included.			
		Includes 1 yr. Advanced subscription			
		Additional Subscription service available through parts.			

Backlit gauges with illuminated

Air cleaner restriction

pointers

Warning Lights:

Alternator

Cold Start



B95C TC T4F TRACTOR LOADER BACKHOE 4WD US PRICE LIST

Standard Equipment

ENGINE (Tier 4 Final): A/C Low/High Pressure Electronic 4 Cylinder Diesel, Direct Engine Oil Pressure Injection, Turbo aftercooler Parking Brake Engagement 3.4L (207 cu. in.) Displacement Low Fuel Power - ISO14396 Low DEF - Gross 97 SAE hp (72 KW) Master Warning - Net 95 SAE hp (71KW) Master Stop Full flow engine oil filter 108 dB(A) alarm at 2100 Hz for Aspirated air Cleaner - Replaceable dry Canopy units type dual element with radial seal 109 dB(A) alarm at 2100 Hz for Cab Glow Plugs Cold Start units Cooled EGR Audible Warning Alarm for: Fuel Tank - useable capacity 34.6 Coolant Temperature Engine Oil Pressure US gal (131 L) Radiator with Expansion bottle Parking brake engagement Antifreeze -34°F (-37°C) Low DEF Selective Catalytic Reduction (SCR) Backup Alarm Diesel Exhaust Fluid (DEF) Tank Horn, dual switched @ Front & Rear Useable Two buttons for screen navigation Capacity 3.5 us gal (13.2L) and control Turn Signal indicators with switch Viscous fan drive Self adjusting belt 4 signal indicator emergency POWERTRAIN: ELECTRICAL: 4F-4R Power shuttle Synchromesh Auto Engine Protection Transmission (PT units) 12V System 300mm Torque Converter Single 95Ah 900A Battery Electric F/R Shuttle Control High Capacity Alternator 160 Amp Electric Differential Lock control with Key Start push button activation, located on Prewired for radio (CAB only) the loader control lever Fuses/Relays located in the right console INSTRUMENTATION ILLUMINATED: Neutral start switch Sealed Fuseblock Compartment Gauges: Engine Coolant Temperature Water Resistant Main Fuseblock Converter Oil temperature Lights: Fuel Level Cab/Canopy Front: DEF Level 2 Amber Turn flashed lights Tachometer/hourmeter 4 Individual 55 W works lights

2 Amber Turn/flasher lights (21 W)

and Tail lights (5 W)

4 Individual 55 W work lights

with integrates red stops (21 W)

Cab/Canopy Rear:



Standard Equipment

HYDRAULICS:

Open center hydraulic system
(Mechanical control)

Twin Gear Pump 40GPM (151 L/min)
@ 2200 RPM (Mechanical control)

Load sensing, closed center hydraulic system (Pilot control)

Variable Displacement Pump from 1.5 to 41 GPM (6 to 156 L/min) @ 2200 RPM (Pilot control)

7 Micron Spin oil filter

Heavy duty Hydraulic oil cooler

O-Ring Face Seal Fittings

FRONT AXLE:

74 in. Tread Width
8-bolt Wheel Hub
Hydrostatic Power Steering
with priority
Intergrated Steering Cylinder
2WD: Cast Construction
4WD: 4WD Center Drive with Electrical
Engage and Indicator Light
Outboard Planetary Final Drive

REAR AXLE/BRAKES:

68 in. Fixed Tread Width
Outboard Planetary Final Drive
Multi-Plate Hydraulic, Self-Adjusting,
Self-Equalizing Wet Disc Brakes
Spring applied hydraulic released
(SAHR) wet parking brake located
on transmission output shaft
Differential Lock (electric actuated)

OPERATOR STATION:

ROPS/FOPS Certified Canopy & Cab
Flat Deck
Dual Side Entry
Fixed Steering Column
 (Powershuttle model only)
Tilted Steering Column
 (Powershift model only)
Rear Fenders/extensions
Hand and Foot Throttle

Right-Hand Instrument Console Interior Rearview Mirror Exterior LH & RH Rearview Mirror 60,790 BTU Heater -3 Speed Fan(Cab) Air-Conditioning (Cab) Retractable Sun Shade (Cab) Mechanical Cloth Suspension Seat (Cab) with 2" retractable seat belt Mechanical Vinyl suspension seat (Canopy) with 2" retractable seatbelt Antivandalism Cover for dash (Canopy) Adjustable opening windows 2 door access Rear window open access All tinted glass Front and rear winshield wipers Oversea Protection

LOADER:

Curved Loader Arms
Single lever 4 function loader control;
Lift, Dump, Clutch Cut out, Diff lock
4-Bar Bucket Linkage
Mechanical Strut lock
Bucket Level Indicator
Return-to-Dig Feature
Dual Lift and Bucket Cylinders
Hydromechanical Self-Leveling (raise and lower)

BACKHOE:

14'6" Dig Depth (Standard Backhoe)
161.5 degree bkt rotation in power
hole
200 degree bucket rotation in speed
hole
Dirt Stabilizer Pads
Pilot operated control system:
Thumb operated Proportional
electrohydraulic extendahoe control
Thumb operated horn button
Indefinitely adjustable towers
In Cab pattern change control
Thumb operated one touch Idle
Backhoe lift eye



Standard Equipment

SAFETY AND SECURITY:
4-Post ROPS/FOPS
Lockable Compartments for:
Engine, Hydraulic System, Battery,
Lockable Fuel Cap
Horn
Backup Alarm

WARRANTY: Base Warranty coverage: 12-Month / Unlimited Hr Full Machine Limited Warranty

SHIPPING POINT:
Port of Entry



Models

COMMERCIAL MODEL	BRAND	MODEL	TRACTION	Weight	Factory Data	List Price
B95C TC CP 4WD	New Holland CE	B95C TC CP B95CTC4	MFD	17,637 LB		\$123,835.00

Includes the following Equipment

PN 16.9-28 EZ Rider Galaxy (8366964) \$742.00 PN 14-17.5 GALAXY (8278741) \$608.00 PILOT CONTROLS (745190) \$3,954.00

8288641 PN 12.5-80 18 BEEFY BABY

Factory Supplied Options

Order Code	Order Code Description			List Price
CONTROLS AND	TRANSMISSION			
SD_08025 TR	ANSMISSION			
745192	4WD STD TRANS 745192			No Charge
745194	4WD PS TRANSMISSION			\$4,976.00
	CKHOE CONTROLS	,		
745190	PILOT CONTROLS			\$3,954.00
ROPS/CAB				
	DLLOVER PROTECTIVE STRUCTURES		ı	
745213	CANOPY			No Charge
745287	CAB			\$10,668.00
	Includes LH & RH Ext. Rearview Mirrors, Heat and AC			
WHEELS				
CD 42000 FD	ONT MULTIL C			
SD_13006 FR				\$600.00
8278741	PN 14-17.5 GALAXY			\$608.00
8279741	PN 12-16.5 GALAXY			No Charge

\$2,112.00

SD_L5302 LOADER BUCKET

728537 1.3 cu. yd. bkt w/Cutting Edge



B95C TC T4F TRACTOR LOADER BACKHOE 4WD US PRICE LIST

SD_09006	REAR WHEELS	
836269	94 PN 21L-24 EZ Rider Galaxy	\$417.0
836690	64 PN 16.9-28 EZ Rider Galaxy	\$742.0
839366	64 PN 19.5L-24 EZ Rider Galaxy	No Charg
BACKHOE		
SD_L7010	HED/EXT DIPPERSTICK	
745240	BHoe Std Dipper 14FT	No Charg
74524	BHoe Ext Dipper 14 FT 745241	\$7,030.0
	HED Extendable dipper. Backhoe can reach 18ft when extended.	
		•
SD_40020	FRONT BALLAST	
742290	7 Front Counterweight	No Charg
	351 lbs.	
74229	1 Medium Front Counterweight	\$706.0
	719 lbs.	
74229	2 Heavy Front Counterweight	\$1,082.0
	974 lbs.	
		•
SD_L5215	BACKHOE BUCKET	
72851	7 24" BACKHOE BUCKET	\$1,494.0
74238	3 24" HD Backhoe Bucket	\$1,421.0
XL521	5X No Backhoe Bucket	No Charg
SD_L5247	BACKHOE MECH QUICK COUPLER	
72873	Backhoe Mech. Quick Coupler	\$1,308.0
XL524	7X No Backhoe Mech. Quick Coupler	No Charg
SD_L5401	STABILIZER PADS	
72053	5 Stabilizer Pads CP Dirt	No Charg
720530	Reversible Pads	\$917.0
LOADER		
SD 20221	LOCKING VALVES LOADER - MACH.	
742010		\$1,633.0
	Locks actuator in position when no motion is desired.	

\$546.00



742471			
SD L5303 Mc Loader Meth Quick Coupler No Charge	742471	4x1 Loader Bkt w/Cutting Edge	\$6,427.00
XL5303X No Loader Mech Quick Coupler No Charge	XL5302	X Without Loader Bucket	No Charge
XL5303X No Loader Mech Quick Coupler No Charge	SD 15303 1	MECHANICAL OLIICK COLIDI ED	
SD 20135 LOADER HYDRAULIC CIRCUIT 745292 2SPL No Ldr Aux Hyd No Charge 745293 3SPL Ldr Aux Hyd S1,633.00 SD 20211 HAMMER CIRCUIT 745204 UNI-AUX SWITCH Backhoe one-way aux hydraulics for machines w/ pilot BH control (gystick control), Common to run hammer. 745294 1WAY/2WAY AUX HYDS S3,605.00 Pilot backhoe control Only, Used to run hammer or thumb. CAB/ROPS FEATURES SD 06133 SEAT SEAT			No Charge
SD 20135 LOADER HYDRAULIC CIRCUIT	AL5505	No Loader Mech Quick Coupler	No Charge
745292 25PL No Ldf Aux Hyd	HYDRAULICS		
745292 25PL No Ldf Aux Hyd			
745292 25PL No Ldf Aux Hyd	SD 20135 I	OADER HYDRALII IC CIRCLIIT	
745293 3SPL Ldr Aux Hyd Cir \$1,633,00		<u> </u>	No Charge
SD_20211 HAMMER CIRCUIT		·	
745220	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	JOI E Lai Aux Hyu Oii	ψ1,000.00
745220	SD 20211 I	HAMMER CIRCUIT	
Backhoe one-way aux hydraulics for machines w/ pilot BH control (joystick control). Common to run hammer. \$3,605.00			\$2,544.00
(joystick control). Common to run hammer.		Backhoe one-way aux hydraulics for machines w/ pilot BH control	
745294 1WAY/2WAY AUX HYDS \$3,605.00			
Pilot backhoe control Only. Used to run hammer or thumb. CAB/ROPS FEATURES	745294		\$3,605.00
SD 05133 SEAT		Pilot backhoe control Only. Used to run hammer or thumb.	
SD_05133 SEAT		•	
SD_05133 SEAT	CAB/ROPS FEA	TURES	
T20851 Deluxe Seat w/2" Seat Belt No Charge			
T20851 Deluxe Seat w/2" Seat Belt No Charge			
T20851 Deluxe Seat w/2" Seat Belt No Charge	SD 05133	SFAT	
Mechanical Suspension, cloth		<u> </u>	No Charge
720855 Deluxe Air Suspension Seat			
AIR SUSPENSION HEATED SEAT W/ 2" BELT	720855		\$1,236,00
720856 Vinyl Seat w/2" Seat Belt No Charge			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
Mechanical Suspension \$93.00		/ · · · · · · · · · · · · · · · · · · ·	
Mechanical Suspension \$93.00	720856	Vinvl Seat w/2" Seat Belt	No Charge
728851 Cloth Susp Seat w/3" Belt -Cab \$93.00		'	
Mechanical Suspension	728851		\$93.00
728855 Super Delx Seat w/3" Belt -Cab \$1,391.00 AIR SUSPENSION, Heated			
AIR SUSPENSION, Heated	728855		\$1,391.00
728856 Vinyl Susp Seat w/3" Belt-ROPS \$93.00		· ·	
Mechanical Suspension	728856	,	\$93.00
745283 LED Working Lights \$824.00 745284 STD Working Lights No Charge ADDITIONAL EQUIPMENT SD_34007 COLD START			
745283 LED Working Lights \$824.00 745284 STD Working Lights No Charge ADDITIONAL EQUIPMENT SD_34007 COLD START	* *	· · · · · · · · · · · · · · · · · · ·	
745283 LED Working Lights \$824.00 745284 STD Working Lights No Charge ADDITIONAL EQUIPMENT SD_34007 COLD START	SD 06081 I	LIGHTS	
ADDITIONAL EQUIPMENT SD_34007 COLD START			\$824.00
ADDITIONAL EQUIPMENT SD_34007 COLD START			
SD_34007 COLD START	•		
SD_34007 COLD START	ADDITIONAL FO	QUIPMENT	
	SD 34007 (COLD START	
1 1 55.15. Single Salter)			No Charge
	, , 557.101	1 - 9 / <i>)</i>	, , , , , , , , , , , , , , , , , , ,



8613	21 Dual Batteries	\$221.00
SD_30048	ROTATING BEACON	
7287	58 Rotating beacon	\$155.00
SD_43004	TOOL BOX RH	
7478	75 Tool box	\$175.00
SD_47083	OPERATOR'S MANUAL	
7429	74 English Operator Manual	No Charge
7429	75 French Operator Manual	No Charge
7429	76 SPANISH OPERATOR MANUAL	No Charge
LOADER ACC	ESSORIES	
SD_20217	LTS GLIDE RIDE CONTROL SYSTEM	
7420	19 Glide Ride	\$1,833.00
ADDITIONAL	BACKHOE BUCKETS	
SD_L5240	ADDITIONAL BACKHOE BUCKET	
7413	86 12" Heavy Duty Backhoe Bkt	\$1,226.00
XL52	40X No 12" Heavy Duty Backhoe Bkt	No Charge
SD L5241	ADDITIONAL BACKHOE BUCKET	
7413		\$1,385.00
XL52	41X No 18" Heavy Duty Backhoe Bkt	No Charge
· · ·		
TELEMATICS		
SD 21051	TELEMATICS ON BOARD	
7451		\$851.00
	Factory installed FleetForce telematics hardware.	
	All hardware included.	
	Includes 1 yr. Advanced subscription	
	Additional Subscription service available through parts.	
	TDAC Code located on invoice.	
\Box	TDAC Code located on invoice.	

Air cleaner restriction

Alternator

Cold Start



B110C T4F TRACTOR LOADER BACKHOE 2WD US PRICE LIST

Standard Equipment

ENGINE (Tier 4 Final): A/C Low/High Pressure Electronic 4 Cylinder Diesel, Direct Engine Oil Pressure Injection, Turbo aftercooler Parking Brake Engagement 3.4L (207 cu. in.) Displacement Low Fuel Power - ISO14396 Low DEF - Gross 110 SAE hp (82 KW) Master Warning - Net 108 SAE hp (81 KW) Master Stop Full flow engine oil filter Aspirated air Cleaner - Replaceable dry Canopy units type dual element with radial seal Glow Plugs Cold Start units Cooled EGR Fuel Tank - useable capacity 34.6 Coolant Temperature Engine Oil Pressure US gal (131 L) Radiator with Expansion bottle Antifreeze -34°F (-37°C) Low DEF Selective Catalytic Reduction (SCR) Backup Alarm Diesel Exhaust Fluid (DEF) Tank Useable Capacity 3.5 us gal (13.2L) and control Viscous fan drive Self adjusting belt POWERTRAIN: ELECTRICAL: 4F-4R Power shuttle Synchromesh Auto Engine Protection Transmission (PT units) 12V System 300mm Torque Converter Electric F/R Shuttle Control Electric Differential Lock control with Key Start push button activation, located on the loader control lever console INSTRUMENTATION ILLUMINATED: Neutral start switch Gauges: Engine Coolant Temperature Converter Oil temperature Lights: Fuel Level Cab/Canopy Front: DEF Level Tachometer/hourmeter Backlit gauges with illuminated Cab/Canopy Rear: pointers Warning Lights:

108 dB(A) alarm at 2100 Hz for 109 dB(A) alarm at 2100 Hz for Cab Audible Warning Alarm for: Parking brake engagement Horn, dual switched @ Front & Rear Two buttons for screen navigation Turn Signal indicators with switch 4 signal indicator emergency Single 95Ah 900A Battery High Capacity Alternator 160 Amp Prewired for radio (CAB only) Fuses/Relays located in the right Sealed Fuseblock Compartment Water Resistant Main Fuseblock 2 Amber Turn flashed lights 4 Individual 55 W works lights 2 Amber Turn/flasher lights (21 W) with integrates red stops (21 W)

and Tail lights (5 W)

4 Individual 55 W work lights



Standard Equipment

HYDRAULICS:

Open center hydraulic system
(Mechanical control)

Twin Gear Pump 43GPM (164 L/min)
@ 2200 RPM (Mechanical control)

Load sensing, closed center hydraulic system (Pilot control)

Variable Displacement Pump from 1.5 to 41 GPM (6 to 156 L/min) @ 2200 RPM (Pilot control)

7 Micron Spin oil filter

Heavy duty Hydraulic oil cooler

FRONT AXLE:

74 in. Tread Width
8-bolt Wheel Hub
Hydrostatic Power Steering
with priority
Intergrated Steering Cylinder
2WD: Cast Construction

O-Ring Face Seal Fittings

REAR AXLE/BRAKES:

68 in. Fixed Tread Width
Outboard Planetary Final Drive
Multi-Plate Hydraulic, Self-Adjusting,
Self-Equalizing Wet Disc Brakes
Spring applied hydraulic released
(SAHR) wet parking brake located
on transmission output shaft
Differential Lock (electric actuated)

OPERATOR STATION:

Flat Deck
Dual Side Entry
Fixed Steering Column
 (Powershuttle model only)
Tilted Steering Column
 (Powershift model only)
Rear Fenders/extensions
Hand and Foot Throttle
Right-Hand Instrument Console
Interior Rearview Mirror

ROPS/FOPS Certified Canopy & Cab

Exterior LH & RH Rearview Mirror
60,790 BTU Heater -3 Speed Fan(Cab)
Air-Conditioning (Cab)
Retractable Sun Shade (Cab)
Mechanical Cloth Suspension Seat
 (Cab) with 2" retractable seat belt
Mechanical Vinyl suspension seat
 (Canopy) with 2" retractable seatbelt
Antivandalism Cover for dash (Canopy)
Adjustable opening windows
2 door access
Rear window open access
All tinted glass
Front and rear winshield wipers
Oversea Protection

LOADER:

Straight Loader Arms
Single lever 4 function loader control;
Lift, Dump, Clutch Cut out, Diff lock
Mechanical Strut lock
Bucket Level Indicator
Return-to-Dig & Anti-Rollback Feature
Dual Lift and Bucket Cylinders

BACKHOE:

14'6" Dig Depth (Standard Backhoe) 161.5 degree bkt rotation in power 200 degree bucket rotation in speed hole Dirt Stabilizer Pads Mechanical operated control system: 2 lever control - NH Horn button Pedal command for extendable dipper (mechanical) 6 spool backhoe control valve (machine with Std dipperstick) 7 spool backhoe control valve (machine with HED dipperstick) Pilot operated control system: Thumb operated Proportional electrohydraulic extendahoe control Thumb operated horn button



Standard Equipment

Indefinitely adjustable towers
In Cab pattern change control
Thumb operated one touch Idle
Backhoe lift eye

SAFETY AND SECURITY:
4-Post ROPS/FOPS
Lockable Compartments for:
Engine, Hydraulic System, Battery,
Lockable Fuel Cap

Horn Backup Alarm

WARRANTY: Base Warranty coverage: 12-Month / Unlimited Hr Full Machine Limited Warranty

SHIPPING POINT:
Port of Entry



Models

COMMERCIAL MODEL	BRAND	MODEL	TRACTION	Weight	Factory Data	List Price
B110C SLA CP 2WD	New Holland CE	B110C SLA CP	2WD	17,637 LB		\$136,283.00
includes the following Equipment BHOE STD 15FT COMMON (745197) \$3,090.00						

Factory Supplied Options

	Order Code	Description		Factory Data	List Price
00	NATEGO C AND	TRANSMICCION			
	DN I ROLS AND	TRANSMISSION			
	CD 00005 TF	MANICALICCIONI			
П	SD_08025 TR	RANSMISSION 2WD STD TRANS 745191			No Chargo
	745191	2WD STD TRANS 745191			No Charge
	SD 20038 BA	ACKHOE CONTROLS			
	728393	2-Lever Backhoe Controls			No Charge
	742012	4 Lever Backhoe Controls			\$577.00
	745190	PILOT CONTROLS			\$3,954.00
RC	PS/CAB				
	SD 05097 RO	DLLOVER PROTECTIVE STRUCTURES			
	<u> </u>				
	745213				No Charge
十	745213 745287	CANOPY CAB			No Charge \$10,668.00
		CANOPY CAB			No Charge \$10,668.00
		CANOPY			
W	745287	CANOPY CAB			
WH		CANOPY CAB			
WH	745287	CANOPY CAB			
WH	745287 HEELS	CANOPY CAB Includes LH & RH Ext. Rearview Mirrors, Heat and AC			
WI	745287 HEELS SD_13006 FF	CANOPY CAB Includes LH & RH Ext. Rearview Mirrors, Heat and AC CONT WHEELS			\$10,668.00
WI	745287 HEELS	CANOPY CAB Includes LH & RH Ext. Rearview Mirrors, Heat and AC			
WI	745287 HEELS SD_13006 FF	CANOPY CAB Includes LH & RH Ext. Rearview Mirrors, Heat and AC CONT WHEELS			\$10,668.00
WI	745287 HEELS SD_13006 FR 8138664	CANOPY CAB Includes LH & RH Ext. Rearview Mirrors, Heat and AC RONT WHEELS PN 11L-16 INDUSTRIAL GALAXY			\$10,668.00
WI	745287 HEELS SD_13006 FF	CANOPY CAB Includes LH & RH Ext. Rearview Mirrors, Heat and AC RONT WHEELS PN 11L-16 INDUSTRIAL GALAXY EAR WHEELS			\$10,668.00 No Charge
W	745287 HEELS SD_13006 FR 8138664 SD_09006 RE	CANOPY CAB Includes LH & RH Ext. Rearview Mirrors, Heat and AC RONT WHEELS PN 11L-16 INDUSTRIAL GALAXY EAR WHEELS PN 21L-24 EZ Rider Galaxy			\$10,668.00



ВАСКНОЕ		
SD 17010 HED	EXT DIPPERSTICK	
	BHOE STD 15FT COMMON	\$3,090.00
	BHOE EXT 15FT COMMON	\$10,120.00
l I	HED Extendable dipper. Backhoe can reach 18ft when extended.	\$10,120.00
1 1	industrial industrial control of the standard.	l .
SD_40020 FRO	NT BALLAST	
	Front Counterweight	No Charge
	851 lbs.	
	Medium Front Counterweight	\$706.00
	719 lbs.	
	Heavy Front Counterweight	\$1,082.00
	974 lbs.	
		<u>.</u>
SD_L5215 BAC	KHOE BUCKET	
728517	24" BACKHOE BUCKET	\$1,494.00
742388	24" HD Backhoe Bucket	\$1,421.00
XL5215X I	No Backhoe Bucket	No Charge
SD_L5247 BAC	KHOE MECH QUICK COUPLER	_
	Backhoe Mech. Quick Coupler	\$1,308.00
XL5247X I	No Backhoe Mech. Quick Coupler	No Charge
SD_L5401 STAE		
720535	Stabilizer Pads CP Dirt	No Charge
720536 I	Reversible Pads	\$917.00
DADER		
SD_20221 LOC	KING VALVES LOADER - MACH.	_
742010 I	oader Locking Valves	\$1,633.00
	Locks actuator in position when no motion is desired.	
SD_L5302 LOAI		
728537	.3 cu. yd. bkt w/Cutting Edge	\$546.00
	lx1 Loader Bkt w/Cutting Edge	\$6,427.00
	6x1 Bkt w/Forks & Cutting Edge	\$7,159.00
XL5302X \	Vithout Loader Bucket	No Charge
	HANICAL QUICK COUPLER	
720734 I	oader Mech Quick Coupler	\$2,460.00



XL	.5303X No Loader Mech Quick Coupler	No Charge
HYDRAULIC	CS	
05 0010		
	35 LOADER HYDRAULIC CIRCUIT	No Observed
	5292 2SPL No Ldr Aux Hyd 5293 3SPL Ldr Aux Hyd Cir	No Charge \$1,633.00
	5293 SSPL Lui Aux Hyu Gii	1 \$1,033.00
SD 2021	11 HAMMER CIRCUIT	
	2017 Rear Hammer Circuit	\$2,544.00
	Backhoe one-way aux hydraulics for machines w/ mechanical BH	
	control	
	(pedal control). Common to run hammer.	
74	5220 UNI-AUX SWITCH	\$2,544.00
	Backhoe one-way aux hydraulics for machines w/ pilot BH control	
	(joystick control). Common to run hammer.	
745	5294 1WAY/2WAY AUX HYDS	\$3,605.00
	Pilot backhoe control Only. Used to run hammer or thumb.	
CAB/ROPS	FEATURES	
SD_0513	33 SEAT	
720	Deluxe Seat w/2" Seat Belt	No Charge
	Mechanical Suspension, cloth	
720	Deluxe Air Suspension Seat	\$1,236.00
	AIR SUSPENSION HEATED SEAT W/ 2" BELT	
720	10856 Vinyl Seat w/2" Seat Belt	No Chargo
'20		No Charge
729	Mechanical Suspension (8851 Cloth Susp Seat w/3" Belt -Cab	\$93.00
'20	Mechanical Suspension	φ93.00
725	18855 Super Delx Seat w/3" Belt -Cab	\$1,391.00
	AIR SUSPENSION, Heated	ψ1,391.00
728	18856 Vinyl Susp Seat w/3" Belt-ROPS	\$93.00
	Mechanical Suspension	ψ33.00
	meenamea duspension	
SD 0608	81 LIGHTS	
	5283 LED Working Lights	\$824.00
	5284 STD Working Lights	No Charge
ADDITIONA	AL EQUIPMENT	
- ADDITIONA		
SD 3400	07 COLD START	
	1131 Single Battery	No Charge
1 1 30	- - U	



8613	21 Dual Batteries	\$221.00
SD_30048	ROTATING BEACON	
7287	Rotating beacon	\$155.00
	TOOL BOX RH	
7478	75 Tool box	\$175.00
	OPERATOR'S MANUAL	
7429		No Charge
7429		No Charge
7429	76 SPANISH OPERATOR MANUAL	No Charge
LOADER ACC	CESSORIES	
	LTS GLIDE RIDE CONTROL SYSTEM	1
4230	99 Glide Ride (2 WD)	\$1,833.00
ADDITIONAL	BACKHOE BUCKETS	
00 15040	ADDITIONAL DAGGIGGE DUGGET	
	ADDITIONAL BACKHOE BUCKET	1
7413		\$1,226.00
XL52	240X No 12" Heavy Duty Backhoe Bkt	No Charge
00 15044	ADDITIONAL DAGGLIGE DUGGET	
	ADDITIONAL BACKHOE BUCKET 87 18" Heavy Duty Backhoe Bkt	\$1,385.00
7413		
	241X No 18" Heavy Duty Backhoe Bkt	No Charge
TELEMATICS		
TELEMATICS		
SD 21051	TELEMATICS ON BOARD	
7451		\$851.00
	Factory installed FleetForce telematics hardware.	φου 1.00
	All hardware included.	
	Includes 1 yr. Advanced subscription	
	Additional Subscription service available through parts.	
	TDAC Code located on invoice.	



Standard Equipment

ENGINE (Tier 4 Final): A/C Low/High Pressure Electronic 4 Cylinder Diesel, Direct Engine Oil Pressure Injection, Turbo aftercooler Parking Brake Engagement 3.4L (207 cu. in.) Displacement Low Fuel Power - ISO14396 Low DEF - Gross 110 SAE hp (82 KW) Master Warning - Net 108 SAE hp (81 KW) Master Stop Full flow engine oil filter 108 dB(A) alarm at 2100 Hz for Aspirated air Cleaner - Replaceable dry Canopy units type dual element with radial seal 109 dB(A) alarm at 2100 Hz for Cab Glow Plugs Cold Start units Cooled EGR Audible Warning Alarm for: Fuel Tank - useable capacity 34.6 Coolant Temperature Engine Oil Pressure US gal (131 L) Radiator with Expansion bottle Parking brake engagement Antifreeze -34°F (-37°C) Low DEF Selective Catalytic Reduction (SCR) Backup Alarm Diesel Exhaust Fluid (DEF) Tank Horn, dual switched @ Front & Rear Useable Two buttons for screen navigation Capacity 3.5 us gal (13.2L) and control Turn Signal indicators with switch Viscous fan drive Self adjusting belt 4 signal indicator emergency POWERTRAIN: ELECTRICAL: 4F-4R Power shuttle Synchromesh Auto Engine Protection Transmission (PT units) 12V System 300mm Torque Converter Single 95Ah 900A Battery Electric F/R Shuttle Control High Capacity Alternator 160 Amp Electric Differential Lock control with Key Start push button activation, located on Prewired for radio (CAB only) the loader control lever Fuses/Relays located in the right console INSTRUMENTATION ILLUMINATED: Neutral start switch Sealed Fuseblock Compartment Gauges:

Cold Start

Engine Coolant Temperature Converter Oil temperature Fuel Level DEF Level Tachometer/hourmeter Backlit gauges with illuminated pointers Warning Lights: Air cleaner restriction Alternator

Water Resistant Main Fuseblock Lights: Cab/Canopy Front: 2 Amber Turn flashed lights 4 Individual 55 W works lights Cab/Canopy Rear:

> 2 Amber Turn/flasher lights (21 W) with integrates red stops (21 W) and Tail lights (5 W)

4 Individual 55 W work lights



Standard Equipment

HYDRAULICS:

Open center hydraulic system
(Mechanical control)

Twin Gear Pump 43GPM (164 L/min)
@ 2200 RPM (Mechanical control)

Load sensing, closed center hydraulic system (Pilot control)

Variable Displacement Pump from 1.5 to 41 GPM (6 to 156 L/min) @ 2200 RPM (Pilot control)

7 Micron Spin oil filter

Heavy duty Hydraulic oil cooler

O-Ring Face Seal Fittings

FRONT AXLE:

74 in. Tread Width
8-bolt Wheel Hub
Hydrostatic Power Steering
with priority
Intergrated Steering Cylinder
2WD: Cast Construction
4WD: 4WD Center Drive with Electrical
Engage and Indicator Light
Outboard Planetary Final Drive

REAR AXLE/BRAKES:

68 in. Fixed Tread Width
Outboard Planetary Final Drive
Multi-Plate Hydraulic, Self-Adjusting,
Self-Equalizing Wet Disc Brakes
Spring applied hydraulic released
(SAHR) wet parking brake located
on transmission output shaft
Differential Lock (electric actuated)

OPERATOR STATION:

ROPS/FOPS Certified Canopy & Cab
Flat Deck
Dual Side Entry
Fixed Steering Column
 (Powershuttle model only)
Tilted Steering Column
 (Powershift model only)
Rear Fenders/extensions
Hand and Foot Throttle

Right-Hand Instrument Console Interior Rearview Mirror Exterior LH & RH Rearview Mirror 60,790 BTU Heater -3 Speed Fan(Cab) Air-Conditioning (Cab) Retractable Sun Shade (Cab) Mechanical Cloth Suspension Seat (Cab) with 2" retractable seat belt Mechanical Vinyl suspension seat (Canopy) with 2" retractable seatbelt Antivandalism Cover for dash (Canopy) Adjustable opening windows 2 door access Rear window open access All tinted glass Front and rear winshield wipers Oversea Protection

LOADER:

Straight Loader Arms
Single lever 4 function loader control;
Lift, Dump, Clutch Cut out, Diff lock
Mechanical Strut lock
Bucket Level Indicator
Return-to-Dig & Anti-Rollback Feature
Dual Lift and Bucket Cylinders

BACKHOE:

14'6" Dig Depth (Standard Backhoe)
161.5 degree bkt rotation in power hole
200 degree bucket rotation in speed hole
Dirt Stabilizer Pads
Mechanical operated control system:
2 lever control - NH
Horn button
Pedal command for extendable dipper (mechanical)
6 spool backhoe control valve (machine with Std dipperstick)
7 spool backhoe control valve (machine with HED dipperstick)
Pilot operated control system:
Thumb operated Proportional



Standard Equipment

electrohydraulic extendahoe control
Thumb operated horn button
Indefinitely adjustable towers
In Cab pattern change control
Thumb operated one touch Idle
Backhoe lift eye

SAFETY AND SECURITY:
4-Post ROPS/FOPS
Lockable Compartments for:
Engine, Hydraulic System, Battery,

Lockable Fuel Cap Horn Backup Alarm

WARRANTY: Base Warranty coverage: 12-Month / Unlimited Hr Full Machine Limited Warranty

SHIPPING POINT:
Port of Entry

List Price



B110C T4F TRACTOR LOADER BACKHOE 4WD US PRICE LIST

Models

COMMERCIAL MODEL	BRAND	MODEL	TRACTION	Weight	Factory Data	List Price
B110C SLA CP 4WD	New Holland CE	B110C SLA CP	MFD	17,637 LB		\$143,871.00

Includes the following Equipment

PN 16.9-28 EZ Rider Galaxy (8366964) \$742.00 PN 14-17.5 GALAXY (8278741) \$608.00 BHOE STD 15FT COMMON (745197) \$3,090.00

Factory Supplied Options

Description

_	raoi ooao	200011511011	moigni	i dotory Data	2.011.100		
CONTROLS AND TRANSMISSION							
	<u>SD_08025 TR</u>	ANSMISSION					
	745192	4WD STD TRANS 745192			No Charge		
	745194	4WD PS TRANSMISSION			\$4,976.00		
SD_20038 BACKHOE CONTROLS							
	728393	2-Lever Backhoe Controls			No Charge		
	742012	4 Lever Backhoe Controls		_	\$577.00		
	745190	PILOT CONTROLS			\$3,954.00		

ROPS/CAB

Order Code

SD 05007	ROLLOVER PROTECTIVE STRUCTURES
50 05097	ROLLOVER PROTECTIVE STRUCTUR

	745213	CANOPY		No Charge
	745287	CAB		\$10,668.00
		Includes LH & RH Ext. Rearview Mirrors, Heat and AC		

WHEELS

SD_13006 FRONT WHEELS

	8278741	PN 14-17.5 GALAXY		\$608.00
	8279741	PN 12-16.5 GALAXY		No Charge
	8288641	PN 12.5-80 18 BEEFY BABY		\$2,112.00

Weight Factory Data

SD_L5302 LOADER BUCKET

728537 1.3 cu. yd. bkt w/Cutting Edge



B110C T4F TRACTOR LOADER BACKHOE 4WD US PRICE LIST

8362694 PN 21L-24 EZ Rider Galaxy 8366964 PN 16.9-28 EZ Rider Galaxy 8393664 PN 19.5L-24 EZ Rider Galaxy	\$417.00
8393664 PN 19.5L-24 EZ Rider Galaxy	\$742.00
	No Charge
BACKHOE	
SD_L7010 HED/EXT DIPPERSTICK	
745197 BHOE STD 15FT COMMON	\$3,090.00
745198 BHOE EXT 15FT COMMON	\$10,120.00
HED Extendable dipper. Backhoe can reach 18ft when extended.	
SD_40020 FRONT BALLAST	
742290 Front Counterweight	No Charge
351 lbs.	
742291 Medium Front Counterweight	\$706.00
719 lbs.	
742292 Heavy Front Counterweight	\$1,082.00
974 lbs.	
SD_L5215 BACKHOE BUCKET	
728517 24" BACKHOE BUCKET	\$1,494.00
742388 24" HD Backhoe Bucket	\$1,421.00
XL5215X No Backhoe Bucket	No Charge
SD_L5247 BACKHOE MECH QUICK COUPLER	
728733 Backhoe Mech. Quick Coupler	\$1,308.00
XL5247X No Backhoe Mech. Quick Coupler	No Charge
ALGE TIX THE BUSINESS MOON. QUICK GOODIG!	110 Charge
SD_L5401 STABILIZER PADS	
720535 Stabilizer Pads CP Dirt	No Charge
720536 Reversible Pads	\$917.00
120330 Neversible Faus	φ϶17.00
LOADED	
LOADER	
SD_20221 LOCKING VALVES LOADER - MACH.	
742010 Loader Locking Valves	\$1,633.00
Locks actuator in position when no motion is desired.	

\$546.00

\$2,544.00

\$3,605.00



B110C T4F TRACTOR LOADER BACKHOE 4WD US PRICE LIST

		742471	4x1 Loader Bkt w/Cutting Edge	\$6,427.00
		742473	6x1 Bkt w/Forks & Cutting Edge	\$7,159.00
		XL5302X	Without Loader Bucket	No Charge
	S	D_L5303 ME	CHANICAL QUICK COUPLER	
		720734	Loader Mech Quick Coupler	\$2,460.00
		XL5303X	No Loader Mech Quick Coupler	No Charge
		•		
Н	YDF	RAULICS		
				_
	S	D_20135 LO	ADER HYDRAULIC CIRCUIT	
		745292	2SPL No Ldr Aux Hyd	No Charge
		745293	3SPL Ldr Aux Hyd Cir	\$1,633.00
		-		-
	S	SD_20211 HA	MMER CIRCUIT	
		742017	Rear Hammer Circuit	\$2,544.00
			Backhoe one-way aux hydraulics for machines w/ mechanical BH	
			control	

CAB/ROPS FEATURES

745220

745294

(pedal control). Common to run hammer.

(joystick control). Common to run hammer.

Backhoe one-way aux hydraulics for machines w/ pilot BH control

Pilot backhoe control Only. Used to run hammer or thumb.

UNI-AUX SWITCH

1WAY/2WAY AUX HYDS

SD_05133 SEAT

	720851	Deluxe Seat w/2" Seat Belt		No Charge
		Mechanical Suspension, cloth		
	720855	Deluxe Air Suspension Seat		\$1,236.00
1 1 1		AIR SUSPENSION HEATED SEAT W/ 2" BELT		
	720856	Vinyl Seat w/2" Seat Belt		No Charge
		Mechanical Suspension		
	728851	Cloth Susp Seat w/3" Belt -Cab		\$93.00
		Mechanical Suspension		
	728855	Super Delx Seat w/3" Belt -Cab		\$1,391.00
		AIR SUSPENSION, Heated		
	728856	Vinyl Susp Seat w/3" Belt-ROPS		\$93.00
		Mechanical Suspension		

SD 06081 LIGHTS

_	3D_00001 LIGHTS							
		745283	LED Working Lights			\$824.00		
Ī		745284	STD Working Lights			No Charge		



ADDITIONAL EQ	UIPMENT	
SD_34007 C	DI DISTART	
861131	Single Battery	No Charge
861321	Dual Batteries	\$221.00
		•
00 00040 0	OTATINO DE AGON	
728758	TATING BEACON Rotating beacon	\$155.00
120130	Notating beacon	ψ133.00
SD_43004 TO	OOL BOX RH	
747875	Tool box	\$175.00
	PERATOR'S MANUAL	
742974	English Operator Manual	No Charge
742975	French Operator Manual	No Charge
742976	SPANISH OPERATOR MANUAL	No Charge
LOADER ACCESS	SORIES	
SD 20217 LT	'S GLIDE RIDE CONTROL SYSTEM	
742019	Glide Ride	\$1,833.00
7 12010	Sido Hido	Ψ1,000.00
ADDITIONAL BAC	KHOE BUCKETS	
SD_L5240 AI	DDITIONAL BACKHOE BUCKET	
741386	12" Heavy Duty Backhoe Bkt	\$1,226.00
XL5240X	No 12" Heavy Duty Backhoe Bkt	No Charge
	DDITIONAL BACKHOE BUCKET	M4 005 00
741387	18" Heavy Duty Backhoe Bkt	\$1,385.00
XL5241X	No 18" Heavy Duty Backhoe Bkt	No Charge
TELEMATICS		
TELEWATIOS		
SD 21051 TE	ELEMATICS ON BOARD	
745122	NH FleetForce On-Board	\$851.00
	Factory installed FleetForce telematics hardware.	
	All hardware included.	
	Includes 1 yr. Advanced subscription	
	Additional Subscription service available through parts.	
	zanoophon oo a amazio un ough partor	i I

	.1.1.1	ω ω	
	T4B T4B	47 0	
	WD WD	4WE	
	7P 27	Q Q	
	CCI	SLA	
	5C S 5C S	100	
PN DESCRIPTION	89 89 89	B110C SIA CP 2WD 14B B110C SIA CP 4WD 14B B10C SIA CP 4WD 17B D110C SIA CP 4WD 17B	Comments
Loader Auxiliary Hydraulics	1 1 1	1 1	
48046542 OPTIONAL 3 SECTION HYDRAULIC SYSTEM BUCKET FOR 4X1 BUCKET		X X PILOT	Add auxiliary hydraulics to existing 3-spool valve. Includes plumbing to loader. Does not include joystick or plumbing to joyst
48050212 OPTIONAL HYDRAULIC SYSTEM FOR 4X1 BUCKET W/JOYSTICK		X X MECH - PT (Power Shuttle)	Add auxiliary hydraulics to existing 3-spool valve. Includes plumbing to loader. Includes joystick and plumbing to joystick
718336029 OPTIONAL CONVERSION KIT LOADER CONTROL VALVE - 2 TO 3 SPOOLS		X X MECH	Add 3rd spool to existing 2-spool valve
718339059 OPTIONAL LOADER CONTROL VALVE 3 SECTIONS - SOLID TO STACKED 3-SPOOL		X X MECH	To replace solid block with 3-spool valve.
51506963 OPTIONAL LOADER VALVE 3-SPOOL W/LEVER - SOLID TO STACKED 3-SPOOL		X X PILOT	To replace solid block with 3-spool valve. Includes new loader attachment control lever
51587776 OPTIONAL HYDRAULIC SYSTEM FOR 4X1 BUCKET W/CONVERSION KIT - 2 TO 3-SPOOL AND JOYSTICK	x x	X X MECH - PT (Power Shuttle)	Full Kit - including 3rd valve
48046386 OPTIONAL HYDRAULIC SYSTEM FOR 4X1 BUCKET W/CONVERSION KIT - 2 TO 3-SPOOL AND JOYSTICK	X	PILOT	Full Kit - including 3rd valve
741340049 OPTIONAL JOYSTICK FOR 4X1 LOADER BUCKET	X X	X X PILOT - PT (Power Shuttle)	Joystick Only
Ride Control	1 1 1	1 1	
51495987 OPTIONAL MECHANICAL RIDE CONTROL DIA KIT		X X MECH	
51597583 KIT, DIA OPTIONAL RIDE CONTROL	x x x	X X PILOT	
Hand Hammer Hydraulics	1 1 1	1 1	
741704079 OPTIONAL HAND HAMMER SYSTEM - INCLUDES VALVE, PLUMBING, AND DASHBOARD SWITCH		X X PILOT	Extra hyd circuit by cab door
718728059 OPTIONAL HAND HAMMER SYSTEM - INCLUDES VALVE, PLUMBING, AND DASHBOARD SWITCH	x x x	X X MECH	Extra hyd circuit by cab door
Lockout Valves	1 1 1	1 1	
51506895 LOADER LIFT LOCK OUT VALVE OPTION (SLA)		x x	Non-Tool Carrier
51506903 LOADER LIFT LOCK OUT VALVE OPTION (TC - BENT LOADER ARMS)	X		
741392029 OPTIONAL LOCK-OUT VALVES ON BOOM AND DIPPER CYLINDER	x x x		
741393029 OPTIONAL LOCK-OUT VALVE ON BOOM CYLINDER - BACKHOE	x x x	X X	
Backhoe Hydraulics	1 1 1	1 1	
51593718 KIT, NO AUX TO COMBO AUX, STD, PILOT		X X PILOT	
51593716 KIT, NO AUX TO COMBO AUX, EHOE, PILOT		X X PILOT	
47977471 KIT, TIER 4 FINAL CENTER PIVOT UNI-AUX VALVE INSTALL		X X PILOT	Plumbing to swing tower only
47977473 KIT, TIER 4 FINAL CENTER PIVOT UNI-AUX VALVE INSTALL	x x x	X MECH	Plumbing to swing tower only
47944297 KIT, INLINE CYLINDER UNI-AUX PLUMBING	x x x		Plumbing from swing tower out to dipper
741430039 OPTIONAL SWING DAMPENING CONTROL	x x x	X X MECH	
Engine	1 1 1	1 1	
84562926 KIT, BLOCK HEATER	x x x x x x	X X	For coolant
48003797 DIA KIT - HEATED CRANK CASE VENTILATION	X X X	x x	For air
CAB/Operators Station	1 1 1	1 1	
47933737 DIA KIT, T4B TELEMATICS LECCE	x x x	X X	
718390049 OPTIONAL 2- LEVER BACKHOE PATTERN CONTROLS - CAB	x x x	X X MECH - CAB	
Miscellaneous	1 1 1	1 1	
741993019 OPTIONAL SLOW MOVING VEHICLE SIGN	x x	X	
741250049 OPTIONAL CARDAN SHAFT GUARD COMMON GREY - 4WD SHAFT GUARD	x	X 4WD	
47944286 DIA KIT, TOOLBOX OPTION - NO TOOLS	x x	X	
51506640 OPTIONAL QUICK MANUAL COUPLER BACKHOE	хх	X	To add Miller coupler
741201019 OPTIONAL - LIFT HOOK BACKHOE BUCKET	x x	x	
741200039 OPTIONAL BUCKET LIFTING HOOK - FRONT BUCKET	x x	X	
741648039 OPTIONAL FORK CONVERSION KIT 4X1 TO 6X1 1.00 M3 COMMON GREY	x x	X	Adding forks
710522019 OPTIONAL FORK KIT-STANDARD BUCKET	x x	X	Adding forks
741686019 OPTIONAL KIT 3/8 FLAT FACE HYDRAULIC COUPLERS	x x	x	Switch from 5/8 to 3/8 hydraulic connectors
741687019 OPTIONAL KIT 3/4 FLAT FACE HYDRAULIC COUPLERS	x x	X	Switch from 5/8 to 3/8 hydraulic connectors