

2022 Confidential Price List for Machines & Accessories

Effective April 11, 2022

| DESCRIPTION | PAGE |
|--|--------|
| TERMS, CONDITIONS AND NOTES | Prefix |
| GOLF COURSE BUNKER RAKES / BASEBALL FIELD CONDITIONERS | 1-3 |
| SAND STARS | |
| SAND STAR IMPLEMENTS FOR GOLF COURSE | |
| SAND STAR IMPLEMENTS FOR BALLFIELDS & CONSTRUCTION | |
| TURF SWEEPERS, SWEEPER-VACUUMS, TURF VACUUM | 4-6 |
| (MODELS: SWEEP STAR 60 - 48 - V62 - V62-Vac V72 - V72 E) | |
| SPRAY STAR AND STAR COMMAND DEDICATED SPRAY VEHICLES | 7-18 |
| (MODELS: 1110 - 1200 - 2000 - 3180 - 5200) | |
| SPRAY STAR PULL TYPE | 19 |
| GREENS ROLLERS | 20 |
| FAIRWAY ROLLLERS | 21 |
| AER-8 AERIFIERS | 22-23 |
| | |

TERMS, CONDITIONS and NOTES

IMPORTANT NOTICE: These terms apply to all transactions with regards to Smithco products.

Please read them carefully and understand them fully.

1 PRICES

All prices listed in U.S. Dollars, SHIPMENTS ARE: Ex Works our factory in Cameron, Wisconsin or Humboldt, Kansas and subject to change without prior notice or incurring any obligations.

NOTICE: IN 2022, SMITHCO'S COST OF MATERIAL, INCLUDING TARIFFS WILL LIKELY INCREASE. AN INCREMENTAL DEALER NET PRICE INCREASE IS A GENUINE POSSIBILITY. SHOULD SUCH AN INCREASE BE NECESSARY SMITHCO WILL, REGRETTABLY, NOT BE ABLE TO MAKE EXCEPTIONS FOR PRICES OF PRODUCT NOT ALREADY ON ORDER.

² CREDIT & PAYMENT

All sales subject to completion of suitable financial arrangements.

3 BATTERIES

Smithco gasoline & diesel powered products are shipped without batteries. Batteries are supplied by local Smithco Dealers. Includes shipments to all the World.

Smithco Electric Powered products, LITHIUM-ION Batteries & Charger <u>are included</u> unless specified differently

Smithco Electric Powered products, WITHOUT BATTERIES OR CHARGERS MAY BE POSSIBLE TO THE MEMBER NATIONS OF THE EU. Contact Smithco through our European Sales Office for more details.

4 NORTH AMERICAN SHIPMENTS

All prices include crating / boxing or factory setup for motor freight shipment within North America

5 INTERNATIONAL SHIPMENTS

An additional charge (US\$250.00 per machine), for packaging (or setup) / loading / preparation & documentation costs will apply to all products shipped to destinations outside of North America. This charge will appear as a line item on the invoice. SHIPMENTS EX WORKS, OUR FACTORY, CAMERON, WISCONSIN, 54822

6 PACKAGING INFORMATION

Spray Star 1110, 1200, 2000, 3180, 5200; Sweep Star 48, 60, V72E and V72 Big Vac, are shipped set-up and mobile within North America and to International destinations when containerized. (Not including dealer installed accessories/implements).

ALL OTHER SMITHCO PRODUCTS are shipped crated or boxed, without batteries for North American motor freight shipments or containerization for international ocean and air shipments.

7 SPRAY BOOMS

All Smithco built Spray Booms will be factory installed on Spray Star dedicated spray vehicles when ordered with a spray vehicle with the exception of plastic nozzle parts. Spray booms ordered without a spray vehicle will be set-up, adjusted then partially dis-assembled for efficient shipping and easy re-assembly at the dealer location.

8 CE Certification

Most Smithco products have been certified to meet the requirements of the European Machinery Directive and British standards for chemical spray vehicles and are qualified to carry the "CE" mark and certificate when ordered with the CE Certification Option. Please refer to the price book page for each product to determine the availability and cost of CE Certification for that product. If you have any questions, please contact International Sales at Smithco.

Educational Services Commission of New Jersey Sandustare Ball die Ichane Burtsec Rakes

| Model Number | Description | Ship Wt. | Suggested List Price |
|-----------------|---|-------------|-------------------------|
| | SAND STAR MODELS | S | |
| 45-001 | SAND-STAR I (Gasoline 16 hp 2-wheel drive, Mechanical Steer) | 980 | \$24,318.00 |
| 45-002 | SAND-STAR II (Gasoline 18 hp, 2 or 3 wheel Parallel drive, Mechanical Steer) | 1005 | \$26,010.00 |
| 45-204 | SAND-STAR IV (Gasoline 18 hp 3 wheel Series/Parallel drive, hyd power steer) | 1060 | \$28,078.00 |
| 45-205 | SAND-STAR DIESEL. (18 hp-14 kW, 3-wheel Series/Parallel drive, hyd power steer) CE Compliant no extra charge | 1185 | \$35,059.00 |
| 8510 | SAND-STAR ELECTRIC 48-VOLT (Includes Lithium-Ion battery & charger pack) | 974 | \$29,146.00 |
| SAND STAR | PRIME MOVER OPTIONS | | |
| 45-004 | Certified ROPS w/Seat Belts F/ 45-001, 45-002, 45-204 & 45-205 | 70 | \$830.00 |
| 85-001 | Non-Certified ROPS F/8510, BAR only no seat belts | | \$509.00 |
| 45-020 | CE Compliance option (45-001; 45-002: 45-204) | 1 | \$788.00 |
| 45-390 | LED Light Package (Front & Rear) F/ Gas & Diesel Engine Models | 8 | \$546.00 |
| 851-100 | LED Light Package (Front & Rear) F/ Electric Models | 8 | \$476.00 |
| Smithco Rol | ller-Brush-Spiker System (all components require 42-586Q Mair | n Frame) | |
| 42-586Q | RBS Mainframe with Qwitch implement lift. | 50 | \$1,010.00 |
| 42-581 | RBS Roller Set (3) only (Requires #42-586Q Main Frame), above | 85 | \$1,763.00 |
| 42-585 | RBS Brush Set (3) only (Requires #42-586Q Main Frame), above | 20 | \$776.00 |
| 42-582 | RBS Spiker Set (3) only (Requires #42-586Q Main Frame), above | 130 | \$1,140.00 |

Notes:

^{1.} We recognize the large number of "Super Star" bunker rakes in use that will require replacement implements. The Rear Implements / Attachments are found on Page 2. The front and mid-mount items are found on our ""Parts Price List"".

^{2.} Knobbed sand tires are std. equipment on Sand Star. Turf Trac R/S tires available at no addl. cost. Specify 3 ea. TURF TIRES on order (PN 48-265). Tire option must be part of original order.

| Model Number | Description | Ship Wt. | Suggested List Price |
|-----------------|---|-------------|-------------------------|
| | NTED IMPLEMENTS FOR GOLD | *** | 1 1100 |
| 13-298Q | Fan Rake Assembly | 36 | \$1,085.00 |
| 13-319 | Fan Rake Add On for 13-758Q, 13-438 Rake Assembly | 20 | \$432.00 |
| 13-684 | Brush Attachment for 13-438, 13-758, 42-132 | 20 | \$855.00 |
| 13-740 | Brush Attachment for 42-130, 45-503, 45-511 | 20 | \$855.00 |
| 13-758Q | 72" (189 m) Pro Rake | 66 | \$1,606.00 |
| 42-130Q | 84" (213 cm) Tournament Rake | 85 | \$2,628.00 |
| 42-132Q | 72" (189 cm) Tournament Rake | 75 | \$2,469.00 |
| 42-391Q | 72" (189 cm) Tournament Rake w/Flex-Brush Raking System | 90 | \$3,866.00 |
| 42-392Q | 84" (213 cm) Tournament Rake w/Flex-Brush Raking System | 100 | \$4,029.00 |
| 45-503Q | 84" (213cm) Pro Rake | 81 | \$1,722.00 |
| 45-010-A | Box Grader | 273 | \$3,420.00 |
| 41-501 | Typhoon Pumping System | 480 | \$9,063.00 |
| REAR MOU | NTED IMPLEMENTS FOR BALLFIELD & CONSTRUCTION | ON APPL | ICATIONS |
| 26-007Q | Professional Infield Finisher | 63 | \$1,408.00 |
| 26-008Q | Flex Action Infield Finisher-Leveler w/Drag mat | 110 | \$4,088.00 |
| 43-002Q | Flex Action Field Finisher w/ Brush | 110 | \$4,243.00 |
| 43-008 | Drag Mat Kit (Mat and Carrier) | 51 | \$1,763.00 |
| 13-740 | Brush (only) for Flex Action Finisher-Leveler | 10 | \$773.00 |
| 45-010-A | Box Grader | 273 | \$3,420.00 |
| 45-176-A | Drag Mat w/Finisher Brush | 140 | \$2,003.00 |
| CENTER M | OUNTED IMPLEMENTS FOR GOLF APPLICATIONS | | |
| 45-006-A | Sand Cultivator (Straight Blades) | 55 | \$1,500.00 |
| 45-008-A | Sand Cultivator (with Spring Tine Teeth) | 50 | \$2,179.00 |
| 45-014-A | Weed Cultivator (with horizontal feet) | 55 | \$2,209.00 |
| 45-175-A | Adjustable Disc Edger | 60 | \$2,360.00 |
| 85-006 | Sand Cultivator for Sand Star E (vertical blades) requires the 925-110 lift actuator to be ordered seperatly | 55 | \$1,500.00 |
| 85-008 | Sand Cultivator for Sand Star E (spring tine) requires the 925-110 lift actuator to be ordered seperatly | 50 | \$2,179.00 |
| 925-110 | Center Lift Actuator for Sand Star E | 11 | \$613.00 |

| CENTER M | OUNTED IMPLEMENTS FOR BALLFIELD & CONSTRUC | TION APPLICATIONS | |
|----------|--|-----------------------|------------|
| 45-007-A | Infield Scarifier (with gauge wheels, vertical blades) | 93 | \$1,693.00 |
| 45-011-A | Infield Scarifier (with gauge wheels, chisel blades) | 92 | \$2,512.00 |
| 45-012-A | Construction Leveling Blade w/push arms | 50 | \$575.00 |
| 45-013-A | Infield Scarifier (with spring tine teeth, gauge wheels) | 92 | \$2,423.00 |
| 45-173-A | Infield Scarifier (with chisel blades, no gauge wheels) | 50 | \$2,095.00 |
| 45-177-A | Nail Scarifier (with gauge wheels for infield scarifying) | 45 | \$2,566.00 |
| 45-195-A | Grader Blade Kit (for 45-007 & 45-011) | 10 | \$463.00 |
| 45-360-A | Scarifier w/extra long blades, gauge wheels | 95 | \$3,033.00 |
| 85-007 | Infield Scarifier for Sand Star E (with gauge wheels, vertical blades) requires the 925-110 lift actuator to be ordered | 55 | \$1,500.00 |
| 85-013 | Infield Scarifier for Sand Star E (with gauge wheels, spring tine) requires the 925-110 lift actuator to be ordered seperatly | 50 | \$2,659.00 |
| 925-110 | Center Lift Actuator for Sand Star E | 11 | \$613.00 |
| FRONT MO | UNTED IMPLEMENTS FOR GOLF, BALLFIELD & CONS | TRUCTION APPLICATIONS | |
| 45-005-A | 40" (102 cm) Hydraulic Plow F/Sand Star I, II, IV | 100 | \$4,718.00 |
| 45-009-A | 40" (102cm) Aluminum Manually Operated Plow | 60 | \$1,800.00 |
| 45-019-A | 60" (155cm) Aluminum Manually Operated Plow | 70 | \$3,188.00 |
| 45-179-A | 40" (102cm) Adjustable Angle, Manually Operated Plow | 60 | \$3,498.00 |
| 45-180-A | 60" (155cm) Adjustable Angle, Manually Operated Plow | 70 | \$5,798.00 |
| 45-206-A | 40" (102cm) Hydraulic Plow for Sand Star Diesel | 100 | \$5,203.00 |

| Model Number | Description | Ship Wt. | Suggested List Price |
|---------------------------|---|--------------------|-------------------------|
| | SWEEP ST | AR 60 | |
| 4 WHEEL QU | JAD MODELS WITH POWER STEERING & HYDRA | AULIC SWEEPER REEI | _ DRIVE |
| 76-750AB | SWEEP STAR 60 Brush Reel (Quad) | 2,710 | \$58,415.00 |
| 76-750AF | SWEEP STAR 60 Finger Reel (Quad) | 2,710 | \$58,415.00 |
| 3 WHEEL TR | I MODELS WITH MECHANICAL STEERING & SW | EEPER DRIVE | |
| 76-000DB | SWEEP STAR 60 Brush Reel (Gasoline) | 2375 | \$52,728.00 |
| 76-000CF | SWEEP STAR 60 Rubber Finger Reel (Gasoline |) 2375 | \$52,728.00 |
| 77-100CB | SWEEP STAR 60 Brush Reel (Diesel) | 2450 | \$61,168.00 |
| 77-100CF | SWEEP STAR 60 Finger Reel (Diesel) | 2450 | \$61,168.00 |
| SWEEP STA | R 60 ACCESSORIES | | |
| 76-271 | Dust & Dirt Filtration Package, all 3-Wheel Models | 20 | \$418.00 |
| 76-751 | Dust & Dirt Filtration Package, all Quad Models | 40 | \$572.00 |
| 76-442K | CE Compliance Option 76-000 & 77-100 Models (Note: Does not imply European Road Homologation Compliance) | 1 | \$772.00 |
| 76-744 | CE Compliance Option 76-750 Models | 1 | \$772.00 |
| | SWEEP ST | AR 48 | |
| 48-500AB | SWEEP STAR 48H Brush Reel | 1900 | \$43,488.00 |
| 48-500AF | SWEEP STAR 48H Finger Reel | 1900 | \$43,488.00 |
| SWEEP STAR 48 ACCESSORIES | | | |
| 48-501 | Hopper Dust Shield | 20 | \$582.00 |
| 48-223K | CE Compliance Option | 1 | \$735.00 |

| Model Number | Description | Ship Wt. | Suggested List Price |
|-----------------|--|---------------|-------------------------|
| | SWEEP STAR V-62 | | |
| 78-200-C | SWEEP STAR V-62 BASE UNIT: 4 Cubic Yard (3 Cu. Meter) Debris Hopper Capacity, 62 inch (158 cm) terrain following sweeper head | 2225 | \$29,893.00 |
| NOTE: (M | lust be ordered with one hitch kit and one sweeper head | below) | |
| НІТСН КІТ | 'S (Specify one) | | |
| 78-206 | Clevis Hitch (for tractor applications) | 75 | \$2,363.00 |
| 78-209 | Ball Hitch | 75 | \$2,363.00 |
| SWEEPER | HEADS (Specify one) | | |
| 78-210 | Nylon Brush Sweeper Head | 230 | \$8,299.00 |
| 78-211 | Rubber Finger Sweeper Head | 230 | \$8,398.00 |
| ACCESSO | RIES | | |
| 78-214 | Hydraulic Lift System for Sweeper Head (Factory installed) | 150 | \$4,959.00 |
| 78-208 | Dust & Dirt Filtration System for Model 78-200B & Model 78-500 | 25 | \$1,336.00 |
| 78-205 | 12.5 ft. (4 m) Hand Held Vacuum Hose with suction nozzle | 25 | \$2,190.00 |
| 78-215 | Electric Brake Kit for 78-200 with 78-209 Only | 30 | \$3,739.00 |
| 78-441 | CE Compliance Option | 1 | \$735.00 |
| | SWEEP STAR V62-V TURF VACUUM | /I (Complete) | |
| 78-500 | BASE UNIT INCLUDING VACUUM HEAD: 4 cu. yd. (3 Cu. M) debris hopper, 62 in. (158 cm) terrain following vacuum head only, 23 hp (17 kW) Vanguard two cylinder gasoline engine, mechanical drive vacuum impeller, electric/hydraulic tailgate operation, clevis hitch | 1935 | \$21,149.00 |
| ACCESSO | RIES | | |
| 78-208 | Dust & Dirt Filtration System for Model 78-500 | 25 | \$1,338.00 |
| 78-205 | 12.5 ft. (4 m) Hand Held Vacuum Hose with suction nozzle | | ÷ - ,555.00 |

| Model Number | Description | Ship Wt. | Suggested List Price |
|-----------------|-------------|----------|-------------------------|
|-----------------|-------------|----------|-------------------------|

SWEEP STAR V-72 SWEEPER-VERTICUT. PTO Drive

72-000 Sweep Star V72(Big Vac) Base Unit

3500

\$35,775.00

7 Cubic Yard (6 Cu M) Debris Hopper, PTO drive system, hydraulic system, 72 in (188cm) Terrain Following Sweeper/Verticut Head, Hitch system and controls

Note: (Must be ordered with one sweeper head, 72-001, 72-002, or 72-005 below)

| SWEEPE | R HEADS (Order a minimum of one) | | | |
|-------------|---|------|-------------|--|
| 72-001** | Combination Sweeper-Verticut Head **NOTE: Requires Minimum of 35 hp PTO | 1000 | \$13,512.00 | |
| 72-002 | Rubber Finger Sweeper Head | 700 | \$8,642.00 | |
| 72-005 | Nylon Brush Sweeper Head | 700 | \$8,556.00 | |
| ACCESSORIES | | | | |
| 72-003 | 25 ft. (8m) Hand Held Vacuum Hose With suction nozzle | 40 | \$2,633.00 | |
| | | | | |

| 73-000 | Sweep Star V72(Big Vac) Base Unit. | \$39,409.00 |
|--------|--|------------------|
| | 5 11 5 5 5 1 1 1 1 2 1 2 1 2 1 2 1 2 1 2 | 400, 100. |

35 hp (26kW) gas engine, 7 cu. yd. (6 cu.M) hopper, 72 in. (188cm), terrain following sweeper head, Vacuum 2950 system, hitch system and control panel with clevis hitch.

NOTE: (Must be ordered with one sweeper head, (72-002 or 72-005), below)

| SWEEPER HEADS (Order a minimum of one) | | | |
|--|---|-----|------------|
| 72-002 | Rubber Finger Sweeper Head | 700 | \$8,642.00 |
| 72-005 | Nylon Brush Sweeper Head | 700 | \$8,556.00 |
| ACCESS | SORIES | | |
| 73-006 | 25 ft. (8m) Hand Held Vacuum Hose with suction nozzle | 40 | \$2,409.00 |

| Model Number | Description | Ship Wt. | Suggested List Price |
|-----------------|---|-------------|-------------------------|
| | | | |
| SPRAY | STAR 1110 SERIES | | |
| 1102 | SPRAY STAR 1110 with TeeJet Radion 8140 flow based field computer spray control system. | 1260 | \$46,449.00 |
| 1104 | SPRAY STAR 1110 with Teejet 744 electric motorized valve boom control, a pressure based spray control system. | 1260 | \$41,143.00 |
| 1101 | SPRAY STAR 1110 all manual including manual valve boom control, a pressure based spray control system. | 1260 | \$38,892.00 |
| 10-355 | CE Compliance Option . Also note: CE/British compliance requires #10-417 Smithco Safe Fill System at additional cost | 20 | \$525.00 |
| SMITHC | O SUPER BOOMS (Factory Installed) | | |
| 17-601 | 15 ft / 4.5 m, Spray Width, 9 nozzles / 20 " (50 cm) spacing | 200 | \$8,385.00 |
| 17-835 | 15 ft / 4.5 m, Spray Width, 17 nozzles.10 " (25 cm) spacing | 275 | \$9,466.00 |
| 17-585 | 18.5 ft / 5.5 m, Spray Width, 11 nozzles. 20" (50 cm) spacing | 275 | \$8,803.00 |
| ACCESS | ORIES (Dealer Installed) | | |
| 17-622 | Drift Reduction Boom Shield. f/17-585 only | 50 | \$2,040.00 |
| 10-370 | Water Fill Meter (Liters) | 10 | \$628.00 |
| 10-365 | Water Fill Meter (Gallons) | 10 | \$628.00 |
| 10-740 | Foam Marker (dealer installed) | 47 | \$2,159.00 |
| 10-417 | Smithco Safe-Fill chemical eduction-induction system | 30 | \$2,908.00 |
| 30-006 | Fresh Water Wash Tank Rear Mount | 30 | \$540.00 |
| 10-653 | Fresh Water Wash Tank Front Mount | 30 | \$540.00 |
| 10-422 | Hose Reel Mounting Kit (use with Super Boom) | 40 | \$502.00 |
| 15-835 | Tank Rinsing Device | 2 | \$333.00 |
| 10-734 | Wash System 16 Gal (60 l.) with electric pump | 30 | \$1,522.00 |
| 16-129 | Manual Rewind Hose Reel, 200-foot/61-meter capacity | 43 | \$779.00 |
| 16-906 | Electric Rewind Hose Reel, 200-foot/61-meter capacity | 62 | \$1,693.00 |
| 15-866 | 50 ft. Hose with male/female GHT fittings installed | 25 | \$438.00 |
| 15-978 | 100 ft Hose with male/female GHT fittings installed | 50 | \$679.00 |
| 15-979 | 200 ft Hose with male/female GHT fittings installed | 100 | \$1,133.00 |
| 15-647 | Pistol Grip JD9 Gun | 4 | \$556.00 |

| Model Number | , Description | Ship Wt. | Suggested List Price |
|-----------------------|---|-------------|-------------------------|
| SPRAY | STAR 1110 SERIES STAR COMMAND I | | |
| TeeJet® Modulati | Radion© 8140 Advanced Rate Controller, TeeJet® Dyna-Jet Pulse ion | Width | |
| 1105 | Includes 15 ft (5m) Spray Boom 9 Double Nozzles, 20 In (50 cm) spacing | 1480 | \$67,460.00 |
| 1108 | Includes 18.5 ft (5.5 m) Spray Boom 11 Double Nozzles, 20 In (50 cm) spacing | 1480 | \$67,923.00 |
| SPRAY | STAR 1110 SERIES STAR COMMAND II / 3.0 | | |
| Aeros© 91 Compensa | controlled Positioning & Mapping. 40 Advanced GPS Rate Controller, TeeJet® Dyna-Jet Pulse Width Modulation ation, Terra Star® C-Pro Antenna for Multi-Constellation Global Correction Ser Star Command II / 3.0 Spray Boom,10"/25 cm Nozzle Spacing) | | |
| 1115 | Includes 15 ft (5m) Spray Boom 18 Nozzles, 10 in (25 cm) spacing | 1500 | \$85,173.00 |
| 1118 | Includes 18.5 ft (5.5m) Spray Boom 21 Nozzles, 10 in (25 cm) spacing | 1500 | \$85,509.00 |
| NOTICE: | Annual subscription required to activate Terra Star® C-Pro Antenna | | |
| 20-768 | 1 Year Subscription for Terra Star® C-Pro Antenna | | \$1,470.00 |
| 20-777 | 3 Year Subscription for Terra Star® C-Pro Antenna | NA | \$3,623.00 |
| ACCES | SORIES (Dealer Installed) | | |
| 10-355 | CE Compliance Option . Also note: CE/British compliance requires #10-417 Smithco Safe Fill System at additional cost | 20 | \$525.00 |
| 10-370 | Water Fill Meter (Liters) | 10 | \$628.00 |
| 10-365 | Water Fill Meter (Gallons) | 10 | \$628.00 |
| 10-740 | Foam Marker (dealer installed) | 47 | \$2,159.00 |
| 10-417 | Smithco Safe-Fill chemical eduction-induction system | 30 | \$2,908.00 |
| 30-006 | Fresh Water Wash Tank Rear Mount | 30 | \$540.00 |
| 10-653 | Fresh Water Wash Tank Front Mount | 30 | \$540.00 |
| 10-422 | Hose Reel Mounting Kit (use with Super Boom) | 40 | \$502.00 |
| 15-835 | Tank Rinsing Device | 2 | \$333.00 |
| 10-734 | Wash System 16 Gal (60 l.) with electric pump | 30 | \$1,522.00 |
| 16-129 | Manual Rewind Hose Reel, 200-foot/61-meter capacity | 43 | \$779.00 |
| 16-906 | Electric Rewind Hose Reel, 200-foot/61-meter capacity | 62 | \$1,693.00 |
| 15-866 | 50 ft. Hose with male/female GHT fittings installed | 25 | \$438.00 |
| 15-978 | 100 ft Hose with male/female GHT fittings installed | 50 | \$679.00 |
| 15-979 | 200 ft Hose with male/female GHT fittings installed | 100 | \$1,133.00 |
| 15-647 | Pistol Grip JD9 Gun | 4 | \$556.00 |
| 20-743 | Rear View Camera | 10 | \$678.00 |

| Model Number | Description | Ship Wt. | Suggested List Price |
|-----------------|---|-------------|-------------------------|
| SPRAY | STAR 1200 SERIES | | |
| 1202 | SPRAY STAR 1200 with TeeJet® Radion 8140 flow based field computer spray control system. | 1260 | \$48,723.00 |
| 1204 | SPRAY STAR 1200 with Teejet® 744 electric motorized valve boom control a pressure based spray control system. | 1260 | \$42,139.00 |
| 1201 | SPRAY STAR 1200 all manual including manual valve boom control, a pressure based spray control system. | 1260 | \$40,950.00 |
| SMITHCO | O SUPER BOOMS (Factory Installed) | | |
| 17-601 | 15 ft / 4.5 m , Spray Width, 9 nozzles. 20 " (50 cm) spacing | 200 | \$8,385.00 |
| 17-835 | 15 ft / 4.5 m , Spray Width, 17 nozzles.10 " (25 cm) spacing | 275 | \$9,466.00 |
| 17-585 | 18.5 ft / 5.5 m , Spray Width, 11 nozzles. 20" (50 cm) spacing | 275 | \$8,803.00 |
| 17-580 | 20 ft / 6 m, Spray Width, 12 nozzles. 20" (50 cm) spacing | 290 | \$9,525.00 |
| ACCESS | ORIES (Dealer Installed) | | |
| 15-977 | CE Compliance Option . Also note: CE/British compliance requires #15-619 Smithco Safe Fill System at additional cost | 10 | \$525.00 |
| 17-622 | Drift Reduction Boom Shield. f/17-585 only | 50 | \$2,040.00 |
| 15-965 | Foam Marker (dealer installed) | 47 | \$2,159.00 |
| 15-619 | Smithco Safe-Fill chemical eduction-induction system for 120 | 30 | \$2,906.00 |
| 15-835 | Tank Rinsing Device | 2 | \$349.00 |
| 15-967 | Hose Reel Mounting Kit (only for 1200 Sprayers) | 20 | \$796.00 |
| 15-968 | Wash System 20 Gal (76 l.) with electric pump | 30 | \$1,682.00 |
| 16-129 | Manual Rewind Hose Reel, 200-foot/61-meter capacity | 43 | \$779.00 |

| ACCESS | ORIES (Dealer Installed)Continued | | |
|--------|---|-----|------------|
| 16-906 | Electric Rewind Hose Reel, 200-foot/61-meter capacity | 62 | \$1,693.00 |
| 30-006 | Fresh Water Wash Tank Rear Mount | 30 | \$540.00 |
| 10-653 | Fresh Water Wash Tank Front Mount | 30 | \$540.00 |
| 17-590 | Sonar Boom Kit for 17-585 & 17-580 Super Booms | 30 | \$7,620.00 |
| 20-815 | Water Fill Meter (Gallons) | 10 | \$628.00 |
| 20-816 | Water Fill Meter (Liters) | 10 | \$628.00 |
| 15-866 | 50 ft. Hose with male/female GHT fittings installed | 25 | \$416.00 |
| 15-978 | 100 ft Hose with male/female GHT fittings installed | 50 | \$646.00 |
| 15-979 | 200 ft Hose with male/female GHT fittings installed | 100 | \$1,079.00 |
| 15-647 | Pistol Grip JD9 Gun | 4 | \$556.00 |

NOTE: To install the 17-590 sonar boom on SS1200 WITHOUT a foam marker installed,

please order 20-841 mounting kit at no charge

| Model Number | Description | Ship Wt. | Suggested List Price | | | | |
|---|---|--------------------------------|-------------------------|--|--|--|--|
| | SPRAY STAR 1200 SERIES STAR COMMAND I TeeJet® Radion© 8140 Advanced Rate Controller, TeeJet® Dyna-Jet | | | | | | |
| | Modulation | 2 y 11 a 6 c c | | | | | |
| 1207 | Includes 20 ft (6m) Spray Boom 12 Double No 20 In (50 cm) spacing | zzles, ₁₈₃₅ | \$64,979.00 | | | | |
| 1208 | Includes 18.5 ft (5.5 m) Spray Boom 11 Double Nozzles, 20 In (50 cm) spacing | 1815 | \$63,965.00 | | | | |
| SPRAY STAR 1200 SERIES STAR COMMAND II / 3.0 Satellite Controlled Positioning & Mapping. TeeJet® Aeros© 9140 Advanced GPS Rate Controller, TeeJet® Dyna-Jet Pulse Width Modulation, Turn Compensation, Terra Star® C-Pro Antenna for Multi- Constellation Global Correction Service (Includes Star Command II / 3.0 Spray Boom,10"/25 cm Nozzle Spacing) | | | | | | | |
| 1215 | Includes 15 ft (5m) Spray Boom with 18 Nozzlin (25 cm) spacing | es , 10 ₁₅₀₀ | \$83,266.00 | | | | |

| 1215 | Includes 15 ft (5m) Spray Boom with 18 Nozzles, 10 in (25 cm) spacing | 1500 | \$83,266.00 |
|-----------|---|------|-------------|
| 1218 | Includes 18.5 ft (5.5m) Spray Boom with 21 Nozzles, 10 in (25 cm) spacing | 1500 | \$84,282.00 |
| 1220 | Includes 20 ft (6m) Spray Boom with 21 Nozzles, 10 in (25cm) spacing | 1500 | \$85,299.00 |
| NOTICE: A | Annual subscription required to activate Terra Star® C- a | | |
| 20-768 | 1-year subscription for Terra Star C-Pro Antenna | NA | \$1,470.00 |
| 20-777 | 3-year subscription for C-Pro Antenna | NA | \$3,623.00 |

| ACCESSORIES (Dealer Installed) | | | | |
|--------------------------------|---|-----|------------|--|
| 15-977 | CE Compliance Option . Also note: CE/British compliance requires #20-503 Smithco Safe Fill System at additional cost | 20 | \$525.00 | |
| 20-743 | Rear View Camera | 10 | \$678.00 | |
| 15-965 | Foam Marker (dealer installed) | 47 | \$2,159.00 | |
| 15-619 | Smithco Safe-Fill chemical eduction-induction system for 120 | 30 | \$2,908.00 | |
| 15-835 | Tank Rinsing Device | 2 | \$333.00 | |
| 15-967 | Hose Reel Mounting Kit (for 1200 Sprayers only) | 20 | \$796.00 | |
| 15-968 | Wash System 20 Gal (76 l.) with electric pump | 30 | \$1,679.00 | |
| 16-129 | Manual Rewind Hose Reel, 200-foot/61-meter capacity | 43 | \$779.00 | |
| 16-906 | Electric Rewind Hose Reel, 200-foot/61-meter capacity | 62 | \$1,693.00 | |
| 30-006 | Fresh Water Wash Tank Rear Mount | 30 | \$540.00 | |
| 10-653 | Fresh Water Wash Tank Front Mount | 30 | \$540.00 | |
| 17-590 | Sonar Boom Kit for 17-585 & 17-580 Super Booms | 30 | \$7,620.00 | |
| 20-815 | Water Fill Meter (Gallons) | 10 | \$628.00 | |
| 20-816 | Water Fill Meter (Liters) | 10 | \$628.00 | |
| 15-866 | 50 ft. Hose with male/female GHT fittings installed | 25 | \$438.00 | |
| 15-978 | 100 ft Hose with male/female GHT fittings installed | 50 | \$679.00 | |
| 15-979 | 200 ft Hose with male/female GHT fittings installed | 100 | \$1,133.00 | |
| 15-647 | Pistol Grip JD9 Gun | 4 | \$529.00 | |
| 30-319 | Field Pilot Auto Steer system (for models: 2005; 2005D; 2006; 2006D only) | 40 | \$9,057.00 | |

NOTE: To install the 17-590 sonar boom on SS1200 WITHOUT a foam marker installed, please order 20-841 mount kit at no charge

| Model Number | Description | Ship Wt. | Suggested List Price |
|-----------------|---|-------------|-------------------------|
| SPRAY S | ΓAR 2000 SERIES | | |
| 2002-G | SPRAY STAR 2000 with TeeJet® Radion 8140 flow based field computer spray control system. | 1980 | \$58,433.00 |
| 2002-D | SAME AS ABOVE except 3 cylinder, L/C , 25hp/18.5 kW, Diesel engine power | 2090 | \$66,976.00 |
| 2004-G | SPRAY STAR 2000 with TeeJet® 744 electric motorized valve boom control a pressure based spray control system. | 1980 | \$53,556.00 |
| 2004-D | SAME AS ABOVE except 3 cylinder, L/C , 25hp/18.5 kW, Diesel engine power | 2090 | \$62,099.00 |
| 20-504 | CE Compliance Option . Also note: CE/British compliance requires #20-503 Smithco Safe Fill System at additional cost | 10 | \$525.00 |
| SMITHCO | SUPER BOOMS (Factory Installed) | | |
| 17-601 | 15 ft / 4.5 m, Spray Width, 9 nozzles / 20 " (50 cm) spacing | 200 | \$8,385.00 |
| 17-835 | 15 ft / 4.5 m, Spray Width, 17 nozzles.10 " (25 cm) spacing | 275 | \$9,466.00 |
| 17-585 | 18.5 ft / 5.5 m, Spray Width, 11 nozzles. 20" (50 cm) spacing | 275 | \$8,803.00 |
| 17-580 | 20 ft / 6 m, Spray Width, 12 nozzles. 20" (50 cm) spacing | 290 | \$9,525.00 |
| ACCESSO | ORIES (Dealer Installed) | | |
| 17-622 | Drift Reduction Boom Shield. f/17-585 only | 50 | \$2,040.00 |
| 14-515 | Water Fill Meter (Gallons) | 10 | \$628.00 |
| 15-618 | Water Fill Meter (Liters) | 10 | \$628.00 |
| 15-835 | Tank Rinsing Device | 2 | \$333.00 |
| 17-590 | Sonar Boom Kit for 17-585 & 17-580 Super Booms | 30 | \$8,002.00 |
| 20-503 | Smithco Safe-Fill chemical education-induction system | 30 | \$2,948.00 |
| 20-760 | Wash System 26 Gal (98 I.) with electric pump | 30 | \$1,679.00 |
| 30-004 | Foam Marker | 47 | \$2,159.00 |
| 30-006 | Fresh Water Wash Tank Rear Mount | 30 | \$540.00 |
| 20-758 | Fresh Water Wash Tank Front Mount | 30 | \$540.00 |
| 30-009 | Manual Rewind Hose Reel, 200-foot/61-meter capacity | 43 | \$1,068.00 |
| 30-010 | Electric Rewind Hose Reel, 200-foot/61-meter capacity | 62 | \$1,980.00 |
| 31-004 | All-weather Top f/ Spray Star 2000, 3180 (fiberglass) | 70 | \$1,400.00 |
| 15-866 | 50 ft. Hose with male/female GHT fittings installed | 25 | \$438.00 |
| 15-978 | 100 ft Hose with male/female GHT fittings installed | 50 | \$679.00 |
| 15-979 | 200 ft Hose with male/female GHT fittings installed | 100 | \$1,133.00 |
| 15-647 | Pistol Grip JD9 Gun | 4 | \$529.00 |

| Model Number | Description | Ship Wt. | Suggested List Price |
|--------------------------------------|--|-------------|-------------------------|
| SPRAY S | STAR 2000 SERIES STAR COMMAND I | | |
| | adion© 8140 Advanced Rate Controller, TeeJet® Dyna- th Modulation | Jet | |
| 2007-G | Includes 20 ft (6m) Spray Boom with 12 Double Nozzles, 20 In (50 cm) spacing | 2380 | \$76,910.00 |
| 2007-D | Same as Model 2008-G (above) except 3 cylinder, 25hp/18.5 kW, Kubota diesel engine power | 2480 | \$85,453.00 |
| 2008-G | Includes 18.5 ft (5.5 m) Spray Boom with 11 Double Nozzles, 20 In (50 cm) spacing | 2390 | \$75,886.00 |
| 2008-D | Same as Model 2008-G (above) except 3 cylinder, 25hp/18.5 kW, Kubota diesel engine power | 2490 | \$84,429.00 |
| SPRAY S | STAR 2000 SERIES STAR COMMAND II / 3.0 | | |
| Advanced Modulation Constellat | ontrolled Positioning & Mapping. TeeJet® Aeros© 914 GPS Rate Controller, TeeJet® Dyna-Jet Pulse Width n, Turn Compensation, Terra Star® C-Pro Antenna for ion Global Correction Service Star Command II / 3.0 Spray Boom,10"/25 cm Nozzle Sp | Multi- | |
| 2005-G | Includes 18.5 ft (5.5m) Spray Boom with 21 Nozzles, 10 in (25 cm) spacing | 2380 | \$94,610.00 |
| 2005-D | Same as Model 2005-G (above) except 3 cylinder, 25hp/18.5 kW, Kubota diesel engine power | 2480 | \$103,155.00 |
| 2006-G | Includes 20 ft (6m) Spray Boom with 24 Nozzles, 10 in (25 cm) spacing | 2380 | \$95,636.00 |
| 2006-D | Same as Model 2006-G (above) except 3 cylinder, 25hp/18.5 kW, Kubota diesel engine power | 2480 | \$104,179.00 |
| NOTICE: C-Pro Anto | Annual subscription required to activate Terra Star® enna | | |
| 20-768 | 1-year subscription for TerraStar C-Pro Antenna | NA | \$1,470.00 |
| 20-777 | 3-year subscription for Terra Star C-Pro Antenna | NA | \$3,623.00 |

ACCESSORIES (Dealer Installed)

| 20-504 | CE Compliance Option . Also note: CE/British compliance requires #20-503 Smithco Safe Fill System at additional cost | 20 | \$525.00 |
|--------|---|-----|------------|
| 14-515 | Water Fill Meter (Gallons) | 10 | \$628.00 |
| 15-618 | Water Fill Meter (Liters) | 10 | \$628.00 |
| 15-835 | Tank Rinsing Device | 2 | \$333.00 |
| 20-503 | Smithco Safe-Fill chemical education-induction system | 30 | \$2,948.00 |
| 20-758 | Fresh Water Was Tank Front Mount | 30 | \$540.00 |
| 20-760 | Wash System 26 Gal (98 l.) with electric pump | 30 | \$1,679.00 |
| 30-004 | Foam Marker | 47 | \$2,159.00 |
| 30-006 | Fresh Water Wash Tank Rear Mount | 30 | \$540.00 |
| 20-758 | Fresh Water Wash Tank Front Mount | 30 | \$540.00 |
| 30-009 | Manual Rewind Hose Reel, 200-foot/61-meter capacity | 43 | \$1,068.00 |
| 30-010 | Electric Rewind Hose Reel, 200-foot/61-meter capacity | 62 | \$1,980.00 |
| 31-004 | All-weather Top for Spray Star 2000, 3180 (fiberglass) | 70 | \$1,400.00 |
| 15-866 | 50 ft. Hose with male/female GHT fittings installed | 25 | \$438.00 |
| 15-978 | 100 ft Hose with male/female GHT fittings installed | 50 | \$679.00 |
| 15-979 | 200 ft Hose with male/female GHT fittings installed | 100 | \$1,133.00 |
| 15-647 | Pistol Grip JD9 Gun | 4 | \$529.00 |
| 20-746 | Field Pilot Auto Steer system (for 2005; 2005D; 2006; 2006D) | 40 | \$8,626.00 |
| 30-319 | Field Pilot Auto Steer system (for models: 2005; 2005D; 2006; 2006D only) | 40 | \$8,626.00 |
| 20-743 | Rear View Camera | 10 | \$678.00 |

| Model Number | Description | Ship Wt. | Suggested List Price | | | |
|------------------|---|-------------|-------------------------|--|--|--|
| | SPRAY STAR 3180 SERIES | | | | | |
| 3182 | SPRAY STAR 3180 with TeeJet® Radion 8140 flow based field computer spray control system. | 2350 | \$92,599.00 | | | |
| 3184 | SPRAY STAR 3180 with Teejet® 744 electric motorized valve boom control a pressure based spray control system. | 2350 | \$87,139.00 | | | |
| 3180 | SPRAY STAR 3180. Base Prime Mover Only with pump and 318g tank only. No spray control system | 1980 | \$80,368.00 | | | |
| 30-015 | CE Compliance Option . Also note: CE/British compliance requires #30-007 Smithco Safe Fill System at additional cost | 10 | \$525.00 | | | |
| SMITHCO | SUPER BOOMS (Factory Installed) | | | | | |
| 17-585 | 18.5 ft / 5.5 m , Spray Width, 11 nozzles. 20" (50 cm) spacing | 275 | \$8,803.00 | | | |
| 17-580 | 20 ft / 6 m, Spray Width, 12 nozzles. 20" (50 cm) spacing | 290 | \$9,525.00 | | | |
| ACCESSO | RIES (Dealer Installed) | | | | | |
| 17-622 | Drift Reduction Boom Shield. f/17-585 only | 50 | \$2,040.00 | | | |
| 14-515 | Water Fill Meter (Gallons) | 10 | \$628.00 | | | |
| 15-618 | Water Fill Meter (Liters) | 10 | \$628.00 | | | |
| 15-835 17-590 | Tank Rinsing Device | 2 30 | \$333.00 \$7.630.00 | | | |
| 30-006 | Sonar Boom Kit for 17-585 & 17-580 Super Booms Fresh Water Wash Tank Rear Mount | 30 | \$7,620.00 \$540.00 | | | |
| 20-758 | Fresh Water Wash Tank Front Mount | 30 | \$540.00 \$540.00 | | | |
| 30-007 | Smithco Safe-Fill chemical education-induction system | 30 | \$2,948.00 | | | |
| 30-009 | Manual Rewind Hose Reel, 200-foot/61-meter capacity + mounting | 43 | \$1,068.00 | | | |
| 30-010 | Electric Rewind Hose Reel, 200-foot/61-meter capacity + mount | 62 | \$1,979.00 | | | |
| 30-350 | Wash System 26 Gal (98 I.) with electric pump | 30 | \$1,695.00 | | | |
| 30-375 | Foam Marker (Dealer installed) | 47 | \$2,180.00 | | | |
| 31-004 | All-weather Top f/ Spray Star 2000, 3180 (fiberglass) | 70 | \$1,400.00 | | | |
| 15-866 | 50 ft. Hose with male/female GHT fittings installed | 25 | \$438.00 | | | |
| 15-978 | 100 ft Hose with male/female GHT fittings installed | 50 | \$679.00 | | | |
| 15-979 | 200 ft Hose with male/female GHT fittings installed | 100 | \$1,133.00 | | | |
| 15-647 | Pistol Grip JD9 Gun | 4 | \$583.00 | | | |

| Model Number | Description | Ship Wt. | Suggested List Price |
|--|---|-------------|-------------------------|
| SPRAY ST | AR 3180 SERIES STAR COMMAND I | | |
| TeeJet® Rad Pulse Width | lion© 8140 Advanced Rate Controller, TeeJet® Dyna Modulation, | a-Jet | |
| 3187 | Includes 20 ft (6m) Spray Boom with 12 Double Nozzles, 20 In (50 cm) spacing | 2390 | \$112,475.00 |
| 3188 | Includes 18.5 ft (5.5 m) Spray Boom with 11 Double Nozzles, 20 In (50 (cm) spacing | 2380 | \$111,458.00 |
| SPRAY ST | AR 3180 SERIES STAR COMMAND II / 3.0 | | |
| Advanced G Modulation, Constellation | ntrolled Positioning & Mapping. TeeJet® Aeros© 91 PS Rate Controller, TeeJet® Dyna-Jet Pulse Width Turn Compensation, Terra Star® C-Pro Antenna fo In Global Correction Service In Command II / 3.0 Spray Boom,10"/25 cm Nozzle S | r Multi- | |
| 3185 | Includes 18.5 ft (5.5m) Spray Boom 21 Nozzles, 10 in (25 cm) spacing | 2380 | \$129,488.00 |
| 3186 | Includes 20 ft (6m) Spray Boom 24 Nozzles, 10 in (25 cm) spacing | 2390 | \$130,503.00 |
| NOTICE: Ai Antenna | nnual subscription required to activate Terra Star® | C-Pro | |
| 20-768 | 1-year subscription for Terra Star C-Pro Antenna | NA | \$1,470.00 |
| 20-777 | 3-year subscription for C-Pro Antenna | NA | \$3,623.00 |

| ACCESSO | RIES (Dealer Installed) | | |
|----------|---|-----|------------|
| 30-015 | CE Compliance Option . Also note: CE/British compliance requires #30-007 Smithco Safe Fill System at additional cost | 5 | \$525.00 |
| 14-515 | Water Fill Meter (Gallons) | 10 | \$628.00 |
| 15-618 | Water Fill Meter (Liters) | 10 | \$629.00 |
| 15-835 | Tank Rinsing Device | 2 | \$333.00 |
| 17-590 | Sonar Boom Kit for 17-585 & 17-580 Super Booms | 30 | \$7,620.00 |
| 30-006 | Fresh Water Wash Tank Rear Mount | 30 | \$540.00 |
| 20-758 | Fresh Water Wash Tank Front Mount | 30 | \$540.00 |
| 30-007 | Smithco Safe-Fill chemical education-induction system | 30 | \$2,948.00 |
| 30-009 | Manual Rewind Hose Reel, 200-foot/61-meter capacity | 43 | \$1,068.00 |
| 30-010 | Electric Rewind Hose Reel, 200-foot/61-meter capacity | 62 | \$1,979.00 |
| 30-350 | Wash System 26 Gal (98 I.) with electric pump | 30 | \$1,695.00 |
| 30-375 | Foam Marker (Dealer installed) | 47 | \$2,180.00 |
| 31-004 | All-weather Top f/ Spray Star 2000, 3180 (fiberglass) | 74 | \$1,400.00 |
| 15-866 | 50 ft. Hose with male/female GHT fittings installed | 25 | \$438.00 |
| 15-978 | 100 ft Hose with male/female GHT fittings installed | 50 | \$679.00 |
| 15-979 | 200 ft Hose with male/female GHT fittings installed | 100 | \$1,133.00 |
| 15-647 | Pistol Grip JD9 Gun | 4 | \$556.00 |
| 30-319-A | Field Pilot Auto Steer system (for models: 3185; 3186 only) | 40 | \$9,058.00 |
| 20-743 | Rear View Camera | 10 | \$678.00 |

| Model Number | Description | Ship Wt. | Suggested List Price |
|-----------------------|---|-------------|---------------------------|
| SPRAY S | STAR 5200 BASIC SERIES | | |
| 5220 | SPRAY STAR 5200, TeeJet® Radion 8140 flow based field computer spray control system with 20' (6m) Super Boom | 4155 | \$122,278.00 |
| 5224 | SPRAY STAR 5200, TeeJet®744 electric motorized valve boom control a pressure based spray control system.with 24' (7.3m) Super Boom | 4155 | \$116,250.00 |
| SPRAY S | STAR 5200 with Star COMMAND I SYSTEM. (Ir | ncludes | double-nozzle Spray Boom) |
| 5288 | SPRAY STAR 5200, TeeJet® Radion© 8140 Advanced Rate Controller, TeeJet® Dyna-Jet Pulse Width Modulation | 4155 | \$129,928.00 |
| | Includes 24 ft (7.3 m) Super boom | | |
| 5287 | SPRAY STAR 5200 TeeJet® Radion© 8140 Advanced Rate Controller, TeeJet® Dyna-Jet Pulse Width Modulation | 4155 | \$130,869.00 |
| | Includes 20 ft (6 m) Super boom | | |
| SPRAY S Boom) | TAR 5200 with STAR COMMAND II SYSTEM. (| (Include: | s Star Command 3.0 Spray |
| 5285 | SPRAY STAR 5200, TeeJet® Aeros© 9140 Advanced GPS Rate Controller, TeeJet® Dyna-Jet Pulse Width Modulation, Terra Star® C-Pro Antenna for Multi-Constellation Global Correction Service | 4155 | \$146,446.00 |
| | Includes 20 ft (6 m) Super boom | | |
| 5286 | SPRAY STAR 5200, TeeJet® Aeros© 9140 Advanced GPS Rate Controller, TeeJet® Dyna-Jet Pulse Width Modulation, Terra Star® C-Pro Antenna for Multi-Constellation Global Correction Service | 4155 | \$148,013.00 |
| | Includes 24 ft (7.3 m) Super boom | | |
| NOTICE: C-Pro Ante | Annual subscription required to activate Terra Star® enna | | |
| 20-768 | 1 Year Subscription for Terra-Star Antenna | NA | \$1,470.00 |
| 20-777 | 3 Year Subscription for Terra-Star Antenna | NA | \$3,623.00 |

| ACCESS | ORIES (Dealer Installed) | | |
|--------|--|-----|------------|
| 14-515 | Water Fill Meter (Gallons) | 10 | \$628.00 |
| 15-618 | Water Fill Meter (Liters) | 10 | \$628.00 |
| 15-647 | Pistol Grip JD9 Gun | 4 | \$556.00 |
| 15-866 | 50 ft. Hose with male/female GHT fittings installed | 25 | \$438.00 |
| 15-978 | 100 ft Hose with male/female GHT fittings installed | 50 | \$679.00 |
| 15-979 | 200 ft Hose with male/female GHT fittings installed | 100 | \$1,133.00 |
| 20-743 | Rear View Camera | 10 | \$678.00 |
| 30-006 | Fresh Water Wash Tank | 30 | \$540.00 |
| 30-319 | Field-Pilot Auto Steer system (for models: 5285; 5287 only) | 40 | \$9,058.00 |
| 32-508 | Foam Marker (Dealer installed) | 47 | \$2,180.00 |
| 32-509 | Manual Rewind Hose Reel, 200-foot/61-meter capacity + mounting | 43 | \$1,068.00 |
| 32-510 | Electric Rewind Hose Reel, 200-foot/61-meter capacity + mount | 62 | \$1,979.00 |
| 32-512 | Smithco Safe-Fill chemical education-induction system | 30 | \$2,948.00 |
| 32-511 | Wash System 50 Gal (189 I.) with electric pump | 30 | \$1,411.43 |

| Model Number | Description | Ship Wht. | Suggested List Price |
|-----------------|--|-----------|-------------------------|
| 31-300 | Spray Star 31-300 Pull - Type sprayer | 2,350 | \$22,528.00 |
| | Radion spray control system, 18.5 ft (5.5m) Supe | r Boom | |

| OPTIONS (Factory installed) & ACCESSORIES. (Dealer installed) FOR SPRAY STAR | | | | |
|--|---|-----|--------------------------|--|
| 14-515 | Water Fill Meter (Gallons) | 10 | \$628.00 | |
| 15-618 | Water Fill Meter (Liters) | 10 | \$629.00 | |
| 15-649-K | Pistol Grip JD9 Gun | 4 | \$556.00 \$438.00 | |
| 15-866 | 50 ft. Hose with male/female GHT fittings installed | 25 | | |
| 15-978 | 100 ft Hose with male/female GHT fittings installed | 50 | \$679.00 | |
| 15-979 | 200 ft Hose with male/female GHT fittings installed | 100 | \$1,133.00 | |
| 17-623 | Drift Reduction Boom Shield. f/17-585 only | 50 | \$7,620.00 | |
| 30-006 | Fresh Water Wash Tank | 30 | \$540.00 | |
| 31-303 | Smithco Safe-Fill chemical education-induction system | 30 | \$2,806.00 | |
| 31-304 | Foam Marker (Dealer installed) | 47 | \$2,948.00 \$1,068.00 | |
| 31-305 | Manual Rewind Hose Reel, 200-foot/61-meter capacity + mounting | 43 | | |
| 31-306 | Electric Rewind Hose Reel, 200-foot/61-meter capacity + mountin | 43 | \$1,979.00 | |

| Model Number | Description | Ship Wt. | Suggested List Price |
|-----------------|--|-------------|-------------------------|
| | TOURNAMENT GREENS ROLI | LERS | |
| 7000 | TOURNAMENT XL 7000 ULTRA-WIDE GREENS ROLLER | 1605 | \$29,723.00 |
| | 70 inch / 178 cm Rolling Width, 16hp (12 Kw) Vanguard OHV gasoline engine, TRIPLE hydraulic DIRECT drive to rollers, HD Transport Trailer #7525 Included (see below), Battery not included | | |
| 7580 | TOURNAMENT ULTRA GREENS ROLLER | 980 | \$25,529.00 |
| | 16hp (12 KW) Vanguard OHV gasoline engine with #7520 trailer, Dual Pedal Control, DUAL hydraulic direct drive rollers, battery not included. | | , ,,, |
| 7590 | TOURNAMENT ULTRA PLUS GREENS ROLLER | 930 | \$28,812.00 |
| | All the features of the ULTRA ROLLER (Above) PLUS Hydraulic Power Steering | | V 20,0 12.00 |
| 7576 | TOURNAMENT ULTRA LITE GREENS ROLLER | 780 | \$20,935.00 |
| | 8hp (6.5 kW) Honda commercial 12volt electric start engine with Trailer, Dual Pedal Control, Direct drive to rollers. CE Compliant. | | |
| OPTIONS | & ACCESSORIES FOR GREENS ROLLERS | | |
| 7520 | EXTRA / REPLACEMENT TRANSPORT TRAILER for Models 7000, 7580, 7590, 7576 | 530 | \$3,819.00 |
| 7512 | GREENS SPIKER ATTACHMENT For 7590 Tournament Ultra PLUS 2012 & Earlier. For 7590, 7580 & 7575 | 36 | \$2,585.00 |
| 7514 | BRUSH KIT (2 Brushes) For 7580 Ultra,7575 & 7590 Ultra Plus Greens rollers ONLY. | 50 | \$1,222.00 |
| 7513 | BRUSH KIT for 7000 XL Roller | 57 | \$1,492.00 |
| 7525 | HD TRANSPORT TRAILER for Roller Model 7000 with Clevis Hitch | 530 | \$4,948.00 |
| 750-450 | Light Kit for 7590 , 7000 ULTRA greensrollers | 7 | \$340.00 |
| 750-555 | Light Kit for 7575 ULTRA Lite greensrollers | 6 | \$340.00 |
| 750-939 | CE COMPLIANCE for 7580, 7590 | 6 | \$469.00 |
| 750-940 | CE COMPLIANCE for 7000 | 8 | \$469.00 |

FAIRWAY ROLLERS

10 FOOT (3 m) MODELS

| 12-500-B | FAIRWAY ULTRA-10-SC Fairway Roller | 1675 | \$17,820.00 | | |
|----------|--|------|-------------|--|--|
| | 10 ft (3 m) wide, self-contained fairway roller with integrated electric/hydraulic power system for lift/lower, 100 gallon (379 L) ballast tank, battery charge cable, roller scrapers (battery not included) | | | | |
| 12-501-B | FAIRWAY ULTRA-10-TV Fairway Roller Ultra-10-SC Fairway Roller 10' (3 m) wide, remote hydraulic lift system for lift/lower for transport, 100 gallon (379 L) ballast tank, roller scrapers | 1675 | \$14,742.00 | | |
| 12-502 | Spiker Reel (for 12-500, 12-501) | | \$1,975.00 | | |
| 12-503 | Foam Marker (Dealer installed) | 30 | \$2,078.00 | | |
| 15 FT (4 | 15 FT (4.5 m) MODEL | | | | |
| 12-750 | FAIRWAY ULTRA 15-SC Fairway Roller 15 Ft (4.5 meter) wide, self-contained 5-GANG fairway roller with integrated electric / hydraulic power system for lift/lower, 150 gallon (570 L.) ballast tank, battery charge cable, roller scrapers (battery not included) | 2100 | \$22,009.00 | | |
| 12-751 | | | | | |

| Model Number | Description | Ship Wt. | Suggested List Price |
|-----------------|--|--------------|-------------------------|
| | AER-8 | | |
| STEP #1, Cho | ose aeration width by selecting one base unit. Base stands for 3-point hitch mount (Option whe | | |
| AER8-600 | 60" (153cm) Base Unit | 727 | \$3,538.00 |
| AER8-780 | 78" (198 cm) Base Unit | 827 | \$3,993.00 |
| STEP #2, Choos | se how your unit will be operated & transported | | |
| AER8-004 | Tractor Mounted 3-point hitch carrie r (attaches to AER8-600 or AER8-780) | 90 | \$1,456.00 |
| AER8-001 | Transport Frame Assembly , hydraulically operated to convert 3pt. Hitch Aer-8 models to wheel mounted pull-type aerifier NOTE: If AER8-001 is selected, you Must select one of #AER8-002 or #AER8-003 (below) | 250 | \$3,013.00 |
| AER8-002 | Electric/Hydraulic Lift System for AER8-001 (NOTE: INCLUDES complete 12 volt charging system | 125 | \$2,863.00 |
| AER8-003 | Hydraulic hose kit to connect Aer-8 to tow vehicle hydraulic system. NOTE: Hydraulic quick couplers to connect to tow vehicle are Dealer Supplied | 20 | \$663.00 |
| STEP #3, Choo | ose the reel assemblies which contain the aerifi | cation tines | |
| AER8-60R601 | 60" (153 cm) Tine Reel Assembly with "Turf Quake" Fracture Tines (5' / 19 cm spacing) | 332 | \$5,945.00 |
| AER8-60R602 | 60" (153 cm) Tine Reel Assembly with "Turf Quake" Fracture Tines (7.5" / 19 cm spacing) | 285 | \$4,628.00 |
| AER8-60R603 | 60" (153 cm) Tine Reel Assembly with "All-Star" Sports Field Tines (5" / 13 cm spacing) | 284 | \$5,900.00 |
| AER8-60R604 | 60" (153 cm) Tine Reel Assembly with "All-Star" Sports Field Tines (7.5" / 19 cm spacing) | 237 | \$4,628.00 |
| AER8-60R605 | 60" (153 cm) Tine Reel Assembly with "Aerfine" Thin Blade Tines (3" / 8 cm spacing) | 300 | \$7,015.00 |
| AER8-60R606 | 60" (153 cm) Tine Reel Assembly with "Aerfine" Thin Blade Tines (5" / 13 cm spacing) | 228 | \$6,536.00 |
| AER8-60R607 | 60" (153 cm) Tine Reel Assembly with 3/4" (1.9 cm) Coring Tines | 117 | \$7,640.00 |
| AER8-78R781 | 78" (198 cm) Tine Reel Assembly with "Turf Quake" Fracture Tines (5" / 13 cm spacing) | 500 | \$7,640.00 |

| STEP #3, Choo | ose the reel assemblies which contain the aerific | cation tinesco | ontinued | |
|---|--|----------------|------------|--|
| AER8-78R782 | 78" (198 cm) Tine Reel Assembly with "Turf Quake" Fracture Tines (7.5" / 19 cm spacing) | 357 | \$5,882.00 | |
| AER8-78R783 | 78" (198 cm) Tine Reel Assembly with "All-Star" Sports Field Tines (5" / 13 cm spacing) | 369 | \$7,640.00 | |
| AER8-78R784 | 78" (198 cm) Tine Reel Assembly with Aer-8 "All-Star" Sports Field Tines (7.5" / 19 cm spacing) | 307 | \$5,495.00 | |
| AER8-78R785 | 78" (198 cm) Tine Reel Assembly with "Aerfine" Thin Blade Tines (3" / 8 cm spacing) | 385 | \$8,466.00 | |
| AER8-78R786 | 78" (198 cm) Tine Reel Assembly with "Aerfine" Thin Blade Tines (5" / 13 cm spacing) | 295 | \$6,609.00 | |
| AER8-78R787 | 78" (198 cm) Tine Reel Assembly with 3/4" (1.9 cm) Coring Tines | 153 | \$7,680.00 | |
| STEP #4, Choose a smoothing roller (Optional but HIGHLY recommended when using "Aerfine" or "All-Star" sports field tines) | | | | |
| AER8-610 | 60 " (153 cm) Rear Roller Assembly | 190 | \$3,049.00 | |
| AER8-710 | 78" (198 cm) Rear Roller Assembly | 153 | \$3,226.00 | |