

CATERPILLAR MACHINE PRICE LIST

242D3**242D3 SKID STEER LOADER**
SANFORD, NC, USAShip Weight
lbsLIST PRICE
AT DEALER

Standard Equipment:

POWERTRAIN

Cat C3.3B diesel engine
 -Gross horsepower per SAE J1349
 74.3 hp (55.4 kW) @ 2400 RPM
 -Electric fuel priming pump
 -Glow plugs starting aid
 -Liquid cooled, direct injection
 Air cleaner, dual element, radial seal
 S-O-S sampling valve, hydraulic oil
 Filter, cartridge type, hydraulic
 Filters, canister type, fuel
 and water separator
 Radiator / hydraulic oil
 cooler (side-by-side)
 Spring applied, hydraulically released,
 parking brakes
 Hydrostatic transmission
 Four wheel chain drive

HYDRAULICS

ISO or H pattern controls:
 Electro/hydraulic implement control
 Electro/hydraulic hydrostatic
 transmission control

ELECTRICAL

12 volt electrical system
 80 ampere alternator
 Ignition key start / stop / aux switch
 Lights:
 -LED work lights (2 front, 2 rear)
 -Gauge backlighting
 -Two rear tail lights
 -Dome light
 Backup alarm
 Electrical outlet, beacon

OPERATOR ENVIRONMENT

Operator warning system indicators:
 -Air filter restriction
 -Alternator output
 -Armrest raised / operator out of seat
 -Engine coolant temperature
 -Engine oil pressure
 -Glow plug activation
 -Hydraulic filter restriction
 -Hydraulic oil temperature
 -Park brake engages
 -Engine emission system
 Gauges: fuel level and hour meter
 Storage compartment with netting
 Ergonomic contoured armrest
 Adjustable joystick controls
 Control interlock system, when operator
 Leaves seat or armrest raised:

-Hydraulic system disables
 -Hydrostatic transmission disables
 -Parking brake engages
 ROPS cab, open, tilt up
 Anti-theft security system w/6-button
 keypad
 FOPS, Level I
 Top and rear windows
 Floormat
 Interior rear view mirror
 USB Charging port
 Horn
 Hand (dial) throttle, electronic

FRAMES

Lift linkage, vertical path
 Chassis, one piece welded
 Machine tie down points (6)
 Belly pan cleanout
 Support, lift arm
 Rear bumper, welded

OTHER STANDARD EQUIPMENT

Engine enclosure - lockable
 Extended life antifreeze (-37C, -34F)
 Coupler, mechanical
 Hydraulic oil level sight gauge
 Radiator coolant level sight gauge
 Radiator expansion bottle
 Cat ToughGuard TM hose
 Heavy duty flat faced quick disconnects
 with integrated pressure release
 Split D-ring to route work tool hoses
 along side of left lift arm
 Hydraulic demand cooling fan
 Per SAE J818-2007 and EN 474-3:2006 and
 ISO 14397-1:2007

CATERPILLAR MACHINE PRICE LIST

242D3242D3 SKID STEER LOADER
SANFORD, NC, USAShip Weight
lbsLIST PRICE
AT DEALER

Lane 2 is reserved for the Base Order Management Program
Please use Lane 2 when placing orders that are part of the Base Order
Management program.

588-9168 242D3 SSL DCA3A 0 \$51,540

LANE 1 - AVAILABLE FROM SANFORD PDC
 LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2
 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2

INCLUDES:

512-4242 242D3 SKID STEER LOADER
 588-9076 CANOPY PACKAGE, PRO PLUS
 512-4324 HYDRAULICS, PERFORMANCE, (H2)
 512-4115 CONTROL, ISO, PROP, WT
 512-4058 POWERTRAIN, TWO SPEED
 495-1671 LIGHTS, LED
 512-4343 ROPS, OPEN (C1)
 416-9265 DISPLAY, ADVANCED, LCD, CAMERA
 486-6956 FAN, COOLING, DEMAND
 388-8298 QUICK COUPLER, MANUAL
 536-9739 SEAT,AIR SUSPENSION,VINYL,HEAT
 568-4700 FILM, TWO SPEED
 568-4637 RIDE CONTROL, NONE
 560-7824 BATTERY,HD,DISCONNECT, 850 CCA
 356-6082 REAR LIGHTS
 542-6994 SEAT BELT, 2"
 566-7115 PRODUCT LINK, CELLULAR PL243
 563-1163 CERTIFICATION ARR, P65

NOTE: Please refer to the Lane 1 section to complete your order.
 For Lane 2/3 orders refer to mandatory section to select tires.

CATERPILLAR MACHINE PRICE LIST

242D3

| 242D3 SKID STEER LOADER SANFORD, NC, USA | | Ship Weight lbs | LIST PRICE AT DEALER |
|---|---|--------------------|-------------------------|
| 588-9174 | 242D3 SSL DCA4A 0 LANE 1 - AVAILABLE FROM SANFORD PDC LANE 2 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2 LANE 3 - AVAILABLE FROM SANFORD FACTORY USING PRIORITY CODE L2 INCLUDES: 512-4242 242D3 SKID STEER LOADER 588-9077 CAB PACKAGE, PRO PLUS 512-4324 HYDRAULICS, PERFORMANCE, (H2) 512-4115 CONTROL, ISO, PROP, WT 512-4058 POWERTRAIN, TWO SPEED 495-1671 LIGHTS, LED 512-4345 ROPS, ENCLOSED WITH A/C (C3) 416-9265 DISPLAY, ADVANCED, LCD, CAMERA 486-6956 FAN, COOLING, DEMAND 512-4052 QUICK COUPLER, HYDRAULIC 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT 568-4700 FILM, TWO SPEED 345-6180 RADIO, AM/FM, BLUETOOTH 568-4637 RIDE CONTROL, NONE 560-7824 BATTERY,HD,DISCONNECT, 850 CCA 356-6082 REAR LIGHTS 539-8615 DOOR, CAB, GLASS 542-6994 SEAT BELT, 2" 566-7115 PRODUCT LINK, CELLULAR PL243 563-1163 CERTIFICATION ARR, P65 345-3556 HEATER, ENGINE BLOCK, 120V NOTE: Please refer to the Lane 1 section to complete your order. For Lane 2/3 orders refer to mandatory section to select tires. | | \$58,020 |
| 512-4242 | 242D3 SKID STEER LOADER 0 LANE 2 - AVAILABLE FROM SANFORD FACTORY LANE 3 - AVAILABLE FROM SANFORD FACTORY Meets U.S. EPA Tier 4 Final emission standards Available for AM-N, Puerto Rico & South Korea | | \$44,730 |
| OP-4758 | 242D3 MISCELLANEOUS MATERIAL 0 ONLY AVAILABLE FROM WACO PARTS SERVICE Use this top level reference number only when ordering KITS in CMOPS to be transferred via the bridge to ANTARES Parts Ordering. Work Tools are sourced via Caterpillar Parts Distribution system. Skid Steer Loader and Work Tools order REQUIRE individual CMOPS order entries. Zeebrugge Distribution Center (ZDC) orders do NOT require individual CMOPS order entries and may include both the machine and work tool orders. Refer to WT_SSL price list to order Work Tools. | | NC |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 1 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|------------------|--------------------|-------------------------|
|-----|------------|------------------|--------------------|-------------------------|

LANE 1 AM-NORTH MANDATORY ATTACHMENTS**LANE SELECTION**

| | | | |
|---------|------------------------|---|----|
| OP-9001 | LANE 1 ORDER | 0 | NC |
|---------|------------------------|---|----|

WARNING DECALS

| | | | | |
|---|----------|--|---|----|
| L | 512-3759 | INSTRUCTIONS, ANSI, USA | 0 | NC |
| | | This package includes picto decals as required for USA. | | |
| L | 512-4355 | INSTRUCTIONS, ISO | 0 | NC |
| | | This package includes picto decals as required for all countries except USA. | | |

TIRES

When ordering a DCA through Lane 2 or 3, dealers may choose their tires from the offerings shown in the Lane 2/3 tire section.

| | | | | |
|---|----------|---|-----|-------|
| P | 185-8667 | TIRES, 12/16.5 CAT 10PR | 480 | \$480 |
| | | Caterpillar Tire - Premium conventional heavy duty tire provides excellent traction in a variety of conditions. Deepest tread available (26/32") (21mm) results in long service life. Extra heavy sidewall construction protects against abrasion, tears and impact damage. Directional chevron tread pattern, bias ply. Includes valve stem protection. 66" (1676mm) width | | |

SERVICE INSTRUCTIONS

| | | | |
|----------|---|---|----|
| 421-8926 | SERIALIZED TECHNICAL MEDIA KIT | 0 | NC |
| | The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com | | |

PACKING

| | | | |
|---------|---|---|---------|
| OP-1176 | CAROLINA CDC - - AVAILABILITY | 0 | \$1 NET |
|---------|---|---|---------|

PROTECTION

| | | | |
|---------|--|---|-----------|
| OP-2266 | SHIPPING/STORAGE PROTECTION | 0 | \$213 NET |
| | Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer. | | |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 1 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|------------------|--------------------|-------------------------|
|-----|------------|------------------|--------------------|-------------------------|

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)***PROTECTION (Cont.)***

| | | |
|----------------|---|--------------------|
| OP-6439 | CORROSION INHIBITOR 0 | \$1,440 NET |
| | EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.). | |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
|-----|------------|----------------------|--------------------|-------------------------|

LANE SELECTION

| | | | |
|---------|--|---|----|
| OP-9002 | LANE 2 ORDER | 0 | NC |
| | Only for dealers enrolled in the Base Orders Management (BOM) program. | | |
| OP-9003 | LANE 3 ORDER | 0 | NC |

FEATURE PACKAGES**TRIM PACKAGES**

A trim package is required for Lane 2 and optional for Lane 3.

| | | | | |
|---|----------|--|---|---------|
| L | 588-9074 | CANOPY PACKAGE, PRO | 0 | \$2,725 |
| | | INCLUDES: | | |
| | | 512-4323 HYDRAULICS, PERFORMANCE, (H1) | | |
| | | 512-4111 CONTROL, ISO, PROP | | |
| | | 512-4056 POWERTRAIN, ONE SPEED | | |
| | | 495-1671 LIGHTS, LED | | |
| | | 512-4343 ROPS, OPEN (C1) | | |
| | | 416-9265 DISPLAY, ADVANCED, LCD, CAMERA | | |
| | | 486-6956 FAN, COOLING, DEMAND | | |
| | | 388-8298 QUICK COUPLER, MANUAL | | |
| | | 532-7673 SEAT, SUSPENSION, VINYL | | |
| L | 588-9075 | CAB PACKAGE, PRO | 0 | \$8,500 |
| | | INCLUDES: | | |
| | | 512-4323 HYDRAULICS, PERFORMANCE, (H1) | | |
| | | 512-4111 CONTROL, ISO, PROP | | |
| | | 512-4056 POWERTRAIN, ONE SPEED | | |
| | | 495-1671 LIGHTS, LED | | |
| | | 512-4345 ROPS, ENCLOSED WITH A/C (C3) | | |
| | | 416-9265 DISPLAY, ADVANCED, LCD, CAMERA | | |
| | | 486-6956 FAN, COOLING, DEMAND | | |
| | | 512-4052 QUICK COUPLER, HYDRAULIC | | |
| | | 532-7673 SEAT, SUSPENSION, VINYL | | |
| | | 345-6175 RADIO READY | | |
| L | 588-9076 | CANOPY PACKAGE, PRO PLUS | 0 | \$6,680 |
| | | INCLUDES: | | |
| | | 512-4324 HYDRAULICS, PERFORMANCE, (H2) | | |
| | | 512-4115 CONTROL, ISO, PROP, WT | | |
| | | 512-4058 POWERTRAIN, TWO SPEED | | |
| | | 495-1671 LIGHTS, LED | | |
| | | 512-4343 ROPS, OPEN (C1) | | |
| | | 416-9265 DISPLAY, ADVANCED, LCD, CAMERA | | |
| | | 486-6956 FAN, COOLING, DEMAND | | |
| | | 388-8298 QUICK COUPLER, MANUAL | | |
| | | 536-9739 SEAT, AIR SUSPENSION, VINYL, HEAT | | |
| | | 568-4700 FILM, TWO SPEED | | |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
|-----|------------|----------------------|--------------------|-------------------------|

FEATURE PACKAGES (CONT.)**TRIM PACKAGES (Cont.)**

| | | | | |
|---|----------|---|--|-----------------|
| L | 588-9077 | CAB PACKAGE, PRO PLUS 0 | | \$12,850 |
| | | INCLUDES: | | |
| | | 512-4324 HYDRAULICS, PERFORMANCE, (H2) | | |
| | | 512-4115 CONTROL, ISO, PROP, WT | | |
| | | 512-4058 POWERTRAIN, TWO SPEED | | |
| | | 495-1671 LIGHTS, LED | | |
| | | 512-4345 ROPS, ENCLOSED WITH A/C (C3) | | |
| | | 416-9265 DISPLAY, ADVANCED, LCD, CAMERA | | |
| | | 486-6956 FAN, COOLING, DEMAND | | |
| | | 512-4052 QUICK COUPLER, HYDRAULIC | | |
| | | 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT | | |
| | | 345-6180 RADIO, AM/FM, BLUETOOTH | | |
| | | 568-4700 FILM, TWO SPEED | | |
| L | 588-9078 | CANOPY PACKAGE, ULTRA 0 | | \$8,860 |
| | | INCLUDES: | | |
| | | 512-4325 HYDRAULICS, PERFORMANCE, (H3) | | |
| | | 512-4115 CONTROL, ISO, PROP, WT | | |
| | | 512-4058 POWERTRAIN, TWO SPEED | | |
| | | 495-1671 LIGHTS, LED | | |
| | | 512-4343 ROPS, OPEN (C1) | | |
| | | 416-9265 DISPLAY, ADVANCED, LCD, CAMERA | | |
| | | 486-6956 FAN, COOLING, DEMAND | | |
| | | 388-8298 QUICK COUPLER, MANUAL | | |
| | | 536-9739 SEAT,AIR SUSPENSION,VINYL,HEAT | | |
| | | 568-4702 FILM, TWO SPEED WITH HIGH FLOW | | |
| L | 588-9079 | CAB PACKAGE, ULTRA 0 | | \$15,030 |
| | | INCLUDES: | | |
| | | 512-4325 HYDRAULICS, PERFORMANCE, (H3) | | |
| | | 512-4115 CONTROL, ISO, PROP, WT | | |
| | | 512-4058 POWERTRAIN, TWO SPEED | | |
| | | 495-1671 LIGHTS, LED | | |
| | | 512-4345 ROPS, ENCLOSED WITH A/C (C3) | | |
| | | 416-9265 DISPLAY, ADVANCED, LCD, CAMERA | | |
| | | 486-6956 FAN, COOLING, DEMAND | | |
| | | 512-4052 QUICK COUPLER, HYDRAULIC | | |
| | | 536-9738 SEAT,AIR SUSPENSION,CLOTH,HEAT | | |
| | | 345-6180 RADIO, AM/FM, BLUETOOTH | | |
| | | 568-4702 FILM, TWO SPEED WITH HIGH FLOW | | |

HYDRAULICS**HYDRAULIC PERFORMANCE PACKAGES**

| | | | | |
|---|----------|--|--|-----------|
| L | 512-4323 | HYDRAULICS, PERFORMANCE, (H1) 0 | | NC |
| | | FOR USE IN LANE 3 ONLY | | |
| | | Included in Pro Canopy & Cab packages | | |
| | | All of the following are included in this package: | | |
| | | Standard Flow - 20 gpm (76 lpm) | | |
| | | Self Level, None | | |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
|-----|------------|----------------------|--------------------|-------------------------|

HYDRAULICS (CONT.)***HYDRAULIC PERFORMANCE PACKAGES (Cont.)***

| | | | | |
|---|----------|--|--|----------------|
| L | 512-4324 | HYDRAULICS, PERFORMANCE, (H2) 0 FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab packages All of the following are included in this package: Standard Flow - 20 gpm (76 lpm) Dual Self Level Return To Dig/Wrktl Positioner | | \$985 |
| L | 512-4325 | HYDRAULICS, PERFORMANCE, (H3) 0 FOR USE IN LANE 3 ONLY Included in Ultra Canopy & Cab packages All of the following are included in this package: High Flow - 30 gpm (113 lpm) Dual Self Level Return To Dig/Wrktl Positioner | | \$3,165 |

HYDRAULIC CONTROLS

| | | | | |
|---|----------|--|--|----------------|
| L | 512-4111 | CONTROL, ISO, PROP 0 FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages Provides ISO joystick controls (4 button left hand joystick-Thumb roller only right hand joystick) and electronic foot throttle pedal with decel pedal functionality. Cannot be used with H3 | | \$449 |
| L | 512-4115 | CONTROL, ISO, PROP, WT 0 FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab package, Ultra Canopy & Cab package Provides ISO joystick controls (4 button left hand joystick - Thumb roller with 2 button right hand joystick) and 14 pin work tool electrical harness. Also includes electronic foot throttle pedal with decel pedal functionality. Available for H1, H2. Must be selected with H3. | | \$865 |
| L | 512-4110 | CONTROL, ISO, ON/OFF 0 FOR USE IN LANE 3 ONLY Provides ISO joystick controls and electronic foot throttle pedal with decel pedal functionality Cannot be used with H3 | | \$232 |
| L | 512-4113 | CONTROL, HAND-FOOT, PROP 0 FOR USE IN LANE 3 ONLY Provides (single axis) Hand drive joystick controls (4 button left hand joystick - Thumb roller only right hand joystick) and Foot pedal implement controls Cannot be used with H3 | | \$885 |
| L | 512-4116 | CONTROL, HAND-FOOT, PROP, WT 0 FOR USE IN LANE 3 ONLY Provides (single axis) Hand drive joystick controls and Foot pedal implement controls (4 button left hand joystick - Thumb roller with 2 button right hand joystick). Also includes 14 pin work tool electrical harness. Available for H1, H2. Must be selected with H3. | | \$1,290 |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|---|------------|--|--------------------|-------------------------|
| HYDRAULICS (CONT.) | | | | |
| POWERTRAIN | | | | |
| L | 512-4056 | POWERTRAIN, ONE SPEED | 0 | NC |
| | | FOR USE IN LANE 3 ONLY | | |
| | | Included in Pro Canopy & Cab packages | | |
| L | 512-4058 | POWERTRAIN, TWO SPEED | 0 | \$2,120 |
| | | FOR USE IN LANE 3 ONLY | | |
| | | Included in Pro Plus Canopy & Cab packages, Ultra Canopy & Cab packages | | |
| RIDE CONTROL | | | | |
| L | 568-4637 | RIDE CONTROL, NONE | 0 | NC |
| L | 568-4638 | RIDE CONTROL | 0 | \$1,075 |
| STARTERS, BATTERIES, & ALTERNATORS | | | | |
| BATTERIES | | | | |
| L | 560-7824 | BATTERY,HD,DISCONNECT, 850 CCA | 0 | \$129 |
| | | 850 CCA with Battery Disconnect Switch | | |
| | | REQUIRED BY: EU Dealer | | |
| L | 557-9897 | BATTERY, HEAVY DUTY, 850 CCA | 0 | NC |
| ELECTRICAL | | | | |
| WORK LIGHTS | | | | |
| L | 495-1671 | LIGHTS, LED | 0 | \$287 |
| | | FOR USE IN LANE 3 ONLY | | |
| | | Included in all Trim packages | | |
| | | Two (2) forward facing adjustable LED work lights (cab mounted) | | |
| | | and two (2) rear facing LED work lights (frame mounted). | | |
| | | LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life. | | |
| REAR/ROADING LIGHTS | | | | |
| L | 356-6082 | REAR LIGHTS | 0 | NC |
| | | Provides standard tail lights (red) | | |
| | | CANNOT BE USED WITH: South Korea | | |
| L | 546-4834 | REAR LIGHTS, STOP/TAIL/TURN | 0 | \$358 |
| | | Provides stop/tail/turn lights (amber/red) | | |
| L | 532-8843 | ROADING LIGHTS | 0 | \$572 |
| | | Provides stop/tail/turn lights (amber/red) with front headlights and lift arm mounted front mirrors | | |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
|-----|------------|----------------------|--------------------|-------------------------|

OPERATOR ENVIRONMENT**COMFORT PACKAGES**

| | | | | |
|---|----------|--|--|----------------|
| L | 512-4343 | ROPS, OPEN (C1) 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Canopy packages All of the following are included in this package: Deluxe Headliner & rear post trim covers Cup Holder | | \$452 |
| L | 512-4345 | ROPS, ENCLOSED WITH A/C (C3) 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Cab packages All of the following are included in this package: Deluxe Headliner & post trim covers Cup Holder Side Windows Air Conditioner including Heater and Defroster | | \$5,040 |
| L | 512-4341 | ROPS, OPEN (C0) 0 FOR USE IN LANE 3 ONLY All of the following are included in this package: Vinyl Static Seat Cab Mounted Controls, Adjustable (hand tool required) No Headliner or post trim covers. | | NC |
| L | 512-4344 | ROPS, ENCLOSED WITH HEAT (C2) 0 FOR USE IN LANE 3 ONLY All of the following are included in this package: Deluxe Headliner & post trim covers Cup Holder Side Windows Heater and Defroster | | \$2,935 |

SEAT

| | | | | |
|---|----------|---|--|--------------|
| L | 532-7673 | SEAT, SUSPENSION, VINYL 0 FOR USE IN LANE 3 ONLY Included in Pro Canopy & Cab packages Includes: Cab Mounted Controls, Adjustable (hand tool required) REQUIRED BY: C1, C2 and C3 cab package | | \$369 |
| L | 536-9739 | SEAT,AIR SUSPENSION,VINYL,HEAT 0 FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Canopy packages High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. REQUIRED BY: C1, C2 and C3 cab package | | \$800 |
| L | 536-9738 | SEAT,AIR SUSPENSION,CLOTH,HEAT 0 FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Cab packages High back heated seat with recline, lumbar support, and Fully Adjustable Seat Mounted Controls. REQUIRED BY: C2 and C3 cab package | | \$825 |

DOOR

| | | | | |
|---|----------|---|--|--------------|
| P | 539-8615 | DOOR, CAB, GLASS 0 REQUIRED BY: C2 and C3 cab package | | \$112 |
| P | 539-8616 | DOOR, CAB, POLYCARBONATE 0 REQUIRED BY: C2 and C3 cab package | | \$220 |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
|-----|------------|----------------------|--------------------|-------------------------|

OPERATOR ENVIRONMENT (CONT.)**SEAT BELT**

| | | | | |
|---|----------|--|---|-------|
| L | 542-6994 | SEAT BELT, 2" | 0 | NC |
| L | 542-6995 | SEAT BELT, 3" REQUIRED BY: California | 0 | \$146 |

RADIO

Bluetooth radio technology enables the use of a hands free function such as listening to music and making phone calls.
Authorization varies by country, please contact your Cat marketing representative with questions or click on the link below:
<https://dealer.cat.com/en/products/technology.html>

| | | | | |
|---|----------|---|---|-------|
| L | 345-6175 | RADIO READY FOR USE IN LANE 3 ONLY Included in Pro Cab Package Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. REQUIRED BY: C2 and C3 cab package | 0 | \$158 |
| L | 345-6180 | RADIO, AM/FM, BLUETOOTH FOR USE IN LANE 3 ONLY Included in Pro Plus & Ultra Cab packages Provides factory installed radio: Includes Bluetooth interface, microphone, and auxiliary inputs (USB port and aux input jack) to connect external audio devices. REQUIRED BY: C2 and C3 cab package | 0 | \$530 |

MACHINE DISPLAY

| | | | | |
|---|----------|---|---|---------|
| L | 416-9265 | DISPLAY, ADVANCED, LCD, CAMERA FOR USE IN LANE 3 ONLY Included in all Trim Packages Includes: Full color 5 in. LCD screen with digital gauge display and rear-view camera. Provides Creep control, Hystat response adjustment, Implement response adjustment, Fuel gauge, Hydraulic temperature gauge, Engine coolant gauge, Tachometer, Language selection and Advanced multi-operator Anti-theft Security System & Monitoring. Also provides USB charging port. Note: Anti-theft Security System feature will ship from factory installed but disabled. | 0 | \$1,170 |
|---|----------|---|---|---------|

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
|-----|------------|----------------------|--------------------|-------------------------|

TECHNOLOGY PRODUCTS**PRODUCT LINK**

Product Link enables the remote transmission of information about the location, operation and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition and reduce the costs of owning and operating your fleet. Availability varies by country - please reference <https://Dealer.cat.com/PL/Certification> for certified countries. Please contact your Caterpillar marketing representative with questions.

| | | | | |
|---|----------|---|--|-------|
| L | 566-7115 | PRODUCT LINK, CELLULAR PL243 0 Product Link Basic series PL243 uses cellular networks to transmit hour and location information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent data transmission. | | NC |
| L | 573-8121 | PRODUCT LINK, CELLULAR PL641 0 Product Link Basic series PL641 uses cellular networks to transmit location, utilization and health information for viewing in Product Link user applications. Cellular technology provides capabilities for frequent transmission and larger volumes of data. | | \$482 |

COOLING**COOLING FAN**

| | | | | |
|---|----------|--|--|-------|
| L | 486-6956 | FAN, COOLING, DEMAND 0 FOR USE IN LANE 3 ONLY Included in all Trim Packages Provides variable speed hydraulic cooling fan. Sensors monitor machine cooling requirements to modulate the fan speed providing "on demand" cooling. | | NC |
| L | 544-4099 | FAN, COOLING, DEMAND, REVERSING 0 FOR USE IN LANE 3 ONLY Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality. | | \$870 |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
|-----|------------|----------------------|--------------------|-------------------------|

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice. However, if the tire type cannot be supplied we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

1524mm (60") Width

| | | | | |
|---|----------|---|--|--------------|
| P | 568-4624 | TIRES, 10X16.5 CAT 10PR XD 380 Caterpillar;XD;Tread Depth=35mm (44/32");1524mm (60") wide Provides very deep tread, ultra heavy sidewalls and extra large rim guards. Ideal for concrete, asphalt, demolition work, quarries and recycling. Tread depth is 70% deeper than CAT Premium Conventional Tires. The XD tire features a special tread compound for long wear and durability. Includes valve stem protection. | | \$865 |
| P | 568-4621 | TIRES, 10/16.5 CAT 8PR 380 Caterpillar;Bias;Directional chevron tread pattern; Tread Depth=19mm (24/32"); 1524mm (60") wide Premium conventional heavy duty tire provides excellent traction in a variety of conditions. Deep tread results in long service life. Extra heavy sidewall construction protects against abrasion, tears and impact damage. Includes valve stem protection. | | \$142 |
| P | 568-4622 | TIRES, 10/16.5 GA 8PR 380 Galaxy;Bias;"Beefy Baby";1524mm (60") wide Designed with extra side wall strength to protect against punctures and abuse. Extra wide lug bar and deep tread give good traction in soft conditions. Includes valve stem protection. | | \$94 |

1676mm (66") Width

| | | | | |
|---|----------|---|--|----------------|
| P | 568-4629 | TIRES, 31X6X10 CAT FLEX SOLID 380 Caterpillar Flexport;Extreme Duty;Directional chevron tread pattern; Tread Depth=51mm (64/32") Actual machine width delivered with this tire configuration is 1550mm (61") wide. The Flexport design incorporates a series of holes molded through the outer ring of the sidewall. The result is a stable and more cushioned ride while maintaining the benefits of a solid tire. Extra large lugs and deep tread depth mean excellent traction on improved and unimproved surfaces. The rubber tire and steel rim are a one-piece bonded assembly, and replaced as a single unit. No specialized tire service is ever required. | | \$3,070 |
|---|----------|---|--|----------------|

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
|-----|------------|----------------------|--------------------|-------------------------|

TIRES, RIMS, AND WHEELS (CONT.)**1676mm (66") Width (Cont.)**

| | | | | |
|---|----------|---|--|--------------|
| P | 568-4628 | TIRES, 10X16.5 CAT 10PR XD 380 Caterpillar;XD;Tread Depth=35mm (44/32");1676mm (66") wide Provides very deep tread, ultra heavy sidewalls and extra large rim guards. Ideal for concrete, asphalt, demolition work, quarries and recycling. Tread depth is 70% deeper than CAT Premium Conventional Tires. The XD tire features a special tread compound for long wear and durability. Includes valve stem protection. | | \$865 |
| P | 165-4898 | TIRES, 12/16.5 GA 10PR 515 Galaxy;Bias;"Beefy Baby";1676mm (66") wide Designed with extra side wall strength to protect against punctures and abuse. Extra wide lug bar and deep tread give good traction in soft conditions. Includes valve stem protection. | | \$755 |
| P | 185-8667 | TIRES, 12/16.5 CAT 10PR 480 Caterpillar;Bias;Directional chevron tread pattern; Tread Depth=21mm (26/32") 1676mm (66") wide Premium conventional heavy duty tire provides excellent traction in a variety of conditions. Deep tread results in long service life. Extra heavy sidewall construction protects against abrasion, tears and impact damage. Includes valve stem protection. | | \$480 |
| P | 568-4626 | TIRES, 10/16.5 CAT 8PR 380 Caterpillar;Bias;Directional chevron tread pattern; Tread Depth=19mm (24/32");1676mm (66") wide Premium conventional heavy duty tire provides excellent traction in a variety of conditions. Deep tread results in long service life. Extra heavy sidewall construction protects against abrasion, tears and impact damage. Includes valve stem protection. | | \$142 |
| P | 568-4627 | TIRES, 10/16.5 GA 8PR 380 Galaxy;Bias;"Beefy Baby";1676mm (66") wide Designed with extra side wall strength to protect against punctures and abuse. Extra wide lug bar and deep tread give good traction in soft conditions. Includes valve stem protection. | | \$94 |

QUICK COUPLERS

| | | | | |
|---|----------|---|--|----------------|
| L | 388-8298 | QUICK COUPLER, MANUAL 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Canopy packages | | NC |
| L | 512-4052 | QUICK COUPLER, HYDRAULIC 0 FOR USE IN LANE 3 ONLY Included in Pro, Pro Plus & Ultra Cab packages | | \$1,025 |

DOCUMENTATION**CERTIFICATION ARRANGEMENTS/YEAR OF MANUFACTURE**

| | | | | |
|---|----------|---|--|-----------|
| L | 563-1163 | CERTIFICATION ARR, P65 0 REQUIRED BY: USA | | NC |
|---|----------|---|--|-----------|

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
|-----|------------|----------------------|--------------------|-------------------------|

INSTRUCTIONS***WARNING DECALS***

| | | | | |
|---|----------|--|--|----|
| L | 512-3759 | INSTRUCTIONS, ANSI, USA 0 | | NC |
| | | This package includes picto decals as required for USA. ONLY FOR USE WITH: 512-4242 SKID STEER LOADER | | |

SERVICE INSTRUCTIONS

| | | | | |
|--|----------|--|--|----|
| | 421-8926 | SERIALIZED TECHNICAL MEDIA KIT 0 | | NC |
| | | The technical media kit will include the Operations & Maintenance Manual (OMM) and other media specified on the Factory Notification List required to ship products from the manufacturing facility. Kit may contain multiple Operation & Maintenance Manuals (OMM) based on the final country of destination. Contents will vary. Any additional media or translations not included in the kit, should be ordered through publications.cat.com | | |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|---------------------|--------------------|-------------------------|
|-----|------------|---------------------|--------------------|-------------------------|

SPECIAL ARRANGEMENTS***CUSTOM PAINT***

| | | | | |
|---|---------|---|--|-------------|
| C | 0P-0528 | PAINT, CUSTOM 0 FOR USE IN LANE 3 ONLY Paint specification (RAL #) required. Advise via MSO notes. Custom paint order provides a SINGLE COLOR, non-metallic, high gloss custom finish. Once a custom paint order is placed, it may not be cancelled. Custom paint extends availability from what is published. Contact the factory for current availability information. Note 1: Florescent colors and matte finishes are not available. Note 2: Some components will NOT receive the custom paint color. The engine and items not externally visible will be painted yellow. CTLs with the optional steel track undercarriage will be provided with a black track. Cylinders, cab, coupler and radiator grill will be painted black. | | \$1,920 NET |
|---|---------|---|--|-------------|

PROTECTION

| | | | | |
|--|---------|---|--|-------------|
| | 0P-2266 | SHIPPING/STORAGE PROTECTION 0 Provides protective application of Fluid Film TM for protection while shipping and for extended storage periods. If desired, this product can be power washed with warm soapy water prior to shipment to the customer. | | \$213 NET |
| | 0P-6439 | CORROSION INHIBITOR. 0 EquipCoat TM is a flexible protective coating with anti-corrosion additives that encapsulate machine surfaces, including components under the cab and in the engine compartment. Will hold up to washing with non-solvent based cleaners for long-term corrosion resistance. Recommended for machines exposed to corrosive environments(e.g.manure, fertilizer, salt, mining fluids, etc.). | | \$1,440 NET |

HYDRAULICS***TWO SPEED & HIGH FLOW FILMS***

| | | | | |
|---|----------|---|--|----|
| L | 568-4700 | FILM, TWO SPEED 0 FOR USE IN LANE 3 ONLY Included in Pro Plus Canopy & Cab packages REQUIRED BY: 512-4058 POWERTRAIN, TWO SPEED | | NC |
| L | 568-4702 | FILM, TWO SPEED WITH HIGH FLOW 0 FOR USE IN LANE 3 ONLY Included in Ultra Canopy & Cab packages REQUIRED BY: 512-4325 HYDRAULICS, PERFORMANCE, (H3) and 512-4058 POWERTRAIN, TWO SPEED | | NC |
| L | 568-4701 | FILM, HIGH FLOW 0 FOR USE IN LANE 3 ONLY REQUIRED BY: 512-4325 HYDRAULICS, PERFORMANCE, (H3) | | NC |

FILM GROUP RIDE CONTROL

| | | | | |
|---|----------|---|--|----|
| L | 422-3445 | FILM, RIDE CONTROL, ANSI 0 REQUIRED BY: RIDE CONTROL | | NC |
|---|----------|---|--|----|

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|---------------------|--------------------|-------------------------|
|-----|------------|---------------------|--------------------|-------------------------|

STARTERS, BATTERIES, & ALTERNATORS

| | | | | |
|---|----------|--|--|-------|
| L | 345-3556 | HEATER, ENGINE COOLANT, 120V 0 120 Volt - For additional cold weather startability. | | \$201 |
|---|----------|--|--|-------|

ELECTRICAL

| | | | | |
|---|----------|---|--|-------|
| L | 309-1325 | ROTATING BEACON 0 Magnetic base, mounted to top of cab. Operates when key switch is in "On" position. | | \$222 |
|---|----------|---|--|-------|

SAFETY AND SECURITY

| | | | | |
|---|----------|--|--|-------|
| L | 457-1215 | LIFTING EYES, FOUR POINT 0 CANNOT BE USED WITH: WATER TANK REQUIRED BY: 520-6497 CERTIFICATION ARR, (CE) 565-7319 CONVERSION ARRANGEMENT, ROADING | | \$198 |
|---|----------|--|--|-------|

OTHER ATTACHMENTS

| | | | | |
|---|----------|--|--|---------|
| L | 345-5148 | COUNTERWEIGHT, MACHINE, EXTERNAL 0 Includes external weights bolted to the frame tower. Suggested for applications where additional rated operating capacity (ROC) is needed. | | \$1,060 |
| L | 563-7518 | MOUNTING, FIRE EXTINGUISHER 0 Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. | | \$206 |
| L | 418-9011 | OIL, HYDRAULIC, COLD OPERATION 0 Recommended for use in hydraulic system where ambient temperatures are below 32 F (0 C). | | \$685 |

WORK TOOLS

To view and order all available Work Tool Selections refer to WT-SSL
price lists.

NOTE: Work Tools are sourced via Caterpillar parts
distribution system.

CMOPS orders for Skid Steer Loaders and Work Tools MUST be ordered
separately.

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|---------------------|--------------------|-------------------------|
|-----|------------|---------------------|--------------------|-------------------------|

FIELD INSTALLED ATTACHMENTS***Available Through Parts Distribution.***

- 345-6070 KIT, FOPS, LEVEL 2**
Falling Object Protective Structure level 2.
Provides additional overhead protection.
Recommended for use in demolition applications.
Not compatible with the roof mounted Auxiliary Hydraulic Cooler.
Meets ISO 3449: 1992
Note: The part number provided is for reference only.
Individual parts must be ordered. Please reference REHS8703
for parts list and installation instructions.
- 474-5632 KIT, SINGLE POINT LIFT**
Contains parts that attach to cab roof and allow machine to be lifted
from a single point. The part number provided is for reference only.
Individual parts must be ordered. Please reference REHS9970
for parts list and installation instructions.
- 418-5883 KIT, FOPS LEVEL 2 W/ 4 PT LIFT**
This kit combines the Falling Object Protective Structure level 2 and
4 point lifting functionality. Recommended for use in applications
where additional overhead protection and 4 point lifting are both
desired (ex. demolition).
Note: The part number provided is for reference only.
Individual parts must be ordered. Please reference REHS9989
for parts list and installation instructions.
- 580-3680 KIT, PL, CELLULAR PL641**
Product Link Basic series PL641 uses cellular networks to transmit
location, utilization and health information for viewing in Product
Link user applications. Cellular technology provides capabilities for
frequent transmission and larger volumes of data.

NOTE: The part number provided is for reference only.
Individual parts must be ordered. Please reference M0107957 for
parts list and installation instructions.
- 523-4907 KIT, DUAL SELF LEVEL**
NOTE: The part number is provided for reference only. Individual
parts must be ordered. Please reference media number M0077272 for
parts list and proper installation instructions. Not compatible with
H2 or H3 performance packages. Estimated time to install: 3.5 hours

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|---------------------|--------------------|-------------------------|
|-----|------------|---------------------|--------------------|-------------------------|

FIELD INSTALLED ATTACHMENTS (CONT.)***Available Through Parts Distribution. (Cont.)***

The RETURN TO DIG/WRKTL POSITIONER feature is available as a Software Enabled Attachment (SEA) and is installed using Electronic Technician and a unique password. Cost to enable the feature via password is approximately \$268 USD Dealer Net (July, 2020). Machine must be equipped with the Electronic Self Level Kit to install the SEA. Only compatible with the H1 performance package.

DEDICATED ALTERNATE PATTERN (H-pattern):
Using Electronic Technician the dealer can configure the machine to operate using the alternative "H" control pattern. With this feature there is no method to allow the operator to change the pattern in the cab. Refer to media number REHS8719.

SELECTABLE PATTERN CONTROL (ISO/H patterns):
This feature is a Software Enables Attachment (SEA) and is installed using Electronic Technician and a unique password. The SEA cost to enable the feature via password is approximately \$255 USD Dealer Net (April, 2019). Allows an operator to select either standard CAT control pattern or the alternative "H" control pattern with the flip of a switch. Estimated time to install: 30 min.
Refer to media number REHS8718 for appropriate parts list.

The components required are available for order from the Parts Department.

ALTERNATE SOURCED ATTACHMENTS***Available Through ANTARES Parts Ordering.***

NOTE: US & Canada ONLY may place orders in CMOPS to be transferred via the bridge to ANTARES Parts Ordering.
When ordering via CMOPS include top level reference numbers (OP-4758) and OP number for packing.

| | | | |
|---|----------|--|------------|
| P | 388-8275 | KIT, WINDOW, SIDES 0 | \$703 NI |
| | | For proper installation, refer to media number REHS8707. | |
| | | Estimated time to install: 1 hour | |
| P | 594-5976 | KIT, DOOR, CAB, GLASS 0 | \$1,033 NI |
| | | For proper installation, refer to media number M0116195. | |
| | | Estimated time to install: 1.5 hours | |
| P | 594-5977 | KIT, DOOR, CAB, POLYCARBONATE 0 | \$1,646 NI |
| | | For proper installation, refer to media number M0116221. | |
| | | Estimated time to install: 1.5 hours | |
| P | 540-9331 | KIT, A/C (HEATER/DEFROST) 0 | \$3,143 NI |
| | | For proper installation, refer to media number M0098723. | |
| | | Estimated time to install: 8 hours 30 minutes | |
| P | 540-9340 | KIT, HEATER 0 | \$1,261 NI |
| | | For proper installation, refer to media number M0098730. | |
| | | Estimated time to install: 6 hours | |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|---------------------|--------------------|-------------------------|
|-----|------------|---------------------|--------------------|-------------------------|

ALTERNATE SOURCED ATTACHMENTS (CONT.)***Available Through ANTARES Parts Ordering. (Cont.)***

| | | | | |
|---|----------|--|--|-------------------|
| P | 563-7575 | KIT, A/C (CONVERSION) 0 For proper installation, refer to media number M0098759. Estimated time to install: 8 hours | | \$2,096 NI |
| P | 571-6164 | KIT, RADIO READY 0 For proper installation, refer to media number M0105320. Provides Speakers, Wiring, Radio Box, Antenna & Cable, and hardware required to install a single DIN radio. Estimated time to install: 1 hour | | \$154 NI |
| P | 571-6166 | KIT, RADIO, AM/FM/BLUETOOTH 0 For proper installation, refer to media number M0105322. Includes radio with Bluetooth interface, microphone and auxiliary inputs (USB port and aux input jack) to connect external audio devices. Requires: Radio Ready operator station. Estimated time to install: 45 minutes | | \$588 NI |
| P | 583-9159 | KIT, QUICK COUPLER, HYDRAULIC 0 For proper installation refer to media number M0107667. Estimated time to install: 12 hours | | \$1,111 NI |
| P | 544-4094 | KIT, RIDE CONTROL 0 For proper installation, refer to media number M0089247. The Ride Control feature allows the lift arms to "float" when the machine travels over rough terrain. The result is a more comfortable ride and better material retention in the bucket or better load retention on pallet forks. Estimated time to install: 3 hours | | \$1,068 NI |
| P | 544-4110 | KIT, WT ELECTRICAL CONTROL 0 For proper installation, refer to media number M0089383. Includes Work Tool Electrical switch, harness, connector and mounting hardware. Estimated time to install: 2 hours | | \$199 NI |
| P | 544-4109 | KIT, WT ELECTRICAL CONTROL, DLX 0 For proper installation, refer to media number M0089381. Includes: Work Tool Electrical switch, harness, connector, mounting hardware and 4 button Left Hand Joystick. Estimated time to install: 3 hours | | \$718 NI |
| P | 484-0292 | KIT, BATTERY DISCONNECT 0 For proper installation, refer to media number SESH0524. Provides components needed to install a battery disconnect switch. Estimated time to install: 1 hour 30 minutes | | \$129 NI |
| P | 540-9349 | KIT, A/C BREATHER 0 For proper installation, refer to media number M0068026. This kit provides increased cab air filter life for machines used in dusty or high airborne debris applications. Kit contains duct work and hardware required to relocate the cab fresh air intake to a higher location near the roof of the cab. Estimated time to install: 30 minutes | | \$469 NI |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|---------------------|--------------------|-------------------------|
|-----|------------|---------------------|--------------------|-------------------------|

ALTERNATE SOURCED ATTACHMENTS (CONT.)*Available Through ANTARES Parts Ordering. (Cont.)*

| | | | | |
|---|----------|---|--|------------------------|
| P | 388-7875 | KIT, COUNTERWEIGHT, 100 LB ROC 0 Kit provides one counterweight per side which increases the Rated Operating Capacity by approximately 100-125 lbs (46 - 57 kg), depending on model. For maximum ROC increase, must order quantity of (2) 388-7875 kits. Includes Mounting hardware for both one counterweight per side configuration and two counterweights per side configuration. Estimated time to install: 30 minutes | | \$536 NI |
| P | 471-7024 | KIT, DEBRIS 0 For proper installation, refer to media number SEHS0197. This kit provides additional components for customers in debris intensive applications that restrict debris and other material from entering the engine compartment and the lower machine frame. Provided are various seals and covers that are designed to cover the openings that exist between the frame/body/cab of the machine as well as a fuel strainer and an exhaust stack cover. Also recommended: Turbo Debris Guard Kit Note: If additional component guarding is required, please refer to the Guarding Kit. Estimated time to install: 9.5 hours | | \$1,360 NI |
| P | 472-2967 | KIT, GUARDING 0 For proper installation, refer to media number SEHS0200. This kit provides additional guarding for customers in demanding applications where extra safeguarding is required. This kit provides guarding for the front work lights, rear work lights, auxiliary hydraulic connections and work tool electrical harness connection. Note: If additional debris guarding is required, please refer to the Debris Kit. Estimated time to install: 1 hour | | \$499 NI |
| P | 416-5705 | KIT, TURBO DEBRIS GUARD 0 For proper installation, refer to media number REHS7828. This kit contains steel mesh guards that are designed to cover the exhaust manifold and turbocharger to assist in deterring the collection of material on these components. It is recommended that the turbo guard kit be used in conjunction with the debris kit. Estimated time to install: 1 hour 30 minutes | | \$369 NI |
| P | 388-6641 | KIT, ENG AIR INTAKE, PRECLEANER 0 For proper installation, refer to media number REHS5799. Estimated time to install: 1 hour | | \$767 NI |
| P | 504-1553 | KIT, LICENSE PLATE 0 For proper installation, refer to media number M0067678. Estimated time to install: 30 minutes | | \$53 NI NET |
| P | 421-0274 | KIT, LIFTING EYES, FOUR POINT 0 For proper installation, refer to media number REHS9993. Estimated time to install: 30 minutes CANNOT BE USED WITH: TANK, WATER | | \$236 NI |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|---------------------|--------------------|-------------------------|
|-----|------------|---------------------|--------------------|-------------------------|

ALTERNATE SOURCED ATTACHMENTS (CONT.)*Available Through ANTARES Parts Ordering. (Cont.)*

| | | | | |
|---|----------|---|--|-------------------|
| P | 499-2684 | KIT, LIGHTS, LED 0 For proper installation, refer to media number M0066104. Includes two (2) forward facing adjustable work lights (cab mounted) and two (2) rear facing LED work lights (frame mounted). LED lighting advantages vs halogens: brighter work site illumination, cooler, more resistant to vibration and longer life. Estimated time to install: 1 hour | | \$361 NI |
| P | 512-0356 | KIT, LIGHTS, REAR, WIDE MOUNT 0 For proper installation, refer to media number M0071898. This kit provides components that allows the rear lights to be relocated to mounting locations on the sides of the rear frame. Estimated time to install: 30 minutes REQUIRED for Italy Rooding | | \$443 NI |
| P | 527-8658 | KIT, REMOTE GREASE (COUPLER) 0 For proper installation, refer to media number M0084653. Provides remote location for lubrication of the work tool coupler pins Estimated time to install: 3 hours | | \$228 NI |
| P | 565-3045 | KIT, FIRE EXTINGUISHER MOUNTING 0 For proper installation, refer to media number M0099033. Provides in-cab mounting bracket that can accommodate up to a 5 lb. fire extinguisher. Estimated time to install: 2 hours | | \$179 NI |
| P | 583-9157 | KIT, HIGH FLOW 0 For proper installation, refer to media number M0107572. This kit provides components required to convert the auxiliary system flow from standard flow to high flow (30 gpm/113 lpm @ 3335 psi). Estimated time to install: 3 hours Requires machine to be configured with 4 button left hand joystick control and electrical work tool harness | | \$2,526 NI |
| P | 583-9158 | KIT, FRONT ROADING LIGHTS 0 Includes front roading lights and 2 lift arm mounted mirrors. For proper installation, refer to media number M0107929. Mandatory for Road Homologation in Italy and Germany. Estimated time to install: 4 hours | | \$482 NI |
| P | 583-9155 | KIT, REAR ROADING LIGHTS 0 For proper installation, refer to media number M0107786. This kit provides Rear Roading light components (rear reflectors, brake lamps, directional indicators/turn signals, hazard lights) in order to meet roading requirements for Italy. Estimated time to install: 1.5 hours | | \$240 NI |
| P | 544-4102 | KIT, DEMAND FAN, REVERSING 0 For proper installation, refer to media number M0089365. Reversing Fan provides automatic and manual purge modes to assist in removing material from the rear door intake screen. Provides both Demand Fan and Reversing Fan functionality. Estimated time to install: 4 hours | | \$1,144 NI |

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|---------------------|--------------------|-------------------------|
|-----|------------|---------------------|--------------------|-------------------------|

ALTERNATE SOURCED ATTACHMENTS (CONT.)*Available Through ANTARES Parts Ordering. (Cont.)*

| | | | | |
|---|----------|--|--|-------------------|
| P | 482-5132 | KIT, WATER TANK, 42 US GAL, D 0 Mounted to top of cab 42 gallon capacity Includes tank, pump, filter, lines, mounting brackets and quick disconnect For proper installation, refer to media number SEHS0363. Estimated time to install: 9 hours 30 minutes For use with Water Sprinkler Kits for Angle Broom, Pick Up Broom, Utility Broom or Cold Planer | | \$1,872 NI |
| P | 583-6486 | KIT, HAND/FOOT TO ISO (CVRSN) 0 For proper installation, refer to media number M0108268. Provides all required components to convert machine control pattern from hand & foot controls to ISO controls. Estimated time to install: 4 hours | | \$1,508 NI |
| P | 580-8841 | KIT, SSL FENDERS 0 For proper installation, refer to media number M0110333. This kit provides four non-metallic fenders and associated mounting hardware. Great for agriculture, snow cleaning or any application where the side windows and machine frame need to be shielded from mud, snow, water or other debris encountered during the operation of a skid steer loader. Note: Please reference the Special Instructions media number above for tire width and size compatibility information. Compatible only with 1676mm (66") wide tire configurations. Estimate time to install: 3.5 hours | | \$1,268 NI |

PACKING**DOMESTIC PACKING**

| | | |
|---------|-------------------------------------|-----------|
| OP-0210 | PACK, DOMESTIC TRUCK 0 | NC |
|---------|-------------------------------------|-----------|

Only to be used when ordering kits via CMOPS.

| | | |
|---------|-----------------------------|-----------|
| OP-2162 | PACKING, KIT 0 | NC |
|---------|-----------------------------|-----------|

CATERPILLAR MACHINE PRICE LIST

242D3

| USE | REF NO. | LANE 2 / 3 OPTIONAL | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|---------------------|--------------------|-------------------------|
|-----|------------|---------------------|--------------------|-------------------------|

AM-NORTH INFORMATION**TRIM PACKAGES**

| | | | | |
|---|----------|--------------------------------------|--|---------|
| L | 577-2282 | CANOPY PACKAGE, PRO PLUS 0 | | \$6,110 |
| | | For Information Only - DO NOT ORDER | | |

INCLUDES:

512-4324 HYDRAULICS, PERFORMANCE, (H2)
 512-4111 CONTROL, ISO, PROP
 512-4058 POWERTRAIN, TWO SPEED
 568-4637 RIDE CONTROL, NONE
 560-7824 BATTERY,HD,DISCONNECT,850 CCA
 495-1672 LIGHTS, HALOGEN
 512-4343 ROPS, OPEN (C1)
 416-9265 DISPLAY, ADVANCED, LCD, CAMERA
 486-6956 FAN, COOLING, DEMAND
 388-8298 QUICK COUPLER, MANUAL
 536-9739 SEAT, SUSPENSION, VINYL, HEAT
 568-4700 FILM, TWO SPEED

ENDORSED FIELD INSTALLED ATTACHMENTS

Caterpillar does not warrant, service, or assume responsibility for these attachments.

All orders, pricing confirmation, and other communication for these attachments must be directed to the listed manufacturer.

REMOTETASK TM - REMOTE CONTROL SYSTEM

Complete system for use with CAT D3 Series Skid Steer, Multi Terrain, and Compact Track Loaders. Allows the operator to precisely control the machine from outside the cab. Line-of-sight remote control with an approximate range of 1000 feet (300 meters). Dealer installed remote control system includes the Remote Task controller and necessary hardware to convert standard D3 series SSL, MTL or CTL to remote controlled machine.

NOTE: Certified for use in North America. To verify certification in other regions, please contact BCP Attachments Team.
 Email: bcp_work_tools@cat.com

Orders for the remote control system must be placed directly from:

TORC Robotics, Inc.
 Tel. +1(800) 530-9285, +1(540) 443-9262
 Email: sales@torcrobotics.com