323 HYDRAULIC EXCAVATOR AKASHI, JAPAN

Ship Weight lbs

LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

EU Stage V diesel engine Electric fuel priming pump Reversible electric cooling fans Two-stage fuel filtration system with water separator and indicator Sealed double element air filter with integrated pre-cleaner Biodiesel capable (up to B20)

UNDERCARRIAGE

Grease lubricated track link Tie down points on base frame (ISO 15818 compliant)

HYDRAULICS

Electronic main control valve Auto warm up Tandem type electronic main pump Boom and stick regeneration circuits Automatic two speed travel Boom and stick drift reduction valve Element type main hydraulic filter Travel motor, final Drive with bio capable

ELECTRICAL

Maintenance free battery Centralized electrical disconnect switch CAT product link After engine shut down programmable time delay LED working lights: One chassis mounted one LH boom mounted

OPERATOR ENVIRONMENT

Sound-suppressed ROPS cab (ISO 12117-2 compliant) w/viscous mount Increased rear window size as emergency exit 2 inch (51mm) orange seat belt Tilt up left side console Automatic bi-level air conditioner with pressurized function Washable floor mat Roller front sunscreen Beacon ready 2 x 12V DC outlet and USB port Dome and lower LED interior lights, coat hook, cup holder, console storage (Deluxe cab) -Openable tempered front upper windshield w/ assist device and removable tempered lower windshield with in cab storage bracket

-Air suspension deluxe seat w/ headrest w/ 2 step seat heater, console height adjustment w/o tools, arm rest height and angle adjustment -Upper radial wiper for 70/30

-Openable polycarbonate hatch for 2P windshield

SAFETY AND SECURITY

RH hand rail and hand hold (ISO 2867 compliant) Service platform with anti-skid plate and countersunk bolts Hydraulic lock out lever neutralizes all controls Ground level accessible secondary engine shutoff switch in cab Signaling / warning horn

OTHER STANDARD EQUIPMENT

Side entry to service platform Grouped location for engine oil and fuel filters Ground level 2nd dipstick for engine oil Sampling ports for scheduled oil Sampling (S.O.S)

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 20FEB2021

323-001

Grounds Equipment - Bid #ESCNJ 18/19-25

323 HYDRAULIC EXCAVATOR AKASHI, JAPAN

Ship Weight lbs

LIST PRICE AT DEALER

Lane 2 is reserved for the Base Orders Program.
Please use Lane 2 when placing orders that are part of the Base Order Management Program.

Supersedes 26JAN2021

Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-002

323 HYDRA AKASHI, JA	ULIC EXCAVATOR PAN	Ship Weight Ibs	LIST PRICE AT DEALER	
590-8942	323 07C HEX AM-N DCA1L	0	\$274,360	
	5.4T(11,900lb) Counterweight, HD Reach Boom, 2.9m(9'8") ready reach stick, 790MM (31") HD TG Track Shoe, Deluxe 10" Monitor, Cat Grade with 2D, Advance Tool Control, Quic Circuit (Cat Pin Grabber)	Cab,		
	524-8272 RECEIVER, BLUETOOTH 526-6475 TRACK, 790MM(31") TG HD 561-1743 SWING DRIVE 578-1166 CAMERA, 360 VISIBILITY			
	580-8628 MIRROR, CAB, W/O GUARD, W/360 516-2545 ALARM, TRAVEL 508-9617 HANDHOLDS, RAD COMPARTMENT 488-6816 MACHINE ECM 502-7150 COOLING, HIGH AMBIENT 506-5014 BATTERIES, 4, 511-5861 STARTING AID, ETHER			
	577-3907 LIGHT, CHASSIS 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR 579-5428 LIGHTS PKG, BOOM LH & RH LIGHT, BOOM LH			

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021

323-003

323

323 HYDRAULIC EXCAVATOR AKASHI, JAPAN

Ship Weight lbs LIST PRICE AT DEALER

LIGHT, BOOM RH

577-2117 WIRING, PRODUCT LINK ELITE

577-2119 RADIO MODULE, PL243 CELLULAR

555-7286 NETWORK MANAGER, STD

516-0550 GRADE W/2D, ASSIST&PAYLOAD

526-8766 GUARD, TRACK GUIDE, SEGMENTED

576-9412 GUARD, BOTTOM, HD

488-9288 GUARD, TRAVEL MOTOR, HD

134-8875 GUARD, SWIVEL, STD

489-2952 SUCTION LINE, PUMP, STD

549-8149 LINES, DRAIN, PG QUICK COUPLER

493-9765 FINE SWING

576-9463 STORAGE TRAY

511-7398 QUICK DRAINS READY

578-2907 DECALS, EXTERIOR, ANSI

573-4351 DECALS, CAB, ANSI

567-3816 DECAL, ROPS

567-3815 DECALS, STICK WARNING, ANSI

520-9418 FILM, OPERATING PATTERN, 2WAY

528-4738 FILM, EMC

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 20FEB2021

323-004

323 HYDRA AKASHI, JA	ULIC EXCAVATOR PAN	Ship Weight lbs	LIST PRICE AT DEALER
597-0822	323 07D HEX AM-N DCA10	ORITY CODE L2	\$274,360
	LANE2/3 is not available to Quebec with ANSI		
	5.4T(11,900lb) Counterweight, HD Reach Boom, 2.9m(9'8") ready reach stick, 790MM (31") HD TG Track Shoe, Deluxe 10" Monitor, Cat Grade with 2D, Advance Tool Control, Qui Circuit (Cat Pin Grabber)	Cab,	
	INCLUDE:		
	547-3691 323 07 HEX		
	578-6724 COMMON ARRANGEMENT		
	507-4824 FRAME, SWING, HD		
	575-2661 COUNTERWEIGHT, 5.4MT(11,900lb) 577-2734 BEARING, SWING, HD		
	573-5699 UNDERCARRIAGE HD, W/SD ROLLER		
	577-5865 BOOM, REACH 5.7M(18'8") HD		
	490-7676 STICK, R2.9M(9'6") HD THUMB		
	492-8537 LINKAGE, BKT B1 W/EYE, GRADE		
	494-4986 CYLINDER, BOOM, HL		
	586-3636 CYLINDER, STICK 490-4179 CYLINDER, BKT, B1		
	516-9880 GRADE SENSOR, REACH BOOM		
	516-9883 GRADE SENSOR, R2.9M(9'8")/2.95(9'8") STICE	ζ	
	513-3210 BOOM TUBE W/EOU		
	489-2950 LINES, FRONT, STD		
	513-3214 SENSOR, PRESSURE, EOU		
	597-0797 HYDRAULIC PKG, COMB ADV VALVE, HYDRAULIC, TCS, HL		
	LINES, MAKE UP, TCS		
	RETURN PIPE, TCS/TCS MP		
	CIRCUIT, COMBINED, ADV		
	528-6835 JOYSTICKS, SLIDER		
	517-4758 CONTROL, QC		
	578-9186 LINES, HP, REACH BOOM 570-4691 LINES, QC, REACH BOOM		
	356-8117 LINES, HP, R2.9M(9'8") STICK		
	242-6490 LINES, QC, R2.9M(9'8") STICK		
	546-0101 CAB, DELUXE		
	577-7866 LINES, AIR CONDITIONER		
	484-8021 WIPER, RADIAL W/O LOWER		
	511-9428 MONITOR, 10" 502-7166 RADIO, W/BLUETOOTH		
	490-7715 PEDAL, STRAIGHT TRAVEL		
	524-8272 RECEIVER, BLUETOOTH		
	526-6475 TRACK, 790MM(31") TG HD		
	561-1743 SWING DRIVE		
	578-1166 CAMERA, 360 VISIBILITY 580-8628 MIRROR, CAB, W/O GUARD, W/360		
	592-8316 ALARM, TRAVEL		
	508-9617 HANDHOLDS, RAD COMPARTMENT		
	525-7678 MACHINE ECM		
	502-7150 COOLING, HIGH AMBIENT		
	506-5014 BATTERIES, 4,		
	511-5861 STARTING AID, ETHER 577-3907 LIGHT, CHASSIS		

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021

323

323 HYDRAULIC EXCAVATOR AKASHI, JAPAN

528-4738 FILM, EMC

Ship Weight lbs LIST PRICE AT DEALER

577-8973 LIGHTS, CAB, W/RAIN PROTECTOR 579-5428 LIGHTS PKG, BOOM LH & RH LIGHT, BOOM LH LIGHT, BOOM RH 594-2025 WIRING, PRODUCT LINK ELITE 577-2119 RADIO MODULE, PL243 CELLULAR 555-7286 NETWORK MANAGER, STD 516-0550 GRADE W/2D, ASSIST&PAYLOAD 526-8766 GUARD, TRACK GUIDE, SEGMENTED 576-9412 GUARD, BOTTOM, HD 488-9288 GUARD, TRAVEL MOTOR, HD 134-8875 GUARD, SWIVEL, STD 489-2952 SUCTION LINE, PUMP, STD 549-8149 LINES, DRAIN, PG QUICK COUPLER 493-9765 FINE SWING 576-9463 STORAGE TRAY 511-7398 QUICK DRAINS READY 578-2907 DECALS, EXTERIOR, ANSI 573-4351 DECALS, CAB, ANSI 567-3816 DECAL, ROPS 567-3815 DECALS, STICK WARNING, ANSI 520-9418 FILM, OPERATING PATTERN, 2WAY

Supersedes 26JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 20FEB2021 323-006

323 HYDRA AKASHI, JA	ULIC EXCAVATOR PAN	Ship Weight Ibs	LIST PRICE AT DEALER
590-8943	323 07C HEX AM-N DCA2L	0	\$265,960
	5.4T(11,900lb)Counterweight, HD Reach Boom, 2.9m(9'8") Ready Reach Stick, 790mm(31") HD TG Track Shoe, Delux 10" Monitor, Cat Grade with 2D,Quick Coupler Circuit (Ca	ke Cab,	
		t Pin Grabber)	
	516-2545 ALARM, TRAVEL 508-9617 HANDHOLDS, RAD COMPARTMENT 488-6816 MACHINE ECM 502-7150 COOLING, HIGH AMBIENT		
	506-5014 BATTERIES, 4, 511-5861 STARTING AID, ETHER 577-3907 LIGHT, CHASSIS 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR 579-5428 LIGHTS PKG, BOOM LH & RH LIGHT, BOOM LH LIGHT, BOOM RH		
	577-2117 WIRING, PRODUCT LINK ELITE 577-2119 RADIO MODULE, PL243 CELLULAR 555-7286 NETWORK MANAGER, STD		

Supersedes 26JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-007

323

323 HYDRAULIC EXCAVATOR	Ship Weight	LIST PRICE
AKASHI, JAPAN	lbs	AT DEALER

516-0550 GRADE W/2D, ASSIST&PAYLOAD
526-8766 GUARD, TRACK GUIDE, SEGMENTED
576-9412 GUARD, BOTTOM, HD
488-9288 GUARD, TRAVEL MOTOR, HD
134-8875 GUARD, SWIVEL, STD
489-2952 SUCTION LINE, PUMP, STD
549-8149 LINES, DRAIN, PG QUICK COUPLER
493-9765 FINE SWING
576-9463 STORAGE TRAY
511-7398 QUICK DRAINS READY

578-2907 DECALS, EXTERIOR, ANSI 573-4351 DECALS, CAB, ANSI 567-3816 DECAL, ROPS

567-3815 DECALS, STICK WARNING, ANSI 520-9418 FILM, OPERATING PATTERN, 2WAY

528-4738 FILM, EMC

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 20FEB2021

323-008

323

	323 HYDRAULIC EXCAVATOR AKASHI, JAPAN		LIST PRICE AT DEALER
597-0823	323 07D HEX AM-N DCA20	RIORITY CODE L2	\$265,960
	LANE2/3 is not available to Quebec with ANSI		
	5.4T(11,900lb)Counterweight, HD Reach Boom, 2.9m(9'8 Ready Reach Stick, 790mm(31") HD TG Track Shoe, Delt 10" Monitor, Cat Grade with 2D,Quick Coupler Circuit (C	uxe Cab,	
	INCLUDE: 547-3691 323 07 HEX 578-6724 COMMON ARRANGEMENT 507-4824 FRAME, SWING, HD 575-2661 COUNTERWEIGHT, 5.4MT(11,900lb) 577-2734 BEARING, SWING, HD 573-5699 UNDERCARRIAGE HD, W/SD ROLLER 577-5865 BOOM, REACH 5.7M(18*") HD 490-7676 STICK, R2.9M(9'6") HD THUMB 492-8537 LINKAGE, BKT B1 W/EYE, GRADE 494-4986 CYLINDER, BOOM, HL 586-3636 CYLINDER, BOOM, HL 586-3636 CYLINDER, BKT, B1 516-9880 GRADE SENSOR, REACH BOOM 516-9883 GRADE SENSOR, REACH BOOM 516-9883 GRADE SENSOR, RE.9M(9'8")/2.95(9'8") STI 513-3210 BOOM TUBE W/EOU 489-2950 LINES, FRONT, STD 513-3214 SENSOR, PRESSURE, EOU 597-0798 NO TOOL, HYDRAULIC PKG VALVE, HYDRAULIC, HL LINES, MAKE UP, STD RETURN PIPE, STD 517-4758 CONTROL, QC 528-6835 JOYSTICKS, SLIDER 570-4691 LINES, QC, REACH BOOM 242-6490 LINES, QC, REACH BOOM 242-6490 LINES, QC, REACH BOOM 546-0101 CAB, DELUXE 577-7866 LINES, AIR CONDITIONER 484-8021 WIPER, RADIAL W/O LOWER 511-9428 MONITOR, 10" 502-7166 RADIO, W/BLUETOOTH 490-7715 PEDAL, STRAIGHT TRAVEL 524-8272 RECEIVER, BLUETOOTH 506-6475 TRACK, 790MM(31") TG HD 561-1743 SWING DRIVE 578-1166 CAMERA, 360 VISIBILITY 580-8628 MIRROR, CAB, W/O GUARD, W/360 592-8316 TRAVEL, ALARM 508-9617 HANDHOLDS, RAD COMPARTMENT 525-7678 MACHINE ECM 502-7150 COOLING, HIGH AMBIENT 506-5014 BATTERIES, 4, 511-5861 STARTING AID, ETHER 577-3907 LIGHT, CHASSIS 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR 579-5428 LIGHTS PKG, BOOM LH & RH LIGHT, BOOM LH LIGHT, BOOM HH	ICK	

Supersedes 26JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021

323 HYDRAULIC EXCAVATOR Ship Weight LIST PRICE AKASHI, JAPAN lbs AT DEALER 594-2025 WIRING, PRODUCT LINK ELITE 577-2119 RADIO MODULE, PL243 CELLULAR 555-7286 NETWORK MANAGER, STD 516-0550 GRADE W/2D, ASSIST&PAYLOAD 526-8766 GUARD, TRACK GUIDE, SEGMENTED 576-9412 GUARD, BOTTOM, HD 488-9288 GUARD, TRAVEL MOTOR, HD 134-8875 GUARD, SWIVEL, STD 489-2952 SUCTION LINE, PUMP, STD 549-8149 LINES, DRAIN, PG QUICK COUPLER 493-9765 FINE SWING 576-9463 STORAGE TRAY 511-7398 QUICK DRAINS READY 578-2907 DECALS, EXTERIOR, ANSI 573-4351 DECALS, CAB, ANSI 567-3816 DECAL, ROPS 567-3815 DECALS, STICK WARNING, ANSI 520-9418 FILM, OPERATING PATTERN, 2WAY 528-4738 FILM, EMC 323 07D HEX AM-N CFG1C 597-0898 \$221,240 LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY 4.2T (9,260lb) Counterweight, STD Base Frame, Base machine for reach boom configuration. To be configured with Cat Grade as standard and have a capability for all the Ease of Use features such as Assist or Payload. Well suited for general applications and those requiring advanced technology solutions for the jobsite. Must be completed by selecting Mandatory / Optional attachments. INCLUDES: 547-3691 323 07 HEX 578-6724 COMMON ARRANGEMENT 547-3691 323 HEX 575-2658 COUNTERWEIGHT, 4.2MT(9,260lb) 577-2733 BEARING, SWING, STD 561-1743 SWING DRIVE

577-7866 LINES, AIR CONDITIONER
490-7715 PEDAL, STRAIGHT TRAVEL
524-8272 RECEIVER, BLUETOOTH
511-9428 MONITOR, 10"
592-8316 TRAVEL, ALARM
577-3907 LIGHT, CHASSIS
525-7678 MACHINE ECM
502-7150 COOLING, HIGH AMBIENT
488-9288 GUARD, TRAVEL MOTOR, HD
134-8875 GUARD, SWIVEL, STD
493-9765 FINE SWING
520-9418 FILM, OPERATING PATTERN, 2WAY

573-5697 UC, LONG W/HD ROLLER

494-4985 CYLINDER, BOOM 513-3210 BOOM TUBE W/EOU 489-2950 LINES, FRONT, STD 513-3214 SENSOR, PRESSURE, EOU

546-0101 CAB, DELUXE

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 20FEB2021

323-010

323

323 HYDRA		ip Weight	LIST PRICE
AKASHI, JA		lbs	AT DEALER
597-0901	323 07D HEX AM-N CFG2C	0	\$226,300

LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY

5.4T (11,900lb) Counterweight, HD Base Frame,

Base machine for HD reach boom with heavy counterweight and heavy lift boom cylinders configuration. To be configured with Cat Grade as standard and have a capability for all the Ease of Use features such as Assist or Payload. Well suited for heavier applications and those requiring maximum machine stability and lifting performance, and advanced technology solutions for the jobsite.

Must be completed by selecting Mandatory / Optional attachments.

INCLUDES:

547-3691 323 HEX

578-6724 COMMON ARRANGEMENT

507-4824 FRAME, SWING, HD

575-2661 COUNTERWEIGHT, 5.4MT(11,900lb)

577-2734 BEARING, SWING, HD

561-1743 SWING DRIVE NG,

573-5699 UNDERCARRIAGE HD, W/SD ROLLER

494-4986 CYLINDER, BOOM, HL

513-3210 BOOM TUBE W/EOU

489-2950 LINES, FRONT, STD

513-3214 SENSOR, PRESSURE, EOU

546-0101 CAB, DELUXE

577-7866 LINES, AIR CONDITIONER

490-7715 PEDAL, STRAIGHT TRAVEL

524-8272 RECEIVER, BLUETOOTH

511-9428 MONITOR, 10"

592-8316 TRAVEL, ALARM

577-3907 LIGHT, CHASSIS

525-7678 MACHINE ECM

502-7150 COOLING, HIGH AMBIENT

488-9288 GUARD, TRAVEL MOTOR, HD

134-8875 GUARD, SWIVEL, STD

493-9765 FINE SWING

520-9418 FILM, OPERATING PATTERN, 2WAY

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 20FEB2021

323

323 HYDRA	ULIC EXCAVATOR	Ship Weight	LIST PRICE
AKASHI, JA	PAN	lbs	AT DEALER
597-0903	323 07D HEX AM-N/ANZ CFG3C	0	\$232,140

LANE 2 - AVAILABLE FROM AKASHI FACTORY LANE 3 - AVAILABLE FROM AKASHI FACTORY

5.4T (11,900lb) Counterweight, HD Base Frame, BLCV/SLCV . Base machine for HD reach boom with heavy counterweight and heavy lift boom cylinders with BLCV/SLCV configuration. To be configured with Cat Grade as standard and have a capability for the Ease of Use features such as Assist or Payload. Well suited for heavier applications and those requiring maximum machine stability and lifting performance, BLCV/SLCV as a safety device, and advanced technology solutions for the jobsite.

Must be completed by selecting Mandatory / Optional attachments.

INCLUDES:

547-3691 323 07 HEX

578-6724 COMMON ARRANGEMENT

507-4824 FRAME, SWING, HD

575-2661 COUNTERWEIGHT, 5.4MT(11,900lb)

577-2734 BEARING, SWING, HD

561-1743 SWING DRIVE

573-5699 UNDERCARRIAGE HD, W/SD ROLLER

515-8970 CYLINDER, BOOM, HL BLCV

513-3211 BOOM TUBE W/EOU, BLCV

489-2950 LINES, FRONT, STD

513-3214 SENSOR, PRESSURE, EOU

490-3953 LINES, BLCV

565-4644 LINES, SLCV BASE MACHINE

546-0101 CAB, DELUXE

577-7866 LINES, AIR CONDITIONER

490-7715 PEDAL, STRAIGHT TRAVEL

524-8272 RECEIVER, BLUETOOTH

511-9428 MONITOR, 10"

592-8316 TRAVEL, ALARM

577-3907 LIGHT, CHASSIS

525-7678 MACHINE ECM

502-7150 COOLING, HIGH AMBIENT

488-9288 GUARD, TRAVEL MOTOR, HD

134-8875 GUARD, SWIVEL, STD

493-9765 FINE SWING

520-9418 FILM, OPERATING PATTERN, 2WAY

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 20FEB2021

323-012

323

323 HYDRA	ULIC EXCAVATOR	Ship Weight	LIST PRICE
AKASHI, JA	PAN	lbs	AT DEALER
597-0904	323 07D HEX AM-N CFG4C	0	\$227,310

5.4T (11,900lb) Counterweight, SD Base Frame,

LANE 3 ONLY - AVAILABLE FROM AKASHI FACTORY

Base machine for HD reach boom with heavy counterweight and heavy lift boom cylinders and SD Base Frame configuration. To be configured with Cat Grade as standard and have a capability for all the Ease of Use features such as Assist or Payload. Well suited for severe applications such as Lane Clearing, and those requiring maximum machine stability and lifting performance, and advanced technology solutions for the jobsite.

Must be completed by selecting Mandatory / Optional attachments.

INCLUDES:

547-3691 323 07 HEX

578-6724 COMMON ARRANGEMENT

507-4824 FRAME, SWING, HD

575-2661 COUNTERWEIGHT, 5.4MT(11,900lb)

577-2734 BEARING, SWING,

561-1743 SWING DRIVE

573-5704 UNDERCARRIAGE SD, W/SD ROLLER

494-4986 CYLINDER, BOOM, HL

513-3210 BOOM TUBE W/EOU

489-2950 LINES, FRONT, STD

513-3214 SENSOR, PRESSURE, EOU

546-0101 CAB, DELUXE

577-7866 LINES, AIR CONDITIONER

490-7715 PEDAL, STRAIGHT TRAVEL

524-8272 RECEIVER, BLUETOOTH

511-9428 MONITOR, 10"

592-8316 TRAVEL, ALARM

577-3907 LIGHT, CHASSIS

525-7678 MACHINE ECM

502-7150 COOLING, HIGH AMBIENT

488-9288 GUARD, TRAVEL MOTOR, HD

134-8875 GUARD, SWIVEL, STD

493-9765 FINE SWING

520-9418 FILM, OPERATING PATTERN, 2WAY

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 20FEB2021

323 HYDRAULIC EXCAVATOR AKASHI, JAPAN		Ship Weight Ibs	LIST PRICE AT DEALER
597-0905	323 07D HEX AM-N/ANZ CFG5C	0	\$226,300

323 07D HEX AM-N/ANZ CFG5C LANE 3 ONLY - AVAILABLE FROM AKASHI FACTORY \$226,300

5.4T(11,900lb) Counterweight, HD Base Frame for SLR front. Deluxe Cab, 10" Monitor. To be configured with Cat Grade as standard and have a capability for all the Ease of Use features such as Assist or Payload. Well suited for general application.

Must be completed by selecting Mandatory / Optional attachments.

INCLUDES:

547-3691 323 07 HEX

578-6724 COMMON ARRANGEMENT

507-4824 FRAME, SWING, HD

575-2661 COUNTERWEIGHT, 5.4MT(11,900lb)

577-2734 BEARING, SWING,

561-1743 SWING DRIVE

573-5699 UNDERCARRIAGE HD, W/SD ROLLER

494-4985 CYLINDER, BOOM

556-1079 BOOM TUBE, SLR

489-2950 LINES, FRONT, STD

513-3214 SENSOR, PRESSURE, EOU

546-0101 CAB, DELUXE

577-7866 LINES, AIR CONDITIONER

490-7715 PEDAL, STRAIGHT TRAVEL

524-8272 RECEIVER, BLUETOOTH

511-9428 MONITOR, 10"

592-8316 TRAVEL, ALARM

577-3907 LIGHT, CHASSIS

525-7678 MACHINE ECM

502-7150 COOLING, HIGH AMBIENT

488-9288 GUARD, TRAVEL MOTOR, HD

134-8875 GUARD, SWIVEL, STD

493-9765 FINE SWING

520-9418 FILM, OPERATING PATTERN, 2WAY

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 20FEB2021

323-014

323

Grounds Equipment - Bid #ESCNJ 18/19-25

USE	REF NO.	LANE 1	Ship Weight lbs	LIST PRICE AT DEALER
LAN	E 1 AM-NO	RTH MANDATORY ATTACHMENTS		
MUS	T CHOOSE A	AT LEAST ONE PACKAGE OR ATTACHMENT FR	OM EACH CATEGOR	Υ
L	ANE SELEC	TION		
YOU	MUST SELE	CT THIS REFERENCE WHEN ORDERING FROM T	ΓHE PDC.	
	0P-9001	LANE 1 ORDEROrder from Product Distribution Center (PDC)	0	NC
D	ECAL PACE (Must Choose	_		
	0P-7124	INSTRUCTION, NORTH AMERICA ANSI	red by all NACD	NC
L	578-3586	FILMS, ISO CONVERSION		NC
		NOTE: Required for Quebec		
S	ERVICE INS (Must Choose	TRUCTIONS One)		
	0P-3380	INSTRUCTIONS, ENGLISH	0	NC
	0P-3389	INSTRUCTIONS, FRENCH	0	NC
	0P-3404	INSTRUCTIONS, SPANISH	0	NC
PACK	KING			
s	TORAGE PH (Must Choose			
	0G-4126	STORAGE PROTECTION (EXPORT)	Fluid Film TM, led for corrosion periods. This	\$281 NET
E	XPORT PAC (Must Choose			
	0G-4202	ROLL ON-ROLL OFF	0	\$132 NET

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-015

Caterpillar -2021 Price List

Grounds Equipment - Bid #ESCNJ 18/19-25 CATERPILLAR MACHINE PRICE LIST

REF Ship Weight LIST PRICE LANE 1 USE NO. lbs AT DEALER

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

FIXTURE - BUCKET LINKAGE

L 575-8647 FIXTURE, BUCKET LINKAGE B1...... \$45 NET

Supersedes 26JAN2021 Caterpillar: Confidential Green

US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-016

323

USE	REF NO.	LANE 2 / 3	3 MANDATORY	Ship Weight lbs	LIST PRIC
ANE	SELECTIO	N			
	0P-9002	LANE 2 ORDER Only for dealers enrolled		0 ment (BOM) program	NC
	0P-9003	LANE 3 ORDER	· · · · · · · · · · · · · · · · · · ·	0	NC
BOO	MS, STICKS	S, AND LINKAGES			
BO	ООМ				
L	577-5863	BOOM, REACH 18'8" ONLY FOR USE WITH:	597-0891 323 07D HEX A 597-0898 323 07D HEX A 597-0906 323 07D HEX J 597-0909 323 07D HEX J	M-N CFG1B or M-N CFG1C or APAN CFG1B or	\$6,720
L	577-5865	BOOM, REACH 18'8" HD ONLY FOR USE WITH:	597-0892 323 07D HEX A 597-0893 323 07D HEX A 597-0894 323 07D HEX A 597-0901 323 07D HEX A 597-0903 323 07D HEX A 597-0904 323 07D HEX A 597-0907 323 07D HEX J 597-0910 323 07D HEX J		\$7,810
L	578-1159	FOR USE IN LANE 3 ONLY		\$14,470	
		ONLY FOR USE WITH:	597-0896 323 07D HEX A 597-0905 323 07D HEX A 597-0908 323 07D HEX J 597-0911 323 07D HEX J 597-0918 323 07D HEX B	M-N/ANZ CFG5C or APAN CFG3B or APAN CFG3C or	
	0G-0341	NO BOOM	LY		NC
S	TICKS				
L	490-7673	STICK, R9'6"		0	\$3,180
		CANNOT BE USED WITI	H: 597-0907 323 07D HEX J 597-0910 323 07D HEX J Super long reach boom		
L	490-7676	STICK, R9'6" HD THUMB		0	\$4,265
L	490-7672	FOR USE IN LANE 3 ON			\$4,555
L	578-1162		:Н	0	\$9,520
		ONLY FOR USE WITH:	597-0896 323 07D HEX A 597-0905 323 07D HEX A 597-0908 323 07D HEX J 597-0911 323 07D HEX J 597-0918 323 07D HEX E	M-N/ANZ CFG5C or APAN CFG3B or APAN CFG3C or	

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021

323-017

323

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
BOO	MS, STICKS	S, AND LINKAGES (CONT.)		
S	TICKS (Col	nt.)		
	0G-0342	NO STICK	0	NC
В	UCKET LINI	KGAGE		
L	492-8537	LINKAGE, BKT, B1 W/EYE GRADE		\$2,555
L	521-2393	LINKAGE, BKT 312 W/ EYE FOR USE IN LANE 3 ONLY For super long reach without CGC		\$2,525
L	577-2028	ONLY FOR USE WITH: 578-1162 STICK, SUPER I CANNOT BE USED WITH: No boom and stick less malinkage, BKT W/EYE GRADE	chine	\$2,525
		REQUIRES: CAT GRADE ONLY FOR USE WITH: 578-1162 STICK, SUPER I CANNOT BE USED WITH: No boom and stick less ma		
CYLII	NDERS			
S	TICK CYLIN	IDER .		
L	586-3636	CYLINDER, STICK		\$3,070
		For reach boom	0	\$3,070 NI
		ONLY FOR USE WITH: Reach boom and		
		No boom and no stick (CYI CANNOT BE USED WITH: 597-0893 323 07D HEX A 597-0896 323 07D HEX A 597-0903 323 07D HEX A 597-0905 323 07D HEX A 597-0908 323 07D HEX J 597-0911 323 07D HEX J	M-N CFG3B M-N CFG5B M-N/ANZ CFG3C M-N/ANZ CFG5C APAN CFG3B	
L	586-7696	CYLINDER, STICK, SLCV		\$3,550 \$3,550 NI
		For reach boom ONLY FOR USE WITH: 597-0893 323 07D HEX A 597-9012 323 07D HEX E 597-9013 323 07D HEX E 597-0915 323 07D HEX E 597-0916 323 07D HEX E and	M-N CFG3B or M-N/ANZ CFG3C or U CFG1D or U CFG2D or U CFG1E or	70,000 MI
		No boom and no stick (CYI CANNOT BE USED WITH: No boom	LINDER NOT INSTALLED)	

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021

323-018

323

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
CYLIN	NDERS (CO	ONT.)		
S7	TICK CYLIN	IDER (Cont.)		
L	268-7256	CYLINDER, STICK, SLR	AM-N CFG5B or AM-N/ANZ CFG5C or JAPAN CFG3B or JAPAN CFG3C or	\$3,075
BU	JCKET CYL	INDER		
L	490-4179	CYLINDER, BKT, B1		\$2,090
SF	HIM			
L	418-9085	CYLINDER, BKT SLR		\$2,090
UNDE	RCARRIAC	GE .		
TF	RACKS			
L	523-4926	TRACK, 24" SG	0	\$3,145
L	526-6475	TRACK, 31" TG HD w/ step extension for ISO2867	0	\$5,050
TF	RACK GUID	DING GUARD		
L	526-8766	GUARD, TRACK GUIDE, SEGMENTED	0	\$1,555
L	346-7146	GUARD, TRACK GUIDE, FULL	0	\$2,525
HYDF	RAULICS			
N	O AUXILIA	RY CIRCUIT		
L	597-0798	HYDRAULIC PKG, NO TOOL W/ HL INCLUDES: - VALVE, HYDRAULIC, HL - LINES, MAKE UP, STD - RETURN PIPE, STD	0	\$750

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-019

323

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
HYD	RAULICS (CONT.)		
A		CIRCUIT - COMBINED CIRCUIT sure Circuit can be added in the Optional Attachments		
L	597-0797	HYDRAULIC PKG, COMB ADV	0	\$6,680
L	597-0926	INCLUDES: - VALVE, HYDRAULIC, TCS, HL - LINES, MAKE UP, TCS - RETURN PIPE, TCS - CIRCUIT, COMBINED, ADV CANNOT BE USED WITH: Super long reach HYDRAULIC PKG, COMB ADV HRF Combined circuit (1 way / 2 way) with hammer retu		\$8,870
		INCLUDES: - VALVE, HYDRAULIC, TCS, HL - LINES, MAKE UP, TCS - RETURN PIPE, TCS - CIRCUIT, COMBINED, ADV HRF CANNOT BE USED WITH: Super long reach		
J	OYSTICKS			
L	528-6835	JOYSTICKS, VERTICAL SLIDER	0	\$1,240
		CANNOT BE USED WITH: 560-2027 CAT TILTROTA	TOR SUPPORT	
LINE	GROUPS			
S	TRAIGHT T	RAVEL DRAIN LINE		
L	493-4907	LINES, DRAIN, STD	0	NC
L	549-8149	CANNOT BE USED WÎTH: 517-4758 CONTROL, QC LINES, DRAIN, PG QUICK COUPLER For reach boom For Cat Pin grabber quick coupler REQUIRES: 517-4758 CONTROL, QC (except for EU		NC
S	UCTION LIN	VE		
L	489-2952	SUCTION LINE, PUMP, STD		NC
L	579-6250	CANNOT BE USED WITH: 492-3278 CIRCUIT, MEDI SUCTION LINE, PUMP, MP		NC
STA	RTERS, BAT	TTERIES, & ALTERNATORS		
B	ATTERIES			
L	506-5013	BATTERIES, 2	0	\$600

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 20FEB2021

323-020

323

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
STAF	RTERS, BAT	TERIES, & ALTERNATORS (CONT.)		
В	ATTERIES	(Cont.)		
L	506-5014	BATTERIES, 4	0	\$1,120
ELEC	TRICAL			
C	AMERAS			
L	593-7355	CAMERA, REAR & RH VIEW		\$790
-	578-1166	Compatible with 578-9808 GUARD, FALLING OBJECT CAMERA, 360 VISIBILITY	0	\$2,370
-	578-1169	CAMERA, 360 VISIBILITY FOGS	0	\$2,370
C	AB LIGHTS			
L	577-3853	LIGHTS, CAB, W/O 360	ITY	\$330
-	577-8973	Cab lights w/cover and rain protector ONLY FOR USE WITH: 593-7355 CAMERA, REAR 593-7355 CAMERA, REAR 593-7355 CAMERA, REAR 578-1166 CAMERA, 360 V	+ RH VIEW or	\$760
-	577-3857	REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOONLY FOR USE WITH: 593-7355 CAMERA, REAR 578-1169 CAMERA, 360 V	0 OGS) .+ RH VIEW or	\$330
В	OOM LIGHT	rs		
L	579-5428	LIGHTS PKG, BOOM LH & RH For Reach boom and super long reach boom INCLUDES: - LIGHT, BOOM LH - LIGHT, BOOM RH CANNOT BE USED WITH: No boom	0	\$328
OPEF	RATOR ENV	TRONMENT		
И	/IPER			
L	484-8021	WIPER, RADIAL W/O LOWER	0	NC
-	484-8022	ONLY FOR USE WITH: 546-0101 CAB, DELUXE WIPER, RADIAL W/LOWER Includes lower wiper ONLY FOR USE WITH: 546-0101 CAB, DELUXE	0	\$303
R	ADIO			
L	502-7166	RADIO, W/BLUETOOTH	0	\$585

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021

323-021

323

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
ТЕСН	INOLOGY F	PRODUCTS		
		WITH ASSIST tachment except for super long reach		
L	516-0550	GRADE W/2D, ASSIST&PAYLOAD	ie GRADE MONITOR	NC
-	516-0551	GRADE W/2D ADV, ASSIST&PAYLOAD		\$8,870
L	516-0552	REQUIRES: 554-3627 MONITOR, 10" GRADE MONIT 598-3513 MONITOR, 10" GRADE W/WIF CANNOT BE USED WITH: No boom, stick less machin GRADE W/3D, ASSIST&PAYLOAD	Y ne 0 ase station to be	\$44 ,380
		REQUIRES: 554-3627 MONITOR, 10" GRADE MONIT 598-3513 MONITOR, 10" GRADE W/WIF CANNOT BE USED WITH: No boom, stick less machin	ľ	
		SOR FOR REACH/VA BOOM AND STICK g reach is availale on optional attachments.		
	516-9880	GRADE SENSOR, REACH BOOM		NC
	516-9882	CANNOT BE USED WITH: No boom, stick less machin GRADE SENSOR, R12'10" STICK		NC
	516-9883	CANNOT BE USED WITH: No boom, stick less machin GRADE SENSOR, R9'6"/9'8" STICK		NC
		CANNOT BE USED WITH: No boom, stick less machin	ne	

Supersedes 26JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-022

323

NC

\$321 NET

Grounds Equipment - Bid #ESCNJ 18/19-25

USE REF LANE 2 / 3 MANDATORY Ship Weight LIST PRICE lbs AT DEALER

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country? please reference https://Dealer.cat.com/PL/Certification for certified countries. Please contact your Caterpillar marketing representative with questions.

Cannot be used with FOGS

Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. INCLUDES:

- RADIO MODULE, PL243 CELLULAR
- WIRING, PRODUCT LINK ELITE

CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)

Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. INCLUDES:

- RADIO MODULE, PL243 CELL FOGS
- WIRING, PRODUCT LINK ELITE

REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)

Cannot be used with FOGS FOR USE IN LANE 3 ONLY

Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. INCLUDES:

- RADIO MODULE, PL083 SATELLITE
- WIRING, PRODUCT LINK ELITE

CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)

Supersedes 26JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 20FEB2021 323-023

Grounds Equipment - Bid #ESCNJ 18/19-25

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
TECHI	NOLOGY F	PRODUCTS (CONT.)		
PR	ODUCT LI	NK (Cont.)		
L	594-9051	PROD LINK, PLE683/PLE783 RADIO	0	\$321 NET
		Product link radio package PLE683/PLE783 provide radio for use where travel between areas of both cells satellite coverage is required. When the radio is used with a PLE602 network manager (to make a PLE683 network manager (to make a PLE783 system) hours, and productivity information is collected and transmalso provides support for remote services and other a INCLUDES: - RADIO MODULE, PL083 SAT FOGS - WIRING, PRODUCT LINK ELITE REQUIRES: 578-9808 GUARD, FALLING OBJECT (F	ular and I in combination system) or PLE702 health, utilization, hitted. The system advanced features.	
NE	TWORK N	1ANAGER		
L	555-7286	NETWORK MANAGER, STD	0	NC
		Network manager Std PLE602 collects hours, utilizate productivity information as well as provides support services and other advanced features. When paired veroduct Link radio this information as well location if for viewing in Product Link user applications.	for remote with a separate	
L	555-7287	ONLY FOR USE WITH: 516-0550 GRADE W/2D, 20G-0342 No stick Super long reach without of the product Link Ple743/Ple783	CGC	NC
		Network manager Grade Adv. PLE702 collects hours and productivity information as well as provides sup services and other advanced features. When paired v Product Link radio this information as well as location for viewing in Product Link user applications. ONLY FOR USE WITH: 520-1919 GRADE W/2D A 520-1920 GRADE W/3D, A	port for remote with a separate on is transmitted ADV, ASSIST+PAYLOAD	
SAFET	TY AND S	ECURITY		
AD	DITIONAL	. CAB MIRROR		
L	580-8628	MIRROR, CAB, W/O GUARD		\$111
L	327-6553	593-7355 CAMERA, REAR CANNOT BE USED WITH: 578-9808 GUARD, FALLIN MIRROR, CAB, GUARD FALLING	R & RH VIEW NG OBJECT (FOGS)	\$110

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021

323-024

323

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
GUAF	RDS			
BO	оттом ви	IARD		
L	576-9412	GUARD, BOTTOM, HD	APAN CFG1B	\$1,425
INSTI	RUCTIONS			
DI	ECALS - EX	CTERIOR		
L	578-2907	DECALS, EXTERIOR, ANSI	0	NC
		CANNOT BE USED WITH: QUEBEC DEALERS		
DI	ECALS - CA	4 <i>B</i>		
L	573-4351	DECALS, CAB, ANSI	0	NC
		ONLY FOR USE WITH: 578-2907 DECALS, EXTER CANNOT BE USED WITH: QUEBEC DEALER	RIOR, ANSI	
DI	ECALS - ST	TICK WARNING		
L	567-3815	DECALS, STICK WARNING, ANSI		NC
		ONLY FOR USE WITH: 573-4351 DECALS, CAB, A CANNOT BE USED WITH: QUEBEC DEALER No boom, stick less machin		
FI	LM - EMC			
L	528-4738	FILM, EMC	0	NC
RO	OPS FILM			
L	567-3816	DECAL, ROPS	0 ne	NC
O	PERATION	& MAINTENANCE MANUAL		
	0P-3380	INSTRUCTIONS, ENGLISH	0	NC
	0P-3404	INSTRUCTIONS, SPANISH	0	NC

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-025

Grounds Equipment - Bid #ESCNJ 18/19-25

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER

LINE GROUPS

NOTE: Provides hydraulic lines

HIGH PRESSURE AUXILIARY BOOM LINES

578-9186 LINES, HP, REACH BOOM \$1,290

This line is included in BOOM PKG, VAB

ONLY FOR USE WITH: 597-0797/597-9927 HYDRAULIC PKG, COMB ADV or

597-0926/597-0928 HYDRAULIC PKG, COMB ADV HRF

597-0912 323 07D HEX EU CFG1D or 597-0913 323 07D HEX EU CFG2D or 597-0915 323 07D HEX EU CFG1E or 597-0916 323 07D HEX EU CFG2E

and

593-1929 BOOM PKG, REACH

CANNOT BE USED WITH: No boom

HIGH PRESSURE AUXILIARY STICK LINES

LINES, HP, R9'6" STICK L 356-8117 \$1,180

For use with 2.9M (9'6") stick

CANNOT BE USED WITH: No boom, stick less machine REQUIRED BY: 578-9186 LINES, HP, REACH BOOM

MEDIUM PRESSURE CIRCUIT

L 492-3278 **CIRCUIT, MEDIUM.....** 0 \$2,065

> ONLY FOR USE WITH: 597-0797/597-0927 HYDRAULIC PKG, COMB ADV or

> > 597-0926/597-0928 HYDRAULIC PKG, COMB ADV HRF or

597-0912 323 07D HEX EU CFG1D or 597-0913 323 07D HEX EU CFG2D or 597-0915 323 07D HEX EU CFG1E or 597-0916 323 07D HEX EU CFG2E or 597-0914 323 07D HEX EU CFG3D or

597-0917 323 07D HEX EU CFG3E

REQUIRED BY: 597-0914 323 07D HEX EU CFG3D or

597-0917 323 07D HEX EU CFG3E

MEDIUM PRESSURE AUXILIARY BOOM LINES

L 570-4690 LINES, MP, REACH BOOM \$1,420

This line is included in BOOM PKG, VAB

CANNOT BE USED WITH: No boom

REQUIRED BY: 492-3278 CIRCUIT, MEDIUM

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-026

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
LINE	GROUPS (CONT.)		
M	EDIUM PRE	ESSURE AUXILIARY STICK LINES		
L	372-9861	LINES, MP, R9'6" STICK	0	\$985
		CANNOT BE USED WITH: boom, stick less machine REQUIRED BY: 570-4690 LINES, MP, REACH BO		
LI	NES SLCV	FRONT		
L	512-5334	LINES, SLCV BOOM	0	NC
		CANNOT BE USED WITH: No boom REQUIRED BY: 597-0893 323 07D HEX AM-N CF 597-0903 323 07D HEX AM-N/AN		
STAR	RTERS, BAT	TTERIES, & ALTERNATORS		
S	TARTING A	ID		
L	511-5861	STARTING AID, ETHER	0	\$1,080
ELEC	TRICAL			
L	577-6011	LIGHTS, SURROUND, PREM		\$710
L	592-6779	No CGC machine LIGHTS, SURROUND, PREM, 2D ADV ONLY FOR USE WITH: 520-1919 GRADE W/2D	0 ADV, ASSIST+PAYLOAD	\$710
L	578-1230	LIGHTS, SURROUND, PREM, 2D ADV/3D ONLY FOR USE WITH: 516-0552 GRADE W/3D	0	\$710
OPER	ATOR ENV	TRONMENT		
St	JN SCREEN	I REAR		
L	488-6450	SUN SCREEN, REAR	0	\$217
A	DDITIONAL	10" GRADE MONITOR		
L	598-3513	MONITOR, 10" GRADE W/WIFI (Additional 10" GRADE MONITOR W/WIFI)	0	NC
		CANNOT BE USED WITH: ISRAEL DEALERS REQUIRED BY: 531-3521 GRADE W/2D ADV, AS 523-7804 GRADE W/3D, ASSISTA		

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-027

323

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
TECH	INOLOGY F	PRODUCTS		
G	RADE SENS	SOR FOR REACH BOOM AND STICK		
L	578-3661	GRADE SENSOR, SLR BOOM	0	\$11,210
L	578-3664	ONLY FOR USE WITH: CAT GRADE CANNOT BE USED WITH: No boom, stick less mach GRADE SENSOR, SLR STICK FOR USE INE LANE 3 ONLY For super long reach		NC
		ONLY FOR USE WITH: CAT GRADE CANNOT BE USED WITH: No boom, stick less mach	nine	
C	AT GRADE	LASER CATCHER		
L	560-5698	LASER CATCHER, R12'10" STICK FOR USE IN LANE 3 ONLY For 3.9M (12'10") stick		\$1,325
L	560-5685	CANNOT BE USED WITH: No boom, stick less mach LASER CATCHER, R9'6" STICK	0	\$1,325
L	560-5689	CANNOT BE USED WITH: No boom, stick less mach LASER CATCHER, R8'2"/9'6" STK	0 humb stick	\$1,325
GUAI	RDS			
FO	OGS			
L	578-9808	GUARD, FALLING OBJECT (FOGS)	AR & RH VIEW or	\$2,575 NET
ОТНЕ	ER ATTACH	IMENTS		
S	TORAGE TH	RAY		
L	576-9463	STORAGE TRAY		\$50
L	586-2946	CANNOT BE USED WITH: 492-3278 CIRCUIT, MED STORAGE TRAY, MP	0	\$50
RA	ADIATOR S	CREEN		
L	491-8272	SCREEN, RADIATOR		\$208

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-028

323

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
OTHE	R ATTACH	HMENTS (CONT.)		
HA	4 <i>NDHOLDS</i>	5		
L	508-9617	HANDHOLDS, RAD COMPARTMENT	D, ETHER	\$59
PF	REVENTATI	IVE MAINTENANCE		
L	511-7398	QUICK DRAINS READY	0	NC
QUIC	K COUPLEI	RS		
Q	UICK COUP	PLER CONTROLS		
L	517-4758	CONTROL, QC	r and CW Dedicated	\$900
Q	UICK COUP	PLER BOOM LINES		
L	570-4691	LINES, QC, REACH BOOM	0	\$1,400
		CANNOT BE USED WITH: No boom REQUIRED BY: 517-4758 CONTROL, QC		
Q	UICK COUP	PLER STICK LINES		
L	242-6486	LINES, QC, R12'10" STICK	31	\$1,095
		CANNOT BE USED WITH: No boom, stick less mac REQUIRED BY: 570-4691 LINES, QC, REACH BC 579-8211 323 07C HEX EU CFG	OOM or	
L	242-6490	LINES, QC, R9'6" STICK	28	\$1,095
		CANNOT BE USED WITH: No boom, stick less mac REQUIRED BY: 570-4691 L1INES, QC, REACH B		

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-029

323

USE	REF NO.	LANE 2/	3 OPTIONAL	Ship Weight Ibs	LIST PRICI AT DEALER
QUIC	CK COUPLE	RS (CONT.)			
Q	UICK COUP	PLER - CAT PIN GRABI	BER (NO BUCKET)		
L	455-3910	COUPLER PG W/O PIN B1 FOR USE WHEN "NOT" (Includes a Pin Grabber (Does NOT include spare For B family bucket link or	Coupler.(NO Pins) pins.		\$8,654
		ONLY FOR USE WITH:	AM-N and ANZ 517-4758 CONTROL, QC 570-4691 LINES, QC, RI and 242-6486 LINES, QC, RI 242-6490 LINES, QC, RI 242-6494 LINES, QC, RI or AM-N DCA(LANE2/3) EUR LANE 2 EPC 549-8149 LINES, DRAIN H: No boom, stick less mack	EACH BOOM 3.9M(12'10") STICK or 2.9M(9'6") STICK or 2.5M(8'2") STICK	
Q	UICK COUP	PLER - CAT PIN GRABI	BER (INSTALLED BUC	CKET)	
L	455-3909	FOR USE WHEN ORDER Includes a Pin Grabber (Includes(1)) set of pins to For B family bucket link ONLY FOR USE WITH:	attach the coupler to the sage 517-4758 CONTROL, QC 570-4691 LINES, QC, RI and 242-6486 LINES, QC, RI 242-6490 LINES, QC, RI 242-6494 LINES, QC, RI or AM-N DCA (LANE2/3)	XET stick. C and EACH BOOM 3.9M(12'10") STICK or 2.9M(9'6") STICK or 2.5M(8'2") STICK	\$9,771
DLICI	VETO	CANNOT BE USED WITH	H: No boom, stick less mac	nine	
BUCI	KETS				
NOTE Buck		e used with No boom, st	ick less machine		
		ular excavator bucket style. ting point, when application			
Р	552-8240	BKT HD 48" 1.56YD3 B . REQUIRES: 6 Advansys ONLY FOR USE WITH:			\$9,444

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-030

323

USE	REF NO.	LANE 2 / 3	3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
BUCK	KETS (CON	Т.)			
H	EAVY DUTY	(HD) (Cont.)			
Р	552-8241	BKT HD 54" 1.81YD3 B REQUIRES: 7 Advansys		2,198	\$9,969
		REACH FRONT BUCK uper long reach front	ŒT		
Р	441-6077	BKTA DC 48" 0.74YD3 (A) FOR USE IN LANE 3 ONI		852	\$4,604
Р	571-2858	Ditch cleaning bucket. BKTA GD 36" 0.69YD3 312 FOR USE IN LANE 3 ONI INCLUDES: 5 Advansys of Does NOT include Lifting	.Y 70 size tips (539-5678)	913	\$6,771
SI	DE CUTTER	rs .			
P	357-2698	SIDECUTTERS, HEAVY DUT INCLUDES: LH and RH h		108	\$1,174
		ONLY FOR USE WITH:		0MM 1.19M3(48" 1.56YD3) B 0MM 1.38M3(54" 1.81YD3) B	
TI	P ADVANS	YS 90			
P	505-4097	TIP, PENETRATION PLUS A ONLY FOR USE WITH:	552-8240 BKT HD 1200 552-8241 BKT HD 1350		}
FLUI	os				
A	NTIFREEZE				
	0P-2407	ANTIFREEZE, -50C (-58F)		0	\$283 NE
ALTE	RNATE SO	JRCED ATTACHMENT	rs .		
FI	ELD INSTA	LLED ATTACHMENTS			
Availa	able Through	ANTARES Parts Orderin	ig System.		
	528-3279	KIT, RADIAL LOWER WIPER	3, 70/30	0	\$505 NI
		For Comfort or Deluxe Ca	ab only		NE
	528-3280	KIT, ELECTRIC PEDAL LH .		0	\$1,420 NI NE
		For Tool Control System			

Supersedes 26JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021

323-031

323

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRIC AT DEALEF	
ALTEF	RNATE SO	URCED ATTACHMENTS (CONT.)			
FIE	LD INSTA	LLED ATTACHMENTS (Cont.)			
	528-3281	KIT, ELECTRIC PEDAL RH	0	\$1,455	
		For Tool Control System			NET
	528-3282	KIT, DUAL EXIT REAR WINDOW	0	\$355	
		For Canadian Regulation			NET
	528-3283	KIT, RAIN PROTECTOR	0	\$346	
		Not compatible with FOGS and, full front windshiel	d net/mesh		NET
	528-3287	KIT, JUMP START C7.1 T4F	0	\$330	NI NET
	578-4581	KIT, REMOTE CONTROL	0	\$7,100	
	528-3288	REQUIRES: KIT, GEN 3.5 CONSOLE 2.4GHZ or KIT, GEN 3.5 CONSOLE 900MHZ AVAILABLE FOR: AM-N and JAPAN KIT, LED PREMIUM LIGHT PKG		\$2,230	NET NI NET
	471-1985	KIT, SWIVEL GUARD STD	0	\$600	NI NET
	528-3290	KIT, SIDE RUBBER BUMPER	0	\$985	NI NET
	528-3291	KIT, FOGS	0	\$2,575	
		Compliant with ISO10262 Level 2 Not compatible with Cab Light Cover, Rain Protecto	or		NET
	528-3292	KIT, MESH/NET GUARD, FULL	0	\$1,565	
		Compliant with ISO10262 Level 2 Not compatible with Cab Light Cover, Rain Protecto	or		NET
	528-3293	KIT, MESH/NET GUARD, LOWER	0	\$303	NI NET

SERVICE PARTS

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-032

373

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
ALTE	RNATE SO	URCED ATTACHMENTS (CONT.)		
FI	ELD INSTA	LLED ATTACHMENTS (Cont.)		
	528-7420	SEATBELT 3" RETRACTABLE	0	\$87 NI
		Service Part Mandatory for California and ANZ		NE:
	487-3004	KEY FOB	0	\$45 NI NE:
		Service Part		NE.
	558-5654	KIT, GEN 3.5 CONSOLE 2.4GHZ	0	\$18,030 NI
	558-5655	Service Part REQUIRES: KIT, REMOTE CONTROL AVAILABLE FOR: AM-N and JAPAN KIT, GEN 3.5 CONSOLE 900MHZ	0	NE: \$18,030 NI
	550-2483	Service Part REQUIRES: KIT, REMOTE CONTROL AVAILABLE FOR: AM-N KIT, UPPER COVER 3D GRADE Service Part Need to order the lower level Parts as service parts	;	NE:
Availa	able Through	sITECH dealer		
		er for GRADE W/2D, ASSIST&PAYLOAD or D ADV, ASSIST&PAYLOAD		
DOC	UMENTATIO	ON		
FF	RONTLESS	FILM		
L	591-3890	FILM, OEM, FRONTLESS	ents	NC
PACK	KING			
FF	RONT LESS	PLUG - NO BOOM		
L	565-0277	PLUG, FRONTLESS STD	0	NC
L	564-9719	PLUG, QC OR SLCV, QC AND SLCV FOR USE IN LANE 3 ONLY For front less machine with Quick coupler circuit a		NC
L	565-0279	PLUG, TCS		NC

Supersedes 26JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021

323-033

323

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
PACI	KING (CON	T.)		
FI	RONT LESS	PLUG - NO BOOM (Cont.)		
L	564-9729	PLUG, MEDIUM CIRCUIT FOR USE IN LANE 3 ONLY For front less machine with medium pressure circuit		NC
S	TICK LESS	PULG - NO STICK		
L	564-9727	PLUG, TCS, BOOM LINES HP	0	NC
L	564-9720	PLUG, STICK LESS, STD	0	NC
L	564-9732	PLUG, STICK LESS, LINES MP QC FOR USE IN LANE 3 ONLY For stick less machine with MP and/or QC lines When ordering MP or QC, select 1 pc When ordering both MP and QC, select 2 pcs	0	NC
FI	XTURE - BO	OOM CYLINDER		
L	561-6972	FIXTURE, BOOM CYLINDER	0	NC
FI	IXTURE - BU	UCKET LINKAGE		
L	575-8647	FIXTURE, BUCKET LINKAGE B1		\$45 NE
S	TORAGE PR	ROTECTION		
	0G-4126	STORAGE PROTECTION (EXPORT)	luid Film TM, led for corrosion periods. This	\$281 NE
E	XPORT PAC	CKING		
	0G-4202	ROLL ON-ROLL OFF	0	\$132 NE
	0G-4235	EXP,PKG, SLR BOOM/STK/BKT DISM FOR USE IN LANE 3 ONLY Front and bucket dismounted For use when ordering a machine with super long rea		\$1,395 NE
	0G-4234	EXP,PKG, SLR BOOM/STK DISM FOR USE IN LANE 3 ONLY Front dismounted For use when ordering a machine with super long rea and NOT ordering a bucket or quick coupler.		\$1,370 NE

Supersedes 26JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021

323-034

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRIC	
PACKI	NG (CON	IT.)			
EXF	PORT PAC	CKING (Cont.)			
	0G-4209	ROLL ON-ROLL OFF W/O FRONT	0	\$66	NET
	0G-4210	ROLL ON-ROLL OFF W/O STICK		\$168	NET
PAC	CKING - N	IOT INSTALLED STICK CYLINDER			
	0P-6941	PKG, 320-325 STICK CYLINDER NI	0	\$317	NI NET

Supersedes 26JAN2021
Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 20FEB2021 323-035