335 EXCAVATOR AKASHI, JAPAN

Ship Weight lbs

LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

C7.1 twin turbo EU Stage V diesel engine Electric fuel priming pump Reversible hydraulic cooling fans Two-stage fuel filtration system with water separator and indicator Sealed double element air filter with integrated pre-cleaner Biodiesel capable (up to B20)

UNDERCARRIAGE

Grease lubricated track link Tie down points on base frame (ISO 15818 compliant)

HYDRAULICS

Electronic main control valve Auto warm up Tandem type electronic main pump (160cc/rev) Boom and stick regeneration circuits Automatic two speed travel Boom and stick drift reduction valve Element type main hydraulic filter

ELECTRICAL

Maintenance free battery Centralized electrical disconnect switch **CAT Product Link** After engine shutdown, 90 seconds programmable time delay LED working lights: Chassis LH and RH boom, cab mounted.

OPERATOR ENVIRONMENT

Sound-suppressed ROPS cab (ISO 12117-2 compliant) with viscous mount Increased rear window size as emergency exit 70/30 - Openable tempered front upper windshield w/ assist device and removable tempered lower windshield with in cab storage bracket 1PC- Fixed one piece tempered windshield Air suspension deluxe seat w/ headrest w/ heater, console height adjustment w/o tools, arm rest height and angle adjustment. '2 inch (51mm) orange seat belt Tilt up left side console Automatic bi-level air conditioner with pressurized function Openable polycarbonate hatch for 2P windshield

Fixed glass hatch for for one piece windshield Washable floor mat Roller front sunscreen Beacon ready 2 x 12V DC Outlet Dome and lower LED interior lights, coat hook, cup holder, console storage, rear storage with net, and overhead storage with net

SAFETY AND SECURITY

RH Hand rail and hand hold (ISO 2867 compliant) Service platform with anti-skid plate and countersunk bolts Hydraulic lock out lever neutralizes all controls Ground level accessible secondary engine shutoff switch in cab Signaling / warning horn

OTHER STANDARD EQUIPMENT

Grouped location for engine oil and fuel filters Sampling ports for Scheduled Oil Sampling (S.O.S) Remote flash

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 26JAN2021

335-001

335

335 EXCAVATOR
AKASHI, JAPAN
Ship Weight LIST PRICE
lbs AT DEALER

Lane 2 is reserved for the Base Orders Program.
Please use Lane 2 when placing orders that are part of the Base Order
Management Program

Supersedes 02JAN2021

Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021

335-002

LIST PRICE AT DEALER

| 335 EXCAVA AKASHI, JA | | Ship Weight Ibs | LIST PRICE AT DEALER |
|--------------------------|--|--------------------|-------------------------|
| 594-7442 | 335 07A HEX AM-N DCA1 | | \$387,160 T. CENTER |
| | LANE2/3 is not available to Quebec with ANSI | | |
| | 8.3ton (18,300lb) CTWT, Deluxe Cab, Long Undercarriage, Advanced Tool Control circuit, Reach Boom, R2.9(9'6") B1 Stick, QC circuit. | | |
| | INCLUDES: 541-5928 335 07 HEX 541-5932 LONG UNDERCARRIAGE 558-4999 COUNTERWEIGHT, 7.7T (16980LBS) 541-5945 BOOM, REACH 6.15M (20'2") 541-5947 STICK, R3.2M, CB2 (10'6") 521-8015 LINKAGE, BKT CB2 W/EYE GRADE 541-7970 CYLINDER, BOOM W/O BLCV 558-5310 CYLINDER, BICKET, CB2 LINKAGE 542-9737 GRADE SENSOR, REACH BOOM 519-6978 GRADE SENSOR, REACH BOOM 519-6978 GRADE SENSOR, REACH BOOM 562-4564 LINES, HP, REACH BOOM 562-4566 LINES, QC, REACH BOOM 356-8134 LINES-HP, R3.2M (10'6")STICK 321-0150 LINES-QC, R3.2M (10'6")STICK 594-7447 HYDRAULIC PACKAGE, TCS, W/HL -COVER, CONTROL VALVE -CONTROL VALVE, TCS, W/ HL MODE -LINES, OIL COOLER, TCS -TOOL CONTROL ADV -HARNESS, BOOM, ADV TCS -LINES, CHASSIS, TCS 546-0111 CAB, DELUXE 560-9529 LINE, A/C 533-5067 WIPER, RADIAL W/O LOWER 511-9428 MONITOR, 10" 488-6534 DRINK HOLDER, W/O BLADE LEVER 502-7166 RADIO, W/BLUETOOTH 541-2140 TRACK, 850MM(33")TG 528-6835 JOYSTICKS, SLIDER 490-7715 PEDAL, STRAIGHT TRAVEL 541-5936 CAMERA, 360 VISIBILITY 580-8628 MIRROR, CAB, W/O GUARD 488-6816 MACHINE ECM 577-6874 LIGHT, CHASSIS 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR | | |

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D

579-9095 LIGHT, LED R-BOOM LH 579-9096 LIGHT, LED R-BOOM RH

555-7286 NETWORK MANAGER, STD 577-2117 WIRING, PRODUCT LINK ELITE 516-0550 GRADE W/2D, PAYLOAD

502-1308 GUARD, TRAVEL MOTOR HD

134-8887 GUARD, SWIVEL

589-1744 RADIO MODULE, PL243 CELLULAR

502-1304 GUARD, TRACK GUIDE SEGMENTED

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 26JAN2021

335-003

335

335 EXCAVATOR
AKASHI, JAPAN
Ship Weight LIST PRICE
bs AT DEALER

538-5266 SWIVEL JOINT, STD

566-8894 LINES, PUMP DISCHARGE, STD

563-1653 LINES, DRAIN, PGC TCS

562-4550 LINES, TRAVEL SPEED CHG

541-5960 FINE SWING

546-1762 CONTROL, QC

565-0398 ALARM, TRAVEL

558-9969 DOOR, RADIATOR W/360

578-8136 COVER, CTWT W/O RADIATOR SCREEN

567-7394 LINES, MAKE UP, STD

569-2420 CAP FOR W/O MED PRESSURE

506-5013 BATTERIES, 2

541-5942 FILM, EXTERIOR, ANSI

573-4351 DECALS, CAB, ANSI

567-3815 DECALS, STICK WARNING, ANSI

582-9755 FILM, ROPS

520-9418 FILM, OPERATING PATTERN, 2WAY

528-4738 FILM, EMC

\$320,980

LANE 3 - AVAILABLE FROM AKASHI FACTORY

Base machine with Deluxe Cab, 10" monitor.

Well suited for general applications.

Must be completed by selecting Mandatory/Optional attachments

INCLUDES:

541-5928 335 07 HEX

541-7970 CYLINDER, BOOM W/O BLCV

562-4541 BOOM TUBE, STD

546-0111 CAB, DELUXE

511-9428 MONITOR, 10"

560-9529 LINE, A/C

488-6816 MACHINE ECM

565-0398 ALARM, TRAVEL

577-6874 LIGHT, CHASSIS

490-7715 PEDAL, STRAIGHT TRAVEL

502-1308 GUARD, TRAVEL MOTOR HD

134-8887 GUARD, SWIVEL

520-9418 FILM, OPERATING PATTERN, 2WAY

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 26JAN2021

335

| 335 EXCAV | | Ship Weight | LIST PRICE |
|------------|--------------------------------|-------------|------------|
| AKASHI, JA | | lbs | AT DEALER |
| 594-7444 | 335 07A HEX AM-N/GCN2/ANZ CFG2 | | \$327,190 |

Base machine with Deluxe Cab,10" monitor,BLCV/SLCV configuration. Well suited for general applications and those requiring BLCV/SLCV as a safety device.

Must be completed by selecting Mandatory/Optional attachments

INCLUDES:

541-5928 335 07 HEX 541-7975 CYLINDER, BOOM W/ BLCV 541-5937 BOOM TUBE, BLCV 559-0039 LINES, SLCV MACHINE 559-0038 LINES, BLCV 546-0111 CAB, DELUXE 511-9428 MONITOR, 10" 560-9529 LINE, A/C 488-6816 MACHINE ECM 565-0398 ALARM, TRAVEL

LANE 3 - AVAILABLE FROM AKASHI FACTORY

565-0398 ALARM, TRAVEL 577-6874 LIGHT, CHASSIS

490-7715 PEDAL, STRAIGHT TRAVEL 502-1308 GUARD, TRAVEL MOTOR HD

134-8887 GUARD, SWIVEL

520-9418 FILM, OPERATING PATTERN, 2WAY

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 26JAN2021

335-005 aded to 2/21/2

| USE | REF NO. | LANE 1 | Ship Weight lbs | LIST PRICE AT DEALER |
|-------|---------------|-----------------------------|--------------------|-------------------------|
| LANIE | 1 ARA NIODTII | I BAAND A TODY ATTAQUIMENTO | | |

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

LANE SELECTION

| | LANE OLLEO | | |
|----|----------------------------|---|----|
| YO | U MUST SELE | CT THIS REFERENCE WHEN ORDERING FROM THE PDC. | |
| | 0P-9001 | LANE 1 ORDER | NC |
| | DECAL PACE (Must Choose | | |
| | 0P-7124 | INSTRUCTION, NORTH AMERICA ANSI | NC |
| L | 560-2480 | INSTRUCTIONS, INTERNATIONAL | NC |
| | | NOTE: Required for Quebec | |

SERVICE INSTRUCTIONS

(Must Choose One)

| 0P-3380 | INSTRUCTIONS, ENGLISH | NC |
|---------|-----------------------|----|
| 0P-3389 | INSTRUCTIONS, FRENCH | NC |
| 0P-3404 | INSTRUCTIONS, SPANISH | NC |

PACKING

US-A D

STORAGE PROTECTION

(Must Choose One)

STORAGE PROTECTION (EXPORT) 0 0G-4126 \$281 NET

Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

Supersedes 02JAN2021 Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY Caterpillar: Confidential Green

Effective 26JAN2021 335-006

| USE | REF NO. | LANE 1 | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|----------------------------------|-----------------------------------|--------------------|-------------------------|
| LANE | 1 AM-NO | RTH MANDATORY ATTACHMENTS (CONT.) | | |
| | (PORT PA (Must Choose | | | |
| | 0G-4202 | ROLL ON-ROLL OFF | 0 | \$132 NET |
| FIX | XTURE - B | UCKET LINKAGE | | |
| L | 578-9964 | FIXTURE, BUCKET LINKAGE CB | 0 | \$81 NET |
| LANE | 1 AM-NO | RTH OPTIONAL ATTACHMENTS | | |
| Al | V <i>TIFREEZE</i> | | | |
| | 0P-2407 | ANTIFREEZE, -50C (-58F) | 0 | \$283 NET |

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 335-007

335

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRIC |
|-------|------------|--|---------------------------------|-----------|
| ANE | SELECTIO | N | | |
| | 0P-9002 | LANE 2 ORDER | | NC |
| | 0P-9003 | LANE 3 ORDER | 0 | NC |
| 300 | MS, STICKS | S, AND LINKAGES | | |
| BO | OOMS | | | |
| - | 541-5945 | BOOM, REACH 20'2" | 0 | \$9,820 |
| | 0G-0341 | NO BOOM | 0 | NC |
| S | TICKS | | | |
| L | 541-5946 | STICK, R12'4", CB2 | 0 | \$5,550 |
| L | 541-5947 | FOR USE IN LANE 3 ONLY STICK, R10'6", CB2 | 0 | \$5,100 |
| | 0G-0342 | NO STICK | 0 | NC |
| BU | JCKET LINI | KAGE | | |
| L | 521-8015 | LINKAGE, BKT CB2 W/EYE GRADE ONLY FOR USE WITH: 541-5946 STICK, R3.75M(541-5947 STICK, R3.2M(1 CANNOT BE USED WITH: No boom and stick less ma | 12'4") CB2 or 0'6") CB2 | \$3,290 |
| CYLII | NDERS | | | |
| S | TICK CYLIN | IDER | | |
| L | 558-5310 | CYLINDER, STICK W/O SLCV | | \$4,210 |
| L | 558-5311 | ONLY FOR USE WITH: 594-7443 335 07A HEX ALCYLINDER, STICK W/ SLCV | | \$6,830 |
| | | ONLY FOR USE WITH: 594-7444 335 07A HEX AL 594-7445 335 07A HEX E | M-N/GCN2/HK/TW CFG2 o U CFG1 | or |
| BU | JCKET CYL | INDER | | |
| L | 558-5314 | CYLINDER, BUCKET, CB2 LINKAGE | CB2 W/EYE GRADE | \$2,690 |

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 335-008

335

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRIC AT DEALER |
|------|------------|---|---|------------------------|
| UNDI | ERCARRIAG | SE . | | |
| T | RACKS | | | |
| L | 511-9741 | TRACK, 24" TG | 0 | \$1,910 |
| L | 541-2140 | TRACK, 33" TG Track 850MM(33") w/ step extension for ISO2867 | 0 | \$5,180 |
| T | RACK GUID | DING GUARD | | |
| L | 502-1304 | GUARD, TRACK GUIDE SEGMENTED | 0 | \$2,290 |
| L | 502-1306 | GUARD, TRACK GUIDE FULL LENGTH For long undercarriage, full length. | 0 | \$4,170 |
| HYDI | RAULICS | | | |
| J | OYSTICK | | | |
| L | 528-6835 | JOYSTICKS, VERTICAL SLIDER | 0 | \$1,240 |
| N | O AUXILIAI | RY CIRCUIT | | |
| L | 594-7446 | HYDRAULIC PACKAGE, NO TOOL INCLUDES: -COVER, CONTROL VALVE -CONTROL VALVE, W/ HL MODE -LINES, CHASSIS, STD -LINES, OIL COOLER, STD | 0 | \$1,055 |
| | | ONLY FOR USE WITH: 594-7443 335 07A HEX A 594-7444 335 07A HEX A | | |
| A | UXILIARY (| CIRCUIT - COMBINED CIRCUIT | | |
| L | 594-7447 | HYDRAULIC PACKAGE, TCS, W/HL INCLUDES: -COVER, CONTROL VALVE -CONTROL VALVE, TCS, W/ HL MODE -LINES, OIL COOLER, TCS -TOOL CONTROL ADV -HARNESS, BOOM, ADV TCS -LINES, CHASSIS, TCS | 0 | \$11,760 |
| | | ONLY FOR USE WITH: 594-7444 335 07A HEX A 594-7443 335 07A HEX A | M-N/HK/TW/ANZ CFG2 or M-N/HK/TW CFG1 | |
| LINE | GROUPS | | | |
| F | OR MEDIUN | A PRESSURE | | |
| L | 569-2420 | CAP FOR W/O MED PRESSURE | 0 | NC |

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 335-009

| JSE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|--|-----------------------------------|-------------------------|
| INE | GROUPS (| CONT.) | | |
| FC | OR MEDIUN | A PRESSURE (Cont.) | | |
| - | 562-4560 | LINES, FRONT, MEDIUM CIRCUIT | 0 | NC |
| s | TRAIGHT T | TRAVEL DRAIN LINE | | |
| - | 562-4546 | LINES, DRAIN, STD | M-N/HK/TW CFG1 or | NC |
| - | 560-2484 | CANNOT BE USED WITH: 546-1762 CONTROL, QC, LINES, DRAIN, PGC STD | 0 NICATED M-N/HK/TW CFG1 or | NC |
| - | 563-1653 | 594-7444 335 07A HEX A | M-N/ANZ/HK/TW CFG2 | NC |
| | | REQUIRES: 546-1762 CONTROL, QC ONLY FOR USE WITH: 594-7443 335 07A HEX AI 594-7444 335 07A HEX AI 594-7445 335 07A HEX EI CANNOT BE USED WITH: 594-7446 HYDRAULIC PAGE | M-N/ANZ/HK/TW CFG2 or U CFG1 | |
| L | INES TRAV | 'EL SPEED CHANGE | | |
| - | 562-4550 | LINES, TRAVEL SPEED CHG | | NC |
| - | 562-4551 | CANNOT BE USED WITH: 546-1761 CIRCUIT, MEDIC LINES, TRAVEL SPEED CHG BLADE | 0 | NC |
| PU | IMP DISCH | IARGE LINE | | |
| - | 566-8894 | ONLY FOR USE WITH: 594-7443 335 07A HEX ALT 594-7444 335 07A HEX 594-7444 335 07A HEX 594-7444 335 07A HEX 594-7444 335 07A HEX 594-7444 345 07A HEX 594-7444 07A HEX 594-744 | M-N/HK/TW CFG1 or | NC |
| M | AKE UP LIN | VE . | | |
| - | 567-7394 | LINES, MAKE UP, STD | I (11'3") | NC |
| - | 567-7397 | LINES, MAKE UP, BLADE SB | | NC |
| | | ONLY FOR USE WITH: 593-9091 BLADE 3440MM 551-4903 BLADE 3600MM | | |
| STAR | TERS, BAT | TERIES, & ALTERNATORS | | |
| L | 506-5013 | BATTERIES, 2 | 0 | \$600 |
| - | 542-8431 | For -18 degrees C BATTERY, COLD START For -32 degrees C | 0 | \$1,145 |

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 335-010

335

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRIC AT DEALER |
|------|---------------|--|--------------------|------------------------|
| ELEC | TRICAL | | | |
| CA | <i>AMERAS</i> | | | |
| | 597-1754 | CAMERA, REAR + RH VIEW | | \$820 |
| | 541-5936 | Compatible with 578-9808 GUARD, FALLING OBJECT CAMERA, 360 VISIBILITY | 0 | \$2,370 |
| | 560-2482 | CAMERA, 360 VISIBILITY, FOGS | 0 | \$2,370 |
| CA | AB LIGHTS | | | |
| - | 577-3853 | LIGHTS, CAB, W/O 360 | + RH VIEW | \$330 |
| - | 577-8973 | LIGHTS, CAB, W/RAIN PROTECTOR | , , | \$760 |
| | | ONLY FOR USE WITH: 597-1754 CAMERA, REAR 541-5936 CAMERA, 360 V CANNOT BE USED WITH: 578-9808 GUARD, FALLIN | ISIBILITY | |
| - | 577-3857 | LIGHTS, CAB, FOGS | | \$330 |
| | | REQUIRES: 578-9808 GUARD, FALLING OBJECT (FO ONLY FOR USE WITH: 597-1754 CAMERA, REAR 560-2482 CAMERA, 360 V | + RH VIEW or | |
| BO | OOM LIGHT | TS LH | | |
| - | 579-9095 | LIGHT, LED R-BOOM LH For reach boom, left side light CANNOT BE USED WITH: No boom | 0 | \$164 |
| В | OOM LIGHT | TS RH | | |
| - | 579-9096 | LIGHT, LED R-BOOM RH | 0 | \$164 |
| OPER | RATOR ENV | IRONMENT | | |
| W | /IPER | | | |
| _ | 533-5067 | WIPER, RADIAL W/O LOWER | 0 | NC |
| - | 553-9983 | ONLY FOR USE WITH: 546-0111 CAB, DELUXE WIPER, RADIAL W/LOWER | 0 | \$304 |
| | | ONLY FOR USE WITH: 546-0111 CAB, DELUXE | | |
| DI | RINK HOLD | PER | | |
| | 564-6276 | DRINK HOLDER, W/BLADE LEVER | | \$820 |
| | 488-6534 | ONLY FOR USE WITH: 562-4551 LINES, TRAVEL DRINK HOLDER, W/O BLADE LEVER | 0 | NC |

Supersedes 02JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021

335-011

335

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|------|------------|--|--------------------|-------------------------|
| OPEF | RATOR ENV | IRONMENT (CONT.) | | |
| R | ADIO/RADI | O READY | | |
| L | 502-7166 | RADIO, W/BLUETOOTH | 0 | \$585 |
| TECH | HNOLOGY F | PRODUCTS | | |
| C | AT GRADE | WITH ASSIST | | |
| L | 516-0550 | GRADE W/2D, ASSIST&PAYLOAD | ine | NC |
| L | 541-5968 | GRADE W/2D ADV, ASSIST&PAYLOAD | 0 FI | \$8,870 |
| L | 541-5969 | GRADE W/3D, ASSIST&PAYLOAD | | \$44,380 |
| | | REQUIRES: 554-3627 MONITOR, 10" GRADE or 598-3513 MONITOR, 10" GRADE W/WI CANNOT BE USED WITH: No boom, stick less machi | | |
| G | RADE SENS | SOR FOR BOOM | | |
| L | 542-9737 | GRADE SENSOR, REACH BOOM | 0 | NC |
| G | RADE SENS | SOR FOR STICK | | |
| L | 559-8617 | GRADE SENSOR, R12'4" STICK | ,(R12'4") CB2 | NC |
| L | 519-6978 | CANNOT BE USED WITH: No boom, stick less machi GRADE SENSOR , R10'6" STICK | R10'6") CB2 | NC |

Supersedes 02JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 335-012

335

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
| | | | | |

TECHNOLOGY PRODUCTS (CONT.)

PRODUCT LINKS

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor the performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country? please reference https://Dealer.cat.com/PL/Certification for certified countries. Please contact your Caterpillar marketing representative with questions.

Can not be used with FOGS

Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. INCLUDES:

- RADIO MODULE, PL083 SATELLITE
- WIRING, PRODUCT LINK ELITE

CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)

Product link radio package PLE683/PLE783 provides a dual mode PL083 radio for use where travel between areas of both cellular and satellite coverage is required. When the radio is used in combination with a PLE602 network manager (to make a PLE683 system) or PLE702 network manager (to make a PLE783 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features. INCLUDES:

- RADIO MODULE, PL083 SAT FOGS
- WIRING, PRODUCT LINK ELITE

REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOGS)

Can not be used with FOGS

Product link radio package PLE643/PLE743 provides a cellular PL243 radio. When the radio is used in combination with a PL602 network manager (to make a PLE643 system) or PL702 network manager (to make a PLE743 system) hours, health, utilization, and productivity information is collected and transmitted. The system also provides support for remote services and other advanced features.

INCLUDES:

- RADIO MODULE, PL243 CELLUAR
- WIRING, PRODUCT LINK ELITE

CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)

Caterpillar: Confidential Green US-A D

Supersedes 02JAN2021

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

335-013

Effective 26JAN2021

\$321 NET

NC

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|------|------------|--|---|-------------------------|
| TECH | NOLOGY P | PRODUCTS (CONT.) | | |
| PR | RODUCT LI | NKS (Cont.) | | |
| L | 592-6140 | PROD LINK, PLE643/PLE743 RADIO | 0 | NC |
| | | Product link radio package PLE643/PLE743 provide radio. When the radio is used in combination with a manager (to make a PLE643 system) or PL702 network (to make a PLE743 system) hours, health, utilization information is collected and transmitted. The system support for remote services and other advanced feature INCLUDES: - RADIO MODULE, PL243 CELL FOGS - WIRING, PRODUCT LINK ELITE | PL602 network ork manager , and productivity also provides | |
| | | REQUIRES: 578-9808 GUARD, FALLING OBJECT (F | OGS) | |
| NE | TWORK M | IANA GER | | |
| - | 555-7286 | NETWORK MANAGER, STD | 0 | NC |
| | | Network manager Std PLE602 collects hours, utilizate productivity information as well as provides support services and other advanced features. When paired veroduct Link radio this information as well location if for viewing in Product Link user applications. | for remote with a separate | |
| - | 555-7287 | ONLY FOR USE WITH: 516-0550 GRADE W/2D, NETWORK MANAGER, GRADE ADV | , utilization, health port for remote with a separate on is transmitted | NC |
| SAFE | TY AND SE | ECURITY | | |
| AL | DITIONAL | CAB MIRROR | | |
| L | 580-8628 | MIRROR, CAB, W/O GUARD | 0 | \$111 |
| L | 327-6553 | Additional ISO cab mirror CANNOT BE USED WITH: 578-9808 GUARD, FALLIN MIRROR, CAB, GUARD FALLING | 0 | \$110 |
| ОТНЕ | R ATTACH | IMENTS | | |
| SV | VIVEL JOIN | VT | | |
| L | 538-5266 | SWIVEL JOINT, STD | | NC |

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 335-014

335

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|--|-----------------------------|-------------------------|
| ОТНЕ | R ATTACH | IMENTS (CONT.) | | |
| S | WIVEL JOII | NT (Cont.) | | |
| L | 526-8030 | SWIVEL JOINT, BLADE | | NC |
| C | OUNTERWE | EIGHT | | |
| L | 558-4996 | COUNTERWEIGHT, 11020LBS | M or M | \$995 |
| L | 558-4999 | COUNTERWEIGHT, 16980LBS | 0 M M | \$1,545 |
| C | OVER . | | | |
| L | 578-8136 | COVER,CTWT W/O RADIATOR SCREEN ONLY FOR USE WITH: 558-9964 DOOR, RADIATOR SCREEN | OR STD or | NC |
| L | 578-8137 | COVER, CTWT W/ RADIATOR SCREEN | OR W/SCREEN or | NC |
| FRAN | ЛES | | | |
| U | NDERCARR | PIA GE | | |
| L | 541-5932 | LONG UNDERCARRIAGE | HT, 7.7T(16980LBS) | \$7,730 |
| L | 541-5933 | LONG UNDERCARRIAGE, BLADE | 0 HT, 5.0T(11020LBS) and | \$18,110 |
| BODY | Y | | | |
| RA | ADIATOR D | OOOR | | |
| L | 558-9964 | DOOR, RADIATOR STD | | NC |
| L | 558-9969 | ONLY FOR USE WITH: 597-1754 CAMERA, REAF DOOR, RADIATOR W/360 | 0 VISIBILITY or | NC |
| L | 578-8134 | DOOR, RADIATOR W/SCREEN | 0 | NC |
| L | 578-8135 | ONLY FOR USE WITH: 597-1754 CAMERA, REAF DOOR, RADIATOR W/SCREEN&360 | 0 VISIBILITY or | NC |

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 335-015

335

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------------|--|--------------------|-------------------------|
| INS | STRUCTIONS | | | |
| | DECALS EXT | TERIOR | | |
| L | 541-5942 | FILM, EXTERIOR, ANSI | 0 | NC |
| | DECALS CAL | 3 | | |
| L | 573-4351 | DECALS, CAB, ANSI | 0 PR, ANSI | NC |
| | DECALS, ST | ICK WARNING | | |
| L | 567-3815 | DECALS, STICK WARNING, ANSI ONLY FOR USE WITH: 573-4351 DECALS, CAB, A CANNOT BE USED WITH: QUEBEC DEALER No boom, stick less machin | ANSI | NC |
| | EMC FILM | | | |
| L | 528-4738 | FILM, EMC | 0 | NC |
| | ROPS FILM | | | |
| L | 582-9755 | FILM, ROPS | | NC |
| | OPERATION | & MAINTENANCE MANUAL | | |
| | 0P-3380 | INSTRUCTIONS, ENGLISH | 0 | NC |
| | 0P-3404 | INSTRUCTIONS, SPANISH | 0 | NC |

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021

335-016

335

| JSE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight lbs | LIST PRIC |
|--------|------------|---|-----------------------|-----------|
| INE G | ROUPS | | | |
| HIG | H PRESS | URE AUXILIARY BOOM LINES | | |
| | 562-4564 | LINES, HP, REACH BOOM | 0 | \$1,290 |
| | | ONLY FOR USE WITH: 594-7447 HYDRAULIC PA 594-7449 HYDRAULIC PA | CKAGE, TCS, W/HL | , , |
| HIG | CH PRESSI | URE AUXILIARY STICK LINES | | |
| | | | • | |
| | 450-0693 | LINES-HP, R12'4" STICK | 0 | \$1,175 |
| | 050 0404 | ONLY FOR USE WITH: 562-4564 LINES-HP, REAL | | A1 175 |
| | 356-8134 | LINES-HP, R10'6" STICK | | \$1,175 |
| | | ONLY FOR USE WITH: 562-4564 LINES-HP, REA | CH BOOM | |
| ME | DIUM PRE | SSURE CIRCUIT | | |
| | 546-1760 | CIRCUIT, MEDIUM, 2 WAY | 0 | \$5,260 |
| | | CANNOT BE USED WITH: BLADE | | , |
| | 546-1761 | 594-7446 HYDRAULIC PA CIRCUIT, MEDIUM, 2 WAY (BLADE) | | \$8,220 |
| | 0.0.70. | ONLY FOR USE WITH: BLADE | | 40,220 |
| | 568-3778 | CANNOT BE USED WITH: 594-7446 HYDRAULIC PA CONTROL, BLADE, STD | | \$2,960 |
| | 300-3770 | ONLY FOR USE WITH: 594-7446 HYDRAULIC PA | CKAGE, NO TOOL | \$2,900 |
| | 568-3779 | CONTROL, BLADE, TOOL 20 | | \$2,960 |
| | | ONLY FOR USE WITH: 594-7447 HYDRAULIC PA 594-7449 HYDRAULIC PA | | |
| ME | DIUM PRE | SSURE AUXILIARY BOOM LINES | | |
| | 562-4565 | LINES, MP, REACH BOOM | 0 | \$1,420 |
| | | | | |
| ME | DIUM PRE | SSURE AUXILIARY STICK LINES | | |
| | 450-0694 | LINES-MP, R12'2" STICK | 0 | \$980 |
| | | FOR USE IN LANE 3 ONLY | | |
| | 368-1564 | ONLY FOR USE WITH: 562-4565 LINES-MP, REA LINES-MP, R10'6" STICK | | \$980 |
| | | ONLY FOR USE WITH: 562-4565 LINES-MP, REA | | • |
| LIN | ES SLCV | | | |
| | 562-4570 | LINES, SLCV FRONT | 0 | NC |
| | | Mandatory for ANZ and EU ONLY FOR USE WITH: 594-7444 335 07A HEX A 594-7445 335 07A HEX E | M-N/HK/TW/ANZ CFG2 or | |
| T A DT | EDC DAT | | o or ar | |
| IANI | ENO, BAI | TERIES, & ALTERNATORS | | |
| | 559-9849 | ETHER STARTING AID | 0 | \$382 |
| | 300-3043 | ETHER OTAITING AID | | 420 |

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 335-017

335

| USE | REF NO. | OPTIONAL ATTACHMENTS Ship Weight lbs | LIST PRICE AT DEALER |
|-------|------------|--|-------------------------|
| ELEC. | TRICAL | | |
| L | 582-5544 | LIGHTS, SURROUND, PREM, 2D | \$710 |
| L | 582-5548 | ONLY FOR USE WITH: 541-5968 GRADE W/2D ADV, ASSIST+PAYLOAD 541-5969 GRADE W/3D, ASSIST+PAYLOAD | \$710 |
| OPER | ATOR ENV | IRONMENT | |
| AL | DDITIONAL | 10" GRADE MONITOR FOR 2D ADV AND 3D | |
| L | 554-3627 | MONITOR, 10" GRADE MONITOR | NC |
| L | 598-3513 | MONITOR, 10" GRADE W/WIFI | N C |
| C/ | JN SCREEN | CANNOT BE USED WITH: ISRAEL DEALERS | |
| | | SUN SCREEN, REAR | 4017 |
| L | 488-6450 | SUN SCREEN, REAR | \$217 |
| TECH | NOLOGY P | PRODUCTS | |
| CA | AT GRADE | LASER CATCHER | |
| L | 560-5681 | LASER CATCHER,8'2"-14'1" STICK | \$1,320 |
| L | 560-5683 | CANNOT BE USED WITH: No boom, stick less machine LASER CATCHER, R8'2" - 11'10" | \$1,320 |
| GUAF | RDS | | |
| CA | AB GUARD | FOGS | |
| L | 578-9808 | GUARD, FALLING OBJECT (FOGS) | \$2,575 NET |
| ОТНЕ | R ATTACH | IMENTS | |
| FI | NE SWING | | |
| L | 541-5960 | FINE SWING | \$585 |
| - | | | |

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021

335-018

335

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|----------------------|--|------------------------------------|-------------------------|
| QUIC | CK COUPLE | RS | | |
| C | ONTROL, O | ac | | |
| L | 546-1762 | CONTROL, QC, CPG + CW DEDICATED | HK/TW CFG1 or | \$900 |
| Q | UICK COUP | PLER BOOM LINES | | |
| L | 562-4566 | LINES, QC, REACH BOOM | 0 | \$1,400 |
| | | REQUIRED BY: 546-1762 CONTROL, QC, CPG+CW DE CANNOT BE USED WITH: No boom | EDICATED | |
| Q | UICK COUP | PLER STICK LINES | | |
| L | 450-0695 321-0150 | LINES-QC, R12'4" STICK | | \$1,090 \$1,225 |
| | | REQUIRED BY: 562-4566 LINES, QC, REACH BOOM | | |
| 0 | IIICK COUI | CANNOT BE USED WITH: No boom, stick less machine PLER - CAT PIN GRABBER (INSTALLED BUCKE | | |
| L | 455-3911 | COUPLER, PIN GRABBER CB W/PINS FOR USE WHEN ORDERING AN INSTALLED BUCKET Includes a Pin Grabber Coupler. Includes(1) set of pins to attach the coupler to the stick For CB family bucket linkage ONLY FOR USE WITH: BUCKET and 546-1762 CONTROL, QC and 562-4566 LINES, QC, REACT and 450-0695 LINES-QC, R3.75N 321-0150 LINES-QC, R3.2M | 1,173 x. H BOOM M(R12'4") STICK or | \$10,275 |
| | | CANNOT BE USED WITH: No boom, stick less machine | | |

Supersedes 02JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 335-019

335

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|---|---|-------------------------|
| QUIC | K COUPLEI | RS (CONT.) | | |
| Q | JICK COUP | PLER - CAT PIN GRABBER (NO BUCKET) | | |
| L | 455-3912 | COUPLER, PG W/O PIN CB | 1,038 | \$8,767 |
| | | ONLY FOR USE WITH: 546-1762 CONTROL, QC and 560-2484 LINES, DRAIN, PG and 562-4566 LINES, QC, REACL and 450-0695 LINES-QC, R3.758 321-0150 LINES-QC, R3.2M CANNOT BE USED WITH: No boom, stick less machine | H BOOM M(R12'4") STICK or (R10'6") STICK or | |
| BLAD | ES | | | |
| BL | ADE | | | |
| L | 593-9091 | BLADE 11'3" | | \$39,280 |
| L | 551-4903 | ONLY FOR USE WITH: 511-9741 TRACK, 600MM TBLADE 11'10" | 0 | \$41,110 |
| виск | ETS | | | |
| HE | AVY DUT | Y(HD) | | |
| Р | 541-1746 | BKT HD 36" 1.19YD3 CB | 1,978 | \$9,756 |
| P | 541-1747 | ONLY FOR USE WITH: CB Family bucket linkage BKT HD 42" 1.46YD3 CB | 2,156 | \$10,321 |
| • | 541-1748 | ONLY FOR USE WITH: CB Family bucket linkage BKT HD 47" 1.74YD3 CB | 2,313 | \$11,067 |
| • | 541-1750 | ONLY FOR USE WITH: CB Family bucket linkage BKT HD 54" 2.01YD3 CB | 2,504 | \$11,653 |
| P | 541-1752 | ONLY FOR USE WITH: CB Family bucket linkage BKT HD 60" 2.30YD3 CB | | \$12,250 |

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021

335-020

335

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight Ibs | LIST PRICE AT DEALER |
|--------|--------------|--|---|-------------------------|
| BUCK | KETS (CON | IT.) | | |
| SI | DE CUTTEI | RS | | |
| P | 357-2698 | SIDECUTTERS, HEAVY DUTY | 1.76M3 CB or .91M3 CB or 1.12M3 CB or 1.33M3 CB or | \$1,174 |
| TI | PS ADVAN | SYS 100 | | |
| P | 505-4103 | TIP, PENETRATION PLUS ADVANSYS | 1.33M3 CB or .91M3 CB or 1.12M3 CB or 1.54M3 CB or | \$142 |
| ALTE | RNATE SO | URCED ATTACHMENTS | | |
| FI | ELD INSTA | LLED ATTACHMENTS | | |
| Availa | able Through | ANTARES Parts Ordering System. | | |
| | 528-3280 | KIT, ELECTRIC PEDAL LH | 0 | \$1,420 NI NET |
| | 528-3282 | KIT, DUAL EXIT REAR WINDOW | 0 | \$355 NI NET |
| | 528-3283 | KIT, RAIN PROTECTOR | | \$346 NI NET |
| | | Not compatible with FOGS and, full front windshield no | et/mesh | |
| | 586-7692 | KIT, FOGS | 0 | \$2,575 NI NET |
| | 528-3293 | KIT, MESH/NET GUARD, LOWER | 0 | \$303 NI NET |
| DOC | UMENTATIO | ON | | |
| FF | RONT LESS | FILM | | |
| L | 591-3890 | FILM, OEM, FRONTLESS | | NC |

Supersedes 02JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 335-021

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|--------------|--|--|-------------------------|
| PAC | CKING | | | |
| 1 | FRONT LESS | PLUG - NO BOOM | | |
| L | 565-0278 | PLUG, FRONTLESS STD | 0 | NC |
| L | 564-9719 | PLUG, QC OR SLCV, QC AND SLCV | 0 | NC |
| L | 564-9751 | FOR USE IN LANE 3 ONLY PLUG, QC | 0 | NC |
| L | 564-9727 | For No Reach boom with Quick coupler control PLUG, TCS, BOOM LINES HP FOR USE IN LANE 3 ONLY For stick less marking with HD lines | 0 | NC |
| L | 594-7831 | For stick less machine with HP lines PLUG, FRONT LESS TCS | 0 | NC |
| L | 564-9729 | PLUG, MEDIUM CIRCUIT FOR USE IN LANE 3 ONLY For front less machine with medium pressure circuit | 0 | NC |
| ; | STICK LESS | PLUG | | |
| L | 564-9720 | PLUG, STICK LESS, STD | 0 | NC |
| L | 564-9732 | PLUG, STICK LESS, LINES MP QC FOR USE IN LANE 3 ONLY For stick less machine with MP and/or QC lines When ordering MP or QC, select 1 pc When ordering both MP and QC, select 2 pcs | 0 | NC |
| 1 | FIXTURE - BO | OOM CYLINDER | | |
| L | 566-0791 | FIXTURE, BOOM CYLINDER | 0 | NC |
| 1 | FIXTURE - BO | UCKET LINKAGE | | |
| L | 578-9964 | FIXTURE, BUCKET LINKAGE CB | | \$81 N |
| ; | STORAGE PR | ROTECTION | | |
| | 0G-4126 | STORAGE PROTECTION (EXPORT) | id Film TM, for corrosion iods. This | \$281 N |

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 335-022

335

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight Ibs | LIST PRICE AT DEALER |
|-------|------------|--------------------------------|--------------------|-------------------------|
| PACKI | NG (CON | IT.) | | |
| EXF | PORT PAC | CKING (SELECT ONE) | | |
| | 0G-4202 | ROLL ON-ROLL OFF | 0 | \$132 NET |
| | 0G-4209 | ROLL ON-ROLL OFF W/O FRONT | 0 | \$66 NET |
| | 0G-4210 | ROLL ON-ROLL OFF W/O STICK | 0 | \$168 NET |
| | 0P-7218 | ROLL ON-ROLL OFF W/BKT AM-N 35 | | \$233 NET |

Supersedes 02JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 335-023