349F EXCAVATOR VICTORIA, TX, USA (SAP) Ship Weight lbs

LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Diesel Engine C13 Tier IV Tier4 final emission package 2300m altitude capability w/ no deration Automatic engine speed control Radial seal air filter Secondary engine shut-off switch Primary filter with water separator

- water separator indicator switch - fuel differential indicator

- switch in fuel line Electric priming pump

UNDERCARRIAGE

Towing eye on base frame Track type undercarriage with grease lubricated seals, resin seal type 4

ELECTRICAL

80 amp alternator Horn, signaling/warning Light, Integrated into storage box

OPERATOR ENVIRONMENT

Cab:

- Beverage holder
- Coat hook
- Interior lighting
- Literature holder
- Radio mounting (meets DIN size) suitable for 24-volt radios
- Two stereo speakers
- Sliding upper door window on the left hand cab door
- Storage shelf suitable for lunch box
- Glass breaking safety hammer
- Pressurized operator station (Positive Filtration)
- Removable lower windshield w/ incab storage bracket
- Two power outlets, 10 amp (total) Monitor:
- Capability of time clock on monitor battery (lasts 1 week w/disconnect)
- Color LCD display, rear view camera ready
- Machine condition, error code & tool mode setting information
- Start-up level check for hydraulic oil, engine oil and engine coolant
- Warning, filter/fluid change & working hour information Neutral lever for all controls

Removable lower windshield with incab storage bracket

Pedal:

- Capability to install 2 addt'l pedals
- Travel control with removable hand levers

Seat:

- Adjustable armrest
- Height adjustable consoles

OTHER STANDARD EQUIPMENT

Automatic swing parking brake Capability of installing additional auxiliary pump & circuit Capability of installing boom & stick lowering control device Capability of installing stackable valves for (HP, Medium and QC valve) Compatible with Electronic Technician Caterpillar one key security system Circuit breaker Door locks and cap locks of fuel and hydraulic tanks Lockable external tool / storage box High performance hyd. return filter 2 X 4 micron main filter 1 X 10 micron primary filter Mirrors, rearview (frame -right, cab-left) Regeneration circuit for boom & stick Reverse swing damping valve Two speed travel

3 SBS radiator for easy cleaning Capability of installing CAT Bio hydraulic oil Capability of using Bio-diesel fuel Power edge trade dress with power edge decals and black cylinders

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 24JAN2020 349F-001

349F

349F EXCAVATOR VICTORIA, TX, USA (SAP)

Ship Weight

LIST PRICE AT DEALER

Lane 2 is reserved for the Base Orders Program. Please use lane 2 when placing orders that are part of the Base Order Program.

LANE 3 - AVAILABLE FROM VICTORIA FACTORY

Base Machine for Standard Counterweight

Base Configuration must be completed by selecting Mandatory / Optional attachments.

INCLUDES:

384-2182 349F L FG EXCAVATOR

433-5612 CONTROL, FINE SWING

383-5590 AIR CONDITIONER

352-7158 ACCUMULATOR WITH CRN

488-6541 SEAT BELT, 51MM (2")

424-4597 CAB-ROPS, 70/30

316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL

496-8191 RADIO, 24V AM/FM

324-5778 PANEL, STD START SWITCH

462-9454 COUNTERWEIGHT, 9.0MT (19,840LBS)

383-6409 FAN, VARIABLE SPEED

387-4813 COVER, FENDER, STANDARD

324-4361 AIR CLEANER, HIGH EFFICIENCY

396-6053 GUARD, BOTTOM, HEAVY DUTY

297-9163 ROLLERS, SINGLE FLANGE, LC-FG

493-5700 CAMERA, REAR VIEW, MIRRORS(RH)

389-8012 LINES, PILOT, BOOM, STD

231-1771 ALARM, TRAVEL

324-4364 STARTING AID, ETHER

336-1150 SUN SCREEN (70/30)

358-8432 CYLINDER, BOOM (W/O BLCV)

358-8458 CYLINDER, STICK (W/O SLCV)

134-8893 GUARD, SWIVEL (FG)

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-002

349F

| | | | <u> </u> |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|------------|
| 349F EXCA | VATOR | Ship Weight | LIST PRICE |
| | TX, USA (SAP) | lbs | AT DEALER |
| 505-4697 | 349F L HEX AM-N BCF2 | 0 | \$485,050 |
| | Base Machine for Standard Counterweight with BLCV/SLCV | • | |
| | Base Configuration must be completed by selecting Mandatory / Optional attachments. | | |
| | INCLUDES: 384-2182 349F L FG EXCAVATOR 433-5612 CONTROL, FINE SWING 383-5590 AIR CONDITIONER 352-7158 ACCUMULATOR WITH CRN 488-6541 SEAT BELT, 51MM (2") 424-4597 CAB-ROPS, 70/30 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL 496-8191 RADIO, 24V AM/FM 324-5778 PANEL, STD START SWITCH 462-9454 COUNTERWEIGHT, 9.0MT (19,840LBS) | | |
| | 383-6409 FAN, VARIABLE SPEED 387-4813 COVER, FENDER, STANDARD 324-4361 AIR CLEANER, HIGH EFFICIENCY 396-6053 GUARD, BOTTOM, HEAVY DUTY 297-9163 ROLLERS, SINGLE FLANGE, LC-FG 493-5700 CAMERA, REAR VIEW, MIRRORS(RH) 389-8012 LINES, PILOT, BOOM, STD 231-1771 ALARM, TRAVEL | | |

324-4364 STARTING AID, ETHER 336-1150 SUN SCREEN (70/30) 358-8435 CYLINDER, BOOM (W/BLCV) 358-8459 CYLINDER, STICK (W/SLCV) 134-8893 GUARD, SWIVEL (FG)

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 349F-003

349F

| _ | 349F EXCAVATOR Ship Wei VICTORIA, TX, USA (SAP) Ibs | | LIST PRICE AT DEALER | |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---|-------------------------|--|
| 505-4698 | 349F L HEX AM-N BCF3 | 0 | \$474,230 | |
| | Base Machine for Counterweight Removal | | | |
| | Base Configuration must be completed by selecting Mandatory / Optional attachments. | | | |
| | INCLUDES: 384-2183 349F L FG EXCAVATOR CW RMV 433-5612 CONTROL, FINE SWING 383-5590 AIR CONDITIONER 352-7158 ACCUMULATOR WITH CRN 488-6541 SEAT BELT, 51MM (2") 424-4597 CAB-ROPS, 70/30 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL 496-8191 RADIO, 24V AM/FM 324-5778 PANEL, STD START SWITCH 462-9453 COUNTERWEIGHT, 8.6MT (18,960LBS) 383-6409 FAN, VARIABLE SPEED 387-4813 COVER, FENDER, STANDARD 324-4361 AIR CLEANER, HIGH EFFICIENCY 396-6053 GUARD, BOTTOM, HEAVY DUTY 297-9163 ROLLERS, SINGLE FLANGE, LC-FG 493-5701 CAMERA,REAR VIEW, CTWT REMOVAL 389-8013 LINES,PILOT,BOOM CTWT REMOVAL 231-1771 ALARM, TRAVEL 324-4364 STARTING AID, ETHER 336-1150 SUN SCREEN (70/30) 358-8432 CYLINDER, BOOM (W/O BLCV) | | | |

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-004

| | 349F L HEX AM-N DCA1C | | |
|-------------|-----------------------------------------------------------|---------------|------------|
| | | | |
| 349F EXCAV | · · · | | LIST PRICE |
| VICTORIA, T | TX, USA (SAP) | lbs | AT DEALER |
| | | | |
| 571-6462 | | 0 | \$560,700 |
| | DCA1C (FG, R12'10"Stick, No Tool Control, 35" Track w/2nd | d CAB mirror) | |
| | INCLUDES: | | |
| | | | |
| | · · · · · · · · · · · · · · · · · · · | | |
| | | | |
| | | | |
| | | | |
| | 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | 396-6053 GUARD, BOTTOM, HEAVY DUTY | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | 358-8432 CYLINDER, BOOM (W/O BLCV) | | |
| | 358-8458 CYLINDER, STICK (W/O SLCV) | | |
| | 134-8893 GUARD, SWIVEL (FG) | | |
| | 529-3588 BOOM PKG, REACH | | |
| | BOOM, 22'8" REACH LINKAGE, BUCKET-TB W/LIFT EYE | | |
| | CYLINDER, BKT TB | | |
| | UPPER COVER, STANDARD | | |
| | 331-7838 STICK, REACH 12'10" TB | | |
| | 500-0681 LIGHTING CAB PKG | | |
| | HATCH, OPENABLE ROOF (DUAL) | | |
| | LIGHTING, CAB (HALOGEN) 505-4674 JOYSTICK STD STP PKG | | |
| | VALVE, HYDRAULIC, HL | | |
| | VALVE, ANTI DRIFT (BOOM) | | |
| | VALVE, ANTI DRIFT (STICK) | | |
| | LINES, CYLINDER | | |
| | JOYSTICK, ONE BUTTON | | |
| | MAT, FLOOR, RH PEDAL PEDAL, STRAIGHT TRAVEL | | |
| | LINES, PILOT, W/O TOOL | | |
| | LINES, PILOT, W/O BLCV/SLCV | | |
| | LINES, PILOT, STICK, STD | | |
| | LINES, PILOT, TRAVEL, STP | | |
| | MACHINE CONTROLLER STD | | |
| | 366-6208 COLD WEATHER START PKG | | |
| | RECEPTACLE, JUMP START BATTERY, HEAVY DUTY | | |
| | HEATER, JACKET WATER | | |
| | 340-8184 TRACK, 35" TG PPR2 (FG) | | |
| | 415-8520 IDLERS, STANDARD | | |
| | 383-5664 WASHER, WINDSHIELD UPPER | | |

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 349F-005

349F

349F EXCAVATOR VICTORIA, TX, USA (SAP) Ship Weight lbs LIST PRICE AT DEALER

316-8984 WIPER-RADIAL, 70/30 W/O LOWER

348-0585 GUARD, TRACK GUIDING SEGMENTED

494-9529 LINES, PILOT, BUCKET, QC

384-2198 DECALS, EXTERIOR ANSI

497-9645 DECALS, CAB ANSI

327-6552 MIRROR, CAB, W/O GUARD

460-1150 PRODUCT LINK, SATELLITE PL631

328-0259 LIGHTS, HALOGEN, R/M-BOOM

498-8961 CTRL, CAT PIN GRABBER COUPLER

349-2233 CHANGER, HAND CTRL 2-WAY (ANSI)

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-006

| 349F EXCA\ | /ATOR | Ship Weight | LIST PRICE |
|-------------------------|-------------------------------------------------------------------------------------------------------|-------------|------------|
| VICTORIA, TX, USA (SAP) | | lbs | AT DEALER |
| 571-6465 | 349F L HEX AM-N DCA5C | 0 | \$593,340 |
| | DCA5C (FG, R12'10"Stick, Tool Control, 35" Track, CTWT | `Removal) | |
| | | Removal) | |
| | -LIGHTING CAB TRG -LIGHTING, CAB (HALOGEN) -HATCH, OPENABLE ROOF (DUAL) 505-4677 COMBINED CIR STP PKG | | |
| | -JOYSTICK, THUMB WHEEL -VALVE, ANTI DRIFT (BOOM) -VALVE, ANTI DRIFT (STICK) -LINES, CYLINDER | | |

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-007

| | 349F EXCAVATOR Ship Weight VICTORIA, TX, USA (SAP) | |
|----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| | -MACHINE CONTROLLER TCS -LINES, PILOT, STICK, TOOL -SYSTEM, COMBINED -PEDAL, STRAIGHT TRAVEL -LINES, PILOT, TOOL & HL -VALVE, MAIN CONTROL, HL TCS -LINES, PILOT, W/O BLCV/SLCV -LINES, PILOT, TRAVEL, STP 526-6495 LINES, HP, REACH BOOM 526-6497 LINES, QC, REACH BOOM 529-3588 BOOM PKG, REACH -LINKAGE, BUCKET-TB W/LIFT EYE -CYLINDER, BKT TB -UPPER COVER, STANDARD -BOOM, 22'8" REACH | |
| 505-4699 | 349F L HEX AM-N BCF4 | \$484,200 |

INCLUDES:

384-2183 349F L FG EXCAVATOR CW RMV 433-5612 CONTROL, FINE SWING 383-5590 AIR CONDITIONER 352-7158 ACCUMULATOR WITH CRN 488-6541 SEAT BELT, 51MM (2") 424-4597 CAB-ROPS, 70/30 316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL 496-8191 RADIO, 24V AM/FM 324-5778 PANEL, STD START SWITCH 462-9453 COUNTERWEIGHT, 8.6MT (18,960LBS) 383-6409 FAN, VARIABLE SPEED 387-4813 COVER, FENDER, STANDARD 324-4361 AIR CLEANER, HIGH EFFICIENCY 396-6053 GUARD, BOTTOM, HEAVY DUTY 297-9163 ROLLERS, SINGLE FLANGE, LC-FG 493-5701 CAMERA, REAR VIEW, CTWT REMOVAL 389-8013 LINES, PILOT, BOOM CTWT REMOVAL 231-1771 ALARM, TRAVEL 324-4364 STARTING AID, ETHER 336-1150 SUN SCREEN (70/30) 358-8435 CYLINDER, BOOM (W/BLCV)

358-8459 CYLINDER, STICK (W/SLCV) 134-8893 GUARD, SWIVEL (FG)

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-008

| | | | | 0 101 |
|-------|------------------------------------------|--------------------------------------------------------------------------------------------------------------|--------------------------------------------|-------------------------|
| USE | REF NO. | LANE 1 | Ship Weight Ibs | LIST PRICE AT DEALER |
| LANE | 1 AM-NOI | RTH MANDATORY ATTACHMENTS | | |
| MUST | CHOOSE A | T LEAST ONE PACKAGE OR ATTACHMENT FROM | И EACH CATEGOR | Υ |
| LA | NE SELEC | TION | | |
| YOU | MUST SELE | CT THIS REFERENCE WHEN ORDERING FROM THE | E PDC. | |
| | 0P-9001 | LANE 1 ORDER | 0 | NC |
| | ECAL PACK (must choose | _ | | |
| Р | 0P-7124 | INSTRUCTION, NORTH AMERICA ANSI | by all NACD | NC |
| L | 384-9708 | territories except Quebec, Canada. ONLY ON PDC MACINSTRUCTIONS, INTERNATIONAL | 0 | NC |
| | | NOTE: For CANADA (Mandatory for Quebec) | | |
| SE | RVICE INS | TRUCTIONS | | |
| machi | tion & Main ne sourced destination | tenance Manuals(OMMs) are automatically sent on from the PDC based on the legally required language country. | ı every ge | |
| | | DDITIONAL LANGUAGES, PLEASE USE THE FOLL dcorp.com/cat/ | OWING SITE: | |
| | T ORAGE PF MUST SELEC | ROTECTION | | |
| | 0G-4131 | STORAGE PROTECTION (DOMESTIC) | Film TM, d for corrosion riods. This | NC |
| | RECT SHIP OPTION | TO CUSTOMER - WASH | | |
| | 0P-2047 | DIRECT SHIP TO CUSTOMER - WASH | | NC |

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 349F-009

349F

| USE | REF NO. | LANE 1 | Ship Weight Ibs | LIST PRICE AT DEALER |
|-----|------------|--------|--------------------|-------------------------|
| | | | | |

LANE 1 AM-NORTH MANDATORY ATTACHMENTS (CONT.)

FREIGHT, TRUCK DELIVERY

OPTIONAL FOR CANADA DEALERS

Effective January 2, 2015

Additional net charge for change of transport mode from rail to truc Applies to Canadian dealers and their store locations only. Contact your trade lane manager for locations outside 500 km radius.

Finning: \$12,300 Within 500 km radius of Vancouver and Edmonton Kramer: \$7,300 Within 500 km radius of Regina

Toromont: \$4,300 Within 500 km radius of Toronto and Winnipeg

Hewitt: \$7,300 Within 500 km radius of Montreal

Atlantic: \$12,300 Within 500 km radius of Halifax and York

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-010

| | | | | <u> </u> |
|------|---------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-------------------------|
| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
| LANE | SELECTIO | N | | |
| | 0P-9002 0P-9003 | LANE 2 ORDER | ent (BOM) program. | NC NC |
| BOOI | MS, STICKS | S, AND LINKAGES | | |
| | OEM deve prov | en ordering a frontless excavator, dealers can contact Ca M Solutions at oem_solutions@cat.com. OEM Solutions celopment of machine configurations, application guidance ride guidance to AEM's or OEM's that offer specialty excats or machine modifications in your region. | an assist in e, and | |
| | | OOM or BOOM/CYLINDER PACKAGE CUCKET CYLINDER LINKAGE PACKAGE | | |
| | 0G-0341 | NO BOOM | 0 | NC |
| В | OOM/CYLIN | NDER PACKAGES | | |
| L | 500-0670 | REACH BOOM 24'2" PKG FOR USE IN LANE 3 ONLY Reach Boom 7.4M (24'2") Package (PKG) INCLUDES: - BOOM, 7.4M (24'2") LONG REACH - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT (TB LINKAGE) - UPPER COVER, STANDARD ONLY FOR USE WITH: 505-4696 349F L HEX AM 505-4698 349F L HEX AM | I-N BCF1 | \$39,390 |
| L | 529-3588 | BOOM PKG, REACH Reach Boom 6.9M (22'8") Package (PKG) INCLUDES: - BOOM, 6.9M (22'8") REACH - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT (TB LINKAGE) - UPPER COVER, STANDARD | | \$37,370 |

ONLY FOR USE WITH:

505-4696 349F L HEX AM-N BCF1 505-4698 349F L HEX AM-N BCF3

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Supersedes 02JAN2020 Effective 24JAN2020 Caterpillar: Confidential Green US-A D

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|------|-------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-------------------------|
| BOOM | /IS, STICKS | S, AND LINKAGES (CONT.) | | |
| ВС | OM/CYLIN | NDER PACKAGES (Cont.) | | |
| - | 529-3589 | BOOM PKG, REACH BLCV/SLCV FOR USE IN LANE 3 ONLY Reach Boom 6.9M (22'8") for Boom Lowering Control Stick Lowering Control Valve (SLCV) Package (PKG) INCLUDES: - BOOM, 6.9M (22'8") REACH - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT (TB LINKAGE) - UPPER COVER, STANDARD - DEVICE, SLCV R-BOOM ONLY FOR USE WITH: 505-4697 349F L HEX AM 505-4699 349F L HEX AM | Valve (BLVC)/ I-N BCF2 | \$38,920 |
| - | 529-3591 | 565-5584 349F L HEX AN BOOM PKG, MASS FOR USE IN LANE 3 ONLY Mass Boom 6.55M (21'6") Package (PKG) INCLUDES: - BOOM, 6.55M (21'6") MASS EXCAVATION HD - LINKAGE, BKT-UB W/O LIFT EYE - CYLINDER, BKT (UB LINKAGE) - UPPER COVER, STANDARD - MASS BOOM BLCV/SLCV PKG ONLY FOR USE WITH: 505-4696 349F L HEX AM | Z CFG1 0 | \$46,270 |
| - | 529-3592 | 505-4698 349F L HEX AM BOOM PKG, MASS BLCV/SLCV FOR USE IN LANE 3 ONLY Mass Boom 6.55M (21'6") for Boom Lowering Bontrol Stick Lowering Control Valve (SLCV) Package (PKG) INCLUDES: - BOOM, 6.55M (21'6") MASS EXCAVATION HD - LINKAGE, BKT-UB W/LIFT - CYLINDER, BKT (UB LINKAGE) - UPPER COVER, STANDARD - DEVICE, STICK LOWERING CONTROL ONLY FOR USE WITH: 505-4697 349F L HEX AM 505-4699 349F L HEX AM | I Valve (BLCV) I-N BCF2 I-N BCF4 | \$47,820 |
| L | 529-3594 | 565-5584 349F L HEX AN BOOM PKG, REACH CGC FOR USE IN LANE 3 ONLY Reach Boom 6.9M (22'8") CAT Grade Control (CGC) FINCLUDES: - BOOM, 6.9M (22'8") REACH (CGC) - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT TB CGC - UPPER COVER, CGC - GUARD, BKT TB CYLINDER, CGC REQUIRES: CAT GRADE CONTROL ONLY FOR USE WITH: 505-4696 349F L HEX AM 505-4698 349F L HEX AM | Oackage (PKG) -N BCF1 | \$37,370 |

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-012

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|-----|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------|-------------------------|
| BOO | MS, STICKS | S, AND LINKAGES (CONT.) | | |
| В | OOM/CYLIN | NDER PACKAGES (Cont.) | | |
| L | 529-3595 | BOOM PKG, REACH BLCV/SLCV CGC FOR USE IN LANE 3 ONLY Reach Boom 6.9M (22'8") for Boom Lowering Control Stick Lowering Control Valve (SLCV) CAT Grade Control Package (PKG) INCLUDES: - BOOM, 6.9M (22'8") REACH (CGC) - LINKAGE, BUCKET-TB W/LIFT EYE - CYLINDER, BKT TB CGC - UPPER COVER, CGC - GUARD, BKT TB CYLINDER, CGC - DEVICE, SLCV R-BOOM REQUIRES: CAT GRADE CONTROL ONLY FOR USE WITH: 505-4697 349F L HEX AM | Valve (BLVC)/ trol (CGC) -N BCF2 | \$38,920 |
| L | 529-3590 | REACH BOOM ONLY PKG Reach Boom 6.9M (22'8") Only Pckage (PKG) INCLUDES: - BOOM, 6.9M (22'8") REACH - ROPS FILM REMOVAL - UPPER COVER, STANDARD REQUIRES: 0G-0342 NO STICK ONLY FOR USE WITH: 505-4696 349F L HEX AM 505-4698 349F L HEX AM | 0 -N BCF1 | \$28,460 |

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-013

| JSE | REF NO. | LANE 2 / 3 MANDATORY Ship Weight lbs | LIST PRIC AT DEALER |
|------|------------------------------|--------------------------------------------------------------------------------|------------------------|
| 800 | MS, STICKS | S, AND LINKAGES (CONT.) | |
| S | TICKS | | |
| | 0G-0342 | NO STICK | NC |
| | 384-9715 | 529-3590 REACH BOOM ONLY PKG STICK, LONG REACH 14'1" TB | \$18,900 |
| | 331-7838 | ONLY FOR USE WITH: 500-0670 REACH BOOM 7.4M (24'2") PKG STICK, REACH 12'10" TB | \$17,490 |
| | 527-0575 | 529-3589 BOOM PKG, REACH BLCV/SLCV STICK, REACH 12'10" TB CGC | \$17,990 |
| | 331-7839 | 529-3595 BOOM PKG, REACH BLCV/SLCV CGC STICK, REACH 11' TB | \$16,170 |
| | 527-0576 | 529-3589 BOOM PKG, REACH BLCV/SLCV STICK, REACH 11' TB CGC | \$16,170 |
| | 331-7842 | 529-3595 BOOM PKG, REACH BLCV/SLCV CGC STICK, MASS 9'10" UB | \$17,080 |
| | 331-7843 | 529-3592 BOOM PKG, MASS BLCV/SLCV STICK, MASS 8'2" UB | \$15,380 |
| | 384-9707 | 529-3592 BOOM PKG, MASS BLCV/SLCV ROPS FILM REMOVAL | NC |
| JNDF | ERCARRIAC | AE | |
| | RACKS | | |
| | 511-9583 | TRACK, 24" DG PPR2 HD (FG) | \$15,220 |
| | 457-6826 | FOR USE IN LANE 3 ONLY TRACK, 30" SG PPR2 (FG) | \$6,990 |
| | 546-1794 | For Pipeline Industry Application purpose only. TRACK, 35" TG, FG | \$13,530 |
| | RACK GUID (Select only or | DING GUARDS ne) | |
| | 152-6996 | GUARD, TRACK GUIDING, CENTER | \$1,845 |
| | 348-0585 | GUARD, TRACK GUIDING SEGMENTED | \$3,040 |

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-014

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------|
| UNDE | ERCARRIAG | GE (CONT.) | | |
| TF | RACK GUID | ING GUARDS (Cont.) | | |
| L | 332-5076 | GUARD, TRACK GUIDE, FULL LENGTH | | \$4,420 |
| ID | LERS | | | |
| L | 415-8521 | IDLER, HEAVY DUTY | 0 | \$4 ,705 |
| HYDF | RAULICS | | | |
| H | YDRAULIC | PACKAGES | | |
| L | 505-4674 | JOYSTICK STD STP PKG Joystick Standard Straight Travel Pedal (STP) Package (PKG) INCLUDES: - VALVE, HYDRAULIC, HL - VALVE, ANTI DRIFT (BOOM) - VALVE, ANTI DRIFT (STICK) - LINES, CYLINDER - JOYSTICK, ONE BUTTON - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, PILOT, W/O TOOL - LINES, PILOT, W/O BLCV/SLCV - LINES, PILOT, STICK, STD - LINES, PILOT, TRAVEL, STP - MACHINE CONTROLLER STD ONLY FOR USE WITH: 505-4696 349F L HEX 500-0670 REACH BOO 529-3588 BOOM PKG. 529-3591 BOOM PKG. 0G-0341 NO BOOM | CAM-N BCF1 or CAM-N BCF3 and DM 7.4M (24'2") PKG or , REACH or DM ONLY PKG or | \$4,975 |

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-015

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-------------------------|
| HYDR | AULICS (| CONT.) | | |
| Н | 'DRAULIC | PACKAGES (Cont.) | | |
| L | 505-4675 | JOYSTICK STD STP B/SLCV PKG FOR USE IN LANE 3 ONLY Joystick Standard (STD) Straight Travel Pedal (STP) Boom lowering control Valve (BLCV)/Stick Lowering Valve (SLCV) Package (PKG) INCLUDES: - VALVE, HYDRAULIC, HL - COVER BLOCK & MOUNTING (BLCV) - COVER BLOCK & MOUNTING (SLCV) - LINES, CYLINDER (BLCV) - DEVICE, BOOM LOWERING CONTROL - JOYSTICK, ONE BUTTON - MAT, FLOOR, RH PEDAL - PEDAL, STRAIGHT TRAVEL - LINES, PILOT, W/O TOOL - LINES, PILOT, BLCV/SLCV/SB - LINES, PILOT, STICK, STD - LINES, PILOT, TRAVEL, STP - MACHINE CONTROLLER STD ONLY FOR USE WITH: 505-4697 349F L HEX AN 505-4699 349F L HEX AN 505-4598 BOOM PKG, RE 529-3592 BOOM PKG, RE | Control I-N BCF2 or I-N BCF4 or IZ CFG1 and CACH BLCV/SLCV or | \$5,550 |
| L | 505-4676 | JOYSTICK TWJ STP PKG Joystick Thumb Wheel Joystick (TWJ) Straight Traver Package (PKG) INCLUDES: - VALVE, HYDRAULIC, HL - VALVE, HYDRAULIC, HL - VALVE, ANTI DRIFT (BOOM) - VALVE, ANTI DRIFT (STICK) - LINES, CYLINDER - VALVE, ANTI DRIFT (BOOM) - VALVE, ANTI DRIFT (STICK) - LINES, CYLINDER - LINES, CYLINDER - LINES, PILOT, W/O TOOL - LINES, PILOT, W/O BLCV/SLCV - LINES, PILOT, STICK, STD - MACHINE CONTROLLER STD ONLY FOR USE WITH: 505-4696 349F L HEX AM 505-4698 349F L HEX AM 529-3594 BOOM PKG, RE | el Pedal (STP) M-N BCF1 or M-N BCF3 and | \$6,190 |

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D
Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

349F-016

Effective 24JAN2020

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------|
| HYDF | RAULICS (| CONT.) | | |
| H | YDRAULIC | PACKAGES (Cont.) | | |
| | 505-4677 | COMBINED CIR STP PKG Combined circuit (CIR) Straight Travel Pedal (STP) Combined circuit (1 way / 2 way) INCLUDES: - VALVE, MAIN CONTROL, HL TCS - VALVE, ANTI DRIFT (BOOM) - VALVE, ANTI DRIFT (STICK) - LINES, CYLINDER - SYSTEM, COMBINED - JOYSTICK, THUMB WHEEL - PEDAL, STRAIGHT TRAVEL - MAT, FLOOR, RH PEDAL - LINES, PILOT, TOOL & HL - LINES, PILOT, W/O BLCV/SLCV - LINES, PILOT, STICK, TOOL - LINES, PILOT, TRAVEL, STP - MACHINE CONTROLLER TCS ONLY FOR USE WITH: 505-4698 349F L HEX AN 500-0670 REACH BOOM 529-3598 BOOM PKG, RE 529-3591 BOOM PKG, M. 529-3591 BOOM PKG, RE | M-N BCF1 or M-N BCF3 or 7.4M (24'2") PKG or CACH or ONLY PKG or ASS or | \$18,870 |
| | 505-4678 | OG-0341 NO BOOM COMBINED CIR STP B/SLCV PKG | Ing Control I-N BCF2 or I-N BCF4 or IZ CFG1 and CACH BLCV/SLCV or ASS BLCV/SLCV or | \$19,440 |

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-017

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|--------------|--------------------------------------------------------------------|--------------------|-------------------------|
| LINE | GROUPS | | | |
| PI | LOT LINES | - BUCKET | | |
| L | 389-8018 | LINES, PILOT, BUCKET, STD/UQC | GRABBER COUPLER | NC |
| L | 494-9529 | 498-8962 CTRL, CAT PIN GRABBER COUPLER LINES, PILOT, BUCKET, QC | | NC |
| STAF | RTERS, BAT | TTERIES, & ALTERNATORS | | |
| B | ATTERY AN | ID COLD WEATHER START PACKAGES | | |
| L | 328-0403 | BATTERY, HEAVY DUTY | 0 | \$745 |
| L | 366-6208 | COLD WEATHER START PKG | | \$1,090 |
| OPER | RATOR ENV | 'IRONMENT | | |
| W | /IPER | | | |
| L | 316-8853 | WIPER-RADIAL, 70/30 W/LOWER | 0 | \$295 |
| L | 316-8984 | WIPER-RADIAL, 70/30 W/O LOWER | 0 | NC |
| W | ASHER | | | |
| L | 383-5665 | WASHER, WINDSHIELD UPPER/LOWER | | \$890 |
| L | 383-5664 | ONLY FOR USE WITH: 316-8853 WIPER-RADIAL, WASHER, WINDSHIELD UPPER | 0 | NC |

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-018

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|------|--------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|-------------------------|
| TECH | INOLOGY F | PRODUCTS | | |
| PI | RODUCT LI | N <i>K</i> | | |
| | Product Link location, open Efficiently and keep your job and reduce th Availability va | enables the remote transmission of information about the ation, and condition of your equipment. It effectively monitor performance of your assets to help son schedule, maintain equipment condition, are costs of owning and operating your fleet. The interior is by country. It your Cat marketing representative with questions. | € | |
| L | 460-1150 | PRODUCT LINK, SATELLITE PL631 | 0 | \$439 |
| | | Product Link Pro series PL631 uses a satellite networ location, utilization and condition information for view Link's remote monitoring web interface. For use in areas with poor or no cellular coverage. | | |
| L | 460-1148 | AVAILABLE FOR: AM-N (except for Quebec) PRODUCT LINK, CELLULAR PL641 | 0 | NC |
| | | Product Link Pro series PL641 uses UMTS and CDMA networks to transmit location, utilization and condition for viewing in Product Link's remote monitoring web in Cellular technology provides capabilities for frequent and larger volumes of data. AVAILABLE FOR: AM-N (except for Quebec) | on information interface. | |
| SAFE | TY AND S | ECURITY | | |
| C | AB GUARD | S AND CAB LIGHTS | | |
| L | 500-0681 | LIGHTING CAB PKG | 0 | \$1,010 |
| L | 500-0682 | - LIGHTING, CAB (HALOGEN) GUARD FOGS 1PC/DUAL PKG | 0 | \$4,165 |
| | | HATCH,OPENABLE ROOF(DUAL FOGS)LIGHTING, CAB W/GRD (HALOGEN)GUARD, FALLING OBJECTS | | |
| L | 500-0683 | GUARD FOGS 70/30 PKG FOR USE IN LANE 3 ONLY INCLUDES: - HATCH, OPENABLE ROOF (DUAL) - LIGHTING, CAB W/GRD (HALOGEN) - GUARD, FALLING OBJECTS CAB-ROPS, 70/30 | 0 | \$4,230 |
| C | AB MIRROF | ? | | |
| L | 327-6552 | MIRROR, CAB, W/O GUARD | | \$108 |

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-019

| USE | REF NO. | LANE 2 / 3 MANDATORY | Ship Weight lbs | LIST PRICE AT DEALER |
|------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|-------------------------|
| SAFE | TY AND SI | ECURITY (CONT.) | | |
| C | AB MIRROF | R (Cont.) | | |
| L | 327-6553 | MIRROR, CAB, GUARD FALLING | guard PC/DUAL PKG | \$108 |
| ОТНЕ | ER ATTACH | IMENTS | | |
| D | ECALS - EX | CTERIOR | | |
| L | 384-2198 | DECALS, EXTERIOR ANSI | 0 | NC |
| D | ECALS - CA | AB | | |
| L | 497-9645 | DECALS, CAB ANSI | | NC |
| C | OUNTERWI | EIGHT REMOVAL | | |
| L | 431-3924 | ARRANGEMENT, CTWT REMOVAL ANSI ANSI ONLY FOR USE WITH: 384-2198 DECALS, EXTER AVAILABLE FOR: AM-N (except for Quebec) REQUIRED BY: 505-4698 349F L HEX AM-N BCF3 505-4699 349F L HEX AM-N BCF4 | | \$11,250 |

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-020

| USE | REF NO. | OPTIONAL AT | TACHMENTS | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------|
| LINE | GROUPS | | | | |
| H | IGH PRESS | URE AUXILIARY BOOM LINE | S | | |
| L | 526-6495 | 529-3 529-3 529-3 500-0 505-4 505-4 510-7 | 588 BOOM PKG, REAC 589 BOOM PKG, REAC 594 BOOM PKG, REAC 590 REACH BOOM ON | CH or CH BLCV/SLCV or CH CGC or LY PKG or CV/SLCV CGC PKG and TP PKG or TP B/SLCV PKG or /SLCV PKG or | \$2,940 |
| L | 528-0095 | FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 529-3 529-3 505-4 505-4 510-7 | 591 BOOM PKG, MASS 592 BOOM PKG, MASS 677 COMBINED CIR S' 678 COMBINED CIR S' 476 COMBINED CIR B 477 HAMMER CIR B/S | OF OR SOUTH OF THE PROPERTY OF | \$2,940 |
| H | IGH PRESS | URE AUXILIARY STICK LINE | S | | |
| L | 332-9658 | 331-7 | | H BOOM and 9M (12'10") TB or | \$1,840 |
| L | 332-9661 | ONLY FOR USE WITH: 526-6 331-7 | | 0 H BOOM and B5M (11') TB or | \$1,840 |
| L | 493-3897 | FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 528-0 | 095 LINES, HP, MASS | BOOM and | \$1,840 |
| L | 493-3898 | FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 528-0 | | BOOM and | \$1,840 |
| M | IEDIUM PRE | SSURE CIRCUIT | | | |
| L | 497-3873 | 505-4 | 677 COMBINED CIR S' 678 COMBINED CIR S' 476 COMBINED CIR B | TP PKG TP B/SLCV PKG /SLCV PKG | \$4,905 |

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-021

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight Ibs | LIST PRICE AT DEALER |
|-----|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------|-------------------------|
| | GROUPS (| CONT.) ESSURE AUXILIARY BOOM LINES | | |
| L | 526-6496 | LINES, MP, REACH BOOM FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 529-3588 BOOM PKG, REA 529-3594 BOOM PKG, REA 529-3590 REACH BOOM OF 500-0678 REACH BOOM BY 497-3873 CIRCUIT, MEDIU | .CH or .CH BLCV/SLCV or .CH CGC or NLY PKG or LCV/SLCV CGC PKG and | \$1,725 |
| M | IEDIUM PRE | ESSURE AUXILIARY STICK LINES | | |
| L | 230-0120 | LINES-MP, R12'10" STICK | CH BOOM and .9M (12'10") TB or | \$1,075 |
| L | 230-0123 | LINES-MP, R11' STICK | 53 CH BOOM and .35M (11') TB or | \$1,075 |
| Q | UICK COUP | PLER CONTROL | | |
| L | 498-8961 | CTRL, CAT PIN GRABBER COUPLER | ick. at raulic lines on cuit | \$1,210 |
| L | 498-8962 | CTRL, CAT PIN GRABBER COUPLER | ick. at raulic lines on cuit. | \$1,210 |
| Q | UICK COUP | PLER BOOM LINES | | |
| L | 388-0173 | LINES-QC, LONG REACH BOOM | 4M (24'2") PKG and RABBER COUPLER or | \$1,945 |

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-022

| USE | REF NO. | OPTIONA | L ATTACHMENTS | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|-------------------------|
| LINE | GROUPS (| CONT.) | | | |
| Q | UICK COUP | PLER BOOM LINES (Co | ont.) | | |
| L | 526-6497 | LINES, QC, REACH BOOM ONLY FOR USE WITH: | 529-3588 BOOM PKG, REAC 529-3589 BOOM PKG, REAC 529-3590 REACH BOOM ON 529-3594 BOOM PKG, REAC 529-3595 BOOM PKG, REAC 498-8961 CTRL, CAT PIN GI 498-8962 CTRL, CAT PIN GI 508-8596 CONTROL, CW DE | CH or CH BLCV/SLCV or ILY PKG or CH CGC or CH BLCV/SLCV CGC and RABBER COUPLER or RABBER COUPLER or | \$1,945 |
| Q | UICK COUP | PLER STICK LINES | | | |
| L | 242-6550 | LINES-QC, R14'1" STICK. FOR USE IN LANE 3 ONI ONLY FOR USE WITH: | | REACH BOOM and | \$1,620 |
| L | 332-9660 | LINES-QC, R12'10" STICK ONLY FOR USE WITH: | 526-6497 LINES, QC, REAC 331-7838 STICK, REACH 3.9 527-0575 STICK, REACH 3.9 | | \$1,620 |
| L | 332-9663 | LINES-QC, R11' STICK ONLY FOR USE WITH: | 526-6497 LINES, QC, REAC 331-7839 STICK, REACH 3.5 527-0576 STICK, REACH 3. | 0 H BOOM and 35M (11') TB or | \$1,620 |
| OPEF | RATOR ENV | IRONMENT | | | |
| P | ATTERN CH | IANGER | | | |
| L | 349-2233 | | /AY (ANSI) 384-2198 DECALS, EXTERION (except for Quebec) | | \$1,270 |
| TECH | HNOLOGY P | PRODUCTS | | | |
| _ | | ppe is the deeply integrated in that provides guidance to | | | |
| L | 497-9660 | FOR USE IN LANE 3 ONI ONLY FOR USE WITH: REQUIRED BY: 529-359 | SLOPE | N BCF1 or N BCF2 and GC PKG or CV/SLCV CGC PKG and 9M (12'10") TB CGC or 35M (11') TB CGC | \$16,170 |

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-023

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-------------------------|
| TECH | INOLOGY F | PRODUCTS (CONT.) | | |
| C | AT GRADE | CONTROL (Cont.) | | |
| L | 497-9661 | GRADE CTRL, DEPTH AND SLOPE RV FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 505-4698 349F L HEX AM- 505-4699 349F L HEX AM- 529-3594 BOOM PKG, REA 529-3595 BOOM PKG, REACH 3. 527-0576 STICK, REACH 3. REQUIRED BY: 529-3594 BOOM PKG, REACH CGC 529-3595 BOOM PKG, REACH BLCV | N BCF3 or N BCF4 and CH CGC or CH CGC and 9M (12'10") TB CGC or 35M (11') TB CGC | \$16,170 |
| M | ACHINE CO | ONTROL OPTIONS - GRADE WITH 3D | | |
| L | 519-1606 | GRADE W/3D GPS UNIT FOR USE IN LANE 3 ONLY Cat GRADE with 3D is a factory installed. Includes a C display, dual mounted GNSS antennas including received calibrated GNSS antennas. Requires an off-board GPS GPS base station to be functional. Additional requirem dealer include on-board data radio and site set-up. ONLY FOR USE WITH: 497-9660 GRADE CTRL, DE 497-9661 GRADE CTRL, DE | Cat GRADE with 3D ivers, fully radio network and tents via SITECH | \$39,160 |
| SAFE | TY AND SI | ECURITY | | |
| В | OOM LIGHT | rs | | |
| L | 328-0259 | LIGHTS, HALOGEN, R/M-BOOM For Reach boom and Mass boom. Halogen boom lights w/ time delay. ONLY FOR USE WITH: 529-3588 BOOM PKG, REA 529-3590 REACH BOOM OI 529-3591 BOOM PKG, MAS 529-3592 BOOM PKG, MAS 500-0677 REACH BOOM OI 500-0678 REACH BOOM BI | CH or CH BLCV/SLCV or NLY PKG or S or S BLCV/SLCV or GC PKG or | \$322 |
| L | 342-3233 | LIGHTS, HID, R/M-BOOM FOR USE IN LANE 3 ONLY For Reach boom and Mass boom. HID boom lights w/ time delay. ONLY FOR USE WITH: 529-3588 BOOM PKG, REA 529-3590 REACH BOOM ON 529-3591 BOOM PKG, MAS 529-3592 BOOM PKG, MAS 500-0677 REACH BOOM ON | CH or CH BLCV/SLCV or NLY PKG or S or S BLCV/SLCV or GC PKG or | \$1,170 |
| L | 238-2188 | 500-0678 REACH BOOM BI LIGHTS, HALOGEN, LONG R-BOOM | 0 | \$322 |

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-024

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight Ibs | LIST PRICE AT DEALER |
|------|------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------|
| SAFE | TY AND SE | ECURITY (CONT.) | | |
| В | OOM LIGHT | TS (Cont.) | | |
| L | 377-8286 | LIGHTS, HID LONG R-BOOM FOR USE IN LANE 3 ONLY For 7.4M (24'2") Long reach boom. HID boom lights w/ time delay. FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 500-0670 REACH BOOM 7.4 | | \$1,170 |
| COO | LING | | | |
| L | UBRICANT | | | |
| L | 451-4009 | COOLANT, COLD WEATHER | 0 | \$275 NET |
| ОТН | ER ATTACH | IMENTS | | |
| Pl | REVENTATI | VE MAINTENANCE | | |
| L | 344-0830 | QUICK DRAINS, READY (OIL) | 0 | NC |
| QUIC | K COUPLE | RS | | |
| a | UICK COUP | PLER - CAT PIN GRABBER (Non-INSTALLED BU | ICKET) | |
| L | 455-3908 | COUPLER PG W/O PIN TB Includes a Cat pin grabber coupler. (No Pins) CAN NOT BE USED WITH: Bucket installed from factor ONLY FOR USE WITH: 498-8961 CTRL, CAT PIN GF 498-8962 CTRL, CAT PIN GF 242-6550 LINES-QC, R4.3M 332-9660 LINES-QC, R3.9M 332-9663 LINES-QC, R3.35M | y RABBER COUPLER or RABBER COUPLER and (14'1") STICK or (12'10") STICK or | \$15,058 |
| Q | UICK COUF | PLER - CAT PIN GRABBER (INSTALLED BUCKE | T) | |
| L | 455-3907 | COUPLER, PIN GRABBER TB W/PINS Includes a Cat pin grabber coupler & spare pins. For use when ordering an installed buckets ONLY FOR USE WITH: 498-8961 CTRL, CAT PIN GF 498-8962 CTRL, CAT PIN GF 242-6550 LINES-QC, R4.3M 332-9660 LINES-QC, R3.9M 332-9663 LINES-QC, R3.35M | RABBER COUPLER or RABBER COUPLER and (14'1") STICK or (12'10") STICK or | \$18,082 |

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-025

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight Ibs | LIST PRICE AT DEALER |
|-----|------------|----------------------|--------------------|-------------------------|
| | | | | |

BUCKETS

NOTE: Stick, bucket linkage and bucket must be matched.

Includes tooth adapters welded on cutting edge, tooth tips, sidecutters or sidebar protectors. Rated capacity, SAE heaped.

GENERAL DUTY (GD)

For digging in low impact, lower abrasion materials as dirt, and mixed compositions of dirt and fine gravel.

| Р | 528-2196 | BKTA GD 74" 4.03YD3 TB | \$24,433 NI |
|---|----------|--------------------------------------------------------------------------------------------------|-------------|
| P | 528-2197 | BKTA GD 80" 5.00YD3 TB | \$27,675 |
| | | ular excavator bucket style. A good "center line" ting point, when application conditions are | |

| Р | 528-4547 | BKTA HD 72" 3.52YD3 TB 5, 624 | \$25,415 |
|---|----------|--------------------------------------|----------|
| | | Includes sidecutters and tins | |

Includes sidecutters and tips Adapters size A110, 7 tips. FOR USE WITH: TB Family bucket linkage

INCLUDES: Sidecutter

INCLUDES: 5 Advansys 110 size tips

SEVERE DUTY (SD)

For aggressive bucket loading in highly abrasive applications such as shot rock and granite.

Includes sidebar protectors and tips Adapters size K130, 5 tips. FOR USE WITH:

TB Family bucket linkage

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-026

| USE | REF NO. | OPTIONAL ATTACHMENTS | Ship Weight Ibs | LIST PRICE AT DEALER |
|-------|---------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------|-------------------------|
| PACKI | ING | | | |
| | <i>CKING</i> MAY SELECT | ONLY ONE OPTION | | |
| | 0G-0211 | PACK, ROLL ON ROLL OFF-TRUCK | 0 | NC |
| | | NOTE: Option for Truck Shipment | | |
| | 0G-0214 | PACK, RO-RO TRUCK TO RAIL | 0 | NC |
| | | NOTE: Option for Rail Shipment | | |
| | _ | T PACKING OT ONE OPTION | | |
| | 0G-4131 | STORAGE PROTECTION (DOMESTIC) | | NC |
| | 0P-2671 | NO STORAGE PROTECTION | 0 | NC |
| | A <i>CHINE PH</i> MAY SELECT | REPARATION OPTION | | |
| | 0P-4751 | Additional net charge for shipping with stick and boom allow for ease of assembly at customer and dealer local prescribed last mile shipment has the stick removed. The and work tools will ship removed. ONLY FOR USE WITH: 0G-0211 PACK, ROLL ON ROCANNOT BE USED WITH: 0G-0341 NO BOOM 0G-0342 NO STICK | attached to tions where the The counterweight | \$6,570 NE |

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 349F-027