374F EXCAVATOR XUZHOU, CHINA

Ship Weight lbs

LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Automatic engine speed control CAT C15 diesel engine:

-2300m/7500ft altitude capability

w/ no derate

-Power management modes:

High power: 382 KW

Economy: 323 KW with reduced engine

- 4 micron fuel filter
- 48C ambiant capability 52C with engine derate

Air cleaner (high efficiency) Secondary engine shut-off switch Water separator in fuel line including water level sensor&indicator

UNDERCARRIAGE

Grease lubricated track with PPR2 Heavy duty idler/track rollers Towing eye on base frame

HYDRAULICS

Hydraulic main pump (2 pump) Capability of installing Cat bio hydraulic oil

ELECTRICAL

80 Ampere alternator Standard maintenance-free batteries Electrical priming pump with switch Horn, signaling/warning Light, cab mounted/Light, cab skirt Light, boom mounted/Light, right side Capability to electrally connect a beacon

OPERATOR ENVIRONMENT

- -Beverage/Literature holder/Coat hook
- -Bolt-on FOGS capability
- -Interior lighting/Openable skylight
- -Radio mounting (meets DIN size) with antenna and two stereo speakers
- -Sliding door window
- -Storage compartment suitable for lunch box
- -Safety hammer for breaking glass
- -Pressurized operator station

(positive filtration)

-Gain/response map selection

(production, normal, control)

- -Lift mode (equivalent to soft mode)
- -Power supply with 12V

Monitor:

- -Clock/Video ready
- -Language display (full graphic and full color display)
- -Machine condition, error code & tool mode setting information
- -Start-up level check for engine oil engine coolant & hydraulic oil
- -Warning, filter/fluid change & working hour information
- -Neutral lever for all controls
- -Fuel comsumption meter
- -Capability to install 2 addi'l pedals
- -(one electric pedal capability)
- -Travel control with removable hand levers

Seat:

- -Adjustable armrest
- -Height adjustable consoles
- -Electric provision for seat heater

GUARDS

5mm swivel guard on undercarriage HD bottom guards on upper frame HD travel motor guards

OTHER STANDARD EQUIPMENT

Automatic swing parking brake Smart Boom for the regions except GCN1 Boom and stick drift reducing valve Capability to install additional auxiliary circuit Capability to install boom & stick lowering control device Capability to install HP stackable valve and QC valve Bio fuel capability CAT data link with E/T use capability Circuit breaker/Counterweight Manual reversing cooling fan/Walkways Door locks and cap locks 3 SBS radiator for easy cleaning High performance hyd. return filter Mirrors, rearview (frame-right, cab-left) Product Link ready Two speed auto-shift travel

Regeneration circuit for boom & stick

Steel firewall between engine & pump compartment

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-001

374F EXCAVATOR Ship Weight LIST PRICE XUZHOU, CHINA lbs AT DEALER

Lane 2 is reserved for the Base Order Management Program Please use Lane 2 when placing orders that are part of the Base Order Management program.

571-6469 374F L HEX AM-N FTO1B 0 \$796, 630

DCA 1 (NO Tool Control, 900mm Track, 70/30)

INCLUDES:

502-5841 374F L HEX

432-5834 COLD WEATHER STARTING 120V PKG

INCLUDES:

BATTERY (COLD WEATHER)

STARTING AID, ETHER

HEATER, ENGINE COOLANT (120V)

TERMINALS, JUMP START

433-0714 JOYSTICK TWJ STP PKG

INCLUDES:

MAIN VALVE

JOYSTICK, THUMB WHEEL

MAT, FLOOR, RH PEDAL

PEDAL, STRAIGHT TRAVEL

PILOT LINES (W/STP)

507-1278 CAB, 70/30 POLY HATCH PKG

INCLUDES:

CAB,70/30,W/VANDAL-G BOSS

RADIO, 24V AM/FM

WASHER WIPER

WIPER-PARALLEL, FRONT 70/30

SUN SCREEN (70/30)

372-9520 AIR CONDITIONER

377-8075 ALARM, TRAVEL

381-7560 QUICK DRAINS, READY (OIL)

488-6541 SEAT BELT, 51MM (2")

316-8885 SEAT, H-BACK, HEATER, S/AIR, COOL

473-9883 BEACON ELECTRICAL OUTLET

379-7460 WALKWAYS

357-7500 TRACK, 900MM (35") DG-HD (PPR2)

460-1150 PRODUCT LINK, SATELLITE PL631

141-3748 GUARD, TRACK GUIDING, CENTER

430-4687 COUNTERWEIGHT, REMOVAL(ANSI)

499-0247 CAMERA, REAR

379-7477 STORAGE BOX (HRC)

379-7476 TANK, FUEL

446-0767 HOOD & COVER (CPM)

389-1628 INSTRUCTIONS, ANSI (OUT)

509-0798 INSTRUCTIONS, ANSI (CAB)

319-1179 LIGHTING, CAB (HALOGEN) 369-0301 HALOGEN LIGHTS, R-BOOM

500-3303 CPM

327-6552 MIRROR, CAB, W/O GUARD

NOTE: PDC inventory is not yet available for this FTO

Supersedes 09JAN2020 Subj Caterpillar: Confidential Green US-A D U

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-002

374F EXCA\ XUZHOU, CI		Ship Weight Ibs	LIST PRICE AT DEALER
565-0234	374F L HEX AM-N FTO1B		\$796,630
	DCA 1 (NO Tool Control, 900mm Track, 70/30)		
	INCLUDES:		
	556-9791 374F L HEX		
	432-5834 COLD WEATHER STARTING 120V PKG		
	INCLUDES:		
	BATTERY (COLD WEATHER)		
	STARTING AID, ETHER		
	HEATER, ENGINE COOLANT (120V)		
	TERMINALS, JUMP START		
	572-9892 JOYSTICK TWJ STP PKG		
	INCLUDES:		
	MAIN VALVE		
	JOYSTICK, THUMB WHEEL		
	MAT, FLOOR, RH PEDAL		
	PEDAL, STRAIGHT TRAVEL		
	PILOT LINES (W/STP)		
	NO MEDIUM PRESSURE CIRCUIT		
	507-1278 CAB, 70/30 POLY HATCH PKG		
	INCLUDES:		
	CAB,70/30,W/VANDAL-G BOSS		
	RADIO, 24V AM/FM		
	WASHER WIPER		
	WIPER-PARALLEL, FRONT 70/30 SUN SCREEN (70/30)		
	372-9520 AIR CONDITIONER		
	377-8075 ALARM, TRAVEL		
	381-7560 QUICK DRAINS, READY (OIL)		
	488-6541 SEAT BELT, 51MM (2")		
	316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL		
	473-9883 BEACON ELECTRICAL OUTLET		
	379-7460 WALKWAYS		
	357-7500 TRACK, 900MM (35") DG-HD (PPR2)		
	460-1150 PRODUCT LINK, SATELLITE PL631		
	141-3748 GUARD, TRACK GUIDING, CENTER		
	430-4687 COUNTERWEIGHT, REMOVAL (ANSI)		
	499-0247 CAMERA, REAR		
	379-7477 STORAGE BOX (HRC)		
	379-7476 TANK, FUEL		
	446-0767 HOOD & COVER (CPM)		
	389-1628 INSTRUCTIONS, ANSI (OUT)		
	509-0798 INSTRUCTIONS, ANSI (CAB)		
	319-1179 LIGHTING, CAB (HALOGEN)		
	369-0301 HALOGEN LIGHTS, R-BOOM		
	500-3303 CPM		
	327-6552 MIRROR, CAB, W/O GUARD		
	NOTE: PDC inventory is not yet available for this FTO.		
	Available from March 2019		

Supersedes 09JAN2020
Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-003

374F EXCAN		Ship Weight Ibs	LIST PRICE AT DEALER	
582-7087	374F L HEX AMN FTO1C	0 ITY CODE L2	\$796,630	
	DCA 1 (NO Tool Control, 900mm Track, 70/30)			
	INCLUDES:			
	556-9791 374F L HEX			
	432-5834 COLD WEATHER STARTING 120V PKG			
	INCLUDES:			
	BATTERY (COLD WEATHER) STARTING AID, ETHER			
	HEATER, ENGINE COOLANT (120V)			
	TERMINALS, JUMP START			
	433-0714 JOYSTICK TWJ STP PKG			
	INCLUDES:			
	MAIN VALVE			
	JOYSTICK, THUMB WHEEL			
	MAT, FLOOR, RH PEDAL			
	PEDAL, STRAIGHT TRAVEL PILOT LINES (W/STP)			
	507-1278 CAB, 70/30 POLY HATCH PKG			
	INCLUDES:			
	CAB,70/30,W/VANDAL-G BOSS			
	RADIO, 24V AM/FM			
	WASHER WIPER			
	WIPER-PARALLEL, FRONT 70/30			
	SUN SCREEN (70/30)			
	372-9520 AIR CONDITIONER			
	377-8075 ALARM, TRAVEL 381-7560 QUICK DRAINS, READY (OIL)			
	488-6541 SEAT BELT, 51MM (2")			
	316-8885 SEAT,H-BACK,HEATER,S/AIR,COOL			
	473-9883 BEACON ELECTRICAL OUTLET			
	379-7460 WALKWAYS			
	357-7500 TRACK, 900MM (35") DG-HD (PPR2)			
	460-1150 PRODUCT LINK, SATELLITE PL631			
	141-3748 GUARD, TRACK GUIDING, CENTER			
	430-4687 COUNTERWEIGHT, REMOVAL(ANSI)			
	499-0247 CAMERA, REAR			
	379-7477 STORAGE BOX (HRC) 379-7476 TANK, FUEL			
	446-0767 HOOD & COVER (CPM)			
	389-1628 INSTRUCTIONS, ANSI (OUT)			
	509-0798 INSTRUCTIONS, ANSI (CAB)			
	319-1179 LIGHTING, CAB (HALOGEN)			
	369-0301 HALOGEN LIGHTS, R-BOOM			
	500-3303 CPM			
	327-6552 MIRROR, CAB, W/O GUARD			
	578-8188 CEM COVER			
	NOTE: PDC inventory is not yet available for this FTO.			
	NOTE. The inventory is not yet available for this FTO.			

Supersedes 09JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-004

CATERPILLAR MACHINE PRICE LIST

374F-XZ

374F EXCA\ XUZHOU, CI		LIST PRICE AT DEALER
582-7077	374F L HEX BCF1A	\$737,080
	Engine suitable for EU Stage 5	
	Base Configuration must be completed by selecting Mandatory / Optional attachments. INCLUDES 556-9791 374F L HEX 316-8885 SEAT,HBACK,HEATER,S/AIR,COOL 372-9520 AIR CONDITIONER 377-8075 ALARM, TRAVEL 379-7460 WALKWAYS 381-7560 QUICK DRAINS, READY (OIL) 473-9883 BEACON ELECTRICAL OUTLET 488-6541 SEAT BELT, 2" 578-8188 CEM COVER AVAILABLE FOR: For US/Canada/Korea NOTE: Replacement of 565-0228	
582-7078	374F L HEX AM-N BCF1C	\$769,170
	Engine suitable for EU STAGE 5 - FRONTLESS	
	Base Configuration must be completed by selecting Mandatory / Optional attachments. INCLUDES: 556-9791 374F L HEX 316-8885 SEAT,HBACK,HEATER,S/AIR,COOL 372-9520 AIR CONDITIONER 377-8075 ALARM, TRAVEL 379-7460 WALKWAYS 381-7560 QUICK DRAINS, READY (OIL) 473-9883 BEACON ELECTRICAL OUTLET 562-6975 FRONTLESS, IDENTIFIER 578-8188 CEM COVER AVAILABLE FOR: For AM-N NOTE: Replacement of 565-0229	
0P-4178	374F MISC MATERIAL	NC
	Only reference numbers under LANE 1 AM-NORTH OPTIONAL ATTACHMEN	VTS

section can be used on MISC order.

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-005

MANDATORY ATTACHMENTS	IST PRICE DEALER
-----------------------	---------------------

LANE 1 AM-NORTH MANDATORY ATTACHMENTS

MUST CHOOSE AT LEAST ONE PACKAGE OR ATTACHMENT FROM EACH CATEGORY

	LANE SELEC	TION FOR FTO	
YO	U MUST SELEC	CT THIS REFERENCE WHEN ORDERING DCA FROM PDC	
	0P-9001	LANE 1 ORDER	NC
	DECAL PACK (Must Choose		
P	0P-7124	INSTRUCTION,NORTH AMERICA ANSI	NC
P	450-5705	INSTRUCTIONS, ISO	NC
	STORAGE PR	ROTECTION	
	0G-4127	STORAGE PROTECTION (EXPORT)	\$415 NET

product will need to be power washed with soapy water prior to

shipment to the customer.

EXPORT PACKING

0G-8001	PACK, WITH BOOM & STICK	\$3,150 NET
0G-8006	For shipment stick is detached OPTION, BOOM DETACHED	NC
	NOTE: Required by the inland transportation regulation in China.	
0G-8008	OPTION, COUNTERWEIGHT DETACHED 0	NC
	NOTE: Required by the inland transportation regulation in China.	

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-006

USE	REF NO.	MANDATORY ATTACHMENTS Ship Weight lbs	LIST PRICE AT DEALER
LANE	1 AM-NO	RTH MANDATORY ATTACHMENTS (CONT.)	
EX	KPORT PAC	CKING (Cont.)	
	0P-4652	PACK, 374F/390F SIDE STEP	\$63 NET
		NOTE: Required by the inland transportation regulation in China.	
	0G-0672	EXP PKG, BOOM	\$130
		NOTE: For MISC order/ Machine order when select boom, FTO(NI)	
	0G-0673	EXP PKG, STICK/LINKAGE 0	\$176
		NOTE: For MISC order/ Machine order when select stick, FTO(NI)	
LANE	: 1 AM-NO	RTH OPTIONAL ATTACHMENTS	
ВС	OOM PACK	(AGE FOR FTO	
P	528-4279	R-BOOM, 25'7" CPM PKG Reach Boom/7.8M(25'7") Package compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM, 7.8M (25'7") REACH, CPM -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) -HALOGEN LIGHTS, R-BOOM AVAILABLE FOR: CANADA DEALERS	\$81,160
P	528-4279	R-BOOM, 25'7" CPM PKG	\$87,570 NI
P	528-4280	AVAILABLE FOR: US DEALERS M-BOOM, 23' (CPM) PKG	\$91,990

Supersedes 09JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-007

USE	REF NO.	MANDATORY ATTACHMENTS Ship Weight lbs	LIST PRICE AT DEALER
LAN	IE 1 AM-NOI	RTH OPTIONAL ATTACHMENTS (CONT.)	
E	ВООМ РАСК	AGE FOR FTO (Cont.)	
P	528-4280	M-BOOM, 23' (CPM) PKG Mass Boom/7.0M (23') Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM, 7.0M (23') MASS EXCAVATION(CPM) -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) -HALOGEN LIGHTS, M-BOOM AVAILABLE FOR: US dealers	\$99,260 NI
9	STICK/LINKA	AGE PACKAGE FOR FTO	
P	507-1272	R15'4" STICK/BKT LKG (CPM) PKG	\$47,990
P	507-1272	R15'4" STICK/BKT LKG (CPM) PKG Reach Stick R4.67M (15'4") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, R4.67M (15'4") (CPM) (VB2) -LINKAGE, VB2 W/EYE CPM PKG ONLY FOR USE WITH: 528-4279 R-BOOM, 7.8M (25'7") CPM PKG AVAILABLE FOR: US DEALERS	\$51,790 NI
P	507-1273	R13'7" STICK/BKT LKG (CPM) PKG	\$45,940
P	507-1273	R13'7" STICK/BKT LKG (CPM) PKG Reach Stick R4.15M (13'7") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, R4.15M (13'7") (CPM) (VB2) -LINKAGE, VB2 W/EYE CPM PKG ONLY FOR USE WITH: 528-4279 R-BOOM, 7.8M (25'7") CPM PKG AVAILABLE FOR: US DEALERS	\$ 4 9,580 N I
P	507-1274	R11'10" STICK/BKT LKG (CPM)PKG Reach Stick R3.6M (11'10") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, R3.6M (11'10") (CPM) (VB2) -LINKAGE, VB2 W/EYE CPM PKG ONLY FOR USE WITH: 528-4279 R-BOOM, 7.8M (25'7") CPM PKG AVAILABLE FOR: CANADA DEALERS	\$44,500

Supersedes 09JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-008

USE	REF NO.		Weight LIST PRICE	
LANE	1 AM-NO	RTH OPTIONAL ATTACHMENTS (CONT.)		
S	TICK/LINKA	AGE PACKAGE FOR FTO (Cont.)		
P	507-1274	R11'10" STICK/BKT LKG (CPM)PKG		Ι
P	517-8392	M8'5" STICK/BKT LKG (CPM)PKG Reach Stick M2.57M (8'5") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, M2.57M (8'5") (CPM) (WB2) -LINKAGE, WB2 W/EYE (CPM) PKG ONLY FOR USE WITH: 528-4280 M-BOOM, 7.0M (23") (CPM) AVAILABLE FOR: CANADA DEALERS		
P	517-8392	M8'5" STICK/BKT LKG (CPM)PKG Reach Stick M2.57M (8'5") Package (PKG) compatible with CAT Production Measurement (CPM) INCLUDES: -STICK, M2.57M (8'5") (CPM) (WB2) -LINKAGE, WB2 W/EYE (CPM) PKG ONLY FOR USE WITH: 528-4280 M-BOOM, 7.0M (23") (CPM) AVAILABLE FOR: US DEALERS		Ι

BUCKETS

NOTE: Stick, bucket linkage, bucket adjuster and bucket must be matched.

For the full portfolio of work tools please refer to the Work Tool price pages.

Bucket orders and machine orders will need to be entered separately. Buckets will be supplied directly from CWTS in Den Bosch/Wamego. For bucket-only miscellaneous orders, use reference OG related to your local WTHEX pricelist on your miscellaneous order.

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-009

REF Ship Weight LIST PRICE LANE 2 / 3 MANDATORY **USE** NO. lhs AT DEALER LANE SELECTION 0P-9002 NC Only for dealers enrolled in the Base Orders Management (BOM) program. OP-9003 NC **BOOMS, STICKS, AND LINKAGES** Stick and bucket linkage must be matched. For Auxiliary hydraulic boom & stick lines packages, please refer to the LINE GROUPS SECTION. **BOOM PACKAGES** Includes boom and stick cylinders Reach boom packages L 415-9638 \$80,830 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS

Reach Boom/7.8M(25'7") Package (PKG) INCLUDES:

-BOOM, 7.8M (25' 7") REACH -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV)

CANNOT BE USED WITH: Australia & New Zealand

NOTE: For AME/CIS/Turkey/PAC/EU/SEA/India/Japan/Korea/US/Canada/HK

L 432-5835 \$96,540

FOR USE IN LANE 2 FOR EU

FOR USE IN LANE 3 ALL OTHER REGIONS

Reach Boom/7.8M(25'7") Package (PKG) with boom lowering control device

(BLCV) and stick lowering control device (SLCV)

INCLUDES:

-BOOM, 7.8M (25' 7") REACH

-CYLINDER, BOOM (W/BLCV)

-CYLINDER, STICK (W/SLCV)

-DEVICE, BOOM LOWERING CONTROL

-DEVICE, STICK LOWERING CONTROL

NOTE: For SEA/India/US/Canada/Korea/ANZP/EU

LANE 2 FOR EU

L 559-7542 \$60,410

FOR USE IN LANE 3 ONLY

Reach Boom/7.8M(25'7") Package (PKG), STICKLESS

INCLUDES:

355-7244 CYLINDER, STICK (W/O SLCV)

381-7557 BOOM, 25' 7" REACH

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-010

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
BOOM	IS, STICKS	S, AND LINKAGES (CONT.)		
Re	ach boom	packages (Cont.)		
L	381-7557	BOOM, 25' 7" REACH FOR USE IN LANE 3 ONLY	0	\$37,880
Re	ach boom	packages with CPM		
L	481-3512	R-BOOM, 25' 7" CPM PKG Reach Boom/7.8M(25'7") Package compatible with CAT Production Measurement (CPM) INCLUDES: -BOOM, 7.8M REACH, CPM -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O BLCV) CANNOT BE USED WITH: Australia & New Zealand	0	\$80,830
		NOTE: For New Caledonia and French Polynesia/AM /Japan	E/CIS/Turkey/US/Ca	nada
L	481-3513	R-BOOM,25'7"BLCV/SLCV CPM PKG Reach Boom/7.8M(25'7") Package with boom lowerin (BLCV), stick lowering control device (SLCV) compatible CAT Production Measurement (CPM) INCLUDES: -BOOM, 7.8M (25' 7") REACH, CPM -CYLINDER, STICK (W/SLCV) -CYLINDER, BOOM (W/BLCV) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL NOTE: For ANZ/EU/US/Canada	g control device	\$96,540
Ma	ss boom p	packages		
L	415-9639	M-BOOM, 23' PKG FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS Mass Boom/7.0M (23') Package (PKG) INCLUDES: -BOOM, 7.0M (23') MASS EXCAVATION -CYLINDER, BOOM (W/O BLCV) -CYLINDER, STICK (W/O SLCV) CANNOT BE USED WITH: Australia & New Zealand NOTE: For New Caledonia and French Polynesia/AM		\$91,660

Supersedes 09JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-011

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
	-	S, AND LINKAGES (CONT.) Dackages (Cont.)		
L	432-5838	M-BOOM, 23' BLCV/SLCV PKG FOR USE IN LANE 2 FOR EU/CIS FOR USE IN LANE 3 ALL OTHER REGIONS Mass Boom/7.0M (23') Package (PKG) with boom low (BLCV) and stick lowering control device (SLCV) INCLUDES: -BOOM, 7.0M (23') MASS EXCAVATION -CYLINDER, BOOM (W/BLCV) -CYLINDER, STICK (W/SLCV) -DEVICE, BOOM LOWERING CONTROL -DEVICE, STICK LOWERING CONTROL		\$107,370
L	559-7543	NOTE: For AM-S/SEA/India/US/Canada/Korea/AN M-BOOM ONLY, 23' FOR USE IN LANE 3 ONLY Mass Boom/7.0M (23') Package (PKG),STICKLESS INCLUDES: 355-7244 CYLINDER, STICK (W/O SLCV)		\$71,240
L	381-7558	381-7558 BOOM, 23' MASS EXCAVATION BOOM, 23' MASS EXCAVATION FOR USE IN LANE 3 ONLY	0	\$48,710
M	lass boom p	packages CPM		
L	507-1269	M-BOOM, 23' (CPM) PKG Mass Boom/7.0M (23') Package (PKG) compatible wit CAT Production Measurement (CPM) INCLUDES: -BOOM,7.0M MASS EXCAVATION (CPM) -CYLINDER, STICK (W/O SLCV) -CYLINDER, BOOM (W/O BLCV)		\$91,660
		NOTE: For ANZP/SEA/India/GCN1/AM-S/EU/US/O	Canada/Korea	
L	507-1271	M-BOOM, 23'(CPM) BLCV/SLCV PKG Mass Boom/7.0M (23') Package (PKG) compatible wit CAT Production Measurement (CPM) INCLUDES: -BOOM,23'MASS EXCAVATION (CPM) -DEVICE, BOOM LOWERING CONTROL -CYLINDER, BOOM (W/BLCV) -CYLINDER, STICK (W/SLCV) -DEVICE, STICK LOWERING CONTROL NOTE: For SEA/India/AM-S/US/Canada/Korea/AN	th	\$107,370

Supersedes 09JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-012

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
BOOI	MS, STICKS	S, AND LINKAGES (CONT.)		
M	lass boom p	packages CPM (Cont.)		
	0G-0341	NO BOOM	0	NC
S	LCV FOR B	ООМ		
L	344-4340	DEVICE, STICK LOWERING CONTROL		\$5,170
L	392-0274	DEVICE, STICK LOWERING CONTROL	0	\$5,170

Supersedes 09JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-013

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
OOL	NO.		103	AT DEALER

BOOMS, STICKS, AND LINKAGES (CONT.) STICKS

	Reach Stick	(VB2-linkage)
L	357-4758	STICK, R15'4" (VB2) 0 \$29,300 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Reach stick R4.6M (R15'4") compatible with VB2 linkage ONLY FOR USE WITH: 415-9638 R-BOOM, 7.8M(25' 7")PKG 432-5835 R-BOOM, 7.8M(25' 7") BLCV/SLCV PKG
		NOTE: For ANZ/AME/CIS/Turkey/EU/US/Canada
L	357-4759	STICK, R13'7" (VB2)
L	357-4760 Reach Stick	STICK, R11'10" (VB2)
L	506-0427	STICK, R15'4" (CPM) (VB2)
L	506-0428	STICK, R11'10" (CPM) (VB2)

NOTE: For AME/CIS/Turkey/EU/US/Canada/ANZ/Japan

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-014

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
вос	OMS, STICKS	S, AND LINKAGES (CONT.)		
ı	Reach Stick	CPM (VB2-linkage) (Cont.)		
L	504-6346	STICK, R13'7" (CPM) (VB2) Reach stick R4.15M(R13'7") Cat Production Measure compatible with VB2 linkage ONLY FOR USE WITH: 481-3512 R-BOOM, 25' 7" CFONLY FOR USE WITH: 481-3513 R-BOOM, 25'7"B	ement ready (CPM) PM PKG	\$27,250
		NOTE: For US/CANADA		
1	Mass Stick (WB2-linkage)		
L	366-6287	FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS Mass stick M2.6M (M8'6") compatible with WB2 links ONLY FOR USE WITH: 415-9639 M-BOOM, 7.0M 432-5838 M-BOOM, 7.0M	age (23')PKG	\$27,440
		NOTE: For ANZP/AME/CIS/Turkey/SEA/India/AM	-S/GCN1/EU/Korea/US	/Canada
/	Mass Stick C	PM (WB2-linkage)		
L	504-6347	STICK, M8'5" (CPM) (WB2) Mass stick M2.6M(M8'6") Cat Production Measurement compatible with WB2 linkage ONLY FOR USE WITH: 507-1269 M-BOOM, 7.0M 507-1271 M-BOOM, 7.0M	ent ready (CPM) I(23')(CPM) PKG	\$27,440 KG
		NOTE: For SEA/India/GCN1/AM-S/US/Canada/Ko	orea/AME/CIS/Turkey/A	NZP/EU
	0G-0342	NO STICK	0	NC
		AVAILABLE FOR: FOR EU/GCN1/AM-N		
ı	BUCKET LINI	KAGES		

Supersedes 09JAN2020
Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-015

REF Ship Weight LIST PRICE LANE 2 / 3 MANDATORY **USE** NO. lbs AT DEALER **BOOMS, STICKS, AND LINKAGES (CONT.)** Linkage VB2- Family for reach boom L 432-5851 LINKAGE, VB2 W/EYE PKG \$18,690 FOR USE IN LANE 2 FOR EU/AM-N FOR USE IN LANE 3 ALL OTHER REGIONS VB2 linkage WITH lifting eye **INCLUDES:** -LINKAGE, BKT VB2-W/LIFT EYE -CYLINDER, BKT (VB2-LINKAGE) 357-4758 STICK, R4.6M(R15'4")(VB2) ONLY FOR USE WITH: 357-4760 STICK, R3.6M (R11'10")(VB2) 447-2487 STICK, R2.84M(R9'4")(VB2) NOTE: For SEA/India/AM-S/Korea/ANZP/AME/CIS/Turkey/EU/US/Canada /ANZP/AME/CIS/Turkey/EU/US/Canada Linkage VB2- Family for reach boom CPM 432-5854 LINKAGE, VB2 W/EYE CPM PKG \$18,690 VB2 linkage WITH lifting eye Cat Production Measurement ready (CPM) **INCLUDES:** -LINKAGE, BKT VB2-W/LIFT EYE -GUARD, CYLINDER (CPM) -CYLINDER, BKT (VB2-LINKAGE CPM) ONLY FOR USE WITH: 506-0428 STICK, R3.6M(R11'10")(CPM) (VB2) 506-0427 STICK, R4.6M R15'4")(CPM) (VB2) 504-6346 STICK, R4.15M(R13'7")(CPM) (VB2) NOTE: For ANZ/AME/CIS/Turkey/US/Canada Linkage WB2-Family for mass boom 415-9642 LINKAGE, WB2 W/O EYE PKG \$18,940 L FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS WB2 linkage without lifting eye **INCLUDES:** -LINKAGE, BKT WB2-W/O LIFT EYE -CYLINDER, BKT (WB2-LINKAGE) ONLY FOR USE WITH: 384-9794 STICK, M3.0M(M9'10")(WB2) 366-6287 STICK, M2.6M(M8'6")(WB2) NOTE: For AME/CIS/Turkey/SEA/India/AM-S/GCN1/EU/Korea/US/Canada/ANZP /HK

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-016

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRIC AT DEALER
BOON	AS, STICKS	S, AND LINKAGES (CONT.)		
Lin	nkage WB2	-Family for mass boom (Cont.)		
L	432-5856	LINKAGE, WB2 W/EYE PKG FOR USE IN LANE 2 FOR EU/CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS WB2 linkage WITH lifting eye INCLUDES: -LINKAGE, BKT VB2-W/LIFT EYE -CYLINDER,BKT (WB2-LINKAGE) ONLY FOR USE WITH: 384-9794 STICK, M3.0M(N 366-6287 STICK, M2.6M(N	И9'10")(WB2)	\$20,760
		NOTE: For GCN1/SEA/India/Korea/US/Canada/AN	IE/CIS/Turkey/ANZP/	/AM-S/EU
Lin	nkage WB2	-Family for mass boom CPM		
L	507-1276	LINKAGE, WB2 W/O EYE (CPM) PKG WB2 linkage without lifting eye compatible with CPM INCLUDES: -LINKAGE, BKT WB2-W/O LIFT EYE -GUARD (CPM) -CYLINDER,BKT(WB2-LINKAGE)(CPM)		\$19,040
		NOTE: For ANZP/SEA/India/GCN1/AM-S/US/Cana	da/Korea/AME/CIS/T	`urkey/EU
	507-1277	LINKAGE, WB2 W/EYE (CPM) PKG WB2 linkage WITH lifting eye compatible with CPM. INCLUDES: -LINKAGE, BKT WB2-W/LIFT EYE -GUARD (CPM) -CYLINDER, BKT (WB2-LINKAGE) (CPM)		\$20,760
		NOTE: For AME/CIS/Turkey/SEA/India/GCN1/AM	-S/EU/US/Canada/Ko	orea/ANZP
JNDE	RCARRIAG	SE .		
TR	RACKS			
L	357-7499	TRACK, 30" DG-HD (PPR2) FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS t=20.5MM CANNOT BE USED WITH: ANZ		\$7,870
	057 7506	NOTE: For AME/CIS/Turkey/SEA/India/AM-S/PAC		
_	357-7500	TRACK, 36" DG-HD (PPR2)	0	\$13,340

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-017

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
UND	ERCARRIAG	GE (CONT.)		
T	RACK GUID	ING GUARD		
Р	141-3748	GUARD, TRACK GUIDING, CENTER	0	\$2,025
		NOTE: For SEA/ANZP/India/Korea/AME/CIS/Turko LANE 2 FOR EU/AM-N/CIS/AME	ey/AM-S/EU/US/Cana	ada
Р	390-5668	GUARD, TRACK GUIDING, SEGMENTED FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS	0	\$3,705
		NOTE: For ANZP/AM-S/SEA/India/US/Canada/Kor/ /HK	rea/AME/CIS/Turkey/	GCN1/EU
Р	141-3751	GUARD,TRACK GUIDE, FULL LENGTH	1,532	\$5,780
HYD	RAULICS			
С	ONTROL PA	ACKAGES		
Α,	O A:	- Circuit		
/V	O Auxilliary			
L	572-9892	JOYSTICK, TWJ STP INCLUDES: -MAIN VALVE -JOYSTICK, THUMB WHEEL -MAT, FLOOR, RH PEDAL -PEDAL, STRAIGHT TRAVEL -PILOT LINES (W/STP) -NO MEDIUM PRESSURE CIRCUIT	0	\$6,620
A	uxilliary Cir	cuit - Tool Control Without Medium Pressure		
L	572-9897	TOOL CTRL TWJ STP PKG FOR USE IN LANE 3 ONLY INCLUDES: -MAT, FLOOR, RH PEDAL -JOYSTICK, THUMB WHEEL -PILOT LINES (W/STP) -MAIN VALVE W/SYSTEM COMBINED -PEDAL, STRAIGHT TRAVEL -NO MEDIUM PRESSURE CIRCUIT AVAILABLE FOR: AME/CIS/Turkey/EU/US/Canac		\$14,940 India/AM-S

Supersedes 09JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-018

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
HYDI	RAULICS (CONT.)		
A	uxilliary Cir	cuit - Tool Control With Medium Pressure		
L	433-0738	FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS Tool Control (CTRL) Medium Pressure (MP) with thur (TWJ) and straight travel pedal (STP) package(pkg) Combined circuit (1 way / 2 way)		\$20,430
		NOTE: For ANZP/SEA/India/AM-S/US/Canada/Ko	rea/AME/CIS/Turkey/EU	
OPEF	RATOR ENV	IRONMENT		
0	PERATOR S	STATION		
L	507-1278	CAB, 70/30 POLY HATCH PKG FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS INCLUDES: -CAB,70/30,W/VANDAL-G BOSS -RADIO, 24V AM/FM -WASHER WIPER -WIPER-PARALLEL, FRONT 70/30 -SUN SCREEN (70/30) NOTE: NOT AVAILABLE FOR EU	0	\$1,080
S	TORAGE BO	OX .		
L	379-7477	STORAGE BOX (HRC)		NC
L	379-7713	NOTE: For US/Canada/Korea STORAGE BOX (LUB ELEC HRC)		NC

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-019

USE REF LANE 2 / 3 MANDATORY Ship Weight LIST PRICE lbs AT DEALER

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country - please reference https://Dealer.cat.com/PL/Certification for certified countries. Please contact your Cat marketing representative with questions.

FOR USE IN LANE 2 FOR AM-N

FOR USE IN LANE 3 ALL OTHER REGIONS

ANSI

Product Link Pro series PL631 uses a satellite network to transmit

location, utilization and condition information for viewing in

Product Link's remote monitoring web interface.

For use in areas with poor or no cellular coverage.

Not available for Russia/Singapore/Guyana/Kazakhstan/Serbia/Lebanon

NOTE: LANE 2 FOR AM-N

SAFETY AND SECURITY

CAB GUARDS

FOGS guard with working lights, cab mounted w/time delay

INCLUDES:

-GUARD, FALLING OBJECTS

-LIGHTING, CAB W/GRD (HALOGEN)

CAB LIGHTS

Working lights, cab mounted w/time delay

NOTE: For AM-S/AME/CIS/Turkey/SEA/ANZP/GCN1/India/EU/US/Canada/Korea/HK

CAB MIRROR

L 327-6552 MIRROR, CAB, W/O GUARD 0 \$108

Mandatory for EU, Japan & Am-N, turkey, SK, ANZ

Additional ISO cab mirror

CANNOT BE USED WITH: 415-9646 GUARD FOGS HALOGEN PKG

415-9647 GUARD FOGS HID PKG

NOTE: Available from FEB 2019 Shipment

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-020

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICI AT DEALER
	ETY AND SI	ECURITY (CONT.)		
	327-6553	MIRROR, CAB, GUARD FALLING	n guard HID PKG	\$108
_		NOTE: Available from FEB 2019 Shipment		
<i>B</i>	OOM LIGHT	HALOGEN LIGHTS, R-BOOM	//(25' 7")PKG or //(25'7"BLCV/SLCV) PKG or //(25'7") BLCV/SLCV CPM PK //(25' 7")CPM PKG //, 25'7" PKG	\$325 G or
	377-8013	507-1269 M-BOOM, 7.01	M(23')PKG or M(23' BLCV/SLCV)PKG or M(23')(CPM) PKG or M(23')(CPM) BLCV/SLCV PKG Y, 23' PKG	\$325
		NOTE: For ANZP/AME/CIS/Turkey/SEA/India/GO/HK	CN1/AM-S/EU/Korea/US/Ca	anada
P	377-8014		//(25' 7")PKG or //(25'7"BLCV/SLCV) PKG or //(25'7") BLCV/SLCV CPM PK //(25' 7")CPM PKG // , 25'7" PKG	\$1,175 G or
		NOTE: For AME/CIS/Turkey/SEA/India/ANZP/EU LANE 2 FOR AM-N	J/US/Canada	

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-021

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
	ETY AND SE	ECURITY (CONT.) (S (Cont.)		
P	377-8015	HID LIGHTS, M-BOOM FOR USE IN LANE 2 FOR CIS/AME FOR USE IN LANE 3 ALL OTHER REGIONS HID mass boom lights with time delay. ONLY FOR USE WITH: 415-9639 M-BOOM, 7.0M 432-5838 M-BOOM, 7.0M 507-1269 M-BOOM, 7.0M 507-1271 M-BOOM, 7.0M 559-7543 M-BOOM ONLY	I(23')PKG or I(23' BLCV/SLCV)PKG or I(23')(CPM) PKG or I(23')(CPM) BLCV/SLCV PKG 7, 23' PKG	\$1,175 3
		NOTE: For AME/CIS/Turkey/AM-S/EU/ANZP/SEA	A/India/US/Canada	
C	AMERA & C	GUARD RAILS		
L	499-0246	CAMERA, REAR	0	\$1,400
		NOTE: For GCN1/ANZP/AME/CIS/SEA/India/AM-	S/US/Canada/Korea	
L	499-0247	CAMERA, REAR FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS Not available for Turkey REQUIRES: 431-3993 COUNTERWEIGHT, REMOVA 430-4686 COUNTERWEIGHT, REMOVA 430-4687 COUNTERWEIGHT, REMOVA NOTE: For ANZP/AME/CIS/SEA/India/GCN1/AM-	L(ISO-LRC) L(ISO-HRC) L(ANSI)	\$1,400
FUEL	SYSTEMS			
F	UEL TANK			
L	379-7476	TANK, FUEL	0	NC

Supersedes 09JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-022

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
FUEL	SYSTEMS	(CONT.)		
F	UEL TANK	(Cont.)		
L	397-5465	FUEL TANK W/FAST FILL SYSTEM	0	\$1,995
		NOTE: For EU/US/Canada/Korea/ANZ		
FRAN	MES			
C	OUNTERWE	EIGHT		
L	430-4685	COUNTERWEIGHT,24,250LBS (HRC)	& RH VIEW	NC
		NOTE: For ANZ/EU/US/Canada/Korea		
L	430-4687	COUNTERWEIGHT, REMOVAL (ANSI) FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS ONLY FOR USE WITH: 499-0247 CAMERA, REAR NOTE: For US/Canada		\$16,420
Н	00D & CO	VER		
L	446-0766	HOOD & COVERFOR USE IN LANE 2 FOR EU/AM-N/CIS/AME	0	NC
L	446-0767	FOR USE IN LANE 3 ALL OTHER REGIONS HOOD + COVER (CPM) FOR USE IN LANE 2 FOR EU/JPN/AM-N/ANZ/TURI FOR USE IN LANE 3 ALL OTHER REGIONS	0 KEY	NC
		NOTE: For ANZP/AME/CIS/Turkey/EU/US/Canada /GCN1/Korea	a/Japan/SEA/India/AM-S	
INST	RUCTIONS			
FI	LM OUTSIE	DE .		
Р	389-1628	INSTRUCTIONS, ANSI (OUT)	0	NC

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-023

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
INST	RUCTIONS	(CONT.)		
F	ILM CAB			
P	509-0798	INSTRUCTIONS, ANSI (CAB)	0	NC
F	ILM FRONT MANDATORY	LESS FOR FRONTLESS CONFIGURATION		
Р	560-4394	INSTRUCTIONS, ANSI (OUT)	0	NC

Supersedes 09JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-024

CATERPILLAR MACHINE PRICE LIST

374F-XZ

USE	REF NO.	OPTIONAL ATTACHMENTS	Ship Weight Ibs	LIST PRICE AT DEALER
CYLII	NDERS			
В	OOM CYLIN	IDER		
L	381-5037	CYLINDER, BOOM (W/O BLCV)	I BCF1C KEY BCF1A	\$20,420
S	TICK CYLIN	IDER		
P	355-7244	CYLINDER, STICK (W/O SLCV) FOR USE IN LANE 3 ONLY CANNOT BE USED WITH: 559-7542 R-BOOM ONLY, 2559-7543 M-BOOM ONLY, 2	5'7" PKG	\$22,530

Supersedes 09JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-025

USE REF LANE 2 / 3 OPTIONAL Ship Weight LIST PRICE Ibs AT DEALER

POWERTRAIN

ELECTRIC LUBRICATION

FOR USE IN LANE 3 ONLY

This attachment fills the storage box and is intended for use in moderate climates. Performance may be unacceptable in temperatures below 14 degrees F, (-10C).

Caterpillar is experiencing a supplier constraint on 384-9804, selecting this option may cause a slight delay in RTS date.

ONLY FOR USE WITH: 423-2143 STORAGE BOX (LUB ELEC LRC)

NOTE: For AM-S/US/Canada/AME/CIS/HK Not available for Turkey/EU/SEA/TW

LINE GROUPS

HIGH PRESSURE AUXILIARY BOOM LINES

FOR USE IN LANE 2 FOR EU

FOR USE IN LANE 3 ALL THE REGIONS

REQUIRES: 374-0004 LINES-HP, R2.8M(9'4")STICK

374-0003 LINES-HP, 3.6M(11'10")STICK 369-6190 LINES-HP, R4.6M(15'4")STICK

374-0002 LINES-HP, R4.15M(R13'7")STICK

ONLY FOR USE WITH: 433-0726 CIRCUIT, HAMMER TWJ PKG or

433-0731 CIRCUIT, HAMMER TWJ STP PKG or 447-5118 CIRCUIT, HAMMER TWJ STP LP PKG or

433-0733 TOOL CTRL TWJ PKG or 433-0734 TOOL CTRL TWJ STP PKG or 433-0737 TOOL CTRL MP TWJ PKG or 433-0738 TOOL CTRL MP TWJ STP PKG or 433-0739 TOOL CTRL MP TWJ STP LP PKG and

415-9638 R-BOOM, 7.8M(25' 7")PKG or

432-5835 R-BOOM, 7.8M(25'7"BLCV/SLCV) PKG or 481-3513 R-BOOM, 7.8M(25'7") BLCV/SLCV CPM PKG or

481-3512 R-BOOM, 7.8M(25' 7")CPM PKG

NOTE: For ANZP/SEA/India/Korea/AME/CIS/Turkey/EU/US/Canada/HK

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-026

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
	GROUPS (CONT.) URE AUXILIARY BOOM LINES (Cont.)		
L	381-5812	447-5118 CIRCUIT, HA 433-0733 TOOL CTRL 433-0734 TOOL CTRL 433-0737 TOOL CTRL 433-0738 TOOL CTRL 433-0739 TOOL CTRL 415-9639 M-BOOM, 7. 432-5838 M-BOOM, 7. 507-1269 M-BOOM, 7.	ICK PICK AMMER TWJ PKG or AMMER TWJ STP PKG or AMMER TWJ STP LP PKG or TWJ PKG or TWJ STP PKG or MP TWJ PKG or MP TWJ STP PKG or MP TWJ STP PKG or MP TWJ STP LP PKG and OM(23')PKG or OM(23' BLCV/SLCV)PKG or	\$3,805 G
		NOTE: For SEA/ANZP/GCN1/India/US/Canada /HK	/Korea/AME/CIS/Turkey/AN	M-S/EU
Н	IGH PRESS	URE AUXILIARY STICK LINES		
L	374-0002	LINES-HP, R13'7" STICK	5M(R13'7")(CPM) (VB2)	\$2,920
L	374-0003	381-5811 LINES-HP, E LINES-HP, 11'10" STICK		\$2,920
		NOTE: For AME/CIS/Turkey/ANZ/EU/US/Cana	ada/HK	
L	369-6190	FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 357-4758 STICK, R4.6 506-0427 STICK, R4.6 381-5811 LINES-HP, E	M(R15'4")(VB2) or M R15'4")(CPM) (VB2)	\$2,920
		NOTE: For AME/CIS/Turkey/ANZ/EU/US/Cana	ada	

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-027

USE REF LANE 2 / 3 OPTIONAL Ship Weight LIST PRICE lbs AT DEALER

LINE GROUPS (CONT.)

HIGH PRESSURE AUXILIARY STICK LINES (Cont.)

FOR USE IN LANE 2 FOR CIS

FOR USE IN LANE 3 ALL OTHER REGIONS

ONLY FOR USE WITH: 366-6287 STICK, M2.6M(M8'6")(WB2) or

504-6347 STICK, M2.6M(M8'6")(CPM) (WB2) and 381-5812 LINES-HP, BOOM 7.0M(23')M.E.

NOTE: For SEA/ANZP/GCN1/India/US/Canada/Korea/AME/CIS/AM-S/Turkey/EU LANE 2 FOR CIS

MEDIUM PRESSURE AUXILIARY BOOM LINES

FOR USE IN LANE 3 ONLY

REQUIRES: 359-8799 LINES-MP, R9'4"(R9'4")STICK

359-8798 LINES-MP, R3.6M(11'10")STICK

369-6191 LINES-MP, R4.6M(15'4")STICK

ONLY FOR USE WITH: 433-0737 TOOL CTRL MP TWJ PKG or

433-0738 TOOL CTRL MP TWJ STP PKG or 433-0739 TOOL CTRL MP TWJ STP LP PKG and

415-9638 R-BOOM, 7.8M(25' 7")PKG or

432-5835 R-BOOM, 7.8M(25'7"BLCV/SLCV) PKG or 481-3513 R-BOOM, 7.8M(25'7") BLCV/SLCV CPM PKG or

481-3512 R-BOOM, 7.8M(25' 7")CPM PKG

NOTE: For ANZP/SEA/India/US/Canada/Korea/AME/CIS/Turkey/EU

MEDIUM PRESSURE AUXILIARY STICK LINES

FOR USE IN LANE 3 ONLY

ONLY FOR USE WITH: 357-4758 STICK, R4.6M(R15'4")(VB2) or

506-0427 STICK, R4.6M R15'4")(CPM) (VB2)

381-5813 LINES-MP, BOOM 7.8M(25'6")REACH and

NOTE: For AME/CIS/Turkey/ANZ/EU/US/Canada

We are experiencing supplier delays on 369-6191, selecting this

option may cause your RTS date to be extended.

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-028

REF Ship Weight LIST PRICE LANE 2 / 3 OPTIONAL **USE** NO. lhs AT DEALER LINE GROUPS (CONT.) QUICK COUPLER CONTROL, CW DEDICATED QC(ANSI) L 383-5095 \$3,060 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS For use only for CW Dedicated Coupler This DOES NOT include QC lines for the boom and stick. NOTE: For US/Canada QUICK COUPLER BOOM LINES L 381-5815 \$3,905 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 326-8308 LINES-QC, R2.8M(9'4")STICK 371-3120 LINES-QC, R3.6M(11'10")STICK 344-4199 LINES-QC, R4.6M(15'4)STICK ONLY FOR USE WITH: 349-2279 CONTROL, CW DEDICATED QC (ISO) or 383-5095 CONTROL, CW DEDICATED QC(ANSI) and 415-9638 R-BOOM, 7.8M(25' 7")PKG or 432-5835 R-BOOM, 7.8M(25'7"BLCV/SLCV) PKG or 481-3513 R-BOOM, 7.8M(25'7") BLCV/SLCV CPM PKG or 481-3512 R-BOOM, 7.8M(25' 7")CPM PKG NOTE: For ANZ/EU/US/Canada L 381-5816 \$3,905 FOR USE IN LANE 2 FOR EU FOR USE IN LANE 3 ALL OTHER REGIONS REQUIRES: 371-3124 LINES-QC, M2.6M(8'6")STICK 349-2279 CONTROL, CW DEDICATED QC (ISO) or ONLY FOR USE WITH: 383-5095 CONTROL, CW DEDICATED QC(ANSI) and 415-9639 M-BOOM, 7.0M(23')PKG or 432-5838 M-BOOM, 7.0M(23' BLCV/SLCV)PKG NOTE: For ANZ/US/Canada/AM-S/EU QUICK COUPLER STICK LINES L 371-3120 \$2,825 FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS 357-4760 STICK, R3.6M(R11'10")(VB2) or ONLY FOR USE WITH: 506-0428 STICK, R3.6M(R11'10")(CPM) (VB2) and 381-5815 LINES-QC, BOOM 25'6" REACH

NOTE: For ANZ/EU/US/Canada

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-029

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
LINE	GROUPS (CONT.)		
Q	UICK COUF	PLER STICK LINES (Cont.)		
L	344-4199	FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 357-4758 STICK, R4.6M(I 506-0427 STICK, R4.6M I 381-5815 LINES-QC, BOO	R15'4")(VB2) or R15'4")(CPM) (VB2)	\$2,825
		NOTE: For ANZ/EU/US/Canada		
L	326-8310	LINES-QC, R13'7" STICK	(R13'7")(VB2) or (R13'7")(CPM) (VB2) and	\$2,825
		NOTE: LANE 2 FOR AM-N		
L	371-3124	LINES-QC, 8'6" STICK	M8'6")(WB2) or M8'6")(CPM) (WB2) and	\$2,825
		NOTE: For ANZ/EU/US/Canada/AM-S		
STAF	RTERS RAT	TERIES, & ALTERNATORS		
		HER START PACKAGES		
L	432-5834	COLD WEATHER STARTING 120V PKG FOR USE IN LANE 2 FOR AM-N FOR USE IN LANE 3 ALL OTHER REGIONS INCLUDES: -BATTERY, COLD WEATHER -TERMINALS, JUMP START FOR -18 DEGREES, WITH 2 ADDITIONAL BATTER -HEATER, ENGINE COOLANT (120V) -STARTING AID, ETHER For temperatures ranging from -18 degree C(0F) to -	MES	\$1,480

Supersedes 09JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-030

USE REF LANE 2 / 3 OPTIONAL Ship Weight LIST PRICE lbs AT DEALER

TECHNOLOGY PRODUCTS

CAT Production Measurement

Includes Cat Production Measurement (CPM). CPM is activated ex-factory for life. In addition, this attachment includes the Cat Grade control (CGC) hardware and has CGC 2D system capability, except for the laser catcher and its wiring. CGC can be activated through the Service Mode on the monitor. No SEA is necessary. If required, laser catcher can be retrofitted through parts."

L 500-3303 CPM..... 0 \$16,320

NOTE: For SEA/India/GCN1/AM-S/PAC/Korea/AME/CIS/Turkey/ANZ/EU/US/Canada/Japan

BUCKETS

BUCKETS

NOTE: Stick, bucket linkage, bucket adjuster and bucket must be matched.

For the full portfolio of work tools please refer to the Work Tool price pages.

For AME/CIS.

Bucket orders and machine orders will need to be entered separately. Buckets will be supplied directly from CWTS in Den Bosch.Please include the machine MSO in your bucket order to link both orders and synchronize the shipment and delivery at port of destination. Please refer to the WTHEX pricelist for the available bucket references and pricing. For specific bucket and work tool needs that are not included in the price list, contact the Caterpillar Tool Center. For EAME market call: +31 736.399.777 or e-mail: worktools@cat.com
For bucket-only miscellaneous orders, use reference OG related to your local WTHEX pricelist on your miscellaneous order.

For Am-N,

Bucket orders and machine orders will need to be entered separately. Buckets will be supplied directly from CWTS in Den Bosch/Wamego. For bucket-only miscellaneous orders, use reference OG related to your local WTHEX pricelist on your miscellaneous order.

For GCN1/SEA/India/AM-S/ANZP.

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-031

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER

BUCKETS (CONT.)

BUCKETS (Cont.)

Bucket can continue to be ordered either from the machine price list as part of the machine order or from the local WTHEX price list for buckets not shown in the machine price list. For specific bucket and work tool needs not covered in the price list, contact the Caterpillar Tool Center, email to: worktools@cat.com For bucket-only miscellaneous orders, use reference OG related to your local WTHEX pricelist on your miscellaneous order.

WB2 FAMILY BUCKETS -	SEVERE DUTY (SD)	

Р	519-5405	BKT SDS 85" 6.02YD3 WB2	\$56,040
W	519-5407	REQUIRES: 4 tips 170 size BKT-SDS, 89" 6.54YD3 WB2	\$56,713 NI
	VB2 FAMILY	BUCKETS - SEVERE DUTY (SD)	
P	519-5288	BKT SD 79" 4.97YD3 VB2	\$37,871
	VB2 FAMILY	BUCKETS - GENERAL DUTY (GD)	
Р	519-5281	BKT GD 82" 6.02YD3 VB2	\$35,982
		AVAILABLE FOR: AM-N	
GR	OUND ENGA	GING TOOLS	
	TIP (ADAPTO	OR SIZE 170)	
Р	368-3783	TIP, PENETRATION PLUS ADVANSYS	\$439
	PROTECTOR	S FOR WB2 FAMILY	
Р	329-5956	PROTECTORS, SIDEBAR	

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-032

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
GROUI	ND ENGA	GING TOOLS (CONT.)		
Side	ecutters			
P	357-2686	SIDECUTTERS, HEAVY DUTY		\$2,097
PACKII	NG			
OEI	M PACKII	NG - FRONTLESS		
	0P-6801	PACK, FOR FRONTLESS EXPORT	0	NC
Ϋ́	land transp	machine detaching options are required to meet the ortation regulation in China. PACK WITH ROOM STICK & BUCKET	0	\$3 150 NE:
	0G-8000	PACK, WITH BOOM, STICK & BUCKET For shipment bucket and stick are detached		\$3,150 NET
	0G-8001	PACK, WITH BOOM & STICK	0	\$3,150 NE
	0G-8006	OPTION, BOOM DETACHED	0	NC
		NOTE: Required by the inland transportation regul	ation in China.	
	0G-8008	OPTION, COUNTERWEIGHT DETACHED	0	NC
		NOTE: Required by the inland transportation regul	ation in China.	
	0P-7294	PACK, 374F/390F CTWT	0	\$645 NET
		NOTE: ONLY FOR USE WITH L240 Germany deale	r	
	0P-7307	PACK, 374F/390F CTWT BAFFLE	0	\$705 NE
		NOTE: ONLY FOR USE WITH L240 Germany deale	r	
	0P-4652	PACK, 374F/390F SIDE STEP	0	\$63 NET
		NOTE: Required by the inland transportation regul	lation in China.	

Supersedes 09JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 374F-XZ-033

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
PACK	KING (CON	T.)		
E	KPORT PAC	CKING - Machine Preparation (Cont.)		
	0P-4653	PACK, 374F/390F TOP GUARD ONLY FOR USE WITH: 415-9646 GUARD FOGS: 415-9647 GUARD FOGS: 433-2497 GUARD TOP H. 433-2498 GUARD TOP H.	HALOGEN PKG HID PKG ALOGEN PKG	\$63 NET
		NOTE: Required by the inland transportation regula	ntion in China.	
	XPORT PAC MUST SELEC	CKING - Transportation mode (Including prot $_{ m T}$	ection)	
	0G-4127	STORAGE PROTECTION (EXPORT)	Fluid Film TM, ded for corrosion periods. This	\$415 NET
H	YDRAULIC	PLUGS		
L	564-0029	PLUG, FRONTLESS, STANDARD		NC
L	564-0031	FOR USE IN LANE 3 ONLY PLUG, FRONTLESS, W/SLCV	0	NC
L	564-0032	FOR USE IN LANE 3 ONLY PLUG, FRONTLESS, HIGH PRESSURE	0	NC
L	564-0033	FOR USE IN LANE 3 ONLY PLUG,FRONTLESS MEDIUM PRESSURE	0	NC
L	564-0034	FOR USE IN LANE 3 ONLY PLUG, FRONTLESS, QUICK COUPLER		NC
L	564-0035	FOR USE IN LANE 3 ONLY PLUG, BOOM, STANDARD		NC
		FOR USE IN LANE 3 ONLY		
L	564-0036	PLUG, BOOM, HIGH PRESSURE FOR USE IN LANE 3 ONLY		NC
L	564-0037	PLUG, BOOM, MEDIUM PRESSURE?		NC
L	564-0039	PLUG, BOOM, QUICK COUPLER FOR USE IN LANE 3 ONLY	0	NC
L	565-9039	PLUG, STICK CYLINDER, STD	0	NC
L	565-9040	FOR USE IN LANE 3 ONLY PLUG, STICK CYLINDER, SLCV	0	NC
L	565-9041	FOR USE IN LANE 3 ONLY PLUG, BOOM CYLINDER, STD	0	NC
L	565-9042	FOR USE IN LANE 3 ONLY PLUG, BOOM CYLINDER, SLCV FOR USE IN LANE 3 ONLY	0	NC
PA	ACK FOR F			
	0P-6488	PACK,374F/390F BOOM/STICK CYL	0	\$655 NET

Supersedes 09JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24JAN2020 374F-XZ-034