

Current Date 03Jan2020

624L WHEEL LOADER

624L Standard Equipment Hydraulic Reservoir with Front and Rear Intermittent Sight Windshield Wipers and Washers POWER TRAIN: Gauge and Fill Strainer (1) Inside and (2) Outside Rear 5 Speed Transmission Hydraulic Diagnostic View Mirrors with Lock-Up Ports Left and Right Rear Side Opening Torque Converter 4000 Hour In-Tank Filter Windows **Electronically Controlled** Sun Visor Keyless Start with Multiple **ELECTRICAL**: 24 Volt Electrical System Security Modes Automated Shift System Sealed Switch Module with Function Solid State Electrical Quick Shift Button on Loader Power **Indicators** Control Lever with 2 Distribution System Seat with Back Rest Extension, Deep (2) Heavy Duty Batteries Foam, Fabric Cover, Adjustable Air Selectable Modes - each 950 Suspension for Weight/Height with Automatic / Manual Shift Cold Cranking amps/190 Fore-Aft Adjustment and Adjustable minute Arm Rests Modes Hydraulic Controls Integrated to Programmable Maximum Reserve Capacity High Gear Reserve Capacity Seat Adaptive Clutch-Cutoff Lockable Master 3 Inch High Visibility Blaze Orange Clutch Calibration Seat Belt with Retractor Electrical Engaged from Disconnect Switch (2) Cup Holders Monitor **Battery Terminal Safety** Lunch box (Cooler) Holder LED Dome and Reading Light 100% Locking Front and Covers Conventional Pre-wired for 12 Volt Power Port Rear Differentials with Beacon/Strobe Light Radio Ready Rubber Floor Mat Inboard Lights: Mounted Heavy Duty (2) Halogen Driving Tilt Steering Column Planetary Gears Lights with Textured Steering Wheel with Heavy Duty Self Guards Spinner Knob Adjusting Front and (4) Front and (2) Rear Operator's Manual Storage Rear Power Brakes Work Lights Compartment Electrically Actuated LED Turn Signals and Left Side Operator Station Access Slip-Resistant Steps and **Automatic** Flashers LED Stop and Tail Lights **Ergonomically Located Handholds** Spring Applied, Hydraulically Horn, Electric Released, Wet Multi-Disc Reverse Warning Alarm Overall Vehicle: NeverGrease Rear Axle Oscillation Park Brake Voltage Converter for 24V to 12V / Transmission Fill Tube Joints Front and Rear Tie Downs and Sight 8 Amps Gauge Multi-Function / Multi-Front Fenders 2000 Hour Transmission Language LCD Rear Hitch with Locking Pin Filter Color Monitor includes: Articulation Locking Bar DIGITAL INSTRUMENTS Boom Locking Bar COOLING: Quad-Cool System: ANALOG Display: 40 Degree Steering Articulation to Each Side with Rubber Cushion Stops Heavy Duty, Trash Resistant Hydraulic Oil on Frame

Radiator and High Ambient Cooling Package

2 Side access to all

Coolers

Cooling System isolated

from Engine Compartment Engine Radiator Integral Engine Oil

Cooler Hydraulic Oil Cooler (Oil

to Air)

Transmission Oil Cooler

(Oil to Air)

Front and Rear Axle

Coolers with
Axle Oil Filtration
Charge Air Cooler (Air to

Air)

Coolant Recovery Tank Antifreeze, -34F (-37 C) Cool-on Demand Swing

out Fan

Enclosed Fan Safety

Guard

HYDRAULICS:

Pressure Compensating

Load Sensing Hydraulic System

2 Function Hydraulic

Joystick with

FNR Control Automatic Return to Dig In Cab Adjustable

Automatic Boom

Height Kickout / Return

to Carry

Hydraulic Function Enable / Disable Temperature Engine Coolant Temperature Transmission Oil

Temperature Engine Oil Pressure DIGITAL Display:

Engine RPM

Transmission Gear /

Direction
Indicator
Hour Meter
Fuel Level
DEF Level
Speedometer
Odometer

Indicator Lights for Standard and Selected Options Indicator Lights For Amber Caution and Red Stop Operator Warning

Outside Temperature

Messages BUILT-IN

DIAGNOSTICS:

Diagnostic Code Details

Sensor Values Calibrations

Individual Circuit Tester

MENU DISPLAY:

Codes

Machine Settings Diagnostics Monitor Settings

OPERATOR'S STATION: ROPS Quiet Cab with

Heater and Air Conditioning Defroster and Pressurizer Vandal Protection With Lockable

Engine Enclosures, Right Counterweight Compartment,

Battery

Box, Filler Access for

Radiator/Fuel/Hydraulic/Transmission

Service Steps and Handholds Storage Compartment

Storage Compartment Fuel Tank Fill Strainer

Heavy Duty Fuel Tank Guard Ground Level Fueling and DEF

Less Tires and Wheels

Required - You must select one from each category

~

BASE MACHINE

FOB Davenport, Ia.

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order

Description 624L WHEEL LOADER Code Price 7590DW \$226,107.00

₩	OPERATOR'S MANUAL AND DECALS		
	Description	Code	Price
	English Decals and Manuals	2605	No Added Cos
_	Spanish Decals and Manuals	2610	No Added Cos
	French Decals and Manuals	2615	No Added Cos
	Australian Decals and Manuals	2630	No Added Cos
~	MACHINE CONFIGURATION		
	Description	Code	Price
	Standard Wheel Loader	1010	No Added Cos
_	Waste Handler Configuration	1021	No Added Cos
	Requires the following codes: 1110- Transmission without Lockup Torque Converter 1430 - Engine Air Intake with Centrifugal Precleaner 1520 - Automatic Reversing Fan Drive 2010 or 2020 - Z-BAR or High Lift Linkage 3120 - Manual Axle Differential Lock 5570 - Less Fenders 5670 - Close Mounted Left Side Steps Only 8450 - Cab w/ Air A/C Charge 8230 - Less Hitch and Counterweights 8298 - Less Beacon and Bracket 9410 - Transmission and Bottom Guards		
	Requires BYT11112 - 624L Waste Handler Package, Installed. (Requires loader to ship to GR Mfg).		
	The dealer is responsible for making arrangements to get the unit to GR Manufacturing for installation. Shipping cost is not included in the installation.		
	Agriculture Material Handling Configuration	1030	(\$1,345.00)
	Requires the follwing option codes in order to qualify for package group price: 1430 Air Intake System with Centrifugal Precleaner Engine 1520 Reversing Fan Drive 9115 Cab Fresh Air Precleaner 2360 Single Joystick Hydraulic Control 2403 Three Function Hydraulics 2510 Ride Control 9043 Environmental Drain and Diagnostic Sample Ports 3049 Hi-Traction - Front and Rear Locking Differentials		
~	ENGINE		
	Description	Code	Price
	John Deere PowerTech Engine	0924	\$24,858.00
	John Deere PowerTech PVS 6.8L meets EPA FT4 and EU Stage IV Emissions (192 Net Peak hp) Turbocharged		

Turbocharged

Wet Sleeve Cylinder Liners

Automatic Glow Plugs

Programmable Auto-Idle and Auto-Shutdown

Selected Idle Adjustment from 900-1250 RPM

Starter Protection

4 Valves/Cylinder

Cooled Exhaust Gas Recirculation

Automatic Derating for Exceeded System Temperatures

Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel

Compatible

Electrical Fuel Priming System

Serpentine Drive Belt with Automatic Tensioner

Under Hood Dual Element Air Cleaner with Restriction Indicator

Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack

Automatic Exhaust Filter Regeneration

Dual-Stage Fuel Filter and Water Separator

500 Hour Vertical Spin-on Oil Filter

Cartridge Type Oil Crankcase Filter

Automatic Engine Cool-down Timer

Remote Start Battery Terminals

	FAN		
-	$-\Delta M$	יוטוו	\/⊢

Description	Code	Price
Standard Hydraulic Fan	1510	No Added Cost

Hydraulically driven fan with proportional fan speed control based on

cooling demands to save fuel and reduce noise.

Automatic Reversing Hydraulic Fan 1520 \$1,650.00

Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise. Automatic Reversing fan to purge debris and dust on cooling system inlet screens and coolers periodically to reduce cleaning. Reversing intervals can be set in the monitor.

Requires code 1430 Engine Air Intake with Centrifugal Precleaner

AIR INTAKE

Description	Code	Price
Standard Engine Air Intake System	1410	No Added Cost

Does not include centrifugal precleaner

Engine Air Intake System with Centrifugal Precleaner 1430 \$667.00

EXHAUST

Description	Code	Price
Flat Black Curved Stack	1310	No Added Cost
Chrome Curved Stack	1330	\$443.00

▼ FUEL FILTRATION

Description	Code	Price
Standard Fuel Filter with Water Separator and Standard	1610	No Added Cost
Fuel Fill		

_	ALTERNATOR		
	Description	Code	Price
	100 amp Alternator	1210	No Added Cost
	For use with code 2708 8 Amp/12 V Power Converter.		
	Not Available with Premium Cab code 1910		
	140 amp Alternator	1217	\$347.00
_	Required with code 1910 Premium Cab, code 2715 15 Amp/12V Power Converter, or code 2730 30 Amp/12V Power Converter.		
~	CONVERTER		
	Description	Code	Price
	8 Amp Converter	2708	No Added Cost
_	Not Available with Premium Cab code 1910		
	15 Amp Converter	2715	\$115.00
	Requires code 1217 140 amp alternator		
	30 Amp Converter	2730	\$265.00
	Requires code 1217 140 amp alternator		
~	LIGHTING		
	Description	Code	Price
	Halogen Work and Drive Lights	7120	No Added Cost
	LED Front Turn/Marker & Dear Turn/Droke Lighte		
_	LED Front Turn/Marker & Rear Turn/Brake Lights		<u> </u>
	Premium LED Work and Drive Lights	7140	\$1,449.00
	All exterior machine lights are LED LED Front Turn/Marker & Rear Turn/Brake Lights		
~	TRANSMISSION		
	Description	Code	Price
	5-Speed Powershift Transmission	1110	(\$3,900.00)
	5-Speed Powershift Transmission with Lock-up Torque Converter	1120	No Added Cost
_	Recommend Ride Control with Lock-up Torque Converter for Load and Carry applications.		
~	AXLES		
	Description	Code	Price
	Front Hydraulically Locking Differential and Rear Conventional Differential Axles	3046	No Added Cost

	High Traction - Front & Rear Hydraulically Locking Differential Axles	3049	\$2,453.00
,	DIFFERENTIAL LOCK		
	Description	Code	Price
	Automatic Differential Lock	3110	\$1,429.00
	Allows operator to switch on Automatic Diff Lock providing continual differential lock in all conditions, minimizing tire spin. Requires code 9410 Transmission and Bottom Guards.		
	Manual Axle Differential Lock	3120	No Added Cos
-	LINKAGE CONFIGURATION		
	Description	Code	Price
	Standard Z-BAR	2010	No Added Cos
	Parallel Lift Linkage		
	High Lift Z-BAR	2020	\$4,477.0
	Parallel Lift Linkage		
	Adds 14.2 inches (360 mm) height to bucket hinge pin, fully raised over standard linkage. Rated tipping load and lift capacity will be lower than unit equipped with the standard boom.		
	High Lift Plus Z-BAR	2026	\$6,370.0
	Parallel Lift Linkage		
	Adds 25.2 inches (640 mm) height to bucket hinge pin, fully raised over standard linkage. Rated tipping load and lift capacity will be lower than unit equipped with the standard boom or high lift boom.		
	Tool Carrier Linkage	2060	\$7,240.0
	Parallel lift inkage optimized for maximum centerline visibilty between the boom slabs to see the work tool. Also has a lower profile for reaching underneath obstructions when compared to z-bar linkages.		
	Requires Code 2403 Three Function Hydraulics or Code 2404 Four Function Hydraulics.		
	Requires Code 2510 Ride Control.		
	Requires Code 8560 Hydraulic Coupler - JRB 416 Pattern, Code 8561 Hydraulic Coupler - Hi-Vis/ISO Pattern, or Code 8563Field Coupler Ready: Pins Only and Pin Disconnect Plumbing.		
-	HYDRAULIC CONTROLS		
	Description	Code	Price
	Single Axis Lever Controls	2350	\$202.0
	Provides an individual hydraulic function control lever for each function. Only available for 2 function and 3 function hydraulics. Includes steering column mounted FNR lever.		

NJ State Approved Co-op #65MCESCCPS

	Joystick Controls	2360	No Added Cost
	Provides a single lever (joystck) control for the boom and the bucket. Optional 3rd and 4th functions are controlled with proportional thumb rollers integrated in the joystick handle. Includes FNR switch integrated into the joystick control lever.		
~	HYDRAULIC SYSTEM		
	Description	Code	Price
	Two Function Hydraulics	2402	No Added Cost
	Controls Boom and Bucket only.		
	Not for use with code 2060 Tool Carrier Linkage.		
	Three Function Hydraulics	2403	\$2,231.00
	Controls Boom and Bucket and adds an auxiliary function and boom lines.		
	Four Function Hydraulics	2404	\$4,231.00
	Controls Boom and Bucket and adds two auxiliary functions and boom lines.		
_	Requires code 2360 Joystick Controls.		
_	HYDRAULIC FLUID		
	Description	Code	Price
	Hydrau Hydraulic Fluid	1970	No Added Cost
	Hydrau XR Hydraulic Fluid	1975	\$250.00
	Optional factory fill.		
	Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).		
~	RIDE CONTROL		
	Description	Code	Price
	Ride Control	2510	\$4,015.00
_	Code 9410 Transmission and Botttom Guards are recommended in applications where underside is vulnerable.		
	Less Ride Control	2520	No Added Cost
~	CAB / ROPS		
	Description	Code	Price
	Standard Cab	1905	No Added Cost
	The following options are only available on the standard cab: 1210 100 amp Alternator 1934 5 inch (127mm) Display Monitor		

2220 Deluxe Seat

2708 8 amp Voltage Converter

8250 No Rear Camera or Radar Object Detection System

8310 Standard Exterior Mirrors OR 8320 Heated Exterior Mirrors

8360 Standard radio OR 8380 No radio

Allows lowest cost configuration.

The following options are NOT available in the standard cab configuration:

8370 Premium Radio

8350 Remote Powered and Heated Exterior Mirrors

Premium Cab 1910 (\$512.00)

Requires/Includes the following option codes in order to qualify for package group price:

1217 140 Amp Alternator

1940 7 inch (178mm) Display Monitor OR 1945 7 inch (178mm) Display Monitor with Dedicated 7 inch (178mm) Rear View Camera Display

2240 Premium Seat

2715 15 amp Voltage Converter OR 2730 30 amp Voltage Converter

8240 Rear Camera Only OR 8235 Rear Camera and Radar Object

Detection System

8350 Remote Powered and Heated Exterior Mirrors

8370 Premium Radio

Also includes Cab Automatic Temperature Control System.

A/C CHARGE

Description	Code	Price
Cab with Air A/C Charge	8450	No Added Cost

▼ SEAT

Description	Code	Price
Deluxe Seat, Cloth with Air Suspension	2220	No Added Cost

Fabric Covered Seat with Back Rest Extension includes Lumbar Adjustment and Air Suspension with Full Damping Capability.

Not Available with Premium Cab code 1910

Premium Seat, Heated and Ventilated with Heavy Duty Air 2240 Suspension

Leather Accented Seat with Back Rest Extensions includes Pan Tilt, Pan Extend, Lumbar Adjustment and Air Suspension with Full Damping Capability.

MONITOR

Description	Code	Price
7 inch Monitor	1940	No Added Cost

7 inch Monitor with Dedicated Rear Camera Display

Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.

Bid Term: 2/20/19 - 2/19/21

\$1,645.00

1945

\$1,295.00

	5 inch Monitor	1934	(\$206.00)
	Not Available with Premium Cab code 1910		
_	MIRRORS		
	Description	Code	Price
	Standard Exterior Mirrors	8310	No Added Cost
	Not Available with Premium Cab code 1910		
	Heated Exterior Mirrors	8320	\$424.00
	Not Available with Premium Cab code 1910		
-	Remote Powered and Heated Exterior Mirrors	8350	\$712.00
	Not Available with Standard Cab code 1905		
_	RADIO		
	Description	Code	Price
	Standard Radio	8360	\$576.00
	AM/FM/Weather Band (WB) Radio with Remote AUX Port		
	Requires Standard Cab		
	Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port	8370	\$850.00
	AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port		
	Requires Premium cab		
-	No Radio	8380	No Added Cost
_	Requires Standard Cab		
_	REAR OBJECT DETECTION		
	Description	Code	Price
	Rear Camera and Rear Object Radar Detection	8235	\$4,389.00
	Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.		
_	Rear Camera	8240	\$1,085.00
-	No Rear Object Detection	8250	No Added Cost
	Not Available with Premium Cab code 1910		
~	BEACONS		
	Description	Code	Price

	Strobe Beacon with Left Beacon Bracket	8275	\$275.00
	Strobe beacon on hinged bracket mounted to the rear left side of the cab exterior.		
_	Left Beacon Bracket Only	8290	\$168.00
	Hinged bracket only mounted to the rear left side of the cab exterior.		
_	No Strobe Beacon or Left Beacon Bracket	8298	No Added Cost
~	CAB ENTRANCE STEPS		
	Description	Code	Price
	Left Side Steps Only	5610	No Added Cost
_	Left And Right Side Steps	5620	\$920.00
	Not for use with code 5570 Less Fenders and Rear Platforms		
_	Close Mounted Left Side Steps Only	5670	No Added Cost
	Requires code 5570 Less Fenders and Rear Platforms		
_	STEERING SYSTEMS		
	Description	Code	Price
	Steering Wheel Only	2120	No Added Cost
_	Steering Wheel Only with Secondary Steering	2130	\$2,851.00
	Secondary Steering is NOT Joystick Steering Control. Secondary steering is used in the event of a failure of the normal steering power source(s), or if engine shuts down while the machine is in motion and allows temporary steering of the machine by using an electric motor powered steering pump or a ground driven steering pump (depending on loader model) to provide temporary hydraulic pressure and flow to the steering cylinders.		
~	PAYLOAD SCALE		
	Description	Code	Price
	No Payload Scale with Cycle Counter	2870	\$119.00
	Z-Bar and High Lift Linkage models will be shipped payload scale ready. A payload scale whole good field kit may be added at a later time to install the L2180 Payload Scale.		
	Tool Carrier models are not configured for Loadrite application and will not be shipped Loadrite ready.		
	No Payload Scale without Cycle Counter	2890	No Added Cost
	Z-Bar and High Lift Linkage models will be shipped payload scale ready. A payload scale whole good field kit may be added at a later time to install the L2180 Payload Scale.		
	Tool Carrier models are not configured for Loadrite application and will not be shipped Loadrite ready.		

_

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description

JDLink Ultimate 5 Year Subscription

Code Price 170C No Added Cost

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLink Ultimate Dual 5 Year Subscription

170J

\$2,074.00

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.



FENDERS

Description	Code	Price
Standard Front Fenders	5530	No Added Cost
Includes standard width front fenders, left side steps, as well as both left and right side platforms.		
Fender width is narrower than tire by design to be less susceptible to damage if tire brushes against objects from the side.		
Full Width Front Fenders	5540	\$320.00
Includes full width front fenders, left side steps, as well as both left and right side platforms.		
Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side.		
Full Width Front and Rear Fenders	5550	\$2,310.00
Includes full width front and rear fenders, left side steps, as well as both left and right side platforms.		
Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes againt objects from the side.		
 Mudflaps and wiper flap are NOT included.		
Full Coverage Front and Rear Fenders with Mudflaps	5560	\$2,805.00
Includes full width front and rear fenders, left side steps, as well as both left and right side platforms.		
Also includes mudflaps and wiper flap on front fenders to reduce tire spray while traveling fast in wet conditions.		
Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes againt objects from the side.		
Less Fenders and Rear Platforms	5570	No Added Cost
 Not for use with Code 5620 Left and Right Side Steps		

WHEELS AND TIRES

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660.

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4. Tire chain use requires Axle Stops.

NOTE: If a No Brand Preference code is selected a 9000 code in the Optional Equipment - Order as Desired section will automatically be selected as well. This is required to enable the factory to source this order.

Description	Code	Price
Less Wheels and Tires		
Less Wheels and Tires	4000	No Added Cost

8 Degree Axle Stops Installed

If solid tires are installed it requires the Rear Access Platforms from GR Mfg listed in the Referral section of the Price Pages. Includes retaining

hardware. This package is required for rear axle warranty. For warranty information refer to the SAM manual.		
20.5x25 3pc. Rims Less Tires	4007	\$3,171.00
8 Degree Axle Stops Installed		
600/65R25 3pc. Rims Less Tires	4008	\$3,185.00
 8 Degree Axle Stops Installed		
20.5R25 L2 Single Star Radial Tires With 3 Piece Rims		
No Brand Preference	4932	\$14,275.00
Titan TGD2, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	4413	\$15,000.00
Bridgestone VUT, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	4412	\$16,930.00
Michelin XTLA, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	4411	\$18,283.00
Custom Code - Bridgestone VKT, 20.5R25 L2 Single Star Radial Tires with 3pc Rims	44 A 5	\$23,734.00
20.5-25 L2 16PR Bias Tires With 3 Piece Rims		
No Brand Preference	4933	\$11,900.00
Titan Loader, 20.5-25 L2 16PR Bias Tires with 3pc Rims	4323	\$12,600.00
Firestone SGG, 20.5-25 L2 16PR Bias Tires with 3pc Rims	4322	\$13,107.00
20.5R25 L3 Single Star Radial Tires With 3 Piece Rims		
No Brand Preference	4934	\$13,138.00
Titan STL3, 20.5R25 L3 Single Star Radial Tires with 3pc Rims	4423	\$13,900.00
Bridgestone VJT, 20.5R25 L3 Single Star Radial Tires with 3pc Rims	4425	\$16,640.00
Michelin XHA2, 20.5R25 L3 Single Star Radial Tires with 3pc Rims	4421	\$19,030.00
Other Tire Options		
Firestone SRG, 20.5-25 16PR L3 Bias Tires with 3pc. Rims	4332	\$14,080.00
Michelin XSnoPlus, 20.5R25 L2 Radial Tires with 3pc Rims	4415	\$19,950.00
Michelin MegaXbib, 620/75R26 Agriculture Tires with 1pc Rims	5114	\$19,320.00
8 degree axle stops installed. Requires Code 5570 Less Front Fenders and Rear Platforms.		
	5116	\$19,850.00

	Michelin MegaXbib, 750/65R26 Agriculture Tires with 1pc Rims		
	8 degree axle stops installed. Requires Code 5570 Less Front Fenders and Rear Platforms and Code 5670 Close Mounted Left Side Steps.		
	Custom Code - Michelin XLD, 600/65R25 L3 Radial Tires with 3pc Rims	52A4	\$27,353.00
	8 degree axle stops installed		
	Custom Code - Firestone SDT, 20.5X25 20PR L5 Bias Tires with 3pc Rims	43B6	\$29,531.00
	8 degree axle stops installed		
	Custom Code - Michelin XHA2, 23.5R25 L3 Single Star Radial Tires with 3pc Rims	46A5	\$31,602.00
	8 degree axle stops installed		
	Custom Code - Michelin XLD, 20.5R25 D2 L5 Radial Tires with 3pc Rims	44A7	\$35,873.00
	8 degree axle stops installed		
-	HYDRAULIC COUPLERS		
	Description	Code	Price
	Hydraulic Coupler - JRB 416 Pattern	8560	\$5,709.00
	Hydraulic Coupler - Hi-Vis/ISO Pattern	8561	\$5,709.00
	Field Coupler Ready: Pin Disconnect Plumbing	8563	\$1,452.00
	For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube, electric switch, and solenoid valve.		
	Pins NOT included - dealer will need to work with aftermarket supplier of coupler to procure proper size pins.		
-	Field Bucket Ready: Pins Only	8565	\$595.00
	Pins are shipped with the machine. The pins provided are designed and intended for use in installing Deere designed field installed pin-on buckets. Use of the pins to attach any other buckets, couplers, or other attachments may or may not be acceptable, and must be reviewed on a case by case basis to determine if they provide adequate pin engagement and pin retention.		
	Factory Pin-on Bucket Ready	8567	No Added Cost
_	Required when ordering factory installed pin-on buckets - NOT coupler style hook-on buckets or field installed buckets.		

BUCKETS

Bucket options are orderable with either a coupler or a pin-on configuration, unless otherwise noted.

Description	Code	Price
2.5 Cu. Yd. Bucket	8900	\$6,041.00
All 2.5 cu yd buckets are 100" (2540mm) wide coupler style hook-on Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard.		
No pin-on bucket is offered in this size.		
Not for use with code 8567 Factory Pin-on Bucket.		
2.75 Cu. Yd. Bucket	8905	\$6,533.00
2.75 cu yd pin-on bucket is not available for this size.		
Not for use with code 8567 Factory Pin-on Bucket. All 2.75 cu yd buckets are 100" (2540 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard.		
3.0 Cu. Yd. Bucket (Coupler only)	8910	\$7,007.00
Requires Coupler code 8560 or 8561. All 3.0 cu yd buckets are Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. This is a Coupler style hook-on bucket and is 106" (2692 mm) wide.		
3.25 Cu. Yd. Bucket (Coupler only)	8915	\$7,241.00
All 3.25 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. Requires Coupler code 8560 or 8561.		
3.5 Cu. Yd. Bucket (Coupler only)	8920	\$7,738.00
Requires Linkage code 2010 or 2020 or 2060 and Coupler code 8560 or 8561. 3.5 cu yd coupler style hook-on buckets are not available for the 624L High Lift Plus. All 3.5 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard.		
3.5 Cu. Yd. Bucket (Pin-On only)	8921	\$7,738.00
Requires Linkage code 2010 or 2020 or 2026 and code 8567 for Factory Pin-on Bucket. All 3.5 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard.		
3.75 Cu. Yd. Bucket (Coupler only)	8925	\$8,501.00
3.75 cu yd coupler style hook-on buckets are not available for the 624L High Lift or High Lift Plus. All 3.75 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard. Requires Linkage code 2010 or 2060 and Coupler code 8560 or 8561.		
3.75 Cu. Yd. Bucket (Pin-On only)	8926	\$8,501.00
Requires Linkage code 2010 or 2020 or 2026 and code 8567 for Factory Pin-On Bucket. All 3.75 cu yd buckets are 106" (2692 mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard.		

	4.0 Cu. Yd. Light Material Bucket (Coupler-only)	8930	\$9,963.00
	114" (2896 mm) wide Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
	Requires code 8860 Bolt-on Cutting Edge		
	Not for use with code 8567 Factory Pin-on Bucket.		
	4.5 Cu. Yd. Light Material Bucket (Coupler-only)	8940	\$10,854.00
	114" (2896 mm) wide Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
	Requires code 8860 Bolt-on Cutting Edge		
	Not for use with code 8567 Factory Pin-on Bucket.		
	5.25 Cu. Yd. Light Material Bucket (Coupler-only)	8950	\$12,098.00
	120" (3048 mm) wide Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
	Requires code 8860 Bolt-on Cutting Edge		
	Not for use with code 8567 Factory Pin-on Bucket.		
	No Bucket	8960	No Added Cost
~	CUTTING EDGES AND TEETH		
	Description	Code	Price
	Bolt-on Cutting Edge	8850	\$875.00
	For use with 100 inch wide buckets.		
	Bolt-on Cutting Edge	8860	\$1,003.00
	For use with 106 inch wide and light material buckets.		
	Bolt-on Teeth with Cutting Edge Segments	8870	\$2,328.00
	For use with 100 inch wide buckets.		
	Bolt-on Teeth with Cutting Edge Segments	8880	\$2,738.00
	For use with 106 inch wide buckets.		
-	No Bucket Edge or Teeth	8890	No Added Cost
	Required when ordering code 8960 No Bucket		
~	FORK FRAME		
	Description	Code	Price
	60 in (1524mm) Wide Fork Frame	5760	\$4,222.00
	•		•

	Requires code 8560 Hydraulic Coupler - JRB 416 Pattern OR code 8561 Hydraulic Coupler - Hi-Vis/ISO Pattern		
	96 in (2438mm) Wide Fork Frame	5780	\$7,184.00
	Requires code 8560 Hydraulic Coupler - JRB 416 Pattern OR code 8561 Hydraulic Coupler - Hi-Vis/ISO Pattern		
	No Fork Frame	5840	No Added Cost
•	TINES		
	Description	Code	Price
	48 Inch (1219mm) Construction Tines	5860	\$890.00
	Requires code 5760 60 in (1524mm) Wide Fork Frame OR code 5780 96 in (2438mm) Wide Fork Frame		
	60 Inch (1524mm) Construction Tines	5870	\$1,140.00
	Requires code 5760 60 in (1524mm) Wide Fork Frame OR code 5780 96 in (2438mm) Wide Fork Frame		
	72 Inch (1829mm) Construction Tines	5890	\$1,440.00
	Requires code 5760 60 in (1524mm) Wide Fork Frame OR code 5780 96 in (2438mm) Wide Fork Frame		
	No Tines	5940	No Added Cost
	Required when ordering code 5840 No Fork Frame		
_	REAR HITCH AND COUNTERWEIGHTS		
	Description	Code	Price
	Rear Hitch and Counterweight	8220	No Added Cost
	Less Rear Hitch and Counterweight	8230	(\$1,275.00)
	This option is typically used in conjuncture with a waste handling package or any other special application where a GR Manufacturing rear guarding package is installed. The less counterweight code still includes the left side pod as it is needed to house the DEF tank.		
	Please consult DMAC if you have any questions as this code will reduce FTTL.		
	Right side rear counterweight is removed, left side rear counterweight is still in place due to DEF/fuel tank placement. For use with Standard or High Lift Linkage Codes 2010 or 2020 only Right side rear counterweight is removed, left side rear counterweight is still in place due to DEF/fuel tank placement. For use with Standard or High Lift Linkage Codes 2010 or 2020 only		
Opt	ional - Select as desired		
_	ENGINE		
	Description	Code	Price
	Engine Block Heater	9015	\$243.00

	Recommend for cold starts below -10 degrees F (-23 C)		
	Environmental Drains and Sampling Ports	9043	\$410.00
_	Throttle Lock	9055	\$215.00
	This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.		
	Engine Compartment Light	9240	\$180.00
~	DRIVETRAIN AND COOLING		
	Description	Code	Price
	Wheel Spin Control System	9050	\$490.00
	Wheel spin control engages in 1st gear only.		
~	OPERATOR'S STATION		
	Description	Code	Price
	Powered Cab Fresh Air Pre-Cleaner	9115	\$945.00
	Extends cab air filter change intervals.		
	Seat Belt with Minder Switch and External Indicator Light	9127	\$360.00
	The seat belt Minder Switch sends a JDLink code alert if the park brake is released and seat belt not latched The external indicator light, is a green strobe beacon mounted on the right hand corner of the cab that flashes anytime the unit is running and the seat belt is latched.		
	Fire Extinguisher	9140	\$149.00
	5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher mounted inside the cab to the left front ROPS post.		
~	TIRE BRAND PREFERENCE		
	Description	Code	Price
	No Tire Brand Preference		
	20.5R25 1 STAR L2 NO BRAND PREFERRED RADIAL TIRES WITH 3 PC RIMS	9707	No Added Cost
_	20.5-25 L2 16PR BIAS NO BRAND PREFERRED WITH 3 PC RIMS	9708	No Added Cost
_	20.5R25 1 STAR L3 NO BRAND PREFERRED RADIAL TIRES WITH 3 PC RIMS	9709	No Added Cost
_	MISCELLANEOUS		
	Description	Code	Price
	Electrical Corrosion Prevention Package	9210	\$1,425.00
	Preventive corrosion treatment for use in corrosive environments.		

Preventive corrosion treatment includes dielectric grease for electrical connections and polyurethane-based sealant on exposed terminals.

Transmission and Bottom Guards	9410	\$1,937.00
Recommended in applications where underside is vulnerable.		
Includes transmission side guards, bottom guards, and loader mast side covers.		
Lift Hooks	9510	\$317.00
License Plate Bracket	9520	\$177.00
Includes light for night time illumination.		
Slow Moving Vehicle (SMV) Emblem	9525	\$157.00
Finish Paint - Decals Not Installed	9800	No Added Cost
For custom paint. Non-Paintable charcoal grey cab roof. Decals packaged with machine. Safety decals installed.		
Shipping Rust Preventive Coating - Non Export	9909	\$235.00
Coating protects exposed unpainted surfaces from road salt during shipment.		

4WD LOADER SIMULATOR

4WD Loader Operator Training Simulator

- JD Bookstore order code: SIM5700
- JD Bookstore Price: \$15,997

Includes software, replica joysticks, foot petals, steering wheel and integrated seat. Item ordered through the JD Bookstore.

ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, lowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
Bucket Hardware & Accessories		
Auxiliary Cutting Edge for 106 in. (2690mm) Bucket Width	AT209155	\$1,471.00
NOTE: * Installation instructions T170401. * Average installation, 4.5 hours.		
Coupler Attachment Adapter Hook Plates (2) Standard	AT315871	\$2,067.00
Installation instructions T211880		

Coupler Attachment Adapter Hook Plates, (2) Hi-Vis	AT330639	\$2,047.00
Installation instructions T211880		
Teeth with Segments for 106 in.(2690mm) Bucket Width	AT400165	\$2,793.00
<u>Buckets</u>		
2.5 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge	BYT10596	\$5,879.00
100" (2540mm) wide Hi-Vis coupler hook-on Enhanced Production buck with weld-on Skid Shoes and integrated spill guard	ket	
2.5 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge	BYT10623	\$5,879.00
100" (2540mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
2.75 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge	BYT10597	\$6,297.00
100" (2540mm) wide Hi-Vis coupler hook-on Enhanced Production buck with weld-on Skid Shoes and integrated spill guard	ket	
2.75 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge	BYT10625	\$6,297.00
100" (2540mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
3.0 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge	BYT10604	\$6,700.00
106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production buck with weld-on Skid Shoes and integrated spill guard	ket	
3.0 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge	BYT10626	\$6,700.00
106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
3.25 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge	BYT10608	\$7,007.00
106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production buck with weld-on Skid Shoes and integrated spill guard	ket	
3.25 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge	BYT10627	\$7,007.00
106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
3.5 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge	BYT10628	\$7,430.00
Not recommended for use with High Lift Plus Linkage 106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard		
Buckets Coupler		
3.5 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge	BYT10613	\$7,430.00
106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production buck with weld-on Skid Shoes and integrated spill guard Not recommended for use with High Lift Plus Linkage	ket	

3.75 Cu. Yd. Hi-Vis Coupler Bucket w/ Cutting Edge	BYT10616	\$8,079.00
106" (2692mm) wide Hi-Vis coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard Not recommended for use with High Lift or High Lift Plus Linkages		
3.75 Cu. Yd. Std. Coupler Bucket w/ Cutting Edge	BYT10629	\$8,079.00
106" (2692mm) wide JRB 416 Compatible coupler hook-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard Not recommended for use with High Lift or High Lift Plus Linkages		
Buckets Light Material		
3.5 Cu. Yd. YD Pin-on Bucket w/ Cutting Edge	BYT10633	\$7,430.00
106" (2692mm) wide pin-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard. Not for use with Tool Carrier Linkage		
3.75 Cu. Yd. YD Pin-on Bucket w/ Cutting Edge	BYT10634	\$8,079.00
106" (2692mm) wide pin-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard. Not for use with Tool Carrier Linkage		
4.00 Cu. Yd. Hi-Vis Coupler Light Material w/ Cutting Edge	BYT10778	\$9,321.00
114" (2896 mm) wide Hi-Vis coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
4.00 Cu. Yd. Std. Coupler Light Material w/ Cutting Edge	BYT10779	\$9,321.00
114" (2896 mm) wide JRB 416 Compatible coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
4.50 Cu. Yd. Hi-Vis Coupler Light Material w/ Cutting Edge	BYT10777	\$10,078.00
114" (2896 mm) wide Hi-Vis coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
4.50 Cu. Yd. Std. Coupler Light Material w/ Cutting Edge	BYT10780	\$10,078.00
114" (2896 mm) wide JRB 416 Compatible coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
5.25 Cu. Yd. Hi-Vis Coupler Light Material w/ Cutting Edge	BYT10776	\$11,136.00
120" (3048 mm) wide Hi-Vis coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid Shoes, and integrated spill guard. Side cutters are also available as field kits.		
5.25 Cu. Yd. Std. Coupler Light Material w/ Cutting Edge	BYT10781	\$11,136.00
1120 (3048 mm) wide JRB 416 Compatible coupler hook-on Enhanced Production Light Material bucket with Bolt on Cutting Edges, Bolt on Skid		

Shoes, and integrated spill guard. Side cutters are also available as field kits.		
Auxiliary Cutting Edge For 4.0 and 4.5 Cu. Yd. Light Material Bucket	AT446161	\$1,583.00
For use with 114 in. (2895.6 mm) bucket width		
Auxiliary Cutting Edge For 5.25 Cu. Yd. Light Material Bucket	AT446162	\$1,665.00
For use with 120 in. (3048 mm) bucket width		
Side Cutting Edge for Light Material Bucket	AT446204	\$261.00
Includes cutting edges and hardware for both sides of bucket		
<u>Couplers</u>		
Hydraulic Coupler - Hi-Vis/ISO Pattern	BYT10637	\$4,853.00
For use with Standard, High Lift, and High Lift Plus Z-Bar Linkages Linkage		
Hydraulic Coupler - Hi-Vis/ISO Pattern	BYT11134	\$4,853.00
For use with Tool Carrier Linkage		
Hydraulic Coupler - JRB 416 Pattern	BYT10638	\$4,853.00
For use with Standard, High Lift, and High Lift Plus Z-Bar Linkages Linkage		
Hydraulic Coupler - JRB 416 Pattern	BYT11133	\$4,853.00
For use with Tool Carrier Linkage		
Fork Hardware & Accessories		
60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 48 in. (1.219 m) Tines	BYT10664	\$4,345.00
Compatible with JRB 416 pattern hook-on coupler		
60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines	BYT10665	\$4,558.00
Compatible with JRB 416 pattern hook-on coupler.		
60 in. (1.52 m) Coupler Fork Frame Carriage w/ (2) 72 in. (1.83 m) Tines	BYT11127	\$4,813.00
Compatible with JRB 416 pattern hook-on coupler		
60 in. (1.52 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 48 in. (1.219 m) Tines	BYT10662	\$4,345.00
Compatible with Hi-Vis/ISO pattern hook-on coupler		
60 in. (1.52 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 60 in. (1.52 m) Tines	BYT10663	\$4,558.00

Co	ompatible with Hi-Vis/ISO pattern hook-on coupler		
	0 in. (1.52 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 2 in. (1.83 m) Tines	BYT11128	\$4,813.00
Co	ompatible with Hi-Vis/ISO pattern hook-on coupler		
	6 in. (2.44 m) Coupler Fork Frame Carriage w/ (2) 60 in. 1.52 m) Tines	BYT10840	\$7,075.00
Co	ompatible with JRB 416 pattern hook-on coupler		
	6 in. (2.44 m) Coupler Fork Frame Carriage w/ (2) 72 in. 1.83 m) Tines	BYT11129	\$7,330.00
Co	ompatible with JRB 416 pattern hook-on coupler		
	6 in. (2.44 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 0 in. (1.52 m) Tines	BYT10841	\$7,075.00
Co	ompatible with Hi-Vis/ISO pattern hook-on coupler		
	6 in. (2.44 m) Hi-Vis Coupler Fork Frame Carriage w/ (2) 2 in. (1.83 m) Tines	BYT11130	\$7,330.00
Co	ompatible with Hi-Vis/ISO pattern hook-on coupler		
<u>H</u>	lydraulics		
Hi	igh-Altitude Hydraulic Kit	AT455552	\$618.00
	or use at high altitudes to improve hydraulic performance by pressurizing e hydraulic tank. For use above 10,000 feet.		
Fo	or use with FT4 Loader Engines.		
<u>H</u>	lydraulics		
31	rd Function Hydraulics	BYT11231	\$4,157.00
	cludes third function hydraulic valve section. oes not include in-cab control function.		
	it does not include hoses and will require dealer to manufacture hoses er installation instructions.		
3r	rd Function Plumbing from Boom to Coupler	BYT11246	\$174.00
	or use on units with factory 3rd function hydraulics having a coupler dded in the field.		
	it does not include hoses and will require dealer to manufacture hoses er installation instructions.		
3r	rd Function Single Axis Lever	BYT11268	\$314.00
sir joy	-cab control lever only for updating units equipped with two-function ngle axis controls to three-function single axis controls. Not for use with ystick control lever. oes not include hydraulic valve section or any associated plumbing.		

4th Function Hydraulics	BYT11233	\$4,157.00
Includes 4th function hydraulic valve section. Not for use with single axis control levers. Requires joystick control lever. Does not include in-cab control function.		
Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.		
For use with Standard Z-bar (code 2010) , High Lift (code 2020), and High Lift Plus (code 2026) linkages.		
4th Function Hydraulics - Tool Carrier	BYT11234	\$2,907.00
Includes 4th function hydraulic valve section. Not for use with single axis control levers. Requires joystick control lever. Does not include in-cab control function.		
Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.		
 For use with Tool Carrier (code 2060) linkage.		
5th/6th Function Hydraulics	BYT11236	\$3,876.00
Includes hydraulic valve section and tie rods which allow for 5th and/or 6th auxiliary functions. A separate kit would need to be ordered to add both 5th and 6th functions to an existing 4-function valve. Does not include in-cab control function. Unit must be equipped with 4-function joystick control lever to operate 5th and 6th functions. If unit is equipped with 3-function joystick controller then a new 4-function joystick control lever will be required. 5th and 6th functions are not compatible with single axis controls.		
Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.		
For use with Standard Z-bar (code 2010), High Lift (code 2020), and High Lift Plus (code 2026) linkages. Not compatible with Tool Carrier (code 2060) Linkage.		
Attachment Coupler Plumbing Kit - High Lift Linkage	BYT11242	\$444.00
For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.		
Attachment Coupler Plumbing Kit - High Lift Plus Linkage	BYT11243	\$444.00
For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.		
Attachment Coupler Plumbing Kit - Standard Z-Bar Linkage	BYT11241	\$444.00
For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.		
Cable Reinforced Coupler Plumbing kit	BYT11244	\$215.00
Provides plumbing from boom cross tube to the coupler.		
For use with Deere designed JRB 416 style coupler added in the field.		

Cable Reinforced Coupler Plumbing kit - Hi-Vis/ISO	BYT11245	\$215.00
Provides plumbing from boom cross tube to the coupler.		
For use with Deere designed Hi-Vis/ISO style coupler added in the field.		
Hydraulic Control Valve for Attachment Coupler Locking Pins	BYT11237	\$890.00
For use with field installed Attachment couplers. Includes solenoid valve and and software to program SSM switch to		
operate coupler. Both Attachment Coupler Plumbing and Cable Reinforced Coupler Plumbing kits are needed to provide plumbing from the valve to the coupler.		
Joystick Controls (2 or 3 function) Conversion to Joystick Controls (4, 5, or 6-Function)	BYT11252	\$1,200.00
To convert from single joystick hydraulic control lever with FNR and one integrated auxiliary function roller (2 or 3 function) to single joystick hydraulic control lever with FNR and two integrated auxiliary function rollers for 4, 5, or 6-functions.		
Kit only updates in-cab controls and does not include valve sections or plumbing.		
Joystick Controls Conversion to Single Axis Controls (2-Function)	BYT11250	\$1,262.00
To convert from single joystick hydraulic control lever with FNR to 2-Leve single axis controls with steering column FNR lever.	er	
Joystick Controls Conversion to Single Axis Controls (3-Function)	BYT11187	\$1,575.00
To convert from single joystick hydraulic control lever with FNR and auxiliary function to 3-Lever single axis controls with steering column FNI lever.	R	
Single Axis Controls Conversion to Joystick Controls (2 or 3-Function)	BYT11186	\$1,240.00
To convert from 2 or 3-Lever single axis controls with steering column FNR lever to single joystick hydraulic control lever with FNR and integrated auxiliary function roller.		
Single Axis Controls Conversion to Joystick Controls (4, 5 or 6-Function)	, BYT11251	\$1,543.00
To convert from 2 or 3-Lever single axis controls with steering column FNR lever to single joystick hydraulic control lever with FNR and integrated auxiliary function rollers for 4, 5, or 6-functions.		
Kit only updates in-cab controls and does not include valve sections or plumbing.		
Operator Environment		
24 Volt to 12 Volt - 30 Amp Converter	BYT11259	\$337.00
	BYT11265	\$1,511.00

Dedicated 7-inch Rear Camera Display		
Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.		
Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port	BYT11249	\$781.00
Rear Camera	BYT11263	\$997.00
Display shows view behind the machine. Rear view is displayed in video-enabled LCD Color Monitor.		
Rear Camera and Rear Object Radar Detection	BYT11264	\$4,031.00
Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.		
Ride Control Kit	BYT11255	\$3,687.00
Transmission and Botttom Guards are recommended in applications where underside is vulnerable.		
Satellite Radio Installation Kit	BYT11407	\$378.00
Kit includes a Satellite Radio Antenna, Satellite Radio Receiver, Satellite Radio Harness, and mounting brackets to allow the existing radio to receive and play Satellite radio braodcast signals. The kit does not include a Satellite radio subscription and an existing radio is required.		
Secondary Steering System	BYT11257	\$2,618.00
Overall Vehicle		
24V Aux Electrical Output Kit	BYT11267	\$177.00
Provides 24V output to allow opertion of electrical solenoid valves or other electrical components from the hydraulic controls through the multifunction button.		
Engine Compartment Light	BYT11260	\$166.00
Full Coverage Front and Rear Fenders with Mudflaps	BYT11202	\$2,576.00
Fender Kit contains all parts necessary to convert a machine from the base factory option of Standard Front Fenders to the equivalent of the factory option of Full Coverage Front and Rear Fenders with Mudflaps. Includes full width front and rear fenders, mudflaps on front and rear fenders, and wiper flaps on front fenders to reduce tire spray while traveling fast in wet conditions.		
Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes againt objects from the side.		
License Plate Bracket	BYT11266	\$163.00
 Includes light for night time illumination.		
 Right Side Steps and Handholds	BYT11204	\$845.00

	Strobe Beacon with Mounting Brackets	BYT11247	\$359.00
	Kit includes one strobe beacon and two hinged mounting brackets, one for each side of the machine. Each side of the machine is pre-wired for the beacon so beacon can be installed on either side.		
	Throttle Lock Software	BYT11262	\$198.00
	This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.		
	Wheel Spin Control	AT453819	\$762.00
	Wheel spin control engages in 1st gear only. Software only kit. Order software kit AT453820 through JDPoint to enable functionality on the machine.		
	Powertrain & Cooling		
	Automatic Axle Differential Lock (Auto-Diff/Lock)	AT362998	\$1,565.00
	Automatic Reversing Hydraulic Fan	BYT11254	\$1,515.00
	Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise. Automatic Reversing fan to purge debris and dust on cooling system inlet screens and coolers periodically to reduce cleaning. Reversing intervals can be set in the monitor.		
	Requires Engine Air Intake with Centrifugal Precleaner		
	Environmental Drains and Sampling Ports	BYT11228	\$377.00
	Includes transmission drain valve, hoses to all drain valves and hardware to safely drain vehicle fluids.		
	Powered Cab Air Pre-Cleaner	BYT11253	\$869.00
	Extends cab air filter change intervals		
REFE	RRAL ATTACHMENTS		
	Description	Code	Price
	<u>G.r.mfg.</u>		
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc. G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005		
	624L Waste Handler Package, Installed	BYT11112	\$26,840.00
	Requires code 1021, Waste Handler Configuration Installed package includes the following: Axle Seal Guards Boom Cylinder Hydraulic Line & Cavity Guards Bucket Cylinder Hydraulic Line/Rod/Sensor Guard		

Articulation Joint Guards
Hydraulic Tank and Cab Entry Step Guard
Extreme Service Transmission Side Guards
Extreme Service Loader Frame Front Cover
Extreme Service Guards for Loader Drive, Work, & Turn Lights
Full Frontal Cab Window Guard (does not meet SAE J1084 Forestry
Standard)
Rear Loader Frame Guard
4th Gear Disabled
Strobe Light Right Rear Cab Roof Mounted, Fold Down
Lower Boom & Bucket Grease Fitting Guards
Rear Access Platforms with Flexible Step, Hand Holds & Tie Downs
Battery Disconnect Switch Compartment Guard

P	Articulation Joint Guards	BYT11085	\$2,372.00
lı	Protects center pivot area. ncludes heavy duty transmission compartment side shields. Recommended for trash handling, brush clearing, & recycling.		
P	Axle Seal Guards	BYT11086	\$1,401.00
Е	Boom Cylinder Hydraulic Line & Cavity Guards	BYT11089	\$2,616.00
(Cab Side and Rear Screen Package	BYT11091	\$4,060.00
F	Front Screen for Cab	BYT11090	\$2,533.00
	Front Screen will fully open to facilitate cleaning. SO 8084 CERTIFIED		
F	Heavy-Duty Rear Grille Guard	BYT11092	\$2,924.00
F	Requires Rear Access Deflectors.		
F	Heavy-Duty Service Cab Entry Step	BYT11088	\$1,120.00
F	Hyd Operated Extreme Service Bottom Guards	BYT11087	\$6,120.00
_	Cannot be used with code 3110 Axle Auto Diff Lock or 9410 Transmission & Bottom Guards.		
F	Rear Tire Deflector Kit	BYT11093	\$6,604.00
F	Required when machine is equipped with solid or foam filled tires.		

Copyright © Deere & Company. All Rights Reserved.

Precleaner Prescreen Kit

About Our Site | Privacy and Data | Legal | |