John Deere -11-22-22 644 G WHEEL LOADER

22-Nov-2022

Code Description QTY List Price (USD)

3000BZ 644 G WHEEL LOADER

644 G-tier Standard Equipment

POWER TRAIN:

Torque Converter Powershift Transmission, 4 Speeds

1

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE

\$332,855.00

Forward, 3 Speeds Reverse

Electronically Controlled Fully Automated Shift System

Quick Shift Button on Loader Control Lever

Automatic / Manual Shift Modes

Clutch-Cutoff with 3 Slope Settings

Clutch Calibration Engaged from Monitor

Conventional Front and Rear Differentials with Inboard

Mounted Heavy Duty Planetary Gears

Front and Rear Wet Disk Brakes with Brake Retractors

Electrically Actuated Automatic Spring Applied,

Hydraulically Released, Wet Multi-Disc Park Brake

Transmission Fill Tube and Sight Gauge

2000 Hour Transmission Filter

COOLING:

Cooling System Isolated from Engine Compartment

Engine Radiator

Integral Engine Oil Cooler

Hydraulic Oil Cooler (Oil to Air)

Transmission Oil Cooler (Oil to Air)

Charge Air Cooler (Air to Air)

Coolant Recovery Tank

Cool Guard II 60/40, -62F (-52 C)

Cool-on Demand Fan

Enclosed Fan Safety Guard

HYDRAULICS:

Pressure Compensating Load Sensing Hydraulic System

2 Function Hydraulic Joystick with FNR Control

Automatic Return to Dig

In Cab Adjustable Automatic Boom Height Kickout / Return

to Carry

Hydraulic Function Enable / Disable

Hydraulic Reservoir with Sight Gauge and Fill Strainer

4000 Hour In-Tank Filter

ELECTRICAL:

24 Volt Electrical System

Solid State Electrical Power Distribution System

(2) Heavy Duty Batteries - Each 950 Cold Cranking Amps/165

Minute Reserve Capacity

Lockable Master Electrical Disconnect Switch

Battery Terminal Safety Covers

Pre-wired for Beacon/Strobe Light

Lights:

(2) Halogen Driving Lights

(2) Halogen Front and (2) Rear Cab Work Lights

Front Halogen/Rear LED Turn Signals and Flashers

LED Stop and Tail Lights

Horn, Electric

Reverse Warning Alarm

Voltage Converter for 24V to 12V / 15 Amps

Multi-Function / Multi-Language LCD Color Monitor

includes:

DIGITAL INSTRUMENTS

ANALOG Display:

Engine Coolant Temperature

Transmission Oil Temperature

Fuel Level

DEF Level

DIGITAL Display:

Engine RPM

Transmission Gear / Direction Indicator

Hour Meter

Speedometer

Outside Temperature

Indicator Lights for Standard and Selected Options

Indicator Lights For Amber Caution and Red Stop Operator

Warning Messages

BUILT-IN DIAGNOSTICS:

Diagnostic Code Details

Sensor Values

Calibrations

MENU DISPLAY:

Diagnostics

Machine Setup

Display Settings

OPERATOR'S STATION:

ROPS/FOPS Level 2 Cab with Heater and Air Conditioning

Front and Rear Windshield Wipers and Washers

(1) Inside and (2) Outside Rear View Mirrors

Right Side Opening Window

Keyless Start with Multiple Security Modes

Sealed Switch Module with Function Indicators

Seat with Back Rest Extension, Deep Foam, Fabric Cover,

Adjustable Air Suspension for Weight/Height with Fore-Aft

Adjustment and Adjustable Arm Rests

Hydraulic Controls Integrated to Right Side Console

Cup Holder

Dome and Reading Light

12 Volt Power Port

Radio Ready

Rubber Floor Mat

Tilt Steering Column

Textured Steering Wheel with Spinner Knob

Operator's Manual Storage Compartment

Left Side Operator Station Access

Slip-Resistant Steps and Ergonomically Located Handholds

Overall Vehicle:

Standard Z-Bar Linkage

Front and Rear Tie Downs

Front Fenders

Rear Hitch with Locking Pin

Articulation Locking Bar

Boom Locking Bar

40 Degree Steering Articulation to Each Side with Rubber

Cushion Stops on Frame

Vandal Protection With Lockable Engine Enclosures, Left and Right Counterweight Compartments Left Side Service Steps and Handholds Fuel Tank Fill Strainer Ground Level Fueling and DEF

3000BZ	644 G WHEEL LOADER	1	\$332,855.00
	DESTINATION AND LANGUAGE		
	Destination Code	Basic Factory O	otions - Required
0202	United States Includes: Sun Visor		\$152.00
	Operator's Manual and Language	Basic Factory O	otions - Required
0259	English English language for operator's manual and electronic content		No Added Cost
0287	Spanish Spanish language for operator's manual and electronic content		No Added Cost
	Labels	Basic Factory O	otions - Required
0351	Translated Text Labels Vehicle labels translated to selected language		No Added Cost
0352	No Text Labels Vehicle labels will be no text		No Added Cost
	MACHINE CONFIGURATION		
	MACHINE CONFIGURATION Machine Configuration	Basic Factory O	otions - Required

PACKAGES Trim Packages **Basic Factory Options - Required** No Added Cost 0601 Level 1 Trim Includes: - Mechanical Suspension Seat with 3" Seat Belt - Radio Ready (Cover, no Radio included) - Standard Rear Work Lights (2 Cab Mounted Halogen Lights) - No Ride Control 0602 Level 2 Trim \$6,623.00 Includes: - Air Ride Seat - 3" Orange Seat Belt - AM/FM Radio - Supplemental Rear Work Lights (Level 1 Trim Lighting plus 2 additional rear grill mounted halogen work lights) - Ride Control Basic Factory Options - Required Performance Packages 0651 Level 1 Performance No Added Cost This Package is recommended for machines that will be used on stable ground conditions or hard surfaces. Package includes: - Open Front Differential (No Diff Lock) - Open Rear Differential (No Diff Lock) 0652 \$2,835.00 Level 2 Performance This Package is recommended for machines that will be used on soft or unstable ground conditions where additional traction may be needed. Package includes: - Locking Front Differential (Manual Hydraulically Locking Differential) - Open Rear Differential (No Diff Lock) COLD WEATHER PACKAGES - ORDER AS DESIRED Field Installed Attachments - Optional 8500 Cold Weather Package \$496.00 This Package is recommended for machines that will spend extended periods of time working in colder environments Package includes: - Block Heater - Hydrau XR Hydraulic Oil (provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F))

DEBRIS PACKAGES - ORDER AS DESIRED

Field Installed Attachments - Optional

8501 Debris Package \$1,412.00 This Package is recommended for machines working in dusty or high debris applications. Package includes: - Automatic Reversing Hydraulic Fan - Engine Air Intake System with Centrifugal Precleaner AUXILIARY EQUIPMENT PACKAGES - ORDER AS DESIRED Field Installed Attachments - Optional 8503 Auxiliary Equipment Package \$442.00 Package includes: - Beacon Light - Fire Extinguisher Bracket - License Plate Bracket **OPERATOR'S STATION** VISION SYSTEMS Basic Factory Options - Required 0951 Rear Camera No Added Cost Rear camera with display integrated into monitor Field Installed Attachments - Optional Operator's Station-Order As Desired 8210 \$1,828.00 Secondary Steering Secondary Steering is NOT Joystick Steering Control. Secondary steering is used in the event of a failure of the normal steering power source(s), or if engine shuts down while the machine is in motion and allows temporary steering of the machine by using an electric motor powered steering pump or a ground driven steering pump (depending on loader model) to provide temporary hydraulic pressure and flow to the steering cylinders. PRECISION TECHNOLOGY SOLUTIONS Machine Connectivity Basic Factory Options - Required

JDLink™

170K

Includes integrated cab wiring harness, antenna, and JDLink™ Modem (MTG).

No Added Cost

ctivity is enabled separately through the JDLink™ website. Connectivity service is subject to country	
ENGINE	
Engine	Basic Factory Options - Required
John Deere PowerTech Engine John Deere PowerTech PSS 6.8L meets EPA FT4 and EU Stage V Emissions	No Added Cost
Fuel Filtration	Basic Factory Options - Required
Standard Fuel Filter with Water Separator	No Added Cost
HYDRAULICS/CONTROLS	
Hydraulic Systems	Basic Factory Options - Required
Two Function Hydraulics with Joystick Controls Provides a single lever (joystick) control for the boom and the bucket. Includes FNR switch integrated into control lever.	No Added Cost the joystick
Three Function Hydraulics with Joystick Controls Provides a single lever (joystick) control for the boom and the bucket. Includes FNR switch integrated into control lever. Includes boom lines and an additional single axis lever control for one auxiliary function con	\$2,343.00 the joystick atrol.
WHEELS/TIRES/TRACKS	
Wheels and Tires	Basic Factory Options - Required
23.5 BIAS PLY	
LINGLONG - 23.5-25 L3 16PR BIAS TIRES w/ 3 PC RIMS	(\$2,100.00)
	John Deere PowerTech Engine John Deere PowerTech PSS 6.8L meets EPA FT4 and EU Stage V Emissions Fuel Filtration Standard Fuel Filter with Water Separator HYDRAULICS/CONTROLS Hydraulic Systems Two Function Hydraulics with Joystick Controls Provides a single lever (joystick) control for the boom and the bucket. Includes FNR switch integrated into control lever. Three Function Hydraulics with Joystick Controls Provides a single lever (joystick) control for the boom and the bucket. Includes FNR switch integrated into control lever. Includes boom lines and an additional single axis lever control for one auxiliary function control lever. Includes boom lines and an additional single axis lever control for one auxiliary function control lever. Includes and Tires

Grounds Equipment - Bid #ESCNU 18/19-25 SD)

	The pins shipped with the machine are compatible with Deere designed field installed pin-on buckets. Any couplers, or Attachments must be reviewed prior to use.	other Buckets,
7407	Field Bucket Ready: Pins Only For use with Field Installed Pin On Buckets	No Added Cost
7404	Hydraulic Coupler - Hi-Vis/ISO Pattern	\$7,968.00
7408	Factory Pin-on Bucket Ready For use when ordering factory installed pin-on buckets.	No Added Cost
	Hydraulic Couplers or Attachment Mounting	Basic Factory Options - Required
	IMPLEMENTS/ATTACHMENTS	
5176	MAXAM SNOW - 23.5R25 L2 2-STAR RADIAL TIRES w/ 3 PC RIMS	\$735.00
	OTHER/SPECIALTY	
5166	TIANLI - 23.5R25 L3 2-STAR RADIAL TIRES w/ 3 PC RIMS	(\$1,103.00)
5177	MAXAM - 23.5R25 L3 2-STAR RADIAL TIRES w/ 3 PC RIMS	No Added Cost
	23.5 RADIAL	

	Buckets	Basic Factory Options - Required		
	Bucket options are orderable with either a coupler or a pin-on configuration, unless otherwise noted.			
7895	4.00 YD (3.10 CM) General Purpose Bucket includes straight side cutters and weld on skid shoes.	\$7,718.00		
7835	4.25 YD (CM) General Purpose Bucket includes straight side cutters and weld on skid shoes.	\$8,243.00		
7800	Less Bucket	No Added Cost		
	Cutting Edges/Segments/Teeth	Basic Factory Options - Required		
7458	Bolt On Cutting Edge	\$2,537.00		
7464	Teeth With Segments	\$3,398.00		
7465	Less Cutting Edge, Segments, and Teeth	No Added Cost		
	MISCELLANEOUS			
	Couplers	Field Installed Attachments - Optional		
AT354840	Hi-Vis Z-Bar Hydraulic Attachment Coupler Cable Reinforced Coupler Plumbing Kit (AT347176) is also required for installation of the Hi-Vis Z-Coupler.	\$7,098.00 Bar Hydraulic Attachment		
	Forks	Field Installed Attachments - Optional		
BYT10667	76 in. (1.93 m) Hi-Vis Coupler Fork Frame, Floating Tine w/ (2) 72 in. (1.83 m) Tines Compatible with Hi-Vis/ISO pattern hook-on coupler	\$12,031.00		

BYT10666 76 in. (1.93 m) Hi-Vis Coupler Fork Frame, Floating Tine w/ (2) 60 in. (1.52 m) Tines Compatible with Hi-Vis/ISO pattern hook-on coupler

\$10,227.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are

in U.S. dollars and valid only in the U.S.