Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

824 P Wheel Loader

22-Nov-2022

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE

\$568,967.00

Code Description QTY List Price (USD)

6090DW 824 P Wheel Loader

824 P-Tier Standard Equipment

POWERTRAIN:

5 Speed Transmission with Lock-Up Torque Converter Electronically Controlled Fully Automated Shift System Quick Shift Button on Loader Control Lever with 2 Selectable

Modes

Automatic / Manual Shift Modes Programmable Maximum High Gear

Transmission Clutch Disconnect with 4 Selectable Settings Transmission Clutch Calibration Engaged from Monitor 100% Locking Front and Conventional Rear Differentials with Inboard

ii ibuai u

Mounted Heavy Duty Planetary Gears

Heavy Duty Self Adjusting Front and Rear Power Brakes Electrically Actuated Automatic Spring Applied, Hydraulically

Released, Wet Multi-Disc Park Brake Transmission Fill Tube and Sight Gauge 2000 Hour Transmission Filter

Wheel Spin Control System

COOLING:

Quad-Cool System:

Heavy Duty, Debris Resistant High Ambient Cooling Package

2 Side access to all Coolers

Cooling System isolated from Engine Compartment

Engine Radiator

Integral Engine Oil Cooler
Hydraulic Oil Cooler (Oil to Air)
Transmission Oil Cooler (Oil to Air)
Charge Air Cooler (Air to Air)
Air Conditioner Condenser

Coolant Recovery Tank

Antifreeze, -34F (-37 C)

Cool-on Demand Swing out Fan Automatic Reversing Hydraulic Fan

Enclosed Fan Safety Guard

Front and Rear Axle Coolers with Axle Oil Filtration

HYDRAULICS:

2 Function -- 2-Lever Single Axis Electrohydraulic Controls Joystick Steering with Lever Mounted FNR Control

Joystick Steering with Level Mounted Fink control

Variable-Displacement, Load-Sensing Axial Piston Steering

Hydraulic Pump; Closed-Center System

2 Variable-Displacement, Load-Sensing Axial-Piston Implement

Pumps; Closed-Center System

In Cab Adjustable Automatic Boom Height Kickout/Return To

Carry/Bucket Return To Dig

Ride Control, Automatic with Monitor Adjustable Speed Settings

Hydraulic Function Enable/ Disable

Hydraulic Reservoir with Sight Gauge and Fill Strainer

Operator's Manual Storage Compartment

(2) Inside Rear View Mirrors

Front and Rear Intermittent Windshield Wiper and Washers

1

Left and Right-Side Cab Access

Slip-Resistant Steps and Ergonomically Located Handholds

Front Window Washing Platforms

5000lb Capacity Anchor Point for Fall Arrest Lanyard Tie Off

Ring

CB Radio Ready with CB Mounting Bracket, Power and

Antennae Wiring

OVERALL VEHICLE:

Level 1 and Level 2 Sound Package

(2) Programmable Multi-Function Buttons Located on

Hydraulic Implement Controls

Lift Eyes

Front and Rear Tie Downs

Full Coverage Front Fenders

Cast Bumper with Rear Hitch and Locking Pin

Articulation Locking Bar

Boom Locking Bar

40 Degree Steering Articulation to Each Side with Rubber

Cushion Stops

on Frame

Vandal Protection With Lockable Engine Enclosures, Right

Counterweight

Compartment, Battery Box, Filler Access for

Radiator/Fuel/Hydraulic/Transmission

Right and Left Handrails, Platforms and Steps

Ground Level Fueling (and DEF - FT4 Only)

Fuel Tank Fill Strainer

Left and Right Engine Frame Service Steps and Handholds

Storage Compartment

Transmission Side Access Guards

Front and Rear Bottom Guards

Heavy Duty Fuel Tank Guard

Hydraulic Diagnostic Ports 4000 Hour In-Tank Filter

ELECTRICAL:

24 Volt Electrical System

Solid State Electrical Power Distribution System

150 Amp Alternator

(2) Heavy Duty Batteries - each 1400 Cold Cranking amps/440

minute

Reserve Capacity

Battery Terminal Safety Covers

By-Pass Start Safety Cover at Starter

Lockable Master Electrical Disconnect Switch

Starting Switch with Electric Fuel Shut Off

Pre-wired for Beacon/Strobe Light

Lights:

(1) Engine Compartment Light

(1) LED Coolant Reservoir Illumination Light

(2) Halogen Driving Lights with Guards

(4) Front, (2) Rear Cab and 2-Rear Grille mounted Work Lights

Turn Signals and Flashers

LED Stop and Tail Lights

Horn, Electric

Reverse Warning Alarm

Voltage Converter for 24V to 12V / 30 Amps

Multi-Function LCD Color Monitor includes:

DIGITAL INSTRUMENTS

ANALOG Display:

Hydraulic Oil Temperature

Engine Coolant Temperature

Transmission Oil Temperature

Engine Oil Pressure

DIGITAL Display:

Engine RPM

Transmission Gear / Direction Indicator

Hour Meter

Fuel Level

DEF Level (FT4 Only)

Speedometer

Odometer

Outside Temperature

Fuel Consumption Rate

Integrated Cycle Counter with 5 Categories

INDICATOR LIGHTS for Standard and Selected Options

INDICATOR LIGHTS FOR Amber Caution and Red Stop

OPERATOR WARNING MESSAGES

BUILT-IN DIAGNOSTICS:

Diagnostic Code Details

Sensor Values

Calibrations

Individual Circuit Tester

MENU DISPLAY:

Codes

Machine Settings

Diagnostics

Monitor Settings

Clock

OPERATOR'S STATION: Isolation Mounted ROPS/FOPS Quiet Cab with: Air Conditioning, Heater, Defroster and Pressurizer Keyless Start with Multiple Security Modes Sealed Switch Module with Function Indicators Cloth seat with Air Suspension Seat Pan Tilt and Extend Adjustment Suspension for Weight/Height with Fore-Aft Adjustment Vertical and Horizontal Adjustable Arm Rests Hydraulic Controls Integrated to Seat 3-Inch High Visibility Blaze Orange Seat Belt with Retractor (2) Cup Holders Lunch box (Cooler) Holder LED Dome and Reading Light (3) 12 Volt Power Ports Front Sun Visor Rubber Floor Mat

6090DW 824 P Wheel Loader

1 \$568,967.00

	DESTINATION AND LANGUAGE	
	Destination Code	Basic Factory Options - Required
0202	United States	No Added Cost
0203	Puerto Rico	No Added Cost
0245	Guam	No Added Cost
	Operator's Manual and Language	Basic Factory Options - Required
0259	English English language for operator's manual and electronic content	No Added Cost
0287	Spanish Spanish language for operator's manual and electronic content	No Added Cost
	Labels	Basic Factory Options - Required

0351	Translated Text Labels Vehicle labels translated to selected language	No Added Cost
0352	No Text Labels Vehicle labels will be no text	No Added Cost
	MACHINE CONFIGURATION	
	Machine Configuration	Basic Factory Options - Required
0400	Standard Loader	No Added Cost
	Linkage Configuration	Basic Factory Options - Required
0451	Standard Z-BAR	No Added Cost
0452	High Lift Z-BAR Adds 22 inches (570mm) height to bucket hinge pin, fully raised over standard linkage. Rated tipping loa will be lower than unit equipped with the standard boom.	\$8,474.00 and lift capacity
	PACKAGES	
	Trim Packages	Basic Factory Options - Required
0601	Level 1 Trim Includes: - Flat Black Exhaust - 15 Amp Converter - Halogen Work and Drive Lights - Standard, Cloth Seat w/ Air Suspension - Less Radio - Less Tire Pressure Monitoring System - Less Rear Sunvisor	No Added Cost
0602	Level 2 Trim Includes: - Curved Chrome Exhaust - 30 Amp Converter	\$4,904.00

- Halogen Work and Drive Lights
- Premium, Heated and Ventilated Seat w/ Heavy Duty Air Suspension
- Premium Radio (AM/FM/WB) w/ Bluetooth and Remote Aux/USB Ports
- Tire Pressure Monitoring System
- Rear Sunvisor

0603 Level 3 Trim \$7,102.00

Includes:

- Curved Chrome Exhaust
- 30 Amp Converter
- LED Work and Drive Lights
- Premium, Heated and Ventilated Seat w/ Heavy Duty Air Suspension
- Premium Radio (AM/FM/WB) w/ Bluetooth and Remote Aux/USB Ports
- Tire Pressure Monitoring System
- Rear Sunvisor

Performance Packages

Basic Factory Options - Required

0651 Level 1 Performance No Added Cost

This Package is recommended for machines that will be used on hard packed and well maintained surfaces.

Package includes:

- Locking Front Differential
- Standard Rear Differential
- Axle Cooling
- Manual Diff Lock
- Throttle Lock

0652 Level 2 Performance \$4,702.00

This Package is recommended for machines that will be used in unstable ground conditions and/or for machines that will be used for faceloading materials.

Package includes:

- Locking Front Differential
- Locking Rear Differential
- Axle Cooling
- Auto Diff Lock
- Throttle Lock

COLD WEATHER PACKAGES - ORDER AS DESIRED

Field Installed Attachments - Optional

8500 Cold Weather Package \$989.00

This Package is recommended for machines that will spend extended periods of time working in colder environments

Package includes:

- Ether Start Aid
- Block Heater
- Hydrau XR Hydraulic Oil (provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F))
- * Selection of this package will also require the machine to be equipped with option code 8295 (Heated and Powered Exterior Mirrors)

8295	Heated And Powered Exterior Mirrors	\$740.00
	DEBRIS PACKAGES - ORDER AS DESIRED	Field Installed Attachments - Optional
8501	Debris Package This Package is recommended for machines working in dusty or high debris applications. Package includes: - Cab Fresh Air Precleaner	\$983.00
	MAINTENANCE AND SERVICE PACKAGES - ORDER AS DESIRED	Field Installed Attachments - Optional
8502	Maintenance and Service Package Package includes: - Autolube - Quick Fluid Service w/ Environmental Drain	\$7,124.00
8098	Fast Fuel System	\$863.00
	AUXILIARY EQUIPMENT PACKAGES - ORDER AS DESIRED	Field Installed Attachments - Optional
8508	Auxiliary Equipment Package Package includes: - Beacon Light (Amber) - Seat Belt Indicator Beacon Light (Green) - Fire Extinguisher - Slow Moving Vehicle Emblem - License Plate Bracket	\$911.00
	OPERATOR'S STATION	
	VISION SYSTEMS	Basic Factory Options - Required
0951	Rear Camera (Primary Display) Rear camera with display integrated into monitor	No Added Cost

0953	Advanced Vision System	\$6,381.00
	Two digital cameras are installed on the rearview mirror platforms to widen the field of view making the area beside the rear tires visible from the operator seat. These views, along with that of the rearview camera are integrated into a dedicated single display within the cab.	
	* For night time operation it is highly recommended to equip the machine with the LED lighting package (See Trim Packages)	
	Detection System Basic Factory Opt	ions - Required
1102	Advanced Object Detection	\$3,192.00
	Includes an object detection system (radar) that provides audible alerts when objects are detected at the rear of the machine. Also includes dynamic reversal projected path lines.	
1100	Less Detection System	No Added Cost
	Steering Systems Basic Factory Opt	ions - Required
1601	Joystick Vehicle Steering executed through Joystick mounted on the left armrest (includes FNR on joystick).	No Added Cost
	* No Steering Wheel will be available if this option is selected.	
1602	Steering Wheel Vehicle Steering executed through Steering Wheel (includes FNR on steering column).	\$520.00
	* No Joystick Steering will be available if this option is selected.	
	Operator's Station-Order As Desired Field Installed Attachm	ents - Optional
8210	Secondary Steering	\$5,720.00
	Secondary Steering is NOT Joystick Steering Control. Secondary steering is used in the event of a failure of the normal steering power source(s), or if engine shuts down while the machine is in motion and allows temporary steering of the machine by using an electric motor powered steering pump or a ground driven steering pump (depending on loader model) to provide temporary hydraulic pressure and flow to the steering cylinders.	
	PRECISION TECHNOLOGY SOLUTIONS	
	Machine Connectivity Basic Factory Opt	ions - Required

183E	JDLink™	No Added Cost
	Includes integrated cab wiring harness, antenna, and JDLink™ Modem (MTG).	
	JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to availability.	o country
1830	JDLink™ Satellite	\$3,215.00
	Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG).	
	JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.	
	Payload Scale	Basic Factory Options - Required
2203	Topcon Payload Scale w/ Cycle Counter	\$8,040.00
	Option includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink™ to track and vi weighing data. System will be installed during machine assembly at the factory. Calibration, service, and sprovided by the John Deere Dealer.	isualize payload
2204	Topcon Payload Scale & Printer w/ Cycle Counter	\$9,496.00
	Option includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink™ to track and vi weighing data. Option also includes a printer that connects directly into the Topcon display. System will I machine assembly at the factory. Calibration, service, and support will be provided by the John Deere Dea	be installed during
2201	Less Payload Scale w/ Cycle Counter	No Added Cost
	Models will be shipped payload scale ready. A payload scale whole good field kit may be added at a later time.	
	ENGINE	
	Engine	Basic Factory Options - Required
4067	John Deere 9.0L - FT4/SV	No Added Cost
	John Deere PowerTech PSS Engine 9.0L Meets EPA FT4 & EU Stage V Emissions	
	MAINFRAME/STRUCTURES	
	Rear Hitch and Counterweights	Basic Factory Options - Required

6521

Main Counterweight & Rear Hitch w/ Pin

No Added Cost

6520	Less Counterweight & Rear Hitch	(\$3,442.00)	
	HYDRAULICS/CONTROLS		
	Hydraulic Controls	Basic Factory Options - Required	
7025	Single Axis Lever Controls Provides an individual hydraulic function control lever for the boom, bucket, and aux functions (if equippe	No Added Cos	
	* Only available for 2 function and 3 function hydraulics.		
7026	Joystick Controls Provides a single lever (joystick) control for the boom and the bucket. Optional 3rd and 4th functions are controlled with proportional thumb rollers integrated in the joystick h for applicable models).	\$594.00 andle (If equipped	
	Hydraulic Systems	Basic Factory Options - Required	
7053	Two Function Hydraulics Controls boom and bucket only.	No Added Cos	
7054	Three Function Hydraulics Controls boom, bucket, and adds an auxiliary function (w/ boom lines).	\$4,680.00	
	WHEELS/TIRES/TRACKS		
	WHEELS/TIRES/TRACKS Wheels and Tires	Basic Factory Options - Required	
		Basic Factory Options - Required	

5130	Firestone SDT LD - 26.5-25 L5 20PR Bias Tires w/ 5 PC Rims	\$42,099.00
	26.5 RADIAL L3	
5134	Michelin XHA2 - 26.5R25 L3 2-Star Radial Tires w/ 5 PC Rims	\$38,446.00
5131	Bridgestone VJT - 26.5R25 L3 1-Star Radial Tires w/ 5 PC Rims	\$40,526.00
5133	Titan STL3 - 26.5R25 L3 1-Star Radial Tires w/ 5 PC Rims	\$27,435.00
5132	No Brand Preference - 26.5R25 L3 1-Star Radial Tires w/ 5 PC Rims	\$26,395.00
	26.5 RADIAL L4	
5135	Michelin XTXL - 26.5R25 L4 3-Star Radial Tires w/ 5 PC Rims	\$51,059.00
	LOW PROFILE	
5160	Michelin XHA2 - 775/65R29 L3 1-Star Radial Tires w/ 5 PC Rims	\$54,046.00
5159	Bridgestone VTS - 775/65R29 L3 1-Star Radial Tires w/ 5 PC Rims	\$52,137.00
5161	No Brand Preference - 775/65R29 L3 1-Star Radial Tires w/ 5 PC Rims	\$51,201.00
	Fenders	Basic Factory Options - Required

5553	Full Coverage Front Fenders w/ Mudflaps	No Added Cost
	Includes: - Full width front fenders - Mudflaps	
5554	Full Coverage Front & Rear Fenders w/ Mudflaps	\$3,629.00
	Includes: - Full width front fenders - Full width rear fenders - Mudflaps	
5555	Roading Fenders Front and Rear	\$3,759.00
	Includes: - Full width front fenders - Full width rear fenders - Mudflaps - Front wiper flaps	
	No Tire Brand Preference - Order As Desired	Field Installed Attachments - Optional
8020	26.5R25 L3 1-STAR RADIAL TIRES w/5 PC RIMS - NO BRAND PREFERENCE	No Added Cost
8029	775/65R29 L3 1-STAR RADIAL TIRES w/5 PC RIMS - NO BRAND PREFERENCE	No Added Cost
	IMPLEMENTS/ATTACHMENTS	
	Hydraulic Couplers or Attachment Mounting	Basic Factory Options - Required
7408	Factory Pin-on Bucket Ready	No Added Cost
	For use when ordering factory installed pin-on buckets.	
7401	Hydraulic Coupler - JRB 420 Pattern	\$11,649.00
7407	Field Bucket Ready: Pins Only	\$1,976.00
	For use with Field Installed Pin On Buckets	
	The pins shipped with the machine are compatible with Deere designed field installed pin-on	buckets. Any other Buckets,

Couplers, or A	attachments must be reviewed prior to use.	
7406	Field Attachment Ready - Pins And Pin Disconnect Plumbing	\$2,392.0
	For use with field installed Attachment couplers	
	Includes attachment pins, hydraulic lines from control valve to loader boom cross tube, electric switch, and solenoid valve.	
	Buckets Basic Factory Option	ons - Required
	Bucket options are orderable with either a coupler or a pin-on configuration, unless otherwise noted.	
	GENERAL MATERIALS	
' 878	5.00 YD (3.80 CM) Enhanced Performance	\$23,048.0
	Bucket includes curved side cutters, integrated center section spill guard, interior/exterior side wear protection (cheek plates), and weld on skid shoes.	
1879	5.25 YD (4.00 CM) Enhanced Performance	\$23,927.0
	Bucket includes curved side cutters, integrated center section spill guard, interior/exterior side wear protection (cheek plates), and weld on skid shoes.	
'882	5.75 YD (4.40 CM) Enhanced Performance	\$28,839.0
	Bucket includes curved side cutters, integrated center section spill guard, interior/exterior side wear protection (cheek plates), and weld on skid shoes.	
'883	6.00 YD (4.60 CM) Enhanced Performance	\$29,837.0
	Bucket includes curved side cutters, integrated center section spill guard, interior/exterior side wear protection (cheek plates), and weld on skid shoes.	
'884	6.10 YD (4.70 CM) Enhanced Performance	\$25,361.0
	Bucket includes curved side cutters, integrated center section spill guard, interior/exterior side wear protection (cheek plates), and weld on skid shoes.	
' 885	6.25 YD (4.80 CM) Enhanced Performance	\$24,611.0
	Bucket includes curved side cutters, integrated center section spill guard, interior/exterior side wear protection (cheek plates), and weld on skid shoes.	
	PROCESSED MATERIALS	
7887	6.75 YD (5.20 CM) Enhanced Performance	\$25,817.0
	Bucket includes curved side cutters, integrated center section spill guard, interior/exterior side wear protection (cheek plates), and weld on skid shoes.	

LESS	BUCKET
LE33	BUCKET

7800	Less Bucket	No Added Cost
	Cutting Edges/Segments/Teeth	Basic Factory Options - Required
7458	Bolt-On Cutting Edge	\$2,075.00
7463	Bolt-On JAGZ Cutting Edge	\$3,385.00
7464	Teeth with Segments	\$5,408.00
7465	Less Cutting Edge, Segments, and Teeth	No Added Cost
	Fork Frame	Basic Factory Options - Required
7504	106 Inch (2690mm) Wide Fork Frame	\$13,341.00
7500	Less Fork Frame	No Added Cost
	Fork Tines	Basic Factory Options - Required
7703	72 Inch (1829mm) Construction Tines	\$9,624.00
7704	96 Inch (2438mm) Construction Tines	\$14,802.00
22-Nov-2022	Copyright © 2022 Deere Company. All Rights Reserved.	Page 13 of 23

7700	Less Tines	No Added Cost
	Bucket Attachments - Order As Desired	Field Installed Attachments - Optional
8293	Bucket Guarding Package Adds bucket liner to selected bucket.	\$1,775.00
	Implements/Attachments - Order As Desired	Field Installed Attachments - Optional
8032	Attachment Recognition Enables the machine to recognize asset tracking beacons on any attachment and adjusts the hydentered for that attachment.	\$1,019.00 Iraulic settings that were
	MISCELLANEOUS	
	Miscellaneous - Order As Desired	Field Installed Attachments - Optional
8082	Electrical Corrosion Prevention Package Preventive corrosion treatment for use in corrosive environments. Preventive corrosion treatmen for electrical connections and polyurethane-based sealant on exposed terminals.	\$1,482.00 t includes dielectric grease
8101	Finish Paint Less Decals - Translated For custom paint. Non-Paintable charcoal grey cab roof. Decals packaged with machine. Safety decals installed.	No Added Cost
8039	Non-Export Rust Preventive Coating Coating protects exposed unpainted surfaces from road salt during shipment.	\$244.00
	Miscellaneous	Field Installed Attachments - Optional

AT519021

Attachment Recognition

\$1,109.56

Enables Asset Tracking Beacons to allow hydraulic settings to change while swapping attachments for applicable machines.

Software Only Kit to be ordered through Service Parts.

	Operator Environment Field Installed Attachme	ents - Optional
AT505990	Software, Throttle Lock	See Parts
	This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.	
	This software can only be purchased through JDPoint. For installation instructions refer to BYT11515 available through the online Bookstore Suggested list price only.	
BYT11197	Kit, Secondary Steering Parts Kit	\$5,667.00
	REQUIRES ORDERING THE APPROPRIATE INSTALLATION INSTRUCTIONS TO ENABLE THE CORRECT SOFTWARE UPDATE FOR THIS FEATURE TO FUNCTION. SEE APPROPRIATE KITS.	
	REQUIRES BYT11195 or BYT11196	
BYT11194	Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit	\$8,382.00
	REQUIRES ORDERING THE APPROPRIATE INSTALLATION INSTRUCTIONS TO ENABLE THE CORRECT SOFTWARE UPDATE FOR THIS FEATURE TO FUNCTION. SEE APPROPRIATE KITS.	
	REQUIRES BYT11191 or BYT11192 or BYT11193	
BYT11259	24 Volt to 12 Volt - 30 Amp Converter	\$341.00
BYT11191	Kit, Steering Wheel Only To Steering Joystick Only - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11194, Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature. AT506141 software must be ordered through JD Point	
BYT11588	Satellite Radio Installation Kit	\$382.00
	Kit includes a Satellite Radio Antenna, Satellite Radio Receiver, Satellite Radio Harness, and mounting brackets to allow the existing radio to receive and play Satellite radio broadcast signals. The kit does not include a Satellite radio subscription and an existing radio is required.	
BYT11265	Dedicated 7-inch Rear Camera Display	\$1,527.00
	Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.	
BYT11196	Kit, Secondary Steering For Steering Wheel Only - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11197, Kit, Secondary Steering Parts Kit. This kit is only installation instructions and instructions for software update for the loader to enable this feature.	\$11.00

BYT11190	Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit	\$4,859.00
	REQUIRES ORDERING THE APPROPRIATE INSTALLATION INSTRUCTIONS TO ENABLE THE CORRECT SOFTWARE UPDATE FOR THIS FEATURE TO FUNCTION. SEE APPROPRIATE KITS.	
	REQUIRES BYT11184 or BYT11188 or BYT11189	
BYT11192	Kit, Steering Wheel Only To Steering Wheel & Joystick - INSTALLATION INSTRUCTIONS AND	\$11.00
	SOFTWARE ONLY REQUIRES BYT11194, Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit	
	This kit is only installation instructions and instructions for software update for the loader to enable this feature. AT515876 software to be ordered through JD Point	
BYT11188	Kit, Steering Joystick Only To Steering Wheel Only - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY	\$11.00
	REQUIRES BYT11190, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit	
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11184	Kit, Steering Joystick Only To Steering Wheel & Joystick - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY	\$11.00
	REQUIRES BYT11190, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit	
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11516	FNR to RNF Transmission Direction Control Switch Reversed Pattern Decal	\$11.00
	This kit provides the in-cab sticker to correctly show the direction of the steering lever, transmission directional control switch on loaders that have the pattern reversed from F-N-R (Forward - Neutral - Reverse) to R-N-F.	
BYT11195	Kit, Secondary Steering For Joystick Steering Only - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY	\$11.00
	REQUIRES BYT11197, Kit, Secondary Steering Parts Kit. This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11189	Kit, Steering Joystick W/Secondary Steering To Steering Wheel W/ Secondary Steering - INSTALLATION INSTRUCTIONS AND SOFT	\$11.00
	REQUIRES BYT11190, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit	
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11193	Kit, Wheel W/ Secondary Steering To Joystick W/ Secondary Steering - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY	\$11.00
	REQUIRES BYT11194, Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit	
	This kit is only installation instructions and instructions for software update for the loader to enable this feature. AT506141 software must be ordered through JD Point	
BYT11503	Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port Radio	\$789.00
BYT11526	Rear Camera and Rear Object Radar Detection	\$4,072.00
	Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.	
BYT11527	Rear Camera Only	\$1,007.00

Display shows view behind the machine. Rear view is displayed in video-enabled color monitor or dedicate	ed color monitor.
Software, Throttle Lock	\$200.00
This feature adds the convenience of holding the engine at a constant engine speed for long travel distar constant engine speed needs without the operator having to hold the accelerator pedal position.	nces or other
Powertrain & Cooling Fie	ld Installed Attachments - Optional
Automatic Axle Differential Lock (Auto-Diff/Lock)	\$1,581.00
Powered Cab Air Pre-Cleaner	\$878.00
Extends cab air filter change intervals	
Kit, Engine Block Heater - 9L 120V	\$165.00
Includes remote plug-in at rear of loader and associated harnesses.	
Kit, Fast Fill Fuel	\$2,939.00
For FT4/Stage V or EPA Tier 3/Stage IIIA Engines. 150 gpm fill rate.	
Kit, Ether Start Aid	\$352.00
For FT4/Stage V or EPA Tier 3/Stage IIIA Engines Kit does not include Ether canister. Recommended below 10 degrees F (-12 degrees C). Recommend with Engine Block Heater for cold starts below -10 degrees F(-23 C).	
Kit, Diesel Fired Coolant Heater	\$4,268.00
For FT4/Stage V or EPA Tier 3/Stage IIIA Engines Includes igniter, timer and coolant circulation pump. Recommended for temperatures below -13 deg. F (-25 deg. C).	
Kit, Reversible Fan Drive	\$1,803.00
Tire Pressure Monitoring System - 29" Rim Sensor Mounting - Less Sensors	\$941.00
Tire Pressure Sensors must be ordered from parts to assure freshest battery life.	
Tire Pressure Monitoring System - 25" Rim Sensor Mounting - Less Sensors	\$940.00
Tire Pressure Sensors must be ordered from parts to assure freshest battery life.	
Kit, Engine Block Heater - 9L 240V	\$285.00
	Software, Throttle Lock This feature adds the convenience of holding the engine at a constant engine speed for long travel distar constant engine speed needs without the operator having to hold the accelerator pedal position. Powertrain & Cooling Fie Automatic Axle Differential Lock (Auto-Diff/Lock) Powered Cab Air Pre-Cleaner Extends cab air filter change intervals Kit, Engine Block Heater - 9L 120V Includes remote plug-in at rear of loader and associated harnesses. Kit, Fast Fill Fuel For FT4/Stage V or EPA Tier 3/Stage IIIA Engines. 150 gpm fill rate. Kit. Ether Start Aid For FT4/Stage V or EPA Tier 3/Stage IIIA Engines Kit does not include Ether canister. Recommended below 10 degrees F (-12 degrees C). Recommend with Engine Block Heater for cold starts below -10 degrees F(-23 C). Kit, Diesel Fired Coolant Heater For FT4/Stage V or EPA Tier 3/Stage IIIA Engines Includes ignifer, timer and coolant circulation pump. Recommended for temperatures below -13 deg. F (-25 deg. C). Kit, Reversible Fan Drive Tire Pressure Monitoring System - 29° Rim Sensor Mounting - Less Sensors Tire Pressure Monitoring System - 25° Rim Sensor Mounting - Less Sensors Tire Pressure Monitoring System - 25° Rim Sensor Mounting - Less Sensors Tire Pressure Sensors must be ordered from parts to assure freshest battery life.

	Includes remote plug-in at rear of loader and associated harnesses.	
	Hydraulics Field Installed Attac	chments - Optional
BYT11250	Joystick Controls Conversion to Single Axis Controls (2-Function)	\$1,275.00
	To convert from single joystick hydraulic control lever with FNR to 2-Lever single axis controls with steering column FNR lever.	, ,
BYT11187	Joystick Controls Conversion to Single Axis Controls (3-Function)	\$1,591.00
	To convert from single joystick hydraulic control lever with FNR and auxiliary function to 3-Lever single axis controls with steering column FNR lever.	
BYT11268	3rd Function Single Axis Lever	\$318.00
	In-cab control lever only for updating units equipped with two-function single axis controls to three-function single axis controls. Not for use with joystick control lever. Does not include hydraulic valve section or any associated plumbing.	
	Forks Field Installed Attac	chments - Optional
BYT10924	KIT, CONSTRUCTION UTILITY FORKS, 72" TINES w/ 106" FRAME	\$21,111.00
	JRB 420 Pattern Hook-on Coupler Forks. 106 in (2690mm) Wide Fork Frame. 96 Inch (2438mm) Construction Tines	
BYT10923	KIT, CONSTRUCTION UTILITY FORKS, 96" TINES w/ 106" FRAME	\$25,885.00
	JRB 420 Pattern Hook-on Coupler Forks. 106 in (2690mm) Wide Fork Frame. 72 Inch (1829mm) Construction Tines	
	Bucket Hardware & Accessories Field Installed Attac	chments - Optional
AT309138	KIT, BOLT ON SPILL GUARD FOR 6.0 YD PIN-ON BUCKET ONLY	\$1,858.00
	For use on 6.0 Cu. Yd. clipped corner buckets. Bolt on Spillguards adds 0.4 cubic yards to Bucket Capacity. Not compatible with Enhanced Production Buckets.	
AT400169	Teeth with Segments	\$6,316.00
	For use on 5.25, 5.5, 6.0, and 6.25 Cu. Yd. Buckets (including Enhanced Production Buckets).	
	Couplers Field Installed Attac	chments - Optional

KIT, 744/824 HYDRAULIC COUPLER (JRB 420 PATTERN) - DOES NOT INCLUDE PIN

DISCONNECT VALVE

BYT11056

\$10,341.00

	Overall Vehicle Field Installed At	tachments - Optional
AT368286	Slow Moving Vehicle (SMV) Emblem and Bracket For use with IT4/FT4 engines.	\$121.00
AT345202	License Plate Bracket with Light For units with Stage 2 or T3 Engines.	\$189.00
BYT11525	Kit, Roading Fender, Front Wipers Only - L3 Tires Only These cannot be used with L4 or L5 tires due to increased tire heights. These are intended to reduce spray while travelir forward at high speeds.	\$207.00
BYT11519	Kit, Beacon Bracket Left Beacon Bracket Only - Beacon Not Included	\$196.00
BYT11513	Kit, Autolube - Highlift Deere autolube system integrated with JDLink. Will require field installation at additional cost.	\$5,667.00
BYT11467	KIT, FRONT FENDER EXTENSIONS, 26.5R25, 29.5R25, 775/65R29 TIRES Adds additional length to front fenders to reduce tire spray while traveling at high speeds.	\$1,130.00
BYT11390	KIT, WHEEL CHOCKS & BRACKET Wheel Chocks & Bracket that holds a pair of Checkers Brand (Part Number MC3010) Wheel Chocks. These brackets can be accessed from ground level and are mounted under the platform steps so they are easy for the operator access when getting on and off the machine.	\$1,700.00
BYT11514	Kit, 24V Aux Electrical Output Provides 24V output to allow operation of electrical solenoid valves or other electrical components from the hydraulic controls through the multi-function button.	\$179.00
BYT11520	Kit, Dual Beacon Bracket Left and Right Beacon Brackets Only - Beacon Not Included	\$392.00
BYT11505	Kit, Beacon Single, Orange	\$169.00

BYT11318	Kit, Platform Toe Kicks	\$258.00
	Adds toe kicks to left and right platforms to meet local requirements.	
BYT11509	Kit, Rear Fender Only, 26.5R25 and 775/65R29 Tires	\$2,814.00
	Intended for wet applications. Mudflaps may need to be trimmed to higher height or removed if the customer is operating in soft ground conditions to avoid getting ripped off while backing out of holes.	
BYT11521	Kit, External Seat Belt Indicator	\$321.00
	Includes Right Beacon bracket and green strobe beacon that indicates if it the seat belt is latched for external awareness. With the machine powered up, the green strobe beacon will flash anytime the belt is latched regardless if it is in park or not.	
BYT11389	Kit, Platform Railing Extension To 1M Height	\$2,827.00
	Extends left and right platform railings to 1 meter height to meet local requirements. Required in AB and BC Mines.	
BYT11534	Kit, Quick Service	\$700.00
	For FT4/Stage V or EPA Tier 3/Stage IIIA Engines Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.	
	G.R.Mfg. Field Installed Attachr	nents - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere. * F.O.B. Trussville, Alabama * All kits include installation instructions * All warranty ropair parts, tochnical support and assistance, and sales support and assistance will be the response	iihiiihu of C D

* All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.

G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

BYT11354 Deflectors, Tires, Rear

\$11,686.00

For all engine emissions.

Required for rear axle when equipped with foam filled or solid tires. Monitor to be reprogrammed to block 4th gear.

Recommend code 8130 to deduct main counterweight and rear hitch on new machine orders.

BYT11352 Cab Side And Rear Screen Package

\$6,556.00

Polycarbonate side window guards, screen rear window guard.

BYT11346 Articulation Joint Guards \$2,671.00

Protects center pivot area.

Recommended for trash handling, brush clearing, & recycling.

BYT11347 Axle Seal Guards \$2,387.00

For all engine emissions.

BYT11353	Heavy-Duty Rear Grille Guard	\$7,491.00
	Requires Deflectors, Tires, Rear	
BYT11348	Hydraulic Operated Extreme Service Bottom Guards	\$9,669.00
	For all engine emissions.	
BYT11350	Boom Cylinder Hydraulic Line And Cavity Guards	\$4,446.00
	For all engine emissions.	
BYT11351	Front Screen, Laser Cut Plate, Cab, ISO 8084 Certified	\$3,830.00
	Front Screen will fully open to facilitate cleaning.	
BYT11349	Extreme Duty Cab Entry Step Kit	\$2,537.00
	Replaces left hand platform with close mounted steps that are less susceptible to damage	
	BUCKETS	
	Buckets & Bucket Wear Components Field Installed Attachmo	ents - Optional
BYT10102	6.25 Cu. Yd. (4.8 Cu. M.) Enhanced Production General Purpose Bucket without Wear Plates. No Ground Engaging Tools Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	\$23,201.00
BYT10104	6.75 Cu. Yd. (5.2 Cu. M.) Enhanced Production General Purpose Bucket without Wear Plates. No Ground Engaging Tools Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	\$24,417.00
BYT10866	KIT, 5.75 CU YD STD COUPLER (HOOK-ON) BUCKET	\$29,131.00
	Enhanced Production GP JRB 420 Pattern Coupler Bucket. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts	
BYT10864	KIT, 5.0 CU YD STD COUPLER BUCKET KIT	\$24,511.00
	Enhanced Production GP JRB 420 Pattern Coupler Bucket. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts	
AT346234	KIT, 4.5M (6YD) PIN-ON BUCKET	\$25,924.00
	6.00 Cu. Yd. (4.6 cm) General Purpose Bucket Includes Skid Shoes, No Bolt-On Cutting Edges and Side Cutters (for Units made after 26NOV07).	

BYT10105	6.75 Cu. Yd. (5.2 Cu. M.) Enhanced Production General Purpose Bucket with Wear Plates. No Ground Engaging Tools Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	\$26,503.00
BYT10865	KIT, 5.25 CU YD STD COUPLER BUCKET KIT	\$26,051.00
	Enhanced Production GP JRB 420 Pattern Coupler Bucket. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts	
BYT10103	6.25 Cu. Yd. (4.8 Cu. M.) Enhanced Production General Purpose Bucket with Wear Plates. No Ground Engaging Tools Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	\$25,284.00
BYT10123	Wear Plates for 6.25 & 6.75 Cu. Yd. Enhanced Production Buckets	\$4,209.00
AT314301	KIT, HEAVY CUTTING EDGE	\$3,133.00
	Bolt On Cutting Edge for 5.0, 5.25, 5.5, 5.75, 5.85, 6.0, 6.25, and 6.75 Cu. Yd. Buckets (including Enhanced Production Buckets)	
BYT10867	KIT, 6.0 CU YD STD COUPLER (HOOK-ON)BUCKET	\$29,772.00
	Enhanced Production GP JRB 420 Pattern Coupler Bucket. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts	
	HYDRAULICS	
	Hydraulics Field Installed Attachme	ents - Optional
BYT11500	Kit, 3rd Function Hydraulics, Does Not Include Controls	\$3,445.00
	Includes third function hydraulic valve section. Does not include in-cab control function.	
	Kit does not include hoses and will require dealer to manufacture hoses per installation instructions	
BYT11529	Single Axis Controls Conversion to Joystick Controls (4 Function)	\$1,559.00
	To convert from 2 or 3-Lever single axis controls to single joystick hydraulic control lever with FNR and integrated auxiliary function rollers for 4 functions.	
	Kit only updates in-cab controls and does not include valve sections or plumbing.	
BYT11543	Single Axis Controls Conversion to Joystick Controls (2 or 3-Function)	\$1,253.00

	To convert from 2 or 3-Lever single axis controls to single joystick hydraulic control lever with integrated auxiliary function roller.	
BYT11530	Joystick Controls (2 or 3 function) Conversion to Joystick Controls (4 Function)	\$1,212.00
	To convert from single joystick hydraulic control lever and one integrated auxiliary function roller (2 or 3 function) to single joystick hydraulic control lever and two integrated auxiliary function rollers for 4-functions.	
	Kit only updates in-cab controls and does not include valve sections or plumbing.	
BYT11512	Kit, Autolube - Std	\$5,667.00
	Deere autolube system integrated with JDLink. Will require field installation at additional cost.	
BYT11498	Kit, Pin Disconnect System Hydraulic Control System for Quick Coupler Locking Pins	\$1,497.00
BYT10643	Kit, 4th Function Hydraulics, Does Not Include Controls	\$3,879.00
	Includes 4th function hydraulic valve section and plumbing from valve to boom cross tube. Not for use with single axis control levers. Requires joystick control lever. Does not include in-cab control function.	
	Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.	
	PAYLOAD SCALE	
	Payload Scale Field Installed Attachme	nts - Optional
BYT11545	John Deere Payload Scale Kit	\$7,929.00
	Kit includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink to track and visualize payload weighing data. This scale kit fits only the 744L, 824L, and 844L (including Aggregate Handler) models only. Printer is available as a separate field kit.	
	Calibration, service, and support will be provided by the John Deere Dealer.	
BYT11837	John Deere Payload Printer	\$1,414.00
	For TopCon Alpha 100 Payload Scale	

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.