

Current Date 17Jan2020

850L CRAWLER DOZER

27.6 Gallon (105 Liter)

850L Standard Equipment

ENGINE:

John Deere PowerTech PSS 9.0L Certified to FT4 / Stage IV emissions 225 SAE Net HP (168 kW) **Isolation Mounted** No power Derating up to 14,000 ft Altitude Electronic Control with **Automatic Engine Protection Dual Turbo Configuration:** Variable-Geometry Turbocharger(VGT) and Fixed Turbo Cooled Exhaust Gas Recirculation Diesel Particulate Filter **Electronically Controlled Fuel** Delivery System Wet Sleeve Cylinder Liners Vertical Spin-On Engine Oil Filter Vertical Spin on Dual Stage Fuel Filter Fuel/Water Sensor Electric Fuel Primer Dual Safety Element Dry-Type Air Cleaner, Evacuator Valve

Engine Coolant -34 Degree F (-37 Degree C) Coolant Recovery Tank Automatic Reversing Cooling Fan Perforated Side Shields Swing-Out Bar-Type Grille 7-Fin/in. Engine Coolant Radiator 7-Fin/in. Hydrostatic Oil-to-

COOLING SYSTEM:

Air Cooler 7-Fin/in. Hydraulic Oil-to-Air Cooler

6.5-Fin/in. Charge Air Cooler

Hydrostatic Reservoir Tank Single Lever-Steering, Direction / Speed Control with Counter Rotation and Horn Combined Decelerator/Brake Pedal Selectable reverse speed ratios 100%, 115%, 130% or independent of forward ground speed Electronic Control with Automatic Transmission Protection Double Reduction Final

Double Reduction Final Drives with Wet Multi-Disk Brakes

Integral Final Drive Seal Protection

Primary and Secondary Service Brakes (Conforms to ISO 10265)

Automatic Spring-Applied, Hydraulic Released Park Brake (Conforms to ISO 10265)

Transmission Diagnostic Ports

Selectable Decelerator Mode 4000 Hour Oil change Interval

UNDERCARRIAGE:

Oscillating Undercarriage Heavy Duty Chain with Moderate Service Single Grouser Track Shoes Adjustable Track Sag Segmented Sprockets Front & Rear Chain Guides with Bolt-on Wear Surfaces

OPERATOR STATION:
JDLink Ultimate Machine
Monitoring System w/ 5-year

Stop
Caution
Low Alternator Voltage
Engine Air Filter Restriction
Transmission Filter
Restriction
Hydraulic Filter Restriction
Water in Fuel
Transmission Pressure Low
Coolant Level Low
Diesel Exhaust Fluid (DEF)
Contaminated Indicator
Engine Emissions Systems
Malfunction Indicator

Indicators Park Brake Fasten-Seat-Belt Operator Presence (Seat Switch) **Exhaust Filter Cleaning** Indicator Exhaust Filter Auto Cleaning **Disabled Indicator Neutral Rotate Mode** Rear Aux Mode Ripper, Winch, Generic Rear Aux Transmission Warmup Mode Blade Float Auto Blade Control Indicator Displayed on Main Screen Tachometer Hourmeter Transmission Direction (F,N,R, RTN to N, P) and Speed (SIG 1.0-3.0) Transmission Display (Forward Setting) Transmission Display (Reverse Setting) **Exhaust Filter Status** Ambient Temperature (Engine Air Inlet Temp) Clock

Displayed on Secondary

(Air to Air)

ELECTRICAL: 24 Volt System 130 Amp Sealed Alternator LED Lights: (2) Grill-Mounted, (2) Front Cab-Mounted and (2) Rear-Mounted Bypass Start Safety Cover on Starter 24 Volt Electrical Load Center (2) Batteries with 190 Minute Reserve Capacity, 950 CCA Blade-Type Fuses **Electrical Master Disconnect** Positive Terminal Battery Covers Reverse Warning Alarm (Conforms to SAE J994, J1446, ISO 9533)

HYDRAULICS:
41 gpm (155 L/min) Load
Sensing Hydraulic System
with Variable
Displacement Piston Pump
Two-Function ElectroHydraulic (EH) Controls for
OSD
Three-Function ElectroHydraulic (EH) Controls with
Proportional Angle
Function for PAT

Hydraulic Diagnostic Ports 30.2 Gallon (114 Liter) Independent Hydraulic Oil Reservoir 4000 Hour Oil Change Interval

POWER TRAIN:
Dual Path Hydrostatic
Transmission
Automatic Load Sensing for
Speed and Power
Management
AutoTracking Steering
Control

Message Service Modular Design Isolation Mounted ROPS/FOPS Operator Station (Conforms to SAE J1040 - ISO 3471) Manual/Hydraulic Operated Operator Station Tilt Feature Left and Right Front Access Floormat Large Color Display Located on Right Side of Cab **Interior Sound Treatment** Slip-Resistant Steps and Ergonomically Located Handholds for Left, Right Access (Conforms to SAE J185 - ISO 2867) Angled seat Air-suspension seat Operator Presence System Thigh Support Lumbar Backrest Tilt Height, Weight and Fore-Aft Side Console Leg Cushions Adjustable Armrests Adjustable Foot Rests 3 in. (76 mm) Orange Seat Belt with Retractors (Conforms to SAE J386 -ISO 6683) Lunch Box Storage Glove (Storage) Box Cupholders (x2) Built-in Operator's Manual Storage Compartment and Manual 12 Volt Power Port

Gauges
Engine Coolant Temperature
Transmission Oil
Temperature
Hydraulic Oil Temperature
Engine Oil Pressure
Fuel Level
DEF Level

Warnings

Screen
Machine Diagnostic Service
Code(s)
Fuel Efficiency Runtime
Screen
Horn, Electric (Conforms to
SAE J994, J1446, ISO 9533)
Coded Keyless Start with
Electric Fuel Shut Off
Interior Mounted Rearview
Mirror (Conforms to SAE
J985)

OVERALL VEHICLE: Unitized Mainframe with: Integral Bottom Protection **Integral Front Tow Loops** Integral Machine Transport Tie-Downs **Bolt-on Bottom Access** Covers Swing-Out Grill Perforated Engine Side Shields Left & Right Side Hinged **Engine Access Panel** Hinged Mounted Hood with Radiator Access Panel Transmission Rear Access Cover Hand holds for Machine **Fueling** Lockable Vandal Protection **Engine Access Panel** Rear Service Doors Fuel tank Instrument Panel Transmission Reservoir Need wrench to access Hydraulic Reservoir Need wrench to access 116 Gallon (439 Liter) Fuel Tank: Shut Off Valve at Tank Outlet Water Drain on tank Fast-Fuel Installation Ready Ground Level Storage in Right Rear Service Compartment Maintenance Free Center Crossbar Pivot

Required - You must select one from each category

BASE MACHINE

Ex-Works Dubuque, Iowa, United States of America

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order.

	Description 850L CRAWLER DOZER	Code 23B0T	Price \$356,818.00
~	ENGINE		
	Description John Deere PowerTech 6 Cyl EPA FT4/EU Stage IV Compliant	Code 0940	Price \$15,616.00
	9.0 L (549 cu. in.) 225 net hp (168 kW) @ 1700 rpm - No power derating up to 14,000 ft altitude		
~	DOZER CONFIGURATION		
	Description	Code	Price
	XLT PAT (Extra Long Track Power - Angle - Tilt) Dozer	1020	\$21,987.00
	2083 mm (82 in.) Gauge - 8 Roller Track Frame		
_	WLT PAT (Wide Long Track Power - Angle -Tilt) Dozer	1025	\$30,617.00
	2235 mm (88 in.) Gauge - 8 Roller Track Frame		
	LGP PAT (Low Ground Pressure Power - Angle - Tilt) Dozer	1030	\$51,727.00
	2388 mm (94 in.) Gauge - 8 Roller Track Frame		
	XLT OSD (Extra Long Track Outside Dozer)	1041	No Added Cost
	1880 mm (74 in.) Gauge - 8 Roller Track Frame		
-	WLT OSD (Wide Long Track Outside Dozer)	1050	\$10,788.00
	2032 mm (80 in.) Gauge - 8 Roller Track Frame		
	LGP OSD (Low Ground Pressure Outside Dozer)	1060	\$24,995.00
	2184 mm (86 in.) Gauge - 8 Roller Track Frame		
-		1070	ф 40, 47E, 00
	Wastehandler LGP OSD (Low Ground Pressure Outside Dozer)	1072	\$49,475.00

Includes debris management sealing package, heavy-duty perforated grille, final drive seal guarding, heavy-duty sheet metal with special perforation, engine heat wrap, large debris engine precleaner, alternator screen, fender guards and recessed sprockets for waste handling applications.

For front striker bars, order field kit BYT10719 or BYT10792.

	For rear striker bars, order rear storage compartment (code 9510). For trash rack, order field kit BYT10794 or BYT10786.		
	Wastehandler LGP PAT (Low Ground Pressure Power-Angle-Tilt Dozer)	1074	\$76,727.00
	Includes debris management sealing package, heavy-duty perforated grille, final drive seal guarding, heavy-duty sheet metal with special perforation, engine heat wrap, large debris engine precleaner, alternator screen, fender guards and recessed sprockets for waste handling applications.		
	For front striker bars, order field kit BYT10793 or BYT10720. For rear striker bars, order rear storage compartment (code 9510). For trash rack, order field kit BYT10795 or BYT10787.		
~	TRACK SHOES AND CHAIN		
	Description	Code	Price
	24 Inch (610 mm) Moderate Service Shoes - Heavy Duty Undercarriage	4536	\$548.00
_	Sealed and Lubricated Track (SALT)		
	30 Inch (760 mm) Moderate Service Shoes - Heavy Duty Undercarriage	4541	\$2,275.00
_	Sealed and Lubricated Track (SALT)		
	36 Inch (914 mm) Moderate Service Shoes - Heavy Duty Undercarriage	4546	\$4,002.00
_	Sealed and Lubricated Track (SALT)		
	24 Inch (610 mm) Extreme Service Shoes - Heavy Duty Undercarriage	4556	\$1,436.00
	Sealed and Lubricated Track (SALT)		
	30 Inch (760 mm) Extreme Service Shoes - Heavy Duty Undercarriage	4561	\$3,159.00
	Sealed and Lubricated Track (SALT)		
	36 Inch (914 mm) Extreme Service Shoes - Heavy Duty Undercarriage	4565	\$4,754.00
_	Sealed and Lubricated Track (SALT)		
	24 Inch (610 mm) Moderate Service Shoes - Extended Life Undercarriage	4636	\$5,162.00
_	Sealed and Lubricated Track (SALT) with SC2 Bushings		
	30 Inch (760 mm) Moderate Service Shoes - Extended Life Undercarriage	4641	\$6,891.00
_	Sealed and Lubricated Track (SALT) with SC2 Bushings		
		4646	\$8,618.00

	36 Inch (914 mm) Moderate Service Shoes - Extended Life Undercarriage		
	Sealed and Lubricated Track (SALT) with SC2 Bushings		
	24 Inch (610 mm) Extreme Service Shoes - Extended Life Undercarriage	4656	\$6,050.00
	Sealed and Lubricated Track (SALT) with SC2 Bushings		
	30 Inch (760 mm) Extreme Service Shoes - Extended Life Undercarriage	4661	\$7,773.00
	Sealed and Lubricated Track (SALT) with SC2 Bushings		
	30 Inch (760 mm) Extreme Service Shoes with Trapezoidal Holes - Extended Life Undercarriage	4663	\$8,690.00
	Sealed and Lubricated Track (SALT) with SC2 Bushings. Recommend trapezoidal shoes for high-packing applications such as wastehandling.		
	36 Inch (914 mm) Extreme Service Shoes - Extended Life Undercarriage	4665	\$9,367.00
	Sealed and Lubricated Track (SALT) with SC2 Bushings		
	36 Inch (914 mm) Extreme Service Shoes with Trapezoidal Holes - Extended Life Undercarriage	4670	\$9,521.00
	Sealed and Lubricated Track (SALT) with SC2 Bushings. Recommend trapezoidal shoes for high-packing applications such as wastehandling.		
DOZ	ER BLADE		
	ades include Straight End Bits and Bolt-On Cutting Edges. s are not installed, but shipped with Crawler Dozer.		
	Description	Code	Price
	PAT Blade - 146 Inch (3708 mm)	7055	\$5,714.00
	Requires code 1020 (XLT PAT) 3.9 cu. m (5.2 cu. yd.) capacity		
	PAT Blade - 158 Inch (4013 mm)	7060	\$6,352.00
	Requires code 1025 (WLT PAT) 4.2 cu. m (5.5 cu. yd.) capacity		
	PAT Blade - 168 Inch (4267 mm)	7065	\$7,084.00
	Requires code 1025 (WLT PAT), 1030 (LGP PAT) or 1074 (LGP PAT WH) 4.5 cu. m (5.9 cu. yd.) capacity		
	PAT Blade - 172 Inch (4369 mm)	7066	\$7,635.00
	Requires code 1030 (LGP PAT) 4.6 cu. m (6.0 cu. yd.) capacity		

	Semi-U Blade - 128 Inch (3521 mm)	7071	\$9,363.00
	Requires code 1041 (XLT OSD) 5.6 cu. m (7.3 cu. yd.) capacity		
_	Semi-U Blade - 140 Inch (3556 mm)	7076	\$10,915.00
	Requires code 1050 (WLT OSD) 5.8 cu. m (7.6 cu. yd.) capacity		
	Semi-U Blade - 152 Inch (3861 mm)	7081	\$11,859.00
	Requires code 1060 (LGP OSD) or 1072 (LGP OSD WH) 6.2 cu. m (8.0 cu. yd.) capacity		
	Mechanical Angle Blade - 194 Inch (4928 mm)	7082	\$26,087.00
	Requires code 1060 (LGP OSD) 4.9 cu. m (6.4 cu. yd.) capacity		
	Straight Blade - 154 Inch (3912 mm)	7086	\$9,315.00
	Requires code 1060 (LGP OSD) 4.8 cu. m (6.2 cu. yd.) capacity		
•	HYDRAULICS FOR DOZER BLADE AND ATTACHMENTS		
	Description	Code	Price
	2 Function Electro-Hydraulic (EH) Controls for Outside Dozer	7720	\$1,643.00
	Requires Code 1041 (XLT OSD), 1050 (WLT OSD), 1060 (LGP OSD) or 1072 (LGP OSD WH) Does not include auxiliary hydraulics		
_	3 Function Electro-Hydraulic (EH) Controls for Outside Dozer	7730	\$4,584.00
	Requires Code 1041 (XLT OSD), 1050 (WLT OSD), 1060 (LGP OSD) or 1072 (LGP OSD WH) Includes auxiliary plumbing for rear implement		
_	3 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT)	7750	\$4,201.00
	Requires Code 1020 (XLT PAT), 1025 (WLT PAT), 1030 (LGP PAT) or 1074 (LGP PAT WH) Does not include auxiliary hydraulics		
_	4 Function Electro-Hydraulics (EH) for Power-Angle-Tilt (PAT)	7760	\$5,703.00
	Requires Code 1020 (XLT PAT), 1025 (WLT PAT), 1030 (LGP PAT) or 1074 (LGP PAT WH) Includes auxiliary plumbing for rear implement		
~	HYDRAULIC PUMP		
	Description	Code	Price
	Standard Hydraulic Pump	7925	No Added Cost

	Hi-Flow Hydraulic Pump for use with Hydraulic Winch	7975	\$3,339.00
	Requires code 7730 or 7760, which include control lever and plumbing for winch. For winch applications, order code 9455 for rear cab screens or code 9454 for full enclosure cab screens.		
▼ G	REASES, FUEL, OIL, & COOLANT		
	Description	Code	Price
	Hydraulic And Hydrostatic Oil - Hydrau	8010	No Added Cost
	Standard Factory Fill. Provides All-Season capability in ambient temperatures ranging from -25C (-13F) to 50C (122F).		
	Hydraulic and Hydrostatic Oil - Hydrau XR, Final Drive Oil - Low Vis Hygard	8020	\$576.00
	Optional Factory Fill. Intended for colder climates with extreme cold ambient temperatures, provides All-Season capability in ambient temperature ranging from -40C to 40C (-40F to 104F).		
~	SEAT		
	Description	Code	Price
	Deluxe Seat, Cloth with Air Suspension	5885	No Added Cost
	Fabric-covered high-back seat includes pan tilt, pan extend, lumbar adjustment and heavy duty air suspension with full damping capability. 3 in. (76 mm) retractable seat belt.		
	Premium Seat, Heated and Ventilated with Air Suspension	5890	\$1,020.00
	Leather-accented high-back seat includes pan tilt, pan extend, lumbar adjustment and heavy duty air suspension with full damping capability. 3 in. (76 mm) retractable seat belt.		

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description Code Price

JDLink Ultimate 5 Year Subscription 170C No Added Cost

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer

applications. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLink Ultimate Dual 5 Year Subscription

170J

\$1,936.00

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

GRADE CONTROL

Description	Code	Price
Topcon Grade Control Base Kit Installed	2500	\$7,497.00
Factory installed and includes additional brackets and wiring harnesses that further enhances and simplifies the addition of a Topcon grade control system. This also enables the Topcon 3D-MC2 Grade Control Systems to be ordered.		
SmartGrade Control Base Kit	2501	\$7,497.00
Only available with codes 1020 (XLT PAT), 1025 (WLT PAT) or 1030 (LGP PAT). Includes the brackets and wiring harnesses required to enable SmartGrade options 2801 or 2802.		
No Topcon Grade Control Base Kit Installed	2575	No Added Cost
Requires code 2775 (No Topcon Radio Installation).		

▼ TOPCON GRADE CONTROL SYSTEM

Kit includes the following equivalent parts from Topcon 3DMC2 system:

Password, MC-R3 Full Auto OAF Bundle, MC-R3 3DMC2 Kit, GX-55 GPS Kit, Common 3D Dozer GPS OEM, Antenna Config Kit Kit, OEM MC2 Sensor Assy, MC-R3 NO-OAF
Full Assembly and Final Calibration On Site

	Full Assembly and Final Calibration On Site		
	Description	Code	Price
	No Topcon Radio Installation	2775	No Added Cost
	SmartGrade with UHF Radio	2801	\$89,000.00
	Requires code 2501. Mastless grade control system fully integrated into the John Deere cab and crawler dozer structure. Consists of UHF transmitter/receiver, sensors, and in-cab display for configuring, monitoring, and measuring grade. Includes Topcon 3D-MC² software compatible with Topcon file formats. Includes feature that automatically raises the blade before track slippage occurs. Also included is a calibration wizard that decreases set up time.		
	SmartGrade with 915 MHZ Radio	2802	\$89,000.00
_	Requires code 2501. Mastless grade control system fully integrated into the John Deere cab and crawler dozer structure. Consists of 915SS transmitter/receiver, sensors, and in-cab display for configuring, monitoring, and measuring grade. Includes Topcon 3D-MC² software compatible with Topcon file formats. Includes feature that automatically raises the blade before track slippage occurs. Also included is a calibration wizard that decreases set up time.		
_	OPERATOR'S MANUAL AND DECALS		
	Description	Code	Price
	English Operator Manual	2605	No Added Cost
	Spanish Operator Manual	2610	No Added Cost
	French Operator Manual	2615	No Added Cost
Opt	ional - Select as desired		
_	FUEL FILTRATION		
	Description	Code	Price
	Severe-Duty Fuel Filter	9060	\$531.00
_	For use where fuel quality is questionable and/or additional water separation is required. Filter base contains fuel heater.		
~	EXHAUST		
	Description	Code	Price
	Chrome Exhaust	9065	\$520.00
_			

~	MISCELLANEOUS		
	Description	Code	Price
	Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	9075	\$612.00
	Remote service banks are located inside engine and tank compartments; utilizes industry standard quick disconnect couplers.		
	Ether Start Aid	9015	\$350.00
	Ether automatically dispensed during cold start (Controlled by ECU) Recommended for use below 32 degrees F, 0 degrees C		
~	COOLANT HEATER		
	Description	Code	Price
	Coolant Heater, Electric	9530	\$144.00
_	120 Volt		
_	FAST FILL FUEL SYSTEM		
	Description	Code	Price
	Fast-Fuel System	9085	\$2,196.00
	Fast-fuel system compatible with Wiggins components		
~	BLADE		
	Description	Code	Price
	PAT Cylinder Rod Scrapers	9141	\$663.00
_	For use in applications such as moisture conditioning, waste handling, or manure.		
$\overline{}$	HYDRAULIC CONTROLS		
	Description	Code	Price
	Power Pitch with Programmable Return to Pitch Settings	9035	\$5,668.00
	Requires codes 7720 (2-Section OSD valve) or 7730 (3-Section OSD valve).		
~	RADIO		
	Description	Code	Price
	Premium Radio with Bluetooth	9501	\$561.00
	AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port		
_	MISCELLANEOUS		
	Description	Code	Price
	HVAC Powered PreCleaner	9335	\$1,051.00

	Improves in-cab air quality and extends cab air filter life.		
_	Automatic Temperature Control	9503	\$530.00
	HVAC system automatically adjusts temperature and fan speed to meet desired in-cab temperature.		
	Camera Rear View	9504	\$2,035.00
	Rear camera view is shown on primary machine display.		
	Fire Extinguisher Bracket	9505	\$71.00
	Bracket in cab to securely stow 2.5 lbs fire extinguisher.		
	Screens Cab Full Enclosure	9454	\$12,750.00
	Factory designed/installed option		
	Screens Cab Rear	9455	\$1,397.00
	Factory designed/installed option		
~	SHIPPING PREPARATION		
	Description	Code	Price
	Non-Export Rust Preventive Coating	9909	\$151.00
	Coating protects exposed unpainted surfaces from road salt during shipment.		
~	GRILLE		
	Description	Code	Price
	Heavy Duty Grille	9325	\$1,785.00
	Grille with thicker louvers and protection for the lights.		
~	WORK LIGHTS		
	Description	Code	Price
	Premium LED Light Package	9166	\$1,530.00
	10 high output LED lights replace the 6 standard LED lights. (High output LED package is 26,000 lumens as compared to 10,800 lumens with the standard lights)		
~	12 VOLT POWER		
	Description	Code	Price
_	2nd - 12 Volt Power Port	9370	\$224.00
_	MISCELLANEOUS		
	Description	Code	Price
	Threaded Pitch Jack	9055	\$1,083.00

Requires code 1041 (XLT OSD), 1050 (WLT OSD), 1060 (LGP OSD) or 1072 (LGP OSD WH)
Adjust between preset pitch hole positions.

BEACON LIGHTING		
Description	Code	Price
License Plate Bracket and Beacon Light	9520	\$631.00
Beacon Light	9521	\$295.00
RIPPER		
Description	Code	Price
Heavy Duty Parallelogram Ripper with 3 Shank Pockets and (3) Shank/Teeth	9187	\$24,290.00
Requires code 7730 (3 Section OSD Valve) or 7760 (4 Section PAT Valve) Not for use with other Rear Attachment		
Heavy Duty Parallelogram Ripper with 3 Shank Pockets and (3) Shank/Teeth with Single Rear Counterweight	9189	\$27,825.00
Requires code 7730 (3 Section OSD Valve) and 7082 (Mechanical Angle Blade) Not for use with other Rear Attachment		
HITCHES		
Description	Code	Price
Retrieval Hitch w/ Single Rear Counterweight	9340	\$4,969.00
492kg (1082 lb.) Not for use with other rear attachment		
Retrieval Hitch w/o Rear Counterweight	9343	\$1,393.00
52 kg (114 lb.) Not for use with other rear attachment		
Retrieval Hitch w/ Dual Rear Counterweights	9344	\$7,395.00
827 kg (1819 lb.) Not for use with other Rear Attachment		
COUNTERWEIGHT		
Description	Code	Price
Extended Rigid Drawbar w/ Single Rear Counterweight	9345	\$5,667.00
570 kg (1254 lb.) Not for use with other Rear Attachment		
Single Rear Counterweight	9250	\$4,233.00
440 kg (968 lb.) Not for use with other rear attachment		
	9255	\$6,522.00
	Description License Plate Bracket and Beacon Light Beacon Light RIPPER Description Heavy Duty Parallelogram Ripper with 3 Shank Pockets and (3) Shank/Teeth Requires code 7730 (3 Section OSD Valve) or 7760 (4 Section PAT Valve) Not for use with other Rear Attachment Heavy Duty Parallelogram Ripper with 3 Shank Pockets and (3) Shank/Teeth with Single Rear Counterweight Requires code 7730 (3 Section OSD Valve) and 7082 (Mechanical Angle Blade) Not for use with other Rear Attachment HITCHES Description Retrieval Hitch w/ Single Rear Counterweight 492kg (1082 lb.) Not for use with other rear attachment Retrieval Hitch w/o Rear Counterweight 52 kg (114 lb.) Not for use with other rear attachment Retrieval Hitch w/ Dual Rear Counterweights 827 kg (1819 lb.) Not for use with other Rear Attachment COUNTERWEIGHT Description Extended Rigid Drawbar w/ Single Rear Counterweight 570 kg (1254 lb.) Not for use with other Rear Attachment Single Rear Counterweight 440 kg (968 lb.)	Description License Plate Bracket and Beacon Light Beacon Light P520 Beacon Light RIPPER Description Heavy Duty Parallelogram Ripper with 3 Shank Pockets and (3) Shank/Teeth Requires code 7730 (3 Section OSD Valve) or 7760 (4 Section PAT Valve) Not for use with other Rear Attachment Heavy Duty Parallelogram Ripper with 3 Shank Pockets and (3) Shank/Teeth with Single Rear Counterweight Requires code 7730 (3 Section OSD Valve) and 7082 (Mechanical Angle Blade) Not for use with other Rear Attachment HITCHES Description Retrieval Hitch w/ Single Rear Counterweight 492kg (1082 lb.) Not for use with other rear attachment Retrieval Hitch w/o Rear Counterweight 52 kg (114 lb.) Not for use with other rear attachment Retrieval Hitch w/ Dual Rear Counterweights 827 kg (1819 lb.) Not for use with other Rear Attachment COUNTERWEIGHT Description Extended Rigid Drawbar w/ Single Rear Counterweight 570 kg (1254 lb.) Not for use with other Rear Attachment Single Rear Counterweight 9250 440 kg (968 lb.) Not for use with other rear attachment

775 kg (1705 lb.) Not for use with other Rear Attachment		
Extended Rigid Drawbar w/o Rear Counterweight	9347	\$1,464.00
130 kg (286 lb.) Not for use with other Rear Attachment		
Extended, Rigid Drawbar with Dual Rear Counterweights	9348	\$8,033.00
970 kg (2092 lb.) Not for use with other Rear Attachment		
GUARDS		
Description	Code	Price
Bolt-On Final Drive Trash Guards	9160	\$2,055.00
Included in waste handling package codes 1072 (LGP OSD WH) and 1074 (LGP PAT WH).		
Trash guards are for dry conditions, like waste handling or demolition and NOT for water/muddy conditions.		
Full Length Rock Guards	9155	\$3,919.00
Recommended for applications in rock over 3 in. (76 mm) or sideslopes greater than 2:1. Not recommended for waste or other material packing applications		
Large Debris Prescreen	9132	\$740.00
Intended for high debris environments such as waste handling and woodchip applications. Included in the waste handling package codes 1072 (LGP OSD WH) and 1074 (LGP PAT WH).		
Sprocket Segments with Recesses	9157	\$1,200.00
Only recommended for applications where material packing in sprocket area is common, such as heavy mud or waste handling. Included in the waste handling package codes 1072 (LGP OSD WH) and 1074 (LGP PAT WH).		
Fender Guards OSD	9148	\$3,060.00
Included in the waste handling package code 1072 (LGP OSD WH)		
Fender Guards PAT	9149	\$3,060.00
Included in the waste handling package code 1074 (LGP PAT WH)		
Limb Risers (Sweeps)	9142	\$7,344.00
Factory designed/installed option		
MISCELLANEOUS		
Description	Code	Price
Rear Storage Compartment (Dog House)	9510	\$8,976.00

- A7

ATTACHMENTS FOR FIELD CONVERSION

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description	Code	Price
<u>Blades</u>		
Mechanical Angle Blade - 194 in. (4928 mm)	BYT11449	\$65,025.00
Requires code 1060 (LGP OSD)		
Coolant Heater		
Coolant Heater Field Kit	BYT11322	\$97.00
120 Volt		
Frame Attachment		
Counterweight, Front, 781 lbs. (355 kg.) Field Kit	BYT10552	\$2,499.00
Includes Mounting Hardware.		
Heavy Duty Parallelogram Ripper with 3 Shank Pockets, Field Kit	BYT10555	\$23,508.00
Rear-mounted parallelogram hydraulic (3) Pocket Ripper - FOB Trussville, Alabama. Includes (3) Shanks with Teeth Requires tractor to be built with code 7730 or 7760. If not, Auxiliary Plumbing Field Kit and Auxiliary Valve Section Field Kit Must be ordered.		
Grade Control		
Trimble Earthworks Ready Kit	BYT11460	\$14,300.00
This kit supports installation of masted and mastless Earthworks systems (PAT configurations only). The kit includes: 3 blade mounting brackets (left, right, center), 2 IMU mounting brackets (blade and C-frame), quick connects in front grill, Smart Sensor mounting bracket, monitor mounting brackets, harnesses (monitor, quick connect, Smart Sensor), GNSS mounting brackets (cab), radio brackets. This kit includes installation by Paladin CustomWorks. This kit does not support Trimble GCS systems.		
Requires codes 1020, 1025, 1030, or 1074 and 2575		
<u>Guards</u>		
Final Drive Seal Trash Guards	AT357218	\$1,704.00

Average installation, 2 hours.

Seal guards are for dry conditions, like trash applications or demolition and NOT for wet/muddy conditions.

Limb Riser Field Kit	BYT10652	\$8,058.00
PAT Rod Scraper Cylinder Field Kit	BYT11126	\$2,570.00
For use in applications such as moisture conditioning, waste handling, or manure.		
Miscellaneous		
Auxiliary Plumbing Field Kit	BYT11296	\$370.00
Plumbing to rear of machine for rear attachments		
Auxiliary Valve Section Field Kit	BYT10722	\$1,850.00
Auxiliary Valve Section for rear attachment		
Hi-Flow Pump and Plumbing For Winch, Field Kit	BYT11295	\$2,600.00
100cc Hi-Flow Pump for hydraulic winch installations. Includes plumbing to rear of machine for winch installation.	0	
Power Pitch For OSD Field Kit	BYT11298	\$4,850.00
Components to install Power Pitch on Outside Dozers only. Requires code 1041, 1050, 1060, or 1072	Э	
<u>Miscellaneous</u>		
Front Striker Field Kit for LGP PAT	BYT10793	\$1,061.00
Recommended in waste handling/landfill applications. Fits LGP PAT doze (Code 1074). Parts only, requires installation/welding by dealer. For Paladin installation, order kit BYT10720.	r	
Front Strikers Field Kit for LGP Outside Dozer	BYT10719	\$969.00
Recommended in waste handling/landfill applications. Fits LGP outside dozer (Code 1072). Parts only, requires installation/welding by dealer. For Paladin installation, order kit BYT10792.		
Paladin Installation of Front Striker Field Kit for LGP OSD (BYT10719)	BYT10792	\$1,867.00
Labor only. Requires BYT10719 and code 1072 to be ordered separately.		
Paladin Installation of Front Striker Field Kit for LGP PAT (BYT10793)	BYT10720	\$1,867.00
Labor only. Requires BYT10793 and code 1074 to be ordered separately.		
Paladin Installation of Trash Rack Field Kit (BYT10794) for LGP Semi-U Blade	BYT10786	\$5,569.00
D D D D D D D D D D D D D D D D D D D		
Labor only. Requires BYT10794 and code 7081 to be ordered separately.		
Paladin Installation of Trash Rack Field Kit (BYT10795) for 168" PAT Blade	BYT10787	\$6,722.00

Trash Rack Field Kit for LGP Semi-U Blade	BYT10794	\$1,887.00
Recommended in waste handling/landfill applications. Fits 152" blade (Code 7081). Parts only, requires welding by dealer. For Paladin installation, order kit BYT10786.		
Trash Rack for 168" PAT Blade	BYT10795	\$2,040.00
Recommended in waste handling/landfill applications. Fits 168" blade (Code 7065). Parts only, requires welding by dealer. For Paladin installation, order kit BYT10787.		
Operator Environment		
Automatic Temperature Control Software Enable FK	BYT11555	\$530.00
Overall Vehicle		
HVAC Structure Repair Kit	BYT11425	\$2,600.00
Rear structure of cab roof that holds HVAC components. Requires welding. Does not include HVAC or bolt on covers/screens.		
LH Cab Roof Structure Repair Kit	BYT11427	\$745.00
Left side structure of cab roof that holds working lights. Requires welding Does not include lights or bolt on components.	ing.	
Large Debris Engine Air Precleaner Field Kit	BYT11324	\$1,010.00
Intended for high debris environments such as waste handling and woodchip applications. Included in the waste handling package codes 1072 (LGP OSD WH) and 1074 (LGP PAT WH).		
RH Cab Roof Structure Repair Kit	BYT11428	\$745.00
Right side structure of cab roof that holds working lights. Requires welding. Does not include lights or bolt on components.		
Severe Duty Fuel Filter Field Kit	BYT10639	\$429.00
For use where fuel quality is questionable and/or additional water separation is required. Filter base contains fuel heater.		
<u>Powertrain</u>		
Fast Fuel Kit	BYT11080	\$2,030.00
Fast-fuel system compatible with Wiggins components		
Powertrain & Cooling		
Quick Service Bank for Transmission, Hydraulic, Engine & Engine Coolant Fluid Changes	Oil BYT10415	\$673.00
Remote Service Bank is inside engine compartment and includes Indu Standard Quick Disconnect Couplers.	ıstry	
REFERRAL ATTACHMENTS		
Description	Code	Price

Bid Term: 2/20/19 - 2/19/21

i accai vviilcii biv	Paccar	Winch	Div
----------------------	--------	-------	-----

EH H110B Hydraulic Winch	AT446946	\$55,562.00
EH H85 Hydraulic Winch	ΛΤ <i>1</i> /160/15	\$41,398.00
Three-Roller Fairlead	AT323258	\$6,521.00
Fairlead for Model H60 , H85, 50B, and 70A Winches		

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |