953K

953K TRACK TYPE LOADER GRENOBLE, FRANCE

Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Modular cooling system for engine air intake, oil and water
Fan radiator, electronically controlled, hydraulically driven, temperature sensing, on demand Electro Hydrostatic Control (EHC) for transmission
Engine idle shutdown
Auto engine speed control
Electric fuel pump
Water separator
Starting aid, glow plug
Caterpillar extended life coolant

UNDERCARRIAGE

Caterpillar heavy duty undercarriage and tracks (37 sections), 1836mm (72.3") track gauge
Track guiding guards, end section
Track adjuster, hydraulic
Sprocket rims, with replaceable bolt-on tough steel segments
Guards, sprocket
6 track rollers per side, with one upper carrier roller, lifetime lubricated
Idlers, conventional type, lifetime lubricated
Oscillating track roller frames

ELECTRICAL

Alternator, 24 volt, heavy duty
Alarm, backup
Horn, electric
2 heavy duty batteries, high output,
maintenance free, 900 CCA
Switch, main disconnect
Starter, electric (heavy duty, 24 volt)
4 halogen lights: 2 facing forward,
roof mounted, 2 facing rearward,
integrated in the air conditioner unit

OPERATOR ENVIRONMENT

Pressurized, sound suppressed, ROPS/FOPS
Cab with tinted glass and right
side sliding window
Air conditioning and heating
Heater / defroster with automatic
temperature control
Armrests, adjustable
Electro Hydraulic, seat mounted control
levers with faster processing
Seat belt, retractable, with buckling
indicator on dash

Electronic Monitoring System with gauges Mirror, rearview, inside, adjustable Radio ready. Includes 24 to 12 volt converter, speakers, antenna and 12V power outlet Coat hook Storage compartments under left armrest Document holder on right console Floor mat, rubber, heavy duty Windshield washers and wipers, multiple speed front and rear Durable metal roof Parking brake switch and "brake-on" indicator light Durable metal fender

OTHER STANDARD EQUIPMENT

Sound suppression, exterior
Z-bar loader linkage
Load sensing implement pump with
variable displacement
Implement cylinders with sensors
Operator programmable lift and tilt
kickouts
Engine enclosure with lockable doors
Radiator core 6.5fpi, debris resistant
Hinged radiator guard and swing out fan
Guards, full bottom
Ecology drains on hydraulic oil tank
Product Link ready
Oil sampling valves
Hoses, Caterpillar XT

HYDO Advanced 10

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 26JAN2021 953K-001

953K

953K TRACK TYPE LOADER GRENOBLE, FRANCE

Ship Weight lbs LIST PRICE AT DEALER

LANE 2 is reserved for the Base Order Management Program. Please use Lane 2 when placing orders that are part of the Base Order Management Program.

 0 \$274,060

LANE 2 - AVAILABLE FROM GRENOBLE FACTORY LANE 3 - AVAILABLE FROM GRENOBLE FACTORY

DEDICATED TO HIGHER REGULATED COUNTRIES (HRC), including: INCLUDES:

- Caterpillar C7.1 diesel engine, turbo charged with ATAAC and engine mounted aftertreatment. Achieves emission levels equivalent to Environmental Protection Agency (EPA) tier 4 final / EU stage IV / Japan 2014 (tier 4 final).

- Rear camera.

AVAILABLE FOR: NORTHERN AMERICAN DEALERS

EU DEALERS KOREAN DEALERS

AUSTRALIAN AND NEW ZEALAND DEALERS

JAPANESE DEALERS

 NC

AVAILABLE FROM GRENOBLE FACTORY

Only reference numbers that have the text

"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

Supersedes 02JAN2021 Caterpillar: Confidential Green

US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 26JAN2021

953K-002

953K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
LANE	SELECTIO	N		
	0P-9002	Conly for dealers enrolled in the Base Order Management		NC
	0P-9003	LANE 3 ORDER	0	NC
REGI	ONAL PAC	KAGES		
L	470-6429	REGIONAL PACKAGE ADSD-N	0	NC
FEAT	URE PACK	AGES		
L	469-5038	CONSTRUCTION PKG, SYSTEMONE	eral earthmoving rying, truck ke final drive, ocked, SystemOne hydraulic	NC
L	469-5039	CONSTRUCTION PACKAGE, HD Construction package is designed for all types of general tasks: cleaning, digging, stockpiling, loading and carreloading, backfilling and grading. The construction package includes standard items lill hinged radiator guard and swing out fan - both bolt-lundercarriage, Idler conventional type, protection for tank and Guard for the lift lines and sensor. REQUIRES: HEAVY DUTY TRACKS ONLY FOR USE WITH: 471-9489 953K HRC TRACKS	eral earthmoving rying, truck ke final drive, ocked, E.salt hydraulic	NC
L	469-5040	WASTE PACKAGE, HD Built for waste handling applications, this package fe - Undercarriage Heavy Duty - Guards for the final drives and idlers duo cone seal - Sealing between front guard and frame around hyd - Latches on rear guard and fan door for easier clean RECOMMENDED OPTIONS: HEAVY DUTY TRACKS V 497-9954 AIR PRECLEANER, CAB 502-2846 STRIKER BARS, REAR REQUIRES: 456-3981 FAN, DEMAND, REVERSING 456-4001 AIR INLET, PRECLEANER, TU 308-6518 GUARD, IDLER 470-6425 SERVICE PACKAGE, EXTEND 505-7467 WINDSHIELD PROTECTION ONLY FOR USE WITH: 471-9489 953K HRC TRAC	ratures: raulic lines ing WITH CENTER HOLE RBINE	\$6,940

Supersedes 02JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 953K-003

953K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
FEAT	URE PACK	AGES (CONT.)		
L	516-4418	WASTE PKG,HD,ENHANCED CLEANING FOR USE IN LANE 3 ONLY The package features the waste handling modification undercarriage and standard shoes enabling the waste easily between the chassis and the track roller frame in a huge cleaning time reduction. To take a full advantage of this package, one of the febucket combinations must be considered: - any bucket larger than 2516mm/99" with 380mm, holes. The clearance between track and chassis will any bucket larger than 2616mm/103" with 480mm, holes. The clearance between track and chassis will RECOMMENDED OPTIONS: HEAVY DUTY TRACKS 517-5201 GUARD FULL LENGTH, TRACKS 517-5201 GUARD FULL LENGTH, TRACKS 517-5201 GUARD, DEMAND, REVERSING 456-4001 AIR INLET, PRECLEANER, TU 308-6518 GUARD, IDLER HEAVY DUTY TRACKS 470-6425 SERVICE PACKAGE, EXTEND 497-9954 AIR PRECLEANER, CAB 505-7467 WINDSHIELD PROTECTION ONLY FOR USE WITH: 471-9489 953K HRC TRACKS	ons, a wide gauge te to flow more es which results ollowing track / /15" shoes with center 1 be 275mm/10.8" n/19" shoes with center 1 be 225m/8.8" WITH CENTER HOLE CK ROLLER, HD //EIGHT JRBINE	\$31,700
L	515-0354	SHIPHOLD PACKAGE, HD FOR USE IN LANE 3 ONLY Built for ship unloading and more generally for port applications, this package features: - four lifting eyes on heavy duty undercarriage and for the machine safely - sealing between front guard and frame around hyde a Latches on fan door and rear guard for easier clear and the Guard, lift lines and sensor RECOMMENDED OPTIONS: GUARD, FRONT LIGHTS 517-5201 GUARD FULL LENGTH,TRAGE REQUIRES: 456-3981 FAN, DEMAND, REVERSING 456-4001 AIR INLET, PRECLEANER, TU 324-3613 GUARD, IDLER SHIPHOLD HEAVY DUTY TRACKS 513-7703 CAB, DELUXE 470-6425 SERVICE PACKAGE, EXTEND 536-7933 BUMPER, STANDARD ONLY FOR USE WITH: 471-9489 953K HRC TRAGE CANNOT BE USED WITH: 456-3991 RIPPER, MULTI 469-6093 MAST, GRADE 465-8893 HITCH, RIPPER 502-2846 STRIKER BARS COUNTERWEIGHT	handling rame to lift raulic lines ning S OR WINDSHIELD PROT CK ROLLER, HD URBINE DED CK LOADER -SHANK CONTROL	\$11,890 ECTION

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 953K-004

953K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER			
FEATURE PACKAGES (CONT.)							
L	L 513-4208 LGP PACKAGE, HD						

Built for applications requiring a lower ground pressure, this package features an Heavy Duty wide gauge undercarriage that enables the installation of wide tracks 31.5" (800MM).

RECOMMENDED OPTIONS: 308-6518 GUARD, IDLER RIPPER PACKAGE OR COUNTERWEIGHTS For a sufficient balance to the wide bucket.

REQUIRES: 415-5684 TRACK, 800MM DG, HD 512-3178 BUCKET-GP, 2.2 CUM, WIDE ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 26JAN2021 953K-005

953K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER

FEATURE PACKAGES (CONT.)

 \$28,310

FOR USE IN LANE 3 ONLY

Built for dealers requiring a product base for the steel mill application.

This package features:

- Steel Mill undercarriage with high temperature seals for durability, guards for final drives duo-cone seals and equalizer bar pivots, welded side bars
- Rear grill and fan door equipped with latches for easier and frequent cleaning of cooling area
- Fire retardant oil Ecosafe
- Guards for lift lines
- Steel mill cab equipped with various thermal shields and silicone seals, sealed windows, double laminated front windshield protected by a hinged grill and a metallic screen, fire resistant floormat, additional metallic roof, metallic door handles and push button release, 8 heat resistant lights, A/C vents on both sides of operator.

This package DOES NOT feature:

All the other modifications required to allow the machine running on hot slag. Examples: steel fuel tank, heat insulated harnesses, hoses and tanks.

A good reference for information is the content offered on 973D/K SMA, see specalog AEHQ6071.

Note: Some dealers are able to provide the complement of

modifications required to upgrade the machine from a partial to a full

SMA. Please ask your Product & Application Specialist.

RECOMMENDED OPTIONS: 517-5201 GUARD FULL LENGTH,TRACK ROLLER, HD 559-3283 BUCKET SLAG, 1.6 CUM

REQUIRES: 456-3981 FAN, DEMAND, REVERSING

456-4001 AIR INLET, PRECLEANER, TURBINE

308-6518 GUARD, IDLER

510-4111 TRACK, 380MM DG, SEALED, HD

448-0286 HYDRAULIC OIL, ECOSAFE

472-0849 LINES IMPLEMENT, STANDARD

549-7556 CAB, STEEL MILL

470-6425 SERVICE PACKAGE, EXTENDED

517-1713 NO PRODUCT LINK

536-7933 BUMPER, STANDARD

ONLY FOR USE WITH: 471-9489 953K HRC TRACK LOADER CANNOT BE USED WITH: QUICK COUPLER INSTALLATIONS

PRODUCT LINK INSTALLATIONS

456-3996 TANK, FUEL, REFUELING PUMP

456-3991 RIPPER, MULTI-SHANK 497-9954 AIR PRECLEANER, CAB

469-6093 MAST, GRADE CONTROL

465-8893 HITCH, RIPPER

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 26JAN2021 953K-006

953K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
POW	ERTRAIN			
R	ADIATOR F	AN		
L	456-3980	FAN, DEMAND, STANDARD		NC ACKAGES
L	456-3981	FAN, DEMAND, REVERSING	v control.	\$1,890
A	IR INLET			
L	456-4000	AIR INLET, STANDARD	LRC MACHINES CK LOADER	NC ACKAGES
L	456-4001	AIR INLET, PRECLEANER, TURBINE For use in heavy debris applications. May improve filter life. OPTIMAX dual-stage precleaner powered by engine's air flows. Intake air is spun by flow-driven impeller. Debris stratify along outer wall and are ejected back i environment. THE AIR INLET ATTACHMENT IS INCLUDED IN ALL ONLY FOR USE WITH: 471-9489 953K HRC TRAC	intake and exhaust into the LRC MACHINES	\$1,780
UND	ERCARRIAC	GE .		
ID	LER			
L	308-6189	SCRAPER, IDLER		NC ACKAGES
L	308-6518	GUARD, IDLER		\$775
L	324-3613	GUARD, IDLER SHIPHOLD	nud and debris.	\$1,165

Supersedes 02JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 953K-007

953K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
UNDE	ERCARRIAC	GE (CONT.)		
TF	RACKS			
TRAC	KS, SYSTE	MONE		
L	415-5666	TRACK, 15" DG, SYSTEMONE FOR USE IN LANE 3 ONLY Double Grouser track Shoes, SystemOne ONLY FOR USE WITH: 471-9489 953K HRC TRAC 469-5038 CONSTRUCTION	CK LOADER	\$5,430
L	415-5670	TRACK, 19" DG, SYSTEMONE	CK LOADER	\$4,855
TRAC	KS, HEAVY	DUTY		
L	510-4108	TRACK, 15" DG, HD	N PACKAGES	\$570
L	510-4109	TRACK, 19" DG, HD	N PACKAGES	NC
L	510-4110	TRACK, 19" DG, CTR HOLE, HD Double Grouser track Shoes, Heavy Duty with center This center holes prevent the increase of track wear of packing underneath the track shoes. RECOMMENDED FOR WASTE APPLICATIONS ONLY FOR USE WITH: ALL WASTE PACKAGES, HE	r hole. due to debris	\$1,375
L	415-5684	TRACK, 31.5" DG, HD	CK LOADER	\$2,730
L	510-4111	TRACK, 15" DG, SEALED, HD		NC

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 953K-008

953K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
HYD	RAULICS			
Н	YDRAULIC	OIL		
L	571-1184	HYDRAULIC OIL, STANDARD	ems.	NC
L	258-9893	HYDRAULIC OIL, BIODEGRADABLE FOR USE IN LANE 3 ONLY This Hydraulic Environmental Ester Synthetic oil is a when required for environmental compliance. Factor For the implement and differential steering hydraulic ONLY FOR USE WITH: 471-9489 953K HRC TRACANNOT BE USED WITH: 508-7886 STEEL MILL PK	recommended y filled. c systems. CK LOADER	\$3,005
L	448-0286	HYDRAULIC OIL, ECOSAFE		NC
LINE	GROUPS			
L	472-0849	LINES IMPLEMENT, STANDARD	141	NC
L	511-7688	FOR USE IN LANE 3 ONLY Hydraulic lines for the implement and quick coupler For balance considerations, these lines for a quick corequire a heavy counterweight, such as a ripper, a word counterweights (light + additional). REQUIRES: 507-2021 QUICK COUPLER LINES, MP CANNOT BE USED WITH: STEEL MILL PKG, HD, PAR	r. oupler usage do vaste package or	NC
OPE	RATOR ENV	TRONMENT		
C	AB			
L	513-7702	CAB INCLUDES: - right rear side sliding window - 4 halogen lights (two facing forward, roof mounted; rearward integrated in A/C unit) CANNOT BE USED WITH: SHIPHOLD PACKAGE, HD STEEL MILL PKG, HD, PA	two facing	NC

Supersedes 02JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 953K-009

953K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
OPE	RATOR ENV	TRONMENT (CONT.)		
C	AB (Cont.)			
L	513-7703	CAB, DELUXE Highly equipped version of the cab. INCLUDES: - both rear sides sliding windows - pre-installed microphone for the Bluetooth radio - 8 LED lights (four facing forward, two facing sideward facing rearward integrated in A/C unit) - Dashboard grab handle CANNOT BE USED WITH: STEEL MILL PKG, HD, PAIREQUIRED BY: SHIPHOLD PACKAGE, HD	ays and two	\$3,170
-	549-7556	CAB, STEEL MILL FOR USE IN LANE 3 ONLY Version of the cab modified to work in slag handling where additional thermal protections are required. INCLUDES: - all sealed windows - Windshield and front light protection - pre-installed microphone for the Bluetooth radio - 8 halogen lights (four facing forward, two facing sid facing rearward integrated in A/C unit) ONLY FOR USE WITH: STEEL MILL PKG, HD, PAI	applications eways and two	\$3,170
S	EAT	N. VO. Toggle Link Ventical Od gan austice scate with		
	reinforced air	LV2: Toggle Link Vertical 2d generation seats, with suspension.		
-	508-4901	SEAT, BASIC	0	NC
	508-4902	SEAT, COMFORT INCLUDES: - cloth-covered seat - removable headrest - 76mm / 3" retractable, 2 point seat belt - lockable side-to-side isolator - heated seat pan and back rest	0	\$725
-	546-0888	SEAT, DELUXE FOR USE IN LANE 3 ONLY INCLUDES: - cloth and leather-covered seat - removable headrest - 76mm / 3" retractable, 2 point (4 point compatible) - lockable side-to-side isolator - heated and ventilated seat pan and back rest - high back rest		\$2,050

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021

953K-010

953K

JSE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRIC
)PEF	RATOR ENV	TRONMENT (CONT.)		
T	RANSMISSI	ON		
	508-4758	TRANSMISSION CONTROL V-LEVER		NC
	508-4756	TRANSMISSION CONTROL, JOYSTICK		NC
	2 ste The The The patte	machines equipped with a Transmission/Hystat Joystic eering patterns available. default S-Pattern is like a CAT Skid Steer. alternate C-Steer pattern is like a CAT tractor. machine can not be shipped from the factory with the a ern activated. A CAT service tol (ET) is required to make age. See your Service department for details."	lternate	
Н	YDRAULICS	S PACKAGES		
	521-6411	HYDRAULIC 2V,GP 2 LEVERS, PACK This configuration includes 2 functions valve and elebucket control two levers for GP bucket. CANNOT BE USED WITH: 456-3991 RIPPER, MULTI MP BUCKETS	ectro	NC
	521-6412	HYDRAULIC 3V,GP 2 LEVERS, PACK	electro-hydraulic control lever.	\$5,220
	469-5049	HYDRAULIC 2V,GP JOYSTICK, PACK This configuration includes 2 functions valve and joy for GP buckets. CANNOT BE USED WITH: 456-3991 RIPPER, MULTI MP BUCKETS	stick control	NC
	469-5052	HYDRAULIC 3V,GP JOYSTICK, PACK This configuration includes rear hydraulic lines, a joy for GP bucket and a ripper control lever. CANNOT BE USED WITH: SHIPHOLD PACKAGE, HD STEEL MILL PKG, HD, PAMP BUCKETS	ystick control	\$5,220
•	469-5050	HYDRAULIC 3V,MP JOYSTICK, PACK	l joystick control	\$5,220

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 953K-011

953K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
OPER	ATOR ENV	IRONMENT (CONT.)		
H	YDRAULICS	S PACKAGES (Cont.)		
L	471-9497	HYDRAULIC 4V,MP JOYSTICK, PACK This configuration includes 4 functions valve, front a hydraulic lines, an electro-hydraulic bucket control of MP bucket proportional control slider, a ripper control CANNOT BE USED WITH: SHIPHOLD PACKAGE, HD STEEL MILL PKG, HD, PAR	and rear with ol lever.	\$8,720
SE	ERVICE PA	CKAGES		
L	470-6424	SERVICE PACKAGE, STANDARD	ab at 30 degrees indshield HD	NC
L	470-6425	SERVICE PACKAGE, EXTENDED	0 abling the cab tilt	\$1,810
TECH	INOLOGY F	PRODUCTS		
PF	RODUCT LI	NK		
location effect on schowning please count	on, operation cively moniton hedule, main ng and opera pereference heres.	les the remote transmission of information about n, and condition of your equipment. Efficiently an or performance of your assets to help keep your just atain equipment condition, and reduce the costs of ting your fleet. Availability varies by country - nttps://Dealer.cat.com/PL/Certification for certified ur Cat marketing representative with questions.	nd obs of	
L	517-1714	PRODUCT LINK, SATELLITE PL631	work to transmit wing in Product	\$446
L	577-0394	PRODUCT LINK, CELLULAR PL641 Product Link Pro series PL641V2 uses cellular network location, utilization and health information for viewing Link user applications. Cellular technology provides frequent transmission and larger volumes of data. CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTICLE PKG, HD, PKG, HD, PKG, HD, PKG, HD, PKG, PKG, PKG, PKG, PKG, PKG, PKG, PKG	orks to transmit ng in Product capabilities for	NC

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 26JAN2021 953K-012

953K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
TECH	INOLOGY F	PRODUCTS (CONT.)		
PF	RODUCT LI	NK (Cont.)		
L	517-1713	NO PRODUCT LINK	0	NC
FUEL	SYSTEMS			
FL	JEL TANK			
L	456-3994	TANK, FUEL, STANDARD	77	NC
L	456-3995	TANK, FUEL, FAST FILL FOR USE IN LANE 3 ONLY Fuel tank with fast fill system. ONLY FOR USE WITH: 471-9489 953K HRC TRA		\$3,330
L	456-3996	TANK, FUEL, REFUELING PUMP		\$1,965
OTHE	R ATTACH	IMENTS		
RE	EAR ATTAC	CHMENTS		
P	536-7933	BUMPER, STANDARD	0	NC
P	456-3991	AVAILABLE AS INSTALLED OR NOT INSTALLED WITH ALSO AVAILABLE AS A MISCELLANEOUS ORDER Hydraulic rear-mounted radial ripper. Includes 3 curved shanks with replaceable tips. ONLY FOR USE WITH: 521-6412 HYDRAULIC 3V 469-5052 HYDRAULIC 3V 471-9497 HYDRAULIC 4V CANNOT BE USED WITH: SHIPHOLD PACKAGE, HE STEEL MILL PKG, HD, PA 502-2846 STRIKER BARS 502-2844 COUNTERWEIG 502-2845 COUNTERWEIG	TH A MACHINE 7,GP 2 LEVERS, PACK 7,GP JOYSTICK, PACK 7,MP JOYSTICK, PACK 9 RTIAL 7, REAR 8HT, LIGHT, 230KG	\$10,320 \$9,740 NI

Supersedes 02JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 953K-013

953K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
				,

BUCKETS

BUCKET PACKAGE

ALL BUCKETS AVAILABLE INSTALLED OR NOT INSTALLED ALSO AVAILABLE ON A MISCELLANEOUS ORDER

GENERAL PURPOSE PERFORMANCE SERIES BUCKET (PIN-ON)

Performance series Bucket

Includes:

Bolt-on cutting edges (set of 7)

Bolt-on teeth, K80 General Duty tips (set of 8)

Capacity: 2.1 CUM (2.7 CYD)

110% Fill Factor: 2.3 CUM (3.0 CYD)

Width: 2536 mm (99.8")

Recommended for loading and applications requiring better tracks

coverage.

COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE.

CANNOT BE USED WITH: STEEL MILL PKG. HD. PARTIAL

GENERAL PURPOSE SERIES BUCKETS (PIN-ON)

General Purpose bucket

Includes:

Bolt-on cutting edges (set of 7),

Bolt-on teeth, K80 General duty tips (set of 8).

Capacity: 1.8 CUM (2.4 CYD) Width: 2485 mm (97.8")

CANNOT BE USED WITH: STEEL MILL PKG, HD, PARTIAL

General Purpose bucket

Includes:

Bolt-on cutting edges (set of 7).

Bolt-on teeth, K80 Extra duty tips (set of 8): provides 36% more wear

material.

Capacity: 1.8 CUM (2.4 CYD) Width: 2485 mm (97.8")

Recommended for heavy duty applications.

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 26JAN2021 953K-014

953K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
BUCK	ETS (CON	IT.)		
GE	ENERAL PU	IRPOSE SERIES BUCKETS (PIN-ON) (Cont.)		
Р	455-1620	BUCKET-GP, 2.4 CYD, FULL EDGE General Purpose bucket Includes: Full cutting edge, bolt-on. Capacity: 1.8 CUM (2.4 CYD) Width: 2454 mm (96.6") Best for granular materials (gravel, sand), finish grafinal preparation.	2,425	\$9,920 \$9,920 NI
P	357-7626	CANNOT BE USED WITH:STEEL MILL PKG, HD, PARBUCKET-GP, 2.2 CYD, FLUSH PACK Flat bottom Bucket Includes: Welded flush adapters, K80 General Duty tips (set of Capacity: 1.7 CUM (2.25 CYD) Width: 2438 mm (96") Recommended for fine grading application. CANNOT BE USED WITH:STEEL MILL PKG, HD, PAR	2,403 2,403 8).	\$11,610 \$11,610 NI
		DLING BUCKET (PIN-ON)		
P	357-7628	General Purpose, Landfill bucket. Includes: Bolt-on cutting edges (set of 7), Bolt-on teeth, K80 Extra duty tips (set of 8): provides material. Capacity: 2.3 CUM (3.0 CYD) Width: 2485 mm (97.8") Bucket equipped with a heavy duty trash shield and STRIKER BARS WITH COUNTERWEIGHTS, OR RIPPLOVERALL MACHINE BALANCE.	3,146 36% more wear flat bottom.	\$18,610 \$18,610 NI ED FOR

Supersedes 02JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 953K-015

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
	KETS (CON	IT.) OSE SERIES BUCKETS (PIN-ON)		
Р	514-1415	BUCKET-MP, 2.1 CYD, PACKAGE Bucket Multi-Purpose Includes: Bolt-on cutting edges (set of 7). Bolt-on teeth, K80 General duty tips (set of 8). Strap adapters (set of 2). Capacity: 1.6 CUM (2.1 CYD) Width: 2471 mm (97.3") COUNTERWEIGHTS OR RIPPER ARE RECOMMEND ONLY FOR USE WITH: 469-5050 HYDRAULIC 3V 471-9497 HYDRAULIC 4V	0 DED FOR OVERALL MAC Y,MP JOYSTICK, PACK	\$25,660 \$25,660 NI CHINE BALANCE.
P	514-1416	Multi Purpose, Landfill bucket. Includes: Bolt-on cutting edges (set of 7), Bolt-on teeth, K80 Extra duty tips (set of 8): provides material. Capacity: 2.1 CUM (2.7 CYD) Width: 2471 mm (97.3") Bucket equipped with a heavy duty trash shield and COUNTERWEIGHTS OR RIPPER ARE RECOMMEND ONLY FOR USE WITH: 469-5050 HYDRAULIC 3V 471-9497 HYDRAULIC 4V	0 s 36% more wear l flat bottom. DED FOR OVERALL MAG V,MP JOYSTICK, PACK	\$30,390 \$30,390 NI CHINE BALANCE.
W	IDE BUCKE	T (PIN-ON)		
Р	512-3178	BUCKET-GP, 2.9 CYD, WIDE FLUSH	0	\$13,910 \$13,910 NI

FOR USE IN LANE 3 ONLY

General Purpose bucket

Includes:

Welded cutting edge.

Welded flush adapters, K80 General Duty tips (set of 8).

Capacity: 2.2 CUM (2.9 CYD) Width: 2994 mm (117.9")

COUNTERWEIGHTS OR RIPPER ARE RECOMMENDED FOR OVERALL MACHINE BALANCE.

REQUIRED BY: 513-4208 LGP PACKAGE, HD

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 26JAN2021 953K-016

953K

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
	ETS (CON	IT.) IRPOSE SERIES BUCKETS (FUSION)		
P	509-6642	BUCKET-GP, 2.4 CYD, QC FUSION General Purpose bucket Bolt-on cutting edges (set of 7) Bolt-on teeth, K80 General Duty tips (set of 8) Capacity: 1.8 CUM (2.4CYD) Width: 2536 mm (99.8") COUNTERWEIGHTS OR RIPPER ARE REQUIRED FOR REQUIRES: 507-2021 QUICK COUPLER LINES, MP 539-4583 QUICK COUPLER, HYDRAULI ONLY FOR USE WITH: 511-7688 LINES IMPLEMENTAL	0 OR AN OVERALL MACHI IC	\$12,030 \$12,030 NI SINE BALANCE.
9 P	559-3283	BUCKET (PIN-ON) BUCKET SLAG, 2.1 CYD FOR USE IN LANE 3 ONLY Includes: Welded half arrow segments (set of 4), Welded teeth adaptors, J550, and J550 TIP long (set Floating pins Capacity: 1.6CUM (2.1CYD) Width: 2416MM (95.1") Bucket designed for extended wear resistance in hig applications. RECOMMENDED WITH STEEL MILL PKG, HD, PART	0 t of 5) h temperature	\$36,350 \$36,350 NI
NC	BUCKET			

ADDITIONAL GROUND ENGAGING TOOLS

For bucket teeth and cutting edge combinations not shown in this price list, please order desired GET through CATERPILLAR WORK TOOLS or PARTS DISTRIBUTION.

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D

L

357-9620

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 953K-017

NC

953K

USE REF LANE 2 / 3 MANDATORY Ship Weight LIST PRICE lbs AT DEALER

BUCKETS (CONT.)

ADDITIONAL WORK TOOLS

Caterpillar offers a complete line of Track Type Loader buckets and tools including:

- Quick Coupler
- Blades
- Forks
- Material Handling Arms
- Rakes

For America North, please refer to the WT-TTL Price List (Work Tool Track Type Loaders) for any loose work tools that you may want to order on a Misc (CMOPS) order. Please use the misc work tool 0P-0599 number listed in the WT-TTL Price list for any loose misc orders. Pack code required is 0P-0210 for US Domestic orders or 0P-5812 for Export orders.

For Europe, the WT-TTL Price List is not yet available.

Please contact your Caterpillar Work Tools Account Coordinator at:

Phone: (31) 736.399.777 or Fax: (31) 736.428.105, or

E-mail: Worktools@Cat.com

PACKING

EXPORT PACKING

Machines have been sprayed with Fluid Film TM.

This product is added for corrosion protection while shipping and for extended storage periods.

This product will need to be power washed with soapy water prior to shipment to the customer.

Cilix AND foam protection on all cylinders are also included in this storage protection procedure.

Recommended: Sea and all type or long distance shipment

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 26JAN2021 953K-018

953K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
STAF	RTERS, BAT	TTERIES, & ALTERNATORS		
L	470-4398	COLD WEATHER, 120V		\$255
ELEC	TRICAL			
L	389-2415	BEACON, ROTATING	2	\$560
OPER	RATOR ENV	VIRONMENT		
	452-6580	RADIO, AM/FM/AUX/USB/BLUETOOTH	USB connection.	\$550
L	469-6095	EASY ACCESS PACKAGE		\$275
L	497-9954	AIR PRECLEANER, CAB	allation to the cab ons. PARTIAL	\$2,270
L	577-9370	KIT VISIBILITY, SINGLE CAMERA	ropean standards. iines.	\$2,110
TECH	INOLOGY F	PRODUCTS		
M	ACHINE CO	ONTROL OPTIONS		
L	469-6093	MAST, GRADE CONTROL	e with grading	\$750

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 953K-019

953K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
GUAI	RDS			
C	AB GUARD	S		
L	518-0006	GUARD, FRONT LIGHTS		\$200
L	507-9474	WINDSHIELD PROTECTION Hinged heavy duty with hand operated latches. Pro and lower door window panes, while still allowing e cleaning. RECOMMENDED WITH THE SHIPHOLD PACKAGE CANNOT BE USED WITH: PARTIAL STEEL MILL PASTIBLE OF STEEL WILL WASTE PACKAGES	atects cab windshield asy access for ACKAGE, HD	\$2,800
	Full length tra sideslopping a and debris en	DING GUARDS ack roller guards provide track guiding for applications. It also provides protection against rocks tering into roller areas. DED IN WASTE, SHIPHOLD AND PARTIAL STEEL MILL	APPLICATIONS	
L	254-5287	GUARD FULL LENGTH, TRACK ROLLER	iding for n against rocks	\$2,270
L	517-5201	GUARD FULL LENGTH, TRACK HD	iding for n against rocks	\$2,270
ОТНЕ	ER ATTACH	IMENTS		
RI	EAR ATTAC	CHMENTS		
L	465-8893	Mandatory reference to install a hitch on a machine the ripper. Hitch is included in case of a bumper. REQUIRED BY: 456-3991 RIPPER, MULTI-SHANK	e equipped with	\$685

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 953K-020

953K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
ОТН	ER ATTACH	IMENTS (CONT.)		
R	EAR ATTAC	CHMENTS (Cont.)		
L	502-2846	STRIKER BARS, REAR. Mounted to the rear of the main frame. Striker bars keep trash from climbing the tracks a the fenders. COUNTERWEIGHTS CAN BE ADDED RECOMMENDED IN WASTE HANDLING APPLICAT CANNOT BE USED WITH: SHIPHOLD PACKAGE, H 456-3991 RIPPER, MUL	nd damaging FIONS ID	\$6,090
C	OUNTERWE	EIGHTS		
Р	502-2844	COUNTERWEIGHT, LIGHT, 230KG		\$3,105
		AVAILABLE AS INSTALLED ONLY WITH A MACHINALSO AVAILABLE AS A MISCELLANEOUS ORDER RECOMMENDED IN LGP APPLICATIONS CANNOT BE USED WITH: SHIPHOLD PACKAGE, H456-3991 RIPPER, MUL	R ID	\$3,105 NI
Р	502-2845	COUNTERWEIGHT, ADDITIONAL, 220KG	0	\$1,880 \$1,880 NI
		AVAILABLE AS INSTALLED ONLY WITH A MACHIN ALSO AVAILABLE AS A MISCELLANEOUS ORDER Additional plates, total: 220 kg / 485 lb RECOMMENDED IN LGP APPLICATIONS REQUIRES: 502-2844 COUNTERWEIGHT, LIGHT,	NE R, WITH COUNTERWEIGH	
N	<i>IAINTENAN</i>	CE AND RELATED ATTACHMENTS		
L	348-5135	OIL CHANGE SYSTEM, HIGH SPEED Easy access drain line and Wiggins connector for r drain. Provides quick, clean and easy engine oil ch having to climb under the machine to access a gra	emote engine oil lange without	\$329
L	456-4011	SEDIMENT PUMP, FUEL TANK	0	\$675

Supersedes 02JAN2021
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021 953K-021

953K

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
	COUPLE	RS PLER INSTALLATIONS		
Th Fo	ne following a or balance co	attachments enable the installation of fusion buckets. onsiderations, the quick coupler requires either a ripper ackage or counterweights (light + additional).		
L	507-2021	QUICK COUPLER LINES, MP. FOR USE IN LANE 3 ONLY Medium Pressure lines to be mandatorily added to the for an hydraulic preparation of the quick coupler concoupler-ready machine). REQUIRES: 511-7688 LINES IMPLEMENT, QUICK COUNTY OF THE COUN	he implement lines nfiguration (quick COUPLER	\$3,425
L	539-4583	QUICK COUPLER, HYDRAULIC. FOR USE IN LANE 3 ONLY Fusion quick coupler. Can be added to the hydraulic or with a fusion bucket for a complete offer from fact REQUIRES: 507-2021 QUICK COUPLER LINES, MP ONLY FOR USE WITH: 509-6642 BUCKET-GP, 1. 357-9620 NO BUCKET	e preparation, alone cory.	\$8,122
FLUIDS	S			
	0G-6009	ANTIFREEZE, -50C (-58F)		\$260 NET
DOCUI	MENTATIO	ON		
	0P-2046	PREPARATION FOR INSPECTION		\$418 NET
PACKI	NG			
	0G-3258	PACK-N.I. BUCKET OR DISMOUNTED To be selected when a bucket is ordered as Not Insta or as MISCellaneous order.		\$109 NET
	0G-3257	PACK-NOT INSTALLED RIPPER		\$270 NET
	0G-0319	PACK-N.I. COUNTERWEIGHT To be selected when a counterweight is ordered as M.		\$109 NET
	0G-3554	SPECIAL PROTECTION PACKAGE		\$1,390 NET

Supersedes 02JAN2021 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 26JAN2021

953K-022