WHP52A - 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 52 In. Deck

Equipment for Base Machine

18.5 HP* Vertical-Shaft Air Cooled Engine (603cc, 36.8 cu. in) Full Pressure Lubrication System with Replaceable Oil Filter Dual Element Air Cleaner Electric Start Operator Presence System Dual Hydrostatic Wheel Drive 6-Position Hydrostatic Adjustment 10cc Hydro-Gear Pumps Parker-Ross Wheel Motors 7 MPH Forward Speed 3 MPH Reverse Speed 52 In. Fully Floating Commercial Side Discharge Mower

Weights

Weight Kit

(Model Year 2013 and newer)

BTC10484

Deck 7-Gauge Fabricated Steel Mower Deck Aluminum Spindle Housings 1.5-5.0 In. Height of Cut with 7 Cut Height Settings Pistol Grip Direction Control Adjustable Height Operator Station 5.4 U.S. Gallon Fuel Capacity 16x7.5-8 Rear Tires 9x3.5-4 Front Caster Tires Electric PTO Clutch Tire Engaging Park Brake English/Spanish Operator's Safety Video and Labels *The engine horsepower and torque information are provided

by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Fuquay Varina, North Carolina.	_
1285TC		WHP52A - 18.5 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 52 In. Deck Not Available in California	7,699.00
		DESTINATION	
001A		United States and Canada	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	TCB11744	Miscellaneous Sulky	602.41
	BTC10643	Miscellaneous Grass Collector, 0.0283168 m³ (3 cu ft)	363.80
	TCB11741	Mulch Kits 1320.8-mm (52-in.) Mulch Kit	283.56

120.91

WH61A - 23 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck

Equipment for Base Machine

23 HP* Vertical-Shaft Air Cooled Engine (726cc 44.3 cu. in) Full Pressure Lubrication System with Replaceable Oil Filter Dual Element Air Cleaner Electric Start Operator Presence System Dual Hydrostatic Wheel Drive 6-Position Hydrostatic Adjustment 10cc Hydro-Gear Pumps Parker-Ross Wheel Motors 7 MPH Forward Speed 3 MPH Reverse Speed 61 In. Fully Floating

Commercial Side Discharge Mower

Deck 7-Gauge Fabricated Steel Mower Deck Aluminum Spindle Housings 1.5-5.0 In. Height of Cut with 7 Cut Height Settings Twin Loop Controls with Speed Index Bar and Reverse Index Bar Adjustable Height Operator Station 5.4 U.S. Gallon Fuel Capacity 16x8.5-8 Rear Tires 9x3.5-4 Front Caster Tires Electric PTO Clutch Tire Engaging Park Brake English/Spanish Operator's Safety Video and Labels

*The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Fuquay Varina, North Carolina.	
0711TC		WH61A - 23 HP* Twin Loop Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck Not Available in California	8,829.00
		DESTINATION	
001A		United States and Canada	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	TCB11744	Miscellaneous Sulky	602.41
	BTC10636	Mulch Kits 1549.4-mm (61-in.) Mulch Kit	295.31
	BTC10484	Weights Weight Kit	120.91

(Model Year 2013 and newer)

WHP61A - 23 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck

Equipment for Base Machine

23 HP* Vertical-Shaft Air Cooled Engine (726cc 44.3 cu. in) Full Pressure Lubrication System with Replaceable Oil Filter Dual Element Air Cleaner Electric Start Operator Presence System Dual Hydrostatic Wheel Drive 6-Position Hydrostatic Adjustment 10cc Hydro-Gear Pumps Parker-Ross Wheel Motors 7 MPH Forward Speed 3 MPH Reverse Speed 61 In. Fully Floating

Deck 7-Gauge Fabricated Steel Mower Deck Aluminum Spindle Housings 1.5-5.0 In. Height of Cut with 7 Cut Height Settings Pistol Grip Direction Control Adjustable Height Operator Station 5.4 U.S. Gallon Fuel Capacity 16x8.5-8 Rear Tires 9x3.5-4 Front Caster Tires Electric PTO Clutch Tire Engaging Park Brake English/Spanish Operator's Safety Video and Labels *The engine horsepower and Commercial Side Discharge Mower torque information are provided

by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

	Attachment		List Price Suggested
Code	Identifier	Description	USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Fuquay Varina, North Carolina.	
0721TC		WHP61A - 23 HP* Pistol Grip Control Commercial Hydrostatic Drive Walk-Behind Mower with 61 In. Deck Not Available in California	8,829.00
		DESTINATION	
001A		United States and Canada	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	TCB11744	Miscellaneous Sulky	602.41
	BTC10636	Mulch Kits 1549.4-mm (61-in.) Mulch Kit	295.31
	BTC10484	Weights Weight Kit (Model Year 2013 and newer)	120.91

W36M Commercial Walk Behind Mower with Hydraulic Transaxle

Equipment for Base Machine

Brake

ENGINE: 14.5 HP* (10.8 kW) Displacement (603cc, 36.8 cu. Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Recoil Start Dual Element Air Cleaner DRIVE SYSTEM: Integrated Hydro-Gear ZT2800 Transaxles 0-6.5 mph (10.5 km/h) Forward 0-3 mph (4.8 km/h) Reverse CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers
Spring loaded neutral locks Handle Activated Internal Park

MOWER DECK: 36 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity TIRES: 18x6.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires ELECTRICAL: Electric PTO Clutch

Digital Hour Meter
English/Spanish Operator's
Safety Video and Labels
ANSI Certified B71.4 for Safety
*The engine horsepower and
torque information are provided
by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2600TC		W36M Commercial Walk Behind Mower with Hydraulic Transaxle Not available in California	5,499.00
		DESTINATION	
001A		United States / Canada Not Available in California.	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	B1MS32	Miscellaneous Dual Wheel Sulky with 18 in. Arm Ordered through Sunbelt Outdoor Products. See Dealer for pricing.	Price On Request
	B1MS31	Single Wheel Sulky with 18 in. Arm Ordered through Sunbelt Outdoor Products. See Dealer for pricing.	Price On Request
	BUC10042	Mulch Kits 36 in. (914.4 mm) Mulch Kit	218.29
	LP68164	Order Zone 3.5 bu. Grass Catcher Compatible with 36 / 48 / 52 inch mower decks.	430.00
	LP70220	Utility Bags (12 pack)	15.99

Spark Arrester

Spark Arrester Screen for Muffler

AM108146

31.90

W36M Commercial Walk Behind Mower with Hydraulic Transaxle Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BUC10676	ATTACHMENTS FOR FIELD CONVERSION Continued Striping Kits Striping Kit with Adjustable Rubber Flap Compatible with 36 / 48 / 52 inch mower decks.	169.06
	BUC10052	Weights Weight Kit	120.91

2040TO

B1MS31

AM108146

JOHN DEERE TURF & UTILITY PRODUCTS COMMERCIAL WALK-BEHIND MOWERS

W48M Commercial Walk Behind Mower with Hydraulic Transaxle

Equipment for Base Machine

ENGINE: 14.5 HP* (10.8 kW) Displacement (603cc, 36.8 cu. Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Recoil Start Dual Element Air Cleaner DRIVE SYSTEM: Integrated Hydro-Gear ZT2800 Transaxles 0-6.5 mph (10.5 km/h) Forward 0-3 mph (4.8 km/h) Reverse CONTROLS: Ergonomic Pistol Style Steering Controls (2) Independent Operator Presence Levers Spring loaded neutral locks

Handle Activated Internal Park Brake MOWER DECK: 48 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires

9x3.5-4 Semi-Pneumatic Caster

Electric PTO Clutch

Tires
ELECTRICAL:

Digital Hour Meter
English/Spanish Operator's
Safety Video and Labels
ANSI Certified B71.4 for Safety
*The engine horsepower and
torque information are provided
by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)

Select One Code From Each Required Category

BASE MACHINE

Single Wheel Sulky with 18 in. Arm

26101C	W48M Commercial Walk Benind Mower with Hydraulic Transaxie Not available in California	5,799.00	
	DESTINATION		
001A	United States / Canada Not Available in California.	In Base Price	
	ATTACHMENTS FOR FIELD CONVERSION		
B1MS32	Miscellaneous Dual Wheel Sulky with 18 in. Arm Ordered through Sunbelt Outdoor Products. See Dealer for pricing.	Price On Request	

Ordered through Sunbelt Outdoor Products. See Dealer for pricing.

BUC10043	Mulch Kits 48 in. (1219.2 mm) Mulch Kit	261.09
LP68164	Order Zone 3.5 bu. Grass Catcher Compatible with 36 / 48 / 52 inch mower decks.	430.00
LP70220	Utility Bags (12 pack)	15.99

Spark Arrester
Spark Arrester Screen for Muffler 31.90

F 700 00

Price On Request

W48M Commercial Walk Behind Mower with Hydraulic Transaxle Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BUC10676	ATTACHMENTS FOR FIELD CONVERSION Continued Striping Kits Striping Kit with Adjustable Rubber Flap Compatible with 36 / 48 / 52 inch mower decks.	169.06
	BUC10052	Weights Weight Kit	120.91

Controls

Presence Levers

JOHN DEERE TURF & UTILITY PRODUCTS COMMERCIAL WALK-BEHIND MOWERS

W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Equipment for Base Machine

ENGINE: 14.5 HP* (10.8 kW) Displacement (603cc, 36.8 cu. Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Dual Element Air Cleaner DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h) CONTROLS: Ergonomic Pistol Style Steering

(2) Independent Operator

Spring loaded neutral locks Handle Activated Internal Park Brake MOWER DECK: 36 In. Commercial Side Discharge Floating Mower Deck
10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity TIRES: 18x6.5-8 4-Ply Pneumatic Rear Tires

Electric PTO Clutch
Digital Hour Meter
English/Spanish Operator's
Safety Video and Labels
ANSI Certified B71.4 for Safety
*The engine horsepower and
torque information are provided
by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

	Attachmant		List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
Coue	identifier	Description	000 (4)

9x3.5-4 Semi-Pneumatic Caster

Tires ELECTRICAL:

Battery 300 CCA

Select One Code From Each Required Category

BASE MACHINE

2620TC	W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive	6,799.00
	Not Available in California	

DESTINATION 001A United States / Canada In Base Price Not Available in California.

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous Discellaneous

B1MS34	Dual Wheel Sulky with Latch Ordered through Sunbelt Outdoor Products. See Dealer for pricing.	Price On Request
B1MS33	Single Wheel Sulky with Latch Ordered through Sunbelt Outdoor Products. See Dealer for pricing.	Price On Request
BUC10042	Mulch Kits 36 in. (914.4 mm) Mulch Kit	218.29
LP68164	Order Zone 3.5 bu. Grass Catcher Compatible with 36 / 48 / 52 inch mower decks.	430.00

LP70220 Utility Bags (12 pack) 15.99

Spark Arrester
AM108146 Spark Arrester Screen for Muffler 31.90

W36R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BUC10676	ATTACHMENTS FOR FIELD CONVERSION Continued Striping Kits Striping Kit with Adjustable Rubber Flap Compatible with 36 / 48 / 52 inch mower decks.	169.06
	BUC10052	Weights Weight Kit	120.91

Controls

Presence Levers

JOHN DEERE TURF & UTILITY PRODUCTS COMMERCIAL WALK-BEHIND MOWERS

W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Equipment for Base Machine

ENGINE: 18.5 HP* (13.8 kW) Displacement (603cc, 36.8 cu. Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Dual Element Air Cleaner DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h) CONTROLS: Ergonomic Pistol Style Steering

(2) Independent Operator

B1MS34

Spring loaded neutral locks Handle Activated Internal Park Brake MOWER DECK: 48 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity TIRES: 18x8.5-8 4-Ply Pneumatic Rear

Electric PTO Clutch
Digital Hour Meter
English/Spanish Operator's
Safety Video and Labels
ANSI Certified B71.4 for Safety
*The engine horsepower and
torque information are provided
by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

			List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
Coue	identifier	Description	03D (\$)

9x3.5-4 Semi-Pneumatic Caster

Select One Code From Each Required Category

BASE MACHINE

Tires

Tires ELECTRICAL:

Battery 300 CCA

2630TC	W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive	7,599.00
	Not Available in California	

	DESTINATION	
001A	United States / Canada Not Available in California.	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Ordered through Sunbelt Outdoor Products. See Dealer for pricing.

Compatible with 36 / 48 / 52 inch mower decks.

Miscellaneous Dual Wheel Sulky with Latch Ordered through Sunbelt Outdoor Products. See Dealer for pricing. Price On Request

B1MS33 Single Wheel Sulky with Latch Price On Request

 Mulch Kits

 BUC10043
 48 in. (1219.2 mm) Mulch Kit
 261.09

 Order Zone

 LP68164
 3.5 bu. Grass Catcher
 430.00

LP70220 Utility Bags (12 pack) 15.99

Spark Arrester
AM108146 Spark Arrester Screen for Muffler 31.90

W48R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BUC10676	ATTACHMENTS FOR FIELD CONVERSION Continued Striping Kits Striping Kit with Adjustable Rubber Flap Compatible with 36 / 48 / 52 inch mower decks.	169.06
	BUC10052	Weights Weight Kit	120.91

Controls

Presence Levers

JOHN DEERE TURF & UTILITY PRODUCTS COMMERCIAL WALK-BEHIND MOWERS

W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive

Equipment for Base Machine

ENGINE: 18.5 HP* (13.8 kW) Displacement (603cc, 36.8 cu. Vertical-Shaft, V-twin Air Cooled Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Dual Element Air Cleaner DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h) CONTROLS: Ergonomic Pistol Style Steering

(2) Independent Operator

Spring loaded neutral locks Handle Activated Internal Park Brake MOWER DECK: 52 In. Commercial Side Discharge Floating Mower Deck
10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity TIRES: 18x8.5-8 4-Ply Pneumatic Rear

Electric PTO Clutch Digital Hour Meter English/Spanish Operator's Safety Video and Labels ANSI Certified B71.4 for Safety *The engine horsepower and torque information are provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

			List Price
Code	Attachment Identifier	Description	Suggested USD (\$)
Coue	identifier	Description	03D (\$)

9x3.5-4 Semi-Pneumatic Caster

Select One Code From Each Required Category

BASE MACHINE

Tires

Tires ELECTRICAL:

Battery 300 CCA

2640TC	W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive	7,999.00
	Not Available in California	

	DESTINATION	
001A	United States / Canada Not Available in California.	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Miscellaneous B1MS34 Dual Wheel Sulky with Latch Price On Request Ordered through Sunbelt Outdoor Products. See Dealer for pricing.

B1MS33	Single Wheel Sulky with Latch Ordered through Sunbelt Outdoor Products. See Dealer for pricing.	Price On Request
BUC10044	Mulch Kits 52 in. (1320.8 mm) Mulch Kit	332.77
LP68164	Order Zone 3.5 bu. Grass Catcher Compatible with 36 / 48 / 52 inch mower decks.	430.00
LP70220	Utility Bags (12 pack)	15.99
AM108146	Spark Arrester Spark Arrester Screen for Muffler	31.90

W52R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BUC10676	ATTACHMENTS FOR FIELD CONVERSION Continued Striping Kits Striping Kit with Adjustable Rubber Flap Compatible with 36 / 48 / 52 inch mower decks.	169.06
	BUC10052	Weights Weight Kit	120.91

W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive Equipment for Base Machine

ENGINE: 25 HP* (18.6 kW) Displacement (747cc, 45.6 cu. Vertical-Shaft, V-twin Air Cooled Closed Loop Electronic Fuel Injection Full Pressure Lubrication System with Replaceable Oil Filter Electric Start Heavy Duty Canister Air Cleaner w/ Precleaner DRIVE SYSTEM: Pumps, Hydro-Gear 10 cc Wheel Motor, Danfoss 12 cu in. Forward speed, 0-7.5 mph (12.1 km/h) Reverse speed, 0-3 mph (4.8 km/h) CONTROLS: Ergonomic Pistol Style Steering Controls

(2) Independent Operator Presence Levers Spring loaded neutral locks Handle Activated Internal Park Brake MOWER DECK: 61 In. Commercial Side Discharge Floating Mower Deck 10-gauge 0.135 in. (3.42 mm) top with 0.26 in. (6.8 mm) spindle pocket reinforcements Aluminum Spindles 1.5-4.5 In. Height of Cut with 7 Cutting Positions High Lift Blades FUEL SYSTEM: 5.4 U.S. Gallon (20.4 L) Fuel Capacity TIRES: 18x8.5-8 4-Ply Pneumatic Rear Tires 9x3.5-4 Semi-Pneumatic Caster Tires

Battery 300 CCA
Electric PTO Clutch
Digital Hour Meter
English/Spanish Operator's
Safety Video and Labels
ANSI Certified B71.4 for Safety
*The engine horsepower and
torque information are provided
by the engine manufacturer to be
used for comparison purposes
only. Actual operating
horsepower and torque will be
less. Refer to the engine
manufacturer's web site for
additional information.

ELECTRICAL:

Select One Code From Each Required Category

BASE MACHINE

2650TC	W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive	9,499.00
	Not Available in California	

DESTINATION

Spark Arrester

Spark Arrester Screen for Muffler

AM108146

001A	United States / Canada	In Base Price
	Not Available in California.	

	ATTACHMENTS FOR FIELD CONVERSION	
B1MS34	Miscellaneous Dual Wheel Sulky with Latch Ordered through Sunbelt Outdoor Products. See Dealer for pricing.	Price On Request
B1MS33	Single Wheel Sulky with Latch Ordered through Sunbelt Outdoor Products. See Dealer for pricing.	Price On Request
BUC10045	Mulch Kits 61 in. (1549.4 mm) Mulch Kit	342.40
LP70220	Order Zone Utility Bags (12 pack)	15.99

31.90

W61R Commercial Walk Behind Mower with Pump/Motor Hydraulic Drive Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BUC10677	ATTACHMENTS FOR FIELD CONVERSION Continued Striping Kits Striping Kit with Adjustable Rubber Flap Compatible with 61 inch mower deck.	202.23
	BUC10052	Weights Weight Kit	120.91