COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z915E ZTrak

Equipment for Base Machine

System

25 HP* Vertical-Shaft Air Cooled Engine (44.2 Cu. In.) 725cc, 17.8 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 15 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive Hand Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 48 In. 7-Iron II Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Aluminum Spindle Housing One-Touch Dial and Foot Spring Assisted Height of Cut Adjustment Single-Turn Deck Transport Lock

Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 10.0 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x9.5-12 In. Square Shoulder 4PR Turf Drive Tires (48 In.) 24x12-12 In. Square Shoulder 4PR Turf Drive Tires (54 In. & 60 In.) 13x5-6 Pneumatic Front Caster Tires Right Hand Control Console Cluster Cup_Holder Fuel Gauge Electric PTO Clutch Digital Hourmeter *@ 3600 RPM engine manufacturer

certified gross power tested in accordance with SAE J1940, 725cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Raleigh, North Carolina	
2502TC		Z915E ZTrak Not available in California	9,329.00
		DESTINATION	
001A		North America United States/Canada Requires Operator's Manual - 0443	In Base Price
0195		Mexico Requires Operator's Manual - 0443	No Added Cost
		MOWER DECKS	
1500		48 In. Side Discharge Mower Deck 48 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1035.	In Base Price
1502		54 In. Side Discharge Mower Deck 54 In. 7-Iron II	270.00

7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings.

Requires Tires & Wheels option code 1036.

Z915E ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1504		MOWER DECKS Continued 60 In. Side Discharge Mower Deck 60 In. 7-Iron II 7-Gauge Stamped Steel Mower Deck. 8 In. Aluminum Spindle Housings. Requires Tires & Wheels option code 1036.	540.00
		SEAT	
2091		Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) Includes Isolation System to Reduce Shock/Vibration	195.00
		DRIVE WHEELS AND TIRES	
1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1040		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	949.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BTC10445	Anti-Scalp Wheels Rear Anti-Scalp Wheel Kit (1219.2-mm (48-in.) Deck) For all Z900 B and E Series with 48" 7-Iron II side discharge decks.	188.31
	BTC10442	Rear Anti-Scalp Wheel Kit (1371.6-mm (54-in.) Deck) For 54" 7-Iron II Deck fitted to Z900B and E-Series only.	188.31
	BTC10591	Rear Anti-Scalp Wheel Kit (1524-mm (60-in.) Deck) For all Z900 B and E Series with 60" 7-Iron II side discharge decks.	188.31
	AM115838	Engine Spark Arrester Screen	41.76
	LP40112	Lighting Beacon Light Kit	251.00
	BUC10603	LED Beacon Light Kit	298.53
	BUC10955	LED front work light kit (2)	294.26
	BUC10980	Miscellaneous Cargo Tray	318.86
	TCU31258	Cast Iron Bumper	548.34
	BUC10864	Foot peg kit	21.40
	BUC10300	Hitch Kit	37.46

Z915E ZTrak

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BUC10584	ATTACHMENTS FOR FIELD CONVERSION Continued Jack Kit	226.84
	BUC10564	Jack NII	220.04
	BUC11070	ShadePro TM Canopy ROPS must remain in upright and locked position when canopy is installed WEIGHTS NOT INCLUDED.Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.	974.77
	BUC10870	String Trimmer Mount Compatible with Z900 gas machines and Z994R ZTraks	118.77
	LPA11548	Sun Canopy	169.00
	TCB11248	Trash Receptacle Kit Mounting bracket only. Does NOT include bucket and picker. Must source these items separately.	103.79
	BUC10628	Trash Receptacle Kit Kit includes mounting bracket, bucket and picker.	147.66
	BUC11034	Yard Tool Kit Compatible with Z900 gas machines and Z994R ZTraks	148.73
		Mulch Kits	
	TCB10952	Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	321.00
	TCB11469	Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	333.84
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	346.69
	BTC10907	Seat Isolated Suspension Seat Kit Compatible with MY16 and newer Z900 B,E,M and R gas machines.	279.27
	BTC10285	Striping Kits Rubber Flap Striping Kit for 1219.2-mm (48-in.) Deck	451.54
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	472.94

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z920M ZTrak

Equipment for Base Machine

23.5 HP* Vertical-Shaft Air Cooled Engine (44.3 Cu. In.) 726cc,17.5 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive Hand Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt 48 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Cast Iron Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Foot Spring Assisted Height of

Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 10 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x9.5-12 In. Square Shoulder 4PR Turf Drive Tires (48 In.) 24x12-12 In. Square Shoulder 4PR Turf Drive Tires (54 In. & 60 In. 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch Digital Hourmeter

*@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc.
The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only.
Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Raleigh, North Carolina	
2146TC		Z920M ZTrak Not available in California	10,709.00
		DESTINATION	
001A		North America United States/Canada Requires Operator's Manual - 0443	In Base Price
0195		Mexico Requires Operator's Manual - 0443	No Added Cost
		MOWER DECKS	
1500		48 In. Side Discharge Mower Deck 48 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1035.	In Base Price
1502		54 In. Side Discharge Mower Deck 54 In. 7-Iron PRO	270.00

7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp

Requires Tires & Wheels option code 1036 or 1040.

Z920M ZTrak

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		MOWER DECKS Continued	
1504		60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.	540.00
1501		48 In. Mulch On Demand Mower Deck 48 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1035.	870.00
		SEAT	
2091		Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) Includes Isolation System to Reduce Shock/Vibration	195.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.	495.00
		DRIVE WHEELS AND TIRES	
1035		24x9.5x12 Pneumatic Turf Tire for 48 In. Decks	In Base Price
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1040		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	949.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AM115838	Engine Spark Arrester Screen	41.76
	LP40112	Lighting Beacon Light Kit	251.00
	BUC10603	LED Beacon Light Kit	298.53
	BUC10955	LED front work light kit (2) Compatible with Mulch on Demand Decks	294.26
	BUC10980	Miscellaneous Cargo Tray	318.86
	BUC10864	Foot peg kit	21.40

Z920M ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	BUC10300	Hitch Kit	37.46
	BUC10584	Jack Kit	226.84
	BUC11070	ShadePro TM Canopy ROPS must remain in upright and locked position when canopy is installed WEIGHTS NOT INCLUDED.Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.	974.77
	BUC10870	String Trimmer Mount Compatible with Z900 gas machines and Z994R ZTraks	118.77
	LPA11548	Sun Canopy	169.00
	TCB11248	Trash Receptacle Kit Mounting bracket only. Does NOT include bucket and picker. Must source these items separately.	103.79
	BUC10628	Trash Receptacle Kit Kit includes mounting bracket, bucket and picker.	147.66
	BUC11034	Yard Tool Kit Compatible with Z900 gas machines and Z994R ZTraks	148.73
	TCB10952	Mulch Kits Mulch Kit (1219.2-mm (48-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	321.00
	TCB11469	Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	333.84
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	346.69
	BUC10649	Seat Arm rest kit - Padded (Set of 2) Compatible only with Fully Adjustable Suspension Seat	46.01
	BTC10907	Isolated Suspension Seat Kit Compatible with MY16 and newer Z900 B,E,M and R gas machines.	279.27
	BUC10894	Suspension Seat Kit (High Back 24") Compatible with Model Year 2020 and newer Z900 M gas machines only.Not compatible with Z900 E-spec machines.	839.96
	BTC10285	Striping Kits Rubber Flap Striping Kit for 1219.2-mm (48-in.) Deck	451.54
	BTC10286	Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	472.94

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE TURF & UTILITY PRODUCTS

AVAILABILITY LIMITED TO DEALER INVENTORY

Z930M ZTrak

Equipment for Base Machine

25.5 HP*
Vertical-Shaft Air Cooled Engine
(52.0 Cu. In.) 852cc,19.0 kW
Full Pressure Lubrication System
with Replaceable Oil Filter
Heavy Duty Canister Air Cleaner;
Dry Replaceable Filter Element
with Secondary Safety Element
12 Volt with 20 AMP Regulated
Charge System
Dual Hydrostatic Wheel Drive
TuffTorq Heavy Duty Ground Drive
Hand Actuated Parking Brake
Steel Channel Frame Operator
Presence System
Folding Two Post ROPS

Presence System
Folding Two Post ROPS
(Roll- Over Protective
Structure) and Seat Belt
60 In. 7-Iron PRO Side Discharge
Mower Deck
7-Gauge Stamped Steel Mower Deck

8 In. Cast Iron Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and

Foot Spring Assisted Height of

Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 10 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires (60" & 72") 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup_Holder

Fuel Gauge

Electric PTO Clutch Digital Hourmeter *@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc.
The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only.
Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	7
			_

	BASE MACHINE	
	F.O.B. Raleigh, North Carolina	
216ATC	Z930M ZTrak Not available in California	11,689.00
	DESTINATION	
001A	North America United States/Canada Requires Operator's Manual - 0443	In Base Price
0195	Mexico Requires Operator's Manual - 0443	No Added Cost
	MOWER DECKS	
1502	54 In. Side Discharge Mower Deck 54 In. 7-Iron PRO	-270.00

	7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.	
1504	60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp	In Base Price

Requires Tires & Wheels option code 1036 or 1040.

Wheels.

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS Gr JOHN DEERE TURF & UTILITY PRODUCTS

AVAILABILITY LIMITED TO DEALER INVENTORY

Z930M ZTrak

	Attachment		List Price Suggested
Code	Identifier	Description	USD (\$)
1505		MOWER DECKS Continued 60 In. Mulch On Demand Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.	870.00
1524		60 In. Rear Discharge Mower Deck 60 In. 7-Gauge FastBack PRO 7-Gauge Fabricated Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.	630.00
		SEAT	
2091		Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) Includes Isolation System to Reduce Shock/Vibration	195.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.	495.00
		DRIVE WHEELS AND TIRES	
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1040		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	949.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AM115838	Engine Spark Arrester Screen	41.76
	LP40112	Lighting Beacon Light Kit	251.00
	BUC10603	LED Beacon Light Kit	298.53
	BUC10955	LED front work light kit (2) Compatible with Mulch on Demand Decks	294.26
	BUC10980	Miscellaneous Cargo Tray	318.86
	BUC10980 BUC10864		318.86 21.40
		Cargo Tray	

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS Gr JOHN DEERE TURF & UTILITY PRODUCTS

AVAILABILITY LIMITED TO DEALER INVENTORY

Z930M ZTrak

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BUC11070	ATTACHMENTS FOR FIELD CONVERSION Continued ShadePro™ Canopy ROPS must remain in upright and locked position when canopy is installed WEIGHTS NOT INCLUDED.Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.	974.77
	BUC10870	String Trimmer Mount Compatible with Z900 gas machines and Z994R ZTraks	118.77
	LPA11548	Sun Canopy	169.00
	TCB11248	Trash Receptacle Kit Mounting bracket only. Does NOT include bucket and picker. Must source these items separately.	103.79
	BUC10628	Trash Receptacle Kit Kit includes mounting bracket, bucket and picker.	147.66
	BUC11034	Yard Tool Kit Compatible with Z900 gas machines and Z994R ZTraks	148.73
	TCB11469	Mulch Kits Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	333.84
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	346.69
	BUC10903	Mulch Kit (1524-mm (60-in.) Rear Discharge FastBack PRO) Compatible with MY21 and newer decks (Z900, Z994R, Z997R)	450.47
	BUC10649	Seat Arm rest kit - Padded (Set of 2) Compatible only with Fully Adjustable Suspension Seat	46.01
	BTC10907	Isolated Suspension Seat Kit Compatible with MY16 and newer Z900 B,E,M and R gas machines.	279.27
	BUC10894	Suspension Seat Kit (High Back 24") Compatible with Model Year 2020 and newer Z900 M gas machines only.Not compatible with Z900 E-spec machines.	839.96
	BTC10286	Striping Kits Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	472.94

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M ZTrak

Equipment for Base Machine

27.0 HP* Vertical-Shaft Air Cooled Engine (52.0 Cu. In.) 852cc, 20.1 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive Hand Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 60 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Cast Iron Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Foot Spring Assisted Height of

Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 10 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires (60" & 72") 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch Digital Hourmeter *@ 3600 RPM engine manufacturer

certified gross power tested in accordance with SAE J1995, 852cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Raleigh, North Carolina	
0693TC		Z950M ZTrak Not available in California	12,129.00
		DESTINATION	
001A		North America United States/Canada Requires Operator's Manual - 0443	In Base Price
0195		Mexico Requires Operator's Manual - 0443	No Added Cost
		MOWER DECKS	
1504		60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.	In Base Price
1503		54 In. Mulch On Demand Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels.	600.00

Requires Tires & Wheels option code 1036 or 1040.

Z950M ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1505		MOWER DECKS Continued 60 In. Mulch On Demand Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.	870.00
1506		72 In. Side Discharge Mower Deck 72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. cast iron spindle housings (SN 60001 and above.) Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1041.	540.00
1523		72 In. Rear Discharge Mower Deck 72 In. 7-Gauge FastBack PRO 7-Gauge Fabricated Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1041.	1,170.00
		SEAT	
2091		Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) Includes Isolation System to Reduce Shock/Vibration	195.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.	495.00
		DRIVE WHEELS AND TIRES	
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1040		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	949.00
1041		24x12N12 Michelin X Tweel Turf for 72 In. Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	949.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AM115838	Engine Spark Arrester Screen	41.76
	LP40112	Lighting Beacon Light Kit	251.00

Z950M ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BUC10603	ATTACHMENTS FOR FIELD CONVERSION Continued LED Beacon Light Kit	298.53
	BUC10955	LED front work light kit (2) Compatible with Mulch on Demand Decks	294.26
	BUC10980	Miscellaneous Cargo Tray	318.86
	BUC10864	Foot peg kit	21.40
	BUC10300	Hitch Kit	37.46
	BUC10584	Jack Kit	226.84
	BUC11070	ShadePro™ Canopy ROPS must remain in upright and locked position when canopy is installed WEIGHTS NOT INCLUDED.Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.	974.77
	BUC10870	String Trimmer Mount Compatible with Z900 gas machines and Z994R ZTraks	118.77
	LPA11548	Sun Canopy	169.00
	TCB11248	Trash Receptacle Kit Mounting bracket only. Does NOT include bucket and picker. Must source these items separately.	103.79
	BUC10628	Trash Receptacle Kit Kit includes mounting bracket, bucket and picker.	147.66
	BUC11034	Yard Tool Kit Compatible with Z900 gas machines and Z994R ZTraks	148.73
	TCB10953	Mulch Kits Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	346.69
	TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	356.31
	BUC10904	Mulch Kit (1828.8-mm (72-in.) Rear Discharge FastBack PRO) Compatible with MY21 and newer decks (Z900, Z994R, Z997R)	649.49
	BUC10649	Seat Arm rest kit - Padded (Set of 2) Compatible only with Fully Adjustable Suspension Seat	46.01
	BTC10907	Isolated Suspension Seat Kit Compatible with MY16 and newer Z900 B,E,M and R gas machines.	279.27
	BUC10894	Suspension Seat Kit (High Back 24") Compatible with Model Year 2020 and newer Z900 M gas machines only.Not compatible with Z900 E-spec machines.	839.96
	BTC10286	Striping Kits Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	472.94
	BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	483.64

Deere & Company -2021 Price List

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS Gr
JOHN DEERE TURF & UTILITY PRODUCTS

Grounds Equipment - Bid #ESCNJ 18/19-25

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950M ZTrak

Continued

30 March 2021 U.S. C-13-4

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z960M ZTrak

Equipment for Base Machine

31.0 HP* Vertical-Shaft Air Cooled Engine (61.0 Cu. In.) 999cc, 23.1 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive Hand Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 60 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Cast Iron Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and

Foot Spring Assisted Height of Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 10 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires (60" & 72") 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch Digital Hourmeter

*@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc.
The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only.
Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

			List Price
	Attachment		Suggested
Code	Identifier	Description	USD (\$)

Select One Code From Each Required Category

BASE MACHINE

F.O.B. Raleigh, North Carolina

2232TC Z960M ZTrak 12,879.00

Not available in California

DESTINATION

North America

001A United States/Canada In Base Price
Requires Operator's Manual - 0443

0195 Mexico No Added Cost

Requires Operator's Manual - 0443

MOWER DECKS

1504 60 In. Side Discharge Mower Deck In Base Price

60 In. 7-Iron PRO

7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp

Wheels.

Requires Tires & Wheels option code 1036 or 1040.

1505 60 In. Mulch On Demand Mower Deck 870.00

60 In. 7-Iron PRO

7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp

Wheels.

Requires Tires & Wheels option code 1036 or 1040.

Z960M ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
1506		MOWER DECKS Continued 72 In. Side Discharge Mower Deck 72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. cast iron spindle housings (SN 60001 and above.) Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1041.	540.00
		SEAT	
2091		Deluxe Comfort Seat with Armrests (24" High Back)	In Base Price
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) Includes Isolation System to Reduce Shock/Vibration	195.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.	495.00
		DRIVE WHEELS AND TIRES	
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1040		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	949.00
1041		24x12N12 Michelin X Tweel Turf for 72 In. Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	949.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AM115838	Engine Spark Arrester Screen	41.76
	LP40112	Lighting Beacon Light Kit	251.00
	BUC10603	LED Beacon Light Kit	298.53
	BUC10955	LED front work light kit (2) Compatible with Mulch on Demand Decks	294.26
	BUC10980	Miscellaneous Cargo Tray	318.86
	BUC10864	Foot peg kit	21.40
	BUC10300	Hitch Kit	37.46

Z960M ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BUC10584	ATTACHMENTS FOR FIELD CONVERSION Continued	226.84
	20010001	COOKTAL	220.01
	BUC11070	ShadePro™ Canopy ROPS must remain in upright and locked position when canopy is installed WEIGHTS NOT INCLUDED.Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.	974.77
	BUC10870	String Trimmer Mount Compatible with Z900 gas machines and Z994R ZTraks	118.77
	LPA11548	Sun Canopy	169.00
	TCB11248	Trash Receptacle Kit Mounting bracket only. Does NOT include bucket and picker. Must source these items separately.	103.79
	BUC10628	Trash Receptacle Kit Kit includes mounting bracket, bucket and picker.	147.66
	BUC11034	Yard Tool Kit Compatible with Z900 gas machines and Z994R ZTraks	148.73
		Mulch Kits	
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	346.69
	TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	356.31
	BUC10649	Seat Arm rest kit - Padded (Set of 2) Compatible only with Fully Adjustable Suspension Seat	46.01
	BTC10907	Isolated Suspension Seat Kit Compatible with MY16 and newer Z900 B,E,M and R gas machines.	279.27
	BUC10894	Suspension Seat Kit (High Back 24") Compatible with Model Year 2020 and newer Z900 M gas machines only.Not compatible with Z900 E-spec machines.	839.96
	BTC10286	Striping Kits Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	472.94
	BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	483.64

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R ZTrak

Equipment for Base Machine

25.5 HP* Vertical-Shaft Air Cooled Engine (52.0 Cu. In.) 852cc, 19.0 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive With Cross Porting Foot Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 54 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Cast Iron Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Power Height of Cut Adjustment

Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 12 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch

Digital Hourmeter and Diagnostic Pkg.
*@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc.
The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	

BASE MACHINE

	F.O.B. Raleigh, North Carolina	
2183TC	Z930R ZTrak Not available in California	14,039.00
	DESTINATION	
001A	North America United States/Canada Requires Operator's Manual - 0443	In Base Price
0195	Mexico Requires Operator's Manual - 0443	No Added Cost
	MOWER DECKS	
1502	54 In Sido Dischargo Moyer Dock	In Paga Prica

1502	54 In. Side Discharge Mower Deck 54 In. 7-Iron PRO	In Base Price
	7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.	
1504	60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels.	270.00
	wneets. Requires Tires & Wheels option code 1036 or 1040.	

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS Gr JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R ZTrak

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		MOWER DECKS Continued	
1503		54 In. Mulch On Demand Mower Deck 54 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.	870.00
		SEAT	
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) Includes Isolation System to Reduce Shock/Vibration	-300.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.	In Base Price
		DRIVE WHEELS AND TIRES	
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1040		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	949.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AM115838	Engine Spark Arrester Screen	41.76
	LP40112	Lighting Beacon Light Kit	251.00
	BUC10603	LED Beacon Light Kit	298.53
	BUC10955	LED front work light kit (2) Compatible with Mulch on Demand Decks	294.26
	BUC10980	Miscellaneous Cargo Tray	318.86
	BUC10300	Hitch Kit	37.46
	BUC10584	Jack Kit	226.84
	BUC11070	ShadePro™ Canopy ROPS must remain in upright and locked position when canopy is installed WEIGHTS NOT INCLUDED.Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.	974.77
	BUC10870	String Trimmer Mount Compatible with Z900 gas machines and Z994R ZTraks	118.77

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z930R ZTrak

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LPA11548	ATTACHMENTS FOR FIELD CONVERSION Continued Sun Canopy	169.00
	TCB11248	Trash Receptacle Kit Mounting bracket only. Does NOT include bucket and picker. Must source these items separately.	103.79
	BUC10628	Trash Receptacle Kit Kit includes mounting bracket, bucket and picker.	147.66
	BUC11034	Yard Tool Kit Compatible with Z900 gas machines and Z994R ZTraks	148.73
		Mulch Kits	
	TCB11469	Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	333.84
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	346.69
	BUC10649	Seat Arm rest kit - Padded (Set of 2) Compatible only with Fully Adjustable Suspension Seat	46.01
	BTC10907	Isolated Suspension Seat Kit Compatible with MY16 and newer Z900 B,E,M and R gas machines.	279.27
	BTC10286	Striping Kits Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	472.94

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z950R ZTrak

Equipment for Base Machine

27.0 HP* Vertical-Shaft Air Cooled Engine (52.0 Cu. In.) 852cc, 20.1 kW Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive With Cross Porting Foot Actuated Parking Brake Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 60 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Cast Iron Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Power Height of Cut Adjustment

Ergonomic Operator Contoured Soft Touch Grips and Integrated Handle Controls Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 12 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch Digital Hourmeter and Diagnostic

*@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 852cc.
The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only.
Actual operating horsepower and torque will be less.
Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	

	F.O.B. Raleigh, North Carolina	
2194TC	Z950R ZTrak Not available in California	14,759.00
	DESTINATION	
001A	North America United States/Canada Requires Operator's Manual - 0443	In Base Price
0195	Mexico Requires Operator's Manual - 0443	No Added Cost

	MOWER DECKS	
1504	60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp	In Base Price
	Wheels. Requires Tires & Wheels option code 1036 or 1040.	
1505	60 In. Mulch On Demand Mower Deck 60 In. 7-Iron PRO	870.00
	7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels.	
	Requires Tires & Wheels option code 1036 or 1040.	

Z950R ZTrak

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		MOWER DECKS Continued	
1506		72 In. Side Discharge Mower Deck 72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. cast iron spindle housings (SN 60001 and above.) Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1041.	540.00
1524		60 In. Rear Discharge Mower Deck 60 In. 7-Gauge FastBack PRO 7-Gauge Fabricated Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.	630.00
		SEAT	
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) Includes Isolation System to Reduce Shock/Vibration	-300.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.	In Base Price
		DRIVE WHEELS AND TIRES	
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1040		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	949.00
1041		24x12N12 Michelin X Tweel Turf for 72 In. Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	949.00
	AM115838	ATTACHMENTS FOR FIELD CONVERSION Engine Spark Arrester Screen	41.76
	LP40112	Lighting Beacon Light Kit	251.00
	BUC10603	LED Beacon Light Kit	298.53
	BUC10955	LED front work light kit (2) Compatible with Mulch on Demand Decks	294.26

Z950R ZTrak

Continued

	Attachment		List Price Suggested
Code	Identifier	Description	USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued Miscellaneous	
	BUC10980	Cargo Tray	318.86
	BUC10300	Hitch Kit	37.46
	BUC10584	Jack Kit	226.84
	BUC11070	ShadePro™ Canopy ROPS must remain in upright and locked position when canopy is installed WEIGHTS NOT INCLUDED.Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.	974.77
	BUC10870	String Trimmer Mount Compatible with Z900 gas machines and Z994R ZTraks	118.77
	LPA11548	Sun Canopy	169.00
	TCB11248	Trash Receptacle Kit Mounting bracket only. Does NOT include bucket and picker. Must source these items separately.	103.79
	BUC10628	Trash Receptacle Kit Kit includes mounting bracket, bucket and picker.	147.66
	BUC11034	Yard Tool Kit Compatible with Z900 gas machines and Z994R ZTraks	148.73
	TCB10953	Mulch Kits Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	346.69
	BUC10903	Mulch Kit (1524-mm (60-in.) Rear Discharge FastBack PRO) Compatible with MY21 and newer decks (Z900, Z994R, Z997R)	450.47
	TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	356.31
	BUC10649	Seat Arm rest kit - Padded (Set of 2) Compatible only with Fully Adjustable Suspension Seat	46.01
	BTC10907	Isolated Suspension Seat Kit Compatible with MY16 and newer Z900 B,E,M and R gas machines.	279.27
	BTC10286	Striping Kits Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	472.94
	BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	483.64

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z970R ZTrak

Equipment for Base Machine

35.0 HP* Vertical-Shaft Air Cooled Engine (61.0 Cu. In.) 999cc, 26.1 kW) Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element 12 Volt with 20 AMP Regulated Charge System Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive With Cross Porting Steel Channel Frame Operator Presence System Folding Two Post ROPS (Roll- Over Protective Structure) and Seat Belt 72 In. 7-Iron PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. Cast Iron Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Power Height of Cut Adjustment Ergonomic Operator Contoured

Soft Touch Grips and Integrated Handle Controls Single-Turn Deck Transport Lock System Full Floating Suspension Deck 1.0 - 5.5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform 12 MPH Travel Speed 11.5 U.S. Gallon Fuel Capacity 24x12-12 In. Square Shoulder 4PR Turf Drive Tires 13x6.5-6 Semi-Pneumatic Front Caster Tires Rear Bumper Right Hand Control Console Cluster Cup Holder Fuel Gauge Electric PTO Clutch Digital Hourmeter and Diagnostic Pkg.

*@ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 999cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE F.O.B. Raleigh, North Carolina	
2213TC		Z970R ZTrak Not available in California	16,739.00
		DESTINATION	_
001A		North America United States/Canada Requires Operator's Manual - 0443	In Base Price
0195		Mexico Requires Operator's Manual - 0443	No Added Cost
		MOWER DECKS	
1504		60 In. Side Discharge Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.	-540.00
1505		60 In. Mulch On Demand Mower Deck 60 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp	300.00

Requires Tires & Wheels option code 1036 or 1040.

Z970R ZTrak

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		MOWER DECKS Continued	
1506		72 In. Side Discharge Mower Deck 72 In. 7-Iron PRO 7-Gauge Stamped Steel Mower Deck. 8 In. cast iron spindle housings (SN 60001 and above.) Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1041.	In Base Price
1523		72 In. Rear Discharge Mower Deck 72 In. 7-Gauge FastBack PRO 7-Gauge Fabricated Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1041.	630.00
		SEAT	
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) Includes Isolation System to Reduce Shock/Vibration	-300.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.	In Base Price
		DRIVE WHEELS AND TIRES	
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	No Added Cost
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	In Base Price
1040		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	949.00
1041		24x12N12 Michelin X Tweel Turf for 72 In. Decks NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere ZTraks, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	949.00
	AM115838	ATTACHMENTS FOR FIELD CONVERSION Engine Spark Arrester Screen	41.76
	LP40112	Lighting Beacon Light Kit	251.00
	BUC10603	LED Beacon Light Kit	298.53
	BUC10955	LED front work light kit (2)	296.55
		Compatible with Mulch on Demand Decks	

Z970R ZTrak

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued Miscellaneous	
	BUC10980	Cargo Tray	318.86
	BUC10300	Hitch Kit	37.46
	BUC10584	Jack Kit	226.84
	BUC11070	ShadePro™ Canopy ROPS must remain in upright and locked position when canopy is installed WEIGHTS NOT INCLUDED.Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.	974.77
	BUC10870	String Trimmer Mount Compatible with Z900 gas machines and Z994R ZTraks	118.77
	LPA11548	Sun Canopy	169.00
	TCB11248	Trash Receptacle Kit Mounting bracket only. Does NOT include bucket and picker. Must source these items separately.	103.79
	BUC10628	Trash Receptacle Kit Kit includes mounting bracket, bucket and picker.	147.66
	BUC11034	Yard Tool Kit Compatible with Z900 gas machines and Z994R ZTraks	148.73
	TCB10953	Mulch Kits Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	346.69
	TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	356.31
	BUC10904	Mulch Kit (1828.8-mm (72-in.) Rear Discharge FastBack PRO) Compatible with MY21 and newer decks (Z900, Z994R, Z997R)	649.49
	BUC10649	Seat Arm rest kit - Padded (Set of 2) Compatible only with Fully Adjustable Suspension Seat	46.01
	BTC10907	Isolated Suspension Seat Kit Compatible with MY16 and newer Z900 B,E,M and R gas machines.	279.27
	BTC10286	Striping Kits Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	472.94
	BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	483.64

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE TURF & UTILITY PRODUCTS

ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

24x12N12 Michelin X TWEEL TURF (2) for 54 In. and 60 In. Decks

Equipment for Base Machine

24x12N12 Tire Size for 54 In. and 60 In. decks
Base code contains (2) TWEELS

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
9982TC		24x12N12 Michelin X TWEEL TURF (2) for 54 In. and 60 In. Decks Order code contains two Tweels. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. For more information, visit www.JohnDeere.com/Tweel. NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. This TWEEL base code is compatible with Z900 B/E/M/R gas models only.	1,219.00
		DESTINATION	
001A		United States/Canada	In Base Price

Attachment Information is not available in MOCI for the base code 9982TC

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE TURF & UTILITY PRODUCTS

ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

24x12N12 Michelin X TWEEL TURF (2) for 72 In. Decks

Equipment for Base Machine

24x12N12 Tire Size for 72 In. decks Base code contains (2) TWEELS

Code	Attachment Identifier	Description	List Price Suggested USD (\$)	
		Select One Code From Each Required Category		
		BASE MACHINE		
9983TC		24x12N12 Michelin X TWEEL TURF (2) for 72 ln. Decks Order code contains two Tweels. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. For more information, visit www.JohnDeere.com/Tweel. NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. This TWEEL base code is compatible with Z900 B/E/M/R gas models only.	1,419.00	
		DESTINATION		
001A		United States/Canada	In Base Price	

Attachment Information is not available in MOCI for the base code 9983TC

2010

JOHN DEERE TURF & UTILITY PRODUCTS

ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

MCS 3-bag, 12 Bushel Material Collection System

Equipment for Base Machine

3-Bag Collection Hopper 12
Bushel Capacity
Steel Hopper Frame
Plastic enclosure Hopper with
mesh screen and 3 removable mesh
bags for clippings
PTO-X Drive - patented
engine-powered drive system
Mid-mount, engine-driven power
system
Cast Aluminum Housing
4 Blade Commercial Steel
Impeller
29.85 cm (11.75 In.) Impeller

Diameter
Easy-To-Empty Bags
Fully and Evenly Filled Bags
22.86 cm (9 In.) Diameter Chute
Between Deck and Blower
15.24 cm (6 In.) Diameter Chute
from Blower to Hopper
Tool-less access to chutes for
easy clog removal
Quick Detach Blower Weight
Bracket
The Above Specifications are
Indicative of the Base Feature
Machine only and may Differ if

Alternative Options/Attachments are Ordered. Pricing and Specifications are Recommended only and are Subject to Change without Notice.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Code	identine	Select One Code From Each Required Category	035 (\$)
		BASE MACHINE	
0789TC		MCS 3-bag, 12 Bushel Material Collection System For 48 In./54 In./60 In. Z900 B/E/M/R Series And 72 In. Z900 M/R Series Mowers including Mulch-On-Demand Decks When installing 3-Bag MCS on Z900B and Z900E Models, Rear Anti-Scalp Wheel Kit is required. Not Compatible with Model Year 2012 and Prior ZTrak Mowers. Not Compatible with Michelin X Tweel Turf Tires WEIGHTS NOT INCLUDED. Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.	3,349.00
		DESTINATION	
001A		United States and Canada	In Base Price
		ATTACHING PARTS	
3542		Boot Kit 48 In. (121cm) & 54 In. (137cm) Side Discharge For all Z900 B/E/M/R Series with 48" & 54" side discharge decks.	In Base Price
3543		Boot Kit 60 In. (152 cm) & 72 In. (182 cm) Side Discharge For all Z900 B/E/M/R Series with 60" & 72" side discharge decks.	No Added Cost
3544		Boot Kit Mulch on Demand Decks (48 In., 54 In., 60 In.) For all Z900 M/R Series with 48", 54", & 60" Mulch-on-Demand decks.	427.00
3541		Less Boot Kit Adapting Parts	-330.00
		BLOWER	
2900		Blower, Weight Bracket, and Mounting Frame Kit	In Base Price

ATTACHMENTS FOR FIELD CONVERSION

Less Blower, Weight Bracket, and Mounting Frame

-2,195.00

ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

MCS 3-bag, 12 Bushel Material Collection System Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BTC10445	ATTACHMENTS FOR FIELD CONVERSION Continued Miscellaneous Rear Anti-Scalp Wheel Kit (1219.2-mm (48-in.) Deck) For 48" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 48" 7-Iron II side discharge decks.	188.31
	BTC10442	Rear Anti-Scalp Wheel Kit (1371.6-mm (54-in.) Deck) For 54" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 54" 7-Iron II side discharge decks.	188.31
	BTC10591	Rear Anti-Scalp Wheel Kit (1524-mm (60-in.) Deck) For 60" 7-Iron II Deck fitted to Z900B and Z900E-Series only. For all Z900B and Z900E Series with 60" 7-Iron II side discharge decks.	188.31
	UC13263	Weights Quik-Tatch Weight, 42 lb (19 kg)	60.99

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE TURF & UTILITY PRODUCTS

ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

MCS DFS HOPPER, 9.6 Bushel Dump From Seat

Equipment for Base Machine

Aluminum Hopper 9.6-bu (338-L) Capacity

Mechanical Dump From Operator Seat PTO drive controlled by electric

clutch Mid-mount, engine-driven power

system

Cast Aluminum Housing 4 Blade Welded Steel Impeller 29.85 cm (11.75 In.) Impeller

Diameter

22.86 cm (9 In.) Diameter Boot

to blower hose 15.24 cm (6 In.) Diameter Blower to hopper hose Tool-less access to chutes for easy clog removal Snap fasteners - at mower boot and blower connections The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered.

Pricing and Specifications are

Recommended only and are Subject to Change without Notice.

3,909.00

			List Price
	Attachment		Suggested
Code	Identifier	Description	USD (\$)

Select One Code From Each Required Category

BASE MACHINE

0793TC	MCS DFS HOPPER, 9.6 Bushel Dump From Seat

For 48 In./54 In./60 In./72 In. Z900 B/E/M/R Series Gas Mowers including

Mulch-On-Demand Decks

When installing Dump From Seat MCS on Z900B and Z900E Models, the Rear Anti-Scalp

Wheel Kit is required.

Not Compatible with Model Year 2012 and Prior Z-Trak Mowers.

Not Compatible with Michelin X Tweel Turf tires

WEIGHTS NOT INCLUDED.

Refer to MCS Ballast Information spreadsheet found on the Value Selling Navigator online page to determine the quantity of weights needed based on vehicle sizing and configuration specs.

	DESTINATION	
001A	United States and Canada	In Base Price
	ATTACHING PARTS	
3542	Boot Kit 48 In. (121cm) & 54 In. (137cm) Side Discharge For all Z900 B/E/M/R Series with 48" & 54" side discharge decks.	In Base Price
3543	Boot Kit 60 In. (152 cm) & 72 In. (182 cm) Side Discharge For all Z900 B/E/M/R Series with 60" & 72" side discharge decks.	No Added Cost
3544	Boot Kit Mulch on Demand Decks (48 In., 54 In., 60 In.) For all Z900 M/R Series with 48", 54", & 60" Mulch-on-Demand decks.	427.00
3541	Less Boot Kit Adapting Parts	-330.00
	BLOWER	
2900	Blower, Weight Bracket, and Mounting Frame Kit	In Base Price
2010	Less Blower, Weight Bracket, and Mounting Frame	-2,195.00

ATTACHMENTS FOR FIELD CONVERSION

ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

MCS DFS HOPPER, 9.6 Bushel Dump From Seat

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BTC10445	ATTACHMENTS FOR FIELD CONVERSION Continued Miscellaneous Rear Anti-Scalp Wheel Kit (1219.2-mm (48-in.) Deck) For 48" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 48" 7-Iron II side discharge decks.	188.31
	BTC10442	Rear Anti-Scalp Wheel Kit (1371.6-mm (54-in.) Deck) For 54" 7-Iron II Deck fitted to Z900B-Series only. For all Z900 B Series with 54" 7-Iron II side discharge decks.	188.31
	BTC10591	Rear Anti-Scalp Wheel Kit (1524-mm (60-in.) Deck) For 60" 7-Iron II Deck fitted to Z900B and Z900E-Series only. For all Z900B and Z900E Series with 60" 7-Iron II side discharge decks.	188.31
	UC13263	Weights Quik-Tatch Weight, 42 lb (19 kg)	60.99

Deere & Company -2021 Price List

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Current Attachments for Non-Current Commercial Zero-Turn-Radius Mowers and Equipment

Equipment for Base Machine

			List Price
	Attachment		Suggested
Code	Identifier	Description	USD (\$)

Attachment Information is not available in MOCI for the base code C13500DUM

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z994R Diesel Commercial ZTrak

Equipment for Base Machine

cooling

ENGINE: Engine HP (kW), gross SAE J1995: 24.7 HP (18.4 kW) Rated engine speed, rpm: 3200 Displacement, cc (in): 1267cc(77.3 in) Horizontal-Shaft Three Cylinder Liquid Cooled Diesel Engine @2000 rpm (47.2 lb-ft) 64 Nm torque Indirect fuel injection Full Pressure Lubrication System with Replaceable Oil Filter Heavy Duty Canister Air Cleaner; Dry Replaceable Filter Element with Secondary Safety Element Air restriction indicator standard Charging system: 12 Volt with 75 Travel Speed: 11.4 MPH (18.3 KMPH) Fuel Capacity: 11.5 gallons (43.5 liters) B20 Compliant Fuel Filter with replaceable element HYDRAULIC/TRANSMISSION/PTO: Dual Hydrostatic Wheel Drive TuffTorq Heavy Duty Ground Drive Cross-Porting for improved

Foot Actuated Parking Brake Electric PTO Clutch STEERING: Dual Lever Direction/Speed Control DECK: 54 Inch 7-Iron PRO Side Discharge Mower Deck Optional decks: 60 Inch 7-Iron PRO Side Discharge, 60 Inch Mulch On Demand 72 Inch 7-Iron PRO Side Discharge 7-Gauge stamped steel 60 Inch FastBack PRO Rear Discharge, 72 Inch FastBack PRO Rear Discharge 7-Gauge fabricated steel Mower Deck 8 In. Cast Iron Spindle Housing Rear Anti-Scalp Wheels One-Touch Dial and Foot Spring Assisted Height of Cut Adjustment Single-Turn Deck Transport Lock System Full Floating Suspension Deck 25 140 mm (1.0 - 5.5 In.) Cutting Heights in 6 mm (0.25 In) Increments FRAME/STYLING/TIRES:

Steel Channel Frame Rear Bumper 24x12-12 In. Square Shoulder 4PR Turf Drive Tires 13x6.5-6 Semi-Pneumatic Front Caster Tires Optional: 24x12N12 Michelin Tweels OPERATOR ENVIRONMENT: Operator Presence System Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt Right Hand Control Console Cluster Cup Holder Digital Hour meter Fuel Gauge Wide Control Lever Bends for Increased Operator Comfort Quick-Service Removable Foot Platform

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Raleigh, North Carolina	
2543TC		Z994R Diesel Commercial ZTrak	18,399.00
		DESTINATION	
001A		North America United States and Canada Requires Operator's Manual - 0443	In Base Price
		MOWER DECKS	
1502		54 In. 7-IRON PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.	In Base Price
1504		60 In. 7-IRON PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.	270.00
1505		60 In. 7-Iron PRO Mulch On Demand Mower Deck	1,140.00

Z994R Diesel Commercial ZTrak

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		MOWER DECKS Continued 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1036 or 1040.	
1506		72 In. 7 IRON PRO Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1041.	810.00
1524		60 In. FastBack PRO Rear Discharge Mower Deck 7-Gauge Fabricated Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1041.	900.00
1523		72 In. FastBack PRO Rear Discharge Mower Deck 7-Gauge Fabricated Steel Mower Deck. 8 In. Cast Iron Spindle Housings. Rear Anti-Scalp Wheels. Requires Tires & Wheels option code 1037 or 1041.	1,440.00
		DRIVE WHEELS AND TIRES	
1036		24x12x12 Pneumatic Turf Tire for 54 In. and 60 In. Decks	In Base Price
1037		24x12x12 Pneumatic Turf Tire for 72" Decks	No Added Cost
1040		24x12N12 Michelin X Tweel Turf for 54 In. and 60 In. Decks MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. Not Compatible with a Material Collection System.	999.00
1041		24x12N12 Michelin X Tweel Turf for 72 In. Decks MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc. Not compatible with a Material Collection System.	999.00
		SEAT	
2092		Deluxe Comfort Seat with Armrests and Isolation (24" High Back) Includes Isolation System to Reduce Shock/Vibration	-300.00
2093		Fully Adjustable Suspension Seat with Armrests (24" High Back) Adjustable Back Rest and Lumbar Support. Adjustable for Operator Weight. Reduces Shock/Vibration and Increases Comfort.	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	BUC10603	Lighting LED Beacon Light Kit	298.53
	BUC10955	LED front work light kit (2) Compatible with Mulch on Demand Decks	294.26
	LP1400	Miscellaneous Floor Mat	32.99
	BUC10300	Hitch Kit	37.46

Z994R Diesel Commercial ZTrak

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BUC10584	ATTACHMENTS FOR FIELD CONVERSION Continued Jack Kit	226.84
	BUC11299	ShadePro TM Canopy ROPS must remain in upright and locked position when canopy is installed WEIGHTS NOT INCLUDED.Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.	974.77
	BUC10870	String Trimmer Mount	118.77
	LPA11548	Sun Canopy	169.00
	BUC10628	Trash Receptacle Kit	147.66
	TCB11469	Mulch Kits Mulch Kit (1371.6-mm (54-in.) 7-Iron, 7-Iron II, 7-Iron PRO and HC)	333.84
	TCB10953	Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	346.69
	BUC10903	Mulch Kit (1524-mm (60-in.) Rear Discharge FastBack PRO)	450.47
	TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	356.31
	BUC10904	Mulch Kit (1828.8-mm (72-in.) Rear Discharge FastBack PRO)	649.49
	BUC10649	Seat Arm rest kit - Padded (Set of 2) Compatible only with Fully Adjustable Suspension Seat	46.01
	BTC10907	Isolated Suspension Seat Kit	279.27
	AM115838	Spark Arrester Spark Arrester Screen	41.76
	BTC10286	Striping Kits Rubber Flap Striping Kit for 1371.6-mm and 1524-mm (54-in. and 60-in.) Decks	472.94
	BTC10287	Rubber Flap Striping Kit for 1828.8-mm (72-in.) Deck	483.64

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL NA

Equipment for Base Machine

Z997R Commercial L. C. Diesel Max-Frame Z-Trak Equipment for Base Machine 37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm Diesel Engine 100.2 cu. in. (1.64 L) Three Cylinder Liquid-Cooled Up to B20 Compliant Full Pressure Lubrication System With Replaceable Oil Filter Heavy-Duty Canister Air Cleaner; Dual Element, Dry-Type with Safety Element and Air Service Indicator 1.5 x 3.0 In. Steel Tubular Frame - 7 Gauge 12 Volt with 75 AMP Regulated Charge System Dual Hydrostatic Wheel Drive Tuff Torq Dual Unitized Pump Dual Wheel Parking Brake

Operator Presence System Folding Two Post ROPS (Roll-Over Protective Structure) and Seat Belt 60 In. 7-Iron PRO Commercial Side Discharge Mower Deck 7-Gauge Stamped Steel Mower Deck 8 In. ductile cast iron spindle housing One-Touch Dial and Electric Deck Lift Height of Cut Adjustment Full Floating Suspension Deck 1.5 - 5.0 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control Quick-Service Hinged Foot Platform Fully Enclosed Engine Compartment Ergonomic Operator Contoured Soft Touch Grips and Integrated

Handle Controls

11.5 MPH Mowing Speed
12 U.S. Gallon Fuel Capacity
with Fuel Shutoff Valve
26x12-12 In. Square Shoulder 4PR
Turf Drive Tires
15x6-6 Flat Free Front Caster
Tires
Right Hand Control Console
Cluster
Cup and Tool Holder
Hydraulic PTO Clutch
Digital Multi-function Display
Deluxe Comfort Seat with
Suspension and Armrests

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
'		F.O.B. Raleigh, North Carolina	_
091QTC		Z997R DIESEL NA	25,859.00
		DESTINATION	
001A		United States/Canada	In Base Price
		DRIVE WHEELS AND TIRES	
1150		26x12x12 Pneumatic Turf Tires For use with all 60" and 72" decks (including rear discharge).	In Base Price
1151		26x12N12 Michelin X Tweel Turfs For use with all 60" and 72" decks (including rear discharge). NOT COMPATIBLE FOR USE WITH MATERIAL COLLECTION SYSTEM. For more information about the MICHELIN X TWEEL TURF available exclusively on John Deere Z997, visit www.JohnDeere.com/Tweel. MICHELIN X TWEEL is a registered trademark, and MICHELIN X TWEEL TURF is a trademark, owned by Michelin North America, Inc.	1,199.00
		MOWER DECKS	_
1504		60 In. 7-Iron PRO Side Discharge Mower Deck	In Base Price
1506		72 In. 7-Iron PRO Side Discharge Mower Deck	540.00
1524		60 In. 7 GAUGE FastBack PRO Rear Discharge Deck	630.00
1523		72 In. 7 GAUGE FastBack PRO Rear Discharge Deck	1,170.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

Z997R DIESEL NA

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		MOWER DECKS Continued	
		ATTACHMENTS FOR FIELD CONVERSION	
	BUC10976	Lighting Beacon Light Kit LED beacon light kit is compatible with Model Year 2016 and newer.	298.53
	TCB11281	Front Light (2) Kit	256.80
	BUC10589	Miscellaneous Front Jack Kit Includes jack and mounting kit.	235.40
	BTC10674	Rear Bumper Kit	270.71
	BUC11047	ShadePro™ Canopy ROPS must remain in the upright and locked position when canopy is installed WEIGHTS NOT INCLUDED.Refer to Canopy Ballast Information spreadsheet found on the Value Selling Navigator to determine the quantity of weights needed based on vehicle sizing and configuration specs.	974.77
	TCB10953	Mulch Kits Mulch Kit (1524-mm (60-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	346.69
	BUC10903	Mulch Kit (1524-mm (60-in.) Rear Discharge FastBack PRO)	450.47
	TCB10951	Mulch Kit (1828.8-mm (72-in.) 7-Iron, 7-Iron II and 7-Iron PRO)	356.31
	BUC10904	Mulch Kit (1828.8-mm (72-in.) Rear Discharge FastBack PRO)	649.49
	TCA18513	Seat Deluxe Comfort Seat with Armrest	1,091.27
	TCB11230	Striping Kits Roller Striping Kit for 1524-mm (60-in.) Deck Roller Length is 60 In.	482.57
	TCB11231	Roller Striping Kit for 1828.8-mm (72-in.) Deck Roller Length is 60 In. For Model Year '11 and Later Power Units (Serial Number 060000-) or Serialized	482.57

Replacement Decks (Serial Number 010001-).

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag Material Collection System

Equipment for Base Machine

3-Bag Collection Hopper
14 Bushel Capacity
Steel Hopper Top
Mechanical Hopper Top Lock
Horizontal 7-Iron
Blower Configuration
Steel Blower Housing
5 Blade Commercial Impeller
35.56 cm (14 In.) Impeller
Diameter
Easy-To-Empty Bags

BTC10902

 $20.32~\mathrm{cm}$ (8 In.) Diameter Chute $\,$ to Change without Notice. Quick Detach Blower Weight Bracket

The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered.

Pricing and Specifications are Recommended only and are Subject

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	332 (4)
		BASE MACHINE	
2550TC		14 Bushel 3-Bag Material Collection System For 54 In./60 In. Z994R Series Mowers including Mulch-On-Demand Decks Not Compatible with Michelin X Tweel Turf Tires WEIGHTS NOT INCLUDED. Refer to Sales Manual for Proper Ballast Requirements	3,389.00
		DESTINATION	
001A		United States and Canada	In Base Price
		ATTACHING PARTS	
3404		Attaching Parts for 137.16 cm (54 ln.) 7-Iron PRO Decks For all Z994R Series with 54" side discharge decks.	In Base Price
3405		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Decks For all Z994R Series with 60" side discharge decks.	No Added Cost
3408		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-on-Demand Decks For all Z994R Series with 60" Mulch-on-Demand decks.	134.00
3406		Attaching Parts for 182.88 cm (72 ln.) 7-Iron PRO Decks For all Z994R Series with 72" side discharge decks.	134.00
3490		Less Attaching Parts	-1,163.00
		BLOWER	
3500		Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520		Less Blower	-808.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Attaching Parts	

Attaching Parts for 1371-mm (54-in.) 7-Iron PRO Decks

For all Z994R series with 54" Side Discharge Deck

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

1,333.21

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel 3-Bag Material Collection System

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BTC10903	ATTACHMENTS FOR FIELD CONVERSION Continued Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Decks For all Z994R series with 60" Side Discharge Deck	1,333.21
	BTC10904	Attaching Parts for 1828.8-mm (72-in.) 7-Iron PRO Decks For all Z994R series with 72" Side Discharge Deck	1,487.30
	BTC10905	Attaching Parts for 60 in. 7-Iron PRO Mulch on Demand Decks For all Z994R series with 60" Mulch on Demand Deck	1,487.30
	TCB11690	Miscellaneous 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand™ Decks	926.61
	UC13263	Weights Quik-Tatch Weight, 42 lb (19 kg) Requires bracket AUC10059, pin TCU23538 (2), and clips A3581R (4)	60.99

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat Material Collection System

Equipment for Base Machine

High Density Polypropylene
Hopper
14 Bushel Capacity
Mechanical Dump From
Operator Seat
Horizontal 7-Iron
Blower Configuration
Steel Blower Housing
5 Blade Commercial Impeller
35.56 cm (14 In.) Impeller
Diameter

20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket

The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered.

Pricing and Specifications are Recommended only and are Subject

to Change without Notice.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2560TC		14 Bushel Dump From Seat Material Collection System	3,659.00
		"For 54 In./60 In./72 In. Z994R Series Mowers including Mulch-On-Demand Decks" Not Compatible with Michelin X Tweel Turf tires WEIGHTS NOT INCLUDED. Refer to Sales Manual for Proper Ballast Requirements.	
		Not Compatible with Michelin X Tweel Turf tires WEIGHTS NOT INCLUDED.	

	DECTINATION	
001A	United States and Canada	In Base Price
	ATTACHING PARTS	
3404	Attaching Parts for 137.16 cm (54 ln.) 7-Iron PRO Decks For all Z994R Series with 54" side discharge decks.	In Base Price
3405	Attaching Parts for 152.4 cm (60 ln.) 7-Iron PRO Decks For all Z994R Series with 60" side discharge decks.	No Added Cost
3408	Attaching Parts for 152.4 cm (60 ln.) 7-Iron PRO Mulch-on-Demand Decks For all Z994R Series with 60" Mulch-on-Demand decks.	134.00
3406	Attaching Parts for 182.88 cm (72 ln.) 7-Iron PRO Decks For all Z994R Series with 72" side discharge decks.	134.00
3490	Less Attaching Parts	-1,163.00
	BLOWER	
3500	Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520	Less Blower	-808.00

ATTACHMENTS FOR FIELD CONVERSION

Attaching Parts

BTC10902 Attaching Parts for 1371-mm (54-in.) 7-Iron PRO Decks For all Z994R series with 54" Side Discharge Deck

1,333.21

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat Material Collection System

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BTC10903	ATTACHMENTS FOR FIELD CONVERSION Continued Attaching Parts for 1524-mm (60-in.) 7-Iron PRO Decks For all Z994R series with 60" Side Discharge Deck	1,333.21
	BTC10904	Attaching Parts for 1828.8-mm (72-in.) 7-Iron PRO Decks For all Z994R series with 72" Side Discharge Deck	1,487.30
	BTC10905	Attaching Parts for 60 in. 7-Iron PRO Mulch on Demand Decks For all Z994R series with 60" Mulch on Demand Deck	1,487.30
	TCB11690	Miscellaneous 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand™ Decks	926.61
	UC13263	Weights Quik-Tatch Weight, 42 lb (19 kg) Requires bracket AUC10059, pin TCU23538 (2), and clips A3581R (4)	60.99

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Gauge FastBack PRO Rear Discharge Deck for Z997R

Equipment for Base Machine

60 In. Cutting Width
(3) HD Spindles, Blades
Fabricated Deck
1.5-5 In. Height of Cut
Deep Deck Design
Vehicle Enclosure Kit
Quick Release Belt Shields
Front Anti-Scalp Wheels
Steel Bar Reinforcement

Offset Spindles 8 In. Cast Iron Spindle Housing Rear Discharge Chute Greaseable Spindles FastBack PRO 7-Gauge (.177 In.) Steel Splined Shaft Drive Baffling System

Attach Code Identif		List Price Suggested USD (\$)
	Select One Code From Each Required Category	
051CTC	BASE MACHINE 60 In. 7-Gauge FastBack PRO Rear Discharge Deck for Z997R For Z997R and 997 Diesel Ztrak	3,580.00
	DESTINATION	In Base Price
001A	DESTINATION United States/Canada	

Attachment Information is not available in MOCI for the base code 051CTC

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE TURF & UTILITY PRODUCTS

72" 7-Gauge FastBack PRO Rear Discharge Deck for Z997R

Equipment for Base Machine

72 In. Commercial Rear Discharge Mower Deck 7-Gauge Steel Mower Deck Deep Deck Design (3) HD Spindles / Blade 3.8 - 12.7 cm (1.5 - 5 in) Cutting Heights in 0.6 cm Increments

	Attachment		List Price Suggested
Code	Identifier	Description	USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
0554TC		BASE MACHINE 72" 7-Gauge FastBack PRO Rear Discharge Deck for Z997R	4,210.00
0554TC			4,210.00

Attachment Information is not available in MOCI for the base code 0554TC

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

60 In. 7-Iron PRO Side Discharge Deck for Z997R

Equipment for Base Machine

60 In. Cutting Width
(3) HD Spindles, Blades
One Piece Stamped Deck
1.5-5.0 In. Height of Cut
Deep Deck Design
Quick Release Belt Shields
(2) Rear Adjustable
Gauge Wheel
Front and Rear Anti-Scalp Wheels

Steel Bar Reinforcement
Offset Spindles
8 In. Cast Iron Spindle Housing
Hinged Side Discharge Chute
Greaseable Spindles
7-Iron PRO 7-Gauge (.177 In.)
Steel
Splined Shaft Drive
Baffling System

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category]
		BASE MACHINE	•
033FTC		60 In. 7-Iron PRO Side Discharge Deck for Z997R	2,950.00
		DESTINATION	
001A		United States/Canada	In Base Price

Attachment Information is not available in MOCI for the base code 033FTC

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

72 In. 7-Iron PRO Side Discharge Deck for Z997R

Equipment for Base Machine

72 In. Cutting Width
(3) HD Spindles, Blades
One Piece Stamped Deck
1.5-5 In. Height of Cut
Deep Deck Design
Quick Release Belt Shields
(2) Rear Adjustable
Gauge Wheels
Front and Rear Anti-Scalp Wheels

Steel Bar Reinforcement
Offset Spindles
8 In. Cast Iron Spindle Housing
Hinged Side Discharge Chute
Greaseable Spindles
7-Iron PRO 7-Gauge (.177 In.)
Steel
Splined Shaft Drive
Baffling System

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
034ETC		72 In. 7-Iron PRO Side Discharge Deck for Z997R	3,490.00
		DESTINATION	
001A		United States/Canada	In Base Price

Attachment Information is not available in MOCI for the base code 034ETC

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE TURF & UTILITY PRODUCTS

ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

13 Bushel Dump From Seat MCS (Z997)

Equipment for Base Machine

High Density Polyethylene Hopper Tubular Steel Frame With Polypropylene Fabric Door 13 Bushel Capacity Mechanical Dump From Operator Seat Attaching Framework 7-Iron Blower Steel Blower Housing

Upper Weight Bracket 35.56 cm (14 In.) Impeller Diameter 20.32 cm (8 In.) Diameter Chute Quick Detach Blower Weight Bracket

The Above Specifications are Indicative of the Base Feature Machine only and may Differ if Alternative Options/Attachments are Ordered.

Pricing and Specifications are

Recommended only and are Subject to Change without Notice.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
0775TC		13 Bushel Dump From Seat MCS (Z997) For 997 with 152.4/182.88 cm (60/72 In.) side discharge decks and 152.4 cm (60 In.) Mulch-On-Demand decks only. WEIGHTS NOT INCLUDED. Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. Not compatible with MY16 and later Z997R	3,769.00
		DESTINATION	
001A		United States and Canada	In Base Price
001B		Europe	No Added Cost
001D		Other	No Added Cost
		ATTACHING PARTS	
3405		Attaching Parts for 152.4 cm (60 ln.) 7-Iron PRO Decks For all 997 w/60" side discharge decks.	In Base Price
3406		Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks For all 997 w/72" side discharge decks.	14.00
3408		Attaching Parts for 152.4 cm (60 In.) 7-Iron PRO Mulch-On-Demand Decks For all 997 w/60" Mulch-On-Demand decks.	208.00
3490		Less Attaching Parts	-315.00
		BLOWER	
3500		7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520		Less Blower	-808.00

30 March 2021 U.S. C-13- 1

ATTACHMENTS FOR FIELD CONVERSION

Attaching Parts

Attaching Parts for Blower

BTC10265

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

599.20

ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

13 Bushel Dump From Seat MCS (Z997) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BTC10266	ATTACHMENTS FOR FIELD CONVERSION Continued Attaching Parts for Blower	361.66
	TCB11690	Miscellaneous 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand™ Decks 7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.	926.61
	UC13263	Weights Quik-Tatch Weight, 42 lb (19 kg)	60.99
	DMA210494	Upper Weight Bracket (997)	424.98

ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat MCS (Z997R)

Equipment for Base Machine

Low Density Polyethylene Hopper Tubular Steel Frame With Low Density Polyethylene Door 14 Bushel Capacity Electrical Power Dump From Operator Seat Attaching Framework 7-Iron Blower Steel Blower Housing Tilt for Service Feature 14 In. Impeller Diameter 6 In. Diameter Chute Quick Detach Blower Weight Bracket

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
0776TC		14 Bushel Dump From Seat MCS (Z997R) WEIGHTS NOT INCLUDED. Refer to MCS Ballast Information spreadsheet found on the Sales Manual online page to determine the quantity of weights needed based on vehicle sizing and configuration specs. For MY15 and newer Z997R with 60/72 In. Side Discharge decks and 60 In. Mulch-On-Demand decks only.	4,619.00
		DESTINATION	
001A		United States and Canada	In Base Price
		ATTACHING PARTS	
3405		Attaching Parts for 152.4 cm (60 ln.) 7-Iron PRO Decks For all 997 w/60" side discharge decks.	In Base Price
3406		Attaching Parts for 182.88 cm (72 In.) 7-Iron PRO Decks For all 997 w/72" side discharge decks.	14.00
3408		Attaching Parts for 152.4 cm (60 ln.) 7-Iron PRO Mulch-On-Demand Decks For all 997 w/60" Mulch-On-Demand decks.	208.00
3490		Less Attaching Parts	-315.00
		BLOWER	
3500		7-Iron Blower for 7-Iron PRO and 7-Iron PRO Mulch-On-Demand Decks	In Base Price
3520		Less Blower	-808.00
		ATTACHMENTS FOR FIELD CONVERSION	
	BTC10265	Attaching Parts Attaching Parts for Blower	599.20
	BTC10266	Attaching Parts for Blower	361.66
	TCB11690	Miscellaneous 7-Iron Blower for 7-Iron, 7-Iron PRO and 7-Iron PRO Mulch-On-Demand™ Decks 7-Iron and 7-Iron II Decks or machines with serial numbers prior to 060001 must order BTC10022 Attaching Parts.	926.61

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS Gr JOHN DEERE TURF & UTILITY PRODUCTS

Grounds Equipment - Bid #ESCNJ 18/19-25

ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

14 Bushel Dump From Seat MCS (Z997R)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued Weights	
	UC13263	Quik-Tatch Weight, 42 lb (19 kg)	60.99
	DMA210494	Upper Weight Bracket (997)	424.98

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

652E 22HP* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck

Equipment for Base Machine

in 0.25 In. Increments

22HP* (16.4-kW) Vertical-Shaft Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System 12cc Hydro-Gear Transmission Pumps 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 52 In. Fixed, Side Discharge 7 Ga. Fabricated Steel Deck Cast Iron Spindle Housing 1.25 - 5 In. Cutting Heights

Deck Mounted Striping Rubber Flap Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward / 5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 20 x 10-8 In. 4PR Turf Drive Tires 11 x 4-5 In. Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc. The engine horsepower and

torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

	Attachment		List Price Suggested
Code	Identifier	Description	USD (\$)
		Select One Code From Each Required Category	
		delect one dode From Lacri Required dategory	
		BASE MACHINE	
2391TC		652E 22HP* Commercial QuikTrak with 52in. 7-Gauge Fixed Deck	9,289.00
		F.O.B. Fuquay-Varina, North Carolina Not Available in California	
		DESTINATION	
001A		United States and Canada	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
		Engine	
	AM108146	Spark Arrester Screen for Muffler	36.65
		Miscellaneous	
	LP68164	3.5 bu. Grass Catcher	448.95
		Fits units SN >45001	
		Mulch Kits	
	BUC10058	52 In. (1321 mm) Mulch Kit	344.54

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

636M 18.5HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck

Equipment for Base Machine

18.5HP* (13.8-kW) Vertical-Shaft Air Cooled Gas Engine 603cc (36.8 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System 10cc Hydro-Gear Transmission Pumps 12 cu. In / Rev Hydro-Gear Wheel Motors Hydraulic Oil Cooler Dual Wheel Parking Brake Operator Presence System Platform 7 Ga. Fabricated Steel Deck Cast Iron Spindle Housing

BUC10061

36 In. (914 mm) Mulch Kit

1.25 - 5 In. Cutting Heights in 0.25 In. Increments
Dual Lever Direction/Speed Control with Reverse Bar 8.2 MPH Forward / 3.5 MPH Reverse 5.5 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 18 x 8.5 - 10 In. 4PR Turf Drive Tires 11 x 4-5 In. Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc. The engine horsepower and

torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2361TC		636M 18.5HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck F.O.B. Fuquay-Varina, North Carolina Not Available in California	8,789.00
		DESTINATION	
001A		United States and Canada	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	AM108146	Engine Spark Arrester Screen for Muffler	36.65
	LP68164	Miscellaneous 3.5 bu. Grass Catcher Fits units SN >45001	448.95
		Mulch Kits	

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

225.77

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck

Equipment for Base Machine

22.0HP* (16.4-kW) Vertical-Shaft Air Cooled Gas Engine 726cc (44.3cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System 10cc Hydro-Gear Transmission Pumps 12 cu. In / Rev Hydro-Gear Wheel Motors Hydraulic Oil Cooler Dual Wheel Parking Brake Operator Presence System Platform 48 In. Floating, Side Discharge 7 Ga. Fabricated Steel Deck Cast Iron Spindle Housing

1.25 - 5 In. Cutting Heights in 0.25 In. Increments
Deck Mounted Striping Rubber Flap
Dual Lever Direction/Speed
Control with Reverse Bar
8.2 MPH Forward / 3.5 MPH
Reverse
5.5 U.S. Gallon Fuel Capacity
with Fuel Shutoff Valve
18 X 10.50 - 10
4PR Turf Drive Tires
11 x 4-5 In. Front Caster Tires
Electric PTO Clutch
Digital Hourmeter
Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer
certified
gross power tested in accordance
with SAE
J1995, 726cc. The engine

horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2341TC		648M 22.0HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck F.O.B. Fuquay-Varina, North Carolina Not Available in California	9,529.00
		DESTINATION	
001A		United States and Canada	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	AM108146	Engine Spark Arrester Screen for Muffler	36.65
	LP68164	Miscellaneous 3.5 bu. Grass Catcher Fits units SN >45001	448.95
		Mulch Kits	

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE TURF & UTILITY PRODUCTS

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck

Equipment for Base Machine

22.0HP* (16.4-kW) Vertical-Shaft Air Cooled Gas Engine 726cc (44.3cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System 10cc Hydro-Gear Transmission Pumps 12 cu. In / Rev Hydro-Gear Wheel Motors Hydraulic Oil Cooler Dual Wheel Parking Brake Operator Presence System Platform 52 In. Floating, Side Discharge 7 Ga. Fabricated Steel Deck Cast Iron Spindle Housing

1.25 - 5 In. Cutting Heights in 0.25 In. Increments
Deck Mounted Striping Rubber Flap Dual Lever Direction/Speed Control with Reverse Bar 8.2 MPH Forward / 3.5 MPH Reverse 5.5 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 18 x 10.50 - 10 4PR Turf Drive Tires 11 x 4-5 In. Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc. The engine

horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category]
		BASE MACHINE	
2331TC		652M 22.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck F.O.B. Fuquay-Varina, North Carolina Not Available in California	9,859.00
		DESTINATION	
001A		United States and Canada	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	AM108146	Engine Spark Arrester Screen for Muffler	36.65
	LP68164	Miscellaneous 3.5 bu. Grass Catcher	448.95
		Fits units SN >45001	

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

648R 22HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck

Equipment for Base Machine

22HP* (16.4-kW) Vertical-Shaft Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System Dual Hydrostatic Wheel Drive 12cc Hydro-Gear Transmission 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 48 In. Floating, Side Discharge 7 Ga. Fabricated Steel Mower Deck Cast Iron Spindle Housing

Pin Height of Cut Adjustment No-tool Lever Assisted Height Cut Adjustment 1.5 - 5 In. Cutting Heights in 0.25 In. Increments Deck Mounted Striping Rubber Flap Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward/5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 13x6.5-6 Semi Pneumatic Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE

J1995, 726cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2321TC		648R 22HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck F.O.B Fuquay-Varina, North Carolina Not Available in California	9,949.00
		DESTINATION	
001A		United States and Canada	In Base Price
		DRIVE WHEELS AND TIRES	
1142		(2) 20x10-8 Pneumatic Turf Tire for 648R	In Base Price
1144		(2) 18x8.5N10 X Tweel Turf Airless Tires for 648R	799.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AM108146	Engine Spark Arrester Screen for Muffler	36.65
	LP68164	Miscellaneous 3.5 bu. Grass Catcher Fits units SN >45001	448.95
	BUC10059	Mulch Kits 48 In. (1219 mm) Mulch Kit	270.71

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

652R 23.5HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck Equipment for Base Machine

23.5HP* (17.5-kW) Vertical-Shaft Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System Dual Hydrostatic Wheel Drive 12cc Hydro-Gear Transmission 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 52 In. Floating, Side Discharge 7 Ga. Fabricated Steel Mower Deck Cast Iron Spindle Housing

Pin Height of Cut Adjustment No-tool Lever Assisted Height Cut Adjustment 1.5 - 5 In. Cutting Heights in 0.25 In. Increments Deck Mounted Striping Rubber Flap Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward/5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 13x6.5-6 Semi Pneumatic Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE

J1995, 726cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2314TC		652R 23.5HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck F.O.B Fuquay-Varina, North Carolina Not Available in California	10,369.00
		DESTINATION	
001A		United States and Canada	In Base Price
		DRIVE WHEELS AND TIRES	
1141		(2) 20x10-8 Pneumatic Turf Tires for 652R / 661R	In Base Price
1143		(2) 18x8.5N10 X Tweel Turf Airless Tires for 652R / 661R	799.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AM108146	Engine Spark Arrester Screen for Muffler	36.65
	LP68164	Miscellaneous 3.5 bu. Grass Catcher Fits units SN >45001	448.95
	BUC10058	Mulch Kits 52 In. (1321 mm) Mulch Kit	344.54
	BUC10057	52 In. (1321 mm) Mulch On Demand Kit	796.09

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck Equipment for Base Machine

Deck

25.0 HP* (18.3-kW) Vertical-Shaft Air Cooled Electronically Fuel Injected Closed Loop System Engine (45.6 Cu. In.) 747cc, 18.3 kW Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System Dual Hydrostatic Wheel Drive 12cc Hydro-Gear Transmission 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 52 In. Floating, Side Discharge 7 Ga. Fabricated Steel Mower

Cast Iron Spindle Housing Pin Height of Cut Adjustment No-tool Lever Assisted Height Cut Adjustment 1.5 - 5 In. Cutting Heights in 0.25 In. Increments Deck Mounted Striping Rubber Flap Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward/5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 13x6.5-6 Semi Pneumatic Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 747cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2315TC		652R EFI 25.0HP* Commercial QuikTrak with 52 In. 7-Gauge Floating Deck F.O.B. Fuquay-Varina, North Carolina Not Available in California	10,909.00
		DESTINATION	
001A		United States and Canada	In Base Price
		DRIVE WHEELS AND TIRES	
1141		(2) 20x10-8 Pneumatic Turf Tires for 652R / 661R	In Base Price
1143		(2) 18x8.5N10 X Tweel Turf Airless Tires for 652R / 661R	799.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AM108146	Engine Spark Arrester Screen for Muffler	36.65
	LP68164	Miscellaneous 3.5 bu. Grass Catcher Fits units SN >45001	448.95
	BUC10058	Mulch Kits 52 In. (1321 mm) Mulch Kit	344.54
	BUC10057	52 In. (1321 mm) Mulch On Demand Kit	796.09

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

661R 23.5HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck

Equipment for Base Machine

23.5HP* (17.5-kW) Vertical-Shaft Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System Dual Hydrostatic Wheel Drive 12cc Hydro-Gear Transmission 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 61 In. Floating, Side Discharge 7 Ga. Fabricated Steel Mower Deck Cast Iron Spindle Housing

Pin Height of Cut Adjustment No-tool Lever Assisted Height Cut Adjustment 1.5 - 5 In. Cutting Heights in 0.25 In. Increments Deck Mounted Striping Rubber Flap Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward/5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 13x6.5-6 Semi Pnuematic Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE

J1995, 726cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2302TC		661R 23.5HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck F.O.B. Fuquay-Varina, North Carolina Not Available in California	11,019.00
		DESTINATION	
001A		United States and Canada	In Base Price
		DRIVE WHEELS AND TIRES	
1141		(2) 20x10-8 Pneumatic Turf Tires for 652R / 661R	In Base Price
1143		(2) 18x8.5N10 X Tweel Turf Airless Tires for 652R / 661R	799.00
		ATTACHMENTS FOR FIELD CONVERSION	
		Engine	
	AM108146	Spark Arrester Screen for Muffler	36.65

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

661R EFI 25.0HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck Equipment for Base Machine

Deck

25.0 HP* (18.3-kW) Vertical-Shaft Air Cooled Electronically Fuel Injected Closed Loop System Engine (45.6 Cu. In.) 747cc, 18.3 kW Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System Dual Hydrostatic Wheel Drive 12cc Hydro-Gear Transmission 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 61 In. Floating, Side Discharge 7 Ga. Fabricated Steel Mower

Cast Iron Spindle Housing
Pin Height of Cut Adjustment
No-tool Lever Assisted Height
Cut Adjustment
1.5 - 5 In. Cutting Heights
in 0.25 In. Increments
Deck Mounted Striping Rubber
Flap
Dual Lever Direction/Speed
Control with Reverse Bar
9.5 MPH Forward/5.5 MPH Reverse
5.6 U.S. Gallon Fuel Capacity
with Fuel Shutoff Valve
13x6.5-6 Semi Pnuematic Front
Caster Tires
Electric PTO Clutch
Digital Hourmeter
Thick, Insulated Leaning Pad
* @ 3600 RPM engine manufacturer
certified
gross power tested in accordance

with SAE J1995, 747cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2303TC		661R EFI 25.0HP* Commercial QuikTrak with 61 In. 7-Gauge Floating Deck F.O.B. Fuquay-Varina, North Carolina Not Available in California	11,549.00
		DESTINATION	
001A		United States and Canada	In Base Price
		DRIVE WHEELS AND TIRES	
1141		(2) 20x10-8 Pneumatic Turf Tires for 652R / 661R	In Base Price
1143		(2) 18x8.5N10 X Tweel Turf Airless Tires for 652R / 661R	799.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AM108146	Engine Spark Arrester Screen for Muffler	36.65
	BUC10060	Mulch Kits 61 In. (1549 mm) Mulch Kit	354.17

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

636M 18.5HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck, California Model

Equipment for Base Machine

18.5HP* (13.8-kW) Vertical-Shaft Air Cooled Gas Engine 603cc (36.8 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System 10cc Hydro-Gear Transmission 12 cu. In / Rev Hydro-Gear Wheel Electric PTO Clutch Motors Hydraulic Oil Cooler Dual Wheel Parking Brake Operator Presence System Platform 36 In. Floating, Side Discharge 7 Ga. Fabricated Steel Deck Cast Iron Spindle Housing

1.25 - 5 In. Cutting Heights in 0.25 In. Increments Dual Lever Direction/Speed Control with Reverse Bar 8.2 MPH Forward / 3.5 MPH Reverse 5.5 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 18 x 8.5 - 10 In. 4PR Turf Drive Tires $11 \times 4-5$ In. Front Caster Tires Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE J1995, 726cc. The engine horsepower and

torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2362TC		636M 18.5HP* Commercial QuikTrak with 36 In. 7-Gauge Floating Deck, California Model F.O.B. Fuquay-Varina, North Carolina	8,889.00
		DESTINATION	
001A		United States and Canada	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	AM108146	Engine Spark Arrester Screen for Muffler	36.65
	LP68164	Miscellaneous 3.5 bu. Grass Catcher Fits units SN >45001	448.95
	BUC10061	Mulch Kits 36 In. (914 mm) Mulch Kit	225.77

COMMERCIAL ZERO-TURN-RADIUS MOWERS AND EQUIPMENT

648R 22HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck, California Model Equipment for Base Machine

22HP* (16.4-kW) Vertical-Shaft Air Cooled Gas Engine 726cc (44.3 cu. in.) Full Pressure Lubrication System With Replaceable Oil Filter Heavy Duty Canister Air Cleaner Dry Replaceable Filter Element with Secondary Safety Element 12 Volt Charge System Dual Hydrostatic Wheel Drive 12cc Hydro-Gear Transmission 15 cu. in. Hydro-Gear Wheel Motors Dual Wheel Parking Brake Operator Presence System Platform 48 In. Floating, Side Discharge 7 Ga. Fabricated Steel Mower Deck Cast Iron Spindle Housing

Pin Height of Cut Adjustment No-tool Lever Assisted Height Cut Adjustment 1.5 - 5 In. Cutting Heights in 0.25 In. Increments Deck Mounted Striping Rubber Flap Dual Lever Direction/Speed Control with Reverse Bar 9.5 MPH Forward/5.5 MPH Reverse 5.6 U.S. Gallon Fuel Capacity with Fuel Shutoff Valve 13x6.5-6 Semi Pneumatic Front Caster Tires Electric PTO Clutch Digital Hourmeter Thick, Insulated Leaning Pad * @ 3600 RPM engine manufacturer certified gross power tested in accordance with SAE

J1995, 726cc. The engine horsepower and torque information is provided by the engine manufacturer to be used for comparison purposes only. Actual operating horsepower and torque will be less. Refer to the engine manufacturer's web site for additional information.

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
2322TC		648R 22HP* Commercial QuikTrak with 48 In. 7-Gauge Floating Deck, California Model F.O.B. Fuquay-Varina, North Carolina	10,049.00
		DESTINATION	
001A		United States and Canada	In Base Price
		DRIVE WHEELS AND TIRES	
1142		(2) 20x10-8 Pneumatic Turf Tire for 648R	In Base Price
1144		(2) 18x8.5N10 X Tweel Turf Airless Tires for 648R	799.00
		ATTACHMENTS FOR FIELD CONVERSION	
	AM108146	Engine Spark Arrester Screen for Muffler	36.65
	LP68164	Miscellaneous 3.5 bu. Grass Catcher Fits units SN >45001	448.95
	BUC10059	Mulch Kits 48 In. (1219 mm) Mulch Kit	270.71