RSX860E (MY20)

Equipment for Base Machine

ENGINE: 46 Engine kW (62 hp) (839 cc), electronic fuel injection (EFI) 2-cylinder, liquid-cooled, dual overhead cams, 4-cycle gasoline full pressure, and dry sump with reservoir lubrication system Replaceable single dry-type element air cleaner with remote intake 28-L (7.4-gal.) fuel capacity Solid-state ignition (12 V) Spark-arresting muffler ELECTRICAL: Electric start 38-amp~(450-W)~alternator~340cold cranking amps (CCA) battery Four 27-W halogen headlights Brake and tail light TRANSAXLE AND TRANSMISSION: Continuously variable Transmission Full clutch enclosure Two-speed transaxle Operator selectable four-wheel drive (4WD) 97 km/h (60 mph) maximum Forward speed On-demand true four-wheel drive system Lockable limited slip; switch engagement Front differential Spool rear final drive Front and rear hydraulic disk Brakes Foot brake; mechanical disk Actuation Park brake Large diameter half shafts with thermoplastic elastomer (TPE) boot axles STEERING AND SUSPENSION: Rack and pinion steering Independent front

suspension Double A-arm with coil over shock and anti-sway bar Independent rear suspension (IRS) with 229 mm (9 in.) of travel Independent rear suspension Semi-trailing double A-arm with coil over shock and anti-sway bar independent rear suspension (IRS) with 229 mm (9 in.) of travel Standard 50-mm (2-in.) rear receiver 6-m (19.7-ft) turning circle Ground clearance: 266 mm (10.5 in.) Ground clearance (Under foot platform): 267 mm (10.5 in.) FRAME AND STYLED PARTS: Full. robotically welded frame design Side frame rails for rock sliding ROLL-OVER PROTECTIVE STRUCTURE (ROPS): 44.4-mm (1.75-in.) steel tubular Overhead structure Multiple passenger handholds 3-point seat belts ISO 3471 and OSHA roll-over protective structure (ROPS) certified OPERATOR STATION: Professional high-back bucket seats; tilt forward Adjustment on driver's seat Glove box Storage compartment underhood Two cup holders 12-V DC outlet Digital instrument cluster with speed mph, km/h, rpm, fuel level, hour meter, odometer, with trip, clock,

water temperature, and four wheel-drive (4WD) notice. DIMENSIONS (WITH ROPS): 3022.6 mm (119 in.) long by 1435.1 mm (56.5 in.) wide by 1828.8 mm (72 in.) high PAYLOAD CAPACITY: 363-kg (800-lb) total payload Capacity which includes: 91-kg (200-lb) driver, 91-kg (200-lb) passenger, and 181 kg (400 lb) in cargo box Towing capacity: 544 kg (1200 lb) CARGO BOX: 820 mm (32.3 in.) long by 1209 mm (47.6 in.) wide by 297 mm (11.7 in.) deep .25-m (8.9-cu ft) capacity 181-kg (400-lb) box capacity Tilting box; two-sided manual Release Hinged (bottom) tailgate TIRES: Front: 25x8-12 Ancla M-T (4PR), 26x8-14 Maxxis Bighorn 2.0 (6PR) Rear: 25x10-12 Ancla M-T (4PR), 26x10-14 Maxxis Bighorn 2.0 (6PR) SAFETY VIDEO TAPE: Safety and operational DVD Operator's manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	
		BASE MACHINE	
		F.O.B. Horicon, Wisconsin	
4632M		RSX860E (MY20)	11,299.00
		DESTINATION	
001A		United States and Canada	In Base Price
		PACKAGES	
0501		PR - Base Package G&Y - Green & Yellow (Code 2500) - 25 in. Ancla M-T Extreme Terrain Tires (4PR) on 12 in. Yellow Steel Wheels (Code 1002) - 21 in. deluxe high back seats - yellow (code 2026) - OPS with brake / taillight, headrests, and OSR doors (Code 2026) - FOX Monotube shocks (Code 2300) - Less roof (Code 4049) - Less Prear bumper (Code 4199) - Less PreRunner bumper (Code 4249) - Less Packages (Code 6349)	In Base Price

RSX860E (MY20)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		COLOR	
2500		Green & Yellow	In Base Price
		WHEELS AND TIRES	
1002		Wheels, 12" Steel Ancla Yellow	In Base Price
		SEAT	
2026		21 in. standard high back seat - yellow	In Base Price
		ROOF SELECTION	
4049		Less roof	In Base Price
		SUSPENSION	
2300		FOX monotube shocks	In Base Price
		PERFORMANCE PACKAGES	
6349		Less packages	In Base Price
		FRONT BRUSH GUARD	
4249		Less PreRunner Bumper	In Base Price
		GUARDS	
4199		Less rear bumper	In Base Price
	BM25411	ATTACHMENTS FOR FIELD CONVERSION Ag Management Solutions Ag Management Solutions (AMS) Integration Kit Compatible with poly roof or on the OPS alone. Kit includes components to mount the	456.89
	BM24356	Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600 or GreenStar 3 2630 display. Batteries Dual Battery Kit Does not include the dual batteries for the kit, ordered seperately.	326.36
	BM23309	Bumper Constant-Velocity (CV) Guards Aluminum.	159.43
	BM23366	Front Brushguard	358.46
	BM23361	Nerf Bar Not compatible with front fender guards.	274.99
	BUC10291	Nerfbar kit Compatible with front fender guard	274.99
	BM23364	PreRunner Bumper	358.46
	BM23362	Rear Bumper	210.79

RSX860E (MY20)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BM23333	ATTACHMENTS FOR FIELD CONVERSION Continued Underbody Armor Aluminum.	323.14
	BUC10347	Underbody Armor Aluminum.	323.14
	BM23849	Cargo Box 19 L (5 gal) Pail Holder Cargo box rails required.	42.80
	BM23371	Box Mat	128.40
	BM23526	Cargo Box Rails	121.99
	BM23384	Cargo Box Wall Extensions Requires cargo box rails. Not compatible with poly cab.	367.01
	BUC10155	Cargo box side extensions cover Requires cargo box wall extension kit. Not compatible with rear panel on S4 Vehicles.	266.43
	LP67755	Sportsman Gear Bag Requires cargo box rails for mounting installation	419.99
	BM23385	Tire Rack Requires cargo box rails. Spare tire not included.	232.19
	LPUT21JD	Carts Utility Cart, 21 Steel	990.00
	LP37036	Cover Vehicle Cover - Black	78.99
	LP37040	Vehicle Cover - Transportable (Black) Available through Order Zone. Fits all Models Equipped with OPS, poly cab, and Deluxe Cab Structure. For use on 2011 + HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Excludes S4 versions) For use on XUV 550 Utility Vehicles. (Excludes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.	144.99
	BM23363	Drawbar 50.8-mm (2-in.) Front Receiver Hitch and Recovery Loops	121.99
	BM22290	Drawbar/ ball mount for 51mm (2 in.) receiver hitch. Hitch Ball sold separately.	43.87
	PM05101	Drawbar 48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	PM05201	51mm (2-in.) hitch ball for ball-type hitch. Order ball mount separately.	11.92
	BM26182	Harnesses Beacon Light Harness Kit Required with Beacon Light.	70.61
	BM25619	Brush Guard Light Harness Kit Required with LED light kits or Work Lights (Halogens).	123.06

RSX860E (MY20)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BM25620	ATTACHMENTS FOR FIELD CONVERSION Continued Front OPS/Roof Light Harness Kit Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.	89.89
	BM25731	Rear OPS/Roof Light Harness Kit Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.	86.67
	BUC10184	Heater Heater Kit	863.49
	BM23370	Horn Kit Compatible with Model Year 2012 to current where applicable on the following models: For use on HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Includes S4 versions) For use on XUV 550 Utility Vehicles. (Includes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.	103.79
	BM25553	Lighting Beacon Light Requires OPS Switch Bank and Beacon Light Harness Kit. HPX, XUV825i, XUV855D, XUV855D S4 also requires poly roof. Not for use with Deluxe Canopy Can be mounted to brake/tail light (no roof), or OPS poly roof if installed.	257.87
	BM25704	LED Driving Lights Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location. Not compatible with Deluxe Cab. Not compatible with Jensen Radios.	449.40
	BUC10222	LED Work Lights Regions 1, 3, & 4: Can be installed on brush guard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.	359.51
	BM24089	Occupant Protective Structure (OPS) Switch Bank Accommodates up to three separate OPS accessory kits.	75.97
	BM25544	Work Lights (Halogens) Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.	123.06
	BM25148	Mirrors Occupant Protective Structure (OPS) Rear View Mirror	90.96
	BM24737	Occupant Protective Structure (OPS) Side Mirrors Not compatible with poly cab.	197.96
	BM24796	Poly Cab Mirror	177.61
	BM23368	Operator"s Station Floor Mat	85.60
	BM24200	Glove Box Lock	12.84

RSX860E (MY20)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BM23377	ATTACHMENTS FOR FIELD CONVERSION Continued OPS Poly Cab Consists of rear panel and doors. Requires OPS Poly Roof (NOT Sport) and Full Glass or Poly windshield to complete the cab.	3,070.90
	BM25956	OSR Door Closeout Panels Panels to closeout openings in the OSR doors.	158.36
	BM25014	Occupant Protective Structure (OPS) Rear Panel Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.	545.70
	BM23933	Sport Steering Wheel	220.41
	BM23379	Radio Stereo and Speaker Kit Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX /SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.	702.99
	BM25999	Roof Canvas Roof / Rear Panel Includes one piece roof / rear panel. Compatible with canvas doors, poly doors, full flip-out windshield. NOT compatible with glass windshield.	369.16
	LP37046	OPS Soft Roof - Black	32.99
	LP37047	OPS Soft Roof - Camo	39.95
	BUC10243	Occupant Protective Structure (OPS) Poly Roof - Black	374.50
	BM23853	Occupant Protective Structure (OPS) Poly Roof - Camo	802.50
	BM26583	Seat Seat-Belt Comfort Strap (2) For MY17 and newer utility vehicles with standard OPS only, not compatible with Deluxe Cab.	96.30
	LP39965	Sprayers 25 Gallon Bed Sprayer	582.00
	LP39964	45 Gallon Bed Sprayer	609.00
	LP39098	45 Gallon High Performance Bed Sprayer	808.00
	LP22911	HP Standard Gator Boom Compatible with all High Performance Sprayers. Available through Order Zone.	70.00
	LP22885	High Performance Sprayer Precision Boom (12.5 ft) Compatible with all High Performance Sprayers. Available through Order Zone.	265.00

RSX860E (MY20)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LP22884	ATTACHMENTS FOR FIELD CONVERSION Continued High performance boomless nozzles Compatible with all High Performance Sprayers. Available through Order Zone.	162.00
	LP39963	Sprayers Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom	767.00
	LP20485	Tow-Behind Sprayer, 45 gal. (170 L)	629.00
	LPPCT17ATJD	Spreaders 17AT Cart	847.00
	LP49056	3 cu. ft. Fertilizer Spreader Requires spreader hitch and controls. Available through Order Zone.	1,249.00
	LP49055	3 cu. ft. Salt Spreader Requires spreader hitch and controls. Available through Order Zone.	885.00
	LP53513	Spreader Hitch and Controls Required with salt and fertilizer spreader. Available through Order Zone.	599.00
	LP37044	Storage OPS Overhead Organizer - Black	65.99
	BM23981	Suspension Fox 2.0 Performance Series Shocks	1,930.29
	BM24831	Turn Signals Deluxe Light Kit Includes hazards and turn signals (front & rear).	422.66
	BM26741	Winch WARN ProVantage 3500 lb Winch Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting. Compatible with Model Year 2014 and newer Mid Duty XUV's.	628.09
	BM21392	Winch Accessories Kit Accessory kit includes 12.7 mm (1/2 In.) shackle, 4082.33 kg (9,000 lbs.) maximum capacity snatch block, (2) 2.54 cm x 2.43 m (1 In. x 8 Ft.) tree trunk protectors.	141.24
	BM26662	Wireless Winch Remote	361.66
	BM26249	Winch Mounting Kit Winch Mounting Kit (for non winch ready vehicles) Only power steering models come winch ready. Required to mount WARN 3500 lb winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.	211.86
	BM25259	Windshield Abrasion Resistant Half Windshield	277.13
	BM26000	Canvas Rear Panel Compatible with poly roof, canvas doors, poly doors. Installed with full windshield will help keep dust out of operator station.	212.93
	BM23373	Full No-Scratch Flip-Open Windshield	578.87
	BM25344	OPS Glass Windshield w/ Wiper Requires OPS switch bank	776.81

RSX860E (MY20)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BM25103	ATTACHMENTS FOR FIELD CONVERSION Continued Occupant Protective Structure (OPS) Windshield Washer Kit Requires OPS Switch Bank. Not compatible with Air Cleaner Relocation Kit.	317.79
	BM25967	Rear Dust Panel Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.	372.36

RSX860M Power Steering winch ready (MY20)

Equipment for Base Machine

ENGINE: 46 Engine kW (62 hp) (839 cc), electronic fuel injection (EFI) 2-cylinder, liquid-cooled, dual overhead cams, 4-cycle gasoline full pressure, and dry sump with reservoir lubrication system Replaceable single dry-type element air cleaner with remote intake 28-L (7.4-gal.) fuel capacity Solid-state ignition (12 V) Spark-arresting muffler ELECTRICAL: Electric start 38-amp (450-W) alternator 340 cold cranking amps (CCA) battery Four 27-W halogen headlights Brake and tail light Pre-wired for winch TRANSAXLE AND TRANSMISSION: Continuously variable Transmission Full clutch enclosure Two-speed transaxle Operator selectable four-wheel drive (4WD) 97 km/h (60 mph) maximum Forward speed On-demand true four-wheel drive system Lockable limited slip; switch engagement Front differential Spool rear final drive Front and rear hydraulic disk Brakes Foot brake; mechanical disk Actuation Park brake Large diameter half shafts with thermoplastic elastomer (TPE) boot axles STEERING AND SUSPENSION: Power Steering Rack

and pinion steering Independent front suspension Double A-arm with coil over shock and anti-sway bar Independent rear suspension (IRS) with 229 mm (9 in.) of travel Independent rear suspension Semi-trailing double A-arm with coil over shock and anti-sway bar independent rear suspension (IRS) with 229 mm (9 in.) of travel Standard 50-mm (2-in.) rear receiver 6-m (19.7-ft) turning circle Ground clearance: 266 mm (10.5 in.) Ground clearance (Under foot platform): 267 mm (10.5 in.) FRAME AND STYLED PARTS: Full robotically welded frame design Side frame rails for rock sliding ROLL-OVER PROTECTIVE STRUCTURE (ROPS): 44.4-mm (1.75-in.) steel tubular Overhead structure Multiple passenger handholds 3-point seat belts ISO 3471 and OSHA roll-over protective structure (ROPS) certified OPERATOR STATION: Professional high-back bucket seats; tilt forward Adjustment on driver's seat Glove box Storage compartment underhood Two cup holders 12-V DC outlet Digital instrument cluster with speed mph, km/h, rpm, fuel level, hour meter,

odometer, with trip, clock, water temperature, and four wheel-drive (4WD) notice. DIMENSIONS (WITH ROPS): 3022.6 mm (119 in.) long by 1435.1 mm (56.5 in.) wide by 1828.8 mm (72 in.) high PAYLOAD CAPACITY: 363-kg (800-lb) total payload Capacity which includes: 91-kg (200-lb) driver, 91-kg (200-lb) passenger, and 181 kg (400 lb) in cargo box Towing capacity: 544 kg (1200 lb) CARGO BOX: 820 mm (32.3 in.) long by 1209 mm (47.6 in.) wide by 297 mm (11.7 in.) deep .25-m (8.9-cu ft) capacity 181-kg (400-lb) box capacity Tilting box; two-sided manual Release Hinged (bottom) tailgate TIRES: Front: 25x8-12 Ancla M-T (4PR), 26x8-14 Maxxis Bighorn 2.0 (6PR) Rear: 25x10-12 Ancla M-T (4PR), 26x10-14 Maxxis Bighorn 2.0 (6PR) SAFETY VIDEO TAPE: Safety and operational DVD Operator's manual

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		Select One Code From Each Required Category	I
		BASE MACHINE	
		F.O.B. Horicon, Wisconsin	
4642M		RSX860M Power Steering winch ready (MY20) Base machine suggested list price does not include 600 USD destination charge.	12,499.00
		DESTINATION	
001A		United States and Canada	In Base Price
		PACKAGES	
0505		Build to Order Package	In Base Price
		COLOR	
2500		Green & Yellow	In Base Price
2502		Realtree Hardwoods HD Camo	650.00
2501		Olive & Black	100.00

07 November 2019 U.S. C-39- 1

RSX860M Power Steering winch ready (MY20) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		COLOR Continued	
		WHEELS AND TIRES	
1008		Wheels, 14" Alloy Maxxis Bighorn Yellow	900.00
1009		Wheels, 14" Alloy Maxxis Bighorn Black	900.00
1002		Wheels, 12" Steel Ancla Yellow	In Base Price
1003		Wheels, 12" Steel Ancla Black	No Added Cost
		SEAT	
2028		High performance sport seat - black	350.00
2029		High performance sport seat - black with sport steering wheel	562.00
2026		21 in. standard high back seat - yellow	In Base Price
2027		21 in. standard high back seat - black	No Added Cost
		ROOF SELECTION	
4030		Poly roof - black	361.00
4034		Poly roof - camo	773.00
4049		Less roof	In Base Price
		SUSPENSION	
2300		FOX monotube shocks	In Base Price
2301		FOX 2.0 Performance Series Shocks	1,226.00
		PERFORMANCE PACKAGES	
6320		Winch and protection package Package consists of Warn VRX 1588-kg (3500-lb.) winch, pre-runner bumper, rear bumper, 50.8-mm (2-in.) front receiver hitch and recovery loops, and cargo box rails.	1,387.00
6321		Protection package Package consists of pre-runner bumper, rear bumper, and cargo box rails.	665.00
6349		Less packages	In Base Price
6313		Winch package Package consists of Warn VRX 1588-kg (3500-lb.) winch and 50.8-mm (2-in.) front receiver hitch and recovery loops.	722.00
		FRONT BRUSH GUARD	
4203		PreRunner Bumper	345.00
4249		Less PreRunner Bumper	In Base Price
		GUARDS	

RSX860M Power Steering winch ready (MY20)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
4152		GUARDS Continued Rear bumper	203.00
4199		Less rear bumper	In Base Price
	BM25411	ATTACHMENTS FOR FIELD CONVERSION Ag Management Solutions Ag Management Solutions (AMS) Integration Kit Compatible with poly roof or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600 or GreenStar 3 2630 display.	456.89
	BM24356	Batteries Dual Battery Kit Does not include the dual batteries for the kit, ordered seperately.	326.36
	BM23309	Bumper Constant-Velocity (CV) Guards Aluminum.	159.43
	BM23366	Front Brushguard	358.46
	BM23361	Nerf Bar Not compatible with front fender guards.	274.99
	BUC10291	Nerfbar kit Compatible with front fender guard	274.99
	BM23364	PreRunner Bumper	358.46
	BM23362	Rear Bumper	210.79
	BM23333	Underbody Armor Aluminum.	323.14
	BUC10347	Underbody Armor Aluminum.	323.14
	BM23849	Cargo Box 19 L (5 gal) Pail Holder Cargo box rails required.	42.80
	BM23371	Box Mat	128.40
	BM23526	Cargo Box Rails	121.99
	BM23384	Cargo Box Wall Extensions Requires cargo box rails. Not compatible with poly cab.	367.01
	BUC10155	Cargo box side extensions cover Requires cargo box wall extension kit. Not compatible with rear panel on S4 Vehicles.	266.43
	LP67755	Sportsman Gear Bag Requires cargo box rails for mounting installation	419.99
	BM23385	Tire Rack Requires cargo box rails. Spare tire not included.	232.19

RSX860M Power Steering winch ready (MY20)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	LPUT21JD	Carts Utility Cart, 21 Steel	990.00
	LP37036	Cover Vehicle Cover - Black	78.99
	LP37040	Vehicle Cover - Transportable (Black) Available through Order Zone. Fits all Models Equipped with OPS, poly cab, and Deluxe Cab Structure. For use on 2011+ HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Excludes S4 versions) For use on XUV 550 Utility Vehicles. (Excludes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.	144.99
	BM23363	Drawbar 50.8-mm (2-in.) Front Receiver Hitch and Recovery Loops	121.99
	BM22290	Drawbar/ ball mount for 51mm (2 in.) receiver hitch. Hitch Ball sold separately.	43.87
	PM05101	Drawbar 48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	PM05201	51mm (2-in.) hitch ball for ball-type hitch. Order ball mount separately.	11.92
	BM26182	Harnesses Beacon Light Harness Kit Required with Beacon Light.	70.61
	BM25619	Brush Guard Light Harness Kit Required with LED light kits or Work Lights (Halogens).	123.06
	BM25620	Front OPS/Roof Light Harness Kit Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.	89.89
	BM25731	Rear OPS/Roof Light Harness Kit Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.	86.67
	BUC10184	Heater Heater Kit	863.49
	BM23370	Horn Horn Kit Compatible with Model Year 2012 to current where applicable on the following models: For use on HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Includes S4 versions) For use on XUV 550 Utility Vehicles. (Includes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.	103.79
	BM25553	Lighting Beacon Light Requires OPS Switch Bank and Beacon Light Harness Kit. HPX, XUV825i, XUV855D, XUV855D S4 also requires poly roof. Not for use with Deluxe Canopy Can be mounted to brake/tail light (no roof), or OPS poly roof if installed.	257.87

RSX860M Power Steering winch ready (MY20)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BM25704	ATTACHMENTS FOR FIELD CONVERSION Continued LED Driving Lights Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location. Not compatible with Deluxe Cab. Not compatible with Jensen Radios.	449.40
	BUC10222	LED Work Lights Regions 1, 3, & 4: Can be installed on brush guard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.	359.51
	BM24089	Occupant Protective Structure (OPS) Switch Bank Accommodates up to three separate OPS accessory kits.	75.97
	BM25544	Work Lights (Halogens) Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.	123.06
	BM25148	Mirrors Occupant Protective Structure (OPS) Rear View Mirror	90.96
	BM24737	Occupant Protective Structure (OPS) Side Mirrors Not compatible with poly cab.	197.96
	BM24796	Poly Cab Mirror	177.61
	BM23368	Operator"s Station Floor Mat	85.60
	BM24200	Glove Box Lock	12.84
	BM23377	OPS Poly Cab Consists of rear panel and doors. Requires OPS Poly Roof (NOT Sport) and Full Glass or Poly windshield to complete the cab.	3,070.90
	BM25956	OSR Door Closeout Panels Panels to closeout openings in the OSR doors.	158.36
	BM25014	Occupant Protective Structure (OPS) Rear Panel Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.	545.70
	BM23933	Sport Steering Wheel	220.41
	BM23379	Radio Stereo and Speaker Kit Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX / SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.	702.99

Roof

RSX860M Power Steering winch ready (MY20)

	Attachment		List Price Suggested
Code	Identifier	Description	USD (\$)
	BM25999	ATTACHMENTS FOR FIELD CONVERSION Continued Canvas Roof / Rear Panel Includes one piece roof / rear panel. Compatible with canvas doors, poly doors, full flip-out windshield. NOT compatible with glass windshield.	369.16
	LP37046	OPS Soft Roof - Black	32.99
	LP37047	OPS Soft Roof - Camo	39.95
	BUC10243	Occupant Protective Structure (OPS) Poly Roof - Black	374.50
	BM23853	Occupant Protective Structure (OPS) Poly Roof - Camo	802.50
	BM26583	Seat Seat-Belt Comfort Strap (2) For MY17 and newer utility vehicles with standard OPS only, not compatible with Deluxe Cab.	96.30
	LP39965	Sprayers 25 Gallon Bed Sprayer	582.00
	LP39964	45 Gallon Bed Sprayer	609.00
	LP39098	45 Gallon High Performance Bed Sprayer	808.00
	LP22911	HP Standard Gator Boom Compatible with all High Performance Sprayers. Available through Order Zone.	70.00
	LP22885	High Performance Sprayer Precision Boom (12.5 ft) Compatible with all High Performance Sprayers. Available through Order Zone.	265.00
	LP22884	High performance boomless nozzles Compatible with all High Performance Sprayers. Available through Order Zone.	162.00
	LP39963	Sprayers Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom	767.00
	LP20485	Tow-Behind Sprayer, 45 gal. (170 L)	629.00
	LPPCT17ATJD	Spreaders 17AT Cart	847.00
	LP49056	3 cu. ft. Fertilizer Spreader Requires spreader hitch and controls. Available through Order Zone.	1,249.00
	LP49055	3 cu. ft. Salt Spreader Requires spreader hitch and controls. Available through Order Zone.	885.00
	LP53513	Spreader Hitch and Controls Required with salt and fertilizer spreader. Available through Order Zone.	599.00
	LP37044	Storage OPS Overhead Organizer - Black	65.99
	BM23981	Suspension Fox 2.0 Performance Series Shocks	1,930.29
		Turn Signals	

RSX860M Power Steering winch ready (MY20)

Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BM24831	ATTACHMENTS FOR FIELD CONVERSION Continued Deluxe Light Kit Includes hazards and turn signals (front & rear).	422.66
	BM26741	Winch WARN ProVantage 3500 lb Winch Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting. Compatible with Model Year 2014 and newer Mid Duty XUV's.	628.09
	BM21392	Winch Accessories Kit Accessory kit includes 12.7 mm (1/2 In.) shackle, 4082.33 kg (9,000 lbs.) maximum capacity snatch block, (2) 2.54 cm x 2.43 m (1 In. x 8 Ft.) tree trunk protectors.	141.24
	BM26662	Wireless Winch Remote	361.66
	BM25079	Winch Mounting Kit Winch Mounting Kit Requires WARN ProVantage 1587.57 kg (3500 Lb.) Winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.	194.74
	BM25259	Windshield Abrasion Resistant Half Windshield	277.13
	BM26000	Canvas Rear Panel Compatible with poly roof, canvas doors, poly doors. Installed with full windshield will help keep dust out of operator station.	212.93
	BM23373	Full No-Scratch Flip-Open Windshield	578.87
	BM25344	OPS Glass Windshield w/ Wiper Requires OPS switch bank	776.81
	BM25103	Occupant Protective Structure (OPS) Windshield Washer Kit Requires OPS Switch Bank. Not compatible with Air Cleaner Relocation Kit.	317.79
	BM25967	Rear Dust Panel Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station	372.36

of operator station.

RSX860M Power Steering winch ready (MY19)

Equipment for Base Machine

Power Steering

ENGINE: 46 Engine kW (62 hp) (839 cc) electronic fuel injection (EFI) 2-cylinder, liquid-cooled, dual overhead cams, 4-cycle gasoline full pressure, and dry sump with reservoir lubrication system Replaceable single dry-type element air cleaner with remote intake 28-L (7.4-gal.) fuel capacity Solid-state ignition (12 V) Spark-arresting muffler **ELECTRICAL:** Electric start 38-amp (450-W) alternator 340 cold cranking amps (CCA) battery Four 27-W halogen headlights Brake and tail light Pre-wired for winch
TRANSAXLE AND TRANSMISSION: Continuously variable Transmission Full clutch enclosure Two-speed transaxle Operator selectable four-wheel drive (4WD) 97 km/h (60 mph) maximum Forward speed On-demand true four-wheel drive system Lockable limited slip; switch engagement Front differential Spool rear final drive Front and rear hydraulic disk Brakes Foot brake; mechanical disk Actuation

Large diameter half shafts with

thermoplastic elastomer (TPE)

STEERING AND SUSPENSION:

Park brake

boot axles

0505

Rack and pinion steering Independent front suspension Double A-arm with coil over shock and anti-sway bar Independent rear suspension (IRS) with 229 mm (9 in.) of travel Independent rear suspension Semi-trailing double A-arm with coil over shock and anti-sway bar independent rear suspension (IRS) with 229 mm (9 in.) of travel Standard 50-mm (2-in.) rear receiver 6-m (19.7-ft) turning circle Ground clearance: 266 mm (10.5 in.) Ground clearance (Under foot platform): 267 mm (10.5 in.) FRAME AND STYLED PARTS: Full, robotically welded frame design Side frame rails for rock sliding ROLL-OVER PROTECTIVE STRUCTURE (ROPS): 44.4-mm (1.75-in.) steel tubular Overhead structure Multiple passenger handholds 3-point seat belts ISO 3471 and OSHA roll-over protective structure (ROPS) certified OPERATOR STATION: Professional high-back bucket seats; tilt forward Adjustment on driver's seat Glove box Storage compartment underhood Two cup holders 12-V DC outlet

Digital instrument cluster with speed mph, km/h, rpm, fuel level, hour meter, odometer, with trip, clock, water temperature, and four wheel-drive (4WD) notice. DIMENSIONS (WITH ROPS): 3022.6 mm (119 in.) long by 1435.1 mm (56.5 in.) wide by 1828.8 mm (72 in.) high PAYLOAD CAPACITY:
363-kg (800-lb) total payload Capacity which includes: 91-kg (200-lb) driver, 91-kg (200-lb) passenger, and 181 kg (400 lb) in cargo box Towing capacity: 544 kg (1200 1h) CARGO BOX: 820 mm (32.3 in.) long by 1209 mm (47.6 in.) wide by 297 mm (11.7 in.) deep .25-m (8.9-cu ft) capacity 181-kg (400-lb) box capacity Tilting box; two-sided manual Release Hinged (bottom) tailgate TIRES: Front: 25x8-12 Ancla M-T (4PR) 26x8-14 Maxxis Bighorn 2.0 (6PR) Rear: 25x10-12 Ancla M-T (4PR), 26x10-14 Maxxis Bighorn 2.0 (6PR) SAFETY VIDEO TAPE: Safety and operational DVD Operator's manual

Code	Attachment Identifier	Description			List Price Suggested USD (\$)

BASE MACHINE F.O.B. Horizon, Wisconsin 4641M RSX860M Power Steering winch ready (MY19) Base machine suggested list price does not include 600 USD destination charge. DESTINATION O01A United States and Canada In Base Price PACKAGES

07 November 2019 U.S. C-39- 1

Build to Order Package

In Base Price

RSX860M Power Steering winch ready (MY19) Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		PACKAGES Continued	
		COLOR	
2500		Green & Yellow	In Base Price
2502		Realtree Hardwoods HD Camo	650.00
2501		Olive & Black	100.00
		WHEELS AND TIRES	
1008		26 in. Maxxis Bighorn 2.0 tires (6PR) on 14 in. yellow alloy wheels	862.00
1009		26 in. Maxxis Bighorn 2.0 tires (6PR) on 14 in. black alloy wheels	862.00
1002		25 in. Ancla M-T (Extreme Terrain) (4PR) tires on 12 in. yellow steel wheels	In Base Price
1003		25 in. Ancla M-T (Extreme Terrain) tires (4PR) on 12 in. black steel wheels	No Added Cost
		SEAT	
2028		High performance sport seat - black	315.00
2029		High performance sport seat - black with sport steering wheel	521.00
2026		21 in. standard high back seat - yellow	In Base Price
2027		21 in. standard high back seat - black	No Added Cost
		ROOF SELECTION	
4030		Poly roof - black	350.00
4034		Poly roof - camo	750.00
4049		Less roof	In Base Price
		SUSPENSION	
2300		FOX monotube shocks	In Base Price
2301		FOX 2.0 Performance Series Shocks	1,190.00
		PERFORMANCE PACKAGES	
6320		Winch and protection package Package consists of Warn ProVantage 1588-kg (3500-lb.) winch, pre-runner bumper, rear bumper, 50.8-mm (2-in.) front receiver hitch and recovery loops, and cargo box rails.	1,347.00
6321		Protection package Package consists of pre-runner bumper, rear bumper, and cargo box rails.	646.00
6349		Less packages	In Base Price
6313		Winch package Package consists of Warn ProVantage 1588-kg (3500-lb.) winch and 50.8-mm (2-in.) front receiver hitch and recovery loops.	701.00

RSX860M Power Steering winch ready (MY19)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
Coue	identine	FRONT BRUSH GUARD	03D (4)
4203		PreRunner Bumper	335.00
10.10		·	la Dana Drina
4249		Less PreRunner Bumper	In Base Price
		GUARDS	
4152		Rear bumper	197.00
4199		Less rear bumper	In Base Price
		ATTACHMENTS FOR FIELD CONVERSION	
	BM25411	Ag Management Solutions Ag Management Solutions (AMS) Integration Kit Compatible with poly roof or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600 or GreenStar 3 2630 display.	456.89
	BM24356	Batteries Dual Battery Kit Does not include the dual batteries for the kit, ordered seperately.	326.36
	BM23309	Bumper Constant-Velocity (CV) Guards Aluminum.	159.43
	BM23366	Front Brushguard	358.46
	BM23361	Nerf Bar Not compatible with front fender guards.	274.99
	BUC10291	Nerfbar kit Compatible with front fender guard	274.99
	BM23364	PreRunner Bumper	358.46
	BM23362	Rear Bumper	210.79
	BM23333	Underbody Armor Aluminum.	323.14
	BUC10347	Underbody Armor Aluminum.	323.14
	BM23849	Cargo Box 19 L (5 gal) Pail Holder Cargo box rails required.	42.80
	BM23371	Box Mat	128.40
	BM23526	Cargo Box Rails	121.99
	BM23384	Cargo Box Wall Extensions Requires cargo box rails. Not compatible with poly cab.	367.01
	BUC10155	Cargo box side extensions cover Requires cargo box wall extension kit. Not compatible with rear panel on S4 Vehicles.	266.43

RSX860M Power Steering winch ready (MY19)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LP67755	ATTACHMENTS FOR FIELD CONVERSION Continued Sportsman Gear Bag Requires cargo box rails for mounting installation	419.99
	BM23385	Tire Rack Requires cargo box rails. Spare tire not included.	232.19
	LPUT21JD	Carts Utility Cart, 21 Steel	990.00
	LP37036	Cover Vehicle Cover - Black	78.99
	LP37040	Vehicle Cover - Transportable (Black) Available through Order Zone. Fits all Models Equipped with OPS, poly cab, and Deluxe Cab Structure. For use on 2011 + HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Excludes S4 versions) For use on XUV 550 Utility Vehicles. (Excludes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.	144.99
	BM23363	Drawbar 50.8-mm (2-in.) Front Receiver Hitch and Recovery Loops	121.99
	BM22290	Drawbar/ ball mount for 51mm (2 in.) receiver hitch. Hitch Ball sold separately.	43.87
	PM05101	Drawbar 48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	PM05201	51mm (2-in.) hitch ball for ball-type hitch. Order ball mount separately.	11.92
	BM26182	Harnesses Beacon Light Harness Kit Required with Beacon Light.	70.61
	BM25619	Brush Guard Light Harness Kit Required with LED light kits or Work Lights (Halogens).	123.06
	BM25620	Front OPS/Roof Light Harness Kit Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.	89.89
	BM25731	Rear OPS/Roof Light Harness Kit Required with LED light kits or Work Lights (Halogens). Also requires OPS Switch Bank.	86.67
	BUC10184	Heater Heater Kit	863.49
	BM23370	Horn Horn Kit Compatible with Model Year 2012 to current where applicable on the following models: For use on HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Includes S4 versions) For use on XUV 550 Utility Vehicles. (Includes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.	103.79

RSX860M Power Steering winch ready (MY19)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION Continued	
	BM25553	Lighting Beacon Light Requires OPS Switch Bank and Beacon Light Harness Kit. HPX, XUV825i, XUV855D, XUV855D S4 also requires poly roof. Not for use with Deluxe Canopy Can be mounted to brake/tail light (no roof), or OPS poly roof if installed.	257.87
	BM25704	LED Driving Lights Can be installed on brushguard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location. Not compatible with Deluxe Cab. Not compatible with Jensen Radios.	449.40
	BUC10222	LED Work Lights Regions 1, 3, & 4: Can be installed on brush guard, OPS and roof (front or rear). Requires OPS Switch Bank for OPS or roof mounting. Requires necessary Light Harness Kit based on desired light mounting location.	359.51
	BM24089	Occupant Protective Structure (OPS) Switch Bank Accommodates up to three separate OPS accessory kits.	75.97
	BM25544	Work Lights (Halogens) Requires OPS Switch Bank for OPS or poly roof mounting, or Front Brush Guard for brush guard mounting, also requires necessary Light Harness Kit based on desired light mounting location.	123.06
	BM25148	Mirrors Occupant Protective Structure (OPS) Rear View Mirror	90.96
	BM24737	Occupant Protective Structure (OPS) Side Mirrors Not compatible with poly cab.	197.96
	BM24796	Poly Cab Mirror	177.61
	BM23368	Operator"s Station Floor Mat	85.60
	BM24200	Glove Box Lock	12.84
	BM23377	OPS Poly Cab Consists of rear panel and doors. Requires OPS Poly Roof (NOT Sport) and Full Glass or Poly windshield to complete the cab.	3,070.90
	BM25956	OSR Door Closeout Panels Panels to closeout openings in the OSR doors.	158.36
	BM25014	Occupant Protective Structure (OPS) Rear Panel Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.	545.70
	BM23933	Sport Steering Wheel	220.41

RSX860M Power Steering winch ready (MY19)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	BM23379	ATTACHMENTS FOR FIELD CONVERSION Continued Radio Stereo and Speaker Kit Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX /SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.	702.99
	BM25999	Roof Canvas Roof / Rear Panel Includes one piece roof / rear panel. Compatible with canvas doors, poly doors, full flip-out windshield. NOT compatible with glass windshield.	369.16
	LP37046	OPS Soft Roof - Black	32.99
	LP37047	OPS Soft Roof - Camo	39.95
	BUC10243	Occupant Protective Structure (OPS) Poly Roof - Black	374.50
	BM23853	Occupant Protective Structure (OPS) Poly Roof - Camo	802.50
	BM26583	Seat Seat-Belt Comfort Strap (2) For MY17 and newer utility vehicles with standard OPS only, not compatible with Deluxe Cab.	96.30
	LP39965	Sprayers 25 Gallon Bed Sprayer	582.00
	LP39964	45 Gallon Bed Sprayer	609.00
	LP39098	45 Gallon High Performance Bed Sprayer	808.00
	LP22911	HP Standard Gator Boom Compatible with all High Performance Sprayers. Available through Order Zone.	70.00
	LP22885	High Performance Sprayer Precision Boom (12.5 ft) Compatible with all High Performance Sprayers. Available through Order Zone.	265.00
	LP22884	High performance boomless nozzles Compatible with all High Performance Sprayers. Available through Order Zone.	162.00
	LP39963	Sprayers Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom	767.00
	LP20485	Tow-Behind Sprayer, 45 gal. (170 L)	629.00
	LPPCT17ATJD	Spreaders 17AT Cart	847.00
	LP49056	3 cu. ft. Fertilizer Spreader Requires spreader hitch and controls. Available through Order Zone.	1,249.00

RSX860M Power Steering winch ready (MY19)

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LP49055	ATTACHMENTS FOR FIELD CONVERSION Continued 3 cu. ft. Salt Spreader Requires spreader hitch and controls. Available through Order Zone.	885.00
	LP53513	Spreader Hitch and Controls Required with salt and fertilizer spreader. Available through Order Zone.	599.00
	LP37044	Storage OPS Overhead Organizer - Black	65.99
	BM23981	Suspension Fox 2.0 Performance Series Shocks	1,930.29
	BM24831	Turn Signals Deluxe Light Kit Includes hazards and turn signals (front & rear).	422.66
	BM26741	Winch WARN ProVantage 3500 lb Winch Requires winch mounting kit and also requires 2 In. Front Receiver Hitch with Recovery Loops for mounting. Compatible with Model Year 2014 and newer Mid Duty XUV's.	628.09
	BM21392	Winch Accessories Kit Accessory kit includes 12.7 mm (1/2 In.) shackle, 4082.33 kg (9,000 lbs.) maximum capacity snatch block, (2) 2.54 cm x 2.43 m (1 In. x 8 Ft.) tree trunk protectors.	141.24
	BM26662	Wireless Winch Remote	361.66
	BM25079	Winch Mounting Kit Winch Mounting Kit Requires WARN ProVantage 1587.57 kg (3500 Lb.) Winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.	194.74
	BM25259	Windshield Abrasion Resistant Half Windshield	277.13
	BM26000	Canvas Rear Panel Compatible with poly roof, canvas doors, poly doors. Installed with full windshield will help keep dust out of operator station.	212.93
	BM23373	Full No-Scratch Flip-Open Windshield	578.87
	BM25344	OPS Glass Windshield w/ Wiper Requires OPS switch bank	776.81
	BM25103	Occupant Protective Structure (OPS) Windshield Washer Kit Requires OPS Switch Bank. Not compatible with Air Cleaner Relocation Kit.	317.79
	BM25967	Rear Dust Panel Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.	372.36

Attachments for Non-Current High Performance Utility Vehicles

Equipment for Base Machine

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
		ATTACHMENTS FOR FIELD CONVERSION	
	BM25411	Ag Management Solutions Ag Management Solutions (AMS) Integration Kit Compatible with poly roof or on the OPS alone. Kit includes components to mount the Starfire iTC or 3000 receiver and GreenStar 2 1800, GreenStar 2 2600 or GreenStar 3 2630 display.	456.89
	BM24356	Batteries Dual Battery Kit Does not include the dual batteries for the kit, ordered seperately.	326.36
	BM23309	Bumper Constant-Velocity (CV) Guards Aluminum.	159.43
	BM23366	Front Brushguard	358.46
	BM23361	Nerf Bar Not compatible with front fender guards.	274.99
	BM23364	PreRunner Bumper	358.46
	BM23362	Rear Bumper	210.79
	BM23333	Underbody Armor Aluminum.	323.14
	BRE10015	Cab Operator's Station Cell Phone Mount Kit	67.10
	BM23849	Cargo Box 19 L (5 gal) Pail Holder Cargo box rails required.	42.80
	BM23371	Box Mat	128.40
	BM23526	Cargo Box Rails	121.99
	BM23384	Cargo Box Wall Extensions Requires cargo box rails. Not compatible with poly cab.	367.01
	BM23385	Tire Rack Requires cargo box rails. Spare tire not included.	232.19
	LPUT21JD	Carts Utility Cart, 21 Steel	990.00
	LP37036	Cover Vehicle Cover - Black	78.99

Attachments for Non-Current High Performance Utility Vehicles

	Allac	Continued	
Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LP37040	ATTACHMENTS FOR FIELD CONVERSION Continued Vehicle Cover - Transportable (Black) Available through Order Zone. Fits all Models Equipped with OPS, poly cab, and Deluxe Cab Structure. For use on 2011+ HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Excludes S4 versions) For use on XUV 550 Utility Vehicles. (Excludes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.	144.99
	PM05101	Drawbar 48mm (1 7/8-in.) hitch ball for ball-type hitch. Ball Mount sold separately.	11.13
	PM05201	51mm (2-in.) hitch ball for ball-type hitch. Order ball mount separately.	11.92
	BM23363	Drawbar 50.8-mm (2-in.) Front Receiver Hitch and Recovery Loops	121.99
	BM22290	Drawbar/ ball mount for 51mm (2 in.) receiver hitch. Hitch Ball sold separately.	43.87
	BM23370	Horn Horn Kit For Serial Numbers MOXUVDX031018 (XUV Diesel G&Y) and above. For Serial Numbers MOXUVDT030081 (XUV Diesel O&B) and above. For Serial Numbers MOXUVGX031259 (XUV Gas G&Y) and above. For Serial Numbers MOXUVGT030221 (XUV Gas O&B) and above. For Serial Numbers MOHP4DX070230 (HPX Diesel) and above. For Serial Numbers MOHP4GX070209 (HPX Gas) and above. For use on HPX Gas/Diesel Utility Vehicles. For use on XUV 620i, 850D Utility Vehicles. For use on XUV 625i, 825i, 855D Utility Vehicles. (Includes S4 versions) For use on M-Gator A2, A3 Utility Vehicles. For use on RSX 850i Utility Vehicles.	103.79
	BM24089	Lighting Occupant Protective Structure (OPS) Switch Bank Accommodates up to three separate OPS accessory kits.	75.97
	BM24737	Mirrors Occupant Protective Structure (OPS) Side Mirrors Not compatible with poly cab.	197.96
	BM24796	Poly Cab Mirror	177.61
	BM25224	Operator"s Station Cab Heater	822.83
	BM23368	Floor Mat	85.60
	BM24200	Glove Box Lock	12.84
	BM23377	OPS Poly Cab Consists of rear panel and doors. Requires OPS Poly Roof (NOT Sport) and Full Glass or Poly windshield to complete the cab.	3,070.90

Attachments for Non-Current High Performance Utility Vehicles

	Attachments for Non-Current High Performance Utility Venicles Continued			
Code	Attachment Identifier	Description	List Price Suggested USD (\$)	
	BM25014	ATTACHMENTS FOR FIELD CONVERSION Continued Occupant Protective Structure (OPS) Rear Panel Part of the Poly cab, or can be mounted on the OPS alone. Requires full windshield, poly cab doors, and poly roof to complete poly cab, or order complete poly cab bundle which includes the poly cab doors and rear panel. Installed with full windshield will help keep dust out of operator station.	545.70	
	BM23933	Sport Steering Wheel	220.41	
	BM23379	Radio Stereo and Speaker Kit Includes mounting kit only; must choose one of the following three head units to have complete stereo: Radio, Heavy Duty AM / FM / WB / AUX (SWJHD1130) Radio, Heavy Duty AM / FM / WB / AUX /SAT / I-POD (SWJHD1630) Radio, AM / FM / WB / CD / AUX / SAT / I-POD / Bluetooth / Microphone (SWJHD3630MIC) Must order head unit through Parts. Reference Parts for additional accessories such as external antennas and Bluetooth microphones.	702.99	
	LP37046	Roof OPS Soft Roof - Black	32.99	
	LP37047	OPS Soft Roof - Camo	39.95	
	BM23853	Occupant Protective Structure (OPS) Poly Roof - Camo	802.50	
	LP39965	Sprayers 25 Gallon Bed Sprayer	582.00	
	LP39964	45 Gallon Bed Sprayer	609.00	
	LP39098	45 Gallon High Performance Bed Sprayer	808.00	
	LP22911	HP Standard Gator Boom Compatible with all High Performance Sprayers. Available through Order Zone.	70.00	
	LP22885	High Performance Sprayer Precision Boom (12.5 ft) Compatible with all High Performance Sprayers. Available through Order Zone.	265.00	
	LP22884	High performance boomless nozzles Compatible with all High Performance Sprayers. Available through Order Zone.	162.00	
	LP39963	Sprayers Tow-Behind High Performance Sprayer, 45 gal. (170 L), requires LP22884 or LP22885 boom	767.00	
	LP20485	Tow-Behind Sprayer, 45 gal. (170 L)	629.00	
	LPPCT17ATJD	Spreaders 17AT Cart	847.00	
	LP49056	3 cu. ft. Fertilizer Spreader Requires spreader hitch and controls. Available through Order Zone.	1,249.00	
	LP49055	3 cu. ft. Salt Spreader Requires spreader hitch and controls. Available through Order Zone.	885.00	

Attachments for Non-Current High Performance Utility Vehicles Continued

Code	Attachment Identifier	Description	List Price Suggested USD (\$)
	LP53513	ATTACHMENTS FOR FIELD CONVERSION Continued Spreader Hitch and Controls Required with salt and fertilizer spreader. Available through Order Zone.	599.00
	LP37044	Storage OPS Overhead Organizer - Black	65.99
	BM23981	Suspension Fox 2.0 Performance Series Shocks	1,930.29
	BM24831	Turn Signals Deluxe Light Kit Includes hazards and turn signals (front & rear).	422.66
	BM24723	Winch WARN ProVantage 1587.573-kg (3500-lb) Winch Requires 1587.57 Kg. (3500 lb.) bumper mount kit OR receiver mount kit. For use on XUV 625i, 825i, 855D Utility Vehicles. (Includes S4 versions) Requires winch mounting kit and also requires 5.08 cm (2 In.) Front Receiver Hitch with Recovery Loops for mounting.	628.09
	BM25079	Winch Mounting Kit Winch Mounting Kit Requires WARN ProVantage 1587.57 kg (3500 Lb.) Winch. Kit includes wire harnesses and all necessary hardware to mount winch to bumper.	194.74
	BM23373	Windshield Full No-Scratch Flip-Open Windshield	578.87
	BM25344	OPS Glass Windshield w/ Wiper Requires OPS switch bank	776.81
	BM25967	Rear Dust Panel Not compatible with OPS Poly Cab. Installed with full windshield will help keep dust out of operator station.	372.36