

Code	Description	List price(USD)
	1550 TerrainCut™ Commercial Front Mower (Less	
	Mower Deck)	
	25 HP (18.4 kW), gross SAE J1995, PS Rated at 3000 rpm	
	Diesel Engine 77 cu. in. (1.27 L)	
	Three Cylinder Liquid-Cooled	
	Dual Element Air Cleaner	
	Air Restriction Indicator	
	12V Electric Start	
	12V Auxilary Power Outlet	
	75 AMP Automotive Alternator	
	16 U.S. Gallon Fuel Capacity	
	Two Pedal Hydrostatic Foot Control	
	Hydrostatic Transmission	
	Hydrostatic Front Wheel Drive	
	Hydrostatic Power Steering	
	Differential Front Wheel Lock	
	Front Lights (steering column mounted)	
	23x10.50-12 In. 4PR Turf (std) Drive Tires	
	18x8.50-8 In. 4PR Turf	
	Steering Tires (2WD) or	
	18x8.50-10 In. 4PR Turf	
	Steering Tires (4WD)	
	Transmission Oil Cooler	
	Individual Turn Assist Brakes	
	Internal Wet Disk Brakes	
	Master Stop Brake	
	Dual Hydraulic Implement Lift Cylinders	
	Less Mower Deck	
	Hourmeter	
	Fuel Gauge	
	Tilt Steering Wheel	
	PTO Drvien Implements	
	Operator Preseure Warning Light	
	Low Oil Pressure Warning Light	
	Hydraulic Oil Temp. Light and Alarm PTO Shutdown	
	Folding Two Post ROPS (Roll-	



Code	Description	List price(USD)
	Over Protective Structure) and Retractable Seat Belt	
	Cast Iron Rear Bumper	
	Operator Training Video	
	BASE MACHINE Turf Core has reached may production consoits on option code	
	Turf Care has reached max production capacity on option code 1191 (4wd).	
	Closed for ordering until further notice.	
2407TC	F.O.B. Raleigh, North Carolina 1550 TerrainCut™ Commercial Front Mower (Less Mower Deck)	\$22,069.00
240710	DESTINATION AND LANGUAGE	\$22,007.00
	Basic Factory Options	
	DESTINATION	
	North America	
001A	United States and Canada	In Base Price
	DRIVETRAIN	
	Basic Factory Options	
	DRIVE SYSTEM	
1190	Two Wheel Drive	In Base Price
	WHEELS AND TIRES Basic Factory Options	
	DRIVE WHEELS AND TIRES	
1019	23x10.50-12 4PR Turf Drive Tires	In Base Price
1020	23x8.50-12 4PR Turf Drive Tires	(\$35.00)
1149	Less Drive Wheels and Tires	(\$332.00)
,	ATTACHMENTS FOR FIELD CONVERSION	(4002100)
	DRIVE WHEELS AND TIRES	
BUC10893	Drive Tire Fender Kit	\$197.96
	On 1550/1570/1575, recommend installing TCA24152 Step Assembly that mounts to left side operator platform.	
BTC10784	Two Wheels with 23 x 10.50-12 in. 4PR Turf Drive Tires	\$467.59
TCB10413	Two Wheels with 23x8.50-12 in. 4PR Turf Drive Tires	\$449.40
TCB10013	Dual Wheel Conversion Kit For 23 by 8.50-12 in. Drive Tires	\$353.10



Code	Description	List price(USD)
	Requires (2) Sets of 23x8.50-12 In. Tires and Wheels. Not Compatible with 1,575 mm (62 In.) Rear Discharge Mower, 1545 and 1565 Mowers.	
	TIRE CHAINS	
TY15956	Tire chains (pair) for 23x10.50-12 tires	\$141.66
TY15841	Tire chains (pair) for 23x8.50-12 tires	\$119.05
	OPERATOR'S STATION AND CONTROLS Basic Factory Options SEAT	
2010	Deluxe Comfort Seat with Armrests Non-suspension base seat.	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests	\$390.00
2012	Air Ride Suspension Seat with Armrests ATTACHMENTS FOR FIELD CONVERSION LIGHTING	\$680.00
BTC10594	Beacon Light For 2-Post ROPS and 4-Post ROPS. Not Compatible with Cab Models.	\$375.57
BTC10644	Front Worklight (2) Kit Requires 4-Post ROPS. Not Compatible with Cab Models. WINDSHIELD	\$250.39
TCB10620	Front Windshield Mounts to 4-Post ROPS (For Current TerrainCut™ FM's and 1400/1500 Series II Front Mowers).	\$583.16
	MIRRORS	
TCB10325	(1) Exterior Mirror Kit Mounts to 4-Post ROPS. Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.	\$266.43
	ROLL OVER PROTECTION SYSTEM (ROPS)	
BTC10334	4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy	\$2,013.74



Code	Description	List price(USD)
	Converts Standard 2-Post ROPS to 4-Post with Canopy. Only compatible with new 1550/1570/1580 TerrainCut™ Front Mowers.	
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION QUIK-TATCH™ WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) For Use with TCB10303 Rear Weight Mounting Kit. WEIGHTS	\$60.99
BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.	\$35.31
BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel Requires Mounting Hardware.	\$144.46
TCB10303	Rear Weight Mounting Kit Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.	\$132.69
	ENGINE ATTACHMENTS FOR FIELD CONVERSION ENGINE	
AR87167	Engine Coolant Heater (110 V) 1550 requires Engine Block Heater Adapter (AM882530) to complete installation.	\$84.27
TCA19916	B20 Biodiesel Conversion Kit This kit converts one machine to use B20 Diesel fuel.	\$331.87
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
TCB10608	Electronic Cruise Control Kit	\$353.10
BTC10673	Reverse Alarm Kit (Back-up alarm)	\$154.09
TCA23365	Vehicle Enclosure Kit	\$1,179.68



Code	Description	List price(USD)
	Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.	
TCU38441	Bracket, Left-Hand Front Tie Down	\$88.64
TCU38442	Bracket, Right-Hand Front Tie Down	\$92.20
BTC10685	Slow Moving Vehicle (SMV) Kit	\$102.71
	HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	
BTC10531	Hydraulic Weight Transfer Kit For 1500 TerrainCut Front Mowers.	\$387.34
BTC10562	Rear Auxillary Hydraulic Outlet Kit Requires Double Spool Auxiliary Hydraulic Kit to complete installation.	\$391.61
BTC10529	Double-Spool Auxiliary Hydraulic Kit For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.	\$1,220.87
BTC10530	Single-Spool Auxiliary Hydraulic Kit For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.	\$856.00



Code	Description	List price(USD)
	1570 TerrainCut™ Commercial Front Mower (Less	
	Mower Deck)	
	37.4 HP (27.5 kW), gross SAE J1995, PS Rated at 3000 rpm	
	Diesel Engine 100.2 cu. in. (1.64 L)	
	Three Cylinder Liquid-Cooled	
	Up to B20 Compliant	
	Dual Element Air Cleaner	
	Air Restriction Indicator	
	12V Electric Start	
	12V Auxilary Power Outlet	
	75 AMP Automotive Alternator	
	16 U.S. Gallon Fuel Capacity	
	Two Pedal Hydrostatic Foot Control	
	Hydrostatic Transmission Hydrostatic Front Wheel Drive	
	Hydrostatic Profit Wheel Brive Hydrostatic Power Steering	
	Differential Front Wheel Lock	
	Front Lights (steering column mounted)	
	23x10.50-12 ln. 4PR Turf (std)	
	Drive Tires	
	18x8.50-8 In. 4PR Turf	
	Steering Tires (2WD) or	
	18x8.50-10 In. 6PR Turf	
	Steering Tires (4WD)	
	Transmission Oil Cooler Individual Turn Assist Brakes	
	Wet Disk Brakes	
	Master Stop Brake	
	Dual Hydraulic Implement	
	Lift Cylinders	
	Less Mower Deck	
	Hourmeter	
	Fuel Gauge	
	Tilt Steering Wheel	
	PTO Drvien Implements	
	Operator Presence System	
	Low Oil Pressure Warning Light	
	Hydraulic Oil Temp. Light and	



Code	Description	List price(USD)
	Alarm PTO Shutdown	
	Folding Two Post ROPS (Roll-	
	Over Protective Structure) and Retractable Seat Belt	
	Cast Iron Rear Bumper	
	Operator Training Video	
	BASE MACHINE	
2433TC	F.O.B. Raleigh, North Carolina 1570 TerrainCut™ Commercial Front Mower (Less Mower Deck)	\$30,969.00
210010	DESTINATION AND LANGUAGE	400/101100
	Basic Factory Options	
	DESTINATION	
	North America	
001A	United States and Canada	In Base Price
	DRIVETRAIN	
	Basic Factory Options DRIVE SYSTEM	
1190	Two Wheel Drive	In Base Price
1191	Four Wheel Drive (Full Time or On Demand) Standard on the 1575, 1580, and 1585 TerrainCut Commercial Front Mowers.	\$2,913.00
	WHEELS AND TIRES	
	Basic Factory Options DRIVE WHEELS AND TIRES	
1019	23x10.50-12 4PR Turf Drive Tires	In Base Price
1020	23x8.50-12 4PR Turf Drive Tires	(\$35.00)
1149	Less Drive Wheels and Tires	(\$332.00)
	ATTACHMENTS FOR FIELD CONVERSION DRIVE WHEELS AND TIRES	
BUC10893	Drive Tire Fender Kit On 1550/1570/1575, recommend installing TCA24152 Step Assembly that mounts to left side operator platform.	\$197.96
BTC10784	Two Wheels with 23 x 10.50-12 in. 4PR Turf Drive Tires	\$467.59
TCB10413	Two Wheels with 23x8.50-12 in. 4PR Turf Drive Tires	\$449.40



Code	Description	List price(USD)
TCB10013	Dual Wheel Conversion Kit For 23 by 8.50-12 in. Drive Tires Requires (2) Sets of 23x8.50-12 In. Tires and Wheels. Not Compatible with 1,575 mm (62 In.) Rear Discharge Mower, 1545 and 1565 Mowers.	\$353.10
	TIRE CHAINS	
TY15956	Tire chains (pair) for 23x10.50-12 tires	\$141.66
TY15841	Tire chains (pair) for 23x8.50-12 tires	\$119.05
	OPERATOR'S STATION AND CONTROLS Basic Factory Options SEAT	
2010	Deluxe Comfort Seat with Armrests Non-suspension base seat.	In Base Price
2011	Comfort Adjust Suspension Seat with Armrests	\$390.00
2012	Air Ride Suspension Seat with Armrests ATTACHMENTS FOR FIELD CONVERSION LIGHTING	\$680.00
BTC10594	Beacon Light For 2-Post ROPS and 4-Post ROPS. Not Compatible with Cab Models.	\$375.57
BTC10644	Front Worklight (2) Kit Requires 4-Post ROPS. Not Compatible with Cab Models.	\$250.39
	WINDSHIELD	
TCB10620	Front Windshield Mounts to 4-Post ROPS (For Current TerrainCut™ FM's and 1400/1500 Series II Front Mowers).	\$583.16
	MIRRORS	
TCB10325	(1) Exterior Mirror Kit Mounts to 4-Post ROPS. Requires Grab Handle TCU14910 and 4-Post ROPS to complete mounting.	\$266.43
	ROLL OVER PROTECTION SYSTEM (ROPS)	
BTC10334	4-Post Rollover Protective Structure (ROPS) Conversion Kit with Canopy	\$2,013.74



Code	Description	List price(USD)
	Converts Standard 2-Post ROPS to 4-Post with Canopy. Only compatible with new 1550/1570/1580 TerrainCut™ Front Mowers.	
	ENGINE ATTACHMENTS FOR FIELD CONVERSION ENGINE	
AR87167	Engine Coolant Heater (110 V) WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION QUIK-TATCH™ WEIGHTS	\$84.27
UC13263	Quik-Tatch Weight, 42 lb (19 kg) For Use with TCB10303 Rear Weight Mounting Kit. WEIGHTS	\$60.99
BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.	\$35.31
BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel Requires Mounting Hardware.	\$144.46
TCB10303	Rear Weight Mounting Kit Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.	\$132.69
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
TCB10608	Electronic Cruise Control Kit	\$353.10
BTC10673	Reverse Alarm Kit (Back-up alarm)	\$154.09
TCA23365	Vehicle Enclosure Kit Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.	\$1,179.68
TCU38441	Bracket, Left-Hand Front Tie Down	\$88.64
TCU38442	Bracket, Right-Hand Front Tie Down	\$92.20



Code	Description	List price(USD)
BTC10685	Slow Moving Vehicle (SMV) Kit HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	\$102.71
BTC10531	Hydraulic Weight Transfer Kit For 1500 TerrainCut Front Mowers.	\$387.34
BTC10562	Rear Auxillary Hydraulic Outlet Kit Requires Double Spool Auxiliary Hydraulic Kit to complete installation.	\$391.61
BTC10529	Double-Spool Auxiliary Hydraulic Kit For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.	\$1,220.87
BTC10530	Single-Spool Auxiliary Hydraulic Kit For All 1550/1570/1580 TerrainCut Front Mowers and 1575/1585 TerrainCut Front Mowers Serial Number -015000.	\$856.00



Code	Description	List price(USD)
	1585 TerrainCut™ with ComfortCab Commercial Front	
	Mower (Less Mower Deck)	
	37.4 HP (27.5 kW), gross SAE J1995, P Rated at 3000 rpm	
	Displacement 100.2 cu. in. (1.64 L)	
	Three Cylinder Liquid-Cooled	
	Up to B20 Compliant	
	Dual Element Air Cleaner	
	Air Restriction Indicator	
	12V Electric Start	
	12V Auxilary Power Outlet	
	95 AMP Automotive Alternator	
	16 U.S. Gallon Fuel Capacity	
	Two Pedal Hydrostatic Foot Control Hydrostatic Transmission	
	Two-Speed Transaxle	
	Four Wheel Drive	
	Full Time 4WD / On-Demand	
	Hydrostatic Power Steering	
	Differential Front Wheel Lock	
	Front Lights (steering column mounted)	
	26x12.00-12 In. Square	
	Shoulder 6PR Turf Drive Tires	
	20x10.00-10 In. 6PR Round	
	Shoulder Steering Tires Transmission Oil Cooler	
	Individual Turn Assist Brakes	
	Wet Disk Brakes	
	Master Stop Brake	
	Dual Hydraulic Implement	
	Lift Cylinders	
	Less Mower Deck	
	Hourmeter	
	Fuel Gauge	
	Tilt Steering Wheel	
	PTO Drvien Implements	
	Operator Presence System	
	Low Oil Pressure Warning Light	
	Hydraulic Oil Temp. Light and	



Code	Description	List price(USD)
	Alarm PTO Shutdown Cast Iron Rear Bumper Operator Training Video	
	Factory Installed ComfortCab Air Conditioning and Heater Six Multi-Directional Air Vents Fabric Air Ride Suspension Seat with Adjustable Armrests, Lumbar, and Seat Back Dual Forward Work Lights Two Speed Front Windshield Wiper Rearview Mirror (inside) Sun Visor Interior Light Two Front/Two Rear Roof Mounted Warning Lights Double Spool Auxiliary Hydraulic Valve	
	with Forward-mounted Couplers BASE MACHINE	
2465TC	F.O.B. Raleigh, North Carolina 1585 TerrainCut™ with ComfortCab Commercial Front Mower (Less Mower Deck)	\$48,929.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	North America United States and Canada	In Base Price
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION QUIK-TATCH™ WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) For Use with TCB10303 Rear Weight Mounting Kit. WEIGHTS	\$60.99
BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire Attaches wheel weight on 1500 TerrainCut Front Mowers with rims in wide or narrow orientations.	\$35.31



Code	Description	List price(USD)
BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel Requires Mounting Hardware.	\$144.46
TCB10303	Rear Weight Mounting Kit Required for Ballast when Using Certain Implements. See Sales Manual for Instructions. Required for Ballast on Certain Model Configurations. See Sales Manual for Proper Weight Requirements.	\$132.69
	ENGINE ATTACHMENTS FOR FIELD CONVERSION ENGINE	
AR87167	Engine Coolant Heater (110 V)	\$84.27
	WHEELS AND TIRES ATTACHMENTS FOR FIELD CONVERSION DRIVE WHEELS AND TIRES	
BUC10893	Drive Tire Fender Kit TIRE CHAINS	\$197.96
TY15958	Tire chains (pair) for 26x12-12 tires	\$170.64
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
TCB10608	Electronic Cruise Control Kit	\$353.10
BTC10673	Reverse Alarm Kit (Back-up alarm)	\$154.09
TCA23365	Vehicle Enclosure Kit Standard equipment when ordering 62 In. or 72 In. Rear Discharge decks.	\$1,179.68
TCU38441	Bracket, Left-Hand Front Tie Down	\$88.64
TCU38442	Bracket, Right-Hand Front Tie Down	\$92.20
BTC10685	Slow Moving Vehicle (SMV) Kit	\$102.71
	HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	
BTC10531	Hydraulic Weight Transfer Kit For 1500 TerrainCut Front Mowers.	\$387.34



Code	Description	List price(USD)
BTC10562	Rear Auxillary Hydraulic Outlet Kit Requires Double Spool Auxiliary Hydraulic Kit to complete installation.	\$391.61
	OPERATOR'S STATION AND CONTROLS ATTACHMENTS FOR FIELD CONVERSION MIRRORS	
LVB24844	External Mirror Kit (Cab Only)	\$224.40
	LIGHTING	
LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) Includes 2 Lights, cab is pre-wired.	\$178.20
LVB24852	Beacon Light Kit (Cab Only)	\$287.10
	RADIO	
BTC10677	Radio Mount Kit (Cab Only)	\$143.39
RE321109	Radio Kit Requires radio mounting kit to complete installation. Radio includes: AM/FM Stereo with Single Compact Disc Player, Clock, Front Audio Input Jack for MP3 Players, and Weatherband.	\$1,073.60
SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready Requires radio mounting kit to complete installation.	\$281.51