

2020 Whole Goods Price List

350 E 60th Street N. / Sioux Falls, SD 57104 / 800.658.5561 / diamondmowers.com

BOOM MOWERS

To order a boom mower: 1) select boom, 2) select mower head, 3) select controls and other options.

Order Code		Description	Lis	t Price
	Attachment Booms			
DBM-C-M	19 Foot Side Fold		\$	34,101
DBM-C-A	21 Foot Side Fold		\$	35,503
DBM-C-D	23 Foot Side Fold		\$	38,568
DBM-C-P	21 Foot Rear Cradle		\$	38,589
	Rear Cradle Booms			
DBM-C-N	22 Foot Rear Cradle		\$	39,999
DBM-C-H	23 Foot Rear Cradle		\$	43,834
DBM-C-J	25 Foot Rear Cradle		\$	50,735
DBM-C-S	28 Foot Rear Cradle		\$	55,964
DBM-C-O	30 Foot Rear Cradle		\$	59,454

Side fold and rear cradle booms include boom, mounting hardware, 4-spool valve, cable controls, transport lock, hydraulic actuator, auxiliary oil cooler, pump & grill guard, Lexan safety glass & wheel weights. Axle stabilizer included on 25 Foot & larger Rear Cradle Booms.

Options For Side Fold and Rear Cradle Booms

101	Joystick - Four-Function Proportional Control	\$ 9,015
107	Joystick - Five-Function Proportional Control	\$ 10,951
115	Less Small Hydraulic Actuator (22 Foot & smaller booms) - Deduct	\$ (5,066)
116	Less Large Hydraulic Actuator (23 Foot & larger booms) - Deduct	\$ (5,885)
48-0001	Factory Authorized Mount - Side Fold Boom Mowers	\$ 7,614
48-0003	Factory Authorized Mount - Rear Cradle Boom Mowers	\$ 9,172
114	Front Axle Stabilizer	\$ 1,000
125	Rack & Pinion Surcharge	\$ 2,151

Hydraulic actuator required on most Tier 4 tractors. See Tractor-Mower Configurations document for each particular tractor set-up. Mounting includes labor, hydraulic oil, and tire ballast.

Wheel Loader Booms

LBM-C-DD	23 Foot (Tier 4 Engine, 25,000 lb. or larger loader)	\$ 86,479
LBM-C-EE	25 Foot (Tier 4 Engine, 30,000 lb. or larger loader)	\$ 89,480
WBM-C-DD	23 Foot (25,000 lb. or larger loader) (Engine-less model)	\$ 56,480
WBM-C-EE	25 Foot (30,000 lb. or larger loader) (Engine-less model)	\$ 59,699

Wheel Loader Boom Mowers include four-function proportional control joystick, hydraulic actuator, hydraulic cooler, and safety glass. Wheel Loader must provide 12V at 15A. Wheel Loader Boom mowers can take all boom heads except the 40" rotary and 42" flail. Wheel Loader Booms do not include the wheel loader hooks, and Engine-Less models require two sets of hooks to cut on left & right hand side. Dedicated left hand side cutting mower heads are available in FBC036, DBR050, DBR060 & DBF050 configurations. Please contact Application Engineering for situations involving lefthand cutting.

Options For Wheel Loader Booms

48-0009	Factory Authorized Mount - Wheel Loader Boom	\$ 1,775
171	Factory Authorized Mount - Motor Grader Boom	\$ 4,437
LBM-Attach	Motor Grader Attachment	\$ 8,328

Motor Grader Attachment adapts LBM-C-DD or LBM-C-EE Wheel Loader Boom to motor graders. Motor Grader must weigh 32,000 lbs. for LBM-C-DD and 37,000 lbs. for LBM-C-EE. Contact Application Engineering for additional details.

Page 1 of 8 Bid Term: 2/20/19 - 2/19/21 DEMAND BRILLIANCE. Effective 01.01.2020 (NJ)

Order Code	Description	Lis	st Price
	3-Point Hitch Booms, STD		
RBM-C-V	14 Foot Standard Duty (4,500 lbs or larger tractor)	\$	23,190
RBM-C-W	16 Foot Standard Duty (6,000 lbs or larger tractor)	\$	24,121
	-Point Boom Mowers only accept 40" rotary or 42" flail head, and requires 540 PTO. 3-Point Hitch Boom Mowe and transport lock.	ers come standa	rd with
	3-Point Hitch Booms, HD		
RBM-C-T	17 Foot Heavy Duty (10,500 lbs or larger tractor)	\$	24,365
RBM-C-U	20 Foot Heavy Duty (11,500 lbs or larger tractor)	\$	25,525
	oint Boom Mowers accept 50" rotary, 44" flail head, and 36" Forestry Disc Mulcher and requires 1,000 PTO. 3 vith joystick controls and transport lock. Options for 3-Point Hitch Booms	-Point Hitch Booi	m Mowers
162	3-Point Boom Mower Install & Set up	\$	909
44-0298	Cat IV 3-Point Hitch Adaptor	\$	1,656
41-0697	T-Bar Support Bracket (Optional with HD 3-Point Hitch Booms)	\$	594
	Boom Mower Heads		
DBR040-H	40" Rotary (available on STD 3-point booms only)	\$	9,026
DBR050-H	50" Rotary	\$	12,605
DBR060-H	60" Rotary	\$	13,376
25-1730	60" Rotary (Grass Cutting Blade Configuration)	\$	13,376
DBF042-H	42" Flail (available on STD 3-point booms only, reverse cuttershaft rotation only)	\$	9,088
DBF044-H	44" HD Flail (forward cuttershaft rotation unless otherwise noted)	\$	15,740
DBF050-H	50" HD Flail (forward cuttershaft rotation unless otherwise noted)	\$	16,145
DBF063-H	63" Flail (reverse cuttershaft rotation only)	\$	15,339
FBC036-H	36" Boom Forestry Disc Mulcher	\$	14,813
DBS048-H	48" Saw Head	\$	12,172
DBD022-H	Ditcher	\$	12,869
	Options for Boom Mower Heads		
103	Hydraulic Trap Door, 50" & 60" Rotary Heads	\$	1,059
113	Hydraulic Trap Door, 50" Flail	\$	1,542
44-0724	Manual Flail Head Deck Rotator	\$	1,404
120	Hydraulic Rotary Head Rotator	\$	3,052
44-0348	Hydraulic Quick Coupler Kit for Boom Heads	\$	1,581
22-3001C	48" Blade (fits 50" rotary head and 48" saw head)	\$	5,714
44-0016	Sawblade Tooth kit	\$	810

Effective 01.01.2020 (NJ)

DEMAND BRILLIANCE.
2

Page 2 of 8
Bid Term: 2/20/19 - 2/19/21

Order Code	Description	List Price
------------	-------------	------------

	MAINFRAME ATTACHMENTS	
	Mainframe Attachments	
DBM-A-A	21 Foot Side Fold Boom with Hydraulic Actuator	\$ 26,932
DBM-A-P	21 Foot Rear Cradle Boom with Hydraulic Actuator	\$ 33,027
DSR060-A	60" Side Rotary with Combo Lift	\$ 13,326
DSR072-A	72" Side Rotary with Combo Lift	\$ 14,813
DSR060-AX	60" Side Rotary with Combo Lift - for Dx2 Mainframe	\$ 13,326
DSR072-AX	72" Side Rotary with Combo Lift - for Dx2 Mainframe	\$ 14,813
25-1503	60" Side Rotary Head Only - No draft beam, cylinders or hoses	\$ 10,233
25-1540	72" Side Rotary Head Only - No draft beam, cylinders or hoses	\$ 11,565
DRR060-A	60" Rear Rotary Mower Attachment - Add to Existing Side Rotary)	\$ 23,222
DSF060-A	60" Side Flail Attachment	\$ 16,557
DSF075-A	75" Side Flail Attachment	\$ 17,072
DSF090-A	90" Side Flail Attachment	\$ 17,559
DSF060-AX	60" Side Flail Attachment - for Dx2 Mainframe	\$ 16,557
DSF075-AX	75" Side Flail Attachment - for Dx2 Mainframe	\$ 17,072
DSF090-AX	90" Side Flail Attachment - for Dx2 Mainframe	\$ 17,559
25-1578	60" Side Flail Head Only - No draft beam, hoses or cylinders	\$ 14,856
25-1580	75" Side Flail Head Only - No draft beam, hoses or cylinders	\$ 15,371
25-1582	90" Side Flail Head Only - No draft beam, hoses or cylinders	\$ 15,857

Attachments require Dx2 Mainframe or Diamond Attachment Mainframe. Mower heads for boom mower attachments sold separately. Side fold boom attachments include boom, cable controls, safety glass, and wheel weights. Tier 4 tractors may require an actuator, refer to the Tractor-Mower Configuration document for your specific tractor.

Options for Mainframe Attachments

167	Factory Authorized Mount - Dual Mount Surcharge (Side Mower)	\$ 2,130
168	Factory Authorized Mount - Dual Mount Surcharge (Twin Mower)	\$ 3,195
181	Hydraulic Quick Coupler Kit for Mainframe Attachments	\$ 2,410
	DOTABY MONEDO	

	rijanama saman a aproniminan mammama masa masa masa masa masa mas			_,
	ROTARY MOWERS			
	Side Rotary Mowers			
DSR060-CO	60" Side Rotary with Combo Lift		\$	26,311
DSR072-CO	72" Side Rotary with Combo Lift	•	\$	27,139
011 0 11			.,,	

Side Rotary Mowers require 2-spool valve or 2 tractor hydraulic remotes. Side Rotary Mower comes standard with rear rubber deflector, auxiliary oil cooler, electric dual travel lock, and pump & grill guard.

Side & Rear Rotary Mowers

DDR120-CO	60" Side and 60" Rear Mower with Combo Lift	\$ 45,854
DDR132-CO	72" Side and 60" Rear Mower with Combo Lift	\$ 46,708
DDR144-CO	72" Side and 72" Rear Mower with Combo Lift	\$ 47,876

Side & Rear Rotary Mowers require a tractor with 3 hydraulic remotes, or purchase the 3-spool valve option. Rear Rotary Mower comes standard with front chain guards and rear rubber deflector.

Options for Rotary Mowers

48-0004	Factory Authorized Mount - Side Rotary Mowers	\$ 6,259
48-0005	Factory Authorized Mount - Side & Rear Rotary Mowers	\$ 7,298
201	Front Chain Guard - per mower	\$ 994
202	Rear Chain Guard - in lieu of rubber deflector per mower	\$ 994

Mounting includes labor, hydraulic oil, and tire ballast.

Effective 01.01.2020 (NJ)

DEMAND BRILLIANCE.

Page 3 of 8

Bid Term: 2/20/19 - 2/19/21

21,392

	Description	Lis	t Price
	FLAIL MOWERS		
	Heavy Duty Flail Mowers, 3-Point Hitch		
DRF090-CE	90" Center Flail Mower	\$	13,625
DRF090-OF	90" Offset Flail Mower	\$	13,625
DRF102-CE	102" Center Flail Mower	\$	14,146
DRF102-OF	102" Offset Flail Mower	\$	14,146
DRF110-CE	110" Center Flail Mower	\$	18,61
3-Point Hitch Fl	ail Mowers require 540 PTO.Cuttershaft rotation in reverse direction unless otherwise noted.		
	Heavy Duty Side Flail Mower		
DSF060-C	60" Side Mount Flail Mower	\$	25,750
DSF075-C	75" Side Mount Flail Mower	\$	26,28
DSF090-C	90" Side Mount Flail Mower	\$	26,73
	quire 2-spool valve or 2 tractor hydraulic remotes. Side Flail Mower comes standard with auxiliary oil cooler, electric dual tra	vel l	lock, and
pump & grill gua	ard. Cuttershaft rotation in reverse direction unless otherwise noted.		
	Heavy Duty Triple Gang Flail Mower (Traditional Mid-Mount, Tier 3 Tractors Only)		
DTF222-C	17 Foot - 102" Rear, 60" Left and Right	\$	63,43
DTF252-C	19 Foot - 102" Rear, 75" Left and Right	\$	64,18
DTF282-C	21.5 Foot - 102" Rear, 90" Left and Right	\$	66,27
	Heavy Duty Triple Gang Flail Mower (Traditional Mid-Mount, Tier 4 Tractors)		
DTF230-C	17.5 Foot - 110" Rear, 60" Left and Right	\$	73,169
DTF260-C	19.5 Foot - 110" Rear, 75" Left and Right	\$	75,73
DTF290-C	22 Foot - 110" Rear, 90" Left and Right	\$	77,67
	Mount Triple Flail Mowers include 4-spool valve, & auxiliary oil cooler. Cuttershaft rotation in reverse direction unless other	wise	noted.
Available on Jo	nn Deere 6000E series tractor only.		
	Heavy Duty Triple Gang Flail Mower (Butterfly Style)		
		_	
	17 Foot - 102" Front, 60" Left and Right	\$	
DTF252-C3	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right	\$	77,19
DTF252-C3 DTF282-C3	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right	\$	77,194 79,139
DTF252-C3 DTF282-C3 Requires front t	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right hree-point hitch. Butterfly Style Triple Gang Flail Mower includes 4-spool valve and cable controls. Alternatively the mower	\$ \$ r can	77,194 79,139
DTF252-C3 DTF282-C3 Requires front t	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right	\$ \$ r can	77,194 79,139
	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right hree-point hitch. Butterfly Style Triple Gang Flail Mower includes 4-spool valve and cable controls. Alternatively the mower 4-remotes. Unit ships with hydraulic oil, and auxiliary oil cooler. Cuttershaft rotation in reverse direction unless otherwise no	\$ \$ r can	77,194 79,139
DTF252-C3 DTF282-C3 Requires front t controlled from	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right hree-point hitch. Butterfly Style Triple Gang Flail Mower includes 4-spool valve and cable controls. Alternatively the mower 4-remotes. Unit ships with hydraulic oil, and auxiliary oil cooler. Cuttershaft rotation in reverse direction unless otherwise no Towable Triple Flail Mower	\$ \$ r can ated.	77,194 79,139 o be
DTF252-C3 DTF282-C3 Requires front to controlled from PTF222-C	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right hree-point hitch. Butterfly Style Triple Gang Flail Mower includes 4-spool valve and cable controls. Alternatively the mower 4-remotes. Unit ships with hydraulic oil, and auxiliary oil cooler. Cuttershaft rotation in reverse direction unless otherwise no Towable Triple Flail Mower 17 Foot Towable Triple Flail - 60" Left and Right, 102" Rear	\$ \$ r can sted.	77,194 79,139 79,609 85,609
DTF252-C3 DTF282-C3 Requires front to controlled from PTF222-C PTF252-C	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right hree-point hitch. Butterfly Style Triple Gang Flail Mower includes 4-spool valve and cable controls. Alternatively the mower 4-remotes. Unit ships with hydraulic oil, and auxiliary oil cooler. Cuttershaft rotation in reverse direction unless otherwise no Towable Triple Flail Mower 17 Foot Towable Triple Flail - 60" Left and Right, 102" Rear 19.5 Foot Towable Triple Flail - 75" Left and Right, 102" Rear	\$ sr can sted.	77,194 79,139 7 be 85,609 86,958
DTF252-C3 DTF282-C3 Requires front to controlled from PTF222-C PTF252-C PTF282-C	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right hree-point hitch. Butterfly Style Triple Gang Flail Mower includes 4-spool valve and cable controls. Alternatively the mower 4-remotes. Unit ships with hydraulic oil, and auxiliary oil cooler. Cuttershaft rotation in reverse direction unless otherwise no Towable Triple Flail Mower 17 Foot Towable Triple Flail - 60" Left and Right, 102" Rear 19.5 Foot Towable Triple Flail - 75" Left and Right, 102" Rear 22 Foot Towable Triple Flail - 90" Left and Right, 102" Rear	\$ \$ r can sted.	85,605 86,958 88,433
DTF252-C3 DTF282-C3 Requires front to controlled from PTF222-C PTF252-C PTF282-C 80 PTO HP min	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right hree-point hitch. Butterfly Style Triple Gang Flail Mower includes 4-spool valve and cable controls. Alternatively the mower 4-remotes. Unit ships with hydraulic oil, and auxiliary oil cooler. Cuttershaft rotation in reverse direction unless otherwise no Towable Triple Flail Mower 17 Foot Towable Triple Flail - 60" Left and Right, 102" Rear 19.5 Foot Towable Triple Flail - 75" Left and Right, 102" Rear	\$ \$ r can ited.	77,194 79,139 7 be 85,609 86,958 88,433 remotes
DTF252-C3 DTF282-C3 Requires front to controlled from PTF222-C PTF252-C PTF282-C 80 PTO HP min	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right hree-point hitch. Butterfly Style Triple Gang Flail Mower includes 4-spool valve and cable controls. Alternatively the mower 4-remotes. Unit ships with hydraulic oil, and auxiliary oil cooler. Cuttershaft rotation in reverse direction unless otherwise no Towable Triple Flail Mower 17 Foot Towable Triple Flail - 60" Left and Right, 102" Rear 19.5 Foot Towable Triple Flail - 75" Left and Right, 102" Rear 22 Foot Towable Triple Flail - 90" Left and Right, 102" Rear imum, 100 PTO HP recommended with 1000 PTO required for all Towable Triple Flails. 1,250 lbs. drawbar weight. No trackable Triple Flail comes standard with touch-screen control system. Cuttershaft rotation in reverse direction unless otherwise in the Internation of the Inte	\$ \$ r can ited.	77,194 79,139 7 be 85,609 86,958 88,433 remotes
DTF252-C3 DTF282-C3 Requires front t controlled from PTF222-C PTF252-C PTF282-C 80 PTO HP mir are used. Towa	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right hree-point hitch. Butterfly Style Triple Gang Flail Mower includes 4-spool valve and cable controls. Alternatively the mower 4-remotes. Unit ships with hydraulic oil, and auxiliary oil cooler. Cuttershaft rotation in reverse direction unless otherwise no Towable Triple Flail Mower 17 Foot Towable Triple Flail - 60" Left and Right, 102" Rear 19.5 Foot Towable Triple Flail - 75" Left and Right, 102" Rear 22 Foot Towable Triple Flail - 90" Left and Right, 102" Rear imum, 100 PTO HP recommended with 1000 PTO required for all Towable Triple Flails. 1,250 lbs. drawbar weight. No trace the triple Flail comes standard with touch-screen control system. Cuttershaft rotation in reverse direction unless otherwise in the Control of the Flail and Triple Gang Mowers	\$ sr can ited. \$ sctor i	77,19- 79,139 be 85,600 86,950 88,433 remotes d.
DTF252-C3 DTF282-C3 Requires front t controlled from PTF222-C PTF252-C PTF282-C 80 PTO HP min are used. Towa	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right hree-point hitch. Butterfly Style Triple Gang Flail Mower includes 4-spool valve and cable controls. Alternatively the mower 4-remotes. Unit ships with hydraulic oil, and auxiliary oil cooler. Cuttershaft rotation in reverse direction unless otherwise no Towable Triple Flail Mower 17 Foot Towable Triple Flail - 60" Left and Right, 102" Rear 19.5 Foot Towable Triple Flail - 75" Left and Right, 102" Rear 22 Foot Towable Triple Flail - 90" Left and Right, 102" Rear imum, 100 PTO HP recommended with 1000 PTO required for all Towable Triple Flails. 1,250 lbs. drawbar weight. No trackable Triple Flail comes standard with touch-screen control system. Cuttershaft rotation in reverse direction unless otherwise in Options For Side Flail and Triple Gang Mowers Factory Authorized Mount - Side Flail Mower	\$ \$ r can ted. \$ \$ \$ ctor r notes	77,19- 79,13: 79,13: 79,13: 79,13: 85,60: 85,60: 86,95: 88,43: remotes d.
DTF252-C3 DTF282-C3 Requires front t controlled from PTF222-C PTF252-C PTF282-C PTF282-C 80 PTO HP min are used. Towa	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right hree-point hitch. Butterfly Style Triple Gang Flail Mower includes 4-spool valve and cable controls. Alternatively the mower 4-remotes. Unit ships with hydraulic oil, and auxiliary oil cooler. Cuttershaft rotation in reverse direction unless otherwise no Towable Triple Flail Mower 17 Foot Towable Triple Flail - 60" Left and Right, 102" Rear 19.5 Foot Towable Triple Flail - 75" Left and Right, 102" Rear 22 Foot Towable Triple Flail - 90" Left and Right, 102" Rear imum, 100 PTO HP recommended with 1000 PTO required for all Towable Triple Flails. 1,250 lbs. drawbar weight. No trace the Triple Flail comes standard with touch-screen control system. Cuttershaft rotation in reverse direction unless otherwise of the Company of the Property of the Flail and Triple Gang Mowers Factory Authorized Mount - Side Flail Mower Factory Authorized Mount - Triple Gang Flail Mower	\$ sr can ted.	77,19. 79,13: 79,13: 85,60: 86,95: 88,43: remotes d. 6,25: 9,17:
DTF252-C3 DTF282-C3 Requires front to controlled from PTF222-C PTF252-C PTF282-C 80 PTO HP min	17 Foot - 102" Front, 60" Left and Right 19 Foot - 102" Front, 75" Left and Right 21.5 Foot - 102" Front, 90" Left and Right hree-point hitch. Butterfly Style Triple Gang Flail Mower includes 4-spool valve and cable controls. Alternatively the mower 4-remotes. Unit ships with hydraulic oil, and auxiliary oil cooler. Cuttershaft rotation in reverse direction unless otherwise no Towable Triple Flail Mower 17 Foot Towable Triple Flail - 60" Left and Right, 102" Rear 19.5 Foot Towable Triple Flail - 75" Left and Right, 102" Rear 22 Foot Towable Triple Flail - 90" Left and Right, 102" Rear imum, 100 PTO HP recommended with 1000 PTO required for all Towable Triple Flails. 1,250 lbs. drawbar weight. No trackable Triple Flail comes standard with touch-screen control system. Cuttershaft rotation in reverse direction unless otherwise in Options For Side Flail and Triple Gang Mowers Factory Authorized Mount - Side Flail Mower	\$ \$ r can ted. \$ \$ \$ ctor r notes	77,194 79,139 7 be 85,609 86,956 88,433 remotes

Rear Swing Flail requires 540 PTO, 2 tractor hydraulic remotes and Cat II hitch. Cuttershaft rotation in reverse direction unless otherwise noted.

Rear Swing Flail, 3-Point Hitch

75" Heavy Duty (9,500 lbs or larger tractor)

RSF075-C

DEMAND BRILLIANCE. Page 4 of 8 Bid Term: 2/20/19 - 2/19/21 Effective 01.01.2020 (NJ)

Order Code	Description	List Price
------------	-------------	------------

	EXCAVATOR ATTACHMENTS		
	Excavator Attachments		
DER040-C	40" Excavator Rotary Mower (10k lbs or larger excavator)	\$	9,429
DER050-C	50" Excavator Rotary Mower (21k lbs or larger excavator)	\$	15,767
DER060-C	60" Excavator Rotary Mower (22.5k lbs or larger excavator)	\$	17,351
DER072-C	72" Excavator Rotary Mower (32k lbs or larger excavator)	\$	18,937
FBE036-C	36" Excavator Forestry Disc Mulcher (15k lbs or larger excavator)	\$	18,143
FBE048-C	48" Excavator Forestry Disc Mulcher (35k lbs or larger excavator)	\$	26,859

Excavator attachment mowers include pin-on mounting brackets and pins. Excavator mowers do not include hoses from the motor to excavator arm, and require a case drain line.

Options F	or Excavator	Attachments
-----------	--------------	-------------

221	48" Excavator Forestry Disc Mulcher Thumb Tool	\$ 2,298
222	Mounting Bracket Deduct, Small (DER040 & FBE036)	\$ (1,101)
223	Mounting Bracket Deduct, Large (DER050, 60, 72 & FBE048)	\$ (2,369)

	3-POINT MILLER STUMP GRINDER ATTACHMENTS	
TMG026-C	3-Point Miller Stump Grinder	
49-7051	26" 3-Point Miller Stump Grinder (540 PTO, 45-90 HP)	\$ 16,472
49-7052	26" 3-Point Miller Stump Grinder (1000 PTO, 60-110 HP)	\$ 16,472

³⁻Point Miller Stump Grinder requires 3 sets of tractor remotes.

SKID-STEER ATTACHMENTS

DLR060/072/084-C	Skid-Steer Rotary Mowers		
25-1800	60" Skid-Steer Rotary Mower (16-23 GPM)	\$	11,877
25-1801	60" Skid-Steer Rotary Mower (24-28 GPM)	\$	11,877
25-1802	60" Skid-Steer Rotary Mower (29-35 GPM)	\$	12,272
25-1803	60" Skid-Steer Rotary Mower (36-41 GPM)	\$	12,272
25-1804	60" Skid-Steer Rotary Mower (42-46 GPM)	\$	12,272
25-1810	72" Skid-Steer Rotary Mower (17-20 GPM)	\$	13,066
25-1811	72" Skid-Steer Rotary Mower (21-28 GPM)	\$	13,066
25-1812	72" Skid-Steer Rotary Mower (29-34 GPM)	\$	13,540
25-1813	72" Skid-Steer Rotary Mower (35-41 GPM)	\$	13,540
25-1818	84" Skid-Steer Rotary Mower (32-41 GPM)	\$	15,838
FBS060-C 25-1726	Skid-Steer Forestry Disc Mulcher 60" Skid-Steer Forestry Disc Mulcher (32-45 GPM)	\$	27,960
20 1720	Of Grid-Green Forestry Disc Mulcher (32-45 Of M)	Ψ	27,000
FBS060-CP	Skid-Steer Forestry Disc Mulcher - Piston Series		
25-1683	60" Skid-Steer Forestry Disc Mulcher (32-45 GPM - Piston)	\$	29,862
Piston Series inc	ludes high performance piston motor		
FDS072-C	Skid-Steer Drum Mulchers		
25-1733	72" Skid-Steer Drum Mulcher (2800 - 3150 PSI)	\$	39,537
25-1734	72" Skid-Steer Drum Mulcher (3151 - 3400 PSI)	\$	39,537
05 4705	72" Skid-Steer Drum Mulcher (3401 - 3750 PSI)	\$	39,537
25-1735	72 Okid Oteel Brain Malerier (0401 07001 Ol)	Ψ	00,00.

Drum Mulcher requires 32-45 GPM flow and comes standard with 4000 PSI hoses.

DEMAND BRILLIANCE. Page 5 of 8 Bid Term: 2/20/19 - 2/19/21 Effective 01.01.2020 (NJ)

Order Code	Description	Lis	st Price
DLF075/090/102-C	Skid-Steer Flail Mowers		
25-1601	75" Skid-Steer Flail Mower (32-41 GPM)	\$	18,937
25-1602	90" Skid-Steer Flail Mower (32-41 GPM)	\$	19,729
25-1603	102" Skid-Steer Flail Mower (32-41 GPM)	\$	20,521
DSG024/026-C	Skid-Steer Stump Grinders		
49-7030	24" Skid-Steer Stump Grinder (16-20 GPM)	\$	8,708
49-7031	24" Skid-Steer Stump Grinder (21-24 GPM)	\$	8,708
49-7032	24" Skid-Steer Stump Grinder (25-28 GPM)	\$	8,708
49-7033	26" Skid-Steer Stump Grinder (29-33 GPM)	\$	9,341
49-7034	26" Skid-Steer Stump Grinder (34-39 GPM)	\$	9,341
49-7035	26" Skid-Steer Stump Grinder (40-45 GPM)	\$	9,341
DMG026-C	Skid-Steer Miller Stump Grinders		
49-7040	26" Skid-Steer Miller Stump Grinder (29-33 GPM)	\$	17,422
49-7044	26" Skid-Steer Miller Stump Grinder (34-39 GPM)	\$	17,422
49-7048	26" Skid-Steer Miller Stump Grinder (40-45 GPM)	\$	17,422

Skid-Steer Miller Stump Grinders include stand-alone controls. 12-Volt power supply required in cab.

	ALL AMERICAN DISC ATTACHMENTS	
	All American Disc	
AAD	All American Disc, Cat II 3-Point Mount	\$ 8,925
AAD-GL	All American Disc, Motor Grader Mount	\$ 8,925
703	Hydraulic Swing Kit for All American Disc	\$ 1,583

Page 6 of 8 Bid Term: 2/20/19 - 2/19/21 DEMAND BRILLIANCE. Effective 01.01.2020 (NJ)

Order Code Description **List Price** STANDARD AVAILABLE OPTIONS **Options Available for All Mowers** 605 Extended Warranty - 2-year warranty 7% 606 14% Extended Warranty - 3-year warranty 602 Operator's Manual \$ 71 603 Parts Book \$ 97 204 4-Spool Valve and Cable Controls - includes 2-stage pump \$ 7,349 205A 3-Spool Valve and Cable Controls - includes 2-stage pump \$ 4,757 203 2-Spool Valve and Cable Controls - includes 2-stage pump 4,096 504 Wheel Weights, 25" / 415 lbs. 1,209 \$ Polycarbonate Safety Glass 505 1,904 **BLADE & TOOTH KITS** 44-0228 40", 50", 60", 72", and 84" Rotary Mowers \$ 198 44-0232 60" Side / Rear Rotary Blade Kit (1/2" High-Suction Grass) \$ 206 44-0233 72" Side / Rear Rotary Blade Kit (1/2" Grass) \$ 280 44-0893 42" Boom Flail Knives Kit \$ 148 44-0256 44" HD Boom Flail Knives Kit \$ 727 44-0229 50" HD Boom Flail Knives Kit \$ 873 63" Boom Flail Knives Kit 44-0894 \$ 243 36" Excavator/Boom Forestry Disc Mulcher Tooth Kit (20 teeth & 2 planer knives mounting kit with 44-0313 \$ 742 hardware) 44-0339 48" Excavator Forestry Disc Mulcher Tooth Kit (28 teeth & 2 planer knives mounting kit with hardware) \$ 958 44-0861 60" Skid-Steer Disc Mulcher Tooth Kit, Serial # 24700 and up (48 teeth with hardware) \$ 1.122 44-0830 \$ Forestry Tooth Kit 20 Piece (20 teeth only) 484 Forestry Tooth Kit 50 Piece (50 teeth only) 44-0831 \$ 1,123 44-0892 72" Skid-Steer Drum Mulcher Tooth Kit (41 teeth and hardware) \$ 1,112 44-0895 24" Skid-Steer Stump Grinder Tooth Kit (24 teeth and no hardware) 362 \$ 26" Skid-Steer Stump Grinder Tooth Kit (30 teeth and no hardware) 44-0896 451 TRACTOR-MOWER COMBINATIONS New Holland TS6.110 Tier 4B 4WD, 90 PTO HP, Diamond 19' Side Fold Boom, 50" Rotary Head, Cable TMC-122 \$ 135,884 New Holland TS6.130 4WD, 105 PTO HP, Diamond 22' Rear Cradle Boom, 50" Rotary Head, Proportional \$ 161,399 TMC-123 Joystick Controls New Holland T6.145 4WD, 95 PTO HP, Diamond 22' Rear Cradle Boom, 50" Rotary, Proportional Joystick TMC-124 \$ 180.664 New Holland T6.145 4WD, 95 PTO HP, Diamond 25' Rear Cradle Boom, 50" Rotary, Proportional Joystick TMC-125 198,703 TMC-201 Massey Ferguson MF4707 2WD Global, 57 PTO HP with Diamond 60" Side Rotary Mower 82,403 Massey Ferguson MF4710 4WD Global, 88 PTO HP with Diamond 60" Side Flail Mower TMC-202 99,372 Massey Ferguson MF5710 4WD Global, 88 PTO HP with Diamond 21' Side Fold Boom, 50" Rotary Head, \$ 126,150 TMC-203 Cable Controls Massey Ferguson MF5711SL 4WD, 80 PTO HP with Diamond 22' Rear Cradle Boom, 50" Rotary Head, TMC-204 \$ 168,422 Jovstick Controls TMC-205 Massey Ferguson MF5713SL 4WD, 100 PTO HP with Diamond 75" Side Flail and 90" Rear Flail \$ 156,317 Massey Ferguson MF6712 4WD Global, 100 PTO HP with Diamond 21' Rear Cradle Boom, 50" Rotary TMC-206 \$ 138,627 Head, Cable Controls Massey Ferguson MF6715S 4WD Classic, 115 PTO HP with Diamond 25' Rear Cradle Boom, 50" Rotary TMC-207 \$ 197,896 Head, Joystick Massey Ferguson MF7714 4WD Classic, 115 PTO HP with Diamond 30' Rear Cradle Boom, 50" Rotary **TMC-208** \$ 235,271 Head, Joystick TMC-101 John Deere 5090E (Cab) 12/12 Trans, 4WD, 75 PTO HP with Diamond 75" Side Flail Mower \$ 94,612 John Deere 5100E (Cab) 12/12 Trans, 4WD, 85 PTO HP with Diamond 75" Side Flail Mower & 102" Rear TMC-102 \$ 110,532

DEMAND BRILLIANCE. Page 7 of 8 Bid Term: 2/20/19 - 2/19/21 Effective 01.01.2020 (NJ)

Offset Flail Mower

Order Code	Description	List Price
TMC-103	John Deere 5100M (Cab) 16/16 Trans, 4WD, 85 PTO HP with Diamond 21' Rear Cradle Boom, 44" Heavy Duty Flail Head w/ Joystick Controls	\$ 147,158
TMC-104	John Deere 5115M (Cab) 16/16 Trans, 4WD, 100 PTO HP with Diamond 21' Rear Cradle Boom, 44" Heavy Duty Flail Head w/ Joystick Controls	\$ 156,606
TMC-105	John Deere 6105E (Cab), 4WD, 89 PTO HP with Diamond 22' Rear Cradle Boom, 50" Heavy Duty Flail Head w/ Joystick Controls	\$ 151,859
TMC-107	John Deere 6110M (Cab), 4WD,86 PTO HP with Diamond 22' Rear Cradle Boom, 50" Heavy Duty Flail Head w/ Joystick Controls	\$ 177,291
TMC-108	John Deere 6130M (Cab), 4WD, 102 PTO HP with Diamond 90" Side Flail Mower & 102" Rear Offset Flail Mower	\$ 163,669
TMC-109	John Deere 6145M (Cab) , 4WD, 114 PTO HP with 30' Rear Cradle Boom, 50" Heavy Duty Flail Head w/ Joystick Controls	\$ 222,982

Page 8 of 8 Bid Term: 2/20/19 - 2/19/21 Effective 01.01.2020 (NJ)