

2020

JCB Skid Steer Loader 215 New Generation



JCB, Inc. North American Machine Price List In U.S. Dollars Effective: January 2, 2020

Changes to specifications and/or prices may occur. Please refer to the product manager for updates.



Effective: January 2, 2020

F.O.B. Savannah, GA

STANDARD EQUIPMENT

ENGINE 2.5L (151.4CID) 74 SAE Gross hp, Kohler KDI 2504 TCR engine,

centrifugal dry type dual stage air cleaner. Fuel filter with water separator; 1000 CCA battery; variable speed hydraulically driven

fan.

TRANSMISSION EH (Electo-Hydraulic) Controls with hydrostatic transmission.

Travel Speeds of 0 to 7.5 mph in both forward and reverse. Standard Creep speed provides operation from 0 - 1/2 of full

speed for special applications. An optional two speed

transmission is available providing a low range of 0 - 7.5 mph

and a high range of 0 - 11.5 mph.

TIRES: FRONT AND REAR 10 x 16.5 8 ply, Heavy Duty WIDE TRACK JCB Tires providing

63" width.

BRAKES Machine braking provided through the hydrostatic transmission.

Parking brake consists of multiple disc, oil immersed, spring applied hydraulic release that provides a fail safe with the engine off. Electrically activated through a switch on the instrument

panel or by raising seat bar.

Worklights, 2 Front and 1 Rear, Reverse Alarm, Horn, and 12V

Accessory Socket.

INSTRUMENTS Audible and visual warning systems, right and left side mounted

instrument panels. Standard electronic throttle control with

optional foot throttle.

CAB OR CANOPY SAE certified ROPS/FOPS, left side entry. Vinyl seat with

seatbelt and operator restraint interlock for drive and loader functions. Cab units are pressurized and available with heat or heat and A/C, sliding left window and full side door. Right Hand

glass as standard on canopy and cabs. LiveLink lite standard.

HYDRAULICS 18.5gpm @ 3335psi standard flow. Optional 30gpm @ 3335psi

available.



F.O.B. Savannah, GA

U.S. Dollar Price Page Effective: January 2, 2020

STANDARD EQUIPMENT CONT.

LOADER

Rated Operating Capacity of 2150 lbs, Vertical Lift Loader Design provides vertical lift path and increased reach at full lift vs. Radial Lift Designs. Auxiliary circuit is standard for operation of hydraulic powered attachments. Choice of Standard Mechanical or Optional Powered Quick Hitch. Hydraulic Float standard on all models. Loader Options include: Parallel Lift in raise only and SRS (smooth ride system).

SERVICEABILTIY

Cab tilts forward to provide further access to the hydraulic components. Rear door provides class leading access to engine bay and daily maintenance and check points.



F.O.B. Savannah, GA

Effective: January 2, 2020

SECTION I - YELLOW SERIES

SALES CODE	CAB	LIST PRICE	
8A06	JCB 215 Tier 4 Wheeled, Vertical Lift, New Generation, Skid Steer Loader	\$38,547	
881A201	10 x 16.5 8PR HD Tires & Wheels (provides 59.8" width)	\$0	
881B226	Enclosed Cab Package - Includes A/C, Heater, Vinyl Seat, Reverse Alarm, Hydraulic Loader Arm Float and Mechanical Quickhitch - 4 CYL	\$5,259	
JCB EH Controls - 7 way Multi-Function Joysticks with 881C205 Auxiliary Hydraulics & Attachment Harness. Required with High Flow Hydraulics		\$1,846	
881D300	No bucket option	\$0	
881E418	North American English Manual - for Cab machine	\$0	
881F214	High Flow Hydraulics VL- 30 gpm (Requires 7 way Multi- Function Joystick Option)		
881G218	Vinyl Air Suspension Seat with Adjustable Control Pods	\$701	
881G2810	2 Speed For Wheeled	\$1,714	
881G282	Powered quick hitch	\$893	
881G287	Reversing Fan	\$959	
881G305	Block Heater - 110V Kohler Engine	\$153	
881G409	Parallel Lift and Smooth Ride	\$1,709	

TOTAL \$52,980



Effective: January 2, 2020

F.O.B. Savannah, GA

SECTION 2 - NEW CUSTOM FACTORY BUILT ORDERS

If a Package Build machine from Section 1 will not meet your requirements, please order a machine by selecting one code from each category below. Select Options and Attachments from Sections 3 and 4 as needed.

JCB cannot normally modify existing factory inventory. Dealers should order and install items from the Dealer Fit Section to change existing machines.

SALES CODE	PRIMARY BUILD	LIST PRICE
8A06	JCB 215 Tier 4 Wheeled, Vertical Lift, New Generation, Skid Steer Loader	\$38,547
	TIRES & WHEELS	
881A201	10 x 16.5 8PR HD Tires & Wheels (provides 59.8" width)	\$0
881A202	I0 x I6.5 8PR HD Wide Track Tires & Wheels (provides 63" width)	\$53
881A205	10 x 16.5 10PR Lifemaster Industrial Pneumatic Tires & Wheels (provides 59.8" width)	\$822
881A207	31.5/13 x 16.5 8PR SK Hauler High Floatation Tires & Wheels (provides 64.7" width)	
881A209	10 x 16.5 Brawler Solid Flex Industrial Tires & Wheels (provides 59.8" width)	
881B206	Canopy Package - Includes Vinyl Seat, Reverse Alarm, Hydraulic Loader Arm Float and Mechanical Quickhitch - 4 CYL	
	Cab with Heater and A/C Packages	
881B226	Enclosed Cab Package - Includes A/C, Heater, Vinyl Seat, Reverse Alarm, Hydraulic Loader Arm Float and Mechanical Quickhitch - 4 CYL	
	MACHINE CONTROLS	
881C202	JCB EH Controls - 3 way Joysticks with Auxiliary Hydraulics	\$1,211
881C205	JCB EH Controls - 7 way Multi-Function Joysticks with Auxiliary 881C205 Hydraulics & Attachment Harness. Required with High Flow Hydraulics	



Effective: January 2, 2020

6

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS

Select Optional Equipment as desired, within limitations if indicated.

SALES CODE	LANGUAGE PACK	LIST PRICE
881E417	Spanish Export (American) Manual	\$0
881E418	North American English Manual - for Cab machine	\$0
881E419	North American English Manual - for Canopy machine	\$0
881E420	French/Canadian Manual	\$0
	HYDRAULIC SYSTEMS	
881F205	Standard Auxiliary Hydraulics - 18 gpm at 3335 psi (68 lpm /230 BAR)	\$0
881F214	High Flow Hydraulics VL- 30 gpm (Requires 7 way Multi-Function Joystick Option)	\$1,199
	MACHINE OPTIONS	
	Electrical Options	
881G316	Roadlight Kit with Brake lights for non A/C Machines Right Hand DIP	\$1,006
881G254	Worklights with 2 rear lights for non A/C machines	\$152
881G305	Block Heater - 110V Kohler Engine	\$153
881G231	Rotating Beacon and Socket	\$161
881G282	Powered Quick Hitch	\$893
	Operators Compartment Options	
881G211	Key Start/ Key Immobilizer - All machine configurations	\$458
881G218	Vinyl Air Suspension Seat with Adjustable Control Pods	\$701
881G219	Cloth Air Suspension Seat with Adjustable Control Pods	\$794



Effective: January 2, 2020

F.O.B. Savannah, GA

SECTION 3 - OPTIONS - NEW CUSTOM FACTORY BUILT ORDERS CONT.

	MACHINE OPTIONS CONT.	
	Other Options	
881G229	Twine Cutter - Wheeled Machines Only	\$152
881G280	2 Speed Motors - Wheeled	\$1,714
881G287	Reversing Fan	\$959
881G288	Tool Kit, Basic	\$366
881G294	External Anolog Engine Hourmeter	\$156
881G308	Pre-Cleaner T4	\$529
881G399	Spark Arrestor Muffler - 4 CYL 55 KW Engines (210,215,210T,215T)	\$263
	APPLICATION PACKAGES	
881G251	Enclosed Cab Additional Protection Package - Includes Level 2 FOPS Guard and Left Hand and Right Hand Steel Mesh to provide protection over laminated cab glass (Not for Canopy Builds)	\$3,338
and Right Hand Steel Mesh to provide protection cab glass - Can only be ordered if 881G214, 881G	Enclosed Cab Additional Protection Package - Includes Left Hand and Right Hand Steel Mesh to provide protection over laminated cab glass - Can only be ordered if 881G214, 881G215 or 881G216 Protection Packages have been ordered	\$1,878
	BUCKET ACCESSORIES	
881H301	Bolt on Edge for 66" Bucket (1676mm)	\$314
381H302	Bolt on Edge for 72" Bucket (1727mm)	\$335
381H315	Pallet Fork Frame, 48" Tines	\$1,071
881H320	Bolt on Edge for 60" Bucket (1524 mm)	\$294
881H322	Tooth Bar for 60" Bucket - Over Bucket (1524mm)	\$653
881H325	Bolt on Edge for 68" Bucket (1727mm)	\$325



F.O.B. Savannah, GA

te Page Effective: January 2, 2020

SECTION 4 - ATTACHMENTS - NEW FACTORY BUILT ORDERS

Select Attachments as desired, within limitations if indicated.

SALES CODE	GP BUCKETS	LIST PRICE
881D301	GP Bucket - 66" - 14.1 cu-ft	\$1,065
881D340	GP Bucket - 68" - 14.3 cu-ft	\$1,333
881D302	GP Bucket - 72" - 15.4 cu-ft	\$1,169
	LANDSCAPE BUCKETS	
881D305	Landscape Bucket - 66" - 17.5 cu-ft	\$1,121
881D306	Landscape Bucket - 72" - 19.2 cu-ft	\$1,176