

AGRICULTURAL EQUIPMENT

U.S. Price List Effective October 4, 2021

FARMALL® A SERIES TRACTORS PL-100 FA REVISION 8 SAP PRICE LIST 058 C2

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the AG and AL contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eQuipment for the most current pricing.

Copyright 2021 By CNH Industrial America LLC

Case 2021 Price List



GENERAL INFORMATION

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER Complete U.S. Price List is PL-100 Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



FARMALL® UTILITY A SERIES TRACTORS TABLE OF CONTENTS

FARMALL® UTILITY 55A, 65A, 75A SERIES TRACTORS

RMALL 55A TRACTOR
Standard Features1
Price List4
RMALL 65A TRACTOR
Standard Features1
Price List
RMALL 75A TRACTOR
Standard Features2
Price List
URCHASE PROTECTION

Case 2021 Price List

Standard Equipment

ENGINE:

Farmall 55A 54 Gross Engine hp 43 PTO hp @ 2300 rpm 3 Cyl Turbocharged Engine 179 cu in (2.9 L) Displacement

Tier 4 B/Final Emissions Compliant:
 (CEGR + DOC)

Electronic Injection Bosch
 High-pressure Common Rail System

Electric Engine Shutoff
Hand and Foot Throttle Controls

Grid Heater Starting Aid

Powercore Dry Air Cleaner

Under Hood Muffler

Vertical Exhaust

21.6 gal Fuel Tank

EXHAUST:

Under Hood Muffler with Vertical Exhaust

TRANSMISSION:

LH side steering column mounted Mechanical Shuttle

- 8 Forward and 8 Reverse Speeds
- (4) Synchronized Gears
- (2) Non-synchronized Ranges
- 11 Inch Single Dry Disk Clutch
- 19 mph (30 KPH)

Power Shuttle (Optional)

- 12 Forward and 12 Reverse Sp.
- (4) Synchronized Gears
- (3) Non-Sunchronized Ranges
- (2) Clutches; (5) Wet Disk Plates
- 25 MPH (40KPH)

Speed varies with tire selection Hand Operated Park Brake

FRONT AXLE:

2WD:

Inverted "U" axle design 6,614 lbs. (3000 kg)

restricted (dynamic) axle capacity 5,291 lbs. (2400 kg) unrestricted (static) axle capacity Turning radius of 144 in. (3650mm) without brakes

FRONT AXLE: (cont.)
Track widths from 54 in. (1362 mm)
to 69 in. (1762 mm) with adjustable
rims and axle

MFD: (Optional)
Limited Slip
Electro-Hydraulic engagement standard
Adjustable Tread Width from 51.5 in.
to 79.4 in.

REAR AXLE:

Flange Type
Adjustable Tread Width 60.1 in.
to 76.0 in.

TIRES:

2WD:

7.50-16 F-2 Front 16.9X30 R-1 Rear

MFD:

11.2x24 R1 Front 16.9X30 R1 Rear

HYDRAULIC SYSTEM:

Open Center System

Dual Gear Pumps

Implement Pump: 12.5 gpm (47.7 L)
Steering Pump: 7.6 gpm (28.7 L)
Total Flow: 20.1 gpm (76.4 L)

(2) Open Center Remote Valves with Detent & Kickout on #2

PTO:

Fully Independent
Flip-up PTO Shaft Guard
4WD power shuttle:
-540 RPM hydraulic wet clutch



Standard Equipment

-Electronic engagement -Wet clutch 1-3/8 in. 6 splines

HITCH:

3-point Category II with fixed lower links

and telescoping stabilizers
4300 lbs. Lift Capacity at 24 inches
Swinging Drawbar
Mechanical Draft Control
Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake Gauges for fuel level, engine temperature and tachometer Digital Readout for PTO speed, ground speed, battery & hours

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting and signals
25 amp socket
12V power socket (cigarette lighter)

LIGHTING:

Front: (2) Halogen Headlights and (2) cab mounted worklights
Rear: (2) cab mounted worklights

Turn Signals/Flashers/Rear Lights

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen,

(cont.)

front wiper and washer, two doors
with locks, two external mirrors,
openable side windows, hinged rear
window (fully opens), High Visibily
roof panel (openable)

Steering Wheel - adjustable tilt

Seat - Cloth covered with mechanical
suspension, operator's presence
sensor, retractable seat belt, arm
rests

Suspended pedals

Radio ready (speakers and antenna)

MISCELLANEOUS:

Pivoting Engine Hood SMV Emblem, and Toolbox

Instructor seat ready

WARRANTY:

Case IH Standard Warranty Applies

Tier 4 B/Final Emissions Compliant:

L610 Front Loader, OPTIONAL
STANDARD FEATURES:
Quick attach design(Skid
Steer or Euro style)
4-Bar bucket linkage
Bucket level indicator
Parking stands
Grill guard
(Not compatible with 2WD tractors)

SPECIFICATIONS:

L610 NON SELF-LEVELING Maximum Lift Height @ pivot pin: 132"

Grounds Equipment - Bid #ESCNJ 18/19-25
-T1NN 01



FARMALL 55A US PRICE LIST

Standard Equipment

Dump Clearance @ 45 deg: 99"
Digging Depth: 5"
Lift Capacity @ 800mm: 1,828 LBS
Reach @ Max Lift Height @ 45 deg: 44"
Reach @ Ground Level: 84"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees

(Not compatible with 2WD tractors)

L610 MECHANICAL SELF-LEVELING

Maximum Lift Height @
pivot pin: 130"

Dump Clearance @ 45 deg: 97"

Digging Depth: 6"

Lift Capacity @ 800mm: 3,153 LBS

Reach @ Max Lift Height @ 45 deg: 44"

Reach @ Ground Level: 84"

Bucket Rollback Angle: 42 degrees

Bucket Dump Angle: 61 degrees

(Not compatible with 2WD tractors)



Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	TRACTION	Weight	Factory Data	List Price
FARMALL 55A TRACTOR	Cab	55 HP	2WD	6,173 LB	9027420P12	\$35,154.00
FARMALL 55A TRACTOR	Cab	55 HP	MFD	6,173 LB	9031891P08	\$40,886.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
PACKAGES				
SD T9980 PA	ACKAGING			
	Less Packaging No Package selected; Custom build premium pricing.			No Cha



Cab Packag	e			
	CIH Deluxe Package		(901376P70)	(\$1,765.00)
	For Cab MFD Only		(001070170)	(ψ1,700.00)
	Package includes the following:			
	•			
	390215 Less Front Carrier and Weights			
	337280 40 KPH			
	759318 Power Shut w/Servo	N N		
	391111 L/Creep F/Mec Trans			
	330470 4 x 110 lb Rear Wheel Weights		į.	
	743565 540 PTO			
	344739 Loader-NSL.2F.SSLWGG			
	332035 Mech 3 Pt Hitch Ground Control			
	336748 72" Bucket			
	390831 Hitch w/Mech Top Link Draft Co			
	335413 2 Rem. Valve (1 S/D			
	336125 2Mid-Mount w/MecJoy L/CPL			
	342240 Fabric w/Air Suspens			
	332865 Instructional Seat			
	390860 Less Front Fenders			
	334316 Flexible Ends			
	342174 Radio w/ Bluetooth			
	333606 Cab Fix Screen Open			
	Note - each option will be selected and display pricing; package			
	selection is for ease of selection			
ROPS & Cal	Package			
XF4701X	EZ Pick Package		(901376P70)	(\$1,765.00)
	Ala-Cart MFD EZ Pick			
	Allows for choice of the following:			
	Loader			1
	Rear remotes			
	Tires:			
	Choice			
	Rear weights:			
	4 rear wheel weights OR			
	NO rear wheel weights			

OPERATOR STRUCTURE

OPERATOR STRUCTURE			

SD T8500 SEAT

_				
	338379	FABRIC W/ MECH SUSPE		No Charge
		Standard equipment for cab		
	342240	FABRIC W/AIR SUSPENS	9000443P04	\$568.00



222606	PERATOR STRUCTURE #1 CAB FIX SCREEN OPEN	No Charge
333606	CAB FIX SCREEN OFEN	110 011019
RADIO		
RADIO		
SD T0160	ADIO READY	
330777	Radio ready - for cab	No Charge
330777	CAB only	
342174		0222P30 \$285.0
342174	TO USE OF THE SECTION	, , , , , , , , , , , , , , , , , , ,
	CAB only	
SEAT		
SD T8520	NSTRUCTIONAL SEAT	
345538	PASSENGER SEAT READY	No Charg
332865		0322P14 \$413.0
ENGINE		
LITOITE		
EXHAUST SYS	EMS	
EXTINO01010		
SD T1000	NGINE	
	X ENGINE S8000STAGE3B	No Charg
1 / //0001/	A ENGINE GOODO MACCO	
SD T1510	ENGINE EXHAUST	
390466	EXHAUST A PILLAR GS	No Charg
1 000100	EXTROOPED TO	
TRANSMISSIO		STATE OF THE STATE OF
ICHIOIOGINA		
TOANIONIOOIO		
TRANSMISSION		
SD_T2800	SPEED	No Charc
	SPEED 30 KPH.	No Charg
SD_T2800 393280	SPEED 30 KPH. 8x8 (30KPH)	
SD_T2800	SPEED 30 KPH. 8x8 (30KPH) 40 KPH 900	
SD_T2800 393280	SPEED 30 KPH. 8x8 (30KPH)	No Charg 01719P12 \$2,204.0
SD_T2800 393280 337280	SPEED 30 KPH. 8x8 (30KPH) 40 KPH 900 12x12 (40KPH)	
SD_T2800 393280 337280 SD_T2810	SPEED 30 KPH. 8x8 (30KPH) 40 KPH 12x12 (40KPH) FRANSMISSION	\$2,204.C
SD_T2800 393280 337280 SD_T2810 75931	SPEED 30 KPH. 8x8 (30KPH) 40 KPH 12x12 (40KPH) FRANSMISSION MECH SHUT.W/MECH PTO	\$2,204.0 No Charg
SD_T2800 393280 337280 SD_T2810	SPEED 30 KPH. 8x8 (30KPH) 40 KPH 12x12 (40KPH) FRANSMISSION MECH SHUT.W/MECH PTO	
SD T2800 393280 337280 SD T2810 759313 759318	SPEED 30 KPH. 8x8 (30KPH) 40 KPH 12x12 (40KPH) FRANSMISSION MECH SHUT.W/MECH PTO POWER SHUT W/SERVO 900	\$2,204.0 No Charg
SD_T2800 393280 337280 SD_T2810 759313 759318 SD_T3230	30 KPH. 8x8 (30KPH) 900	\$2,204.0 No Chargo 1789P32 \$2,294.0
SD_T2800 393280 337280 SD_T2810 759313 759318	30 KPH. 8x8 (30KPH) 900	\$2,204.0 No Charg



Grounds Equipment - Bid #ESCNJ 18/19-25 -T1NN 01

FARMALL 55A US PRICE LIST

HITCH			
SD T8130 3	POINT HITCH CONTROL		
391035	Less 3 Pt Hitch Ground Control		No Charg
332035	Mech 3 Pt Hitch Ground Control	9000215P28	\$276.0
	External Mechanical Rear Control for 3-Point Hitch		
SD T8200 HI	TCH		
390831	Hitch w/Mech Top Link Draft Co		No Chaus
	(4,300 lbs/1,950 Kgs lift capacity) @ 24"		No Charg
332785	MDC Hitch aux lift ram	0000303D34	ΦE02.0
002700	Hydraulic lift with 1 internal and 1 external lift cylinders	9000392P34	\$503.0
1 1			
	(4,740 lbs/2,150 kgs lift capacity) @ 24"		
SD_T8960 DI	RAWBAR AND 3 POINT HITCH		
390259	FIX END LOWER LINKS.		No Charg
334316	FLEXIBLE ENDS	9000222P30	\$285.0
REAR REMOTE V			
SD_T8270 RI	EAR REMOTES		
SD_T8270 RI 335413	EAR REMOTES 2 Rem. Valve (1 S/D		
SD_T8270 RI	EAR REMOTES	9000691P08	
SD_T8270 Ri	2 Rem. Valve (1 S/D 3 REMOTE VALVE	9000691P08	
SD T8270 RI 335413 335640 MID-MOUNT VAL	2 Rem. Valve (1 S/D 3 REMOTE VALVE	9000691P08	
SD T8270 RI 335413 335640 MID-MOUNT VALV	PAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES	9000691P08	\$886.0
SD_T8270 RI 335413 335640 MID-MOUNT VALV SD_T8280 MI 390124	EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES Less Mid-Mount		\$886.0
SD_T8270 Ri 335413 335640 MID-MOUNT VALV	PAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES	9000691P08 9001068P60	\$886.0
SD_T8270 RI 335413 335640 MID-MOUNT VALV SD_T8280 MI 390124 336125	EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES Less Mid-Mount		\$886.0 No Charg
SD_T8270 RI 335413 335640 MID-MOUNT VALV SD_T8280 MI 390124 336125	EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES Less Mid-Mount		No Charg \$886.0 No Charg \$1,370.0
SD_T8270 RI	EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES Less Mid-Mount 2Mid-Mount w/MecJoy L/CPL		\$886.0 No Charg
SD_T8270 RI	EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES Less Mid-Mount 2Mid-Mount w/MecJoy L/CPL		\$886.0 No Charg \$1,370.0
SD T8270 RI	EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES Less Mid-Mount 2Mid-Mount w/MecJoy L/CPL	9001068P60	\$886.0 No Charg \$1,370.0
SD T8270 RI	EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES Less Mid-Mount 2Mid-Mount w/MecJoy L/CPL		\$886.0 No Charg \$1,370.0
SD_T8270 Ri	EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES Less Mid-Mount 2Mid-Mount w/MecJoy L/CPL	9001068P60	\$886.0 No Charg \$1,370.0
SD T8270 Ri	EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES Less Mid-Mount 2Mid-Mount w/MecJoy L/CPL	9001068P60	\$886.0 No Charg \$1,370.0
SD T8270 RI	EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES Less Mid-Mount 2 Mid-Mount w/MecJoy L/CPL TO 540 RPM PTO 540/540E PTO	9001068P60	\$886.0 No Charg \$1,370.0
SD_T8270 RI	EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES Less Mid-Mount 2 Mid-Mount w/MecJoy L/CPL TO 540 RPM PTO 540/540E PTO	9001068P60	\$886.0 No Charg \$1,370.0 No Charg \$591.0
SD_T8270 RI	EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE /ES D-MOUNT VALVES Less Mid-Mount 2 Mid-Mount w/MecJoy L/CPL TO 540 RPM PTO 540/540E PTO	9001068P60	\$886.0 No Charg \$1,370.0

FARMALL 55A	
US PRICE LIST	

	335541	Front Axle w/Limit Slip L/Brk		No Charge

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

	7.50-16 6PR		No Charge
0111301			110 Ondigo
	For 2WD		
8232304	11.2 x 24 6PR R1		No Charge
	11.2X24 Ag Tread (R-1) Bias Ply		
	For MFD		
8299801	Non-Return Ship Wheels - 4WD	(900723P06)	(\$927.00)
	Shipping Wheels MFD		
8199801	Non-Return Ship Wheels - 2WD	(900255P84)	(\$328.00)
8225201	9.5L-15	9000138P06	\$177.00
	9.5L-15		
	For 2WD		
8203401	12.4R20 A8	9000316P68	\$406.00
	12.4R20 Ag Tread (R-1W) Radial		
	For MFD		
8290904	12,5/80-18 10PR R4	9000319P80	\$410.00
	For MFD		
	12.5/80 X 18 (R-4) Industrial		

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

	8355304	16,9-30 6PR R1		No Charge
		16.9X30 Ag Tread (R-1) Bias Ply		
П	8399801	Non-Returnable Shipping Wheel	(901397P76)	(\$1,792.00)
		Shipping Wheels		
П	8391904	19.5L-24 10 PR R4	9000453P18	\$581.00
		19.5L X 24 (R-4) Industrial		
	8352401	16.9R28 A8	9000497P64	\$638.00
		16.9R28 Ag Tread (R-1W) Radial		

FENDERS

SD T8740 FRONT FENDERS

0.	SD TOTTO TT	CONTIENDERO	 	
	390860	Less Front Fenders		No Charge
	744674	Dynamic Fenders	9000599P04	\$768.00



LOADER

LOADER EQUIPMENT

391489	DADER BRACKETS Less Loader Bracket		No Chargo
001400			No Charge
344743	Does not include Loader Mounting Brackets or Loader. LOADER-NSL-2F-EU-WGG	9006599P58	\$8,461.00
	L610 NON Self Leveling Loader Euro Style Attach	9000099F00	\$6,461.00
	(Includes Grill Guard)		
	Requires Mid-Mount Valve		
	Bucket NOT included.		
	A 72" bucket is AVAILABLE.		
	Not allowed with Horizontal Exhaust		
	(Not compatible with 2WD tractors)		
344739	LOADER-NSL.2F.SSLWGG	9006599P58	PO 404 00
344739	L610 NON Self Leveling Loader with Skidsteer Style Quick Attach	9000099P08	\$8,461.00
	(Includes Grill Guard)		
	Requires Mid-Mount Valve		
	Bucket NOT included.		
	A 72" bucket is AVAILABLE.		
	Not allowed with Horizontal Exhaust		
	(Not compatible with 2WD tractors)		
344742	LOADER-MSL-2F-EU-WGG	9007544P94	¢0.072.00
044742	L610 Self Leveling Loader Euro Style Attach	9007544794	\$9,673.00
	(Includes Grill Guard)		
	Requires Mid-Mount Valve		
	Bucket NOT included.		
	A 72" bucket is AVAILABLE.		
	Not allowed with Horizontal Exhaust	8	
	(Not compatible with 2WD tractors)		300
344738	LOADER-MSL.2F.SSLWGG	 9007544P94	\$9,673.00
	L610 Self Leveling Loader with Skidsteer Style Attach	30073441 94	\$9,073,000
	(Includes Grill Guard)		
	Requires Mid-Mount Valve		
	Bucket NOT included.		
	A 72" bucket is AVAILABLE.		
	Not allowed with Horizontal Exhaust		
	(Not compatible with 2WD tractors)		
	1 (panaio mini Erro nativio)		

BUCKET

SD_T8140 BUCKET

	XT8140X	Less Bucket		No Charge
	336749	72" BUCKET EU T.A.	9000460P98	\$591.00



FARMALL S US PRICE L	
336748 72" Bucket	9000460P98 \$591.00
OTHER EQUIPMENT	
SD_T2150 FRONT BALLAST	
390215 Less Front Carrier and Weights	No Charge
COULTS CONTROL CONTROL CONTROL CONTROL	
SD_T4961 REAR BALLAST	
	No Charge



Standard Equipment

ENGINE:

Farmall 65A 64 Gross Engine hp 51 PTO hp @ 2300 rpm 3 Cyl Turbocharged Engine 179 cu in (2.9 L) Displacement

Tier B Emissions Compliant: (CEGR + DOC) Electronic Injection Bosch High-pressure Common Rail System Electric Engine Shutoff Hand and Foot Throttle Controls Grid Heater Starting Aid Powercore Dry Air Cleaner Under Hood Muffler Vertical Exhaust 21.6 gal Fuel Tank

EXHAUST.

Under Hood Muffler with Vertical Exhaust

TRANSMISSION:

LH side steering column mounted Mechanical Shuttle

- 8 Forward and 8 Reverse Speeds
- (4) Synchronized Gears
- (2) Non-Synchronized Ranges
- 11 Inch Single Dry Disk Clutch
- 19 mph (30 KPH)

Power Shuttle (Optional)

- 12 Forward and 12 Revers Sp.
- (4) Synchronized Gears
- (3) Non-Synchronized Ranges
- (2) Clutches; (5) Wet Disk Plates
- 25 MPH (40KPH)

Speed varies with tire selection Hand Operated Park Brake

FRONT AXLE:

2WD:

Inverted "U" axle design 6,614 lbs. (3000 kg)

restricted (dynamic) axle capacity 5,291 lbs. (2400 kg) unrestricted (static) axle capacity Turning radius of 144 in. (3650mm) without brakes

2WD: (Continued) Track widths from 54 in. (1362 mm) to 69 in. (1762 mm) with adjustable rims and axle

MFD: (Optional) Limited Slip Electro-Hydraulic engagement standard Adjustable Tread Width from 51.5 in. to 79.4 in.

REAR AXLE: Flange Type

Adjustable Tread Width 60.1 in. to 76.0 in.

TIRES:

2WD:

7.50-16 F-2 Front 16.9X30 R-1 Rear

11.2x24 R1 Front 16.9X30 R1 Rear

HYDRAULIC SYSTEM:

Open Center System

Dual Gear Pumps

Implement Pump: 12.5 gpm (47.7 L) Steering Pump: 7.6 gpm (28.7 L) Total Flow: 20.1 gpm (76.4 L) (2) Open Center Remote Valves with Detent & Kickout on #2

PTO:

Fully Independent Flip-up PTO Shaft Guard 4WD power shuttle: -540 RPM hydraulic wet clutch



Standard Equipment

-Electronic engagement -Wet clutch 1-3/8 in. 6 splines

HITCH:

3-point Category II with fixed lower inks

and telescoping stabilizers 4300 lbs. Lift Capacity at 24 inches Swinging Drawbar Mechanical Draft Control Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake Gauges for fuel level, engine temperature and tachometer Digital Readout for PTO speed, ground speed, battery & hours

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
 and signals
25 amp socket
12V power socket (cigarette lighter)

LIGHTING:

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen,

CAB MODELS (continued)

front wiper and washer, two doors with locks, two external mirrors, openable side windows, hinged rear window (fully opens), High Visibily roof panel (openable)

Steering Wheel - adjustable tilt

Seat - Cloth covered with mechanical suspension, operator's presence sensor, retractable seat belt, arm

Suspended pedals
Radio ready (speakers and antenna)
Instructor seat ready

MISCELLANEOUS:

rests

Pivoting Engine Hood SMV Emblem, and Toolbox

WARRANTY:

Case IH Standard Warranty Applies


Tier 4 B/Final Emissions Compliant:

L610 Front Loader, OPTIONAL
STANDARD FEATURES:
Quick attach design(Skid
Steer or Euro style)
4-Bar bucket linkage
Bucket level indicator
Parking stands
Grill guard
(Not compatible with 2WD tractors)

SPECIFICATIONS:

L610 NON SELF-LEVELING Maximum Lift Height @ pivot pin: 132"

Dump Clearance @ 45 deg: 99"





Standard Equipment

Digging Depth: 5"
Lift Capacity @ 800mm: 1,828 LBS
Reach @ Max Lift Height @ 45 deg: 44"
Reach @ Ground Level: 84"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
(Not compatible with 2WD tractors)

L610 MECHANICAL SELF-LEVELING Maximum Lift Height @

pivot pin: 130"

Dump Clearance @ 45 deg: 97"

Digging Depth: 6"

Lift Capacity @ 800mm: 3,153 LBS

Reach @ Max Lift Height @ 45 deg: 44"

Reach @ Ground Level: 84"

Bucket Rollback Angle: 42 degrees

Bucket Dump Angle: 61 degrees

(Not compatible with 2WD tractors)

Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	TRACTION	Weight	Factory Data	List Price
FARMALL 65A TRACTOR	Cab	65 HP	2WD	6,834 LB	9029632P98	\$37,991.00
FARMALL 65A TRACTOR	Cab	65 HP	MFD	6,239 LB	9034103P94	\$43,723.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
PACKAGES		ji sayetêndir.	Endlers in the	W. W. 607 B
SD T9980 PACKAGING				
XT9980X Less Paci	aging			No Charg
No Packa	ge selected; Custom build premium pricing.			



Cab Packag	9		
	CIH Deluxe Package	(901376P70)	(\$1,765.00)
	For Cab MFD Only	((+ 1,1 00.00)
	Package includes the following:		
	390215 Less Front Carrier and Weights		
	337280 40 KPH		
	759318 Power Shut w/Servo		
	391111 L/Creep F/Mec Trans		
	330470 4 x 110 lb Rear Wheel Weights		
	743565 540 PTO		
	344739 Loader-NSL.2F.SSLWGG		
	332035 Mech 3 Pt Hitch Ground Control		
	336748 72" Bucket		'
	390831 Hitch w/Mech Top Link Draft Co		
	335413 2 Rem. Valve (1 S/D		Ï
	336125 2Mid-Mount w/MecJoy L/CPL		
	342240 Fabric w/Air Suspens		
	332865 Instructional Seat		
	390860 Less Front Fenders		
	334316 Flexible Ends		
	342174 Radio w/ Bluetooth		
	333606 Cab Fix Screen Open		7
	Note - each option will be selected and display pricing; package		
	selection is for ease of selection		
ROPS & Cat	Package	<u>' </u>	
XF4701X	EZ Pick Package	(901376P70)	(\$1,765.00)
	Ala-Cart MFD EZ Pick		
	Allows for choice of the following:		
	Loader		
	Rear remotes		
	Tires:		
	Choice		
	Rear weights:		
	4 rear wheel weights OR		
	NO rear wheel weights		

OPERATOR S	PRILATION
OPERAIORS	I RUIC TURE

OPERATOR STRUCTURE	

SD_T8500 SEAT

	338379	FABRIC W/ MECH SUSPE		No Charge
		Standard equipment for cab		
	342240	FABRIC WIAIR SUSPENS	9000443P04	\$568.00



	333606	PERATOR STRUCTURE #1 CAB FIX SCREEN OPEN		No Charge
-	000000	OAD TIX CONCERN OF EN		
RAD)IO			
ç	D T9160 RA	ADIO READY		
Т	330777	Radio ready - for cab		No Charge
		CAB only		
	342174	RADIO W/BLUETOOTH	9000222P30	\$285.0
		CAB only		
	•			
SEA	\T			
5	SD T8520 IN	ISTRUCTIONAL SEAT		
	345538	PASSENGER SEAT READY		No Charg
	332865	INSTRUCTIONAL SEAT	9000322P14	\$413.00
ENG	INE			40 P. P.
EXE	HAUST SYSTE	MS		
L/	WOOT CICIL			
	SD T1000 F1	NGINE		
T	SD_T1000 EI X0361XX			No Charge
		NGINE ENGINE S8000STAGE3B		No Charge
	X0361XX	ENGINE S8000STAGE3B		No Charg
	X0361XX	NGINE EXHAUST		
	X0361XX	ENGINE S8000STAGE3B		
	X0361XX SD_T1510 EI 390466	NGINE EXHAUST		
	X0361XX	NGINE EXHAUST		
TRA	X0361XX SD_T1510 EI	NGINE EXHAUST		
TRA	X0361XX SD_T1510 EI 390466	NGINE EXHAUST		
TRA	X0361XX SD_T1510_EI 390466 NSMISSION ANSMISSION	NGINE EXHAUST EXHAUST A PILLAR GS		No Charge
TRA	X0361XX SD_T1510 EI	NGINE EXHAUST EXHAUST A PILLAR GS PEED		No Charg
TRA	X0361XX SD_T1510_EI 390466 NSMISSION ANSMISSION	NGINE EXHAUST EXHAUST A PILLAR GS PEED 30 KPH.		No Charg
TRA	X0361XX SD T1510 EI	NGINE EXHAUST EXHAUST A PILLAR GS PEED 30 KPH. 8x8 (30KPH)	9001719P12	No Charg
TRA	X0361XX SD_T1510 EI	PEED 30 KPH. 8x8 (30KPH) 40 KPH	9001719P12	No Charg
TRA	X0361XX SD T1510 EI	NGINE EXHAUST EXHAUST A PILLAR GS PEED 30 KPH. 8x8 (30KPH)	9001719P12	No Charg
TRA	X0361XX SD T1510 EI 390466 NSMISSION ANSMISSION SD T2800 SI 393280 337280	PEED 30 KPH. 8x8 (30KPH) 40 KPH 12x12 (40KPH)	9001719P12	
TRA	X0361XX SD T1510 EI 390466 NSMISSION ANSMISSION SD T2800 SI 393280 337280 SD T2810 TI	PEED 30 KPH. 8x8 (30KPH) 40 KPH 12x12 (40KPH) RANSMISSION	9001719P12	No Charg No Charg \$2,204.0
TRA	X0361XX SD T1510 EI 390466 NSMISSION ANSMISSION SD T2800 SI 393280 337280 SD T2810 TI 759317	PEED 30 KPH. 8x8 (30KPH) 40 KPH 12x12 (40KPH) RANSMISSION MECH SHUT.W/MECH PTO		No Charg No Charg \$2,204.0
TRA	X0361XX SD T1510 EI 390466 NSMISSION ANSMISSION SD T2800 SI 393280 337280 SD T2810 TI	PEED 30 KPH. 8x8 (30KPH) 40 KPH 12x12 (40KPH) RANSMISSION	9001719P12 9001789P32	No Charg No Charg \$2,204.0
TRA	X0361XX SD T1510 EI 390466 NSMISSION ANSMISSION 393280 337280 337280 T2810 TI 759317 759318	PEED 30 KPH. 8x8 (30KPH) 40 KPH 12x12 (40KPH) RANSMISSION MECH SHUT.W/MECH PTO POWER SHUT W/SERVO		No Charg No Charg \$2,204.0
TRA	X0361XX SD T1510 EI 390466 NSMISSION ANSMISSION 393280 337280 337280 T2810 TI 759317 759318	PEED 30 KPH. 8x8 (30KPH) 40 KPH 12x12 (40KPH) RANSMISSION MECH SHUT.W/MECH PTO		No Charg

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS



Grounds Equipment - Bid #ESCNJ 18/19-25 -T1NN 02

FARMALL 65A US PRICE LIST

HITCH			
SD_T8130_3 391035	POINT HITCH CONTROL Less 3 Pt Hitch Ground Control		
332035	Mech 3 Pt Hitch Ground Control	0000215020	No Charge
332033	External Mechanical Rear Control for 3-Point Hitch	9000215P28	\$276.00
SD_T8200 H	нтсн		
390831	Hitch w/Mech Top Link Draft Co		No Charg
	(4,300 lbs/1,950 Kgs lift capacity) @ 24"		
332785	MDC Hitch aux lift ram	9000392P34	\$503.00
	Hydraulic lift with 1 internal and 1 external lift cylinders		
	(4,740 lbs/2,150 kgs lift capacity) @ 24"		
SD T8960 E	DRAWBAR AND 3 POINT HITCH		
390259	FIX END LOWER LINKS.		No Charge
334316	FLEXIBLE ENDS	9000222P30	\$285.0
	REAR REMOTES		
335413	2 Rem. Valve (1 S/D		No Charge
335640	3 REMOTE VALVE	9000691P08	\$886.00
MID-MOUNT VAL	VES		
SD T8280 M	IID-MOUNT VALVES		
390124	Less Mid-Mount		No Charge
336125	2Mid-Mount w/MecJoy L/CPL	9001068P60	\$1,370.00
РТО			STO VIEW
SD_T8010 P			
743565	540 RPM PTO		No Charg
743566	540/540E PTO	9000460P98	\$591.0
RONT AXLE			
SD 74040 C	DON'T AVI E		
SD_T4010 F 390338	2WD Front Axle.		No Charg
390235	4WD L SLIP+FR BRA 40		No Charg
			, to ondig

-T1NN 02



FARMALL 65A US PRICE LIST

		335541	Front Axle w/Limit Slip L/Brk		No Charge
_	-		1	17	

FRONT WHEELS AND TIRES

	RONT WHEELS AND TIRES 7,50-16 6PR		No Charge
	For 2WD		
823230	1 11.2 x 24 6PR R1		No Charge
	11.2X24 Ag Tread (R-1) Bias Ply		
	For MFD		
829980	Non-Return Ship Wheels - 4WD	(900723P06)	(\$927.00)
	Shipping Wheels MFD		
819980	Non-Return Ship Wheels - 2WD	(900255P84)	(\$328.00)
822520	9,5L-15	9000138P06	\$177.00
	9.5L-15		
	For 2WD		
820340	1 12.4R20 A8	9000316P68	\$406.00
	12.4R20 Ag Tread (R-1W) Radial		
	For MFD		
829090	4 12.5/80-18 10PR R4	9000319P80	\$410.00
	For MFD		
	12.5/80 X 18 (R-4) Industrial		

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

8355304	16.9-30 6PR R1		No Charge
	16.9X30 Ag Tread (R-1) Bias Ply		
8399801	Non-Returnable Shipping Wheel	(901397P76)	(\$1,792.00)
	Shipping Wheels		
8391904	19.5L-24 10 PR R4	9000453P18	\$581.00
	19.5L X 24 (R-4) Industrial		
8352401	16.9R28 A8	9000497P64	\$638.00
	16.9R28 Ag Tread (R-1W) Radial		

FENDERS

SD T8740 FRONT FENDERS

3D 16740 TRONT I ENDERG				
390860	Less Front Fenders			No Charge
744674	Dynamic Fenders		9000599P04	\$768.00



Grounds Equipment - Bid #ESCNJ 18/19-25



FARMALL 65A US PRICE LIST

LOADER

LOADER EQUIPMENT

SD T8110 LOADER BRACKETS

<u></u>	SD_18110 LC	ADER BRACKETS	 	
	391489	Less Loader Bracket		No Charge
\Box		Does not include Loader Mounting Brackets or Loader.		
	344743	LOADER-NSL-2F-EU-WGG	9006599P58	\$8,461.00
		L610 NON Self Leveling Loader Euro Style Attach		
H		(Includes Grill Guard)		
		Requires Mid-Mount Valve		
		Bucket NOT included.		
H		A 72" bucket is AVAILABLE.		
		Not allowed with Horizontal Exhaust		
		(Not compatible with 2WD tractors)		
	344739	LOADER-NSL.2F.SSLWGG	9006599P58	\$8,461.00
		L610 NON Self Leveling Loader with Skidsteer Style Quick Attach		
		(Includes Grill Guard)		
		Requires Mid-Mount Valve		
		Bucket NOT included.		
		A 72" bucket is AVAILABLE.		
		Not allowed with Horizontal Exhaust		
		(Not compatible with 2WD tractors)		
	344742	LOADER-MSL-2F-EU-WGG	9007544P94	\$9,673.00
		L610 Self Leveling Loader Euro Style Attach		
		(Includes Grill Guard)		
		Requires Mid-Mount Valve		
		Bucket NOT included.		
		A 72" bucket is AVAILABLE.		
		Not allowed with Horizontal Exhaust		
		(Not compatible with 2WD tractors)		
	344738	LOADER-MSL.2F.SSLWGG	9007544P94	\$9,673.00
		L610 Self Leveling Loader with Skidsteer Style Attach		
		(Includes Grill Guard)		
		Requires Mid-Mount Valve		
		Bucket NOT included.		
		A 72" bucket is AVAILABLE.		
		Not allowed with Horizontal Exhaust		
		(Not compatible with 2WD tractors)		

BUCKET

SD_T8140 BUCKET

	XT8140X	Less Bucket		No Charge
L	336749	72" BUCKET EU T.A.	9000460P98	\$591.00

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS Ground



Grounds Equipment - Bid #ESCNJ 18/19-25 -T1NN 02

FARMALL 65A US PRICE LIST		
336748 72" Bucket	9000460P98	\$591.00
OTHER FOURDMENT		
OTHER EQUIPMENT		
OTHER EQUIPMENT		
SD_T2150 FRONT BALLAST		No Charo
		No Charge
SD_T2150 FRONT BALLAST		
SD_T2150 FRONT BALLAST 390215 Less Front Carrier and Weights		No Charge



Standard Equipment

ENGINE:

Farmall 75A
74 Gross Engine hp
60 PTO hp @ 2300 rpm
3 Cyl Turbocharged Engine
179 cu in (2.9 L) Displacement

Tier B Emissions Compliant:
(CEGR + DOC)

Electronic Injection Bosch
High-pressure Common Rail System

Electric Engine Shutoff
Hand and Foot Throttle Controls

Grid Heater Starting Aid

Powercore Dry Air Cleaner

Under Hood Muffler

Vertical Exhaust

21.6 gal Fuel Tank

EXHAUST:

Under Hood Muffler with Vertical Exhaust

TRANSMISSION:

LH side steering column mounted Mechanical Shuttle

- 8 Forward and 8 Reverse Speeds
- (4) Synchronized Gears
- (2) Non-synchronized Ranges
- 11 Inch Single Dry Disk Clutch
- 19 mph (30 KPH)

Power Shuttle (Optional)

- 12 Forward and 12 Reverse Sp.
- (4) Synchronized Gears
- (3) Non- Synchronized Ranges
- (2) Clutches; (5) Wet Disk Plates
- 25 MPH (40KPH)

Speed varies with tire selection Hand Operated Park Brake

FRONT AXLE:

2WD:

Inverted "U" axle design
6,614 lbs. (3000 kg)

restricted (dynamic) axle capacity 5,291 lbs. (2400 kg) unrestricted (static) axle capacity Turning radius of 144 in. (3650mm) without brakes

2WD: (Continued)
Track widths from 54 in. (1362 mm)
 to 69 in. (1762 mm) with adjustable
 rims and axle

MFD: (Optional)
Limited Slip
Electro-Hydraulic engagement standard
Adjustable Tread Width from 51.5 in.
to 79.4 in.

REAR AXLE:
Flange Type
Adjustable Tread Width 60.1 in.
to 76.0 in.

TIRES:

2WD:

7.50-16 F-2 Front 16.9X30 R-1 Rear

MFD:

11.2x24 R1 Front 16.9X30 R1 Rear

HYDRAULIC SYSTEM:
Open Center System

Dual Gear Pumps

Implement Pump: 12.5 gpm (47.7 L)
Steering Pump: 7.6 gpm (28.7 L)
Total Flow: 20.1 gpm (76.4 L)

(2) Open Center Remote Valves with Detent & Kickout on #2

PTO:

Fully Independent
Flip-up PTO Shaft Guard
4WD power shuttle:
-540 RPM hydraulic wet clutch

Standard Equipment

-Electronic engagement -Wet clutch 1-3/8 in. 6 splines

HITCH:

3-point Category II with fixed lower links

and telescoping stabilizers 4300 lbs. Lift Capacity at 24 inches Swinging Drawbar Mechanical Draft Control Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake Gauges for fuel level, engine temperature and tachometer Digital Readout for PTO speed, ground speed, battery & hours

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery120 amp Alternator7-pin Outlet for trailer/implement lighting and signals25 amp socket12V power socket (cigarette lighter)

LIGHTING:

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen,

CAB MODELS (Continued)

front wiper and washer, two doors
with locks, two external mirrors,
openable side windows, hinged rear
window (fully opens), High Visibily
roof panel (openable)
Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical
suspension, operator's presence
sensor, retractable seat belt, arm

Suspended pedals
Radio ready (speakers and antenna)
Instructor seat ready

NON-CAB MODELS

2-Post Foldable ROPS with ISO and mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts, arm rests
Suspended pedals
Locking brake pedals
No Instructor seat

MISCELLANEOUS:

Pivoting Engine Hood SMV Emblem, and Toolbox

WARRANTY:

Case IH Standard Warranty Applies

Tier 4 B/Final Emissions Compliant:

L610 Front Loader, OPTIONAL



Grounds Equipment - Bid #ESCNJ 18/19-25
-T1NN 03

FARMALL 75A US PRICE LIST

Standard Equipment

STANDARD FEATURES:
Quick attach design(Skid
Steer or Euro style)
4-Bar bucket linkage
Bucket level indicator
Parking stands
Grill guard
(Not compatible with 2WD tractors)

SPECIFICATIONS:
L610 NON SELF-LEVELING
Maximum Lift Height @
pivot pin: 132"
Dump Clearance @ 45 deg: 99"
Digging Depth: 5"
Lift Capacity @ 800mm: 1,828 LBS
Reach @ Max Lift Height @ 45 deg: 44"

Reach @ Ground Level: 84"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
(Not compatible with 2WD tractors)

L610 MECHANICAL SELF-LEVELING
Maximum Lift Height @
pivot pin: 130"
Dump Clearance @ 45 deg: 97"
Digging Depth: 6"
Lift Capacity @ 800mm: 3,153 LBS
Reach @ Max Lift Height @ 45 deg: 44"
Reach @ Ground Level: 84"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 61 degrees
(Not compatible with 2WD tractors)

Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	TRACTION	Weight	Factory Data	List Price
FARMALL 75A TRACTOR	Rops	75 HP	2WD	6,173 LB	9025362P48	\$32,516.00
FARMALL 75A TRACTOR	Rops	75 HP	MFD	6,173 LB	9029833P44	\$38,248.00
FARMALL 75A TRACTOR	Cab	75 HP	2WD	6,173 LB	9031845P06	\$40,827.00
FARMALL 75A TRACTOR	Cab	75 HP	MFD	6,173 LB	9036316P02	\$46,559.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
PACKAGES				
SD_T9980 PACKAGING				
XT9980X Less Pack	aging			No Charg
	ge selected; Custom build premium pricing.			



Cab Package			
X0412XX	CIH Deluxe Package	(901376P70)	(\$1,765.00)
	For Cab MFD Only		
	Package includes the following:		
	390215 Less Front Carrier and Weights		
	337280 40 KPH		
	759318 Power Shut w/Servo		
	391111 L/Creep F/Mec Trans		
	330470 4 x 110 lb Rear Wheel Weights		
	743565 540 PTO		
	344739 Loader-NSL.2F.SSLWGG		
	332035 Mech 3 Pt Hitch Ground Control		
	336748 72" Bucket		
	390831 Hitch w/Mech Top Link Draft Co		
	335413 2 Rem. Valve (1 S/D		
	336125 2Mid-Mount w/MecJoy L/CPL		
	342240 Fabric w/Air Suspens	ľ	
	332865 Instructional Seat		
	390860 Less Front Fenders		
	334316 Flexible Ends		
	342174 Radio w/ Bluetooth		
	333606 Cab Fix Screen Open		
	Note - each option will be selected and display pricing; package		
	selection is for ease of selection		

ROPS Packa	nge			
	CIH Standard Package		(901205P10)	(\$1,545.00)
1 7.0.1007.11.	For 75A ROPS MFD Only		,	,
	Package includes the following:			
	T donage menage the remaining.			
	391151 Vertical Exhaust w/Guard			
	390215 Less Front Carrier and Weights			
	337280 40 KPH			
	759318 Power Shut w/Servo			
	391111 L/Creep F/Mec Transm			
	330470 4 x 110 lb Rear Wheel Weights			
	743565 540 RPM PTO			
	344739 Loader-NSL.2F.SSLWGG			
	332035 Mech 3 Pt Hitch Ground Control			
	336748 72" Bucket			
	390831 Hitch w/Mech Top Link Draft Co			
1 1 1	335413 2 Rem. Valve (1 S/D			
	336125 2Mid-Mount w/MecJoy L/CPL			
	335191 Vinyl Deluxe Seat - ROPS			
	390865 Less Instructional Seat			
1 1 1	390860 Less Front Fenders			
	XT8902X Standard Less Linkage Drawbar			
	334316 Flexible Ends			
	Note - each option will be selected and display pricing; package			
	selection is for ease of selection			
ROPS & Cal	o Package			
XF4701X	EZ Pick Package			
	Ala-Cart MFD EZ Pick			
	Allows for choice of the following:	-		
	Loader			
	Rear remotes			
	Tires:			
	Choice			
	Rear weights:			
	4 rear wheel weights OR			
	NO rear wheel weights			
	if VERSION is Rops		(901205P10)	(\$1,545.00)
	if VERSION is Cab		(901376P70)	(\$1,765.00)

OPERATOR STRUCTURE

OPERATOR STRUCTURE

OF ENATOR STRUCTURE

	SD T8500 SE	AT		
Í	338379	FABRIC W/ MECH SUSPE	No Char	rge
		Standard equipment for cab		

SD_T2800 SPEED

393280

30 KPH.

8x8 (30KPH)



	FARMALL 7: US PRICE LI		
T	Т		
342240	FABRIC W/AIR SUSPENS	9000443P04	\$568,0
335191	Vinyl Deluxe Seat - ROPS		No Charc
	PERATOR STRUCTURE #1		
344781	2 POST FOLDABLE ROPS		No Char
333606	CAB FIX SCREEN OPEN		No Char
344764	CANOPY (FOPS)	9000753P48	\$966.0
	ROPS Only		
ADIO			
SD_T9160 F			
	K Standard less radio ready ROPS only		No Char
330777	Radio ready - for cab CAB only		No Char
342174	RADIO W/BLUETOOTH CAB only	9000222P30	\$285.0
SD_T8520 II 345538 390865	PASSENGER SEAT READY Less Instructional Seat		No Char No Char
332865	INSTRUCTIONAL SEAT	9000322P14	\$413.0
GINE	<u>Balliford Naglinala in Arthritan i Arthri</u>		is a frait,
XHAUST SYST	EMS		
SD_T1000 E			
X0361X	K ENGINE S8000STAGE3B		No Char
	NGINE EXHAUST		
330150	Horizontal exhaust w/ guard	9000133P38	\$171.
	Non-cab only		
	Not allowed with loaders		
390466	EXHAUST A PILLAR GS		No Char
391151	Vertical Exhaust w/Guard		No Char
			all JUNES TO SERVE
ANSMISSION			
ANSMISSION RANSMISSION		an Mala Mayori (Alam ay Antin Hollada, yan ya	

No Charge

336125

2Mid-Mount w/MecJoy L/CPL

	FARMALL 75A US PRICE LIST		
337280	40 KPH	9001719P12	\$2,204.00
	12x12 (40KPH)		
SD_T2810_TRA			No Charge
	MECH SHUT.W/MECH PTO	9001789P32	\$2,294.00
759318	POWER SHUT W/SERVO	9001769F32	ψ2,294.00
SD T3230 CRI	EEPER or Interlock		
	L/CREEP F/MEC TRANSM		No Charge
	CREEP 20+20 F/MEC TR	9000691P08	\$886.00
HITCH		ille ox religit algeb	
SD_T8130_3 P	DINT HITCH CONTROL		
391035	Less 3 Pt Hitch Ground Control		No Charge
332035	Mech 3 Pt Hitch Ground Control	9000215P28	\$276.00
	External Mechanical Rear Control for 3-Point Hitch		
SD_T8200 HIT	CH Hitch w/Mech Top Link Draft Co		No Charge
390831	(4,300 lbs/1,950 Kgs lift capacity) @ 24"		No onarge
332785	MDC Hitch aux lift ram	9000392P34	\$503.00
332763	Hydraulic lift with 1 internal and 1 external lift cylinders	30000021 31	φσσσιο
	(4,740 lbs/2,150 kgs lift capacity) @ 24"		
5D 70000 DD	and the same of th		
390259	AWBAR AND 3 POINT HITCH FIX END LOWER LINKS.		No Charge
	FLEXIBLE ENDS	9000222P30	\$285.00
HYDRAULICS			
REAR REMOTE VA	LVES		
SD_T8270_RE	AR REMOTES		
335413	2 Rem. Valve (1 S/D		No Charge
335640	3 REMOTE VALVE	9000691P08	\$886.00
MID-MOUNT VALV	ES		
SD_T8280 MID	D-MOUNT VALVES	1	
390124	Less Mid-Mount		No Charg

\$1,370.00

9001068P60



SD_T8010 PTO

	743565	540 RPM PTO		No Charge
	743566	540/540E PTO	9000460P98	\$591.00

FRONT AXLE

SD T4010 FRONT AXLE

-	TOTAL PACE				
		390338	2WD Front Axle.	No Charge	
		390235	4WD L SLIP+FR BRA 40	No Charge	
		335541	Front Axle w/Limit Slip L/Brk	No Charge	

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

	8111301	7.50-16 6PR		No Charge
		For 2WD		
	8232304	11.2 x 24 6PR R1		No Charge
		11.2X24 Ag Tread (R-1) Bias Ply		
		For MFD		
	8299801	Non-Return Ship Wheels - 4WD	(900723P06)	(\$927.00)
		Shipping Wheels MFD		
	8199801	Non-Return Ship Wheels - 2WD	(900255P84)	(\$328.00)
	8225201	9.5L-15	9000138P06	\$177.00
		9.5L-15		
		For 2WD		
	8203401	12.4R20 A8	9000316P68	\$406.00
1 1 1		12.4R20 Ag Tread (R-1W) Radial		
		For MFD		
	8290904	12.5/80-18 10PR R4	9000319P80	\$410.00
		For MFD		
		12.5/80 X 18 (R-4) Industrial		

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

-	8355304	16.9-30 6PR R1		No Charge
L		16.9X30 Ag Tread (R-1) Bias Ply		
	839980 ⁻	Non-Returnable Shipping Wheel	(901397P76)	(\$1,792.00)
L		Shipping Wheels		



Т	8391904	19.5L-24 10 PR R4	9000453P18	\$581.00
		19.5L X 24 (R-4) Industrial		
	8352401	16.9R28 A8	9000497P64	\$638.00
		16.9R28 Ag Tread (R-1W) Radial		

FENDERS

SD T8740 FRONT FENDERS

 -	D_10740 110	ONTENDERO		
	390860	Less Front Fenders		No Charge
	744674	Dynamic Fenders	9000599P04	\$768.00

LOADER

LOADER EQUIPMENT

SD_T8110_LOADER BRACKETS

ADER BRACKETS			N. O.
#*			No Charge
LOADER-NSL-2F-EU-WGG		9006599P58	\$8,461.00
L610 NON Self Leveling Loader Euro Style Attach			
(Includes Grill Guard)			
Requires Mid-Mount Valve			
Bucket NOT included.			
A 72" bucket is AVAILABLE.			
Not allowed with Horizontal Exhaust			
(Not compatible with 2WD tractors)			
LOADER-NSL.2F.SSLWGG		9006599P58	\$8,461.00
L610 NON Self Leveling Loader with Skidsteer Style Quick Attach			
(Includes Grill Guard)			
Requires Mid-Mount Valve			
Bucket NOT included.			
A 72" bucket is AVAILABLE.			
Not allowed with Horizontal Exhaust			
(Not compatible with 2WD tractors)			
LOADER-MSL-2F-EU-WGG		9007544P94	\$9,673.00
L610 Self Leveling Loader Euro Style Attach			
(Includes Grill Guard)			
Requires Mid-Mount Valve			
Bucket NOT included.			
A 72" bucket is AVAILABLE.			
Not allowed with Horizontal Exhaust			
(Not compatible with 2WD tractors)			
	Less Loader Bracket Does not include Loader Mounting Brackets or Loader. LOADER-NSL-2F-EU-WGG L610 NON Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors) LOADER-NSL.2F.SSLWGG L610 NON Self Leveling Loader with Skidsteer Style Quick Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors) LOADER-MSL-2F-EU-WGG L610 Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust Not allowed with Horizontal Exhaust	Less Loader Bracket Does not include Loader Mounting Brackets or Loader. LOADER-NSL-2F-EU-WGG L610 NON Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors) LOADER-NSL.2F.SSLWGG L610 NON Self Leveling Loader with Skidsteer Style Quick Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors) LOADER-MSL-2F-EU-WGG L610 Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust	Less Loader Bracket Does not include Loader Mounting Brackets or Loader. LOADER-NSL-2F-EU-WGG L610 NON Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors) LOADER-NSL-2F.SSLWGG L610 NON Self Leveling Loader with Skidsteer Style Quick Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Not compatible with 2WD tractors) LOADER-MSL-2F-EU-WGG L610 Self Leveling Loader Euro Style Attach (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust (Includes Grill Guard) Requires Mid-Mount Valve Bucket NOT included. A 72" bucket is AVAILABLE. Not allowed with Horizontal Exhaust

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS
Grounds Equipment - Bid #ESCNJ 18/19-25
-T1NN 03



FARMALL 75A US PRICE LIST

	344738	LOADER-MSL.2F,SSLWGG	9007544P94	\$9,673.00
		L610 Self Leveling Loader with Skidsteer Style Attach		
1 1		(Includes Grill Guard)		
1 1		Requires Mid-Mount Valve		
1 1		Bucket NOT included.	1.	
1 1		A 72" bucket is AVAILABLE.		
1 1		Not allowed with Horizontal Exhaust		
		(Not compatible with 2WD tractors)		

BUCKET

SD T8140 BUCKET

	XT8140X	Less Bucket		No Charge
_	336749	72" BUCKET EU T.A.	9000460P98	\$591.00
	336748	72" Bucket	9000460P98	\$591.00

OTHER EQUIPMENT

SD_T2150 FRONT BALLAST

000015		 	
390215	Less Front Carrier and Weights	1	No Charge

SD_T4961 REAR BALLAST

	XT4961X	Standard less rear ballast		No Charge
	330470	4 x 110 lb Rear Wheel Weights	9000525P72	\$674.00

Case 2021 Price List



Standard Equipment

The Farmall Utility tractors from Case IH are the perfect combination of basic value, comfort, and features with the visibility to ensure you are productive in all your chores.

Farmall 95A 97 Gross Engine hp 78 PTO hp @ 2300 rpm 4 Cyl Turbocharged Engine 207cu in (3.4L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)

Electronic Injection Bosch
High-pressure Common Rail System

Electric Engine Shutoff
Hand and Foot Throttle Controls

Grid Heater Starting Aid

Powercore Dry Air Cleaner

Under Hood Muffler

Vertical Exhaust on Cab

Down Exhaust on ROPS

29 gal Fuel Tank

2.9 gal DEF Tank

2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted Power Shuttle

- 12 Forward and 12 Reverse Speeds Creeper ready
- (4) Synchronized Gears
- (3) Non-synchronized Ranges
- (2) clutches, 5 wet disc plates

FWD - 19 mph (30 KPH) Speed varies with tire

Speed varies with tire selection Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering
Brakes- Hydraulically assisted wet disc

4WD FRONT AXLE:
Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 66.5 in. to 72.9 in.

REAR AXLE
Flange Type
Tread Width: 63.8 in. to 79.5 in.

HYDRAULIC SYSTEM:
Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2 &
Float on #1

REAR DIFFERENTIAL LOCK: Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines

3-POINT LIFT SYSTEM:
Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 900 cca Heavy-Duty Battery120 amp Alternator7-pin Outlet for trailer/implement lighting and signals30 amp power plug12V power socket (cigarette lighter)



Standard Equipment

INSTRUMENTATION:

Digital /Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake Gauges for fuel level, engine temperature and tachometer
Digital Readout for PTO speed, ground speed, battery, hours & DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
(2) cab mounted worklights

Rear: (2) cab mounted worklights Turn Signals/Flashers/Rear Lights

TIRES:

12.4x24 R1 Front 18.4X30 R1 Rear

OPERATOR PROTECTIVE STRUCTURE: CAB MODELS

KEY SELLING POINTS

- Best-in-Class value cab
- -Instructor seat
- Air suspension seat
- 12x12 power shuttle transmission
- Lift-O-Matic

ROPS protected, 4 post, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front wiper and washer, rear wiper and washer, two doors with locks, two external mirrors, hinged rear window (opens completely). High Vis Roof Panel Steering Wheel - adjustable tilt Seat - Cloth covered air suspension,

operator's presence sensor, retractable seat belt and arm rests Instructor Seat Suspended pedals Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood SMV Emblem Toolbox

WARRANTY:

Case IH Standard Warranty Applies



Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
FARMALL UTILITY 95A	Cab	2WD	7,451 LB	9053899P56	\$69,102.00
Includes the following 10.0 - 16 R1 F/HD AXI		7.00)			
FARMALL UTILITY 95A	Cab	MFD	7,936 LB	9058267P56	\$74,702.00
FARMALL UTILITY 95A	Rops	2WD	7,936 LB	9041111P46	\$52,707.00
Includes the following 10.0 - 16 R1 F/HD AXI		7.00)			
FARMALL UTILITY 95A	Rops	MFD	7,451 LB	9045479P46	\$58,307.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
PACKAGES			V strategy	dig je
SD_T9980 PA	ACKAGING		64	
X99801X	Custom Configuration			No Charg
1 1	No Package selected; Custom build premium pricing.	1	1	

ROPS Packa	nges			
XF9913X	Standard ROPS Fast Pick		(903238P56)	(\$4,152.00)
	ROPS Standard Fast Pick pricing includes:			
	-342043 (Exhaust Guard)			
	-759926 (MMV & Joystick)	*		
	-762698 (Loader Ready)			
	-343425 (Less Bucket)			
	-762052 (2 Rear Remotes)			
	-342063 (Fabric Seat)			
	1			
	Allows for choice of the following:	1		
	Tires	1		
	PTO:			
	540 OR 540/1000 RPM			
	Rear weights:			
	4 rear wheel weights OR NO rear wheel weights		(00000000000)	(\$4.450.00)
XF9914X	Deluxe ROPS Fast Pick		(903238P56)	(\$4,152.00)
	Deluxe ROPS Fast Pick pricing includes:			
	-342043 (Exhaust Guard)			
	-759926 (MMV & Joystick)			
	-762698 (Loader Ready)			
	-343425 (Less Bucket)		1	
	-762053 (3 Rear Remotes)		l l	
	-342063 (Fabric Seat)			
	4 rear wheel weights			
	Allows for choice of the following:			
	Tires			
	PTO:			
	540/540E OR 540/1000 RPM			

	XF9915X	Poultry NSL Loader Fast Pick	(002020056)	(64.450.00)
	XI 99 13X		(903238P56)	(\$4,152.00)
		Poultry NSL Loader Fast Pick pricing includes:		
		-343473 (Reversing Engine Fan)		
1111		-759992 (Horizontal Exhaust)		
		-759926 (MMV & Joystick)		
		-762698 (Loader Ready)		
I I I I		-343425 (Less Bucket)		
1 1 1		-762052 (2 Rear Remotes)		
1 1 1		-342063 (Fabric Seat)		
1 1 1		AU 5 1 4 50 50 1		
		Allows for choice of the following:		
1 1 1		Tires		
1 1 1		PTO:		
1 1 1		540 OR 540/1000 RPM		
		Rear weights:		
		4 rear wheel weights OR NO rear wheel weights		
		Notes Orden very NCL Leader through the LEGE Caries Value		
		Note: Order your NSL Loader through the L505 Series Value Loaders		
		Price Book.		
	XF9916X	Poultry NO Loader Fast Pick	 (000000PE0)	(0.4.450.00)
	VI-99 IOV	•	(903238P56)	(\$4,152.00)
		Poultry NSL Loader Fast Pick pricing includes:		
		-343473 (Reversing Engine Fan)		
		-759992 (Horizontal Exhaust)		
		-343425 (Less Bucket)		
		-342063 (Fabric Seat)		
		Allows for choice of the following:		
		Tires		
		PTO:		
		540 OR 540/1000 RPM		
		Rear weights:		
		4 rear wheel weights OR NO rear wheel weights		
		Loader Ready or Non Loader Ready		

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

VE0047V	1 au Drafile All Durnage Foat D	Ī	(903238P56)	(\$4,152.00)
XF9917X	Low Profile All Purpose Fast P	l II	(9032301-30)	(ψ4,132.00)
	Low Profile All Purpose Fast Pick includes:			
	-343473 (Reversing Engine Fan)			
	-759926 (MMV & Joystick)			
	-762698 (Loader Ready)			
	-343425 (Less Bucket)			
	-342063 (Fabric Seat)			
	Allows for choice of the following:			
	Tires			
	Rear Remotes:			
	2 or 3 remotes			
	PTO:			
	540 OR 540/1000 RPM			
	Rear weights:			
	4 rear wheel weights OR NO rear wheel weights			
	Front weights:			
	8, 10 OR NO front weights			
XF9918X	ROPS Mowing Fast Pick		(903238P56)	(\$4,152.00)
	ROPS Mowing Fast Pick			·
	-343425#(Less Bucket)			
	-762053 (3 rear remotes)			
	Allows for choice of the following:			
	Loader Ready or Non Loader Ready			
	Tires			
	PTO:			
	540 OR 540/1000 RPM			
	Rear weights:			
	4, 8 OR NO rear wheel weights			
	Front weights:	1 1		
	8, 10 OR NO front weights			
XF9909X	Specialty WC Package		(903238P56)	(\$4,152.00)
	ROPS Specialty WC Fast Pick pricing includes:	1 1		
	-759623 (Downs EXH W/Loader)			
	-762011 (Less MMV)	1 1		
	-762053 (3 Rear Remotes)	1 1		
	-759273 (540-1000 RPM W Cap)			
	-342063 (Fabric Seat)			
	-762029 (3X55OR32KG Each Side)			
	Allows for choice of the following:			
	Tires		l l	
	Loader Bracket			
	Bucket			

Cab Packag	es		
XF9911X	Standard Cab Fast Pick	(903238P56)	(\$4,152.00
	Standard Cab Fast Pick pricing includes:	<u> </u>	
	Cab with Hi Vis Panel		
	-342043 (Exhaust Guard)		
	-759926 (MMV & Joystick)		
	-762698 (Loader Ready)		
	-343425 (Less Bucket)		
	-762052 (2 Rear Remotes)		
	-XT8500X (Standard Seat)		
	-X9150XX (Rear Wiper)		
	-762204 HVAC Cab 2 Remotes PS)		
	-342086 (2 External Mirrors)		
	Allows for choice of the following:		
	Tires		
	PTO:		
	540 OR 540/1000 RPM		
	Rear weights:		
	4 rear wheel weights OR NO rear wheel weights		
XF9912X	Basic Cab Fast Pick	(903238P56)	(\$4,152.00
	Deluxe Cab Fast Pick pricing includes:		
	Cab with Hi Vis Panel		
	-342043 (Exhaust Guard)		
	-759926 (MMV & Joystick)		
	-762698 (Loader Ready)		
	-343425 (Less Bucket)		
	-762053 (3 Rear Remotes)		
	-XT8500X (Standard Seat)		
	-X9150XX (Rear Wiper)		
	-762205 HVAC Cab 3 Remotes PS)		
	-342086 (2 External Mirrors)		
	4 rear wheel weights		
	Allows for choice of the following:		
	Tires		
	PTO:		
	540/540E OR 540/1000 RPM		

PERATOR STRU	CTURE		
LIGHTOROTRO	010112		
SD T8500 SE	AT		
342063	Vinyl Suspension Seat		No Charge
	Air suspension seat		
	Vinyl for Open Platform models		
	ROPS only		
XT8500X	Standard seat		No Charge
	Cab only		
	Air Suspension Seat		
	ERATOR STRUCTURE #1	r i	No Charge
762204	HVAC CAB 2 REMOTE PS		No Charge
700005	Cab only	9000681P72	\$874.00
762205	HVAC CAB 3 REMOTE PS	9000081F72	φ014.00
On an Dietfe	Cab only		
Open Platfo	OPEN STATION 762132		No Charge
702132	Semi-straddle Open Platform with foldable ROPS		
	Includes:		
1	- Rubber floor mat		
	- Rear work light		
	- Rear work light		
IGINE	- Rear work light	Lita Nama Registra	
IGINE			
SD_T1010 EN	IGINE OPTIONS	La Carring Mary Care	No Charge
SD_T1010_EN	IGINE OPTIONS VISCOUS FAN	9001790P10	
SD_T1010 EN	IGINE OPTIONS VISCOUS FAN REVERSE FAN	9001790P10	
SD_T1010_EN	IGINE OPTIONS VISCOUS FAN	9001790P10	
SD_T1010_EN 343472 343473	IGINE OPTIONS VISCOUS FAN REVERSE FAN	9001790P10	
SD_T1010_EN	IGINE OPTIONS VISCOUS FAN REVERSE FAN	9001790P10	No Charge \$2,295.00
SD_T1010_EN 343472 343473	IGINE OPTIONS VISCOUS FAN REVERSE FAN	9001790P10	
SD_T1010 EN 343472 343473	IGINE OPTIONS VISCOUS FAN REVERSE FAN ROPS only	9001790P10	
SD_T1010 EN 343472 343473 TCH SD_T8200 HI	IGINE OPTIONS VISCOUS FAN REVERSE FAN ROPS only	9001790P10	\$2,295.00
SD_T1010 EN	IGINE OPTIONS VISCOUS FAN REVERSE FAN ROPS only	9001790P10 9000852P54	
SD_T1010 EN 343472 343473 TCH SD_T8200 HI	IGINE OPTIONS VISCOUS FAN REVERSE FAN ROPS only TCH 2000KG/4409LBS-Telesc/COMBI 3500KG/7716LBS-Telesc/COMBI		\$2,295.00 No Charge
SD_T1010 EN	IGINE OPTIONS VISCOUS FAN REVERSE FAN ROPS only TCH 2000KG/4409LBS-Telesc/COMBI		\$2,295.00 No Charge
SD_T1010 EN 343472 343473 TCH SD_T8200 HI 342053 342054	IGINE OPTIONS VISCOUS FAN REVERSE FAN ROPS only TCH 2000KG/4409LBS-Telesc/COMBI 3500KG/7716LBS-Telesc/COMBI		\$2,295.00 No Charg
SD_T1010 EN	IGINE OPTIONS VISCOUS FAN REVERSE FAN ROPS only TCH 2000KG/4409LBS-Telesc/COMBI 3500KG/7716LBS-Telesc/COMBI		\$2,295.00 No Charge



762053	3 REMOTE 762053	No Charge
	3 rear remotes for Open Platform with foldable ROPS	
	Float on remote 1 & 3	
	Extend and retract detent and kick-out on remote 2	

HYDRAULIC PUMP

SD_T8230 HYD PUMP

	342056	HYD PUMP 70,0 LPM	No Charge
		16.9 GPM	

PTO

SD_T8010 PTO

	759271	540 RPM W CAP		No Charge
	759272	540-540E RPM W CAP	9000387P66	\$497.00
	759273	540-1000 RPM W CAP	9000452P40	\$580.00

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

4WD Front	Fires - Ag		
8230506	FRONT 12.4 - 24 R1		No Charge
	Requires 18.4-30 rear tires		
8220701	11.2 - 24 R1	(900050P70)	(\$65.00
	Requires 16.9-30 rear tires		• •
8230505	13.6 -24 R1	9000187P20	\$240.00
	Requires 16.9-34 rear tires		
8811501	11.5/80-15.3 R1	9000596P70	\$765.00
	Requires 500/60-22.5 rear tires		
	(POULTRY PACKAGE/ROPS ONLY)		
2WD Front t	ires		
8892302	7.50 - 16 F R1/HD AXLE	(900468P00)	(\$600.00
	Requires 16.9-30 rear tires		·
8892303	10.0 - 16 R1 F/HD AXLE	(900106P86)	(\$137.00
	Requires 18.4-30 or 16.9-34 rear tires		
4WD Front 7	Fires - Ind		
8230503	FRONT 12.5 - 18 R4	9000596P70	\$765.00
	Requires 19.5L-24 rear tires		
Shipping wh	eels		
8233201	FRONT SHIPMENT WHEEL	(900746P46)	(\$957.00
	Requires rear shipping wheels		, ,
8254201	SHIP WHEEL HD AXLE		No Charge

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES	SD	T4950	REAR	WHEELS	AND	TIRES
--------------------------------	----	-------	------	--------	-----	-------

Rear tires -	Ag		
8930605	REAR 18.4 - 30 R1		No Charge
	Requires 12.4-24 4WD front or 10.0-16 2WD front		
8930601	REAR 16.9 - 34 R1	(900119P34)	(\$153.00)
	Requires 13.6-24 4WD front or 10.0-16 2WD front		
8930602	REAR 16.9 - 30 R1	9000255P84	\$328.00
	Requires 11.2-24 4WD front or 7.50-16 2WD front		
8310501	500/60-22.5 R1	9000533P52	\$684.00
	Requires 11.5/80-15.3 4WD front tires		
	(POULTRY PACKAGE/ROPS ONLY)		
Rear tires -	Ind		
8930603	REAR 19.5 - 24 R4	9000533P52	\$684,00
	Requires 12.5/80-18 4WD front tires		
Shipping wh	neels		
8333201	REAR SHIPMENT WHEEL	(901150P50)	(\$1,475.00)
	Requires front shipping wheels		

LOADER

SD T8110 LOADER BRACKETS

Π	762698	LOADER READY 762698		No Charge
	343421	LESS LOADER/LESS LOADER READY	(901261P26)	(\$1,617.00)
		Less Loader		

OTHER EQUIPMENT

SD_T1940 EXHAUST

	342043	VER. EXHAUST W/GUARD	No Charge
	759623	DOWNS EXH W/LOADER	No Charge
		ROPS only	
	759992	HORIZONTAL EXH F/CHP	No Charge
		ROPS only	

SD_T2151 WEIGHT PACK

	342067	Less CARRIER		No Charge
	342069	110KgFC W/8X40-430kg	9000852P54	\$1,093.00
		Front carrier (154 lbs) + 8 weights (88lbs each) = 858 lbs		
	342070	110KgFCW/10X40-510kg	9001065P48	\$1,366.00
		Front carrier (154 lbs) + 10 weights (88lbs each) = 1,034 lbs		

SD T4960 WHEEL WEIGHTS

342071	LESS/ REAR WEIGHTS		No Charge
762028	2X55or32Kg EACH SIDE 2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5 2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires	9000537P42	\$689.00
759650	4X55or32Kg EACH SIDE 4 (110 lb) rear weights per side = 440 lbs total for all rear tires sizes except 500/60-22.5 4 (70 lb) rear weights per side = 280 lbs total for 500/60-22.5 rear tires	9001073P28	\$1,376.00

OPERATOR'S MANUAL

SD T9805 OPERATOR MANUAL (SE

,		2. C.		
	342075	English (USA)		No Charge
	342076	French (Canada)		No Charge
	342077	Spanish		No Charge

SD_T9840 COUNTRY CONFIGURATION

343432	LESS PACKAGE		No Charge
343433	POULTRY PACKAGE	9002684P76	\$3,442.00
	Poultry House Special - 4WD ONLY		
	Includes: Engine reversing fan, low profile air suspension seat, and		
	rearward facing horizontal exhaust		
	Requires one of the following two tire choices:		
	1. 500/60-22.5 R1 rear and 11.5/80-15.3 R1 front tires		
	2. 19.5L24 R4 rear and 12.5/80-18 R4 front tires		
	ROPS only		

Case 2021 Price List

Standard Equipment

The Farmall Utility tractors from Case IH are the perfect combination of basic value, comfort, and features with the visibility to ensure you are productive in all your chores.

Farmall 105A 112 Gross Engine hp 92 PTO hp @ 2300 rpm 4 Cyl Turbocharged Engine 207cu in (3.4L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)

Electronic Injection Bosch
High-pressure Common Rail System

Electric Engine Shutoff
Hand and Foot Throttle Controls

Grid Heater Starting Aid
Powercore Dry Air Cleaner

Under Hood Muffler

Vertical Exhaust on Cab
Down Exhaust on ROPS

29 gal Fuel Tank

2.9 gal DEF Tank

2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted Power Shuttle

- 12 Forward and 12 Reverse Speeds Creeper ready
- (4) Synchronized Gears
- (3) Non-synchronized Ranges
- (2) clutches, 5 wet disc plates

FWD - 19 mph (30 KPH)

Speed varies with tire selection Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering Brakes- Hydraulically assisted wet disc 4WD FRONT AXLE:
Limited Slip
Electro-Hydraulic engagement standard
Tread Width: 66.5 in. to 72.9 in.

REAR AXLE
Flange Type
Tread Width: 63.8 in. to 79.5 in.

HYDRAULIC SYSTEM:
Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2 &
Float on #1

REAR DIFFERENTIAL LOCK: Mechanically Engaged

PTO:

Fully Independent Flip-up PTO Shaft Guard 540 RPM hydraulic wet clutch Electronic engagement 1-3/8 in. 6 splines

3-POINT LIFT SYSTEM:
Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 900 cca Heavy-Duty Battery120 amp Alternator7-pin Outlet for trailer/implement lighting and signals30 amp power plug12V power socket (cigarette lighter)



Standard Equipment

INSTRUMENTATION:

Digital /Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake Gauges for fuel level, engine temperature and tachometer Digital Readout for PTO speed, ground speed, battery, hours & DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

TIRES:

12.4x24 R1 Front 18.4X30 R1 Rear

OPERATOR PROTECTIVE STRUCTURE: CAB MODELS

KEY SELLING POINTS

- Best-in-Class value cab
- -Instructor seat
- Air suspension seat
- 12x12 power shuttle transmission
- Lift-O-Matic

ROPS protected, 4 post, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front wiper and washer, rear wiper and washer, two doors with locks, two external mirrors, hinged rear window (opens

completely). High Vis Roof Panel
Steering Wheel - adjustable tilt
Seat - Cloth covered air suspension,
operator's presence sensor,
retractable seat belt and arm rests
Instructor Seat
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood SMV Emblem Toolbox

WARRANTY:

Case IH Standard Warranty Applies



Grounds Equipment - Bid #ESCNJ 18/19-25 -T1LA 02

FARMALL UTILITY 105A US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
FARMALL UTILITY 115A	Cab	2WD	7,253 LB	9059439P12	\$76,204.00
Includes the following 10.0 - 16 R1 F/HD AXI	, ,	7.00)			
FARMALL UTILITY 115A	Cab	MFD	7,936 LB	9063807P12	\$81,804.00
FARMALL UTILITY 115A	Rops	2WD	7,451 LB	9046651P02	\$59,809.00
Includes the following 10.0 - 16 R1 F/HD AXI		7.00)		<u></u>	
FARMALL UTILITY 115A	Rops	MFD	7,451 LB	9051019P02	\$65,409.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
PACKAGES			- 70 - WARLAN	ZAM THE STATE OF
SD_T9980 PACKAGING				



ROPS Packa	nges			
XF9913X	Standard ROPS Fast Pick		(903238P56)	(\$4,152.00)
	ROPS Standard Fast Pick pricing includes:			
	-342043 (Exhaust Guard)			
	-759926 (MMV & Joystick)			
	-762698 (Loader Ready)			
	-343425 (Less Bucket)			
	-762052 (2 Rear Remotes)			
	-342063 (Fabric Seat)			
	Allows for choice of the following:			
	Tires			
	PTO:	į į		
	540 OR 540/1000 RPM			
	Rear weights:			
	4 rear wheel weights OR NO rear wheel weights			
XF9914X	Deluxe ROPS Fast Pick		(903238P56)	(\$4,152.00)
	Deluxe ROPS Fast Pick pricing includes:			
	-342043 (Exhaust Guard)			
	-759926 (MMV & Joystick)			
	-762698 (Loader Ready)			
	-343425 (Less Bucket)			
	-762053 (3 Rear Remotes)			
	-342063 (Fabric Seat)			
	4 rear wheel weights			
	Allows for choice of the following:			
	Tires			
	PTO:			
	540/540E OR 540/1000 RPM			



Grounds Equipment - Bid #ESCNJ 18/19-25 -T1LA 02

XF9915X	Poultry NSL Loader Fast Pick	 (903238P56)	(\$4,152.00)
	Poultry NSL Loader Fast Pick pricing includes:	(000200, 00)	(4.11.02.00)
	-343473 (Reversing Engine Fan)		
	-759992 (Horizontal Exhaust)		
	-759926 (MMV & Joystick)		
	-762698 (Loader Ready)		
	-343425 (Less Bucket)		
	-762052 (2 Rear Remotes)		
	-342063 (Fabric Seat)		
	Allows for choice of the following:		
	Tires		9
	PTO:		
	540 OR 540/1000 RPM		
	Rear weights:		
	4 rear wheel weights OR NO rear wheel weights		
1 1 1			
	Note: Order your NSL Loader through the L505 Series Value		
	Loaders		
	Price Book,		
XF9916X	Poultry NO Loader Fast Pick	(903238P56)	(\$4,152.00)
	Poultry NSL Loader Fast Pick pricing includes:		
	-343473 (Reversing Engine Fan)		
	-759992 (Horizontal Exhaust)		
	-343425 (Less Bucket)		
	-342063 (Fabric Seat)		
	Allows for choice of the following:		
	Tires		
	PTO:		
	540 OR 540/1000 RPM		
	Rear weights:		
	4 rear wheel weights OR NO rear wheel weights		
	Loader Ready or Non Loader Ready		

	XF9917X	Low Profile All Durnose Foot D	(903238P56)	(\$4,152.00)
1	AF9917A	Low Profile All Purpose Fast P Low Profile All Purpose Fast Pick includes:	(903230F30)	(ψ4, 132.00)
		·		
		-343473 (Reversing Engine Fan)		
1 1		-759926 (MMV & Joystick)		
1 1		-762698 (Loader Ready)		
1 1		-343425 (Less Bucket)		
1 1	1	-342063 (Fabric Seat)		
1 1		Allows for choice of the following:		
1 1	1	Tires		
		Rear Remotes:		
		2 or 3 remotes		
		PTO:		
		540 OR 540/1000 RPM		
		Rear weights:		
		4 rear wheel weights OR NO rear wheel weights		
		Front weights:		
		8, 10 OR NO front weights		
	XF9918X	ROPS Mowing Fast Pick	(903238P56)	(\$4,152.00)
1 1		ROPS Mowing Fast Pick		
1		-343425#(Less Bucket)		
		-762053 (3 rear remotes)		
l K				
		Allows for choice of the following:		
1 1		Loader Ready or Non Loader Ready		
1 1		Tires		
1 1		PTO:		
1 1		540 OR 540/1000 RPM		
		Rear weights:	i e	
1		4, 8 OR NO rear wheel weights		
1 1	1	Front weights:		
1 1		8, 10 OR NO front weights		
	XF9909X	Specialty WC Package	(903238P56)	(\$4,152.00)
11	1	ROPS Specialty WC Fast Pick pricing includes:		
1 1		-759623 (Downs EXH W/Loader)		
1 1		-762011 (Less MMV)		
1 1		-762053 (3 Rear Remotes)		
		-759273 (540-1000 RPM W Cap)		
1 1		-342063 (Fabric Seat)		
		-762029 (3X55OR32KG Each Side)		
1 1		(**************************************		
		Allows for choice of the following:		
		Tires		
	1	Loader Bracket		
	1	Bucket		
-	.1	Duonos		



Cab Packag				
XF9911X	Standard Cab Fast Pick		(903238P56)	(\$4,152.00
	Standard Cab Fast Pick pricing includes:			
	Cab with Hi Vis Panel			
	-342043 (Exhaust Guard)			
	-759926 (MMV & Joystick)			
	-762698 (Loader Ready)			
	-343425 (Less Bucket)			
1	-762052 (2 Rear Remotes)			
	-XT8500X (Standard Seat)			
	-X9150XX (Rear Wiper)			
	-762204 HVAC Cab 2 Remotes PS)			
	-342086 (2 External Mirrors)			
	Allows for choice of the following:			
	Tires			
	PTO:			
	540 OR 540/1000 RPM			
	Rear weights:			
	4 rear wheel weights OR NO rear wheel weights			
XF9912X	Basic Cab Fast Pick		(903238P56)	(\$4,152.0
	Deluxe Cab Fast Pick pricing includes:			
	Cab with Hi Vis Panel			
	-342043 (Exhaust Guard)			
	-759926 (MMV & Joystick)			
	-762698 (Loader Ready)			
	-343425 (Less Bucket)	1		
	-762053 (3 Rear Remotes)			
	-XT8500X (Standard Seat)			
	-X9150XX (Rear Wiper)			
	-762205 HVAC Cab 3 Remotes PS)			
	-342086 (2 External Mirrors)	1		
	4 rear wheel weights			
	_			
	Allows for choice of the following:			
	Tires			
	PTO:			
	540/540E OR 540/1000 RPM			

PERATOR STRU	CTURE		
A LIVITOR OTTO	010115		
SD_T8500 SE/	AT		
342063	Vinyl Suspension Seat		No Charge
	Air suspension seat		
	Vinyl for Open Platform models	1 1	
	ROPS only		
XT8500X	Standard seat		No Charge
	Cab only	1 1	
	Air Suspension Seat		
0D T0000 OD	FRATOR CTRUCTURE #4		
762204	ERATOR STRUCTURE #1 HVAC CAB 2 REMOTE PS		No Charge
102204	Cab only		090
762205	HVAC CAB 3 REMOTE PS	9000681P72	\$874.00
702203	Cab only	33333372	,
Open Platfor			
762132	OPEN STATION 762132		No Charge
	Semi-straddle Open Platform with foldable ROPS		
	Includes:		
	- Rubber floor mat		
	- Rear work light		
IGINE			
NGINE	IGINE OPTIONS		
SD_T1010_EN	IGINE OPTIONS		No Charge
SD_T1010_EN	VISCOUS FAN	9001790P10	
SD_T1010_EN	VISCOUS FAN REVERSE FAN	9001790P10	
SD_T1010_EN	VISCOUS FAN	9001790P10	
SD_T1010_EN	VISCOUS FAN REVERSE FAN	9001790P10	
SD_T1010_EN 343472 343473	VISCOUS FAN REVERSE FAN	9001790P10	No Charge \$2,295.00
SD_T1010 EN 343472 343473 TCH	VISCOUS FAN REVERSE FAN ROPS only	9001790P10	
SD_T1010 EN	VISCOUS FAN REVERSE FAN ROPS only	9001790P10	\$2,295.00
SD_T1010 EN	VISCOUS FAN REVERSE FAN ROPS only TCH 2000KG/4409LBS-Telesc/COMBI		\$2,295.00 No Charge
SD_T1010 EN	VISCOUS FAN REVERSE FAN ROPS only	9001790P10 9000852P54	\$2,295.00
SD_T1010 EN	VISCOUS FAN REVERSE FAN ROPS only TCH 2000KG/4409LBS-Telesc/COMBI 3500KG/7716LBS-Telesc/COMBI		\$2,295.00 No Charg
SD_T1010 EN	VISCOUS FAN REVERSE FAN ROPS only TCH 2000KG/4409LBS-Telesc/COMBI 3500KG/7716LBS-Telesc/COMBI		\$2,295.00 No Charg
SD_T1010 EN	VISCOUS FAN REVERSE FAN ROPS only TCH 2000KG/4409LBS-Telesc/COMBI 3500KG/7716LBS-Telesc/COMBI		\$2,295.00 No Charg
SD_T1010 EN	VISCOUS FAN REVERSE FAN ROPS only TCH 2000KG/4409LBS-Telesc/COMBI 3500KG/7716LBS-Telesc/COMBI 2 auxiliary lift rams to increase rear hitch capacity to 7,716 lbs.		\$2,295.0 No Charg

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS



FARMALL UTILITY 105A US PRICE LIST

7620	53 3 REMOTE 762053	No Charge
	3 rear remotes for Open Platform with foldable ROPS	
	Float on remote 1 & 3	
	Extend and retract detent and kick-out on remote 2	
YDRAULIC		
3420	56 HYD PUMP 70,0 LPM	No Charge
	16 9 GPM	

PTO

SD_T8010 PTO

	759271	540 RPM W CAP		No Charge
	759272	540-540E RPM W CAP	9000387P66	\$497.00
	759273	540-1000 RPM W CAP	9000452P40	\$580.00

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

3D_14340 FI	RONT WHEELS AND TIRES		
4WD Front	Tires - Ag		
8230506	FRONT 12.4 - 24 R1		No Charge
	Requires 18.4-30 rear tires		
8220701	11.2 - 24 R1	(900050P70)	(\$65.00)
	Requires 16.9-30 rear tires		
8230505	13.6 -24 R1	9000187P20	\$240.00
	Requires 16.9-34 rear tires		
8811501	11.5/80-15.3 R1	9000596P70	\$765.00
	Requires 500/60-22.5 rear tires		
	(POULTRY PACKAGE/ROPS ONLY)		
2WD Front	tires		
8892302	7,50 - 16 F R1/HD AXLE	(900468P00)	(\$600.00)
	Requires 16.9-30 rear tires		
8892303	10,0 - 16 R1 F/HD AXLE	(900106P86)	(\$137.00)
	Requires 18.4-30 or 16.9-34 rear tires		
4WD Front	Tires - Ind		
8230503	FRONT 12.5 - 18 R4	9000596P70	\$765.00
	Requires 19.5L-24 rear tires		
Shipping wh	neels		
8233201	FRONT SHIPMENT WHEEL	(900746P46)	(\$957.00)
	Requires rear shipping wheels		,
8254201	SHIP WHEEL HD AXLE		No Charge



REAR WHEELS AND TIRES

SD T4950	RFAR	WHEELS	AND TIRES
----------	------	--------	-----------

Rear tires - A	Ag.		
8930605	REAR 18.4 - 30 R1		No Charge
	Requires 12.4-24 4WD front or 10.0-16 2WD front		
8930601	REAR 16.9 - 34 R1	(900119P34)	(\$153.00)
	Requires 13.6-24 4WD front or 10.0-16 2WD front		
8930602	REAR 16.9 - 30 R1	9000255P84	\$328.00
	Requires 11.2-24 4WD front or 7.50-16 2WD front		
8310501	500/60-22.5 R1	9000533P52	\$684.00
	Requires 11.5/80-15.3 4WD front tires		
	(POULTRY PACKAGE/ROPS ONLY)		
Rear tires -	nd		
8930603	REAR 19.5 - 24 R4	9000533P52	\$684.00
	Requires 12.5/80-18 4WD front tires		
Shipping wh	eels		
8333201	REAR SHIPMENT WHEEL	(901150P50)	(\$1,475.00)
	Requires front shipping wheels		

LOADER

SD T8110 LOADER BRACKETS

_		D 10110 LO	10-211-211-101-10-10-10-10-10-10-10-10-10-10-10-	 	
		762698	LOADER READY 762698		No Charge
	П	343421	LESS LOADER/LESS LOADER READY	(901261P26)	(\$1,617.00)
			Less Loader		

OTHER EQUIPMENT

SD T1940 EXHAUST

OD 11040 EX	10/001	
342043	VER. EXHAUST W/GUARD	No Charge
759623	DOWNS EXH W/LOADER	No Charge
	ROPS only	
759992	HORIZONTAL EXH F/CHP	No Charge
	ROPS only	

SD_T2151 WEIGHT PACK

342067	Less CARRIER		No Charge
342069	110KgFC W/8X40-430kg	9000852P54	\$1,093.00
	Front carrier (154 lbs) + 8 weights (88lbs each) = 858 lbs		
342070	110KgFCW/10X40-510kg	9001065P48	\$1,366.00
	Front carrier (154 lbs) + 10 weights (88lbs each) = 1,034 lbs		



SD T4960 WHEEL WEIGHTS

342071	LESS/ REAR WEIGHTS		No Charge
762028	2X55or32Kg EACH SIDE 2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5 2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5	9000537P42	\$689.00
	rear tires		
759650	4X55or32Kg EACH SIDE 4 (110 lb) rear weights per side = 440 lbs total for all rear tires sizes except 500/60-22.5	9001073P28	\$1,376.00
	4 (70 lb) rear weights per side = 280 lbs total for 500/60-22.5 rear tires		

OPERATOR'S MANUAL

SD T9805 OPERATOR MANUAL (SE

-	 D_10000 01	ETOTTOTT WATER COL		
	342075	English (USA)		No Charge
	342076	French (Canada)		No Charge
	342077	Spanish		No Charge

SD_T9840 COUNTRY CONFIGURATION

	343432	LESS PACKAGE		No Charge
	343433	POULTRY PACKAGE	9002684P76	\$3,442.00
l		Poultry House Special - 4WD ONLY		
		Includes: Engine reversing fan, low profile air suspension seat, and rearward facing horizontal exhaust		
		Requires one of the following two tire choices:		
		1. 500/60-22.5 R1 rear and 11.5/80-15.3 R1 front tires		
		2. 19.5L24 R4 rear and 12.5/80-18 R4 front tires		
		ROPS only		

Case 2021 Price List



-T1LA 03

FARMALL UTILITY 115A US PRICE LIST

Standard Equipment

The Farmall Utility tractors from Case IH are the perfect combination of basic value, comfort, and features with the visibility to ensure you are productive in all your chores.

Farmall 115A 120 Gross Engine hp 100 PTO hp @ 2300 rpm 4 Cyl Turbocharged Engine 207cu in (3.4L) Displacement

ALL MODELS:

Tier B Emissions Compliant:
(CEGR + SCR + CUC)

Electronic Injection Bosch
High-pressure Common Rail System

Electric Engine Shutoff
Hand and Foot Throttle Controls

Grid Heater Starting Aid

Powercore Dry Air Cleaner

Under Hood Muffler

Vertical Exhaust on Cab

Down Exhaust on ROPS

29 gal Fuel Tank

2.9 gal DEF Tank

2 function mid mount valve & joystick

TRANSMISSION:

LH side steering column mounted Power Shuttle

- 12 Forward and 12 Reverse Speeds Creeper ready
- (4) Synchronized Gears
- (3) Non-synchronized Ranges
- (2) clutches, 5 wet disc plates

FWD - 19 mph (30 KPH)

Speed varies with tire selection Hand Operated Park Brake

STEERING/BRAKES:

Hydrostatic Power Steering Brakes- Hydraulically assisted wet disc 4WD FRONT AXLE: Limited Slip Electro-Hydraulic engagement standard

REAR AXLE
Flange Type
Tread Width: 63.8 in. to 79.5 in.

Tread Width: 66.5 in. to 72.9 in.

HYDRAULIC SYSTEM:
Open Center System
Dual Gear Pumps
Implement Pump: 16.9 gpm (64 L)
Steering Pump: 9.7 gpm (37 L)
Total Flow: 26.6 gpm (101 L)
(2) Open Center Remote Valves with
Detent & Kickout on #2 &
Float on #1

REAR DIFFERENTIAL LOCK: Mechanically Engaged

PTO:

Fully Independent
Flip-up PTO Shaft Guard
540 RPM hydraulic wet clutch
Electronic engagement
1-3/8 in. 6 splines

3-POINT LIFT SYSTEM:
Right hand console mounted
lever control
Mechanical Draft Control
3,200 Pounds Lift Capacity
Category I/II Combi Ball Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 900 cca Heavy-Duty Battery120 amp Alternator7-pin Outlet for trailer/implement lighting and signals30 amp power plug12V power socket (cigarette lighter)



Standard Equipment

INSTRUMENTATION:

Digital /Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake Gauges for fuel level, engine temperature and tachometer Digital Readout for PTO speed, ground speed, battery, hours & DEF level percentage

LIGHTING:

Front: (2) Halogen Headlights
(2) cab mounted worklights

Rear: (2) cab mounted worklights Turn Signals/Flashers/Rear Lights

TIRES:

12.4x24 R1 Front 18.4X30 R1 Rear

OPERATOR PROTECTIVE STRUCTURE: CAB MODELS

KEY SELLING POINTS

- Best-in-Class value cab
- -Instructor seat
- Air suspension seat
- 12x12 power shuttle transmission
- Lift-O-Matic

ROPS protected, 4 post, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen, front wiper and washer, rear wiper and washer, two doors with locks, two external mirrors, hinged rear window (opens completely). High Vis Roof Panel Steering Wheel - adjustable tilt Seat - Cloth covered air suspension, operator's presence sensor, retractable seat belt and arm rests Instructor Seat Suspended pedals Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood SMV Emblem Toolbox

WARRANTY:

Case IH Standard Warranty Applies

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

-T1LA 03

Grounds Equipment - Bid #ESCNJ 18/19-25



FARMALL UTILITY 115A US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	TRACTION	Weight	Factory Data	List Price
FARMALL UTILITY 105A	Cab	2WD	7,451 LB	9056370P60	\$72,270.00
Includes the following 10.0 - 16 R1 F/HD AX		.00)			
FARMALL UTILITY 105A	Cab	MFD	7,936 LB	9060738P60	\$77,870.00
FARMALL UTILITY 105A	Rops	2WD	7,451 LB	9043582P50	\$55,875.00
Includes the following 10.0 - 16 R1 F/HD AX		.00)			W.
FARMALL UTILITY 105A	Rops	MFD	7,451 LB	9047950P50	\$61,475.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
PACKAGES			AP III mysii is m	METAL TO I
SD_T9980 PA	ACKAGING			
X99801X	Custom Configuration			No Charge
	No Package selected; Custom build premium pricing.			



ROPS Packa	nges			
XF9913X	Standard ROPS Fast Pick		(903238P56)	(\$4,152.00)
	ROPS Standard Fast Pick pricing includes:			
	-342043 (Exhaust Guard)			
	-759926 (MMV & Joystick)			
	-762698 (Loader Ready)			
	-343425 (Less Bucket)	[
	-762052 (2 Rear Remotes)			
	-342063 (Fabric Seat)			
	Allows for choice of the following:			
	Tires			
	PTO:			
	540 OR 540/1000 RPM			
	Rear weights:			
	4 rear wheel weights OR NO rear wheel weights			
XF9914X	Deluxe ROPS Fast Pick		(903238P56)	(\$4,152.00)
	Deluxe ROPS Fast Pick pricing includes:			
	-342043 (Exhaust Guard)			
	-759926 (MMV & Joystick)	1		
	-762698 (Loader Ready)			
	-343425 (Less Bucket)			
	-762053 (3 Rear Remotes)			
	-342063 (Fabric Seat)			
	4 rear wheel weights			
	Allows for choice of the following:			
	Tires			
	PTO:			
	540/540E OR 540/1000 RPM			

-T1LA 03



L L VEGG4EV	D # MOLE 5 (B)	(000000DE0)	(C4 450 00)
XF9915X		(903238P56)	(\$4,152.00)
	Poultry NSL Loader Fast Pick pricing includes:		
	-343473 (Reversing Engine Fan)		
	-759992 (Horizontal Exhaust)		1
-	-759926 (MMV & Joystick)		
	-762698 (Loader Ready)		
	-343425 (Less Bucket)		
	-762052 (2 Rear Remotes)		
	-342063 (Fabric Seat)		
	Allows for choice of the following:		
	Tires		
	PTO:		
	540 OR 540/1000 RPM		
	Rear weights:		
	4 rear wheel weights OR NO rear wheel weights		
	Note: Order your NSL Loader through the L505 Series Value		
	Loaders		
	Price Book.		
XF9916X	Poultry NO Loader Fast Pick	(903238P56)	(\$4,152.00)
	Poultry NSL Loader Fast Pick pricing includes:		
	-343473 (Reversing Engine Fan)		
	-759992 (Horizontal Exhaust)		
	-343425 (Less Bucket)		
	-342063 (Fabric Seat)		
	Allows for choice of the following:		
	Tires		
	PTO:		
	540 OR 540/1000 RPM		
	Rear weights:		
	4 rear wheel weights OR NO rear wheel weights		
	Loader Ready or Non Loader Ready		

XF9917X	Low Profile All Purpose Fast P	(903238P56)	(\$4,152.00)
	Low Profile All Purpose Fast Pick includes:		
	-343473 (Reversing Engine Fan)		
	-759926 (MMV & Joystick)		
	-762698 (Loader Ready)		
	-343425 (Less Bucket)		
	-342063 (Fabric Seat)		
	Allows for choice of the following:		
	Tires		
	Rear Remotes:		
	2 or 3 remotes		
	PTO:		
	540 OR 540/1000 RPM		
	Rear weights:		
	4 rear wheel weights OR NO rear wheel weights		
	Front weights:		
	8, 10 OR NO front weights		
XF9918X	ROPS Mowing Fast Pick	(903238P56)	(\$4,152.00)
	ROPS Mowing Fast Pick		
	-343425#(Less Bucket)		
	-762053 (3 rear remotes)		
	Allows for choice of the following:		
	Loader Ready or Non Loader Ready		
	Tires		
	PTO:		
	540 OR 540/1000 RPM		
	Rear weights:		
	4, 8 OR NO rear wheel weights		
	Front weights:		
	8, 10 OR NO front weights		
XF9909X	Specialty WC Package	(903238P56)	(\$4,152.00)
	ROPS Specialty WC Fast Pick pricing includes:		
	-759623 (Downs EXH W/Loader)		
	-762011 (Less MMV)		
	-762053 (3 Rear Remotes)		
	-759273 (540-1000 RPM W Cap)		
	-342063 (Fabric Seat)		
	-762029 (3X55OR32KG Each Side)		
	Allows for choice of the following:		
	Tires		
	Loader Bracket		
	Bucket		



Cab Package	es es		
XF9911X	Standard Cab Fast Pick	(903238P56)	(\$4,152.00)
	Standard Cab Fast Pick pricing includes:		
	Cab with Hi Vis Panel		
	-342043 (Exhaust Guard)		
	-759926 (MMV & Joystick)		
	-762698 (Loader Ready)		
	-343425 (Less Bucket)		
1	-762052 (2 Rear Remotes)		
	-XT8500X (Standard Seat)		
	-X9150XX (Rear Wiper)		1
	-762204 HVAC Cab 2 Remotes PS)		
	-342086 (2 External Mirrors)	l II	
	Allows for choice of the following:		
	Tires		
	PTO:		
	540 OR 540/1000 RPM		
	Rear weights:		
	4 rear wheel weights OR NO rear wheel weights		
XF9912X	Basic Cab Fast Pick	(903238P56)	(\$4,152.00)
	Deluxe Cab Fast Pick pricing includes:		
	Cab with Hi Vis Panel		
	-342043 (Exhaust Guard)		
	-759926 (MMV & Joystick)		
	-762698 (Loader Ready)		
	-343425 (Less Bucket)		
	-762053 (3 Rear Remotes)		
1	-XT8500X (Standard Seat)		
	-X9150XX (Rear Wiper)		
	-762205 HVAC Cab 3 Remotes PS)		
1	-342086 (2 External Mirrors)		
	4 rear wheel weights		
	Allows for choice of the following:		
	Tires		
	PTO:		
	540/540E OR 540/1000 RPM		



ZI W TI OIT OIT	JCTURE		
SD_T8500 SI	FAT		
342063	Vinyl Suspension Seat		No Charge
	Air suspension seat		-
Ĭ	Vinyl for Open Platform models		
	ROPS only		
XT8500X	Standard seat		No Charge
	Cab only		
	Air Suspension Seat		
SD T9200 O	PERATOR STRUCTURE #1		
762204	HVAC CAB 2 REMOTE PS		No Charge
	Cab only		3
762205	HVAC CAB 3 REMOTE PS	9000681P72	\$874.0
	Cab only		
Open Platfo			
762132	OPEN STATION 762132		No Charg
	Semi-straddle Open Platform with foldable ROPS		
	Includes:		
1	Into Lauren		
	- Rubber floor mat		
GINE	- Rubber floor mat - Rear work light		-Williams P.A.
	- Rubber floor mat - Rear work light		
SD_T1010 E	- Rubber floor mat - Rear work light	9001790P10	
SD_T1010_E	- Rubber floor mat - Rear work light NGINE OPTIONS VISCOUS FAN		
SD_T1010_E	- Rubber floor mat - Rear work light NGINE OPTIONS VISCOUS FAN REVERSE FAN		
SD_T1010 E 343472 343473	- Rubber floor mat - Rear work light NGINE OPTIONS VISCOUS FAN REVERSE FAN		
SD_T1010 E 343472 343473	- Rubber floor mat - Rear work light NGINE OPTIONS VISCOUS FAN REVERSE FAN ROPS only		
SD_T1010 E 343472 343473	- Rubber floor mat - Rear work light NGINE OPTIONS VISCOUS FAN REVERSE FAN ROPS only		No Charg \$2,295.0
SD_T1010 E 343472 343473 CCH SD_T8200 H	- Rubber floor mat - Rear work light NGINE OPTIONS VISCOUS FAN REVERSE FAN ROPS only TCH		\$2,295.0
SD_T1010 E 343472 343473 **CH SD_T8200 H 342053	- Rubber floor mat - Rear work light NGINE OPTIONS VISCOUS FAN REVERSE FAN ROPS only TCH 2000KG/4409LBS-Telesc/COMBI	9001790P10	\$2,295.0 No Charg
SD_T1010 E 343472 343473 **CH SD_T8200 H 342053	- Rubber floor mat - Rear work light NGINE OPTIONS VISCOUS FAN REVERSE FAN ROPS only TCH 2000KG/4409LBS-Telesc/COMBI 3500KG/7716LBS-Telesc/COMBI	9001790P10	\$2,295.0 No Charg

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23



	762053	3 REMOTE 762053	No Charge
		3 rear remotes for Open Platform with foldable ROPS	
		Float on remote 1 & 3	
L		Extend and retract detent and kick-out on remote 2	

HYDRAULIC PUMP

SD_T8230 HYD PUMP

 OB_10200 TITB FORM							
	342056	HYD PUMP 70,0 LPM			No Charge		
		16.9 GPM					

PTO

SD_T8010 PTO

	759271	540 RPM W CAP		No Charge
	759272	540-540E RPM W CAP	9000387P66	\$497.00
	759273	540-1000 RPM W CAP	9000452P40	\$580.00

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

4WD Front 7	Tires - Ag		
8230506	FRONT 12.4 - 24 R1		No Charge
	Requires 18.4-30 rear tires		
8220701	11.2 - 24 R1	(900050P70)	(\$65.00)
	Requires 16.9-30 rear tires		
8230505	13.6 -24 R1	9000187P20	\$240.00
	Requires 16.9-34 rear tires		
8811501	11.5/80-15.3 R1	9000596P70	\$765.00
	Requires 500/60-22.5 rear tires		
	(POULTRY PACKAGE/ROPS ONLY)		
2WD Front to	ires		
8892302	7.50 - 16 F R1/HD AXLE	(900468P00)	(\$600.00)
	Requires 16.9-30 rear tires		
8892303	10.0 - 16 R1 F/HD AXLE	(900106P86)	(\$137,00)
	Requires 18.4-30 or 16.9-34 rear tires		
4WD Front 7	Fires - Ind		
8230503	FRONT 12.5 - 18 R4	9000596P70	\$765.00
	Requires 19.5L-24 rear tires		
Shipping wh	eels		
8233201	FRONT SHIPMENT WHEEL	(900746P46)	(\$957.00)
	Requires rear shipping wheels		
8254201	SHIP WHEEL HD AXLE		No Charge

-T1LA 03



FARMALL UTILITY 115A US PRICE LIST

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

R	tear tires - A	Ng		
	8930605	REAR 18.4 - 30 R1		No Charge
		Requires 12.4-24 4WD front or 10.0-16 2WD front		
	8930601	REAR 16.9 - 34 R1	(900119P34)	(\$153.00)
		Requires 13.6-24 4WD front or 10.0-16 2WD front		
	8930602	REAR 16.9 - 30 R1	9000255P84	\$328.00
		Requires 11.2-24 4WD front or 7.50-16 2WD front		
	8310501	500/60-22.5 R1	9000533P52	\$684.00
		Requires 11.5/80-15.3 4WD front tires		
		(POULTRY PACKAGE/ROPS ONLY)		
R	tear tires - I	nd	2) - 2)	
	8930603	REAR 19.5 - 24 R4	9000533P52	\$684.00
		Requires 12.5/80-18 4WD front tires		
S	hipping who	eels		
	8333201	REAR SHIPMENT WHEEL	(901150P50)	(\$1,475.00)
		Requires front shipping wheels		

LOADER

SD T8110 LOADER BRACKETS

- 53	 OH 10110 HO	THE ELL WILLIAM TO THE TO		
	762698	LOADER READY 762698		No Charge
ĺ	343421	LESS LOADER/LESS LOADER READY	(901261P26)	(\$1,617.00)
ı		Less Loader		

OTHER EQUIPMENT

SD T1940 EXHAUST

_	OD TIOTO L.	M III CO	
	342043	VER. EXHAUST W/GUARD	No Charge
	759623	DOWNS EXH W/LOADER	No Charge
		ROPS only	
	759992	HORIZONTAL EXH F/CHP	No Charge
_		ROPS only	

SD_T2151 WEIGHT PACK

	342067	Less CARRIER		No Charge
	342069	110KgFC W/8X40-430kg	9000852P54	\$1,093.00
		Front carrier (154 lbs) + 8 weights (88lbs each) = 858 lbs		
	342070	110KgFCW/10X40-510kg	9001065P48	\$1,366.00
		Front carrier (154 lbs) + 10 weights (88lbs each) = 1,034 lbs		

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

SD T4960 WHEEL WEIGHTS

342071	LESS/ REAR WEIGHTS		No Charge
762028	2X55or32Kg EACH SIDE 2 (110 lb) rear weights per side = 220 lbs total for all rear tires sizes except 500/60-22.5	9000537P42	\$689.00
	2 (70 lb) rear weights per side = 140 lbs total for 500/60-22.5 rear tires		
759650	4X55or32Kg EACH SIDE 4 (110 lb) rear weights per side = 440 lbs total for all rear tires sizes except 500/60-22.5	9001073P28	\$1,376.00
	4 (70 lb) rear weights per side = 280 lbs total for 500/60-22.5 rear tires		

OPERATOR'S MANUAL

SD T9805 OPERATOR MANUAL (SE

 	3000	and the state of t	
	342075	English (USA)	No Charge
	342076	French (Canada)	No Charge
	342077	Spanish	No Charge

SD_T9840 COUNTRY CONFIGURATION

343432	LESS PACKAGE		No Charge
343433	POULTRY PACKAGE	9002684P76	\$3,442.00
	Poultry House Special - 4WD ONLY		
		ļ .	
	Includes: Engine reversing fan, low profile air suspension seat, and		
	rearward facing horizontal exhaust		
	Requires one of the following two tire choices:		
	1. 500/60-22.5 R1 rear and 11.5/80-15.3 R1 front tires		
	2. 19.5L24 R4 rear and 12.5/80-18 R4 front tires		
	ROPS only		

Case 2021 Price List



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.