

AGRICULTURAL EQUIPMENT

U.S. Price List Effective January 2, 2020

FARMALL® A SERIES TRACTORS PL-100 FA REVISION 5 SAP PRICE LIST 051 C2

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the AG and AL contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eQuipment for the most current pricing.

Copyright 2019 By CNH Industrial America LLC





GENERAL INFORMATION

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER Complete U.S. Price List is PL-100 Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



FARMALL® UTILITY A SERIES TRACTORS TABLE OF CONTENTS

FARMALL® UTILITY 55A, 65A, 75A SERIES TRACTORS

ARMALL 55A TRACTOR	
Standard Features 1	
Price List	ļ
ARMALL 65A TRACTOR	
Standard Features	11
Price List1	14
ARMALL 75A TRACTOR	
Standard Features	21
Price List2	24
PURCHASE PROTECTION	33



Standard Equipment

ENGINE:

Farmall 55A 54 Gross Engine hp 43 PTO hp @ 2300 rpm 3 Cyl Turbocharged Engine 179 cu in (2.9 L) Displacement

Tier 4 B/Final Emissions Compliant:
 (CEGR + DOC)

Electronic Injection Bosch
 High-pressure Common Rail System

Electric Engine Shutoff

Hand and Foot Throttle Controls

Grid Heater Starting Aid

Powercore Dry Air Cleaner

Under Hood Muffler

Vertical Exhaust

21.6 gal Fuel Tank

EXHAUST:

Under Hood Muffler with Vertical Exhaust

TRANSMISSION:

LH side steering column mounted Mechanical Shuttle

- 8 Forward and 8 Reverse Speeds
- (4) Synchronized Gears
- (2) Non-synchronized Ranges
- 11 Inch Single Dry Disk Clutch
- 19 mph (30 KPH)

Power Shuttle (Optional)

- 12 Forward and 12 Reverse Sp.
- (4) Synchronized Gears
- (3) Non-Sunchronized Ranges
- (2) Clutches; (5) Wet Disk Plates
- 25 MPH (40KPH)

Speed varies with tire selection Hand Operated Park Brake

FRONT AXLE:

2WD:

Inverted "U" axle design
6,614 lbs. (3000 kg)

restricted (dynamic) axle capacity 5,291 lbs. (2400 kg) unrestricted (static) axle capacity Turning radius of 144 in. (3650mm) without brakes

FRONT AXLE: (cont.)
Track widths from 54 in. (1362 mm)
 to 69 in. (1762 mm) with adjustable
 rims and axle

MFD: (Optional)
Limited Slip
Electro-Hydraulic engagement standard
Adjustable Tread Width from 51.5 in.
to 79.4 in.

REAR AXLE:
Flange Type
Adjustable Tread Width 60.1 in.
to 76.0 in.

TIRES:

2WD:

7.50-16 F-2 Front 16.9X30 R-1 Rear

MFD:

11.2x24 R1 Front 16.9X30 R1 Rear

HYDRAULIC SYSTEM:

Open Center System

Dual Gear Pumps

Implement Pump: 12.5 gpm (47.7 L)
Steering Pump: 7.6 gpm (28.7 L)
Total Flow: 20.1 gpm (76.4 L)

(2) Open Center Remote Valves with Detent & Kickout on #2

PTO:

Fully Independent
Flip-up PTO Shaft Guard
4WD power shuttle:
-540 RPM hydraulic wet clutch



Standard Equipment

-Electronic engagement

-Wet clutch

1-3/8 in. 6 splines

HITCH:

3-point Category II with fixed lower

and telescoping stabilizers
4300 lbs. Lift Capacity at 24 inches
Swinging Drawbar
Mechanical Draft Control
Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake Gauges for fuel level, engine temperature and tachometer Digital Readout for PTO speed, ground speed, battery & hours

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery120 amp Alternator7-pin Outlet for trailer/implement lighting and signals25 amp socket12V power socket (cigarette lighter)

LIGHTING:

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform
with heat and air conditioning, tinted
windshield, retractable sun screen,

(cont.)

front wiper and washer, two doors
with locks, two external mirrors,
openable side windows, hinged rear
window (fully opens), High Visibily
roof panel (openable)

Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical
suspension, operator's presence
sensor, retractable seat belt, arm
rests

Suspended pedals
Radio ready (speakers and antenna)
Instructor seat ready

MISCELLANEOUS:

Pivoting Engine Hood SMV Emblem, and Toolbox

WARRANTY:

Case IH Standard Warranty Applies

Tier 4 B/Final Emissions Compliant:

L610 Front Loader, OPTIONAL
STANDARD FEATURES:
Quick attach design(Skid
Steer or Euro style)
4-Bar bucket linkage
Bucket level indicator
Parking stands
Grill guard
(Not compatible with 2WD tractors)

SPECIFICATIONS:

L610 NON SELF-LEVELING Maximum Lift Height @ pivot pin: 132"



Standard Equipment

Dump Clearance @ 45 deg: 99"
Digging Depth: 5"
Lift Capacity @ 800mm: 1,828 LBS
Reach @ Max Lift Height @ 45 deg: 44"
Reach @ Ground Level: 84"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
(Not compatible with 2WD tractors)

L610 MECHANICAL SELF-LEVELING

Maximum Lift Height @
pivot pin: 130"

Dump Clearance @ 45 deg: 97"

Digging Depth: 6"

Lift Capacity @ 800mm: 3,153 LBS

Reach @ Max Lift Height @ 45 deg: 44"

Reach @ Ground Level: 84"

Bucket Rollback Angle: 42 degrees

Bucket Dump Angle: 61 degrees

(Not compatible with 2WD tractors)



Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	TRACTION	Weight	Factory Data	List Price
FARMALL 55A TRACTOR	Cab	55 HP	2WD	6,173 LB	9024852P36	\$31,862.00
FARMALL 55A TRACTOR	Cab	55 HP	MFD	6,173 LB	9028904P46	\$37,057.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
PACKAGES				
SD T9980 PA	ACKAGING			
XT9980X	Assy Center Set-Up Fee No Package selected; Custom build premium pricing.			No Charge



Cab Packag	e			
X0412XX			(901248P00)	(\$1,600.00)
	For Cab MFD Only		()	(+ -,====-/
	Package includes the following:			
	390215 Less Front Carrier and Weights			
	337280 40 KPH			
	759318 Power Shut w/Servo			
	391111 L/Creep F/Mec Transm			
	8232304 11.2 x 24 6PR R1			
	8355304 16.9-30 6PR R1			
	330470 4 x 110 lb Rear Wheel Weights			
	743565 540 PTO			
	344739 Loader-NSL.2F.SSLWGG			
	332035 Mech 3 Pt Hitch Ground Control			
	336748 72" Bucket			
	390831 Hitch w/Mech Top Link Draft Co			
	335413 2 Rem. Valve (1 S/D	(
	336125 2Mid-Mount w/MecJoy L/CPL			
	342240 Fabric w/Air Suspens			
	332865 Instructional Seat			
	390860 Less Front Fenders			
S-2	334316 Flexible Ends			
	342174 Radio w/ Bluetooth			
	333606 Cab Fix Screen Open			
	·			
	Note - each option will be selected and display pricing; package			
	selection is for ease of selection			
ROPS & Cal	b Package		<u>'</u>	
XF4701X	EZ Pick Package		(901248P00)	(\$1,600.00)
	Ala-Cart MFD EZ Pick			
	Allows for choice of the following:			
	Loader			
	Rear remotes			
	Tires:			
	16.9x30 R1 rear with 11.2x24 R1 front OR			
	19.5L-24 R4 rear with 12.5/80-18 R4 front			
	Rear weights:			
	4 rear wheel weights OR			
	NO rear wheel weights			



PERATOR STR	JCTURE		
OPERATOR STRU	JCTURE		
SD T8500 SE	-AT		
338379	FABRIC W/ MECH SUSPE		No Charg
	Standard equipment for cab		
342240	FABRIC WAIR SUSPENS	9000401P70	\$515.0
SD_T9200 OI	PERATOR STRUCTURE #1		
333606	CAB FIX SCREEN OPEN		No Charg
RADIO			
SD T9160 R/	ADIO READY		
330777	Radio ready - for cab		No Charg
	CAB only		
342174	RADIO W/BLUETOOTH CAB only	9000201P24	\$258.0
NGINE			Tishean if
EXHAUST SYSTE			
CD T1510 EI			
	NGINE EXHAUST		No Char
390466 391151			
390466 391151	NGINE EXHAUST EXHAUST A PILLAR GS		
390466	NGINE EXHAUST EXHAUST A PILLAR GS		No Charg No Charg
390466 391151 RANSMISSION	NGINE EXHAUST EXHAUST A PILLAR GS Vertical Exhaust w/Guard		
390466 391151 RANSMISSION	NGINE EXHAUST EXHAUST A PILLAR GS Vertical Exhaust w/Guard		
390466 391151 RANSMISSION TRANSMISSION SD_T2800 SI 393280	PEED 30 KPH. 8x8 (30KPH)		No Char
390466 391151 RANSMISSION TRANSMISSION SD_T2800 SI	PEED 30 KPH. 8x8 (30KPH) 40 KPH	9001558P44	No Char
390466 391151 RANSMISSION TRANSMISSION SD_T2800 SI 393280	PEED 30 KPH. 8x8 (30KPH)	9001558P44	No Char
390466 391151 RANSMISSION TRANSMISSION SD_T2800 SI 393280 337280 SD_T2810 TI	PEED 30 KPH. 8x8 (30KPH) 40 KPH 12x12 (40KPH)	9001558P44	No Char
390466 391151 RANSMISSION TRANSMISSION SD_T2800 SI 393280 337280	PEED 30 KPH. 8x8 (30KPH) 40 KPH 12x12 (40KPH)	9001558P44 9001621P62	No Char



001111	LIODEED FINES TRANSM		
391111	L/CREEP F/MEC TRANSM		No Charge
330112	CREEP 20+20 F/MEC TR	9000626P34	\$803.00
тсн	·····································		
SD T8130 3	POINT HITCH CONTROL		
391035	Less 3 Pt Hitch Ground Control		No Charge
332035	Mech 3 Pt Hitch Ground Control	9000195P00	\$250.0
	External Mechanical Rear Control for 3-Point Hitch		
SD T8200 HI	TCH		
390831	Hitch w/Mech Top Link Draft Co		No Charge
	(4,300 lbs/1,950 Kgs lift capacity) @ 24"		TTO Onarg
332785	MDC Hitch aux lift ram	9000354P90	\$455.0
	Hydraulic lift with 1 internal and 1 external lift cylinders		*
	(4,740 lbs/2,150 kgs lift capacity) @ 24"		
390259	FIX END LOWER LINKS.		No Charg
334316	FLEXIBLE ENDS	9000201P24	No Charge \$258.06
334316		9000201P24	
334316 YDRAULICS	FLEXIBLE ENDS	9000201P24	
334316	FLEXIBLE ENDS	9000201P24	
334316 YDRAULICS REAR REMOTE V	ALVES	9000201P24	
334316 YDRAULICS REAR REMOTE V	FLEXIBLE ENDS	9000201P24	\$258.0
334316 YDRAULICS REAR REMOTE V SD_T8270 R	ALVES EAR REMOTES	9000201P24 9000626P34	
334316 YDRAULICS REAR REMOTE V SD_T8270 RI 335413	ALVES EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE		\$258.0 No Charg
334316 YDRAULICS REAR REMOTE V SD_T8270 RI 335413 335640 MID-MOUNT VAL	ALVES EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE		\$258.0 No Charg
334316 YDRAULICS REAR REMOTE V SD_T8270 RI 335413 335640 MID-MOUNT VAL	ALVES EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE VES D-MOUNT VALVES		\$258.0 No Charg \$803.0
334316 YDRAULICS REAR REMOTE V SD_T8270 RI 335413 335640 MID-MOUNT VAL	ALVES EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE VES D-MOUNT VALVES Less Mid-Mount	9000626P34	\$258.0 No Charg \$803.0
334316 YDRAULICS REAR REMOTE V SD_T8270 RI 335413 335640 MID-MOUNT VAL* SD_T8280 M 390124	ALVES EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE VES D-MOUNT VALVES		\$258.0 No Charg \$803.0
334316 YDRAULICS REAR REMOTE V SD_T8270 RI 335413 335640 MID-MOUNT VAL* SD_T8280 M 390124	ALVES EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE VES D-MOUNT VALVES Less Mid-Mount	9000626P34	\$258.0 No Charg \$803.0
334316 YDRAULICS REAR REMOTE V SD_T8270 RI 335413 335640 MID-MOUNT VAL* SD_T8280 M 390124 336125	ALVES EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE VES D-MOUNT VALVES Less Mid-Mount	9000626P34	\$258.0 No Charg \$803.0
334316 YDRAULICS REAR REMOTE V SD_T8270 RI 335413 335640 MID-MOUNT VAL SD_T8280 M 390124 336125	ALVES EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE VES D-MOUNT VALVES Less Mid-Mount 2 Mid-Mount w/MecJoy L/CPL	9000626P34	\$258.0 No Charg \$803.0 No Charg \$1,242.0
334316 YDRAULICS REAR REMOTE V SD_T8270 RI 335413 335640 MID-MOUNT VAL* SD_T8280 M 390124 336125	ALVES EAR REMOTES 2 Rem. Valve (1 S/D 3 REMOTE VALVE VES D-MOUNT VALVES Less Mid-Mount 2 Mid-Mount w/MecJoy L/CPL	9000626P34	\$258.0 No Charg



FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

	RONT WHEELS AND TIRES	(900210P60)	(\$270.00)
819980		(900210190)	
811130	7.50-16 6PR		No Charge
	For 2WD		
829090	12.5/80-18 10PR R4	9000290P16	\$372.00
	For MFD		
	12.5/80 X 18 (R-4) Industrial		
829980	Non-Return Ship Wheels - 4WD	(900595P14)	(\$763.00)
	Shipping Wheels MFD		
823230	1 11.2 x 24 6PR R1		No Charge
	11.2X24 Ag Tread (R-1) Bias Ply		
	For MFD		
822520	9.5L-15	9000113P88	\$146.00
	9.5L-15		
	For 2WD		
820340	1 12.4R20 A8	9000287P04	\$368.00
	12.4R20 Ag Tread (R-1W) Radial		
	For MFD		

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

	8399801	Non-Returnable Shipping Wheel	(901152P06)	(\$1,477.00)
		Shipping Wheels		
	8355304	16.9-30 6PR R1		No Charge
1 1 1		16.9X30 Ag Tread (R-1) Bias Ply		
		For MFD		
	8391904	19.5L-24 10 PR R4	9000410P28	\$526.00
		19.5L X 24 (R-4) Industrial		
	8352401	16.9R28 A8	9000450P84	\$578.00
		16.9R28 Ag Tread (R-1W) Radial		

FENDERS

SD_T8740 FRONT FENDERS

	390860	Less Front Fenders		No Charge
	744674	Dynamic Fenders	9000542P88	\$696.00



LOADER

LOADER EQUIPMENT

S		ADER BRACKETS		
	391489	Less Loader Bracket		No Charge
		Does not include Loader Mounting Brackets or Loader.		
	344743	LOADER-NSL-2F-EU-WGG	9005981P82	\$7,669.00
		L610 NON Self Leveling Loader Euro Style Attach		
		(Includes Grill Guard)		
		Requires Mid-Mount Valve		
		Bucket NOT included.		
		A 72" bucket is AVAILABLE.		
		Not allowed with Horizontal Exhaust		
		(Not compatible with 2WD tractors)		
	344739	LOADER-NSL.2F.SSLWGG	9005981P82	\$7,669.00
		L610 NON Self Leveling Loader with Skidsteer Style Quick Attach		
		(Includes Grill Guard)		
		Requires Mid-Mount Valve		
- A		Bucket NOT included.		
()		A 72" bucket is AVAILABLE.		
7		Not allowed with Horizontal Exhaust		
		(Not compatible with 2WD tractors)		
	344742	LOADER-MSL-2F-EU-WGG	9006838P26	\$8,767.00
		L610 Self Leveling Loader Euro Style Attach		
		(Includes Grill Guard)		
		Requires Mid-Mount Valve		
		Bucket NOT included.		
		A 72" bucket is AVAILABLE.		
		Not allowed with Horizontal Exhaust		
		(Not compatible with 2WD tractors)		
	344738	LOADER-MSL.2F.SSLWGG	9006838P26	\$8,767.00
		L610 Self Leveling Loader with Skidsteer Style Attach		
		(Includes Grill Guard)		
		Requires Mid-Mount Valve		
		Bucket NOT included.		
		A 72" bucket is AVAILABLE.		
		Not allowed with Horizontal Exhaust		
		(Not compatible with 2WD tractors)		

BUCKET

SD T8140 BUCKET

	XT8140X	Less Bucket		No Charge
	336749	72" BUCKET EU T.A.	9000418P08	\$536.00

No Charge \$611.00



FARMALL 55A US PRICE LIST

336748	72" Bucket	9000418P08	\$536.00	

OTHER EQUIPMENT

SD T2150 FRONT BALLAST

3D 12100 TRONT BALLAST						
	390215	Less Front Carrier and Weights			No Charge	
	330183	FRONT WEIGHT 8X30KG		9000819P00	\$1,050.00	

SD_T4961 RE	AR BALLAST		
XT4961X	Standard less rear ballast		
330470	4 x 110 lb Rear Wheel Weights	9000476P58	



Standard Equipment

ENGINE:

Farmall 65A 64 Gross Engine hp 51 PTO hp @ 2300 rpm 3 Cyl Turbocharged Engine 179 cu in (2.9 L) Displacement

Tier B Emissions Compliant:
 (CEGR + DOC)

Electronic Injection Bosch
High-pressure Common Rail System
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Powercore Dry Air Cleaner
Under Hood Muffler
Vertical Exhaust
21.6 gal Fuel Tank

EXHAUST:

Under Hood Muffler with Vertical Exhaust

TRANSMISSION:

LH side steering column mounted Mechanical Shuttle

- 8 Forward and 8 Reverse Speeds
 - (4) Synchronized Gears
 - (2) Non-Synchronized Ranges
 - 11 Inch Single Dry Disk Clutch
 - 19 mph (30 KPH)

Power Shuttle (Optional)

- 12 Forward and 12 Revers Sp.
- (4) Synchronized Gears
- (3) Non-Synchronized Ranges
- (2) Clutches; (5) Wet Disk Plates
- 25 MPH (40KPH)

Speed varies with tire selection Hand Operated Park Brake

FRONT AXLE:

วพก.

Inverted "U" axle design 6,614 lbs. (3000 kg)

restricted (dynamic) axle capacity 5,291 lbs. (2400 kg) unrestricted (static) axle capacity Turning radius of 144 in. (3650mm) without brakes

2WD: (Continued)
Track widths from 54 in. (1362 mm)
 to 69 in. (1762 mm) with adjustable

MFD: (Optional)
Limited Slip
Electro-Hydraulic engagement standard
Adjustable Tread Width from 51.5 in.
to 79.4 in.

REAR AXLE:
Flange Type
Adjustable Tread Width 60.1 in.
to 76.0 in.

rims and axle

TIRES:

2WD:

7.50-16 F-2 Front 16.9X30 R-1 Rear

MFD:

11.2x24 R1 Front 16.9X30 R1 Rear

HYDRAULIC SYSTEM:

Open Center System

Dual Gear Pumps

Implement Pump: 12.5 gpm (47.7 L)
Steering Pump: 7.6 gpm (28.7 L)
Total Flow: 20.1 gpm (76.4 L)

(2) Open Center Remote Valves with Detent & Kickout on #2

PTO:

Fully Independent
Flip-up PTO Shaft Guard
4WD power shuttle:
-540 RPM hydraulic wet clutch



Standard Equipment

-Electronic engagement

-Wet clutch

1-3/8 in. 6 splines

HITCH:

3-point Category II with fixed lower links

and telescoping stabilizers
4300 lbs. Lift Capacity at 24 inches
Swinging Drawbar
Mechanical Draft Control
Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake

Gauges for fuel level, engine temperature and tachometer

Digital Readout for PTO speed, ground speed, battery & hours

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
 and signals
25 amp socket
12V power socket (cigarette lighter)

LIGHTING:

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen,

CAB MODELS (continued)

front wiper and washer, two doors with locks, two external mirrors, openable side windows, hinged rear window (fully opens), High Visibily roof panel (openable)

Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical
suspension, operator's presence
sensor, retractable seat belt, arm
rests

Suspended pedals
Radio ready (speakers and antenna)
Instructor seat ready

MISCELLANEOUS:

Pivoting Engine Hood SMV Emblem, and Toolbox

WARRANTY:

Case IH Standard Warranty Applies

Tier 4 B/Final Emissions Compliant:

L610 Front Loader, OPTIONAL
STANDARD FEATURES:
Quick attach design(Skid
Steer or Euro style)
4-Bar bucket linkage
Bucket level indicator
Parking stands
Grill guard
(Not compatible with 2WD tractors)

SPECIFICATIONS:

L610 NON SELF-LEVELING
Maximum Lift Height @
pivot pin: 132"
Dump Clearance @ 45 deg: 99"



Standard Equipment

Digging Depth: 5"
Lift Capacity @ 800mm: 1,828 LBS
Reach @ Max Lift Height @ 45 deg: 44"
Reach @ Ground Level: 84"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 58 degrees
(Not compatible with 2WD tractors)

L610 MECHANICAL SELF-LEVELING Maximum Lift Height @

pivot pin: 130"

Dump Clearance @ 45 deg: 97"

Digging Depth: 6"

Lift Capacity @ 800mm: 3,153 LBS

Reach @ Max Lift Height @ 45 deg: 44"

Reach @ Ground Level: 84"

Bucket Rollback Angle: 42 degrees

Bucket Dump Angle: 61 degrees

(Not compatible with 2WD tractors)



Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	TRACTION	Weight	Factory Data	List Price
FARMALL 65A TRACTOR	Cab	65 HP	2WD	6,239 LB	9026857P74	\$34,433.00
FARMALL 65A TRACTOR	Cab	65 HP	MFD	6,239 LB	9030909P84	\$39,628.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
PACKAGES				Special State (Section 1)
SD_T9980 P.	ACKAGING	100		
XT9980X	Assy Center Set-Up Fee			No Charge
	No Package selected; Custom build premium pricing.			



	Cab Package				
	X0412XX	CIH PKG A CUSTOM		(901248P00)	(\$1,600.00)
		For Cab MFD Only		` ′	
		Package includes the following:			
		3	1		
		390215 Less Front Carrier and Weights			
		337280 40 KPH			
		759318 Power Shut w/Servo			
		391111 L/Creep F/Mec Transm			
		8232304 11.2 x 24 6PR R1			
		8355304 16.9-30 6PR R1			
		330470 4 x 110 lb Rear Wheel Weights			
		743565 540 PTO			
		344739 Loader-NSL.2F.SSLWGG			
		332035 Mech 3 Pt Hitch Ground Control			
		336748 72" Bucket			
		390831 Hitch w/Mech Top Link Draft Co			
		335413 2 Rem. Valve (1 S/D			
		336125 2Mid-Mount w/MecJoy L/CPL			
		342240 Fabric w/Air Suspens			
		332865 Instructional Seat			
		390860 Less Front Fenders			
\sim		334316 Flexible Ends			
		342174 Radio w/ Bluetooth			
		333606 Cab Fix Screen Open			
		·			
		Note - each option will be selected and display pricing; package			
		selection is for ease of selection			
	ROPS & Cab	Package			
	XF4701X	EZ Pick Package		(901248P00)	(\$1,600.00)
		Ala-Cart MFD EZ Pick			
		Allows for choice of the following:			
1 1 1		Loader		(
		Rear remotes			
		Tires:			
		16.9x30 R1 rear with 11.2x24 R1 front OR			
		19.5L-24 R4 rear with 12.5/80-18 R4 front			
		Rear weights:			
		4 rear wheel weights OR		ļ	
		NO rear wheel weights			



	UCTURE	The till and the
OPERATOR STRI	JCTURE	
SD_T8500 SI		
338379	FABRIC W/ MECH SUSPE	No Charge
330379	Standard equipment for cab	140 Onlarg
342240	FABRIC W/AIR SUSPENS 9000401P70	\$515.0
SD T9200 O	PERATOR STRUCTURE #1	
333606	CAB FIX SCREEN OPEN	No Charg
RADIO		
SD_T9160_R/	ADIO READY	
330777	Radio ready - for cab	No Charg
342174	CAB only 9000201P24	\$258.0
042174	CAB only	Ψ200.0
SEAT		
332865	INSTRUCTIONAL SEAT 9000292P50	\$375.0
NGINE		
NGINE		
NGINE EXHAUST SYSTE	MS	
EXHAUST SYSTE	NGINE EXHAUST	
SD_T1510 El	NGINE EXHAUST EXHAUST A PILLAR GS	No Charg
EXHAUST SYSTE	NGINE EXHAUST	No Charg No Charg
SD_T1510 El	NGINE EXHAUST EXHAUST A PILLAR GS	
SD_T1510 El 390466 391151	NGINE EXHAUST EXHAUST A PILLAR GS	
SD_T1510 E SD_T1510 E 390466 391151 RANSMISSION TRANSMISSION	NGINE EXHAUST EXHAUST A PILLAR GS Vertical Exhaust w/Guard	
SD_T1510 E	NGINE EXHAUST EXHAUST A PILLAR GS Vertical Exhaust w/Guard PEED	No Charg
SD_T1510 E SD_T1510 E 390466 391151 RANSMISSION TRANSMISSION	PEED 30 KPH.	
SD_T1510 E	PEED 30 KPH. 8x8 (30KPH)	No Charg
SD_T1510 E	PEED 30 KPH. 8x8 (30KPH)	No Charg
SD_T1510 E	PEED 30 KPH. 8x8 (30KPH) 40 KPH 12x12 (40KPH)	No Charg
SD_T1510 E	PEED 30 KPH. 8x8 (30KPH) 40 KPH 9001558P44	No Charg



391111	L/CREEP F/MEC TRANSM		No Charge
330112	CREEP 20+20 F/MEC TR	9000626P34	\$803.0
TCH			
TCH			
SD_T8130 3	POINT HITCH CONTROL		
391035	Less 3 Pt Hitch Ground Control		No Charg
332035	Mech 3 Pt Hitch Ground Control	9000195P00	\$250.0
	External Mechanical Rear Control for 3-Point Hitch		
SD_T8200 H	ATCH		
390831	Hitch w/Mech Top Link Draft Co		No Charg
	(4,300 lbs/1,950 Kgs lift capacity) @ 24"		
332785	MDC Hitch aux lift ram	9000354P90	\$455.0
	Hydraulic lift with 1 internal and 1 external lift cylinders	33333 11 33	φ100.0
	(4,740 lbs/2,150 kgs lift capacity) @ 24"		
SD T8960 [DRAWBAR AND 3 POINT HITCH		
390259	FIX END LOWER LINKS.		No Charg
334316	FLEXIBLE ENDS	9000201P24	\$258.0
/DRAULICS	보도] 이 회에 사실하면 하면 생물에 전해 수가 그 것을 보고 있습니다 살았다.		A THE STATE
	VALVES		
DEAD DEMOTE	VALVEO		
REAR REMOTE			
SD_T8270 I	REAR REMOTES		
	REAR REMOTES 2 Rem. Valve (1 S/D		No Char
SD_T8270 I		9000626P34	No Charg \$803.6
SD_T8270 F	2 Rem. Valve (1 S/D 3 REMOTE VALVE	9000626P34	
SD_T8270 335413 335640	2 Rem. Valve (1 S/D 3 REMOTE VALVE	9000626P34	
SD_T8270 335413 335640 MID-MOUNT VA	2 Rem. Valve (1 S/D 3 REMOTE VALVE	9000626P34	\$803.0
SD_T8270 335413 335640 MID-MOUNT VA SD_T8280 390124	2 Rem. Valve (1 S/D 3 REMOTE VALVE LVES MID-MOUNT VALVES Less Mid-Mount		\$803.0
SD_T8270 335413 335640 MID-MOUNT VA	2 Rem. Valve (1 S/D 3 REMOTE VALVE	9000626P34 9000968P76	
SD_T8270 335413 335640 MID-MOUNT VA SD_T8280 390124	2 Rem. Valve (1 S/D 3 REMOTE VALVE LVES MID-MOUNT VALVES Less Mid-Mount		\$803.

SD_T8010 PTO

743565

743566

540 RPM PTO

540/540E PTO

9000418P08

No Charge

\$536.00



FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

05 11010 11	ONT WHELES AND TIMES		
8199801	Non-Return Ship Wheels - 2WD	(900210P60)	(\$270.00)
8111301	7.50-16 6PR		No Charge
	For 2WD		
8290904	12.5/80-18 10PR R4	9000290P16	\$372.00
	For MFD		
	12.5/80 X 18 (R-4) Industrial		
8299801	Non-Return Ship Wheels - 4WD	(900595P14)	(\$763.00)
	Shipping Wheels MFD		
8232304	11.2 x 24 6PR R1		No Charge
	11.2X24 Ag Tread (R-1) Bias Ply		
	For MFD		
8225201	9.5L-15	9000113P88	\$146.00
	9.5L-15		
	For 2WD		
8203401	12.4R20 A8	9000287P04	\$368.00
	12.4R20 Ag Tread (R-1W) Radial		
	For MFD		

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

OD 11000 TKL	74 VIII LLEO 7440 TIMES		
8399801	Non-Returnable Shipping Wheel	(901152P06)	(\$1,477.00)
	Shipping Wheels		
8355304	16.9-30 6PR R1		No Charge
	16.9X30 Ag Tread (R-1) Bias Ply		
	For MFD		
8391904	19.5L-24 10 PR R4	9000410P28	\$526.00
	19.5L X 24 (R-4) Industrial		
8352401	16.9R28 A8	9000450P84	\$578.00
	16.9R28 Ag Tread (R-1W) Radial		

FENDERS

SD_T8740 FRONT FENDERS

	390860	Less Front Fenders		No Charge
	744674	Dynamic Fenders	9000542P88	\$696.00



LOADER

LOADER EQUIPMENT

SD_T8110 LOADER BRACKETS

	SD_T8110 LC	ADER BRACKETS			
	391489	Less Loader Bracket			No Charge
		Does not include Loader Mounting Brackets or Loader.			
	344743	LOADER-NSL-2F-EU-WGG		9005981P82	\$7,669.00
		L610 NON Self Leveling Loader Euro Style Attach			
	1	(Includes Grill Guard)			
		Requires Mid-Mount Valve			
		Bucket NOT included.			
		A 72" bucket is AVAILABLE.			
		Not allowed with Horizontal Exhaust			
		(Not compatible with 2WD tractors)			
	344739	LOADER-NSL.2F.SSLWGG		9005981P82	\$7,669.00
		L610 NON Self Leveling Loader with Skidsteer Style Quick Attach			
		(Includes Grill Guard)			
		Requires Mid-Mount Valve			
~		Bucket NOT included.			
()		A 72" bucket is AVAILABLE.	1		
7		Not allowed with Horizontal Exhaust			
		(Not compatible with 2WD tractors)			
	344742	LOADER-MSL-2F-EU-WGG		9006838P26	\$8,767.00
		L610 Self Leveling Loader Euro Style Attach			
		(Includes Grill Guard)			
		Requires Mid-Mount Valve			
		Bucket NOT included.			
		A 72" bucket is AVAILABLE.			
		Not allowed with Horizontal Exhaust			
		(Not compatible with 2WD tractors)			
	344738	LOADER-MSL 2F.SSLWGG		9006838P26	\$8,767.00
		L610 Self Leveling Loader with Skidsteer Style Attach			
		(Includes Grill Guard)			
		Requires Mid-Mount Valve			
		Bucket NOT included.			
		A 72" bucket is AVAILABLE.			
		Not allowed with Horizontal Exhaust			
		(Not compatible with 2WD tractors)			

BUCKET

SD_T8140 BUCKET

	XT8140X	Less Bucket			No Charge
	336749	72" BUCKET EU T.A.	,	9000418P08	\$536-00



336748 72" Bucket 9000418P	08 \$536.00	9000418P08 \$536.00
----------------------------	---------------	---------------------

OTHER EQUIPMENT

SD T2150 FRONT BALLAST

 30 12100 110	ON BALLAGI		
390215	Less Front Carrier and Weights		No Charge
330183	FRONT WEIGHT 8X30KG	9000819P00	\$1,050.00

SD T4961 REAR BALLAST

XT4961X	Standard less rear ballast		No Charge
330470	4 x 110 lb Rear Wheel Weights	9000476P58	\$611.00



Standard Equipment

ENGINE:

Farmall 75A
74 Gross Engine hp
60 PTO hp @ 2300 rpm
3 Cyl Turbocharged Engine
179 cu in (2.9 L) Displacement

Tier B Emissions Compliant:
(CEGR + DOC)

Electronic Injection Bosch
High-pressure Common Rail System

Electric Engine Shutoff
Hand and Foot Throttle Controls

Grid Heater Starting Aid

Powercore Dry Air Cleaner

Under Hood Muffler

Vertical Exhaust

EXHAUST:

21.6 gal Fuel Tank

Under Hood Muffler with Vertical Exhaust

TRANSMISSION:

LH side steering column mounted Mechanical Shuttle

- 8 Forward and 8 Reverse Speeds
- (4) Synchronized Gears
- (2) Non-synchronized Ranges
- 11 Inch Single Dry Disk Clutch
- 19 mph (30 KPH)

Power Shuttle (Optional)

- 12 Forward and 12 Reverse Sp.
- (4) Synchronized Gears
- (3) Non- Synchronized Ranges
- (2) Clutches; (5) Wet Disk Plates
- 25 MPH (40KPH)

Speed varies with tire selection Hand Operated Park Brake

FRONT AXLE:

2WD:

Inverted "U" axle design
 6,614 lbs. (3000 kg)

restricted (dynamic) axle capacity 5,291 lbs. (2400 kg) unrestricted (static) axle capacity Turning radius of 144 in. (3650mm) without brakes

2WD: (Continued)

Track widths from 54 in. (1362 mm) to 69 in. (1762 mm) with adjustable rims and axle

MFD: (Optional)
Limited Slip
Electro-Hydraulic engagement standard
Adjustable Tread Width from 51.5 in.
to 79.4 in.

REAR AXLE: Flange Type Adjustable Tread Width 60.1 in. to 76.0 in.

TIRES:

2WD:

7.50-16 F-2 Front 16.9X30 R-1 Rear

MFD:

11.2x24 R1 Front 16.9X30 R1 Rear

HYDRAULIC SYSTEM:

Open Center System

Dual Gear Pumps

Implement Pump: 12.5 gpm (47.7 L) Steering Pump: 7.6 gpm (28.7 L) Total Flow: 20.1 gpm (76.4 L)

(2) Open Center Remote Valves with Detent & Kickout on #2

PTO:

Fully Independent
Flip-up PTO Shaft Guard
4WD power shuttle:
-540 RPM hydraulic wet clutch



Standard Equipment

-Electronic engagement

-Wet clutch

1-3/8 in. 6 splines

HITCH:

3-point Category II with fixed lower

and telescoping stabilizers
4300 lbs. Lift Capacity at 24 inches
Swinging Drawbar
Mechanical Draft Control
Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for turn signals, high beam, work lights, side lights, rear PTO, 4WD, differential lock, low fuel, alternator, oil pressure, brake fluid, grid heater & hand brake Gauges for fuel level, engine temperature and tachometer Digital Readout for PTO speed, ground speed, battery & hours

ELECTRICAL:

(1) 840 cca Heavy-Duty Battery
120 amp Alternator
7-pin Outlet for trailer/implement lighting
 and signals
25 amp socket
12V power socket (cigarette lighter)

LIGHTING:

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform with heat and air conditioning, tinted windshield, retractable sun screen,

CAB MODELS (Continued)

front wiper and washer, two doors with locks, two external mirrors, openable side windows, hinged rear window (fully opens), High Visibily roof panel (openable)

Steering Wheel - adjustable tilt

Seat - Cloth covered with mechanical suspension, operator's presence sensor, retractable seat belt, arm

Suspended pedals
Radio ready (speakers and antenna)
Instructor seat ready

NON-CAB MODELS

rests

2-Post Foldable ROPS with ISO and mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical suspension, operator's presence sensor, retractable seat belts, arm rests
Suspended pedals
Locking brake pedals
No Instructor seat

MISCELLANEOUS:

Pivoting Engine Hood SMV Emblem, and Toolbox

WARRANTY.

Case IH Standard Warranty Applies

Tier 4 B/Final Emissions Compliant:

L610 Front Loader, OPTIONAL



Standard Equipment

STANDARD FEATURES:
Quick attach design(Skid
Steer or Euro style)
4-Bar bucket linkage
Bucket level indicator
Parking stands
Grill guard
(Not compatible with 2WD tractors)

SPECIFICATIONS:
L610 NON SELF-LEVELING
Maximum Lift Height @
pivot pin: 132"
Dump Clearance @ 45 deg: 99"
Digging Depth: 5"
Lift Capacity @ 800mm: 1,828 LBS
Reach @ Max Lift Height @ 45 deg: 44"

Reach @ Ground Level: 84"

Bucket Rollback Angle: 42 degrees

Bucket Dump Angle: 58 degrees

(Not compatible with 2WD tractors)

L610 MECHANICAL SELF-LEVELING
Maximum Lift Height @
pivot pin: 130"
Dump Clearance @ 45 deg: 97"
Digging Depth: 6"
Lift Capacity @ 800mm: 3,153 LBS
Reach @ Max Lift Height @ 45 deg: 44"
Reach @ Ground Level: 84"
Bucket Rollback Angle: 42 degrees
Bucket Dump Angle: 61 degrees
(Not compatible with 2WD tractors)



Models

COMMERCIAL MODEL	VERSION	ENGINE POWER	TRACTION	Weight	Factory Data	List Price
FARMALL 75A TRACTOR	Rops	75 HP	2WD	6,173 LB	9022987P38	\$29,471.00
FARMALL 75A TRACTOR	Rops	75 HP	MFD	6,173 LB	9027039P48	\$34,666.00
FARMALL 75A TRACTOR	Cab	75 HP	2WD	6,173 LB	9028863P12	\$37,004.00
FARMALL 75A TRACTOR	Cab	75 HP	MFD	6,173 LB	9032915P22	\$42,199.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
PACKAGES			amarally as	
ACKAGES		2 -15: AVE -200 happy	Divisite timps = x80	
SD_T9980 PACK	AGING			
XT9980X A	ssy Center Set-Up Fee			No Charg
l I N	o Package selected; Custom bulld premium pricing.			



Cab Packa	ge		
	CIH PKG A CUSTOM	(901248P00)	(\$1,600.00)
	For Cab MFD Only		
	Package includes the following:		
	390215 Less Front Carrier and Weights		
	337280 40 KPH		
	759318 Power Shut w/Servo	1 1	
	391111 L/Creep F/Mec Transm	1 1	
	8232304 11.2 x 24 6PR R1		
1 1	8355304 16.9-30 6PR R1		
	330470 4 x 110 lb Rear Wheel Weights		
	743565 540 PTO		
	344739 Loader-NSL.2F.SSLWGG		
	332035 Mech 3 Pt Hitch Ground Control		
	336748 72" Bucket		
	390831 Hitch w/Mech Top Link Draft Co		
	335413 2 Rem. Valve (1 S/D		
	336125 2Mid-Mount w/MecJoy L/CPL		
	342240 Fabric w/Air Suspens		
	332865 Instructional Seat		
	390860 Less Front Fenders		
7	334316 Flexible Ends		
	342174 Radio w/ Bluetooth		
	333606 Cab Fix Screen Open		
	Note - each option will be selected and display pricing; package		
	selection is for ease of selection		



ROPS Packa		7	
X0408XX	CIH PKG B STANDARD	(901092P00)	(\$1,400.0
	For 75A ROPS MFD Only		
	Package includes the following:		
	391151 Vertical Exhaust w/Guard		
	390215 Less Front Carrier and Weights		
	337280 40 KPH		
	759318 Power Shut w/Servo		
	391111 L/Creep F/Mec Transm		
	8232304 11.2 x 24 6PR R1		
	8355304 16.9-30 6PR R1		
	330470 4 x 110 lb Rear Wheel Weights	1 1	
	743565 540 RPM PTO	1 1	
	344739 Loader-NSL.2F.SSLWGG	1 1	
	332035 Mech 3 Pt Hitch Ground Control		
	336748 72" Bucket	1 1	
	390831 Hitch w/Mech Top Link Draft Co	1 1	
	335413 2 Rem. Valve (1 S/D	1 1	
	336125 2Mid-Mount w/MecJoy L/CPL	1 1	
	335191 Vinyl Deluxe Seat - ROPS	1 1	
	390865 Less Instructional Seat		
	390860 Less Front Fenders		
	XT8902X Standard Less Linkage Drawbar	1 1	
	334316 Flexible Ends		
	Note - each option will be selected and display pricing; package		
	selection is for ease of selection		
ROPS & Cat			
	EZ Pick Package		
	Ala-Cart MFD EZ Pick		
	Allows for choice of the following:		
	Loader		
	Rear remotes		
1 1	Tires:		
	16.9x30 R1 rear with 11.2x24 R1 front OR		
	19.5L-24 R4 rear with 12.5/80-18 R4 front		
	Rear weights:		
	4 rear wheel weights OR		
	NO rear wheel weights		
	if VERSION is Rops	(901092P00)	(\$1,400.0
	if VERSION is Cab	(901248P00)	(\$1,600.0



DPER/	ATOR STR	UCTURE		L. Seil Egyp
OPER	RATOR STRU	JCTURE		
SD	_T8500 SE	EAT		
	338379	FABRIC W/ MECH SUSPE		No Charge
		Standard equipment for cab		
	342240	FABRIC WIAIR SUSPENS	9000401P70	\$515.0
0.0		The William Control of the Control o		
SD		PERATOR STRUCTURE #1		
-	344781_	2 POST FOLDABLE ROPS		No Charge
	333606	CAB FIX SCREEN OPEN		No Charge
	344764	CANOPY (FOPS)	9000683P28	\$876.00
		ROPS Only		
RADIO	<u> </u>			
INADIO	<u> </u>			
SD	T9160 RA	ADIO READY		
		Standard less radio ready		No Charg
11		ROPS only		onang
7	330777	Radio ready - for cab		No Charg
2		CAB only		nto onarg
	342174	RADIO W/BLUETOOTH	9000201P24	\$258.0
		CAB only		
SEAT				
NUMBER OF THE PERSON NAMED IN COLUMN TWO IN				
SD		STRUCTIONAL SEAT		
++	390865	Less Instructional Seat		No Charge
ш	332865	INSTRUCTIONAL SEAT	9000292P50	\$375,0
NGIN	ė laikai e			No. of the last of
INGIIN				
EXHA	UST SYSTE	MS		
SD		IGINE EXHAUST		
	330150	Horizontal exhaust w/ guard	9000120P90	\$155.0
		Non-cab only		
		Not allowed with loaders		
	390466	EXHAUST A PILLAR GS		No Charg
1 1	391151	Vertical Exhaust w/Guard		No Charg



DANGMISSION			
RANSMISSION			
SD_T2800 S	PEED		
393280	30 KPH.		No Charg
000200	8x8 (30KPH)		
337280	40 KPH	9001558P44	\$1,998.0
00.200	12x12 (40KPH)		
		1,	
SD T2810 TI	RANSMISSION		
759317	MECH SHUT.W/MECH PTO		No Charg
759318	POWER SHUT W/SERVO	9001621P62	\$2,079.0

SD T3230 C	REEPER or Interlock		
391111	L/CREEP F/MEC TRANSM		No Charg
330112	CREEP 20+20 F/MEC TR	9000626P34	\$803.0
		- W	
1999	DON'T HITCH CONTROL		
SD_T8130 3	POINT HITCH CONTROL		
391035	Less 3 Pt Hitch Ground Control		No Charg
	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control	9000195P00	
391035	Less 3 Pt Hitch Ground Control	9000195P00	
391035 332035	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch	9000195P00	
391035 332035 SD_T8200_H	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch	9000195P00	\$250.0
391035 332035	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch ITCH Hitch w/Mech Top Link Draft Co	9000195P00	\$250.0
391035 332035 SD_T8200_H 390831	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch ITCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24"		\$250.0 No Charg
391035 332035 SD_T8200_H	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch TCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24" MDC Hitch aux lift ram	9000195P00 9000354P90	\$250.0 No Charg
391035 332035 SD_T8200_H 390831	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch TCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24" MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders		\$250.0 No Charg
391035 332035 SD_T8200_H 390831	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch TCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24" MDC Hitch aux lift ram		No Charg \$250.0 No Charg \$455.0
391035 332035 SD T8200 H 390831 332785	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch TCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24" MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders		\$250.0 No Charg \$455.0
391035 332035 SD T8200 H 390831 332785	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch ITCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24" MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,740 lbs/2,150 kgs lift capacity) @ 24"	9000354P90	\$250.0 No Charç \$455.0 No Charç
391035 332035 SD T8200 H 390831 332785 SD T8960 D	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch ITCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24" MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,740 lbs/2,150 kgs lift capacity) @ 24" RAWBAR AND 3 POINT HITCH		\$250.0 No Charç \$455.0 No Charg
391035 332035 SD_T8200 H 390831 332785 SD_T8960 D 390259 334316	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch ITCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24" MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,740 lbs/2,150 kgs lift capacity) @ 24" RAWBAR AND 3 POINT HITCH FIX END LOWER LINKS.	9000354P90	\$250.0 No Charg \$455.0
391035 332035 SD_T8200 H 390831 332785 SD_T8960 D 390259	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch ITCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24" MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,740 lbs/2,150 kgs lift capacity) @ 24" RAWBAR AND 3 POINT HITCH FIX END LOWER LINKS.	9000354P90	\$250.0 No Charç \$455.0 No Charg
391035 332035 SD_T8200 H 390831 332785 SD_T8960 D 390259 334316	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch ITCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24" MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,740 lbs/2,150 kgs lift capacity) @ 24" RAWBAR AND 3 POINT HITCH FIX END LOWER LINKS.	9000354P90	\$250.0 No Charg \$455.0 No Charg
391035 332035 SD_T8200 H 390831 332785 SD_T8960 D 390259 334316	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch ITCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24" MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,740 lbs/2,150 kgs lift capacity) @ 24" RAWBAR AND 3 POINT HITCH FIX END LOWER LINKS. FLEXIBLE ENDS	9000354P90	\$250.0 No Char \$455.0 No Char
391035 332035 SD_T8200 H 390831 332785 SD_T8960 D 390259 334316 CDRAULICS	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch ITCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24" MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,740 lbs/2,150 kgs lift capacity) @ 24" RAWBAR AND 3 POINT HITCH FIX END LOWER LINKS. FLEXIBLE ENDS	9000354P90	\$250.0 No Char \$455.0 No Char
391035 332035 SD_T8200 H 390831 332785 SD_T8960 D 390259 334316 CDRAULICS REAR REMOTE N	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch ITCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24" MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,740 lbs/2,150 kgs lift capacity) @ 24" RAWBAR AND 3 POINT HITCH FIX END LOWER LINKS. FLEXIBLE ENDS VALVES EAR REMOTES	9000354P90	\$250.0 No Charg \$455.0 No Charg \$258.0
391035 332035 SD_T8200 H 390831 332785 SD_T8960 D 390259 334316 CDRAULICS	Less 3 Pt Hitch Ground Control Mech 3 Pt Hitch Ground Control External Mechanical Rear Control for 3-Point Hitch ITCH Hitch w/Mech Top Link Draft Co (4,300 lbs/1,950 Kgs lift capacity) @ 24" MDC Hitch aux lift ram Hydraulic lift with 1 internal and 1 external lift cylinders (4,740 lbs/2,150 kgs lift capacity) @ 24" RAWBAR AND 3 POINT HITCH FIX END LOWER LINKS. FLEXIBLE ENDS	9000354P90	\$250.0 No Char \$455.0 No Char

\$536.00

9000418P08



FARMALL 75A US PRICE LIST

SD_T8280 MID-MOUNT VALVES 390124 Less Mid-Mount	No Charge \$1,242,00
	\$1,242.00
PTO TO THE PROPERTY OF THE PRO	
SD T8010 PTO	K.S. TAM

FRONT WHEELS AND TIRES

743566

SD_T4940 FRONT WHEELS AND TIRES

540/540E PTO

	8199801	Non-Return Ship Wheels - 2WD	(900210P60)	(\$270.00)
	8111301	7.50-16 6PR		No Charge
		For 2WD		ū
()	8290904	12.5/80-18 10PR R4	9000290P16	\$372.00
~~1		For MFD		
		12.5/80 X 18 (R-4) Industrial		
	8299801	Non-Return Ship Wheels - 4WD	(900595P14)	(\$763.00)
		Shipping Wheels MFD		i i
	8232304	11.2 x 24 6PR R1		No Charge
		11.2X24 Ag Tread (R-1) Bias Ply		
		For MFD		
	8225201	9.5L-15	9000113P88	\$146.00
		9.5L-15		
		For 2WD		
	8203401	12.4R20 A8	9000287P04	\$368.00
- 1 1		12.4R20 Ag Tread (R-1W) Radial		
		For MFD		

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

8399801	Non-Returnable Shipping Wheel	(901152P06)	(\$1,477.00)
	Shipping Wheels		
8355304	16.9-30 6PR R1		No Charge
	16.9X30 Ag Tread (R-1) Bias Ply		
	For MFD		
8391904	19.5L-24 10 PR R4	9000410P28	\$526.00
	19.5L X 24 (R-4) Industrial		



8352401	16.9R28 A8	9000450P84	\$578.00
	16.9R28 Ag Tread (R-1W) Radial		

FENDERS

SD T8740 FRONT FENDERS

	390860	Less Front Fenders		No Charge
	744674	Dynamic Fenders	 9000542P88	\$696.00

LOADER

LOADER EQUIPMENT

SD T8110 LOADER BRACKETS

391489	ADER BRACKETS Less Loader Bracket			No Charge
	Does not include Loader Mounting Brackets or Loader.			
344743	LOADER-NSL-2F-EU-WGG		9005981P82	\$7,669.00
	L610 NON Self Leveling Loader Euro Style Attach			
	(Includes Grill Guard)			
	Requires Mid-Mount Valve			
	Bucket NOT included.			
	A 72" bucket is AVAILABLE.			
	Not allowed with Horizontal Exhaust			
	(Not compatible with 2WD tractors)			
344739	LOADER-NSL.2F.SSLWGG		9005981P82	\$7,669.00
	L610 NON Self Leveling Loader with Skidsteer Style Quick Attach			
	(Includes Grill Guard)			
	Requires Mid-Mount Valve			
	Bucket NOT included.			
	A 72" bucket is AVAILABLE.			
	Not allowed with Horizontal Exhaust			
	(Not compatible with 2WD tractors)			
344742	LOADER-MSL-2F-EU-WGG		9006838P26	\$8,767.00
	L610 Self Leveling Loader Euro Style Attach			
	(Includes Grill Guard)			
	Requires Mid-Mount Valve			
	Bucket NOT included.			
	A 72" bucket is AVAILABLE.			
	Not allowed with Horizontal Exhaust			
	(Not compatible with 2WD tractors)			



344738	LOADER-MSL,2F.SSLWGG	9006838P26	\$8,767.00
	L610 Self Leveling Loader with Skidsteer Style Attach		
	(Includes Grill Guard)		
	Requires Mid-Mount Valve		
	Bucket NOT included.		
	A 72" bucket is AVAILABLE.		
	Not allowed with Horizontal Exhaust		
	(Not compatible with 2WD tractors)		

BUCKET

SD_T8140 BUCKET

XT8140	X Less Bucket		No Charge
336749	72" BUCKET EU T.A.	9000418P08	\$536.00
336748	72" Bucket	9000418P08	\$536.00

OTHER EQUIPMENT

SD_T2150 FRONT BALLAST

)	390215	Less Front Carrier and Weights		No Charge
	330183	FRONT WEIGHT 8X30KG	9000819P00	\$1,050.00

SD_T4961 REAR BALLAST

	XT4961X	Standard less rear ballast		No Charge
	330470	4 x 110 lb Rear Wheel Weights	9000476P58	\$611.00



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.