

AGRICULTURAL EQUIPMENT

U.S. Price List Effective October 1, 2020

FARMALL® C SERIES TRACTORS
PL-100 FC REVISION 24
SAP PRICE LIST 053 C2

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the AG and AL contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eQuipment for the most current pricing.

Copyright 2020 By CNH Industrial America LLC



GENERAL INFORMATION

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER Complete U.S. Price List is PL-100 Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.



FARMALL ® C SERIES TRACTORS TABLE OF CONTENTS

FARMALL C SERIES PLATFORM TIER 4B TRACTORS

FARMALL 65C CAB TRACTOR Standard Features	1
Price List	3
FARMALL 75C PLATFORM TRACTOR	
Standard Features	13
Price List	15
FARMALL 90C, 100C, 110C and 120C 12 SPEED POWER SHUTTLE TRACTOR	
Standard Features	25
Price List	28
FARMALL C 24 SPEED POWER SHUTTLE TRACTOR	
Standard Features	39
Price List	42
SPECIFICATION CHART	
L620	49
L630	50
CASE IH PURCHASE PROTECTION PLAN	- 51





(Ex Works Port of Entry) Standard Equipment

DIESEL ENGINE:

Farmall 65C
64 Gross Engine hp
50 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
195 cu in (3.4 L) Displacement

US EPA Tier IV Emissions Compliant
Bosch Fuel Injection Pump
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Air Cleaner: Dry Type with Safety
Element
Fuel Sediment Filter with Water Sensor
23.8-gallon (90L) Fuel Tank with
Bottom Protection Shield

EXHAUST:

Under Hood Muffler with Vertical Exhaust

TRANSMISSION:

11 Inch Clutch
Floor-mounted LH side Mechanical
Shuttle

- (4) Synchronized Gears
- (3) Non-synchronized Ranges 12 Forward and 12 Reverse Speeds Forward Reverse Power Shuttle 19 mph (30 kph) top speed Speed varies with tire selection Park Lock on Range Lever

AXLES:

Front Axle:

Electro-Hydraulic MFD Engagement
Adjustable Tread Width from 60.8 in.
to 76.6 in.
Limited Slip Differential Lock
Standard FAS Ready

AXLES: (continued)

Rear Axle:
Flange Type
Adjustable Tread Width 52.2 - 76.0 in.
Rear Differential Lock - MFD
mechanically engaged

TIRES

Front MFD tires - 11.2-24 R1 Rear MFD tires - 16.9-30 R1

HYDRAULIC SYSTEM:

Open Center System - (2) Open Center Remote Valve with detent Dual Gear Pumps, (4) Couplers Implement Pump: 12.5 gpm (47.5 L) Steering Pump: 7.3 gpm (27.5 L) Total Flow: 19.8 gpm (75L)

PTO:

540 rpm Mechanical PTO (1-3/8 in. 6 splines) Fully Independent, dry clutch Mechanical Engagement Flip-up PTO Shaft Guard

HITCH:

3-point Category II with flex lower links and telescoping stabilizers 3664 lbs. Lift Capacity (SAE) Swinging Drawbar Mechanical Draft Control Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment and water sensor, PTO engagement, head light high beam, low fuel and parking brake



(Ex Works Port of Entry) Standard Equipment

INSTRUMENTATION: (Continued)
 Gauges for fuel level, engine temp.,
 tachometer and hour meter
 Horn

ELECTRICAL:

(1) 800 cca Heavy-duty Battery
Alternator: 120 amp
7-pin Outlet for trailer/implement
 lighting and signals
4-pin Power Outlet (40 amp)

LIGHTING:

Front: (2) Halogen Headlights and (2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATIVE PROTECTIVE STRUCTURE:

Deluxe Cab

ROPS protected, flat deck platform

with heat and air conditioning, tinted
windshield, retractable sun screen,
front wiper and washer, two doors
with locks, two external mirrors,
openable side windows, hinged rear
window (fully opens)

Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical
suspension, operator's presence
sensor, retractable seat belt, arm
rests, instructor seat
Suspended pedals
Radio, speakers and antenna

MISCELLANEOUS:

Pivoting Engine Hood SMV Emblem, and Toolbox

NEBRASKA TEST REPORT STATUS: Not available in Nebraska pending Temporary Sales Permit

L620 Front Loader

STANDARD FEATURES:
Quick attach design:
Skid-Steer Style Tool Carrier
4-Bar bucket linkage
Bucket level indicator
Parking stand
Grille guard (included with front
mounting brackets)



(Ex Works Port of Entry) Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 65C	Cab	6,239 LB	9043395P30	\$55,635.00
Includes the following Equipme 11.2 x 24 6PR R1 (8232304)	nt \$980.00			
16.9-30 6PR R1 (8355304)	\$2,296.00			

Factory Supplied Options

Order Code	Description		Weight	Factory Data	List Price
PACKAGES		164 (4,34			
SD_T9980 PAC	CKAGING:				
X99801X	Custom Configuration				No Charg
7	No Package selected; Custom build premium pricing				



(Ex Works Port of Entry)

759310	UTILITY PACKAGE	(901989P00)	(\$2,550.00)
	For Cab MFD Only		
	Package includes the following:		
	NOTE: Mid-Mount valve is WITHOUT Diverter Valve		
	338125 2Mid-Mount w/Mec Joystick		
	743545 A Pillar Exhaust w/Guard		
	390215 Less Front Carrier and Weights		
	743552 40 KPH Max Ground Speed		
	330276 12x12 Power Shuttle		
	759176 Hand Brake		
	744580 4WD Electro Hyd Limited Slip		
	330470 4 x 110 lb Rear Wheel Weights		
	743565 540 RPM PTO		
	332035 Mech 3 Pt Hitch Ground Control		
	336750 84" Bucket		
	743595 Lift-O-Matic Plus		
	743569 2 Remotes 4 Couplers		
	332850 Delux Fabric Seat w/Air Susp		
	743599 Rear Fenders (30-34)		
	390860 Less Front Fenders		
	334183 Deluxe Cab w/HiVis Panel		
	Choice between		
	336914 Non Self Leveling Ldr +SSQA		
	336736#MECH SELF LEVELING LDR +EURO		
	336734#MECH SELF LEVELING LDR +SSQA		
	336732 NON SELF LEVELING LDR +EURO		
	Note - each option will be selected and display pricing; package		
	selection is for ease of selection		



(Ex Works Port of Entry)

X99803X	STANDARD PACKAGING	(901989P00)	(\$2,550.00)
	For Cab MFD Only		
	Package includes the following:		
	NOTE: Mid-Mount valve is INCLUDES Diverter Valve		
	336780 2Mid-Mount w/Mec Joystick + DIV		
	743545 A Pillar Exhaust w/Guard		
	390215 Less Front Carrier and Weights		
	743552 40 KPH Max Ground Speed		l'
	330276 12x12 Power Shuttle		
	759176 Hand Brake		
	744580 4WD Electro Hyd Limited Slip		
	330470 4 x 110 lb Rear Wheel Weights		
	743565 540 RPM PTO		
	332035 Mech 3 Pt Hitch Ground Control		
	336750 84" Bucket		
	743595 Lift-O-Matic Plus		
	743569 2 Remotes 4 Couplers		
	332850 Delux Fabric Seat w/Air Susp		
	743599 Rear Fenders (30-34)		
/-\	390860 Less Front Fenders		
	334183 Deluxe Cab w/HiVis Panel		
	Choice between		
	336914 Non Self Leveling Ldr +SSQA		
	336736#MECH SELF LEVELING LDR +EURO		
	336734#MECH SELF LEVELING LDR +SSQA		
	336732 NON SELF LEVELING LDR +EURO		
	Note - each option will be selected and display pricing; package		
	selection is for ease of selection		

OPERATOR STRUCTURE

OPERATOR STRUCTURE

SD_T1510 ENGINE EXHAUST

	743545	A Pillar Exhaust w/Guard			No Charge
		Cab Only	83		
L		Vertical Exhaust with Shield			
	743544	Horizontal Exhaust w/Guard		9000244P14	\$313.00
L		Cab or Rops			



(Ex Works Port of Entry)

SD_T8500_SI 332850	Delux Fabric Seat w/Air Susp		No Charge
002000	Cloth Seat with Air Suspension, Arm Rest and Operator's		J
	Presence Sensor		
	Cab Only		
743578	Fabric Seat	(900446P16)	(\$572.00
	Cloth Seat with Armrest and Operator's Presence Sensor		
	Cab Only		
	PERATOR STRUCTURE #1		No Chara
744588	Deluxe Cab		No Charg
	Deluxe Cab - Openable Side Windows + Radio +		
	AC + R. Wiper/Washer + Instructor Seat + 1 Internal Mirror		
004400	+ 12v Outlet	9000446P94	\$573 C
334183	Deluxe Cab w/HiVis Panel	9000446P94	\$573.00
	Deluxe Cab - Openable Side Windows + Radio + AC +		
	R. Wiper/Washer + Instructor Seat + 1 Internal Mirror +		
	12v Outlet + Hi Vis Panel		
NSMISSION SD_T2820 P	ARK LOCK		
	ARK LOCK Hand Brake		
SD_T2820 P		9000042P12	
SD_T2820 P	Hand Brake	9000042P12	
SD_T2820 P 759176 743551	Hand Brake Parking Lock	9000042P12	
SD_T2820 P 759176 743551 ANSMISSION	Hand Brake Parking Lock	9000042P12	\$54.0
SD_T2820 P	Hand Brake Parking Lock PEED	9000042P12 90000211P38	\$54.0 No Charg
SD_T2820 P	Hand Brake Parking Lock PEED 30 KPH		No Charg \$54.0 No Charg \$271.0
SD_T2820 P 759176 743551 ANSMISSION SD_T2800 S 743507 743552	PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580)		\$54.0 No Charç
SD_T2820 P 759176 743551 ANSMISSION SD_T2800 S 743507 743552 SD_T2810 T	Hand Brake Parking Lock PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580) RANSMISSION		\$54.(No Charg \$271.(
SD_T2820 P 759176 743551 ANSMISSION SD_T2800 S 743507 743552	PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580) RANSMISSION 12x12 Power Shuttle		\$54.0 No Charg
SD_T2820 P 759176 743551 ANSMISSION SD_T2800 S 743507 743552 SD_T2810 T	Hand Brake Parking Lock PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580) RANSMISSION 12x12 Power Shuttle In Base Option for the Farmall 65C		\$54. No Char \$271.
SD_T2820 P 759176 743551 ANSMISSION SD_T2800 S 743507 743552 SD_T2810 T	PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580) RANSMISSION 12x12 Power Shuttle		\$54. No Char \$271.
SD_T2820 P	Hand Brake Parking Lock PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580) RANSMISSION 12x12 Power Shuttle In Base Option for the Farmall 65C		\$54. No Char \$271.
SD_T2820 P 759176 743551 ANSMISSION SD_T2800 S 743507 743552 SD_T2810 T	Hand Brake Parking Lock PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580) RANSMISSION 12x12 Power Shuttle In Base Option for the Farmall 65C		\$54. No Char \$271.
SD_T2820 P	Hand Brake Parking Lock PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580) RANSMISSION 12x12 Power Shuttle In Base Option for the Farmall 65C		\$54. No Char \$271.
SD_T2820 P	Hand Brake Parking Lock PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580) RANSMISSION 12x12 Power Shuttle In Base Option for the Farmall 65C Includes Wet PTO Clutch		\$54. No Char \$271.
SD_T2820 P	Hand Brake Parking Lock PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580) RANSMISSION 12x12 Power Shuttle In Base Option for the Farmall 65C Includes Wet PTO Clutch		\$54. No Char \$271.



(Ex Works Port of Entry)

REA	R 3-POINT			
01	D T0400 01	CONTRUCTO CONTROL		
	391035	POINT HITCH CONTROL Less 3 Pt Hitch Ground Control		No Charge
	001000	Standard 3-Point Hitch Controls		NO Charge
+-1	332035	Mech 3 Pt Hitch Ground Control	00000000004	#000 00
	332033	External Mechanical Rear Control for 3-Point Hitch	9000209P04	\$268.00
		External Mechanical Real Control for 3-Point Atten		
HYDR	RAULICS			
REA	R REMOTE V	ALVES		
SI	D T8270 RF	EAR REMOTES		
ΤĬ	743569	2 Remotes 4 Couplers	1	No Charge
	0000	2 Remotes - 1 with Kick-Out and 1 with Kick-Out and Float		140 Onlarge
		(Includes Couplers)		
		(Maradaa aada inta)		
MID-	MOUNT VALV	/FS		
SI	D_T8280 MI	D-MOUNT VALVES		
)	762164	Less MMV New		No Charge
		No Mid-Mount Valve and Joystick		
	762166	2MMV w/ Joystick New	9001192P62	\$1,529.0
		2Mid-Mount w/Mec Joystick		
		Long Description: 2 mid-mount valves, joystick,		
		and 3rd function switch		
		Now with updated RH trim		
	762167	2MMV+DIV w/ Joystick New	9001788P54	\$2,293.0
		2 mid-mount valves, joystick, and 3rd function	303333	42,200.0
		switch with diverter valve		
		Now with updated RH trim		
		Must be ordered with a Factory Installed Loader		
1 1		must be ordered with a ractory installed Loader		
то	II was in	averal minute like with the simplication of the surprise for the surprise of t	DO AND BUILD BY THE WAY	
10				seminificanties
SI	D_T8010 PT	0		
	743565	540 RPM PTO		No Charg
	743566	540/540E PTO	9000496P08	\$636.0
1 1		540/540E Economy PTO (540 PTO RPM is Obtained At 1600	1333.337.33	4555.0

Engine RPM in Economy PTO Mode)



(Ex Works Port of Entry)

FRONT AXLE

SD T4010 FRONT AXLE

	744580	4WD Electro Hyd Limited Slip		No Charge
		Includes FAS Support + FHPL Ready (334218)		
	336858	2WD Standard Axle Heavy Duty	(901276P86)	(\$1,637.00)

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

3D_14940_11V	ONT WHEELS AND TIKES		
8232404	11,2R24 R1W	9000923P52	\$1,184.00
	Must be ordered with 16.9R30 R1W (8355404) Rear Tires		
8125801	7.50-16 8 PLY HD	9000413P40	\$530.00
	Must be ordered with 14.9R28 R1W (8351404), 16.9R28 R1W		
	(8352404), or 16.9R30 R1W (8355404) Rear Tires		
8126601	9.5L15 4 RIB 8 PLY	9000541P32	\$694.00
	Must be ordered with 16.9-30 6 PR R1 (8355304) 16.9R28 R1W		
	(8352404), or 16.9R30 R1W (8355404) Rear Tires		
8232304	11.2 x 24 6PR R1	9000764P40	\$980.00
	Must be ordered with 16.9-30 6PR R1 (8355304) Rear Tires		
8284604	13.6-16.1 8PR R3	9000891P54	\$1,143.00
	Must be ordered with 16.9-24 6PR R3 Turf Rear Tires (8320704)		
8290904	12.5/80-18 10PR R4	9001454P70	\$1,865.00
	Must be ordered with 16.9-24 8PR R4 (8320604) or 19.5L-24 10		
	PR R4 (8391904) Rear Tires		
8299801	Non-Return Ship Wheels - 4WD	9000075P66	\$97.00
	Must be ordered with Rear Non-Returnable		
	Shipping Wheels (8399801)		

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

8399801	Non-Returnable Shipping Wheel	9000451P62	\$579.00
8355404	16.9R30 R1W	9002013P18	\$2,581.00
8351404	14.9R28 R1W	9001812P72	\$2,324.00
	Cannot be ordered with Front Loader Brackets (336914, 336732, 336734, or 336736)		
8355304	16.9-30 6PR R1	9001790P88	\$2,296.00
8320704	16.9-24 6PR R3_Turf	9001993P68	\$2,556.00
	Cannot be ordered with 4 x 110 lb. Rear Wheel Weights (330470)		
8352404	16.9R28 R1W	9001921P92	\$2,464.00
8391904	19.5L-24 10 PR R4	9002251P08	\$2,886.00
	Cannot be ordered with 4 x 110 lb. Rear Wheel Weights (330470)		



(Ex Works Port of Entry)

FEN	IDERS			
FR	ONT FENDERS	3		
	SD_T8740 FF	RONT FENDERS		
	390860	Less Front Fenders		No Charge
	744674	Dynamic Fenders	9000574P08	\$736.00
FE	NDER EXTENS	SIONS		
	SD_T8700 FE	ENDERS		
	743599	Rear Fenders (30-34)		No Charge
	744599	Rear Fenders w/Extensions	9000125P58	\$161.00

LOADER EQUIPMENT

LOADER

SD_T8110 LOADER BRACKETS

	743593	Less Front Loader		No Charge
		Does not include Loader Mounting Brackets or Loader.		
7		Cannot be ordered with 2Mid-Mount w/Mec Joystick +DIV (336780).		
	336914	Non Self Leveling Ldr +SSQA	9004868P76	\$6,242.00
		L620 NON Self Leveling Loader with Skidsteer Style Quick Attach		
		Requires Mid-Mount Values (338125 or 336780)		
		Cannot be ordered with Front Weight Carrier (331215 or 334215)		
		Bucket NOT included.		
		A 72" and 84" bucket are AVAILABLE.		
		Please order 336748 or 336750.		
	336732	Non Self Leveling Ldr +Euro	9004868P76	\$6,242.00
		L620 NON Self Leveling Loader Euro Style Attach		
		Requires Mid-Mount Values (338125 or 336780)		
		Cannot be ordered with Front Weight Carrier (331215 or 334215)		
		Bucket NOT included.		
		A 72" and 84" bucket are AVAILABLE.		
		Please order 336748 or 336750.		
	336734	Mech Self Leveling Ldr +SSQA	9005759P52	\$7,384.00
11		L620 Self Leveling Loader with Skidsteer Style Attach		
		Requires Mid-Mount Values (338125 or 336780)		
- 1 1		Cannot be ordered with Front Weight Carrier (331215 or 334215)		
		Bucket NOT included.		
		A 72" and 84" bucket are AVAILABLE.		
		Please order 336748 or 336750.		



(Ex Works Port of Entry)

336736	Mech Self Leveling Ldr +Euro	9005759P52	\$7,384.00
	L620 Self Leveling Loader Euro Style Attach		
	Requires Mid-Mount Values (338125 or 336780)		
	Cannot be ordered with Front Weight Carrier (331215 or 334215)		
	Bucket NOT included.		
	A 72" and 84" bucket are AVAILABLE.		
	Please order 336748 or 336750.		

BUCKET

SD T8140 BUCKET

XT8140X			No Charge
336748	72" Bucket	9000449P28	\$576.00
	Must be ordered with Loader Brackets (336732, 336734, 336736, or		
	336914)		
336750	84" Bucket	9000757P38	\$971.00
	Must be ordered with Loader Brackets (336732, 336734, 336736, or		
	336914)		

OTHER EQUIPMENT

FRONT BALLAST

SD_T2150 FRONT BALLAST

390215	Less Front Carrier and Weights		No Charge
	No Front Weight Carrier		
331122	Front Tow Hook 331122	9000149P76	\$192.00
331215	Front Weight Carrier 130LBS.	9000159P90	\$205.00
	Front Weight Carrier with Tow Hook (130 lbs/60 kg)		
	Cannot be ordered with Loader Brackets (336732, 336734, 336736,		
	or 336914)		
334215	Front Carrier +5 Weights	9000677P82	\$869.00
	Front Weight Carrier and Tow Hook (130 lbs/60 kg) plus 5 Weights		
	(4 Weights at 88 lbs./40 kg Each + 1 Weight at 175 lbs./79 kg).		1
	Total Weight is 659 lbs./299 kg.		
	Cannot be ordered with Loader Brackets (336732, 336734, 336736,		
	or 336914)		

REAR BALLAST

SD T4961 REAR BALLAST

	XT4961X	Standard less rear ballast		No Charge
	330470	4 x 110 lb Rear Wheel Weights	9000513P24	\$658.00
		110 lbs/50 kg Each - For 28 Inch or 30 Inch Rear Tires		
		Not Compatible with 24 Inch Tires (8320604, 8320704, 8391904, or		
		8399801)		



(Ex Works Port of Entry)

OPERATOR'S MANUAL

SD_T9840 COUNTRY CONFIGURATION

334255	USA English Configuration	No Charge
334256	Canada (FR) Config ROPS	No Charge
334257	USA Spanish Configuration	No Charge



(Ex Works Port of Entry) Standard Equipment

DIESEL ENGINE:

Farmall 75C
74 Gross Engine hp
64 PTO hp @ 2300 rpm
4 Cyl Turbocharged Engine
195 cu in (3.4 L) Displacement

US EPA Tier IV Emissions Compliant
Bosch Fuel Injection Pump
Electric Engine Shutoff
Hand and Foot Throttle Controls
Grid Heater Starting Aid
Air Cleaner: Dry Type with Safety
Element
Fuel Sediment Filter with Water Sensor
23.8-gallon (90L) Fuel Tank with
Bottom Protection Shield

EXHAUST:

Under Hood Muffler with Vertical Exhaust

TRANSMISSION:

11 Inch Clutch
Floor-mounted LH side Mechanical
Shuttle

- (4) Synchronized Gears
- (2) Non-synchronized Ranges

12 Forward and 12 Reverse Speeds
Forward Reverse Synchronized Shuttle
19 mph (30 kph) top speed
Speed varies with tire selection
Park Lock on Range Lever

AXLES:

MFD Front Axle:

Electro-Hydraulic MFD Engagement
Adjustable Tread Width from 60.8 in.
to 76.6 in.
Limited Slip Differential Lock
Standard FAS Ready

AXLES: (Continued)

Rear Axle:

Flange Type

Adjustable Tread Width 52.2 - 76.0 in.

Rear Differential Lock - MFD

mechanically engaged

TIRES:

Front MFD tires - 11.2-24 R1 Rear MFD tires - 16.9-30 R1

HYDRAULIC SYSTEM:

Open Center System - (1) Open Center Remote Valve with detent Dual Gear Pumps, (2) Couplers Implement Pump: 12.5 gpm (47.5 L) Steering Pump: 7.3 gpm (27.5 L) Total Flow: 19.8 gpm (75L)

PTO:

540 rpm Mechanical PTO (1-3/8 in. 6 splines) Fully Independent, dry clutch Mechanical Engagement Flip-up PTO Shaft Guard

HITCH:

3-point Category II with flex lower links and telescoping stabilizers 3664 lbs. Lift Capacity (SAE) Swinging Drawbar Mechanical Draft Control Upper Link Draft Sensing

STEERING/BRAKES:

Hydrostatic Power Steering Brakes- Hydraulic assist wet brakes

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment and water sensor, PTO engagement, head light high beam, low fuel and parking brake



(Ex Works Port of Entry) Standard Equipment

INSTRUMENTATION: (continued)
 Gauges for fuel level, engine temp.,
 tachometer and hour meter
 Horn

ELECTRICAL:

(1) 730 cca Heavy-duty Battery -ROPS(1) 800 cca Heavy-duty Battery -CabAlternator: 120 amp7-pin Outlet for trailer/implement lighting and signals4-pin Power Outlet (40 amp)

LIGHTING:

CAB

Front: (2) Halogen Headlights and (2) cab mounted worklights Rear: (2) cab mounted worklights Turn Signals/Flashers/Rear Lights PPS

Front: (2) Halogen Headlights

Rear: (1) Worklight,

Turn Signals/Flashers/Rear Lights

OPERATIVE PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front wiper and washer, two doors
with locks, two external mirrors,
openable side windows, hinged rear
window (fully opens)
Steering Wheel - adjustable tilt
Seat - Cloth covered with mechanical
suspension, operator's presence
sensor, retractable seat belt, arm
rests
Suspended pedals
Radio, speakers and antenna

OPERATIVE PROTECTIVE STRUCTURE:

(Continued)

ROPS MODELS

2-Post Foldable ROPS with ISO
mounted flat deck platform
Steering Wheel - adjustable tilt
Seat - Vinyl covered with mechanical
suspension, operator's presence
sensor, retractable seat belts,
arm rests
Suspended pedals
Locking brake pedals

MISCELLANEOUS:

Pivoting Engine Hood SMV Emblem, and Toolbox

NEBRASKA TEST REPORT STATUS:

Not available in Nebraska pending Temporary Sales Permit

L620 Front Loader

STANDARD FEATURES:
Quick attach design:
Skid-Steer Style Tool Carrier
4-Bar bucket linkage
Bucket level indicator
Parking stand
Grille guard (included with front mounting brackets)



(Ex Works Port of Entry) Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 75C	Rops	6,239 LB	9039407P94	\$50,523.00
Includes the following Equipmer		~ 		
11.2 x 24 6PR R1 (8232304)	\$980.00			
16.9-30 6PR R1 (8355304)	\$2,296.00			
FARMALL 75C	Cab	6,239 LB	9045988P02	\$58,959.00
		6,239 LB	9045988P02	\$58,959.00
FARMALL 75C Includes the following Equipmer 11.2 x 24 6PR R1 (8232304)		6,239 LB	9045988P02	\$58,959.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
CKAGES			Section 1	
7.11.010				
SD_T9980 PACK	AGING			
X99801X C	ustom Configuration			No Cha
l l N	o Package selected; Custom build premium pricing.			



(Ex Works Port of Entry)

759310	UTILITY PACKAGE	(901989P00)	(\$2,550.00)
759510	For Cab MFD Only	(9019091 00)	(ψ2,000.00)
	Package includes the following:		
	NOTE: Mid-Mount valve is WITHOUT Diverter Valve		
	WOLE: Min-Month Anna 12 Ant Log L Diverter Anna		
	338125 2Mid-Mount w/Mec Joystick		
	743545 A Pillar Exhaust w/Guard		
	390215 Less Front Carrier and Weights		
	743552 40 KPH Max Ground Speed		
	330276 12x12 Power Shuttle		
	759176 Hand Brake		
	744580 4WD Electro Hyd Limited Slip		
	330470 4 x 110 lb Rear Wheel Weights	1	
	743565 540 RPM PTO		
	332035 Mech 3 Pt Hitch Ground Control		
	336750 84" Bucket		
	743595 Lift-O-Matic Plus		
	743569 2 Remotes 4 Couplers		
	332850 Delux Fabric Seat w/Air Susp		
	743599 Rear Fenders (30-34)		
	390860 Less Front Fenders		
	334183 Deluxe Cab w/HiVis Panel		
	Choice between		
	336914 Non Self Leveling Ldr +SSQA		
	336736#MECH SELF LEVELING LDR +EURO		
	336734#MECH SELF LEVELING LDR +SSQA		
	336732 NON SELF LEVELING LDR +EURO		
	Note - each option will be selected and display pricing; package		
	selection is for ease of selection		



(Ex Works Port of Entry)

	(EX WORKS PORT OF EHRLY)		
X99803X	STANDARD PACKAGING	(901989P00)	(\$2,550.00)
	For Cab MFD Only		
	Package includes the following:		
	NOTE: Mid-Mount valve is INCLUDES Diverter Valve		
	336780 2Mid-Mount w/Mec Joystick + DIV		
	743545 A Pillar Exhaust w/Guard		
	390215 Less Front Carrier and Weights		
	743552 40 KPH Max Ground Speed		
	330276 12x12 Power Shuttle		
	759176 Hand Brake		
	744580 4WD Electro Hyd Limited Slip		
	330470 4 x 110 lb Rear Wheel Weights		
	743565 540 RPM PTO		
	332035 Mech 3 Pt Hitch Ground Control		
	336750 84" Bucket		
	743595 Lift-O-Matic Plus		
	743569 2 Remotes 4 Couplers	1	
	332850 Delux Fabric Seat w/Air Susp		
	743599 Rear Fenders (30-34)		
Take.	390860 Less Front Fenders		
	334183 Deluxe Cab w/HiVis Panel		
N-2			
	Choice between		
	336914 Non Self Leveling Ldr +SSQA		
	336736#MECH SELF LEVELING LDR +EURO	1	
	336734#MECH SELF LEVELING LDR +SSQA		
	336732 NON SELF LEVELING LDR +EURO		
	Note - each option will be selected and display pricing; package		
	selection is for ease of selection		

OPERATOR STRUCTURE

OPERATOR STRUCTURE

SD_T1510 ENGINE EXHAUST

	391151	Vertical Exhaust w/Guard		No Charge
<u> </u>		Rops Only		
	743545	A Pillar Exhaust w/Guard		No Charge
		Cab Only		
		Vertical Exhaust with Shield		
	743544	Horizontal Exhaust w/Guard	9000244P14	\$313.00
		Cab or Rops		



(Ex Works Port of Entry)

331156	Vinyl Seat		No Charge
	Vinyl Seat with Armrest and Operator's Presence Sensor		
	Rops Only		
332850	Delux Fabric Seat w/Air Susp		No Charge
	Cloth Seat with Air Suspension, Arm Rest and Operator's		
	Presence Sensor		
	Cab Only		
743578	Fabric Seat	(900446P16)	(\$572,00
	Cloth Seat with Armrest and Operator's Presence Sensor		
	Cab Only		
W			
SD_T9200 O	PERATOR STRUCTURE #1		
392315	Platform w/Foldable ROPS		No Charge
744588	Deluxe Cab		No Charge
	Deluxe Cab - Openable Side Windows + Radio +		
	AC + R. Wiper/Washer + Instructor Seat + 1 Internal Mirror		
	+ 12v Outlet		
334183	Deluxe Cab w/HiVis Panel	9000446P94	\$573.0
	Deluxe Cab - Openable Side Windows + Radio + AC +		
	R. Wiper/Washer + Instructor Seat + 1 Internal Mirror +		
	12v Outlet + Hi Vis Panel		
RANSMISSION			
SD_T2820 PA	NRK LOCK		
SD_T2820 P/	ARK LOCK Hand Brake		No Charg
		9000042P12	
759176	Hand Brake	9000042P12	
759176	Hand Brake	9000042P12	
759176 743551	Hand Brake	9000042P12	
759176 743551	Hand Brake Parking Lock	9000042P12	
759176 743551 TRANSMISSION	Hand Brake Parking Lock	9000042P12	\$54.0
759176 743551 TRANSMISSION SD_T2800_S	Hand Brake Parking Lock PEED	9000042P12 90000211P38	\$54.0 No Charg
759176 743551 TRANSMISSION SD_T2800 S 743507	Hand Brake Parking Lock PEED 30 KPH		\$54.0 No Charg
759176 743551 TRANSMISSION SD_T2800 S 743507	Parking Lock PEED 30 KPH 40 KPH Max Ground Speed		\$54.0 No Charg
759176 743551 RANSMISSION SD T2800 S 743507 743552	Parking Lock PEED 30 KPH 40 KPH Max Ground Speed		\$54.0 No Charg
759176 743551 TRANSMISSION SD T2800 S 743507 743552	Hand Brake Parking Lock PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580)		\$54.0 No Charg \$271.0
759176 743551 TRANSMISSION SD_T2800_S 743507 743552 SD_T2810_T	Hand Brake Parking Lock PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580) RANSMISSION		\$54.0 No Charg \$271.0
759176 743551 TRANSMISSION SD_T2800_S 743507 743552 SD_T2810_T	Hand Brake Parking Lock PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580) RANSMISSION 12x12 Power Shuttle		No Charge \$54.00 No Charge \$271.00 No Charge
759176 743551 TRANSMISSION SD_T2800_S 743507 743552 SD_T2810_T	Hand Brake Parking Lock PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580) RANSMISSION 12x12 Power Shuttle In Base Option for the Farmall 65C		No Charg \$271.0
759176 743551 TRANSMISSION SD T2800 S 743507 743552 SD T2810 TI 330276	Hand Brake Parking Lock PEED 30 KPH 40 KPH Max Ground Speed Must be ordered with 4WD+EH Engage+Limited Slip (744580) RANSMISSION 12x12 Power Shuttle In Base Option for the Farmall 65C Includes Wet PTO Clutch	9000211P38	\$54.0 No Charg \$271.0

Includes Wet PTO Clutch



(Ex	Works	Port of	Entry)
-----	-------	---------	--------

Ī	334176	12x12 Power Shuttle w/Creeper	9000655P20	\$840.00
1		Includes Wet PTO Clutch		
L		Creeper Range Provides 8 Additional Gears (20 x 20)		

HITCH

SD_T8200 HITCH

390831	Hitch w/Mech Top Link Draft Co		No Charge
743595	Lift-O-Matic Plus	9000212P16	\$272.00

REAR 3-POINT

SD T8130 3 POINT HITCH CONTROL

-	 10100 01	CHAIL THE COLUMN CE		
	391035	Less 3 Pt Hitch Ground Control		No Charge
		Standard 3-Point Hitch Controls		
	332035	Mech 3 Pt Hitch Ground Control	9000209P04	\$268.00
		External Mechanical Rear Control for 3-Point Hitch		

HYDRAULICS

FAR REMOTE VALVES

SD_T8270 REAR REMOTES

	743569	2 Remotes 4 Couplers		No Charge
1 1		2 Remotes - 1 with Kick-Out and 1 with Kick-Out and Float		
		(Includes Couplers)		
	743568	1 Remote 2 Couplers		
		1 Remote with Kick-Out (Includes Couplers)		
		if BRAND is Case IH	(900595P14)	(\$763.00)

MID-MOUNT VALVES

SD_T8280 MID-MOUNT VALVES

762164	Less MMV New		No Charge
	No Mid-Mount Valve and Joystick		
762166	2MMV w/ Joystick New	9001192P62	\$1,529.00
	2Mid-Mount w/Mec Joystick		
	Long Description: 2 mid-mount valves, joystick,		
	and 3rd function switch		
	Now with updated RH trim		
762167	2MMV+DIV w/ Joystick New	9001788P54	\$2,293.00
	2 mid-mount valves, joystick, and 3rd function		
	switch with diverter valve		
	Now with updated RH trim		
	Must be ordered with a Factory Installed Loader		



(Ex Works Port of Entry)

_	٠.	_	-	
Е	а:	т	•	ъ

SD T8010 PTO

1	_	10010 11	·		
		743565	540 RPM PTO		No Charge
	Т	743566	540/540E PTO	9000496P08	\$636.00
			540/540E Economy PTO (540 PTO RPM Is Obtained At 1600		
			Engine RPM in Economy PTO Mode)		

FRONT AXLE

SD T4010 FRONT AXLE

1	ab 14010 TROMT/VEE					
		744580	4WD Electro Hyd Limited Slip			No Charge
			Includes FAS Support + FHPL Ready (334218)			
		336858	2WD Standard Axle Heavy Duty		(901276P86)	(\$1,637.00)

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

8232404	11.2R24 R1W	9000923P52	\$1,184.00
	Must be ordered with 16.9R30 R1W (8355404) Rear Tires		
8125801	7.50-16 8 PLY HD	9000413P40	\$530.00
	Must be ordered with 14.9R28 R1W (8351404), 16.9R28 R1W		
	(8352404), or 16.9R30 R1W (8355404) Rear Tires		
8126601	9.5L15 4 RIB 8 PLY	9000541P32	\$694.00
	Must be ordered with 16.9-30 6 PR R1 (8355304) 16.9R28 R1W		
	(8352404), or 16.9R30 R1W (8355404) Rear Tires		
8232304	11.2 x 24 6PR R1	9000764P40	\$980.00
	Must be ordered with 16.9-30 6PR R1 (8355304) Rear Tires		
8284604	13.6-16,1 8PR R3	9000891P54	\$1,143.00
	Must be ordered with 16.9-24 6PR R3 Turf Rear Tires (8320704)		
8223404	11.2R20 R1W	9001063P92	\$1,364.00
	Must be ordered with 14.9R28 R1W (8351404) Rear Tires		
	Cannot be ordered with Front Loader Brackets (336914, 336732,		
	336734, or 336736)		
8269404	12.4R20 R1W HD Wheel	9001163P76	\$1,492.00
	Must be ordered with 16.9R28 R1W (8352404) Rear Tires		
8290904	12,5/80-18 10PR R4	9001454P70	\$1,865.00
	Must be ordered with 16.9-24 8PR R4 (8320604) or 19.5L-24 10		
	PR R4 (8391904) Rear Tires		
8299801	Non-Return Ship Wheels - 4WD	9000075P66	\$97.00
	Must be ordered with Rear Non-Returnable		
	Shipping Wheels (8399801)		



(Ex Works Port of Entry)

SD T4950) REAR	WHEELS	CINA S	TIRES

8399801	Non-Returnable Shipping Wheel	9000451P62	\$579.00
8355404	16.9R30 R1W	9002013P18	\$2,581.00
8351404	14.9R28 R1W	9001812P72	\$2,324.00
	Cannot be ordered with Front Loader Brackets (336914, 336732,		
	336734, or 336736)		
8355304	16.9-30 6PR R1	9001790P88	\$2,296.00
8320704	16.9-24 6PR R3_Turf	9001993P68	\$2,556.00
	Cannot be ordered with 4 x 110 lb. Rear Wheel Weights (330470)		
8320604	16.9-24 8PR R4	9002047P50	\$2,625.00
	Cannot be ordered with 4 x 110 lb. Rear Wheel Weights (330470)		
8352404	16.9R28 R1W	9001921P92	\$2,464.00
8391904	19.5L-24 10 PR R4	9002251P08	\$2,886.00
	Cannot be ordered with 4 x 110 lb. Rear Wheel Weights (330470)		

FENDERS

RONT FENDERS

SD_T8740 FRONT FENDERS

TO THE THOUSE CO.					
		390860	Less Front Fenders		No Charge
		744674	Dynamic Fenders	9000574P08	\$736.00

FENDER EXTENSIONS

SD_T8700 FENDERS

-				
	743599	Rear Fenders (30-34)		No Charge
	744599	Rear Fenders w/Extensions	9000125P58	\$161.00

LOADER

LOADER EQUIPMENT

SD_T8110 LOADER BRACKETS

	D TOTTO LO	ADER BRACKETS		
	743593	Less Front Loader		No Charge
		Does not include Loader Mounting Brackets or Loader.		
		Cannot be ordered with 2Mid-Mount w/Mec Joystick +DIV (336780).		



(Ex Works Port of Entry)

	(Ex Worker erest Enay)		
336914	Non Self Leveling Ldr +SSQA	9004868P76	\$6,242.00
	L620 NON Self Leveling Loader with Skidsteer Style Quick Attach		
	Requires Mid-Mount Values (338125 or 336780)		
	Cannot be ordered with Front Weight Carrier (331215 or 334215)		
	Bucket NOT included.		
	A 72" and 84" bucket are AVAILABLE.		
	Please order 336748 or 336750.		
336732	Non Self Leveling Ldr +Euro	9004868P76	\$6,242.00
	L620 NON Self Leveling Loader Euro Style Attach		
	Requires Mid-Mount Values (338125 or 336780)		
	Cannot be ordered with Front Weight Carrier (331215 or 334215)		
	Bucket NOT included.		
	A 72" and 84" bucket are AVAILABLE.		
	Please order 336748 or 336750.		
336734	Mech Self Leveling Ldr +SSQA	9005759P52	\$7,384.00
	L620 Self Leveling Loader with Skidsteer Style Attach		
	Requires Mid-Mount Values (338125 or 336780)		
	Cannot be ordered with Front Weight Carrier (331215 or 334215)		
	Bucket NOT included.		
	A 72" and 84" bucket are AVAILABLE.		
	Please order 336748 or 336750.		
336736	Mech Self Leveling Ldr +Euro	9005759P52	\$7,384.00
	L620 Self Leveling Loader Euro Style Attach		
	Requires Mid-Mount Values (338125 or 336780)		
	Cannot be ordered with Front Weight Carrier (331215 or 334215)		
	Bucket NOT included.		
	A 72" and 84" bucket are AVAILABLE.		
	Please order 336748 or 336750.		

BUCKET

SD_T8140 BUCKET

X	(T8140X	Less Bucket		No Charge
3	36748	72" Bucket	9000449P28	\$576.00
		Must be ordered with Loader Brackets (336732, 336734, 336736, or		
		336914)		
3	336750	84" Bucket	9000757P38	\$971.00
		Must be ordered with Loader Brackets (336732, 336734, 336736, or		
		336914)		



(Ex Works Port of Entry)

OTHER	FOU	PMFN	T

FRONT BALLAST

SD T2150 FRONT BALLAST

390215	Less Front Carrier and Weights		No Charge
	No Front Weight Carrier		•
331122	Front Tow Hook 331122	9000149P76	\$192.00
331215	Front Weight Carrier 130LBS.	9000159P90	\$205.00
	Front Weight Carrier with Tow Hook (130 lbs/60 kg)		
	Cannot be ordered with Loader Brackets (336732, 336734, 336736,		
	or 336914)		
334215	Front Carrier +5 Weights	9000677P82	\$869.00
	Front Weight Carrier and Tow Hook (130 lbs/60 kg) plus 5 Weights		
	(4 Weights at 88 lbs./40 kg Each + 1 Weight at 175 lbs./79 kg).		
	Total Weight is 659 lbs./299 kg.		
	Cannot be ordered with Loader Brackets (336732, 336734, 336736,		
	or 336914)		

REAR BALLAST

SD_T4961 REAR BALLAST

_	 1 TOO 1 TKL	THE BILLET CO.		
	XT4961X	Standard less rear ballast		No Charge
	330470	4 x 110 lb Rear Wheel Weights	9000513P24	\$658.00
		110 lbs/50 kg Each - For 28 Inch or 30 Inch Rear Tires		
		Not Compatible with 24 Inch Tires (8320604, 8320704, 8391904, or		
L		8399801)		

OPERATOR'S MANUAL

SD_T9840__COUNTRY_CONFIGURATION

3D 13040 CC	DBINTICT CONTIGURATION	
334255	USA English Configuration	No Charge
334256	Canada (FR) Config ROPS	No Charge
334257	USA Spanish Configuration	No Charge



FARMALL C 12 SPEED POWER SHUTTLE US PRICE LIST

(Ex Works Port of Entry) Standard Equipment

MODELS .

Farmall 90C

86 Gross Engine hp

73 PTO hp @ 2300 rpm

Farmall 100C

99 Gross Engine hp

85 PTO hp @ 2300 rpm

Farmall 110C

107 Gross Engine hp

93 PTO hp @ 2300 rpm

Farmall 120C

117 Gross Engine hp

100 PTO hp @ 2300 rpm

ENGINE:

207 cu in (3.4 L) Displacement

1 Cyl Turbocharged Engine

Tier IVB Emissions Compliant:

(SCR + CEGR)

Electronic Injection Bosch

High-pressure Common Rail System

Electric Engine Shutoff

Hand and Foot Throttle Controls

Grid Heater Starting Aid

Dual Element Air Filter

Under Hood Muffler

Vertical Exhaust

30.3 gal Fuel Tank with Guard

2.8 gal DEF Tank

TRANSMISSION:

LH side steering column mounted Power Shuttle

12 Forward and 12 Reverse Speeds

- (4) Synchronized Gears
- (3) Non-synchronized Ranges

Forward Reverse Synchronized Shuttle

2WD and FWD - 19 mph (30 kph)

Speed varies with tire selection

Park Lock

STEERING/BRAKES:

Hydrostatic Power Steering

Brakes-

Wet disk brakes

Hydraulically assited

AXLES:

FRONT - 4WD

Limited Slip

For 90C, 100C, and 110C

Electrohydraulic FWD Engagement

Adjustable Tread Width from

56.6 in. to 76.6 in.

For 120C

Heavy Duty Electrohydraulic FWD

Engagement

Adjustable Tread Width from

56.6 in. to 76.6 in.

REAR

For 90C, 100C, and 110C

Flange Type

Adjustable Tread Width 55.5 in.

to 76.2 in.

For 120C

Heavy Duty Flange Type

Adjustable Tread Width 55.5 in.

to 76.2 in.

HYDRAULIC SYSTEM:

Open Center System

Dual Gear Pumps

Implement Pump: 16.9 gpm (63.9 L)

Steering Pump: 9.7 gpm (37.0 L)

Total Flow: 26.6 gpm (100.8 L)

(2) Open Center Remote Valves with

detent

REAR DIFFERENTIAL LOCK:

Mechanically Engaged



FARMALL C 12 SPEED POWER SHUTTLE US PRICE LIST

(Ex Works Port of Entry) Standard Equipment

PTO:

Fully Independent
Flip-up PTO Shaft Guard
For 90C, 100C, and 110C
540 rpm Hydraulic
For 120C
540/1000 rpm Hydraulic
Electronic engagement

1-3/8 in. 6 splines

Wet clutch

3-POINT LIFT SYSTEM:
Right hand console mounted
lever control
Mechanical Draft Control
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends

ELECTRICAL:

(1) 800 cca Heavy-Duty Battery - Cab
120 amp Alternator
7-pin Outlet for trailer/implement lighting
 and signals
3-pin Power Outlet (30 amp)
Single Pin (8 amp) Accessory Power
outlet
12V power socket
Cab tractors include an additional 12V
power socket

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, digital speed readout (cab only) Gauges for fuel level, engine temperature, tachometer and hour meter

LIGHTING:

ROPS

Front: (2) Halogen Headlights
Turn Signals/Flashers/Rear Lights

Front: (2) Halogen Headlights and
(2) cab mounted worklights
Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front wiper and washer, two doors
with locks, two external mirrors,
openable side windows, hinged rear
window (opens completely)
Steering Wheel - adjustable tilt
Seat - Cloth covered with air
suspension and 15 degrees of swivel,
operator's presence sensor,
retractable seat belt and arm rests
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood SMV Emblem Toolbox

WARRANTY:

Case IH Standard Warranty Applies



FARMALL C 12 SPEED POWER SHUTTLE US PRICE LIST

(Ex Works Port of Entry) Standard Equipment

FACTORY INSTALLED LOADER

L620 Front Loader

STANDARD FEATURES:
Quick attach design:
 Skid-Steer Style Tool Carrier
4-Bar bucket linkage
Bucket level indicator
Parking stand
Grille guard (included with front mounting brackets)

SPECIFICATIONS:
See Chart for specifications

L630 Front Loader

STANDARD FEATURES:
Quick attach design:
 Skid-Steer Style Tool Carrier
4-Bar bucket linkage
Bucket level indicator
Parking stand
Grille guard (included with front mounting brackets)

SPECIFICATIONS:
See Chart for specifications



FARMALL C 12 SPEED POWER SHUTTLE US PRICE LIST

(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 90C PS	Rops	8,157 LB	9051047P10	\$65,445.00
ncludes the following Equipmer 12.4-24 8PR (8235601) \$ 18.4-30 12PR R1 FLAN (836380	1,097.00			
FARMALL 90C PS	Cab	8,157 LB	9059722P26	\$76,567.00
Includes the following Equipmer 12.4-24 8PR (8235601) \$ 18.4-30 12PR R1 FLAN (836380	1,097.00			
FARMALL 100C PS	Rops	8,157 LB	9053004P12	\$67,954.00
Includes the following Equipmer 12.4-24 8PR (8235601) \$ 18.4-30 12PR R1 FLAN (836386	1,097,00	70		
FARMALL 100C PS	Cab	8,157 LB	9061679P28	\$79,076.00
Includes the following Equipmer 12,4-24 8PR (8235601) \$ 18,4-30 12PR R1 FLAN (83638	1,097.00			
FARMALL 110C PS	Rops	8,157 LB	9055129P62	\$70,679.00
Includes the following Equipmer 12.4-24 8PR (8235601) \$ 18.4-30 12PR R1 FLAN (83638)	1,097.00			
FARMALL 110C PS	Cab	8,157 LB	9063804P78	\$81,801.00
Includes the following Equipmer	nt 1,097.00			
FARMALL 120C PS	Rops	8,157 LB	9058280P82	\$74,719.00
Includes the following Equipmer 4WD+EH Engage+Limited Slip of Heavy Duty Rear Axle (333411) 12.4-24 8PR (8235601) \$ 18.4-30 12PR R1 FLAN (836380 540/1000 RPM PTO (743594)	nt (744581) \$283,00 \$678.00 1,097.00			
FARMALL 120C PS	Cab	8,157 LB	9066955P98	\$85,841.0
Includes the following Equipmer 4WD+EH Engage+Limited Slip Heavy Duty Rear Axle (333411) 12.4-24 8PR (8235601) 18.4-30 12PR R1 FLAN (83638 540/1000 RPM PTO (743594)	(744581) \$283.00 \$678.00 1,097.00			



FARMALL C 12 SPEED POWER SHUTTLE US PRICE LIST

(Ex Works Port of Entry) Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

PACKAGES

SD_T9980 PACKAGING

X99801	C Custom Configuration		No Charge
	No Package selected; Custom build premium pricing.		No Charge
759310	UTILITY PACKAGE	(903182P40)	(\$4,080.00)
/59310		(903182F40)	(\$4,060.00)
	Package includes the following:		
	For Cab MFD Only		
	NOTE: Mid-Mount valve is WITHOUT Diverter Valve		
	338125 2Mid-Mount w/Mec Joystick		
	390215 Less Front Carrier and Weights		
	759059 40KPH - Real All TYR		
	330276 12x12 Power Shuttle		
7	759176 Hand Brake		
	744581 4WD+EH Engage+Limited Slip+HD		
1 1 1	333411 Heavy Duty Rear Axle		
	330470 4 x 110 lb Rear Wheel Weights		
	334992 STD+30Ah+Horn+ACS		
	743594 540/1000 RPM PTO		
	336740 HD Non Self Leveling Ldr +SSQA		
	332035 Mech 3 Pt Hitch Ground Control		
	336750 84" Bucket		
	390831 Hitch w/Mech Top Link Draft Co		
	332850 Delux Fabric Seat w/Air Susp		
	743599 Rear Fenders (30-34)		
	334183 Deluxe Cab w/HiVis Panel		
	Note - each option will be selected and display pricing; package		
	selection is for ease of selection		



FARMALL C 12 SPEED POWER SHUTTLE US PRICE LIST

(Ex Works Port of Entry)

X99803X	STANDARD PACKAGING	(903182P40)	(\$4,080.00)
	Package includes the following:		
	For Cab MFD Only		
	NOTE: Mid-Mount valve INCLUDES Diverter Valve		
	336780 2Mid-Mount w/Mec Joystick +DIV		
	390215 Less Front Carrier and Weights		
	759059 40KPH - Real All TYR		
	330276 12x12 Power Shuttle		
	759176 Hand Brake		
	744581 4WD+EH Engage+Limited Slip+HD		
	333411 Heavy Duty Rear Axle		
	330470 4 x 110 lb Rear Wheel Weights		
	334992 STD+30Ah+Horn+ACS		
	743594 540/1000 RPM PTO		
	336740 HD Non Self Leveling Ldr +SSQA		
	332035 Mech 3 Pt Hitch Ground Control		
	336750 84" Bucket		
	390831 Hitch w/Mech Top Link Draft Co		
	332850 Delux Fabric Seat w/Air Susp		
	743599 Rear Fenders (30-34)		
	334183 Deluxe Cab w/HiVis Panel		
	Note - each option will be selected and display pricing; package		
	selection is for ease of selection		

OPERATOR STRUCTURE

OPERATOR STRUCTURE

SD T8500 SEAT

ROPS Only		
331156	Vinyl Seat	No Charge
	Vinal Seat with armrests	
Cab Only		
332850	Delux Fabric Seat w/Air Susp	No Charge
	Fabric seat with air suspension, armrests, and 15 degree swivel	

SD_T9200 OPERATOR STRUCTURE #1

	ROPS Only			
	392315	Platform w/Foldable ROPS		No Charge
	334190	Deluxe Platform w/FOPS	9001321P32	\$1,694.00
		Platform with Canopy, FOPS, noise package,		
Ш		cigarette lighter, ash tray and two storage nets		



(Ex Works Port of Entry)

 Cab Only			
744588	Deluxe Cab		No Charge
	Cab with air conditioning, opening side windows, radio,		
	rear wiper/washer, passenger seat, internal mirror,		
	cigarette lighter, ash tray and two storage nets		
334183	Deluxe Cab w/HiVis Panel	9000443P04	\$568.00
	Cab with air conditioning, opening side windows, radio,		
	high visibility panel, rear wiper/washer, passenger seat,		
	internal mirror, cigarette lighter, ash tray and two storage nets		

TRANSMISSION

SD T2800 SPEED

	743507	30 KPH		No Charge
	759059	40KPH - REAL ALL TYR	9000209P82	\$269.00
		Cannot be ordered with 2WD Front Axle		

SD_T2810 TRANSMISSION

	330276	12x12 Power Shuttle		No Charge
	334176	12x12 Power Shuttle w/Creeper	9000503P10	\$645.00

SD T2820 PARK LOCK

			L'		
	759176	Hand Brake			No Charge
	743551	Parking Lock		9000042P12	\$54.00

HITCH

SD_T8130 3 POINT HITCH CONTROL

	391035	Less 3 Pt Hitch Ground Control		No Charge
	332035	Mech 3 Pt Hitch Ground Control	9000207P48	\$266.00
		Mechanical rear 3-point hitch control		
Ш		Located on rear of tractor		

SD_T8200 HITCH

390831	Hitch w/Mech Top Link Draft Co		No Charge
758931	MDC HPL+LOM+2AUX	9001063P14	\$1,363.00
	Requires HD Rear Axle (333411)		
	and HD Front Axle (336858 or 744581)		
759058	MDC - REAR HPL - 2 A	9000851P76	\$1,092.00
	Requires HD Rear Axle (333411)		
	and HD Front Axle (336858 or 744581)		



(Ex Works Port of Entry)

HYDRAULICS

SD T8280 MID-MOUNT VALVES

· ·	SD 18280 WIII	D-MOUNT VALVES		
	762164	Less MMV New		No Charge
	762166	2MMV w/ Joystick New	9001180P92	\$1,514.00
		2 mid-mount valves, joystick, and 3rd function switch		
		Now with updated RH trim		
	762167	2MMV+DIV w/ Joystick New	9001772P16	\$2,272.00
		2 mid-mount valves, joystick, and 3rd function		
		switch with diverter valve	1	
		Now with updated RH trim		
		Must be ordered with a Factory Installed Loader		

PTO

SD T8010 PTO

	743565	540 RPM PTO		No Charge
		Base on Farmall 90C, 100C, and 110C		
		Not available on Farmall 120C		
	743594	540/1000 RPM PTO	9000445P38	\$571.00
		Base on Farmall 120C		

FRONT AXLE

SD_T4010 FRONT AXLE

3	36858	2WD Standard Axle Heavy Duty	(900879P06)	(\$1,127.00)
		Cannot be ordered with 40 KPH		
7	44580	4WD Electro Hyd Limited Slip		No Charge
		Base on Farmall 90C, 100C, and 110C		
		Not Available on Farmall 120C		
		4WD axle with electro hydraulic engagement		
		and limited slip differential lock		
7	44581	4WD+EH Engage+Limited Slip+HD	9000220P74	\$283.00
		Base on Farmall 120C		
		Heavy-duty 4WD axle with electro hydraulic		
		engagement and limited slip differential lock		



(Ex Works Port of Entry)

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

	2WD			
	8125801	7.50-16 8 PLY HD	9000428P22	\$549.00
	8126601	9.5L15 4 RIB 8 PLY	9000560P82	\$719.00
	8125901	10.00-16 8 PLY HD	9000726P96	\$932.00
	4WD Bias Fr	ont Tires		
	8232304	11.2 x 24 6PR R1	9000872P82	\$1,119.00
	8235601	12.4-24 8PR	9000855P66	\$1,097.00
	8236501	13.6-24 8PR R1 FLANG	9001152P06	\$1,477.00
	8240604	14.9-24 8PR R1	9001290P12	\$1,654.00
	4WD Radial	Tires		
	8232404	11.2R24 R1W	9001053P00	\$1,350.00
	8235404	12.4R24 R1W	9001142P70	\$1,465.00
	8236404	13.6R24 R1W	9001397P76	\$1,792.00
	8239404	14.9R24 R1W	9001719P90	\$2,205.00
	4WD Specia	lty		
	8247404	11.2R28 R1W	9001299P48	\$1,666.00
٥,	8290904	12.5/80-18 10PR R4	9001365P78	\$1,751.00
	Shipping Wh	eels		
	8299801	Non-Return Ship Wheels - 4WD	9000075P66	\$97.00

REAR AXLE

SD_T4810 REAR AXLE

	390411	Rear Axle			No Charge
		Base on Farmall 90C and 100C			
		Not available on Farmall 120C			
	333411	Heavy Duty Rear Axle		9000528P84	\$678.00
		Base on Farmall 110C and 120C			
		Manditory with 13.6R38, 16.9R34 and 18.4R34 Tires)		
		Requires Front Hitch - 758058 or 758931			

REAR WHEELS AND TIRES

SD_T4950 REAR WHEELS AND TIRES

Bias Rear Tires						
	8363801	18.4-30 12PR R1 FLAN		9002075P58	\$2,661.00	
Ы		2WD Front Tire - 7.50-16 8 ply hd (8125801) or				
		4WD Front Tire - 12.4-24 8PR (8235601)				



(Ex Works Port of Entry)

	(EX VIOLES POLICI EILLY)		
8364604	16.9-34 8PR R1	9001644P24	\$2,108.00
	2WD Front Tires - 10.00-16 8PR F2 (8125901)	1 1	
	or 7.50-16 8 ply hd(8125801) or		
	4WD Front Tires - 13.6-24 8PR R1 FLANG (8236501)		
	Requires Heavy-duty Rear Axle (333411)		
	Also requires Heavy Duty Front Axle (744581) on MFD tractors		
8355304	16.9-30 6PR R1	9001988P22	\$2,549.00
	2WD Front Tire - 9.5l15 4 rib 8 ply (8126601) or		
	4WD Front Tire - 11.2-24 (8232304)		
8365501	18.4-34 10PR	9002287P74	\$2,933.0
	2WD Front Tire - 10.00-16 8 ply hd (8125901) or		
	4WD Front Tire - 14.9-24 8PR R1 (8240604)		
	Requires Heavy-duty Rear Axle (333411)		
	Also requires Heavy Duty Front Axle (744581) on MFD tractors		
Radial Rear		*	
8355404	16.9R30 R1W	9002283P06	\$2,927.0
	2WD Front Tire - 7.50-16 8 ply hd (8125801) or		
	9.5l15 4 rib 8 ply (8126601) or		
	4WD Front Tire - 11.2R24 (8232404)		
8357404	18.4R30 R1W	9002769P00	\$3,550.0
	2WD Front Tire - 7.50-16 8 ply hd (8125801) or		
	4WD Front Tire - 12.4R24 (8235404)		
8365404	18.4R34 R1W	9002997P54	\$3,843.0
	2WD Front Tire - 10.00-16 8 ply hd (8125901) or		
	4WD Front Tire - 14.9R24 (8239404)		
	Requires Heavy-duty Rear Axle (333411)	1 1	
	Also requires Heavy Duty Front Axle (744581) on MFD tractors		
Specialty Re	ear Tire	77	
8372404	13.6R38 R1W 8372404	9001860P30	\$2,385.0
	2WD Front Tire - 7.50-16 8 ply hd (8125801) or	1 1	
	4WD Front Tire - 11.2R28 (8247404)		
	Requires Heavy-duty Rear Axle (333411)		
	Also requires Heavy Duty Front Axle (744581) on MFD tractors		
8302804	16.9R34 R1W	9001992P90	\$2,555.0
	2WD Front Tire - 7.50-16 8 ply hd (8125801) or		
	10.00-16 8 ply hd (8125901) or		
	4WD Front Tire - 13.6R24 (8236404)	1	
	Requires Heavy-duty rear axle (333411)		
8391904	19.5L-24 10 PR R4	9002114P58	\$2,711.0
	4WD Front Tire - 12.5/80-18 (8290904)	1 1	
	Cannot be ordered with Rear Wheel Weights (330470)		
Shipping Wh	neels		
8399801	Non-Returnable Shipping Wheel	9000436P02	\$559.0
	4wd transport wheel (8299801)		
	Cannot be taken with a Front Loader		
	or Rear Wheel Weights (330470)		



(Ex Works Port of Entry)

FENDERS

SD_T8700 FENDERS

GB_TO/CO TENDERCO					
	743599	Rear Fenders (30-34)			No Charge
	744599	Rear Fenders w/Extensions		9000131P82	\$169.00

SD_T8740 FRONT FENDERS

	390860	Less Front Fenders		No Charge
	744674	Dynamic Fenders	900056	669P40 \$730.00
		Cannot be ordered with 2WD Axle		· ·

LOADER

SD T8110 LOADER BRACKETS

	743593	Less Front Loader			No Charge
	Non Self Le	veling			"
	336914	Non Self Leveling Ldr +SSQA		9004391P40	\$5,630.00
		L620 NON self leveling loader			
		Must be ordered with Mid Mount Valves (336780 or 338125).			
\forall		Cannot be ordered with Front Weight Carrier (331215, 334215, or			
		336215) or Dynamic Fenders (744674).			
		DOES NOT INCLUDE A BUCKET.			
		Bucket can be ordered by selecting option 336748 or 336750.			
	336732	Non Self Leveling Ldr +Euro		9004391P40	\$5,630.00
1.1		L620 NON self leveling loader			
31 1		Must be ordered with Mid Mount Valves (336780 or 338125).			
1 1		Cannot be ordered with Front Weight Carrier (331215, 334215, or			
1 1		336215) or Dynamic Fenders (744674).			
		DOES NOT INCLUDE A BUCKET.			
		Bucket can be ordered by selecting option 336748 or 336750.			
	336740	HD Non Self Leveling Ldr +SSQA		9005589P48	\$7,166.00
		L630 NON self leveling loader			
		Must be ordered with 4WD Front Axle with EH Engage (744580 or			
		744581) and Mid Mount Valves (336780 or 338125).			
		Cannot be ordered with Front Weight Carrier			
		(331215, 334215, or 336215).			
		DOES NOT INCLUDE A BUCKET.	1		
		Bucket can be ordered by selecting option 336748 or 336750.			



(Ex Works Port of Entry)

C T T	(EX WORST OIL OI EIIU)		
336742	HD Non Self Leveling Ldr +Euro	9005589P48	\$7,166.00
	L630 NON self leveling loader		
	Must be ordered with 4WD Front Axle with EH Engage (744580 or		
	744581) and Mid Mount Valves (336780 or 338125).		
	Cannot be ordered with Front Weight Carrier		
	(331215, 334215, or 336215).		
	DOES NOT INCLUDE A BUCKET.		
	Bucket can be ordered by selecting option 336748 or 336750.		
Self Leveling			
336734	Mech Self Leveling Ldr +SSQA	9005272P80	\$6,760.00
	L620 NON self leveling loader		
	Must be ordered with Mid Mount Valves (336780 or 338125).		
	Cannot be ordered with Front Weight Carrier (331215, 334215, or		
	336215) or Dynamic Fenders (744674).		
	DOES NOT INCLUDE A BUCKET.		
	Bucket can be ordered by selecting option 336748 or 336750.		
336736	Mech Self Leveling Ldr +Euro	9005272P80	\$6,760.00
	L620 NON self leveling loader		
	Must be ordered with Mid Mount Valves (336780 or 338125).		
	Cannot be ordered with Front Weight Carrier (331215, 334215, or		
	336215) or Dynamic Fenders (744674).		
	DOES NOT INCLUDE A BUCKET.		
	Bucket can be ordered by selecting option 336748 or 336750.		
336744	HD Self Leveling Ldr +SSQA	9006474P78	\$8,301.00
	L630 NON self leveling loader		
	Must be ordered with 4WD Front Axle with EH Engage (744580 or		
	744581) and Mid Mount Valves (336780 or 338125).		
	Cannot be ordered with Front Weight Carrier		
	(331215, 334215, or 336215).		
	DOES NOT INCLUDE A BUCKET.		
	Bucket can be ordered by selecting option 336748 or 336750.		
336746	HD Self Leveling Ldr +Euro	9006474P78	\$8,301.00
	L630 self leveling loader		
	Must be ordered with 4WD Front Axle with EH Engage (744580 or		
	744581) and Mid Mount Valves (336780 or 338125).		
	Cannot be ordered with Front Weight Carrier		
	(331215, 334215, or 336215).		
	DOES NOT INCLUDE A BUCKET.		
	Bucket can be ordered by selecting option 336748 or 336750.		

BUCKET

SD_T8140 BUCKET

Г	XT8140X	Less Bucket		No Charge
	336748	72" Bucket	9000445P38	\$571.00
		Must be ordered with Loader Brackets		



Ī	336750	84" Bucket	9000749P58	\$961.00
		Must be ordered with Loader Brackets		

OTHER EQUIPMENT

SD_T1040 CHARGING SYSTEMS

	Cab or ROP	S		
	391192	120 AMP_Alternator		No Charge

SD_T2150 FRONT BALLAST

390215	Less Front Carrier and Weights		No Charge
334215	Front Carrier +5 Weights	9000472P68	\$606.00
	Front weight carrier 130 lbs/60 kgs + carrier front tow		
	hook 130 lbs/60 kgs + 4 suitcase weights 88 lbs/40 kgs each.		
	Total weight 612 lbs/280 kgs		
336215	Front Carrier + 7 weights	9000642P72	\$824.00
	Front weight carrier 130 lbs/60 kgs + carrier front tow hook	1 1	
	130 lbs/60 kgs + 6 suitcase weights 88 lbs/40 kgs each.	1 1	
	Total weight 788 lbs/360 kgs		

١,	CD	T4961	REAR BALLAST	
	2017	14901	KEME DALL WOL	

20	-	5 11001 110	The Direction		
\ <u></u>	2	XT4961X	Standard less rear ballast		No Charge
		330470	4 x 110 lb Rear Wheel Weights	9000508P56	\$652.00
			4 x 110 lbs/50 kgs Each. Total Weight 440 lbs/200 kgs		
ļ			Not compatible with 24 Inch Tires		

SD_T6730 PIN CONNECTOR

100	- 01	D_10700 111	1 CONTRECTION		
		334991	STD+30Ah+ HORN		No Charge
		Cab Only			
		334992	STD+30Ah+HORN+ACS		No Charge
		334994	STD+30+HRN+ACS+MON	9000110P76	\$142.00

OPERATOR'S MANUAL

SD_T9840 COUNTRY CONFIGURATION

334255	USA English Configuration		No Charge
334256	Canada (FR) Config ROPS		No Charge
334257	USA Spanish Configuration		No Charge



(Ex Works Port of Entry) Standard Equipment

MODELS:

Farmall 90C

86 Gross Engine hp

73 PTO hp @ 2300 rpm

Farmall 100C

99 Gross Engine hp

85 PTO hp @ 2300 rpm

Farmall 110C

107 Gross Engine hp

93 PTO hp @ 2300 rpm

Farmall 120C

117 Gross Engine hp

100 PTO hp @ 2300 rpm

ENGINE:

207 cu in (3.4 L) Displacement

4 Cyl Turbocharged Engine

Tier IVB Emissions Compliant:

(SCR + CEGR)

Electronic Injection Bosch

High-pressure Common Rail System

Electric Engine Shutoff

Hand and Foot Throttle Controls

Grid Heater Starting Aid

Dual Element Air Filter

Under Hood Muffler

Vertical Exhaust

30.3 gal Fuel Tank with Guard

2.8 gal DEF Tank

TRANSMISSION:

LH side steering column mounted

Power Shuttle

24 Forward and 24 Reverse Speeds

(4) Synchronized Gears with a

HiLo in each Gear

Power clutch button on Gear lever

to allow for gear changes without

the use of the foot clutch

(3) Non-synchronized Ranges

Forward Reverse Synchronized Shuttle

TRANSMISSION: (Continued)

25 mph (40 kph)

Speed varies with tire selection

Park Lock

STEERING/BRAKES:

Hydrostatic Power Steering

Brakes-

Wet disk brakes

Hydraulically assited

AXLES:

FRONT - 4WD

Limited Slip

Heavy Duty Electrohydraulic FWD

Engagement

Adjustable Tread Width from

56.6 in. to 76.6 in.

REAR

Heavy Duty Flange Type

Adjustable Tread Width 55.5 in.

to 76.2 in.

HYDRAULIC SYSTEM:

Open Center System

Dual Gear Pumps

Implement Pump: 16.9 gpm (64 L)

Steering Pump: 9.7 gpm (36.7 L)

Total Flow: 26.6 gpm (100.7L)

(2) Open Center Remote Valves with

detent

REAR DIFFERENTIAL LOCK:

Mechanically Engaged

PTO:

Fully Independent

Flip-up PTO Shaft Guard

540/1000 rpm

Electronic engagement

Wet clutch

1-3/8 in. 6 splines

Fender mounted control (cab only)



(Ex Works Port of Entry) Standard Equipment

3-POINT LIFT SYSTEM:
Right hand console mounted
lever control
Mechanical Draft Control
5,620 Pounds Lift Capacity
Category II Ends
Telescopic Stabilizers
Flexible Lower Link Ends
Fender mounted controls (cab only)

ELECTRICAL:

800 cca Heavy-Duty Battery - Cab
 amp Alternator
 pin Outlet for trailer/implement lighting and signals
 pin Power Outlet (30 amp)
 Single Pin (8 amp) Accessory Power outlet
 power socket
 tractors include an additional 12V
 power socket

INSTRUMENTATION:

Analog Instrumentation with warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, PTO engagement, head light high beam, low fuel and parking brake, digital speed readout (cab only) Gauges for fuel level, engine temperature, tachometer and hour meter

LIGHTING:

ROPS

Front: (2) Halogen Headlights

Turn Signals/Flashers/Rear Lights

CAB

Front: (2) Halogen Headlights and

(2) cab mounted worklights

Rear: (2) cab mounted worklights
Turn Signals/Flashers/Rear Lights

OPERATOR PROTECTIVE STRUCTURE:

CAB MODELS

ROPS protected, flat deck platform
with heat and air conditioning, tinted
windshield, retractable sun screen,
front wiper and washer, two doors
with locks, two external mirrors,
openable side windows, hinged rear
window (opens completely)

Steering Wheel - adjustable tilt
Seat - Cloth covered with air
suspension and 15 degrees of swivel,
operator's presence sensor,
retractable seat belt and arm rests
Suspended pedals
Radio, speakers, and antenna

MISCELLANEOUS:

Pivoting Engine Hood SMV Emblem Toolbox

WARRANTY:

Case IH Standard Warranty Applies



(Ex Works Port of Entry) Standard Equipment

FACTORY INSTALLED LOADER

L620 Front Loader

STANDARD FEATURES:
Quick attach design:
 Skid-Steer Style Tool Carrier
4-Bar bucket linkage
Bucket level indicator
Parking stand
Grille guard (included with front mounting brackets)

SPECIFICATIONS:
See Chart for specifications

L630 Front Loader

STANDARD FEATURES:
Quick attach design:
 Skid-Steer Style Tool Carrier
4-Bar bucket linkage
Bucket level indicator
Parking stand
Grille guard (included with front mounting brackets)

SPECIFICATIONS:
See Chart for specifications



(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 90C HI LO	Rops	6,292 LB	9056930P64	\$72,988.00
Includes the following Equipmen				
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
EADMAN 000 A 1 0	Tou	0.000 D	0007000000	#DE 070 00
FARMALL 90C HI LO	Cab	6,292 LB	9067063P62	\$85,979.00
Includes the following Equipmen				
	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
FARMALL 100C HI LO	Rops	6,292 LB	9058887P66	\$75,497.00
Includes the following Equipmen		0,202.25	5555577.55	, o,
J 1 1	\$2,205.00			
	\$3,910.00			
10,111011111111111111111111111111111111	40,010,00			
FARMALL 100C HI LO	Cab	6,292 LB	9069020P64	\$88,488.00
Includes the following Equipmen	nt .		·	
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
FARMALL 110C HI LO	Rops	6,292 LB	9061035P00	\$78,250.00
Includes the following Equipmen	nt			
14.9R24 R1W (8239404)	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
FARMALL 110C HI LO	Cab	6,292 LB	9071167P98	\$91.241.00
Includes the following Equipmen		0,292 EB	9011101190	\$31,241.00
	\$2,205,00			
	\$3,910.00			
10.4K34 K1VV (0303404)	\$3,910.00			
FARMALL 120C HI LO	Rops	6,292 LB	9062969P40	\$80,730.00
Includes the following Equipmen			***	
	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			
FARMALL 120C HI LO	Cab	6,292 LB	9073102P38	\$93,721.00
Includes the following Equipmer				
	\$2,205.00			
18.4R34 R1W (8365404)	\$3,910.00			



(Ex Works Port of Entry) Factory Supplied Options

Or	der Code	Description	Weight	Factory Data	List Price
PAC	KAGES		8013 Sep 7141) ilikariji ilika ila	
9	SD_T9980 PA	CKAGING			
	X99801X			1	No Charge
		No Package selected; Custom build premium pricing.		1 1	·
	X99811X	DELUXE FAST PICK PACKAGE		(903182P40)	(\$4,080.00)
		Farmall C Loader Package Includes:			
		Factory installed loader			
		Rear Weights		1	
		Allows for choice of the following options:			
	1	72" or 84" bucket			
		Mid mount valve or mid mount Valve with 3rd function div valve			
-	X99812X	STANDARD FAST PICK PACKAGE		(903182P40)	(\$4,080.00
)		Farmali C Less Loader Package Includes:			
		Less Front Loader			
		Less Bucket			
		No Rear Weights			
OPE	RATOR STRU	JCTURE			
OPE	ERATOR STRU	CTURE			
	SD_T8500 SE	AT			
	ROPS Only				
	331156	Vinyl Seat			No Charge
		Vinyl seat with armrests			
	Cab Only				
	332850	Delux Fabric Seat w/Air Susp			No Charge
		Fabric seat with air suspension, armrests, and 15 degree swivel.			
_	ND T0200 OF	DEDATOD STRUCTURE #4			
		ERATOR STRUCTURE #1			
\top	ROPS Only 392315	Platform w/Foldable ROPS			No Charre
1	334190	Deluxe Platform w/FOPS		9001321P32	No Charge \$1,694.00
		Platform with Canopy, FOPS, noise package,		3001321532	φ1,054.00
		i de la la de la			

cigarette lighter, ash tray and two storage nets



(Ex Works Port of Entry)

	Cab Only			
	744588	Deluxe Cab		No Charge
		Cab with air conditioning, opening side windows, radio,		
		rear wiper/washer, passenger seat, internal mirror,		
Ш		cigarette lighter, ash tray and two storage nets		
П	334183	Deluxe Cab w/HiVis Panel	9000443P04	\$568.00
Ш		Cab with air conditioning, opening side windows, radio,		
		high visibility panel, rear wiper/washer, passenger seat,		
		internal mirror, cigarette lighter, ash tray and two storage nets		
		Cannot be ordered with Special Colors (330505, 330507, or 330512)		

TRANSMISSION

SD_T2820 PARK LOCK

	759176	Hand Brake		No Charge
	743551	Parking Lock	9000042P12	\$54.00

HITCH

SD T8130 3 POINT HITCH CONTROL

 00_10100 01	CHATTHIOLOGATICOL		
ROPS Only			
391035	Less 3 Pt Hitch Ground Control		No Charge
332035	Mech 3 Pt Hitch Ground Control Mechanical rear 3-point hitch control Located on rear of tractor	9000207P48	\$266.00
 Cab Only			
334278	PTO Switch external		No Charge

SD_T8200 HITCH

	ROPS Only			
	758931	MDC HPL+LOM+2AUX	9000851P76	\$1,092.00
	1	Requires HD Rear Axle (In Base)		
1		2 auxiliary lift rams for ROPS		
		8,000 lbs lift capacity		
	Cab Only			
	390832	EDC HPL 390832		No Charge
	758932	EDC HPL + 2 AUX	9000851P76	\$1,092.00
		Requires HD Rear Axle (In Base)		
		2 auxiliary lift rams for Cab		
		8,000 lbs lift capacity		



(Ex Works Port of Entry)

HYDRAULICS

SD T8280 MID-MOUNT VALVES

SD_18280 M	ID-MOUNT VALVES		
762164	Less MMV New		No Charge
762166	2MMV w/ Joystick New	9001180P92	\$1,514.00
	2 mid-mount valves, joystick, and 3rd function switch		
	Now with updated RH trim		
	ROPS Only		
762167	2MMV+DIV w/ Joystick New	9001772P16	\$2,272.00
	2 mid-mount valves, joystick, and 3rd function		
	switch with diverter valve		
	Now with updated RH trim		
	Must be ordered with a Factory Installed Loader		
	ROPS Only		
762168	MID+JOY+ADVANCE+NEW	9001180P92	\$1,514.00
	2 mid-mount valves, joystick, and 3rd function switch		
	Now with updated RH trim		
	Cab only		
762169	MID+JOY+ADV+DIV+NEW	9001772P16	\$2,272.00
	2 mid-mount valves, joystick, and 3rd function		
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	switch with diverter valve		
	Now with updated RH trim		
	Must be ordered with a Factory Installed Loader		
	Cab only		

FRONT WHEELS AND TIRES

SD_T4940 FRONT WHEELS AND TIRES

4WD Radial	Tires		
8239404	14.9R24 R1W	9001719P90	\$2,205.00
8236404	13.6R24 R1W	9001537P38	\$1,971.00
8235404	12.4R24 R1W	9001257P36	\$1,612.00
8232404	11.2R24 R1W	9000957P06	\$1,227.00
Nokian Spec	cialty tires		
8873402	360/80R20 TRI 2 HD	9001556P10	\$1,995.00
	Nokian TRI 2 MultiUse Tire		
4WD Specia	lty		
8290904	12.5/80-18 10PR R4	9001365P78	\$1,751.00
8247404	11.2R28 R1W	9001298P70	\$1,665.00
Shipping Wh	neels		
8299801	Non-Return Ship Wheels - 4WD	9000075P66	\$97.00



(Ex Works Port of Entry)

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

Radial Rear	Tires		
8365404	18.4R34 R1W	9003049P80	\$3,910.0
	Front Tire - 14.9R24 (8239404)	1 1	
	Requires Heavy Duty Rear Axle (In Base)	1 1	
	Also requires Heavy Duty Front Axle (In Base) on MFD tractors		
	Not compatible with L620 Loader (333489), (335489),	1 1	
	(334489), and (339489)		
8357404	18.4R30 R1W	9002769P00	\$3,550.0
	Front Tire - 12.4R24 (8235404)		
8355404	16.9R30 R1W	9002283P06	\$2,927.0
	Front Tire - 11.2R24 (8232404)		
	Not compatible with L620 Loader (336914), (336732),	1 1	
	(336734), and (336736)		
Specialty Re	ar Tire		
8391904	19.5L-24 10 PR R4	9002114P58	\$2,711.0
	Front Tire - 12.5/80-18 (8290904)		
	Not compatible with rear wheel weight (330470)		
8302804	16.9R34 R1W	9002192P58	\$2,811.0
	Front tire - 13.6R24 R1W (8236404)	1	
	Not compatible with L620 Loader (336914), (336732),		
	(336734), and (336736)		
8372404	13.6R38 R1W 8372404	9002046P72	\$2,624.0
	Front Tire - 11.2R28 (8247404)	1 1	
	Requires Heavy Duty Rear Axle (In Base)	1 1	
	Also requires Heavy Duty Front Axle (In Base) on MFD tractors	1 1	
	Not compatible with L620 Loader (336914), (336732),		
	(336734), and (336736)		
Nokian Spec	cialty tires		
8906401	440/80 R30 TRI 2	9002899P26	\$3,717.
	Nokian TRI 2 MultiUse Tire	1 1	
	Front tire - 360/80R20 (8873401 or 8873402)		
Shipping Wh	neels		
8399801	Non-Returnable Shipping Wheel	9000436P02	\$559.
	Must take no loader brackets (743593)		

FENDERS

FRONT FENDERS

SD T8740 FRONT FENDERS

Γ	390860	Less Front Fenders		No Charge
	744674	Dynamic Fenders	9000569P40	\$730.00



(Ex Works Port of Entry)

RF	ΛD	UDE	DC.

SD_T8700 FENDERS

	743599	Rear Fenders (30-34)		No Charge
	744599	Rear Fenders w/Extensions	9000131P82	\$169.00

LOADER

SD T8110 LOADER BRACKETS

SD_18110 LC	DADER BRACKETS		
743593	Less Front Loader		No Charge
Non Self Lev	veling		
336740	HD Non Self Leveling Ldr +SSQA	9005589P48	\$7,166.00
	L630 NON self leveling loader	1 1	
	Bucket NOT included.	1	
	336750 - 84" bucket is AVAILABLE.	1	
	Requires two mid-mount valves (338125 or 336780)	1 1	
	Not compatible with front weights		
336742	HD Non Self Leveling Ldr +Euro	9005589P48	\$7,166.00
	L630 NON self leveling loader		
(**\)	Bucket NOT included.	1 1	
	336750 - 84" bucket is AVAILABLE.	I II	
	Requires two mid-mount valves (338125 or 336780)	1 1	
	Not compatible with front weights		
Self Leveling]		
336744	HD Self Leveling Ldr +SSQA	9006474P78	\$8,301.00
	L630 Self leveling loader		
	Bucket NOT included.	1	
	336750 - 84" bucket is AVAILABLE.		
	Requires two mid-mount valves (338125 or 336780)		
	Not compatible with front weights		
336746	HD Self Leveling Ldr +Euro	9006474P78	\$8,301.00
	L630 mechanical self leveling loader		
	Bucket NOT included.		
	336750 - 84" bucket is AVAILABLE.		
	Requires two mid-mount valves (338125 or 336780)		
	Requires HD front axle (In Base)		

BUCKET

SD_T8140 BUCKET

XT8140X	Less Bucket		No Charge
336750	84" Bucket	9000749P58	\$961.00



(Ex Works Port of Entry)

SD T1040 CH	IARGING SYSTEMS		
Cab or Rops	A CHICANACTI CAST		
391192	120 AMP_Alternator		No Char
SD_T2150 FF	ONT BALLAST		
390215	Less Front Carrier and Weights		No Cha
331215	Front Weight Carrier 130LBS.	9000154P44	\$198
	Front weight carrier only 130 lbs/60 kgs		
334215	Front Carrier +5 Weights	9000472P68	\$606
	Front weight carrier 130 lbs/60 kgs + carrier front tow		
	hook 130 lbs/60 kgs + 4 suitcase weights 88 lbs/40 kgs each.		
	Total weight 612 lbs/280 kgs		
336215	Front Carrier + 7 weights	9000642P72	\$824
	Front weight carrier 130 lbs/60 kgs + carrier front tow hook		
	130 lbs/60 kgs + 6 suitcase weights 88 lbs/40 kgs each.		
	Total weight 788 lbs/360 kgs		
335215	8 WEIGHTS 40 KG - CA	9000824P46	\$1,057
SD T4961 RE	AR BALLAST		
XT4961X	Standard less rear ballast		No Cha
330470	4 x 110 lb Rear Wheel Weights	9000508P56	\$652
	4 x 110 lbs/50 kgs each. Total weight 440 lbs/200 kgs		
	not compatible with 24 inch tires		
1			
SD_T6730 PI	N CONNECTOR		
ROPS Only			
334991	STD+30Ah+ HORN		No Cha
Cab Only			
334992	STD+30Ah+HORN+ACS		No Cha
334994	STD+30+HRN+ACS+MON	9000062P40	\$80
	Additional power outlet (cigarette lighter type)		
	Monitor support		
PERATOR'S MA	NIIAI	the anti-text arm of spiles in the state of	
LIVETONO	(ITOAL		
OD T0040 C	NINTDY CONFIGURATION		
-	DUNTRY CONFIGURATION LUCA Familiah Configuration		No Cha
334255	USA English Configuration		
334256	Canada (FR) Config ROPS		No Cha No Cha
334257	USA Spanish Configuration		



Specifications Chart L62044

Utility Front Loader Type	L620 NSL	L620 MSL
Tractor Used On	Farmall C Flat Deck	Farmall C Flat Deck
Engine HP Range	85-105	85-105
Front Tires		
Rear Tires	12.4 R24	12.4 R24
	18.4 R30	18.4 R30
Loader specifications are subject to		
change and may vary based on tractor		
model, hydraulic system and tire size.		
Boom Cylinder Fulchrum		
Maximum Lift Height @ Pivot Pin: mm (in):	3209 (126.3)	3199 (125.9)
Max Lift Height under bucket in Level position: mm (in):	2910 (114.5)	2913 (114.6)
Dump Clearance at 45° mm (in.)	2377 (93.6)	2364 (93)
Dump Clearance at 40° mm (in.)	2292 (90.2)	2285 (89.9)
Digging Depth mm (in):	210 (8.2)	205 (8)
Digging Depth min (m).	210 (6.2)	203 (8)
Lift Capacity (Bucket center) kg (lbs)		
Lift Capacity Max Height @ pivot pins kg (lbs):	1572 (3461.2)	1621 (3573)
Lift Capacity Max Height @ 800mm kg (lbs):	1124 (2478)	1442 (3179)
Lift Capacity @ 59 in high @ pivot pins kg (lbs):	1972 (4347.5)	2005 (4420)
Lift Capacity @ 59 in high @ 800 mm kg (lbs):	1397 (3080)	1891 (4169)
Boom Breakout force @ pivot pins kN (lbs):	24.6 (5555.6)	24.2 (5402)
	24,6 (5555.6)	24,3 (5483)
Boom Breakout force @ 800 mm kN (lbs):	16.6 (3739)	20.7 (4665)
Bucket Rollback force @ max height kN (lbs)	12.7 (2875)	13 (2947)
Bucket Rollback force @ ground level kN (lbs)	19.3 (4347)	17.1 (3860)
Reach @ maximum lift at 45° mm (in):	1004 (39.5)	1003 (39.4)
Reach @ maximum lift at 60° mm (in):	850 (33.4)	825 (32.4)
Reach @ ground level mm (in):	2304 (90.7)	2300 (90.5)
heading ground lever min (m).	2304 (30.7)	2300 (30.3)
Bucket Rollback angle (degrees):	45	40
Bucket Dump angle (degrees):	60	60
Raise time to full height (No load)	5.29	5.3
Lower time (No load)	3.99	4
	4.15 w/o regen. feature,	2.2 w/o regen. feature,
Bucket dump time	2.36 w/ regen feature	1.31 w/ regen feature
Bucket rollback	2.87	1.54
Base Loader Arms weight kg (lbs)	461 (1016)	520 (1146)
Sub frame kg (lbs)	138 (304)	138 (304)
72" Standard Material Bucket weight kg (lbs)	185 (407)	185 (497)
84" Standard Material Bucket weight kg (lbs)	205 (452)	205 (452)
72" bucket struck capacity (cu yard)	0.6	0.6
72" bucket heaped capacity (cu yard)	0.8	0.8
84" bucket struck capacity (cu yard)	0.676	0.676
84" bucket heaped capacity (cu yard)	0.91	0.91
Hydraulic valve and Hose Kit weight kg (lbs)	15 (33)	15 (33)



Utility Front Loader Type	L630 NSL	L630 MSL
	I complicate Deale	Farmall C Flat David
Tractor Used On	Farmall C Flat Deck	Farmall C Flat Deck
Engine HP Range	85-105	TBD
Front Tires	12.4 R24	TBD
Rear Tires	18.4 R30	TBD
Loader specifications are subject to		
change and may vary based on tractor		
model, hydraulic system and tire size.		
Boom Cylinder Fulchrum		
Maximum Lift Height @ Pivot Pin: mm (in):	3405 (134)	TBD
Max Lift Height under bucket in Level position: mm (in):	3131 (123)	TBD
Dump Clearance at 45° mm (in.)	2576 (101.4)	TBD
Dump Clearance at 60° mm (in.)	2490 (98)	TBD
Digging Depth mm (in):	179 (7)	TBD
Life Connective (Diselect secretary) for (like)		
Lift Capacity (Bucket center) kg (lbs) Lift Capacity Max Height @ pivot pins kg (lbs):	1746 (3849)	TBD
Lift Capacity Max Height @ 800mm kg (lbs):	1194 (2632)	TBD
Lift Capacity Max Height @ 800hillinkg (105):	2362 (5207)	TBD
	1650 (3638)	TBD
Lift Capacity @ 59 in high @ 800 mm kg (lbs):	1630 (3638)	160
Boom Breakout force @ pivot pins kN (lbs):	29.57 (6649)	TBD
Boom Breakout force @ 800 mm kN (lbs):	19.81 (4455)	TBD
Bucket Rollback force @ max height kN (lbs)	20.56 (4623)	TBD
Bucket Rollback force @ ground level kN (lbs)	23.7 (5335)	TBD
D	1007.5 (42)	TDD
Reach @ maximum lift at 45° mm (in):	1097.5 (43)	TBD
Reach @ maximum lift at 60° mm (in):	857.5 (34)	TBD
Reach @ ground level mm (in):	2314 (91)	TBD
Bucket Rollback angle (degrees):	44	TBD
Bucket Dump angle (degrees):	60	TBD
Raise time to full height (No load)	4.74	TBD
Lower time (No load)	3.55	TBD
tower time (No load)	3.55	100
Bucket dump time	4.08 w/o regen, feature,	
	3.59 w/ regen feature	TBD
Bucket rollback	3.19	TBD
Base Loader Arms weight kg (lbs)	TBD	TBD
Sub frame kg (lbs)	TBD	TBD
72" Standard Material Bucket weight kg (lbs)	TBD	TBD
84" Standard Material Bucket weight kg (lbs)	TBD	TBD
72" bucket struck capacity (cu yard)	TBD	TBD
72 bucket struck capacity (cu yard) 72" bucket heaped capacity (cu yard)	TBD	TBD
72 - bucket neaped capacity (cu yard) B4" bucket struck capacity (cu yard)	TBD	TBD
	TBD	TBD
84" bucket heaped capacity (cu yard) Hydraulic valve and Hose Kit weight kg (lbs)	TBD	TBD



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.