

AGRICULTURAL EQUIPMENT

U.S. Price List Effective October 4, 2021

FARMALL® SERIES COMPACT TRACTORS PL-100 CA REVISION 34 SAP PRICE LIST 038 C1

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the LT contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eQuipment for the most current pricing.

Copyright 2021 By CNH Industrial America LLC



GENERAL INFORMATION

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER Complete U.S. Price List is PL-100 Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Case 2021 Price List



FARMALL ® SERIES COMPACT TRACTORS TABLE OF CONTENTS

COMPACT TRACTORS

1
3
Ū
7
1
IL
4-

Case 2021 Price List



Standard Equipment

DIESEL ENGINE:

Farmall 35A Tier 4 B/Final: 35 Gross Engine hp @ 2600 rpm 29.7 PTO hp @ 2600 rpm (Gear) 28 PTO hp @ 2600 rpm (Hydro) 114 cu. in.(1.9L) Displacement

Farmall 40A Tier 4 B/Final: 40 Gross Engine hp @ 2600 rpm 34 PTO hp @ 2600 rpm (Gear) 32 PTO hp @ 2600 rpm (Hydro) 114cu. in. (1.9L) Displacement

ALL MODELS

3 Cylinder, Turbcharged Engine
Common Rail / Direct Fuel Injection
Tier 4 B/Final Emissions Compliant
114.7 cu. in. (1.9L) Displacement
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut
7.4(28L) gallon Fuel Tank

INSTRUMENT PANEL:

Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light
Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator
Emmission Activation Indicator

TRANSMISSION OPTIONS
12 x 12 Synchronized Shuttle Shift

(SSS)

Left-hand, dash mounted, synchronized shuttle

- (4) Non-synchronized gears
- (3) Non-synchronized ranges
- 3-Range Hydrostatic with Cruise Control and Dual-Pedal direction control for forward and reverse

HYDRAULIC SYSTEM:

Open Center Hydraulic System Dual Gear-type Pumps Implement Pump Capacity:

- Farmall 35A = 8.2 gpm (31.2 L/min)
- Farmall 40A = 8.2 gpm (31.2 L/min)

Steering Pump Capacity:

- Gear models = 4.8 gpm (18.2 L/min)
- HST models = 4.8 gpm (18.2 L/min)
 Mid-mount Hydraulic Valve & Joystick
 (STD)

3-POINT LIFT SYSTEM:

Lift Capacity @ ball ends: 1808 lb. (820 kg) Category I, 3-point Linkage Position Control Lever Drop Rate Control Knob Crank-type Leveling Mechanism Telescoping Stabilizers

Fixed Link Ends

NON-CAB:

2-Post, Foldable Roll Bar Seat Belt

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery Safety Start Switch Key Start/Fuel Shutoff 85 amp Alternator Operator Presence System

LIGHTING:

(2) Incondescent Corner Work Lights

Standard Equipment

- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

PTO:

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

NOTES ABOUT MID PTO OFFERING

- Independent 2,000 rpm
- Effective October 2019 Mid PTO is OPTIONAL on ALL compact tractor models
- Dealer Installed Accessory (DIA) kits are also available from CNHi Parts:

Compact Farmall 30A, 35A, 35A Series II, and 40A series II tractors - MT20129402

DRAWBAR:

Swinging

3-Position Extendable

REAR DIFFERENTIAL LOCK Foot actuated mechanical

STEERING:

Hydrostatic Power Steering Tilt Steering Column

BRAKES:

Wet Disc

Dual Brake Pedals

Foot-assist Parking Brake Lever

FRONT AXLE:

Mechanical Front Drive (MFD)
Fixed Position Rims
47.1 in. (1197 mm) Tread Setting with
R4 tires

REAR AXLE:

Flange Type Axle
Reversible Position Rims - R1 tires only
Fixed Position Rims - R3, R4 tires
52.5 in. (1333 mm) Tread Setting with
R4 tires

OPERATOR'S AREA:

Contoured Cushion Seat

- Fore / Aft / Height / Weight Compensating Foot Throttle Left Side Step Left Side Grab Handle Right Side Cupholder & Tray

SLOW MOVING VEHICLE EMBLEM

Models

COMMERCIAL MODEL	ENGINE POWER	Weight	Factory Data	List Price
FARMALL 35A SERIES II	35 HP	3067	9017748P08	\$21,644.00
FARMALL 40A SERIES II	40 HP	3067	9019161P76	\$23,368.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

PACKAGES

SD_T9981 CONFIGURATION

LOADER IN	ISTALLATION		
X0292XX	LESS EZ PICK CONFIG		No Charge
Compact Fa	armall 35A Packages		
X0619XX	FM35A 12X12 LDR	(900450P18)	(\$549.00)
	Farmall 35A Gear w/L340A Loader		
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	- 8266304 (R4 Front)		
	- 8364564 (R4 Rear)		
	- 464505 (L340A Loader)		
X0620XX	FM35A HST LDR	(900485P44)	(\$592.00)
	Farmall 35A HST w/L340A Loader		
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-729290 (HST)		
	-720366 (1 Rear Remote)		
	- 8266304 (R4 Front)		
	- 8364564 (R4 Rear)		
	- 464505 (L340A Loader)		
X0621XX	FM35A HST LDR BH	(900646P98)	(\$789.00)
	Farmall 35A HST w/L340A Loader + BHA90A		
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-729290 (HST)		
	-720366 (1 Rear Remote)		
	- 8266304 (R4 Front)		
	- 8364564 (R4 Rear)		
	- 464505 (L340A Loader)		
	- 464508 (BHA90A Backhoe w/ 16" BKT + Thumb)		

Compact Fac	mall 40A Packages		
X0622XX	FM40A 12X12 LDR	(900478P88)	(\$584.00)
	Farmall 40A Gear w/L340A Loader		
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	- 8266304 (R4 Front)		
	- 8364564 (R4 Rear)		
	- 464505 (L340A Loader)		
X0623XX	FM40A HST LDR	(900513P32)	(\$626.00)
	Farmall 40A HST w/L340A		
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-729290 (HST)		
	-720366 (1 Rear Remote)		
	- 8266304 (R4 Front)		
	- 8364564 (R4 Rear)		
	- 464505 (L340A Loader)		
X0624XX	FM40A HST LDR BH	(900675P68)	(\$824.00)
	Farmall 40A HST w/L340A + BHA90A		
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-729290 (HST)		
	-720366 (1 Rear Remote)		
	- 8266304 (R4 Front)		
	- 8364564 (R4 Rear)		
	- 464505 (L340A Loader)		
	- 464508 (BHA90A Backhoe w/ 16" BKT + Thumb)		

TRANSMISSION

SD T2810 TRANSMISSION

OB IZOTO TO	1.010101001011		
720110	12 x 12 Synchro-shuttle		No Charge
729290	Hydrostatic Transmission	9001192P28	\$1,454.00

HYDRAULICS

SD T8270 REAR REMOTES

0.00	- 01	J_102/U INE	AK KEWOTES		
		XT8270X	LESS REAR REMOTE VALVES		No Charge
			Less Rear Remote Valves		
		720366	1 Remote SDA	9000594P50	\$725.00
			1 Rear Remote with detent		

	•	m	r	٠.

MID-MOUNT PTO

5	SD T8073 MID PTO KIT	
	XT8073X LESS MID PTO	No Charge

Sub-FrameHydraulic Kits16" BucketThumb

COMPACT FARMALL A SERIES II TRACTOR US PRICE LIST

728025	MID PTO	9000290P28	\$354.00
ONT WHEELS	AND TIRES	S S	
SD_T4940 F	RONT WHEELS AND TIRES		
8266304	25 x 8.50 - 14 6PR R4		No Charge
	Must be ordered with 43 x 16.00-20 R4 (8364564) Rear Tires.		
8204604	7 x 14 6PR R1 Ag Bar	(900100P04)	(\$122.00
	Must be ordered with 11.2 x 24 4PR R1 Ag Bar (8332604) Rear Tires.		
8267104	25x8.50-14 10PR R3 T	(900100P04)	(\$122.00
	Must be ordered with 41 x 14.00-20 4PR R3 Rear Tires (8304804).		
AR WHEELS	AND TIRES	diff the first text of	W. T.
SD T4950 R	EAR WHEELS AND TIRES		
8364564	The state of the s		No Charg
8332604		(900242P72)	(\$296.00
8304804		9000168P10	
1 0001001	11 8 14.00 20 41 1(1)	9000108F101	\$205.0
PERATOR MAN	IIAIC		
ERATOR WAY	OALS		
CD TORON O	DED A TODO MANUAL		
	PERATORS MANUAL		
	North American English		No Charg
729184	French Canadian - Gear		No Charg
05 T0000 0	PER TORONAL MANAGEMENT OF THE PER TO		
	PERATORS MANUAL		
	Less Add'l Operator Manual		No Charg
720548	SPANISH OP.MANUAL N 720548		No Charg
CKHOE			
SD_T6071 B	ACKHOE		
XT6071X	NO BACKHOE		No Charg
464508	BACKHOE BHA90A A Series	9008545P22	\$10,421.0
		55500701 22	Ψ10, 4 21.0
	Backhoe includes:		
	Backhoe includes: - Base Unit		

• • • • •

LO		_	_	_
100	м		-	ĸ

SD T6072 FRONT END LOADER

1	OD 10072 110	ONTENDEGABER		
	XT6072X	NO FRONT END LOADER		No Charge
	464505	FRT END LDR L340A	9004859P32	\$5,926.00
		Loader Includes:		
		- Mounting Kit		
1 1		- Quick Coupler - Skid Steer Style		
		- 68" HD Material Bucket (Quick Attach)		



(Ex Works Port of Entry) Standard Equipment

Farmall 35C Tier 4 B/Final: 35 Gross Engine hp @ 2600 rpm 29.7 PTO hp @ 2600 rpm (Gear) 28 PTO hp @ 2600 rpm (Hydro) 114.7 cu. in. (1.9L) Displacement

Farmall 40C Tier 4 B/Final: 40 Gross Engine hp @ 2600 rpm 34 PTO hp @ 2600 rpm (Gear) 32 PTO hp @ 2600 rpm (Hydro) 114.7 cu. in. (1.9L) Displacement

Farmall 45C Tier 4 B/Final: 45 Gross Engine hp @ 2600 rpm 38.2 PTO hp @ 2600 rpm (Gear) 36 PTO hp @ 2600 rpm (Hydro) 114.7 cu. in. (1.9L) Displacement

Farmall 55C Tier 4 B/Final: 55 Gross Engine hp @ 2600 rpm 46.7 PTO hp @ 2600 rpm (Gear) 44 PTO hp @ 2600 rpm (Hydro) 114.7 cu. in. (1.9L) Displacement

ALL MODELS:
3 Cylinders
Tier 4 B/Final compliant
Turbo charged
Under Hood Muffler / Exhaust
Two-stage Dual Element Air Cleaner
Full-flow, Spin-on Oil Filter
12.4 gallon (47L) Fuel Tank CAB
Fuel Filter with water separator
Quick Glow Plug Starting Aid
Flip-up Hood w/ Gas Strut

INSTRUMENT PANEL:
Analog Tachometer
Fuel Gauge
Coolant Temperature Gauge
Hour Meter
Engine Oil Pressure Warning Light
Battery Charge Warning Light

Cold Starting Aid Indicator Light
PTO ON Indicator Light
Constant Engine Speed control
Parking Brake Indicator Light
Turn Indicator Lights
Hazard Flasher Indicator Lights
High Beam Headlights Indicator
Emmission Activation Indicator

TRANSMISSION OPTIONS
12 x 12 Synchronized Shuttle Shift (SSS)

Left-hand, dash mounted, synchronized shuttle

- (4) Synchronized gears
- (3) Non-synchronized ranges

16 x 16 Synchronized Shuttle Shift
(SSS)

Left-hand, dash mounted, synchronized shuttle

- (4) Synchronized gears
- (4) Non-synchronized ranges

3-Range Hydrostatic with Cruise Control and Dual-Pedal direction control for forward and reverse

HYDRAULIC SYSTEM:
HYDRAULIC SYSTEM:
Open Center Hydraulic System
Dual Gear-type Pumps
Non-Cab Single Open Center Rear Remote
Valve
CAB Two Rear Remote Vales
Implement Pump Capacity:
-Farmall 35C = 8.2 gpm (31.2 L/min)
-Farmall 40C = 8.2 gpm (31.2 L/min)
-Farmall 45C = 8.2 gpm (31.2 L/min)
-Farmall 55C = 8.2 gpm (31.2 L/min)
Steering Pump Capacity:
- Gear models = 4.1 gpm (15.6 L/min)
- Farmall 35C/40C HST models = 5.5 gpm (20.8)

(Ex Works Port of Entry) Standard Equipment

L/min)

- Farmall 45C/55C HST models = 6.1 gpm (23.4 L/min)

Mid-mount Hydraulic Valve & Joystick (STD)

3-POINT LIFT SYSTEM:

Farmall 35, 40C, 45C

- Lift Capacity @ ball ends:
- 35C, 40C, 45C: 1808 lb. (820 kg)

Farmall 45C, 55C: 2756 lb. (1250 kg)

- Category I, 3-point Linkage
- Position Control Lever
- Drop Rate Control Knob
- Crank-type Leveling Mechanism
- Telescoping Stabilizers
- Flexible Link Ends

ELECTRICAL

12-volt, 80Ah, 660 CCA Battery Safety Start Switch Key Start/Fuel Shutoff 85 amp Alternator Operator Presence System

LIGHTING:

- (2) Halogen Corner Work Lights
- (2) Halogen Headlights
- (2) Taillights / Brakelights
- (2) Flashing Warning Lights / Turn Signals

PTO:

Rear PTO

- Independent 540 rpm
- Electro-hydraulic engagement
- Flip-up Shield
- Shaft Cap

NOTES ABOUT MID PTO OFFERING

- Independent 2,000 rpm
- Effective October 2019 Mid PTO is OPTIONAL on ALL compact tractor models
- Dealer Installed Accessory (DIA) kits

are also available from CNHi Parts:

Compact Farmall 30C, 35C, 35C Series II tractors (Fits non-cab)
-MT20131516

Compact Farmall 30C, 35C, 40C Series II WITH CAB tractors
-MT20123903

Compact Farmall 40C, 45C, 50C Series II, and 55C Series II tractors (Fits non-cab)
-MT20131515

Compact Farmall 40C, 45C, 50C Series II, and 55C Series II WITH CAB tractors
-MT20123902

DRAWBAR:

Swinging

2-Position Extendable

REAR DIFFERENTIAL LOCK

STEERING:

Hydrostatic Power Steering Tilt Steering Column

BRAKES:

Wet Disc

Dual Brake Pedals

R4 tires

Foot-assist Parking Brake Lever

FRONT AXLE:

Four Wheel Drive (FWD)
Fixed Position Rims
Farmall 30C, 40C:
45.6 in. (1159 mm) Tread Setting with
R4 tires
Farmall 45C, 55C:
51.7 in. (1314 mm) Tread Setting with



(Ex Works Port of Entry) Standard Equipment

REAR AXLE:

Flange Type Axle
Reversible Position Rims - R1 tires only
Fixed Position Rims - R3, R4 tires
REAR AXLE: (Continue):
Farmall 30C, 40C:
46.5 in. (1283 mm) Tread Setting with
R4 tires
Farmall 45C, 55C:
47.7 in. (1211 mm) Tread Setting with

OPERATOR'S AREA:

R4 tires

Non-Cab Version FOR 35C, 45C, 55C Contoured Cushion Seat

- Fore / Aft / Height / Weight Compensating
- Spring Suspension
 Deluxe Floor Mat
 Foot Throttle
 Left Side Step
 Left Side Grab Handle
 Right Side Cupholder & Tray
 2-Post, Foldable Roll Bar
 Seat Belt

OPERATOR'S AREA:

CAB Version FOR 40C 45C 55C
(2) Doors
Rear Window Opens 63 degrees
Opening side windows
Air Conditioning
Heater

4-speed Fan Control for heat and A/C 2 Cab Air Filters Radio-ready with (2) speakers, wiring and antenna Deluxe Cloth Covered Seat Floor Mat Cloth Covered Headliner Sun Visor Interior Rearview Mirror Interior lighting Left and Right External Mounted Mirrors Removable Plug in rear of cab to route harness Front Windshield Wiper and Washer Cup Holder Left and Right Side Steps Toolbox Slow Moving Vehicle Emblem Grab Rails Horn Contoured Cushion Seat - Fore / Aft / Height / Weight

Compensating
- Spring Suspension
Deluxe Floor Mat
Foot Throttle
Left Side Step
Left Side Grab Handle

Right Side Cupholder & Tray

SLOW MOVING VEHICLE EMBLEM



(Ex Works Port of Entry)

Models

COMMERCIAL MODEL	VERSION	Weight	Factory Data	List Price
FARMALL 35C SERIES II	Rops	6,000 LB	9021551P24	\$26,282.00
FARMALL 40C SERIES II	Cab	6,500 LB	9028527P80	\$34,790.00
FARMALL 45C SERIES II	Rops	6,000 LB	9026931P26	\$32,843.00
FARMALL 45C SERIES II	Cab	6,500 LB	9031895P54	\$38,897,00
FARMALL 50C SERIES II	Rops	6,000 LB	9032529P03	\$39,670.00
FARMALL 55C SERIES II	Cab	6,500 LB	9037856P96	\$46,167.00

Factory Supplied Options

				The same of the sa
Order Code	Description	Weight	Factory Data	List Price

PACKAGES

SD T9981 CONFIGURATION

LOADER II	ISTALLATION		
X0292XX	LESS EZ PICK CONFIG		No Charge
Compact F	armall 35C Packages		
X0601XX	FM35C R 12X12 LDR	(900533P82)	(\$651.00)
	Farmali 35C Non-Cab Gear w/L350A	1 1	
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER	1	
	-728025 (Mid-PTO)	TI I	
	-X82704X (1 Remote)	1 1	
	- 8266304 (R4 Front)	1 1	
	- 8364564 (R4 Rear)	1 1	
	- 464503 (L350A Loader w/ 68" BKT)	1 1	
	Choice of Backhoe BHA90A or less Backhoe		
X0602X	FM35C R HST LDR	(900567P44)	(\$692.00)
	Farmall 35C Non-Cab HST w/L350A		
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-729290 (HST)	L L	
	-728025 (Mid-PTO)	1	
	-720347 (2 Rear Remote)	1	
	- 8266304 (R4 Front)		
	- 8364564 (R4 Rear)		
	- 464503 (L350A Loader w/ 68" BKT)		
	Choice of Backhoe BHA90A or less Backhoe		



(Ex Works Port of Entry)

,	(Ex Works Port of Entry)		
Compact Far	rmall 40C Packages		
X0606XX	FM40C C GEAR LDR	(900665P84)	(\$812.00)
	Farmali 40C Cab Gear w/L350A		i i
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-728025 (Mid-PTO)		
	-720347 (2 Remotes)		
	- 8266304 (R4 Front)		
	- 8364564 (R4 Rear)		
	- 464503 (L350A Loader w/ 68" BKT)		
X0607XX	FM40C C HST LDR	(900701P10)	(\$855.00)
	Farmall 40C Cab HST w/L350A	(3007011 10)	(ψουυ.ου)
	FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-729290 (HST)		
	-728025 (Mid-PTO)		
	-720347 (2 Rear Remote)		
	- 8266304 (R4 Front)		
	- 8364564 (R4 Rear)		
Vacantiv	- 464503 (L350A Loader w/ 68" BKT)		
X0608XX	FM40C C HST LDR BH	(900861P82)	(\$1,051.00)
	Farmall 40C Cab HST w/L350A + BHA90A		
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-729290 (HST)		
	-728025 (Mid-PTO)		
	-720347 (2 Rear Remote)		
	- 8266304 (R4 Front)		
	- 8364564 (R4 Rear)		
	- 464503 (L350A Loader w/ 68" BKT)		
	- 464506 (BHA90A Backhoe w/ 16" BKT + Thumb)		
	mall 45C Packages		
X0609XX	FM45C R 16X16 LDR	(900663P38)	(\$809.00)
	Farmall 45C Non-Cab Gear w/L360A		
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-330271 (16x16 Gear)		
	-728025 (Mid-PTO)		
	-X82704X (1 Remote)		
B 8	- 8276504 (R4 Front)		
	- 8396704 (R4 Rear)		
	- 464504 (L360A Loader w/ 72" BKT)		
X0610XX	FM45C R HST LDR	(900697P82)	(\$851.00)
	Farmall 45C Non-Cab HST w/L360A	(5000571 52)	(ψοσ1.00)
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-330014 (3 Range HST)		
	-728025 (Mid-PTO)		
	-720347 (2 Rear Remote)		
	- 8276504 (R4 Front)		
	- 8396704 (R4 Rear)		
	- 464504 (L360A Loader w/ 72" BKT)		

(Ex Works Port of Entry)

	(EX WORKS PORT OF Entry)		
X0611XX	FM45C R HST LDR BH	(900870P84)	(\$1,062.00)
	Farmall 45C Non-Cab HST w/L360A + BHA102	1	
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-330014 (3 Range HST))	
	-728025 (Mid-PTO)		
	-720347 (2 Rear Remote)		
	- 8276504 (R4 Front)		
	- 8396704 (R4 Rear)		
	- 464504 (L360A Loader w/ 72" BKT)		
	- 464507 (BHA102 Backhoe w/16" BKT + Thumb)		
X0612XX	FM45C C HST LDR	(900797P04)	(\$972.00)
	Farmall 45C Cab HST w/L360A		
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-330014 (3 Range HST)		
	-728025 (Mid-PTO)		
	-720347 (2 Rear Remote)		
	- 8276504 (R4 Front)		
	- 8396704 (R4 Rear)		
	- 464504 (L360A Loader w/ 72" BKT)		
X0613XX	FM45C C HST LDR BH	(900970P88)	(\$1,184.00)
	Farmall 45C Cab HST w/L360A + BHA102		
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-330014 (3 Range HST)		
	-728025 (Mid-PTO)		
	-720347 (2 Rear Remote)		
	- 8276504 (R4 Front)		
	- 8396704 (R4 Rear)		
	- 464504 (L360A Loader w/ 72" BKT)		
	- 4645075 (BHA102 Backhoe w/16" BKT + Thumb)		
Compact Fa	rmall 55C Packages		
X0614XX	FM55C R 16X16 LDR	(900774P90)	(\$945.00)
	Farmall 55C Non-Cab Gear w/L360A		
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-330271 (16x16 Gear)		
	-728025 (Mid-PTO)		
	-X82704X (1 Remote)		
	- 8276504 (R4 Front)		
	- 8396704 (R4 Rear)		
	- 464504 (L360A Loader w/ 72" BKT)		

(Ex Works Port of Entry)

 	(EX WORKS PORT OF Entry)		
X0615XX	FM55C R HST LDR	(900808P52)	(\$986.00)
	Farmali 55C Non-Cab HST w/L360A		, i
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-330014 (3 Range HST)		
	-728025 (Mid-PTO)		
	-720347 (2 Rear Remote)		
	- 8276504 (R4 Front)		1
	- 8396704 (R4 Rear)		
	- 464504 (L360A Loader w/ 72" BKT)		
X0616XX	FM55C R HST LDR BH	(900982P36)	(\$1,198.00)
	Farmall 55C Non-Cab HST w/L360A + BHA102	·	, ,
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		1
	-330014 (3 Range HST)		
	-728025 (Mid-PTO)		
	-720347 (2 Rear Remote)		
	- 8276504 (R4 Front)		1
	- 8396704 (R4 Rear)		
	- 464504 (L360A Loader w/ 72" BKT)		
	- 464507 (BHA102 Backhoe w/16" BKT + Thumb)		
X0617XX	FM55C C HST LDR	(900908P56)	(\$1,108.00)
	Farmall 55C Cab HST w/L360A	, i	(, , ,
	FAST PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-330014 (3 Range HST)		
	-728025 (Mid-PTO)		
	-720347 (2 Rear Remote)		
	- 8276504 (R4 Front)		
	- 8396704 (R4 Rear)		
	- 464504 (L360A Loader w/ 72" BKT)		
X0618XX	FM55C C HST LDR BH	(901081P58)	(\$1,319.00)
	Farmall 55C Cab HST w/L360A + BHA102	((, ,, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
	EZ PICK PKG PRICE = 2% SAVINGS OVER ALA-CART ORDER		
	-330014 (3 Range HST)		
	-728025 (Mid-PTO)		
	-720347 (2 Rear Remote)		
	- 8276504 (R4 Front)		
	- 8396704 (R4 Rear)		
	- 464504 (L360A Loader w/ 72" BKT)		
	- 464507 (BHA102 Backhoe w/16" BKT + Thumb)		

TRANSMISSION

TRANSMISSION

SD_T2810 TRANSMISSION

720110	12 x 12 Synchro-shuttle		No Charge
729290	Hydrostatic Transmission	9001644P10	\$2,005.00
330271	16x16 Synchro Shuttle 330271		No Charge

(Ex Works Port of Entry)

330014	HST + 3 Range	9001644P10	\$2,005.00

HYDRAULICS

SD T8270 REAR REMOTES

X82704X	1 VALVE STD		No Charge
	1 valve with detent standard		
720347	2 Remote Valves		
	2 rear remote		
	if VERSION is Cab		No Charge
	if VERSION is Rops	9000364P08	\$444.00

PTO

MID-MOUNT PTO

SD T8073 MID PTO KIT

T	XT8073X	LESS MID PTO		No Charge
	728025	MID PTO	9000364P08	\$444.00

FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

8266304	25 x 8.50 - 14 6PR R4		No Charge
	Must be ordered with 43 x 16.00-20 R4 Rear Tires (8364564).		
8276504	12 x 16.5 6PR R4		No Charge
	Must be ordered with 17.5Lx24 6PR R4 Rear Tires (8396704).		
8267104	25x8.50-14 10PR R3 T	(900100P86)	(\$123.00)
	Must be ordered with 11.2x24 4PR R1 Ag Bar Rear Tires (8304804).		
8267204	28x8.50-15 6PR R3 T	(900118P08)	(\$144.00)
8204604	7 x 14 6PR R1 Ag Bar	(900100P86)	(\$123.00)
	Must be ordered with 11.2 x 24 4PR R1 Ag Bar Rear Tires (8332604).		
8253304	9.5 x 16 4PR R1	(900118P08)	(\$144.00)
	Must be ordered with 13.6-24 4PR R1 Rear Tires (8338604).		

REAR WHEELS AND TIRES

SD T4950 REAR WHEELS AND TIRES

SD_14900 RE	AR WHEELS AND TIKES		
8364564	43 x 16.00-20 R4		No Charge
8332604	11.2 x 24 4PR R1 Ag Bar	(900278P80)	(\$340.00)
8396704	17.5Lx24 6PR R4		No Charge
8338604	13.6-24 4PR R1	(900715P04)	(\$872.00)
8304804	41 x 14.00-20 4PR R3		
	if ENGINE POWER is 35 HP	9000174P66	\$213.00

	(Ex Works Port of En		Constant 1999
	if ENGINE POWER is 40 HP	9000174P66	\$213.00
PERATOR MAN	NUALS		
SD T9800 O	PÉRATORS MANUAL		
	North American English		No Charg
729184	French Canadian - Gear		No Charg
	PERATORS MANUAL		
	Less Add'l Operator Manual		No Charg
720548	SPANISH OP.MANUAL N 720548		No Charg
CKHOE			
SD_T6071 B 464506	BACKHOE BHA90A	9008545P22	\$10,421.0
	BACKHOE BHA90A Backhoe includes: - Base Unit - Sub-Frame - Hydraulic Kits	9008545P22	\$10,421.C
	BACKHOE BHA90A Backhoe includes: - Base Unit - Sub-Frame	9008545P22	\$10,421.0
	BACKHOE BHA90A Backhoe includes: - Base Unit - Sub-Frame - Hydraulic Kits - 16" Bucket - Thumb BACKHOE BHA102 Backhoe includes: - Base Unit - Sub-Frame - Hydraulic Kits - 16" Bucket	9008545P22 9009163P50	\$10,421.0 \$11,175.0
464506	BACKHOE BHA90A Backhoe includes: - Base Unit - Sub-Frame - Hydraulic Kits - 16" Bucket - Thumb BACKHOE BHA102 Backhoe includes: - Base Unit - Sub-Frame - Hydraulic Kits - 16" Bucket		\$11,175.0
464506	BACKHOE BHA90A Backhoe includes: - Base Unit - Sub-Frame - Hydraulic Kits - 16" Bucket - Thumb BACKHOE BHA102 Backhoe includes: - Base Unit - Sub-Frame - Hydraulic Kits - 16" Bucket		
464506	BACKHOE BHA90A Backhoe includes: - Base Unit - Sub-Frame - Hydraulic Kits - 16" Bucket - Thumb BACKHOE BHA102 Backhoe includes: - Base Unit - Sub-Frame - Hydraulic Kits - 16" Bucket		\$11,175.

- Quick Coupler - Skid Steer Style - 68" HD Material Bucket (Quick Attach)

Loader Includes:
- Mounting Kit

XT6072X NO FRONT END LOADER

FRT END LDR L350A

464503

9005749P84

No Charge

\$7,012.00

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment - Bid #ESCNJ 18/19-25 -T0CU 01



FARMALL COMPACT C SERIES II TRACTORS US PRICE LIST

(Ex Works Port of Entry)

	464504	FRT END LDR L360A		9005974P52	\$7,286.00
		Loader Includes:			
1		- Mounting Kit			
		- Quick Coupler - Skid Steer Style	1 1		
		- 72" HD Material Bucket (Quick Attach)			



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.

.....



October 4, 2021

Subject: Case IH Mid-Year Price Book Increase

To: All Case IH North America Dealers

Case IH continues to see significant cost increases impacting raw materials, labor, and logistics. Therefore, Case IH will be releasing revised price books to compensate for a portion of these cost increases. These price increases will have an effective date of October 4, 2021 and will be applied as required across product lines.

CH

All current and new model year 2022 orders that are not marked retail with final customer name (final customer name cannot be switched) prior to October 4, 2021 will receive the price increase.

Illustrative price adjustments will be as follows:

- Farmall C Series Tractors: 3%

Thank you,

Kurt Coffey

Case IH Brand Marketing & Communications



AGRICULTURAL EQUIPMENT

U.S. Price List Effective October 1, 2021

PL-100 CA REVISION 3 SAP PRICE LIST 037 C1

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the LT contract only.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eQuipment for the most current pricing.

Copyright 2021 By CNH Industrial America LLC



GENERAL INFORMATION

ADVANCE FREIGHT

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

PRICES

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

CONTENTS OF ORGANIZATION

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

PROCEDURE

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

DISTRIBUTION OF PRICE LISTS

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER Complete U.S. Price List is PL-100 Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Case 2021 Price List



COMPACT LOADERS AND IMPLEMENTS TABLE OF CONTENTS

TRACTOR LOADER MATCH CHART	1
FARMALL ® 100A SERIES TRACTORS	
	5 6 7
	9 10 11
	13 14 15
	17 18 19
COMPACT TRACTOR IMPLEMENTS AND ATTACHMENTS	
	21 22
MW3 SERIES MOWER FOR FARMALL COMPACT TRACTORS Standard Features Price List	23
RR SERIES REAR MOUNT FINISHING MOWERS Standard Features	25 27 29
BM SERIES FRONT MOUNT BLADES Standard Features	31 32



COMPACT LOADERS AND IMPLEMENTS TABLE OF CONTENTS

FARMALL ® 100A SERIES TRACTORS

COMPACT TRACTOR IMPLEMENTS AND ATTACHMENTS

BS SERIES FRONT MOUNT SNOW BLOWERS	
Standard Features	35
Price List	37
Factory Supplied Attachments	40
BR SERIES FRONT MOUNT ROTARY BROOMS	
Standard Features	43
Price List	45
Factory Supplied Attachments	
BHA SERIES BACKHOES	40
Standard Features	49
Price List	50
Factory Supplied Attachments	53
TL SERIES ROTARY TILLERS	
Standard Features	55
Price List	56
RC ROTARY CUTTERS	
Standard Features	57
Price List	59
Factory Supplied Attachments	61
WORK FT O BIOLEMAR DOWN	
WORK EZ ® DISK HARROW	
Standard Features	63
Price List	64
WORK EZ ® RAKES	
Standard Features	
Price List	65
THOO LIST	66
WORK EZ ® BOX BLADES	00
Standard Features	67
Price List	68
WORK EZ ® REAR BLADES	
Standard Features	69
Price List	70



COMPACT LOADERS AND IMPLEMENTS TABLE OF CONTENTS

FARMALL ® 100A SERIES TRACTORS

COMPACT TRACTOR IMPLEMENTS AND ATTACHMENTS

WORK EZ ® EZ MATCH	
Standard Features	71
Price List	72
WORK EZ ® BALE CARRIERS	
Standard Features	73
Price List	74
WORK EZ ® HAY SPEARS	
0.0.100.01.00.00.00.00.00.00.00.00.00.00	75
Price List	76
CHARTS	
PARTS DIVISION SUPPLIED ACCESSORIES - COMPACT TRACTOR IMPLEMENTS	

Case 2021 Price List

Duty	eQuipment Description	PTO HP Capacity	Quick Hitch Compatible	Driveline/Protection	Frant Deflector	Rear Deflector	Tail Wheel/Tires (QTY)	Level Lift	Deck Thickness	Max. Cut Capacity
	Single Spindle (3-Point Hitch)	7	1,000	S				THE ST		REAL PROPERTY.
Standard Duty	RC480 4 ft. Standard Duty	up to 48	Yes	Cat. 4 w/Shear Pin	None	Rubber	Single Laminated	N/A	10 Ga. (.1345")	2"
Standard Duty	RC600 5 ft Standard Duty	up to 48	Yes	Cat. 4 w/Shear Pin	None	Rubber	Single Laminated	N/A	7 Ga. (.1793")	2"
Standard Duty	RC720 6 ft. Standard Duty	up to 48	Yes	Cat. 4 w/Shear Pin	None	Rubber	Single Laminated	N/A	7 Ga. (.1793")	2"
Medium Duty	RC605 5 ft, Medium Duty	up to 65	Yes	Cat. 4 w/Slip Clutch	None	Rubber	Single Laminated	N/A	7 Ga. (.1793")	2-1/2"
Medium Duty	RC72S 6 ft. Medium Duty	up to 65	Yes	Cat. 4 w/Slip Clutch	None	Rubber	Single Laminated	N/A	7 Ga. (.1793")	2-1/2"
Medium Duty	RC840 7 ft, Medium Duty	up to 65	Yes	Cat 4 w/Slip Clutch	None	Rubber	Single Laminated	N/A	7 Ga. (.1793")	2-1/2"
Heavy Duty	RC727 6 ft, Heavy Duty	up to 95	Yes	Cat. 5 w/Slip Clutch	Chain	Chain	Single Laminated	N/A	7 Ga. (.1793")	3"
Heavy Duty	RC845 7 ft. Heavy Duty	up to 95	Yes	Cat. 5 w/Slip Clutch	Chain	Chain	Single Laminated	N/A	7 Ga. (.1793*)	3"
	Multiple Spindle (Pull Type)									
Medium Duty	RC1440 12 ft. Medium Duty 540RPM	40-70	N/A	Main - Cat. 5 CV w/Silp Clutch; Wings - Cat. 4 w/Silp Clutch	Chain	Chain	Laminated (4)	Mechanical	7 Ga. (.1793")	3"
Heavy Duty	RC1440 12 ft. Heavy Duty S40RPM	40-100	N/A	Main - Cat. 5 CV w Slip Clutch: Wings - Cat. 4 w/Slip Clutch	Chain	Chain	Aircraft (4)	Mechanical	7 Ga. (.1793")	3"
Heavy Duty	RC1800 15 ft. Heavy Duty S40RPM	up to 210	N/A	Wings - Cat. 4 w/Slip Clutch	Chain	Chain	Laminated (6)	Mechanical	7 Ga. (.1793")	3-1/2"
Heavy Duty	RC1800 15 ft, Heavy Duty 1000RPM 1-3/8	up to 210	N/A	Muin - Cat. 5 CV W/Slip Clutch Wings - Cat. 4 w/Slip Clutch	Chain	Chain	Aircraft (6)	Hydraulic	7 Ga. (,1793")	3-1/2"
Heavy Duty	RC1800 15 ft. Heavy Duty 1000RPM 1-3/4	up to 210	N/A	Wings - Cat. 4 w/Slip Clutch	Chain	Chain	Aircraft (6)	Hydraulic	7 Ga. (.1793")	3-1/2"
Heavy Duty (Smooth Deck)	RC1800 15 ft. H.D. Smooth Deck 540RPM DD	up to 210	N/A	Main - Cat. 5 CV w/Sip Clutch Wings - Cat. 4 w/Slip Clutch	Chain	Chain	Laminated (6)	Mechanical	7 Ga. (.1793")	3-1/2"
Heavy Duty (Smooth Deck)	RC1800 15 ft. H.D. Smooth Deck 1000 1-3/8 DD	up to 210	N/A	Wings - Cat. 5 CV w/Slip Chitch. Wings - Cat. 4 w/Slip Chitch	Chain	Chain	Aircraft (6)	Hydraulic	7 Ga. (.1793")	3-1/2"
Heavy Duty (Smooth Deck)	RC1800 15 ft. H.D. Smooth Deck 1000 1-3/4 DD	up to 210	N/A	Wings - Cat. 4 w/Slip Clutch	Chain	Chain	Aircraft (6)	Hydraulic	7 Ga. (.1793")	3-1/2"

1 of 82 RC Series Rotary Cutter - Reference Chart - 5-26-2021.xlsx Model Matrix

5/27/2021 2:42 PM

Page 1 of 1

Implement to Tractor Match Chart

Apr-21	Disk Harrow Landscape Rakes				Box Blades					Rear Blades				
	PTO HP	EZ78DC	EZ72LR	EZ84LR	EZ486L	EZ60BL	EZ60BM	EZ72BM	EZ84BM	EZ60SM	EZ72SM	EZ84SM	EZ84SH	EZ965H
COMPACT FARMALL 35A Series II	30/28	•	•	•	•	•	•	•		•	•			
COMPACT FARMALL 40A Series II	34/32	•	•	•	•	•	•	•		•	•			
COMPACT FARMALL 35C Series II	30/28	•	•			•	•	•		•	•			
COMPACT FARMALL 40C Series II	34/32		•			•	•	•		•	•			
COMPACT FARMALL 45C Series II	38/36	•	•	•				•	•		•	•	•	
COMPACT FARMALL 55C Series II	47/44	•	•					•	•		•	•	•	
FARMALL 50A Tier 4 B/Final (India)	46	•	•					•			•		•	
FARMALL 60A Tier 4 B/Final (India)	51	•	•	•				•	•		•		•	
FARMALL 70A Tier 4 B/Final (India)	62	•	•	•				•	•		•	•	•	•
FARMALL 55A Tier 4 B/Final (Erenier)	43	•						•	•		•	•	•	
FARMALL 65A Tier 4 B/Final (Erenier)	51	•	•								•	•	•	
FARMALL 75A Tier 4 B/Final (Erenier)	60	•						•	•		•	•	•	•
FARMALL 95A Tier 4 B/Final (India)	78		•	•					•		•	•		•
FARMALL 105A Tier 4 B/Final (India)	92	•	•								•	•		•
FARMALL 115A Tier 4 B/Final (India)	100	•	•	•					•		•	•	•	•
FARMALL 110A Tier 4 B/Final (Queretaro)	90			•								•	•	•
FARMALL 120A Tier 4 B/Final (Queretaro)	96											•	•	•
FARMALL 130A Tier 4 B/Final (Queretaro)	108								•			•	•	•
FARMALL 140A Tier 4 B/Final (Queretaro)	115			•					•			•	•	•
FARMALL 65C Tier 4 B/Final (Erenier)	50	•	•	•				•	•		•	•	;(o)	
FARMALL 75C Tier 4 B/Final (Erenler)	65		•	•							•	•	. •	•
FARMALL 90C Tier 4 B/Final (Erenler/Jesl)	73	•	•	•					•		•	•	•	•
FARMALL 100C Tier 4 B/Final (Erenler/Jesi)	85	•		•					•		•	•	•	•
FARMALL 110C Tier 4 B/Final (Erenier/Jesi)	93	•	•	•		-			•		•	•	•	•
FARMALL 120C Tier 4 B/Final (Erenier/Jesi)	99	•	•	•					•		•	•	•	
FARMALL 110U Tier 4 B/Final (Jesi)	92								•		•	•	•	•
FARMALL 120U Tier 4 B/Final (Jesi)	99			•					•		•	•	•	•
VESTRUM 110 (Jesl)	86											•	•	•
VESTRUM 130 (Jesi)	111			•								•		•
MAXXUM 115 ActiveDrive4/8/CVXDrive	95								•			•	•	•
MAXXUM 125 ActiveDrive4/8/CVXDrive	105								•				•	•
MAXXUM 135 ActiveDrive4/8/CVXDrive	115								•			•	•	(a)
MAXXUM 145 ActiveDrive4/8/CVXDrive	125								•			•	•	
MAXXUM 150 ActiveDrive4/8/CVXDrive	130													

2 of 82 Implement Tractor Match Chart - 4-2-2021.xlsx 2021 Implement Offering

Page 1 of 1

Implement to Tractor Match Chart

Apr-21		Front Blades		w Blowers		Brooms	Bac	khoes	Til	llers
	PTO HP	BM172H	BS163H	BS174H	BR160	BR172	BHA90	BHA102	TL160	TL172H
COMPACT FARMALL 35A Series II	30/28	•	•		•	•	•		•	
COMPACT FARMALL 40A Series II	34/32	•	•		•	•	•		•	
COMPACT FARMALL 35C Series II	30/28	•	•	•	•	•			•	•
COMPACT FARMALL 40C Series II	34/32	•	•	•	•	•	•	•	•	•
COMPACT FARMALL 45C Series II	38/36	•	•	•		•				
COMPACT FARMALL 55C Series II	47/44	•	•	•	•		•	•		•
FARMALL 50A Tier 4 B/Final (India)	46									
FARMALL 60A Tier 4 B/Final (India)	51							•		•
FARMALL 70A Tier 4 B/Final (India)	62							•		
FARMALL 55A Tier 4 B/Final (Erenler)	43									•
FARMALL 65A Tier 4 B/Final (Erenler)	51									
FARMALL 75A Tier 4 B/Final (Erenler)	60								-	
FARMALL 95A Tier 4 B/Final (India)	78									
FARMALL 105A Tier 4 B/Final (India)	92									
FARMALL 115A Tier 4 B/Final (India)	100									•
FARMALL 110A Tier 4 B/Final (Queretaro)	90								-	
FARMALL 120A Tier 4 B/Final (Queretaro)	96									
FARMALL 130A Tier 4 B/Final (Queretaro)	108									
FARMALL 140A Tier 4 B/Final (Queretaro)	115									
FARMALL 65C Tier 4 B/Final (Erenler)	50									•
FARMALL 75C Tier 4 B/Final (Erenler)	65									•
FARMALL 90C Tier 4 B/Final (Erenler/Jesi)	73									
FARMALL 100C Tier 4 B/Final (Erenler/Jesi)	85									
FARMALL 110C Tier 4 B/Final (Erenler/Jesi)	93									•
FARMALL 120C Tier 4 B/Final (Erenier/Jesi)	99									•
FARMALL 110U Tier 4 B/Final (Jesi)	92									
FARMALL 120U Tier 4 B/Final (Jesi)	99									
VESTRUM 110 (Jesi)	86									
VESTRUM 130 (Jesi)	111									
MAXXUM 115 ActiveDrive4/8/CVXDrive	95									
MAXXUM 125 ActiveDrive4/8/CVXDrive	105									
MAXXUM 135 ActiveDrive4/8/CVXDrive	115									
MAXXUM 145 ActiveDrive4/8/CVXDrive	125									
MAXXUM 150 ActiveDrive4/8/CVXDrive	130									

Implement Tractor Match Chart - 4-2-2021.xlsx 2021 Implement Offering Page 1 of 1

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

Implement to Tractor Match Chart

		mia mouner	man mowers	Rear Mount Finish Mowers						
Apr-21			tractor only)	DDan				DD400	RR204	
	PTO HP	MVV366S	MW272S	RR60	RR72	RR90	RR144	RR180	KR204	
COMPACT FARMALL 35A Series II	30/28	•		•	•	•				
COMPACT FARMALL 40A Series II	34/32	•		•	•	•				
COMPACT FARMALL 35C Series II	30/28	•		•	•	•				
COMPACT FARMALL 40C Series II	34/32			•	•	•				
COMPACT FARMALL 45C Series II	38/36		•		•	•				
COMPACT FARMALL 55C Series II	47/44		•		•	•	•			
ARMALL 50A Tier 4 B/Final (India)	46				•	•	•			
ARMALL 60A Tier 4 B/Final (India)	51				•	•	•	•		
FARMALL 70A Tier 4 B/Final (India)	62				•	•		•	•	
FARMALL 55A Tier 4 B/Final (Erenler)	43					•	•	•		
FARMALL 65A Tier 4 B/Final (Erenler)	51					•	•	•	•	
FARMALL 75A Tier 4 B/Final (Erenler)	60					•	•	•	•	
FARMALL 95A Tier 4 B/Final (India)	78					•	•	•	•	
FARMALL 105A Tier 4 B/Final (India)	92					•	•	•	•	
ARMALL 115A Tier 4 B/Final (India)	100					•	•	•	•	
FARMALL 110A Tier 4 B/Final (Queretaro)	90						•	•	•	
FARMALL 120A Tier 4 B/Final (Queretaro)	96						•	•	•	
FARMALL 130A Tier 4 B/Final (Queretaro)	108			1			•	•	•	
FARMALL 140A Tier 4 B/Final (Queretaro)	115						•	•	•	
FARMALL 65C Tier 4 B/Final (Erenler)	50					•			•	
FARMALL 75C Tier 4 B/Final (Erenler)	65					•	•	•	•	
FARMALL 90C Tier 4 B/Final (Erenler/Jesi)	73					•	•	•	•	
FARMALL 100C Tier 4 B/Final (Erenler/Jesi)	85					•	•	•	•	
FARMALL 110C Tier 4 B/Final (Erenler/Jesi)	93					•		•	•	
FARMALL 120C Tier 4 B/Final (Erenler/Jesi)	99					•	•	•	•	
FARMALL 110U Tier 4 B/Final (Jesi)	92					•		•	•	
FARMALL 120U Tier 4 B/Final (Jesi)	99					•	•	•	•	
VESTRUM 110 (Jesi)	86						•	•	•	
VESTRUM 130 (Jesí)	111						•	•		
MAXXUM 115 ActiveDrive4/8/CVXDrive	95							•	•	
MAXXUM 125 ActiveDrive4/8/CVXDrive	105							•	•	
MAXXUM 135 ActiveDrive4/8/CVXDrive	115							•	•	
MAXXUM 145 ActiveDrive4/8/CVXDrive	125							•	•	
MAXXUM 150 ActiveDrive4/8/CVXDrive	130							•		

Implement Tractor Match Chart - 4-2-2021.xlsx 2021 Implement Offering



L340A LOADER FOR 35A AND 40A SERIES II US PRICE LIST

(Ex Works Port of Entry) Standard Equipment

L340A SPECIFICATIONS
(PER ASAE S301.5):

L340A Loader includes the following:

Basic Loader for Farmall 35A & 40A Series II tractors with Improved Visibility mounting

system

- Mounting Kit
- Quick Coupler Skid Steer Style
- 68" HD Material Bucket (Quick Attach)

(Mid-mount valve & Joystick are included with tractor)

Loader specifications are subject to change and may vary based on tractor model and tire size.

L340A SPECIFICATIONS (PER ASAE S301.5):

L340A (For Farmall 35A & 40A Series II)

Distances in (in/mm) unless otherwise noted. Forces in (lbs/kg) unless otherwise noted.

Curved Boom, Mid-Mount, Quick

Attach Design

Maximum Lift Height:

98.4 / 2500

Dump Clearance:

75.3 / 1913

Digging Depth:

8 / 203

Lift Capacity @ bucket pivot point:

1250 / 567

Lift Capacity @ 19.7 in. (500mm)

from bucket pivot point:

890 / 404

Breakout Force @ bucket pivot point:

2700 / 1225

Breakout Force @ 19.7 in. (500mm)

from bucket pivot point:

1900 / 862

Reach @ Maximum Lift:

31 / 787

Bucket Rollback:

32°

Bucket Dump Angle:

39°

Bucket Level Indicator

Parking Stand

NOTE: COMPATIBILITY INFORMATION To assure proper performance, see Operator's manual for recommended counterweighting. Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS
Grounds Equipment - Bid #ESCNJ 18/19-25
-CP9J 01



L340A LOADER FOR 35A AND 40A SERIES II US PRICE LIST

(Ex Works Port of Entry) Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L340A 35A/40A SERIES II	68 in. Bucket	900 LB	9004757P64	\$5,802.00



L340A LOADER FOR 35A AND 40A SERIES II US PRICE LIST

(Ex Works Port of Entry) Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Other Equipment				
717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000374P74	\$457,00
717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order, Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000481P34	\$587.00



L350A LOADER FOR 35C AND 40C SERIES II US PRICE LIST

(Ex Works Port of Entry) Standard Equipment

L350A SPECIFICATIONS
(PER ASAE S301.5):
L350A Loader includes the following:

Basic Loader for Farmall 35C and
Farmall 40C Series II with Improved
Visibility mounting system.

Mounting Kit
Quick Coupler - Skid Steer Style
68" HD Material Bucket (Quick Attach)
(Mid-mount valve & Joystick are
included with tractor)

Loader specifications are subject to change and may vary based on tractor model and tire size. L350A SPECIFICATIONS (PER ASAE S301.5): L350A (For Farmall 35C and 40C Series Distances in (in/mm) unless otherwise noted. Forces in (lbs/kg) unless otherwise noted Curved Boom, Mid-Mount, Quick Attach Design Maximum Lift Height: 105 / 2667 Dump Clearance: 81.5 / 2070 Digging Depth: 6.5 / 165 Lift Capacity @ bucket pivot point: 2000 / 907 @ 19.7 in. (500mm) from bucket pivot point: 1540 / 699 Breakout Force @ bucket pivot point: 3540 / 1606 @ 19.7 in. (500mm) from bucket pivot point: 2640 / 1197 Reach @ Maximum Lift: 33 / 838 Bucket Rollback: 30° Bucket Dump Angle: 58° 4-Bar Bucket Linkage Bucket Level Indicator, Parking Stand


NOTE: COMPATIBILITY INFORMATION To assure proper performance, see Operator's manual for



L350A LOADER FOR 35C AND 40C SERIES II US PRICE LIST

(Ex Works Port of Entry) Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L350A 35C/40C SERIES II	68 in. Bucket	800 LB	9005647P34	\$6,887.00





L350A LOADER FOR 35C AND 40C SERIES II US PRICE LIST

(Ex Works Port of Entry) Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000374P74	\$457.00
717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000481P34	\$587.00

Case 2021 Price List



L360A LOADER FOR 45C AND 55C SERIES II US PRICE LIST

(Ex Works Port of Entry) Standard Equipment

L360A SPECIFICATIONS
(PER ASAE S301.5):
L360A for Farmall 45C and 55C Series II

Basic Loader for Farmall 45C and
Farmall 55C Series II with Improved
Visibility mounting system

Mounting Kit
Quick Coupler - Skid Steer Style
72" HD Material Bucket (Quick Attach)
(Mid-mount valve & Joystick are
included with tractor)

Loader specifications are subject to change and may vary based on tractor model and tire size.

L360A SPECIFICATIONS (PER ASAE S301.5): L360A (For Farmall 45C and 55C Series Distances in (in/mm) unless otherwise noted. Forces in (lbs/kg) unless otherwise noted Curved Boom, Mid-Mount, Quick Attach Design Maximum Lift Height: 112.3 / 2852 Dump Clearance: 85.2 / 2164 Digging Depth: 4.9 / 125 Lift Capacity @ bucket pivot point: 2500 / 1134 @ 19.7 in. (500mm) from bucket pivot point: 1830 / 830 Breakout Force @ bucket pivot point: 5000 / 2268 @ 19.7 in. (500mm) from bucket pivot point: 3114 / 1412 Reach @ Maximum Lift: 32 / 813 Bucket Rollback: 39° Bucket Dump Angle: 49° 4-Bar Bucket Linkage Bucket Level Indicator Parking Stand NOTE: COMPATIBILITY INFORMATION To assure proper performance, see Operator's manual for

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS
Grounds Equipment - Bid #ESCNJ 18/19-25
-CP9J 03



L360A LOADER FOR 45C AND 55C SERIES II US PRICE LIST

(Ex Works Port of Entry) Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L360A 45C/55C SERIES II	72 in. Bucket	800 LB	9005849P06	\$7,133.00

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS
Grounds Equipment - Bid #ESCNJ 18/19-25
-CP9J 03



L360A LOADER FOR 45C AND 55C SERIES II US PRICE LIST

(Ex Works Port of Entry) Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000374P74	\$457.00
717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000481P34	\$587.00



L350A LOADER FOR B/C CVT US PRICE LIST

(Ex Works Port of Entry) Standard Equipment

L350A SPECIFICATIONS
(PER ASAE S301.5):
L350A Loader includes the following:

Basic Loader for
Farmall 45C CVT, 55C CVT, 40B
CVT, and 50B CVT
with Improved Visibility mounting
system.


Tractors S/N ZDME21931 and after. Quick Coupler - Skid Steer Style 72" HD Material Bucket (Quick Attach)

FARMALL C CVT TRACTORS ARE STANDARD LOADER READY

Loader specifications are subject to change and may vary based on tractor model and tire size. L350A SPECIFICATIONS (PER ASAE S301.5): L350A (For Farmall 45C CVT, 55C CVT, 40B CVT, 50 B CVT) Distances in (in/mm) unless otherwise noted. Forces in (lbs/kg) unless otherwise noted Curved Boom, Mid-Mount, Quick Attach Design Maximum Lift Height: 105 / 2667 Dump Clearance: 81.5 / 2070 Digging Depth: 6.5 / 165 Lift Capacity @ bucket pivot point: 2000 / 907 @ 19.7 in. (500mm) from bucket pivot point: 1540 / 699 Breakout Force @ bucket pivot point: 3540 / 1606 @ 19.7 in. (500mm) from bucket pivot point: 2640 / 1197 Reach @ Maximum Lift: 33 / 838 Bucket Rollback: 30° Bucket Dump Angle: 58° 4-Bar Bucket Linkage

COMPATIBILITY INFORMATION: To assure proper performance, see Operator's manual for recommended counterweighting

Bucket Level Indicator, Parking Stand



(Ex Works Port of Entry) Models

COMMERCIAL MODEL	SPECIALTY	Weight	Factory Data	List Price
L350A FARMALL B/C CVT	72 in. Bucket	650 LB	9005056P94	\$6,167.00

-CP9J 04



L350A LOADER FOR B/C CVT US PRICE LIST

(Ex Works Port of Entry) Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
717747006	Ballast box 1000 Lb Max (Category I) with 1000 lbs. maximum capacity (For Class II or Class III tractors). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	169 LB	9000374P74	\$457.00
717748006	Ballast box 1500 Lb Max (Category II) with 1500 lbs. maximum capacity (For Class III tractors ONLY). This item must be placed on a separate order. Items ordered under Other Equipment Section cannot also be ordered as a factory supplied accessory on the same order. A separate order is necessary if additional quantities are required.	243 LB	9000481P34	\$587.00

20 of 82



MW SERIES MOWERS FOR COMPACT FARMALL US PRICE LIST

(Ex Works Wholegoods Depot) Standard Equipment

MW Side Discharge MidMount Rotary Mower
For use with
-Farmall 45C & 55C Series II ROPS only
(not compatible with Cab)

SPECIFICATIONS:

Cutting Width (in.) - 72
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 85
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.) - 25L x 2.5W
Blade Tip Speed (in feet per minute) Less than 18,000 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 2 x 6 (4)
Deck Spring suspension - Yes
Deck Sheel Weldment - 10 gauge sides,
10 gauge top, 1/4" spindle
reinforcement pads

MW272S Side Discharge Mid-Mount Rotary Mower

Tire Compatibility:
Agricultural (R1) - NO

Large Industrial (R4) - NO
Turft (R3) - Yes, limited turn angle:
 Right Hand - 34 degreees, Left Hand 35 degrees
Galaxy Turf - No

Mulch Kit - AMENHM728 (Service Parts)

NOTE:

REQUIRMENTS FOR OPERATION
A mid PTO kit is required to operate this implement. SEE PTO OFFERING ON
LAST PAGE OF THE STANDARD
EQUIPMENT

NOTES ABOUT MID PTO OFFERING

- Independent 2,000 rpm
- Effective October 2019 Mid PTO is OPTIONAL on ALL compact tractor models
- Dealer Installed Accessory (DIA) kits are also available from CNHi Parts:

Compact Farmall 40C, 45C, 50C Series II, and 55C Series II tractors (fits non-cab)
-MT20131515

MW SERIES MOWERS FOR COMPACT FARMALL US PRICE LIST

(Ex Works Wholegoods Depot) Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MW272S 45C/55CSERIES II	443 LB	9003573P56	\$4,358.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
OTHER EQUIPMENT				
SD_15012 BALE RAMP A	ND ÂXLE			
X15012X No Ramp				No Charge



MW3 SERIES MOWER FOR COMPACT FARMALL US PRICE LIST

Standard Equipment

MW366 Side Discharge Mid-Mount
Rotary Mower
For use with
- Farmall 35A & 40A Series II
with HST ONLY
- Farmall 35C Series II NON CAB
with Gear trans ONLY
NOTE: MW366 is NOT compatible with
40C Series II Cab

NOTE: the mower linkage supplied with the MW366 mower is designed to work on Compact Farmall tractors equipped with loaders. If a loader is not installed you must order linkage completion kit to complete mower installation. Order 464538 as an option with mower or 464538006 through loose attachments.

SPECIFICATIONS:

Cutting Width (in.) - 66
Cutting Height (in.) - 1-4
Overall width (in.) - discharge chute
down 79
Number of Blades - 3
Blade Type - Standard
Blade Length/Width (in.) - 23 L x 2.5W
Blade Tip Speed (in feet per minute) Less than 16,557 (ANSI)
Drive - Mid PTO
Gauge Wheels (in.) - 3x6 (2) 2x6 (2)
Deck Spring suspension - Yes
Deck Shell Weldment - 10 gauge sides
& top, Belt Guard - 10 gauge

Tire Compatibility:
For Farmall 35A and 40A
Agricultural (R1) - Yes, limited turn
angle:
Right Hand - 33 degrees, Left Hand 37 degrees
Industrial (R4) - Yes, limited turn angle:
Right Hand - 33 degrees, Left Hand 37 degrees

Turf (R3) - Yes, limited turn angle: Right Hand - 33 degrees, Left Hand -37 degrees Galaxy Turf - NO

For Farmall 35C Series II NON CAB Agricultural (R1) - NO Industrial (R4) - Yes, limited turn angle: Right Hand - 33 degrees, Left Hand -37 degrees Turf (R3) - Yes, limited turn angle: Right Hand - 33 degrees, Left Hand -37 degrees

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this implement. SEE PTO OFFERING ON

LAST PAGE OF THE STANDARD

EQUPMENT

NOTES ABOUT MID PTO OFFERING

- Independent 2,000 rpm

- Effective October 2019 Mid PTO is
OPTIONAL on ALL compact tractor
models

- Dealer Installed Accessory (DIA) kits

Compact Farmall 30A, 35A, 35A Series II, and 40A series II tractors -MT20129402

are also available from CNHi Parts:

Compact Farmall 30C, 35C, 35C Series II tractors (Fits non-cab)
-MT20131516

Compact Farmall 30C, 35C, 40C Series II WITH CAB tractors
-MT20123903

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II tractors (Fits non-cab)
-MT20131515



MW3 SERIES MOWER FOR COMPACT FARMALL US PRICE LIST

Standard Equipment

MT20129402

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II WITH CAB tractors
-MT20123902

Compact Farmall 30A and 35A (Prior Models) the PTO kit can only be ordered through CNHi Parts

Farmall B series the PTO kit can only be ordered through CNHi Parts 30B, 35B - MT20022006 40B, 50B - MT20022005 Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS



Grounds Equipment - Bid #ESCNJ 18/19-25
-CP2G 01

MW3 SERIES MOWER FOR COMPACT FARMALL US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
MW366S	1,000 LB	9003354P62	\$4,091.00

MW3 SERIES MOWER FOR COMPACT FARMALL US PRICE LIST

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
BASE UNIT				
SD 01001 B	MASE UNIT MMM 66IN SD CL2 E/DX			No Charge
BASIC EQUIPMI	ENT			
	COMPLETING PACKAGES			
	X No Flexible Pushbar			No Charge
464538	LNKG KT CL2PHG CL2EH	1		No Charge
	Required when no loader is installed			



RR SERIES REAR MOUNT FINISHING MOWERS US PRICE LIST

(Ex Works Wholegoods Depot) Standard Equipment

RR60 - RIGID FRAME:

Category I 3-point mounted

finishing mower

Cutting Width: 60 inches (1524mm)

Discharge: Rear

Discharge Safety Chain

PTO HP Rating: Up to 30

Drive Method: Rear 540 RPM PTO

Number of Blades: 3

Blade Drive: V-Belt

Blade speed (RPM): 2,630

Cutting Height: 1 to 4 in. (25 to 101mm)

(4) Solid Rubber Gauge Wheels

(fully rotating)

RR72 - RIGID FRAME:

Category I 3-point mounted

finishing Mower

Cutting Width: 72 inches (1829mm)

Discharge: Rear

Discharge Safety Chain

PTO HP Rating: Up to 40

Drive Method: Rear 540 RPM PTO

Number of Blades: 3

Blade Drive: V-Belt

Blade speed (RPM): 2,230

Cutting Height: 1 to 4 in. (25 to 101mm)

(4) Solid Rubber Gauge Wheels

(fully rotating)

RR90 - RIGID FRAME:

Category I 3-point mounted

finishing mower

Cutting Width: 90 inches (2286mm)

Discharge: Rear

Discharge Safety Chain

PTO HP Rating: Up to 60

Drive Method: Rear 540 RPM PTO

Number of Blades: 5

Blade Drive: V-Belt

Blade speed (RPM): 2,630

Cutting Height: 1 to 4 in. (25 to 101mm)

(4) Solid Rubber Gauge Wheels

(fully rotating)

RR144 - FLEX WING:

Overall Cutting Width - 12 ft. (3.66m) Flex

Center Deck Cutting Width - 5 ft. (1.52m)

Wing Deck Cutting Width - 4 ft. (1.22m)

Deck Overlap - 6 in. (152 mm)

Overall Width - 146 in. (3.71m)

Transport Width - 100 in. (2.54m)

Maximum Overall Length - 182 in.

(4.62m)

Transport Length - 177 in. (4.5m)

Transport Height - 90 in. (2.29m)

Minimum HP - 30

Cutting Height Range - 1 to 5 in.

(25 to 127 mm)

Blade Tip Speed (FPM) - 16,000

Caster Wheels (12) - 15x6.00-6

Transport Tires (2) - 26x12.00-12

RR180 - FLEX WING:

Overall Cutting Width - 15 ft. (4.57m) Flex

Center Deck Cutting Width - 6 ft. (1.83m)

Wing Deck Cutting Width - 5 ft. (1.52m)

Deck Overlap - 6 in. (152 mm)

Overall Width - 182 in. (4.62m)

Transport Width - 101 in. (2.57m)

Maximum Overall Length - 185 in. (4.7m)

Transport Length - 180 in. (4.57m)

Transport Height - 100 in. (2.54m)

Minimum HP - 35

Cutting Height Range - 1 to 5 in.

(25 to 127 mm)

Blade Tip Speed (FPM) - 16,000

Caster Wheels (12) - 15x6.00-6

Transport Tires (2) - 26x12.00-12



RR SERIES REAR MOUNT FINISHING MOWERS **US PRICE LIST**

(Ex Works Wholegoods Depot) **Standard Equipment**

RR204 - FLEX WING: Overall Cutting Width - 17 ft. (5.18m) Flex Center Deck Cutting Width - 7.5 ft. Wing Deck Cutting Width - 6 ft. (1.83m) Deck Overlap - 12 in. (305 mm) Overall Width - 207 in. (5.26m) Transport Width - 102 in. (2.59m) Maximum Overall Length - 196 in. (4.98m)

RR204 - FLEX WING: (continued) Transport Length - 188 in. (4.78m) Transport Height - 110 in. (2.79m) Minimum HP - 40 Cutting Height Range - 1 to 5 in. (25 to 127 mm) Blade Tip Speed (FPM) - 16,000 Caster Wheels (12) - 15x6.00-6 Transport Tires (2) - 26x12.00-12

Grounds Equipment - Bid #ESCNJ 18/19-25 -CP1A 01



RR SERIES REAR MOUNT FINISHING MOWERS **US PRICE LIST**

(Ex Works Wholegoods Depot) **Models**

COMMERCIAL MODEL	Weight	Factory Data	List Price
RR60 60 INCH MOWER	2,000 LB	9002368P16	\$2,888.00
RR72 72 INCH MOWER	2,000 LB	9002572P34	\$3,137.00
RR90 90 INCH MOWER	2,000 LB	9004022P10	\$4,905.00
RR144 12 FT MOWER	3,000 LB	9015154P42	\$18,481.00
RR180 15 FT MOWER	3,520 LB	9016345P88	\$19,934.00
RR204 17 FT MOWER	3,520 LB	9017797P28	\$21,704.00

Case 2021 Price List



BM SERIES FRONT MOUNTED BLADES -BM1 US PRICE LIST

(Ex Works - See Standard Equipment)

Standard Equipment

BM172H HEAVY DUTY:

For use with

- Series II 35A & 40A
- Series II 35C & 40C
- Series II 45C & 55C
- Farmall 30A & 40A
- Farmall 30C &35C
- Farmall 40C & 50C
- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT, and 50B CVT

Quick attach design

Moldboard width: 72 inches (1830mm) Moldboard height: 22 inches (560mm)

Reversible cutting edge

Cutting edge thickness: 0.5 inch

(12.7mm)

Hydraulic angling

Angling range: 0 to 30 degrees

Adjustable skid shoes

REQUIREMENTS FOR OPERATION:

TRACTOR MUST BE EQUIPPED WITH MID MOUNT VALVE AND JOYSTICK in order to operate loaders, front mount brooms, front mount blades or front mount snow blowers.

NOTE:

Compact FARMALL A, B, & C Series tractors come equipped with Mid-mount valve and Joystick as standard equipment

BM SERIES FRONT MOUNTED BLADES -BM1 US PRICE LIST

(Ex Works - See Standard Equipment)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
BM172H FR BLADE CL3	BM172H 72IN HD FRNT	300 LB	9002693P70	\$3,285.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

SUBFRAME AND HITCH

SD_N5701 HITCH AND SUBFRAME

XN5701	X No Mounting Brackets		No Charge
439205	S-FRM CLS2 LS439205	9001833P52	\$2,236.00
	Implement Mounting Subframe		
	For Series II 35A and 40A;		
	and discontinued 30A, 35A		
	For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab);		
	and discontinued 30C, 35C (Cab or Non-cab);		
	and discontinued 40C, 50C (Cab or Non-cab) ***		
	*** Note: 40C and 50C Requires additional kit BER671151 to		
	be ordered through CNHi Parts		
439068	S-Frame CLS3AT MY14	9001958P16	\$2,388.00
	Implement Mounting Subframe		
	for 45C CVT, 55C CVT and		
	discontinued 40B CVT, 45B CVT, and 50B CVT -		
	S/N ZxME21xxx and Above		
717989	Front Quick Hitch 30/35/40/50	9001833P52	\$2,236.00
	Implement Mounting Subframe	l l	
	For discontinued 30B, 35B, 40B and 50B		
717751	Front Quick Hitch - Class 3	9001958P16	\$2,388.00
	Implement Mounting Subframe		
	for discontinued 40B CVT, 45B CVT, and 50B CVT - Prior to		
	S/N ZxME21xxx;		
	and discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT,	1 1	
	50 CVT, 55 CVT	1 1	

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS
Grounds Equipment - Bid #ESCNJ 18/19-25
-CP1L 01



BM SERIES FRONT MOUNTED BLADES -BM1 US PRICE LIST

(Ex Works - See Standard Equipment)

SD 47083 OF	PERATOR'S MANUAL			
	No Additional Operators Manual			No Charge
THER EQUIPME	NT			NEST AND
SD_40002 BA	ALLAST BOX			
	ALLAST BOX No Ballasting Box			No Charge
		100 LB	9000236P16	No Charge \$288.00
X40002X	No Ballasting Box	100 LB	9000236P16	
X40002X 717746	No Ballasting Box Ballasting Box - 500 Lbs. For 3-pt hitch	100 LB	9000236P16	
X40002X 717746 SD_50091 RU	No Ballasting Box Ballasting Box - 500 Lbs. For 3-pt hitch JBBER BLADE EDGE	100 LB	9000236P16	\$288.00
X40002X 717746	No Ballasting Box Ballasting Box - 500 Lbs. For 3-pt hitch JBBER BLADE EDGE	100 LB	9000236P16	



BM SERIES FRONT MOUNTED BLADES -BM1 US PRICE LIST

(Ex Works - See Standard Equipment) Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Quick Hitch and Sul	oframe			
717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	9001833P52	\$2,236.00
717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	9001958P16	\$2,388.00
439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	9001958P16	\$2,388.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts	360 LB	9001833P52	\$2,236.00
Additional Attachm	ents			
715679026	Rubber Cutting Edge For BM172 and BM172H	60 LB	9000253P38	\$309.00



(Ex Works Wholegoods Depot)

Standard Equipment

BS163H HEAVY DUTY:

For use with

- Farmall 30B & 35B

Overall width: 63 inches (1600mm)
Cutting width: 63 inches (1600mm)
Cutting height: 22 inches (560mm)
Number of blades: 4
Fan diameter: 18 inches (457mm)
Auger diameter: 14 inches (356mm)
Impeller drive: Gear box reduction
Auger Drive: Two-part chute with
hydraulic chute rotation
Shearbolt protection
Adjustable skid shoes
Front mount and drive completion
package. Includes chute with
hydraulic rotation, female

Quick attach design, mid-PTO driven

BS163H HEAVY DUTY:

For use with

- Farmall 30A & 35A (Series I)

portion of quick hitch and

front half of driveline.

- Farmall 35C & 40A Series II
- Farmall 30C & 35C (Series I)
- Farmall 35C & 40C Series II

Quick attach design, mid-PTO driven
Overall width: 63 inches (1600mm)
Cutting width: 63 inches (1600mm)
Cutting height: 22 inches (560mm)
Number of blades: 4
Fan diameter: 18 inches (457mm)
Auger diameter: 14 inches (356mm)
Impeller drive: Gear box reduction
Auger Drive: Two-part chute with
hydraulic chute rotation
Shearbolt protection
Adjustable skid shoes

BS163H HEAVY DUTY (Continued):
Front mount and drive completion
package. Includes chute with
hydraulic rotation, female
portion of quick hitch and
front half of driveline.

BS174H HEAVY DUTY:

For use with

- Farmall 40B & 50B
- Farmall 40C & 50C (Series I)
- Farmall 45C & 55C Series II

Quick attach design, mid-PTO driven Overall width: 72 inches (1830mm) Cutting width: 72 inches (1830mm) Cutting height: 26 inches (660mm) Number of blades: 4 Fan diameter: 24 inches (610mm) Auger diameter: 15 inches (381mm) Impeller drive: Gear box reduction/ #60 HD chain Auger Drive: Two-part chute with hydraulic chute rotation Shearbolt protection Adjustable skid shoes Front mount and drive completion package. Includes chute with hydraulic rotation, female portion of quick hitch and front half of driveline.



(Ex Works Wholegoods Depot) Standard Equipment

BS174H HEAVY DUTY:

For use with

- Farmall 40B CVT & 45B CVT
- Farmall 50B CVT
- Farmall 45C CVT & 55C CVT

Quick attach design, mid-PTO driven Overall width: 72 inches (1830mm) Cutting width: 72 inches (1830mm) Cutting height: 26 inches (660mm)

Number of blades: 4

Fan diameter: 24 inches (610mm) Auger diameter: 15 inches (381mm) Impeller drive: Gear box reduction/

#60 HD chain

Auger Drive: Two-part chute with hydraulic chute rotation
Shearbolt protection
Adjustable skid shoes
Front mount and drive completion package. Includes chute with hydraulic rotation, female portion of quick hitch and front half of driveline.

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this implement.

NOTES ABOUT MID PTO OFFERING

- Independent 2,000 rpm
- Effective October 2019 Mid PTO is OPTIONAL on ALL compact tractor models
- Dealer Installed Accessory (DIA) kits are also available from CNHi Parts:

Compact Farmall 30A, 35A, 35A Series II, and 40A series II tractors -MT20129402

Compact Farmall 30C, 35C, 35C Series

II tractors (Fits non-cab)
-MT20131516

Compact Farmall 30C, 35C, 40C Series II WITH CAB tractors
-MT20123903

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II tractors (Fits non-cab)
-MT20131515

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II WITH CAB tractors
-MT20123902

Farmall B series (2012-2014) the PTO kit can only be ordered through Parts 30B, 35B - MT20022006 40B, 50B - MT20022005

CVT version tractors,
Mid Mount PTO is included as
standard equipment.

TRACTOR MUST BE EQUIPPED WITH
MID MOUNT VALVE AND JOYSTICK in
order to operate loaders, front mount
brooms, front mount blades or
front mount snow blowers.

NOTE:

Compact FARMALL A, B, & C Series I and II tractors come equipped with Mid-mount valve and Joystick as standard equipment



(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
BS163H	BS163H 63IN	1,005 LB	9004827P34	\$5,887.00
BS174H	BS174H 74IN	1,005 LB	9006363P20	\$7,760.00
BS174H 45C CVT 55C CVT	BS174J HD FR	450 LB	9006440P28	\$7,854.00

Factory Supplied Options

Order Code Description Weight Factory Data List Price

SUBFRAME AND HITCH

SD_N5701 HITCH AND SUBFRAME

	XN5701X	No Mounting Brackets		No Charge
	439205	S-FRM CLS2 LS439205	9001833P52	\$2,236,00
		Implement Mounting Subframe		
		For Series II 35A and 40A;		
		and discontinued 30A, 35A		
		For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab);		
		and discontinued 30C, 35C (Cab or Non-cab);		
		and discontinued 40C, 50C (Cab or Non-cab) ***		
		*** Note: 40C and 50C Requires additional kit BER671151 to		
		be ordered through CNHi Parts		
	717989	Front Quick Hitch 30/35/40/50	9001833P52	\$2,236.00
		Implement Mounting Subframe		
		For discontinued 30B, 35B, 40B and 50B		
	717751	Front Quick Hitch - Class 3	9001958P16	\$2,388.00
l I		Implement Mounting Subframe		
		for discontinued Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to		
		S/N ZxME21xxx;		
		and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT,		
		50 CVT, 55 CVT		
	439068	S-Frame CLS3AT MY14	9001958P16	\$2,388.00
		Implement Mounting Subframe		
		for Farmall 45C CVT, 55C CVT		
		for discontinued Farmall 40B CVT, 45B CVT,		
		and 50B CVT -S/N ZxME21xxx and Above		

(Ex Works Wholegoods Depot)

FRONT MOUNTED DRIVE COMPLETING PACKAGE

SD_03007 M	D PTO DRIVE KIT		
439238	MID PTO CLS2 439238	9000965P14	\$1,177.00
	Mid PTO Drive Shaft Kit		
	Includes mid-drive shaft, support, and tractor half of front driveline.		
	For Series II 35A, 40A, 35C, 40C		
X03007X	No Mid PTO Drive Kit		No Charge
439124	Mid PTO 32/36 HP T3	9000965P14	\$1,177.00
	Mid PTO Drive Shaft Kit	1 1	
	Includes mid-drive shaft, support, and tractor half of front driveline.		
	For discontinued 30A, 35A, 30C, and 35C		
439116	Mid PTO Tier 4 41/47	9000965P14	\$1,177.00
	Mid PTO Drive Shaft Kit	1	
	Includes mid-drive shaft, support, and tractor half of front driveline.	1	
	For Series II 45C and 55C		
	Discontinued 40 and 50C		
717761	Mid PTO Drive Kit-III AT	9000790P48	\$964.00
	Mid PTO Drive Shaft Kit		
	For Farmali 45C CVT, 55C CVT	T T	
	For Discontinued 40B CVT, 45B CVT, and 50B CVT		
717990	Mid PTO 30/35/40/50	9000965P14	\$1,177.00
	Mid PTO Drive Shaft Kit		
	For discontinued Farmall 30B, 35B, 40B and 50B		

•	-	-	011	11.0	_
		RT			

SD 29036 3 PART CHUTE	
X29036X No 3 Part Chute	No Charge

DRIFT CUTTER KIT

CD	50020	DDIET CLITTED KIT	

X50028X	No Drift Cutter			No Charge
716248	Drift Cutter	28 LB	9000143P50	\$175.00

ELECTRIC CHUTE DEFLECTOR

SD 29038 ELEC CHUTE DEFLECT	
X29038X No Electric Chute Deflector	No Charge

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS



Grounds Equipment - Bid #ESCNJ 18/19-25
-CP1M 01

BS SERIES FRONT MOUNT SNOW BLOWERS US PRICE LIST

(Ex Works Wholegoods Depot)

X20101X	No Hydraulic Chute Deflector			No Charge
716864	Hydraulic Chute Deflector	16 LB	9000434P60	\$530.0
/DRAULIC CHU	JTE ROTATION		8884 No. 2, 1311 Str	je sili njeća
SD 20088 H	YDRAULIC CHUTE ROT			
	No Hydraulic Chute Rotation			No Charg
DITIONAL OPI	ERATOR'S MANUAL			
SD_47083 OF	PERATOR'S MANUAL			
X47083X	No Additional Operators Manual			No Charg
THER EQUIPME	ENT .	William ne respondent from		17 17 17 17 17 17

BS SERIES FRONT MOUNT SNOW BLOWERS US PRICE LIST

(Ex Works Wholegoods Depot)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
uick Hitch and Sul	oframe			
717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	9001833P52	\$2,236.00
717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	9001958P16	\$2,388.00
439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	9001958P16	\$2,388.00
439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C Implement Mounting Subframe For Series II 35A and 40A; and discontinued 30A, 35A For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab); and discontinued 30C, 35C (Cab or Non-cab); and discontinued 40C, 50C (Cab or Non-cab) *** *** Note: 40C and 50C Requires additional kit BER671151 to be ordered through CNHi Parts	360 LB	9001833P52	\$2,236.00
lid PTO Drive Com	pletion Kits			
717761006	MID PTO Drive Kit Cls 3 AT For Farmall 40, 45, 40B CVT, 45B CVT, and 50B CVT	30 KG	9000790P48	\$964.00
439116006	Mid PTO drive kit for 41/47 hp -T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For 40C and 50C For Series II 45C and 55C	25 LB	9000965P14	\$1,177.00
717990006	MID PTO 30/35/40/50 HP For Farmall 30B, 35B, 40B and 50B	25 LB	9000965P14	\$1,177.00
439124006	MID PTO 32/36 HP T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For 30C and 35C For Series II 35C and 40C For 30A and 35A For Series II 35A and 40A	25 LB	9000965P14	\$1,177.00
Additional Attachm	ents			
717746006	Ballast Box 500 Lb Max 0.5,0.7	100 LB	9000274P70	\$335.0
716864026	Hyd chute deflector	15 LB	9000434P60	\$530.0

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS



Grounds Equipment - Bid #ESCNJ 18/19-25 -CP1M 01

BS SERIES FRONT MOUNT SNOW BLOWERS US PRICE LIST

(Ex Works Wholegoods Depot)

	439238006	MID PTO CLS2 T4 LS ENG Mid PTO Drive Shaft Kit	25 LB	9000902P00	\$1,100.00
		Includes mid-drive shaft, support, and tractor half of front			
1		driveline.			
		For Series II 35A, 40A, 35C, 40C			



(Ex Works Wholegoods Depot) Standard Equipment

Model BR160:

For use with

- Farmall 35A & 40A Series II
- Farmall 35C & 40C Series II
- Farmall 30A & 35A
- Farmall 30C & 35C
- Farmall 30B & 35B

Quick attach design, mid-PTO driven Sweeping width: 55 inches (1397mm) Sweeping width @ 25°: 49 inches (1245mm)

Broom diameter: 22 inches (560mm)

Brush type: Wafer

Bristle material: Polypropylene

Manual angling: Standard Angling range: 0 to 25°

Drive system: PTO to Gearbox to

#50 HD chain

Storage stand: Standard

Model BR172:

For use with

- Farmall 45C & 55C Series II
- Farmall 40C & 50C
- Farmall 40B & 50B
- Farmall 40C CVT & 45C CVT
- Farmall 50C CVT & 55C CVT

Quick attach design, Mid-PTO driven Sweeping width: 67 inches (1702mm) Sweeping width @ 25°: 60 inches (1525mm)

Broom diameter: 22 inches (560mm) Bristle material: Polypropylene

Brush type: Wafer Manual angling: Standard Angling range: 0 to 25°

Drive system: PTO to Gearbox to

#50 HD chain

Storage stand: Standard

NOTE:

REQUIREMENTS FOR OPERATION

A mid PTO kit is required to operate this implement.

NOTES ABOUT MID PTO OFFERING

- = Independent 2,000 rpm
- Effective October 2019 Mid PTO is OPTIONAL on ALL compact tractor models
- Dealer Installed Accessory (DIA) kits are also available from CNHi Parts:

Compact Farmall 30A, 35A, 35A Series II, and 40A series II tractors
-MT20129402

Compact Farmall 30C, 35C, 35C Series II tractors (Fits non-cab)
-MT20131516

Compact Farmall 30C, 35C, 40C Series II WITH CAB tractors
-MT20123903

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II tractors (Fits non-cab)
-MT20131515

Compact Farmall 40C, 50C, 45C Series II, and 55C Series II WITH CAB tractors
-MT20123902

Farmall B series the PTO kit can only be ordered through CNHi Parts 30B, 35B - MT20022006 40B, 50B - MT20022005

TRACTOR MUST BE EQUIPPED WITH MID MOUNT VALVE AND JOYSTICK in

Grounds Equipment - Bid #ESCNJ 18/19-25 -CP1C 01



BR SERIES FRONT MOUNT ROTARY BROOMS US PRICE LIST

(Ex Works Wholegoods Depot) Standard Equipment

order to operate loaders, front mount brooms, front mount blades or front mount snow blowers.

NOTE:

Compact FARMALL A, B, & C Series I and II tractors come equipped with Mid-mount valve and Joystick as standard equipment

(Ex Works Wholegoods Depot)

Models

COMMERCIAL MODEL	TECHNICAL TYPE	Weight	Factory Data	List Price
BR160	551142412	500 LB	9004377P16	\$5,338.00
BR172	551000418	600 LB	9004942P14	\$6,027.00
BR172 40C-55C CVT	551143412	500 LB	9004942P14	\$6,027.00

Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

SUBFRAME AND HITCH

SD_N5701 HITCH AND SUBFRAME

XN5701X	No Mounting Brackets		No Charge
439205	S-FRM CLS2 LS439205	9001833P52	\$2,236.00
	Implement Mounting Subframe		
	For Series II 35A and 40A;		
	and discontinued 30A, 35A		
	For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab);		
	and discontinued 30C, 35C (Cab or Non-cab);		
	and discontinued 40C, 50C (Cab or Non-cab) ***		
	*** Note: 40C and 50C Requires additional kit BER671151 to		
	be ordered through CNHi Parts		
439068	S-Frame CLS3AT MY14	9001958P16	\$2,388.00
	Implement Mounting Subframe		
	for 45C CVT, 55C CVT and		
	discontinued 40B CVT, 45B CVT, and 50B CVT - S/N ZxME21xxx		
	and above		C.
717989	Front Quick Hitch 30/35/40/50	9001833P52	\$2,236.00
	Implement Mounting Subframe		
	For discontinued 30B, 35B, 40B and 50B		
717751	Front Quick Hitch - Class 3	9001958P16	\$2,388.00
	Implement Mounting Subframe		
	for discontinued 40B CVT, 45B CVT, and 50B CVT - Prior to		
	S/N ZxME21xxx;		
	and discontinued Farmall 40 HST, 45 HST, 40 CVT,		
	45 CVT, 50 CVT, 55 CVT		

(Ex Works Wholegoods Depot)

DDIVE	COMPL	ETION	KITS

	03007 MID PTO DRIV	/E KIT
--	--------------------	--------

SD 03007 MIL	PTO DRIVE KII		
439238	MID PTO CLS2 439238	9000965P14	\$1,177.00
	Includes mid-drive shaft, support, and tractor half of front driveline.		
	For Series II 35A, 40A, 35C, 40C		
X03007X	No Mid PTO Drive Kit		No Charge
439124	Mid PTO 32/36 HP T3	9000965P14	\$1,177.00
	Mid PTO Drive Shaft Kit		
	Includes mid-drive shaft, support, and tractor half of front driveline.		
	For discontinued 30A, 35A, 30C, and 35C		
439116	Mid PTO Tier 4 41/47	9000965P14	\$1,177.00
	For Series II 45C and 55C		
	For discontinued 40C and 50C		
717761	Mid PTO Drive Kit-III AT	9000790P48	\$964.00
	For Farmall 45C CVT, 55C CVT		
	discontinued 40B CVT,		
	45B CVT, and 50B CVT		
717990	Mid PTO 30/35/40/50	9000965P14	\$1,177.00
	For discontinued 30B, 35B, 40B and 50B		

HYDRAULIC ANGLING KIT

SD 20087 HYDRAULIC FRAME ANGLING KIT

Т	X20087X	No Hydraulic Angling Kit			No Charge
T	715677	Hydraulic Angling Kit	26 LB	9000636P32	\$776.00

SIDE CASTERWHEELS KIT

SD 29035 SIDE CASTER WHEEL KIT

	X29035X	No Side Casterwheels Kit			No Charge
	717231	Side Casterwheels Kit	47 LB	9000541P20	\$660.00
		2 x 6			

ADDITIONAL OPERATOR'S MANUAL

SI	D 47083 OF	PERATOR'S MANUAL		
T	X47083X	No Additional Operators Manual		No Charge



(Ex Works Wholegoods Depot) Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
uick Hitch and Su	bframe			
717989006	SUBFRAME 30/35/40/50 HP Quick hitch and subframe for Farmall 30B, 35B, 40B and 50B	325 KG	9001833P52	\$2,236.00
717751006	SUBFRAME CLS 3 Implement Mounting Subframe for Farmall 40B CVT, 45B CVT, and 50B CVT - Prior to S/N ZDME22207; and Discontinued Farmall 40 HST, 45 HST, 40 CVT, 45 CVT, 50 CVT, 55 CVT	510 LB	9001958P16	\$2,388.00
439068006	Hitch and Sub Frame Implement Mounting Subframe for Farmall 45C CVT, 55C CVT and Farmall 40B CVT, 45B CVT, and 50B CVT - S/N ZDME22207 and Above	510 KG	9001958P16	\$2,388.00
d PTO Drive Con	pletion Kits			
717761006	MID PTO Drive Kit Cls 3 AT For Farmall 40 CVT, 45 CVT, 50 CVT, 40B CVT, 45B CVT, and 50B CVT	30 KG	9000790P48	\$964.00
439124006	MID PTO 32/36 HP T4 Mid PTO Drive Shaft Kit Includes mid-drive shaft, support, and tractor half of front driveline. For Series II 35A and 40A For Series II 35C and 40C For discontinued 30A and 35A For discontinued 30C and 35C	25 LB	9000965P14	\$1,177.00
439116006	Mid PTO drive kit for 41/47 hp -T4 For Farmall 40C/ 50C	25 LB	9000965P14	\$1,177.00
717990006	MID PTO 30/35/40/50 HP Mid PTO drive kit for Farmall 30B, 35B, 40B and 50B	25 LB	9000965P14	\$1,177.00
Iditional Attachm	ents			
717231016	2 X 6 side caster w/Wheel kit For BR160 and BR172	47 LB	9000541P20	\$660.00
715677016	HYD ANGLING 60&72"(2.0,3.0) For Farmall 30, 35, 40, 45, 50, 30B, 35B, 40B, 50B, 40B CVT, 45B CVT, and 50B CVT	10 KG	9000636P32	\$776.00

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS



Grounds Equipment - Bid #ESCNJ 18/19-25 -CP1C 01

BR SERIES FRONT MOUNT ROTARY BROOMS US PRICE LIST

(Ex Works Wholegoods Depot)

	439205006	SUBFRAME CLS2 LS ENG T4 ECON PREM ROPS/C	360 LB	9001833P52	\$2,236.00
1 1		Implement Mounting Subframe			
		For Series II 35A and 40A;			
		and discontinued 30A, 35A			
1 1		For Series II 35C, 40C, 45C, and 55C (Cab or Non-cab);			
1 1		and discontinued 30C, 35C (Cab or Non-cab);			
		and discontinued 40C, 50C (Cab or Non-cab) ***			
		*** Note: 40C and 50C Requires additional kit BER671151 to			
		be ordered through CNHi Parts			

-CP2C 01

BHA SERIES BACKHOES US PRICE LIST

(Ex Works Telford, TN) Standard Equipment

BACKHOE MODEL: BHA90

TRACTOR APPLICATION: Series II 35A, 40A Series II 35C, 40C, 45C, 55C Farmall 30A, 35A Farmall 30C, 35C, 40C, 50C Farmall 45C and 55C CVT Farmall 40B, 45B, and 50B CVT Farmall 30B, 35B, 40B, 50B

*SPECIFICATIONS:

Digging Depth - 92 in.

Reach from Swing Pivot - 120 in. Transport Height - 77 in. Bucket Rotation - 174° Stabilizer Spread: Transport - 49 in. Operating - 100 in. Loading Height 70 in. Swing Arc - 175° Bucket Digging Forces - 3151 lb. Dipper Stick Digging Forces - 2059 lb. Shipping Weight - 722 lb.

*Specifications may vary with tractor model, hydraulic system, tire size, etc.

IMPORTANT INFORMATION The tractor must be equipped with a front end loader when installing a BHA Series backhoe.

Operating Pressure - 2175 psi

Note: Mid-mount mower is not compatible with backhoe installed:

The following items are required to make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

BACKHOE MODEL: BHA102

TRACTOR APPLICATION: Series II 35A, 40A Series II 35C, 40C, 45C, 55C Farmall 30C, 35C, 40C, 50C Farmall 45C and 55C CVT Farmall 40B, 45B, and 50B CVT Farmall 30B, 35B, 40B, 50B Farmall 50A, 60A, 70A

*SPECIFICATIONS:

Digging Depth - 100 in. Reach from Swing Pivot - 130 in. Transport Height - 88 in. Bucket Rotation - 180° Stabilizer Spread: Transport - 56 in. Operating - 119 in. Loading Height 76.0 in. Swing Arc - 175° Bucket Digging Forces - 4480 lb. Dipper Stick Digging Forces - 2533 lb. Shipping Weight - 854 lb. Operating Pressure - 2500 psi

*Specifications vary with tractor model, hydraulic system, tire size, etc.

IMPORTANT INFORMATION The tractor must be equipped with a front end loader when installing a BHA Series backhoe.

Note: Mid-mount mower is not compatible with backhoe installed.

The following items are required to make up a complete backhoe:

- Basic Packaged Backhoe
- Subframe (one required)
- Hydraulic Kit (one required)
- Bucket (one required)
- Optional Equipment

49 of 82



BHA SERIES BACKHOES US PRICE LIST

(Ex Works Telford, TN) Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
BHA90 BACKHOE	BHA90A	1,065 LB	9007408P70	\$9,035.00
BHA102 BACKHOE	BHA102	1.065 LB	9008200P00	\$10,000.00

Factory Supplied Options

	Order Code	Description	Weight	Factory Data	List Price
--	------------	-------------	--------	--------------	------------

SUBFRAMES

SDI	N5701	HITCH AND	SUBFRAME
SUL	45101	THICHAND	JODI IVAIVIL

	439203	S-FRM CLS2 LS ENG T4	No Charge
		Backhoe Mounting Subframe	
		for Series II 35C and 40C	
	439204	S-FRM CLS2 LS439204	No Charge
		Backhoe Mounting Subframe	
		for Series II 35A and 40A	
	439141	S-FRM CL2 T4 ROP/CAB	No Charge
		Backhoe Mounting Subframe	
		for discontinued Farmall 30C, 35C Cab, 30B, and 35B	
	717972	Subframe CL2	No Charge
		Backhoe Mounting Subframe	
1 1 1		For 30A/35A and discontinued 30B/35B	
		If ordering for a 30B or 35B (439118) FR HANGER BRKT CLS 2	
1 1		MUST BE	
		ordered in addition.	
	439142	S-FRM CL3 T4 ROP/CAB	No Charge
1 1		Backhoe Mounting Subframe	
1 1 1		for Series II 45C and 55C Cab and ROPS	
		for discontinue 40C, 50C Cab and ROPS	
	717751	Front Quick Hitch - Class 3	No Charge
1 1		Backhoe Mounting Subframe	1
		for Farmall 45C CVT, 55C CVT	
	439111	SUBFRAME 45/55 HP	No Charge
		Backhoe Mounting Subframe	
		for Farmall 50A, 60A, 70A	
		and discontinued Farmall 45A, 55A	
		For BHA102 only	



BHA SERIES BACKHOES US PRICE LIST

(Ex Works Telford, TN)

SD_N5702 FRONT BRACKETS

XN5702X	No Front Brackets		No Charge
439118	Fr Hanger Brkt Cls 2	9000049P20	\$60.00
	Front Hanger Kit for Farmall 30B/35B - Must be used with 717972		
	(Farmall 30C/35C subframe) to allow Tier 4 subframe to fit		
	Tier 3 units.		
439119	Fr Hanger Brkt Cls 3	9000049P20	\$60.00
	Front Hanger Kit for Farmall 40B/50B - Must be used with 717973		
	(Farmall 40C/50C subframe) to allow Tier 4 subframe to fit		
	Tier 3 units.		

HYDRAULIC KITS

SD_20102 HYDRAULIC KIT

439138	HYD KIT CL2 33/37	No Charge
	Hydraulic Kit	
	For Series II 35A and 40A	
	For discontinued 30A, 35A	
439143	HYD CLS2 T4 ROPS/CAB	No Charge
	Hydraulic Kit	
	For Series II 35C and 40C	
	For discontinued 35C Cab, 30C, 35C non-cab, 30B, 35B	
439144	HYD CLS3 T4 ROPS/CAB	No Charge
	Hydraulic Kit	
	For Series II 45C, 55C	
	for discontinued 40C, 50C non-cab and 40B, 50B	
439069	Hyd Kit Cls 3 CVT	No Charge
	Hydraulic Kit	
	For Farmall CVT	
717914	Hyd Kit WM/FA	No Charge
	Hydraulic Kit	
	for Farmall 50A, 60A, 70A	
	and discontinued Farmall 45A, 55A	
	For BHA102 only	

BUCKET

SD N5403 12 IN STD BUCKET

	XN5403X	No 12 In. Standard Bucket		No Charge
	716399	12 In./305mm Standard Bucket	9000404P26	\$493.00

SD_N5405 16 IN STD BUCKET

	XN5405X	No 16 In. Standard Bucket		No Charge
L	716400	16 In. Standard Bucket	9000455P10	\$555.00

BHA102 only

BHA SERIES BACKHOES US PRICE LIST

(Ex Works Telford, TN)

1 1 -	IN STD BUCKET No 18 In, Standard Bucket		No Charge
716434	18 In./457mm Standard Bucket	9000475P60	\$580.00
710434	To Ind-57 Him Clandard Educet	0000 11 01 00 1	
SD N5409 24	IN STD BUCKET		
XN5409X	No 24 In. Standard Bucket		No Charge
716401	24 In. Standard Bucket	9000504P30	\$615.00
ACTORY SUPPL	LIED ACCESSORIES - IMPLEMENTS FOR		
OMPACT/MIDRA	NGE TRACTORS		
QUICK HITCH ANI	O SUBFRAME		
QUICK HITCH ANI	D SUBFRAME		
	O SUBFRAME G FOOT DIRT PADS		
SD_50005 BIG			No Charge
SD_50005 BIG	G FOOT DIRT PADS	9000239P44	No Charge \$292.00
SD_50005 BIG X50005X	G FOOT DIRT PADS No Big Foot Dirt Pads	9000239P44	
SD_50005 BIG X50005X 716525	G FOOT DIRT PADS No Big Foot Dirt Pads	9000239P44	\$292.00
SD_50005 BIG X50005X 716525	S FOOT DIRT PADS No Big Foot Dirt Pads Big Foot Dirt Pads JBBER STREET PADS	9000239P44	\$292.00 No Charge
SD_50005 BIG X50005X 716525 SD_50092 RU	S FOOT DIRT PADS No Big Foot Dirt Pads Big Foot Dirt Pads JBBER STREET PADS	9000239P44 9000163P18	
SD_50005 BIG X50005X 716525 SD_50092 RU X50092X	S FOOT DIRT PADS No Big Foot Dirt Pads Big Foot Dirt Pads JBBER STREET PADS No Rubber Street Pads		\$292.00 No Charg
SD_50005 BIG X50005X 716525 SD_50092 RU X50092X	No Big Foot Dirt Pads Big Foot Dirt Pads Big Foot Dirt Pads UBBER STREET PADS No Rubber Street Pads Rubber Street Pads		\$292.00 No Charge \$199.00
SD 50005 BIG X50005X 716525 SD 50092 RU X50092X 716410 SD N6413 M	No Big Foot Dirt Pads Big Foot Dirt Pads Big Foot Dirt Pads UBBER STREET PADS No Rubber Street Pads Rubber Street Pads		\$292.00 No Charg
SD_50005 BIG X50005X 716525 SD_50092 RU X50092X 716410 SD_N6413 M	No Big Foot Dirt Pads Big Foot Dirt Pads Big Foot Dirt Pads UBBER STREET PADS No Rubber Street Pads Rubber Street Pads ECH THUMB		\$292.0 No Charg \$199.0
SD_50005 BIG X50005X 716525 SD_50092 RU X50092X 716410 SD_N6413 MI XN6413X	No Big Foot Dirt Pads No Big Foot Dirt Pads Big Foot Dirt Pads UBBER STREET PADS No Rubber Street Pads Rubber Street Pads ECH THUMB No Mechanical Thumb	9000163P18	\$292.0 No Charg \$199.0 No Charg



Grounds Equipment - Bid #ESCNJ 18/19-25
-CP2C 01

BHA SERIES BACKHOES US PRICE LIST

(Ex Works Telford, TN) Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
439118006	Front Hanger Bracket Class 2 Front Hanger Kit for Farmall 30B/35B - Must be used with 717972 (Farmall 30C/35C subframe) to allow Tier 4 subframe to fit Tier 3 units.	40 LB	9000048P38	\$59.00
439119006	Front Hanger Bracket Class 3 Front Hanger Kit for Farmall 40B/50B - Must be used with 717973 (Farmall 40C/50C subframe) to allow Tier 4 subframe to fit Tier 3 units.	40 LB	9000048P38	\$59.00
716399056	12In 3 Teeth 1.02 Cu. Ft Heaped Std/1.16	86 LB	9000404P26	\$493.00
716400046	16ln 4 Teeth 1.38 Cu. Ft Heaped Std/1.59	97 LB	9000455P10	\$555.00
716434046	18In 4 Teeth 1.57 Cu. Ft Heaped Std/1.79	107 LB	9000475P60	\$580.00
716401016	24ln 4 Teeth 2.13 Cu. Ft Heaped Std/2.42	126 LB	9000504P30	\$615.00
716525056	BIG FOOT DIRT PADS	52 LB	9000239P44	\$292.00
717916036	Mechanical Thumb Class 2 7.5 Ft BHA90 only	90 LB	9000480P52	\$586.00
439122006	Mechanical Thumb Class 3 8.5 Ft BHA102 only	90 LB	9000480P52	\$586.00
716410056	Rubber Street Pads	4 LB	9000158P26	\$193.00

Case 2021 Price List

-CP1K 01



TL SERIES ROTARY TILLERS US PRICE LIST

(Ex Works Wholegoods Depot) Standard Equipment

TL160:

For use with

- Farmall 30A & 35A
- Farmall 30C & 35C
- Farmall 30B & 35B

Approximate working width: 60 inches (1524mm)

Tilling depth adjustment with guide shoes: 0 to 4.5 inches (0 to 114mm)

Maximum tilling depth without guide shoes: 7.25 inches (184mm)

Hitch: Category I

Offset Adjustment to Right: 11 inches

(280mm)

PTO hp Rating: 45

Rotor Drive Type: Chain

Drive Protection: Slip Clutch

Rotor Speed @ 540 RPM PTO: 236 RPM

Number of Blades: 28

Blade Tip Speed @ 540 RPM:

1063 (FPM)

TL172H:

For use with

- Farmall 40C & 50C
- Farmall 45C CVT & 55C CVT
- Farmall 40B CVT, 45B CVT, and 50B CVT

Approximate working width: 72 inches (1830mm)

Tilling depth adjustment with guide shoes: 0 to 5 inches (0 to 127mm)

Maximum tillage depth without guide

shoes: 7 inches (178mm)

Hitch: Category I or II

Offset Adjustment to Right: 11 inches

(280mm)

PTO hp Rating: 60

Rotor Drive Type: Gear

Drive Protection: Slip Clutch

Rotor Speed @ 540 RPM PTO: 211 RPM

Number of Blades: 36

Blade Tip Speed @ 540 RPM:

944 (FPM)



TL SERIES ROTARY TILLERS US PRICE LIST

(Ex Works Wholegoods Depot) Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
TL160 60IN ROT TILL	TLX160 60IN CHAIN D	1,000 LB	9002964P30	\$3,615.00
TL172 72IN ROT TILL	TLX172 72IN CHAIN D	1,000 LB	9003345P60	\$4,080.00
TL172H 72IN ROT TILL	TL172H 72IN HD GEAR	1,000 LB	9003795P78	\$4,629.00

RC SERIES ROTARY CUTTERS US PRICE LIST

(Ex Works Beaumont, TX) Standard Equipment

```
OTARY CUTTER - ECONOMY
  (3-POINT):
                                                    ROTARY CUTTER - STANDARD DUTY
                                                      (3-POINT):
 RC480 ·
     Quick Attach Hitch
                                                    RC605:
     Cutting Width: 48 in.
                                                         Quick Attach Hitch
     Cutting Height: 1 in. (min.)
                                                         Cutting WidthL 60 in,
     Cutting Cpacity: 2 in. (max.)
                                                         Cutting Height: 2 1/2 in. (min.)
     Blade Carrier: Pan
                                                         Cutting Cpacity: 2 1/2 in. (max.)
     Deck Thickness: 10 gauge
                                                         Blade Carrier: Pan
     Saftey Deflectors: Rear Rubber Belting
                                                         Deck Thickness: 7 gauge
     Driveline Size: Cat. 4 - 540 rpm
                                                         Saftey Deflectors: Rear Rubber Belting
     Slip Protection: Sheer Pin
                                                         Driveline Size: Cat. 4 - 540 rpm
     Tire and Wheel: Laminated
                                                         Slip Protection: Splined Slip Clutch
     1 Spindle
                                                         Tire and Wheel: Laminated
                                                         1 Spindle
RC600:
                                                         Single Tail Wheel
     Quick Attach Hitch
     Cutting WidthL 60 in,
                                                   RC725:
     Cutting Height: 2 in. (min.)
                                                         Ouick Attach Hitch
     Cutting Cpacity: 2 in. (max.)
                                                         Cutting WidthL 72 in,
     Blade Carrier: Pan
                                                         Cutting Height: 2 in. (min.)
     Deck Thickness: 7 gauge
                                                         Cutting Cpacity: 2 1/2 in. (max.)
     Saftey Deflectors: Rear Rubber Belting
                                                         Blade Carrier: Pan
     Driveline Size: Cat. 4 - 540 rpm
                                                         Deck Thickness: 7 gauge
     Slip Protection: Sheer Pin
                                                         Saftey Deflectors: Rear and Front
     Tire and Wheel: Laminated
                                                           Rubber Belting
     1 Spindle
                                                         Driveline Size: Cat. 4 - 540 rpm
                                                         Slip Protection: Splined Slip Clutch
RC720:
                                                         Tire and Wheel: Laminated
     Quick Attach Hitch
                                                         1 Spindle
     Cutting WidthL 72 in,
                                                         Single Tail Wheel
     Cutting Height: 2 in. (min.)
     Cutting Cpacity: 2 in. (max.)
                                                   RC840:
     Blade Carrier: Pan
                                                         Quick Attach Hitch
     Deck Thickness: 7 gauge
                                                         Cutting WidthL 83 in,
     Saftey Deflectors: Rear Rubber Belting
                                                         Cutting Height: 2 in. (min.)
     Driveline Size: Cat. 4 - 540 rpm
                                                         Cutting Cpacity: 2 1/2 in. (max.)
     Slip Protection: Sheer Pin
                                                         Blade Carrier: Pan
     Tire and Wheel: Laminated
                                                         Deck Thickness: 7 gauge
     1 Spindle
                                                         Saftey Deflectors: Rear Rubber Belting
                                                         Driveline Size: Cat. 4 - 540 rpm
                                                         Slip Protection: Splined Slip Clutch
                                                         Tire and Wheel: Laminated
                                                         1 Spindle
```



RC SERIES ROTARY CUTTERS US PRICE LIST

(Ex Works Beaumont, TX) Standard Equipment

Single Tail Wheel ROTARY CUTTER - HEAVY DUTY (3-POINT):RC727: Quick Attach Hitch Cutting WidthL 72 in, Cutting Height: 2 in. (min.) Cutting Cpacity: 3 in. (max.) Blade Carrier: Pan Deck Thickness: 7 gauge Saftey Deflectors: Rear and Front Chains Driveline Size: Cat. 5 - 540 rpm Slip Protection: Splined Slip Clutch Tire and Wheel: Laminated 1 Spindle Single Tail Wheel RC845: Quick Attach Hitch Cutting WidthL 84 in, Cutting Height: 2 in. (min.) Cutting Cpacity: 3 in. (max.) Blade Carrier: Pan Deck Thickness: 7 gauge Saftey Deflectors: Rear and Front Chains Driveline Size: Cat. 5 - 540 rpm Slip Protection: Splined Slip Clutch Tire and Wheel: Laminated 1 Spindle Single Tail Wheel ROTARY CUTTER - MEDIUM DUTY (PULL-TYPE) RC1440 - 540 RPM Driveline: (Standard Deck) Quick Attach Hitch Cutting Width 144 in,

Cutting Height: 2 in. (min.)

Cutting Capacity: 3 in. (max.)

Blade Carrier: Pan Deck Thickness: 7 gauge Safety Deflectors: Rear and Front Main Driveline: Cat. 5 CV w/ Slip Clutch - 540 rpm Outboard Drivelines to Wings: Cat. 4 w/ Slip Clutch Tire and Wheel: Laminated 3 Spindle ROTARY CUTTER - HEAVY DUTY (PULL-TYPE) RC1440 - 540 RPM Driveline: (Standard Deck) Ouick Attach Hitch Cutting Width 144 in, Cutting Height: 2 in. (min.) Cutting Capacity: 3 in. (max.) Blade Carrier: Pan Deck Thickness: 7 gauge Safety Deflectors: Rear and Front Chains Main Driveline: Cat. 5 CV w/ Slip Clutch - 540 rpm Outboard Drivelines to Wings: Cat. 4 w/ Slip Clutch Tire and Wheel: Aircraft (used) 3 Spindle ROTARY CUTTER - HEAVY DUTY (PULL-TYPE) RC1800 - 540 RPM Driveline: (Standard and Smooth Top/Double Deck) Quick Attach Hitch Cutting WidthL 180 in, Cutting Height: 2 in. (min.) Cutting Cpacity: 3 in. (max.) Blade Carrier: Pan Deck Thickness: 7 gauge

Saftey Deflectors: Rear and Front

-CP1T 01

Grounds Equipment - Bid #ESCNJ 18/19-25



RC SERIES ROTARY CUTTERS US PRICE LIST

(Ex Works Beaumont, TX) Standard Equipment

Chains

Main Driveline: Cat. 5 CV w/ Slip Clutch - 540 rpm Outboard Drivelines to Wings: Cat. 4 w/ Slip Clutch Tire and Wheel: Laminated 3 Spindle

RC1800 - 1000 RPM Driveline: (Standard and Smooth Top/Double Deck)

Quick Attach Hitch
Cutting WidthL 180 in,
Cutting Height: 2 in. (min.)
Cutting Cpacity: 3 in. (max.)
Blade Carrier: Pan
Deck Thickness: 7 gauge
Saftey Deflectors: Rear and Front
Chains

Main Driveline: Cat. 5 CV w/ Slip Clutch 1000 rpm - 1 3/8 in. Shaft 1000 rpm - 1 3/4 in. Shaft Outboard Drivelines to Wings: Cat. 4 w/ Slip Clutch Tire and Wheel: Aircraft (used) 3 Spindle Hydraulic Level Lift REQUIRMENTS FOR OPERATION: Tractor Horsepower (Max): RC480 - up to 48 RC600 - up to 48 RC720 - up to 48 RC605 - up to 65 RC725 - up to 65 RC840 - up to 65 RC727 - up to 95 RC845 - up to 95

RC1800 - up to 210

Case 2021 Price List



CASE IH RC SERIES

ROTARY CUTTER SELECTION GUIDE

MODEL	SIZE	DUTY	PTO SHAFT RPM / SIZE	PTO HP CAPACITY	QUICK HITCH CAPABLE	DRIVELINE PROTECTION	FRONT DEFLECTOR	REAR DEFLECTOR	TAIL WHEEL/TIRES	LEVEL LIFT
SINGLE SPINDL	E (3-P01	NT HITCH)		(14.14.15)			E THE REAL PROPERTY.		THE REAL PROPERTY.	Spiral Ing
RC480	4 ft.	Standard	540 / 1-3/8	Up to 48	Yes	Cat. 4 w/Shear Pin	None	Rübber	Single Laminated	N/A
RC600	5 ft.	Standard	540 / 1-3/8	Up to 48	Yes	Cat, 4 w/Shear Pin	None	Rubber	Single Laminated	N/A
RC720	6 ft	Standard	540 / 1-3/8	Up to 48	Yes	Cat. 4 w/Shear Pin	None	Rubber	Single Laminated	N/A
RC605	5 ft.	Medium	540 / 1-3/8	Up to 65	Yes	Cat. 4 w/Slip Clutch	None	Rubber	Single Laminated	N/A
RC725	6 ft.	Medium	540 / 1-3/8	Up to 65	Yes	Cat. 4 w/Slip Clutch	None	Rubber	Single Laminated	N/A
RC840	7 ft.	Medium	540 / 1-3/8	Up to 65	Yes	Cat. 4 w/Slip Clutch	None	Rubber	Single Laminated	N/A
RC727	6 ft.	Heavy	540 / 1-3/8	Up to 95	Yes	Cal_5 w/Slip Clutch	Chain	Chain	Single Laminated	N/A
RC845	7 ft _e	Heavy	540 / 1-3/8	Up to 95	Yes	Cat. 5 w/Slip Clutch	Chain	Chain	Single Laminated	N/A
MULTIPLE SPI	NDLE (F	ULL TYPE) -	11,72; TV		世紀 (大学) 岩				
RC1440	12 ft.	Medium	540 / 1-3/8	40-70	N/A	Main - Cat, 5 CV w/Slip Clutch; Wings - Cat, 4 w/Slip Clutch	Chain	Chain	Laminated	Mechanica
RC1440	12 ft.	Heavy	540 / 1-3/8	40-100	N/A	Main = Cat. 5 CV w/Slip Clutch; Wings = Cat. 4 w/Slip Clutch	Chain	Chain	Laminated	Mechanica
RC1800	15 ft.	Heavy	540 / 1-3/8	Up to 210	N/A	Main Cat. 5 CV w/Slip Clulch; Wings Cat. 4 w/Slip Clutch	Chain	Chain	Laminated	Mechanica
RC1800	15 ft.	Heavy	1000 / 1-3/8	Up to 210	N/A	Main - Cat. 5 CV w/Slip Clutch; Wings - Cat. 4 w/Slip Clutch	Chain	Chain	Aircraft	Hydraulic
RC1800	15 ft.	Heavy	1000 / 1-3/4	Up to 210	N/A	Main – Cat. 5 CV w/Slip Clutch; Wings – Cat. 4 w/Slip Clutch	Chain	Chain	Aircraft	Hydraulic
RC1800 Smooth Deck	15 ft.	Heavy	540 / 1-3/8	Up to 210	N/A	Main – Cat, 5 CV w/Slip Clutch; Wings – Cat, 4 w/Slip Clutch	Chain	Chain	Laminated	Mechanica
RC1800 Smooth Deck	15 ft:	Heavy	1000 / 1-3/8	Up lo 210	N/A	Main = Cat = 5 CV w/Sfip Clutch; Wings = Cal = 4 w/Slip Clutch	Chain	Chain	Aircraft	Hydraulic
RC1800 Smooth Deck	15 ft.	Heavy	1000 / 1-3/4	Up to 210	N/A	Main – Cat. 5 CV w/Slip Clutch; Wings – Cat. 4 w/Slip Clutch	Chain	Chain	Aircraft	Hydraulic

SAFETY NEVER HURTS!TM Always read the Operators Manual before operating any equipment. Inspect equipment before using it, and be sure it is operating properly. Follow the product safety signs, and use any safety features provided. CNH Industrial America LLC reserves the right to make improvements in design and changes in specifications at any time without notice and without incurring any obligation to install them on units previously sold. Specifications, descriptions and illustrative material herein are as accurate as known at time of publication, but are subject to change without notice. Availability of some models and equipment builds varies according to the country in which the equipment is used.

CIH20070214 07/2020

©2020 CNH Industrial America LLC. All rights reserved. Case IH is a trademark registered in the United States and many other countries, owned by or licensed to CNH Industrial N.V_{s.} its subsidiaries or affiliates.

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

SD_16049 EXTRA WHEELS, TIRES AND RIMS X16049X No Extra Wheels and Tires

RC SERIES ROTARY CUTTERS US PRICE LIST

(Ex Works Beaumont, TX) Models

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
RC480 4FT STANDARD DUTY	48 in. standard-duty	538 LB	9001715P44	\$2,092.00
RC600 5FT STANDARD DUTY	60 in. standard-duty	731 LB	9001968P82	\$2,401.00
RC605 5FT MEDIUM DUTY	60 in. medium-duty	882 LB	9002782P26	\$3,393.00
RC720 6FT STANDARD DUTY	72 in. standard-duty	728 LB	9002378P82	\$2,901.00
RC725 6FT MEDIUM DUTY	72 in. medium-duty	907 LB	9003120P92	\$3,806.00
RC727 6FT HEAVY DUTY	72 in. HD single tail	1,284 LB	9003891P72	\$4,746.00
RC840 7FT MEDIUM DUTY	84 in. medium-duty	1,189 LB	9003583P40	\$4,370.00
RC845 7FT HEAVY DUTY	84 in. HD single tail	1,599 LB	9005286P54	\$6,447.00
RC1440 12FT HD 540RPM	RC144B PT RC	3,175 LB	9016108P90	\$19,645.00
RC1440 12FT MD 540RPM	RC144A PT RC	3,020 LB	9013424P22	\$16,371.00
RC1800 15FT HD 540RPM	540 rpm, 180 in.	5,941 LB	9020293P36	\$24,748.00
RC1800 15FT HDSD 540RPM	540rpm, 180 in. Dbl Deck	6,500 LB	9023433P14	\$28,577.00
RC1800 15FT HDSD1K 1-3/4	1000rpm,180in.1-3/4 Dbl Deck	6,830 LB	9026007P12	\$31,716.00
RC1800 15FT HDSD1K 1-3/8	1000rpm,180in.1-3/8 Dbl Deck	6,830 LB	9026007P12	\$31,716.00

Factory Supplied Options

Or	der Code	Description	Weight	Factory Data	List Price
BASI	EUNIT		w vjarjej		
5	SD_01001 BA	ASE UNIT	36		
	464540	Case IH Red Paint			No Charge
		Case IH Red Paint	1		
		For Models: RC480, RC600, RC605, RC720, RC725, RC840 and			
		RC1440			
	717721	Case IH RED Paint			No Charge
		Case IH Red Paint	ľ		
		For Models: RC727, RC845, RC1800			
	464541	Galvanized		(900113P98)	(\$139.00
		Galvanized			
	1	Available on all models			

62 of 82

No Charge

717983

Hyd Lift

Available on RC1800 with 540RPM driveline



RC SERIES ROTARY CUTTERS US PRICE LIST

	(Ex Works Beaumont, TX)		
717984	Aircraft Tires (2)	9000468P22	\$571.00
	Available on RC1800 with 1000RPM driveline		
717985	Aircraft Tires (6)	9001403P84	\$1,712.00
	Available on RC1440 and RC1800 with 540RPM driveline		
717986	Aircraft Tires (8)	9001879P44	\$2,292.00
	Available on RC1800 with 540RPM driveline		
717987	Foam Filled P Tire 6	9001879P44	\$2,292.00
	Available on all RC1440 and RC1800 Models		
717988	Foam Filled P Tire 8	9002371P44	\$2,892.00
	Available on all RC1800 Models		
	ONT SAFETY CHAINS		
XN6428X	No Front Safety Chains		No Charge
717979	Front Safety Chains	9000197P62	\$241.0
	Available on RC480, RC600, RC605, RC720, RC725 and RC840		
	EAR SAFETY CHAINS		
	No Rear Safety Chain		No Charge
717980	Rear Safety Chains	9000197P62	\$241.0
	Available on RC480, RC600, RC605, RC720, RC725 and RC840		
SD N6430 SI	JP CLUTCH		
XN6430X	No Slip Clutch		No Charge
717981	Slip Clutch	9000236P98	\$289.0
	Available on RC480, RC600 and RC720		
00 110101 01	*** **** ****		
	JAL TAIL WHEEL		
XN6431X	No Dual Tail Wheel		
	No Dual Tail Wheel Dual Tail Wheel	9000569P08	
XN6431X	No Dual Tail Wheel	9000569P08	No Charg \$694.0
XN6431X	No Dual Tail Wheel Dual Tail Wheel Available on RC605, RC725, RC727, RC840, RC845, and RC1800	9000569P08	
XN6431X 717982 SD_N6432 H	No Dual Tail Wheel Dual Tail Wheel Available on RC605, RC725, RC727, RC840, RC845, and RC1800	9000569P08	

9001375P96

\$1,678.00



RC SERIES ROTARY CUTTERS US PRICE LIST

(Ex Works Beaumont, TX) Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Front Safety Chair	ns			
717979006	48" Front Safety Chains	27 LB	9000185P32	\$226.00
717979016	60" Front Safety Chains	29 LB	9000185P32	\$226.00
717979026	72" Front Safety Chains	33 LB	9000185P32	\$226.00
717979036	84" Front Safety Chains	38 LB	9000185P32	\$226.00
Rear Safety Chain	S			
717980006	48" Rear Safety Chains	42 LB	9000185P32	\$226.00
717980016	60" Rear Safety Chains	44 LB	9000185P32	\$226.00
717980026	72" Rear Safety Chains	48 LB	9000185P32	\$226.00
717980036	84" Rear Safety Chains	53 LB	9000185P32	\$226.00

Grounds Equipment - Bid #ESCNJ 18/19-25
-CP1U 01



WORK EZ® DISK HARROW US PRICE LIST

(Ex Works Beaumont, TX) Standard Equipment

78 IN. DISK HARROW:

Number of Disk Blades: 20 notched

(front and rear)

Disk Blade Size: 18 in. diameter

Disk Blade Spacing: 5 1/2 in. F, 6 1/2 in.,

7 1/2 in. R

Maximum Cutting Depth: 6 in.

Cutting Width: 70 in.

Overall Length: 60 in.

Overall Width: 79 in.

Bearing Lubrication: sealed bearings

Adjustable gang angle

REQUIREMENTS FOR OPERATION:

Tractor Horsepower (Min./Max.): 20 - 60

Hitch: Cat. I EZ Match™ compatible

Grounds Equipment - Bid #ESCNJ 18/19-25 -CP1U 01



WORK EZ® DISK HARROW US PRICE LIST

(Ex Works Beaumont, TX) **Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ DISK HARROW	EZ78DC 78in Disk Harrow	678 LB	9002319P78	\$2,829.00

Grounds Equipment - Bid #ESCNJ 18/19-25
-CP1V 01



WORK EZ® RAKES US PRICE LIST

(Ex Works Beaumont, TX) Standard Equipment

LANDSCAPE RAKE:

Rake Width:

60LR - 60 in.

72LR - 72 in.

84LR - 84 in.

Tine Spacing: 1 in.

Tine Size: $5/16 \times 1 \text{ in.}$

Time Material: high carbon spring steel

Angle: 5 forward / 3 reverse

Rake Pivot: 360°

Pivot King Pin: 1 1/4 in.

REQUIREMENTS FOR OPERATION:

Maximum Tractor Horsepower: 50

Hitch: Cat, I EZ Match™ compatible

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS



Grounds Equipment - Bid #ESCNJ 18/19-25 -CP1V 01

WORK EZ® RAKES US PRICE LIST

(Ex Works Beaumont, TX) **Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ 72LR RAKE	EZ72LR 72in Landsc Rake	269 LB	9001054P52	\$1,286.00

BOX BLADES:

-CP1W 01



WORK EZ® BOX BLADES US PRICE LIST

(Ex Works Beaumont, TX) Standard Equipment

```
INDUSTRIAL (For Contractors):
STANDARD DUTY (For Estate and
Homeowners):
                                                     OPTIONAL hydraulic raise/lower shank
                                                        bar (infinite adjustment)
  Number of Scarifiers (Shanks): 4 to 5
                                                     Number of Scarifiers (Shanks): 8
  Overall Height: 35 1/2 in.
                                                     Overall Height: 36 in.
  Box Depth: 17 in.
                                                     Box Depth: 19 in.
  Cutting Edge: 1/2 x 6 in., Reversible
                                                     Cutting Edge: 1/2 x 6 in., Reversible
  Number of Cutting Edges: 2
                                                     Number of Cutting Edges: 2
  Shank Adjustment: manual
                                                     Shank Adjustment: manual
  Side Plate (Endplate) Thickness:
                                                     Side Plate (Endplate) Thickness:
     3/16 in.
                                                         3/4 in.
  Hinges Rear Flat with Cutting Edge:
                                                     Hinges Rear Flat with Cutting Edge:
    n/a
                                                         Standard
MEDIUM DUTY (For Landscapers):
                                                   REQUIREMENTS FOR OPERATION:
  OPTIONAL hydraulic raise/lower shank
                                                   Tractor Horsepower (Max.):
                                                     48BL - up to 28 2wd / 20 4wd
     bar (infinite adjustment)
  Number of Scarifiers (Shanks): 6
                                                      60BL - up to 28 2wd / 20 4wd
  Overall Height: 36 in.
                                                      60BM - up to 50 2wd / 40 4wd
  Box Depth: 17 in.
                                                      72BM - up to 50 2wd / 40 4wd
  Cutting Edge: 1/2 x 6 in., Reversible
                                                      84BM - up to 50 2wd / 40 4wd
  Number of Cutting Edges: 2
                                                      72BH - up to 75 2wd / 55 4wd
  Shank Adjustment: manual
                                                      84BH - up to 75 2wd / 55 4wd
  Side Plate (Endplate) Thickness:
                                                      96BI - up to 100 2wd / 80 4wd
     3/8 in.
  Hinges Rear Flat with Cutting Edge:
                                                   3 Pt. Hitch:
     n/a
                                                      48BL - Cat. I EZ Match™ compatible
                                                      60BL - Cat. I EZ Match™ compatible
HEAVY DUTY (For Contractors):
                                                      60BM - Cat. I
                                                      72BM - Cat. I
  OPTIONAL hydraulic raise/lower shank
                                                      84BM - Cat. I
     bar (infinite adjustment)
                                                     72BH - Cat. I
  Number of Scarifiers (Shanks): 6
                                                      84BH - Cat. I
  Overall Height: 36 in.
                                                      96BI - Cat. II
  Box Depth: 19 in.
  Cutting Edge: 1/2 x 6 in., Reversible
  Number of Cutting Edges: 2
  Shank Adjustment: manual
  Side Plate (Endplate) Thickness:
     1/2 in.
  Hinges Rear Flat with Cutting Edge:
     Standard
```



Grounds Equipment - Bid #ESCNJ 18/19-25
-CP1W 01

WORK EZ® BOX BLADES US PRICE LIST

(Ex Works Beaumont, TX) **Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ 48BL BLADE	48in 3pt Box Std Duty	363 LB	9000952P02	\$1,161.00
WORK EZ 60BL BLADE	60in 3pt Box Std Duty	437 LB	9001062P72	\$1,296.00
WORK EZ 60BM BLADE	60in 3pt Box Med Duty	534 LB	9001294P78	\$1,579.00
WORK EZ 72BM BLADE	72in 3pt Box Med Duty	643 LB	9001387P44	\$1,692.00
WORK EZ 84BM BLADE	84in 3pt Box Med Duty	703 LB	9001583P42	\$1,931.00

-CP1X 01




WORK EZ® REAR BLADES US PRICE LIST

(Ex Works Beaumont, TX) Standard Equipment

```
REAR BLADES:
 STANDARD UTILITY (For Estate and
Homeowners):
  Moldboard Width: 60 in. / 72 in.
   Cutting Edge: 1/2 in. x 6 in.
  Offset Adjustment: 12 in.
  Tilt Adjustment: n/a
  Angle Adjustment: 5 Forward / 3
  Reverse positions
MEDIUM DUTY (For Landscapers, Farm,
 or Ranch):
  Moldboard Width: 60 in. / 72 in. / 84 in.
   Cutting Edge: 1/2 in. x 6 in.
  Offset Adjustment: 12 in.
  Tilt Adjustment: 45° / E side
  Angle Adjustment: 5 Forward / 3
  Reverse positions
HEAVY DUTY (For Contractors):
  Moldboard Width: 84 in. / 96 in.
   Cutting Edge: 1/2 in. x 6 in.
  Offset Adjustment: 12 in.
  Tilt Adjustment: 30°
  Angle Adjustment: 5 Forward / 3
  Reverse positions
 INDUSTRIAL (For Contractors):
  Moldboard Width: 96 in. / 108 in.
   Cutting Edge: 1/2 in. x 6 in.
   Offset Adjustment: 12 in.
  Tilt Adjustment: 15°
  Angle Adjustment: 30°
 HEAVY INDUSTRIAL (For Contractors):
  Moldboard Width: 96 in./120 in./144 in.
   Cutting Edge: 1/2 in. x 6 in.
   Offset Adjustment: 24 in.
   Tilt Adjustment: 15°
  Angle Adjustment: 30°
```

```
REQUIREMENTS FOR OPERATION:
Tractor Horsepower (max.):
   60SL - 30
  72SL - 30
   60SM - 40
  72SM - 40
   84SM - 40
  72SH - 65
  84SH - 65
  96SI - 100
  108SI - 100
   96SHI - 225
   120SHI - 225
   144SHI - 225
 3 Pt. Hitch:
   60SL - Cat. I EZ Match™ compatible
   72SL - Cat. I EZ Match™ compatible
   60SM - Cat. I EZ Match™ compatible
   72SM - Cat. I EZ Match™ compatible
   84SM - Cat. I EZ Match™ compatible
   72SH - Cat. I/II
   84SH - Cat. I/II
   96SI
         - Cat. II
   108SI - Cat. II
   96SHI
          - Cat. II/III
   120SHI - Cat. II/III
   144SHI - Cat. II/III
```





WORK EZ® REAR BLADES US PRICE LIST

(Ex Works Beaumont, TX) **Models**

COMMERCIAL MODEL	MODEL	Weight	Factory Data	List Price
WORK EZ 60SM BLADE	60in 3pt Rear Med Duty	256 LB	9000965P14	\$1,177.00
WORK EZ 72SM BLADE	72in 3pt Rear Med Duty	328 LB	9001102P90	\$1,345.00
WORK EZ 84SM BLADE	84in 3pt Rear Med Duty	297 LB	9001234P92	\$1,506.00
WORK EZ 84SH BLADE	84in 3pt Rear Hvy Duty	684 LB	9001390P72	\$1,696.00
WORK EZ 96SH BLADE	96in 3pt Rear Hvy Duty	679 LB	9001516P18	\$1,849.00

-CP2A 01



WORK EZ® EZ MATCH™ US PRICE LIST

(Distribution Center) Standard Equipment

The WORK EZ® EZ Match™ Quick Hitch is designed to make changing from one 3-point hitch attachment to another quick and EZ! The upper hook easily slips into position and simply lock the lower hooks with quick flip of two handles - many times from the comfort and convenience of the tractor seat.

Designed for use on Category 1, 3-point hitch tractors and implements

Heavy-duty steel construction Lower arms lock automatically Fast, easy attachment and release Designed to ASAE S278.7 Quick Hitch standards

MODEL: WORK EZ® EZ Match™
Width (inches) - 28 center to center
(Hooks are 1-1/2 " wide)
Height (inches) - 24
Weight (pounds) - 80
Maximum Horsepower - 60

The following Case-IH products are quick hitch compatible:

EZ78DC - 78 in. Disk Harrow
EZ60LR - 60 in. Landscape Rake
EZ72LR - 72 in. Landscape Rake
EZ84LR - 84 in. Rock Rake

EZ48BL - 48 in. Standard Duty Box Blade EZ60BL - 60 in. Standard Duty Box Blade

EZ60SL - 60 in. Standard Utility

Rear Blade

EZ72SL - 72 in. Standard Utility

Rear Blade

EZ60SM - 60 in. Medium Duty

Rear Blade

EZ72SM - 72 in. Medium Duty

Rear Blade

EZ84SM - 84 in. Medium Duty

Rear Blade

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS



Grounds Equipment - Bid #ESCNJ 18/19-25
-CP2A 01

WORK EZ® EZ MATCH™ US PRICE LIST

(Distribution Center) Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ EZ MATCH	400 LB	9000323P08	\$394.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23




-CP2B 01

WORK EZ® BALE CARRIERS US PRICE LIST

Standard Equipment

WORK EZ® Bale Carriers and Spears are designed to compliment compact and utility tractors equipped with 3-point hitch for handling round and square hay bales. The WORK EZ® Bale Carriers and Spears are also Work EZ® - EZ Match $^{\text{M}}$ compatible.

MODEL: Work EZ® Bale Carrier Application - Standard duty Weight - 155 lbs Weight rating - 2000 lbs Tractor horsepower (max) - 60 Hitch - Cat. I Hot dipped galvanized frame NOTE: Fork times go under bale MODEL: Work EZ® Bale Spear
Application - Standard duty
Weight - 98 lbs
Weight rating - 2000 lbs
Tractor Horsepower (max) - 60
Hitch - Cat. I
Hot dipped galvanized frame
Replaceable high carbon steel spear
Two welded bottom stabilizing spears





WORK EZ® BALE CARRIERS US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORK EZ BALE CARRIER	88 LB	9000430P50	\$525.00
WORK EZ BALE SPEAR	155 LB	9000476P42	\$581.00

Grounds Equipment - Bid #ESCNJ 18/19-25

-CP2B 02



WORK EZ® HAY SPEARS US PRICE LIST

Standard Equipment

WORK EZ^{\oplus} Hay Spears are designed to compliment most tractors and skid steers that are Universal Quick Hitch Compatible for handling round and square hay bales.

MODEL: Work EZ® Single Bale Quick
Attach
Application - Standard duty
Weight - 153 lbs
Weight rating - 2000 lbs
Tractor Horsepower (max) - 80
Hitch - Universal Q/A
Hot dipped galvanized frame
Replaceable high carbon steel spear
Two welded bottom stabilizing spears

MODEL: Work EZ® Double Bale Quick Attach

Application - Standard duty

Weight - 168 lbs

Weight rating - 2000 lbs


Tractor Horsepower (max) - 80

Hitch - Universal Q/A

Hot dipped galvanized frame

Two replaceable high carbon steel spears

One welded top stabilizing spear





WORK EZ® HAY SPEARS US PRICE LIST

Models

COMMERCIAL MODEL	Weight	Factory Data	List Price
WORKEZ SNGL BALE QA	168 LB	9000775P72	\$946.00
WORKEZ DBL BALE QA	153 LB	9000892P98	\$1,089.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23



PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTOR IMPLEMENTS

PART NUMBER	DESCRIPTION	MW60S	MW72S	MW72R	MW84R				
Available through Parts Division unless otherwise noted:									
AUB164147	Caster wheel spring device - Required when installing an MW60S, MW72S or MW72R on a Farmall 31 or 35 equipped with Galaxy turf tires	х	х	×					
AUB182262	Mower / Loader Compatibility kit - Required when installing an MW60S, MW72S or MW72R in combination with an LX114 loader on a Farmall 31 or 35	×	x	×					
AUB163560	Caster wheel spring device - Required when installing an MW84R on a Farmall 40, 45 or 50 equipped with Galaxy turf tires				Х				

PART NUMBER	DESCRIPTION	RR60	RR72	RR90	RR144	RR180	RR204
Available through	1 Parts Division unless otherwise r	noted:					
SIT 110283	Mulching kit - 60 in. Rear Discharge Only	Х					
SIT 110284	Mulching kit - 72 in. Rear Discharge Only		Х				
SIT 110285	Mulching kit - 90 in. Rear Discharge Only			Х			
SIT 110286	Mulching kit - 12 ft. Folding Flex wing				X		
SIT 110287	Mulching kit - 15 ft. Folding Flex wing					Х	
SIT 110288	Mulching kit - 17 ft. Folding Flex wing						Х
SIT 100364	Anti-Scalp Kit - 60 in. and 72 in. (front adjustable roller)	Х	Х				
SIT 100503	Anti-Scalp Kit - 90 in. (front adjustable roller)			Х			
SIT 100933	Pneumatic Tire kit - 60 in. (Set of 4). Includes wheels and forks.	Х					
SIT 100934	Pneumatic Tire kit - 72 in. (Set of 4). Includes wheels and forks.		X				
SIT 100935	Pneumatic Tire kit - 90 in. (Set of 4). Includes wheels and forks.			х			



PARTS DIVISION SUPPLIED ACCESSORIES FOR COMPACT TRACTOR IMPLEMENTS

PART NUMBER	DESCRIPTION	RC480	RC600	RC720	RC605	RC725	RC840	RC845	RC1800
Available through Parts Division unless otherwise noted:									
MAG010D3590	4 ft. Front Chain Guards - Standard Duty	Х							
MAG010D3591	4 ft. Rear Chain Guards - Standard Duty	×							
MAG010D6798	5 ft. Front Chain Guards - Standard and Medium Duty		Х		Х				
MAG010D6799	5 ft. Rear Chain Guards - Standard and Medium Duty		Х		Х				
MAG010D1598	6 ft, Front Chain Guards - Standard and Medium Duty			Х		×			
MAG010D1599	6 ft. Rear Chain Guards - Standard and Medium Duty			х		Х			
MAG010D3990	7 ft. Front Chain Guards - Medium Duty						Х		
MAG010D3991	7 ft. Rear Chain Guards - Medium Duty						X		
CSE010D3992R	7 ft. Dual tail wheel - Heavy Duty							Х	
MAG415D0060	15 ft. hydraulic level lift Pull Type								Х
MAG125D801D01	Slip Clutch	Х	Х	Х					



PURCHASED PROTECTION

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.

Case 2021 Price List