

7400A TerrainCut Trim and Surrounds Mower	
ENGINE: Gross Engine HP 41.6 (31 kW) Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible	
TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Internal Wet Disc Brakes GRIP All Wheel Drive	
OPERATOR STATION: Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings Controls and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure Command Arm Operator Controls 12 U.S. Gallon Fuel Capacity	
HYDRAULICS: Power Steering with Double acting steering cylinder (3) Independent Wheel Motors	
ELECTRICAL: 12-volt Power Port	
CUTTING UNITS: (3) Rotary Deck Hydraulic Motors (3) 27 In. (69cm) Floating Rotary Rear Discharge Decks 10 Gauge Steel Decks with Top Mounted Frame and Front Deck Bumper (1) 27 In., 3 In. Diameter Rear Roller per Deck (2) Front Greaseable Caster Wheels Per Deck Width On Demand 74 In. (188cm) or 68 In. (173cm) Mowing Width	
	Three Cylinder Turbo Tier 4 Diesel Engine B20 Compatible TRANSMISSION: eHydro Electronic controlled Servo Hydrostatic Drive with AutoPedal Internal Wet Disc Brakes GRIP All Wheel Drive OPERATOR STATION: Full Suspension Seat with Armrest and Retractable Seat Belt TechControl Display with built in Machine Settings Controls and Electrical Diagnostics One-Touch Lift/Lower cutting unit Joystick control Foot Activated Tilt Steering Column 2-Post Roll Over Protection Structure Command Arm Operator Controls 12 U.S. Gallon Fuel Capacity HYDRAULICS: Power Steering with Double acting steering cylinder (3) Independent Wheel Motors ELECTRICAL: 12-volt Power Port CUTTING UNITS: (3) Rotary Deck Hydraulic Motors (3) 27 In. (69cm) Floating Rotary Rear Discharge Decks 10 Gauge Steel Decks with Top Mounted Frame and Front Deck Bumper (1) 27 In., 3 In. Diameter Rear Roller per Deck (2) Front Greaseable Caster Wheels Per Deck Width On Demand 74 In. (188cm) or 68 In. (173cm) Mowing



Code	Description	List price(USD)
	Outside Front Tire	
	WHEELS AND TIRES:	
	(2) 24x12-12 Turf Trac Front Drive Tires	
	(1) 24x12-12 Multi Trac Rear Drive Tire	
	BASE MACHINE	
	EPA Final Tier 4	
	B20 compatible outside of the European Union. Diesel engine, 3 cylinders, direct injection, turbocharged, liquid	
	cooled with centrifugal pump	
	Engine output, gross SAE J1995: 41.6 HP (31.0 kW). Engine	
	output is provided by the engine manufacturer to be used for	
	comparison purposes only. Engine Displacement: 1568 cc	
	Fuquay-Varina, North Carolina	
143CTC	7400A TerrainCut Trim and Surrounds Mower	\$63,619.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
001A	United States/Canada	In Base Price
	OPERATOR'S MANUAL	
0443	All Other Countries (English / Spanish)	In Base Price
	OPERATOR'S STATION AND CONTROLS	
	Field Installed Options	
	MISCELLANEOUS	
9767	Joystick Kit	\$1,334.00
9764	Canopy Kit	\$735.00
	This kit includes canopy, frame and brackets to attach to ROPS.	
9871	ShadePro(TM) Canopy	\$1,428.00
	Installation of ShadePro requires (1) BM17972 Wheel weight for	. , , , , ,
	rear wheel and (4) 19M8983 mounting bolts.	
	Canopy with Integrated Adjustable Dual Fan.	
	ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
BUC11050	ShadePro(TM) Canopy	\$1,527.99
	Canopy with Integrated Adjustable Dual Fan.	



Code	Description	List price(USD)
	Installation of ShadePro requires (1) BM17972 Wheel weight for rear wheel and (4) 19M8983 mounting bolts.	
BUC10762	LED Work Light Kit	\$442.99
	Includes 2 LED Flood Lights. Replaces (3) standard halogen work	
	lights that are shipped standard with the machine. When installing this kit, the center light mounting position does not get	
	used. Use outer light mounting positions only. Requires (2)	
	AUC15219 adapter harnesses ordered separately from parts for installation on MY 19 and prior machines.	
	CUTTING UNITS	
	Field Installed Options	
	ROLLER SCRAPERS	
9861	27 In. Rear Roller Scraper Kit, 7400A (1) 9861 kit needed per 7400A.	\$254.00
	MULCH KITS	
9830	27 In Mulch Kit, 7400A	\$454.00
	(1) kit needed per 7400A. Does not include mulch blade. Blades	
	must be ordered through parts system ROLLERS	
9856	27" Rear Stepped Roller, 7400A	\$1,327.00
7000	(1) 9856 kit needed per 7400A.	ψ1/027.00
9858	27" Cast Front Roller Kit, 7400A	\$1,327.00
	(1) 9858 kit needed per 7400A.	
	MACHINE CONNECTIVITY Basic Factory Options	
	CONNECTIVITY HARDWARE	
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem	\$932.00
	JDLink™ connectivity can be enabled in John Deere Operations	
	Center. Connectivity service is subject to country availability.	
	JDLink™ connectivity links you to your work and results, your	
	team, your advisors, your dealer, and your equipment. See Ag	
	Sales Manual for details.	



Code	Description	List price(USD)
	Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.	
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION	
	MISCELLANEOUS	
BTC10338	Canopy	\$787.51
BUC10909	FRONT ROLLER KIT, 27 INCH CAST IRON BUC10909 fits MY20 and later years. Not interchangeable with MY19 cast front rollers.	\$453.69
BUC10825	SCRAPER KIT, 27 INCH REAR ROLLER For MY20 and later.	\$51.36
UC12014	BLADE, LOW LIFT MULCH 27 INCH DECK	\$69.38
TCU27876	BLADE, HIGH LIFT MULCH 27 INCH DECK	\$39.12
BUC10908	REAR STEPPED ROLLER KIT, 27 INCH Fits MY20 and Later Decks. Not Interchangeable With Earlier Model Decks. Order (5) BUC10908 for complete 9009A TerrainCut Order (3) BUC10908 for complete 7400A TerrainCut	\$453.69
BUC11168	JOYSTICK KIT For MY20 and later.	\$1,568.61
BTC10789	MULCHING KIT, 27 INCH DECK Fits On MY16 and Later Decks. Includes Baffle and Mounting Hardware only. Does Not Include Mulching Blades. (5) BTC10789 Must be ordered for complete 9009A Machine. (3) BTC10789 Must be ordered for complete 7400A Machine. Mulching Blades TCU27876 or UC12014 Must Be Ordered Separately Through Parts.	\$162.64
TCU27401	BLADE, HIGH LIFT 27 INCH DECK	\$47.43
TCU38740	BLADE, LOW LIFT 27 INCH DECK	\$29.43



Code	Description	List price(USD)
	8800A TerrainCut Rough Mower	
	ENGINE:	
	Gross Engine HP 55.1 HP (41.1 kW)	
	Four Cylinder Diesel engine Direct injection, turbocharged	
	Liquid cooled with centrifugal pump	
	TRANMISSION:	
	eHydro Electronic Controlled Servo Hydrostatic Drive with	
	AutoPedal	
	Internal Wet Disc Brakes GRIP All Wheel Drive	
	GRIF All Wheel Drive	
	OPERATOR STATION:	
	Command Arm with Operator Controls	
	2-Post Roll Over Protection Structure	
	Air Ride Suspension Seat with Armrest and Retractable Seat	
	Belt Tack Countries District which havilt in Machine Settings Countries	
	TechControl Display with built in Machine Settings Controls and Electrical Diagnostics	
	One-Touch Lift/Lower cutting unit Joystick control	
	HYDRAULICS:	
	Power Steering with Double acting steering cylinder	
	(5) Rotary Deck Hydraulic Motors	
	FLEGTDIAN	
	ELECTRICAL:	
	2 Front LED Work Lights 12-volt Power Port	
	12-voit i owei i oit	
	CUTTING UNITS:	
	223.52 cm (88 In.) Cutting Width	
	(5) 53.34 cm (21 In.) Floating Rotary Rear Discharge Decks	
	(1) 53.34 cm (21 ln.), 7.62 cm (3 ln.) Diameter Rear Roller per	
	Deck (2) 12.7 cm (5 ln.) 10.16 cm (4 ln.) Diameter Front Pollers Per	
	(2) 12.7 cm (5 ln.), 10.16 cm (4 ln.) Diameter Front Rollers Per Deck	
	WHEELS AND TIRES:	



Code	Description	List price(USD)
	26X12-12 Multi-Trac C/S 20X10-8 Multi-Trac C/S Steer Tires	
	BASE MACHINE	
150CTC	EPA Final Tier 4 Diesel engine, 4 cylinders, direct injection, turbocharged, liquid cooled with centrifugal pump B20 compatible outside of the European Union. Engine output, gross SAE J1995: 55.1 HP (41.1 kW). Engine output is provided by the engine manufacturer to be used for comparison purposes only. Engine Displacement: 2091 cc Fuquay-Varina, North Carolina 8800A TerrainCut Rough Mower	\$93,469.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States/Canada OPERATOR'S MANUAL	In Base Price
0443	All Other Countries (English / Spanish)	In Base Price
0110	OPERATOR'S STATION AND CONTROLS Field Installed Options MISCELLANEOUS	III Buse i no
9792	Air Ride Suspension Kit This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.	\$998.00
9764	Canopy Kit This kit includes canopy, frame and brackets to attach to ROPS.	\$735.00
9871	ShadePro(TM) Canopy Canopy with Integrated Adjustable Dual Fan. ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	\$1,428.00
BUC11050	ShadePro(TM) Canopy Canopy with Integrated Adjustable Dual Fan.	\$1,527.99
BUC10762	LED Work Light Kit Includes 2 LED Flood Lights. Replaces (3) standard halogen work lights that are shipped standard with the machine. When	\$442.99



Code	Description	List price(USD)
	installing this kit, the center light mounting position does not get used. Use outer light mounting positions only. Requires (2) AUC15219 adapter harnesses ordered separately from parts for installation on MY 19 and prior machines.	
	CUTTING UNITS Field Installed Options ROLLER SCRAPERS	
9863	21 In. Rear Roller Scrapper, 8800A. (1) kit needed per 8008A. TCB11463 MULCH KITS	\$688.00
9864	21 In. Mulch Kit, 8800A (1) kit needed per 8800A. Does not include mulch blades. Blades must be ordered through parts system. TCB11461 ROLLERS	\$459.00
9860	21" Cast Front Roller Kit, 8800A (1) 9860 kit needed per 8800A.	\$1,941.00
	MACHINE CONNECTIVITY Basic Factory Options CONNECTIVITY HARDWARE	
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.	\$932.00
	JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details. Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.	
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
TCB11463	SCRAPER KIT, 21 INCH REAR ROLLER 1 kit needed per machine.	\$147.66
BTC10338	Canopy	\$787.51



Code	Description	List price(USD)
TCU32775	BLADE, HIGH LIFT 21 INCH IRS DECK Blade Fits on MY14 and Later 8800 Decks.	\$33.36
BUC10150	FRONT ROLLER KIT, 21 INCH CAST IRON Fits MY19 and later models.	\$416.23
TCU32778	BLADE, MULCH 21 INCH IRS DECK Blade Fits on MY14 and Later 8800 Decks.	\$29.87
TCB11461	MULCHING KIT, 21 INCH IRS DECK Includes baffles and mounting hardware only. Does not include mulching blade. (5) TCB11461 Must be ordered for complete 8800A machine. Mulching blade TCU32778 must be ordered separately through Parts.	\$98.44
TCU32776	BLADE, MEDIUM LIFT 21 INCH IRS DECK Blade Fits on MY14 and Later 8800 Decks.	\$30.12



Code	Description	List price(USD)
	9009A TerrainCut Rough Mower	
	ENGINE:	
	Gross Engine HP 55.1 HP (41.1 kW) Four Cylinder Diesel engine	
	Direct injection, turbocharged	
	Liquid cooled with centrifugal pump	
	TRANMISSION:	
	eHydro Electronic Controlled Servo Hydrostatic Drive with	
	AutoPedal Internal Wet Disc Brakes	
	GRIP All Wheel Drive	
	OPERATOR STATION:	
	Command Arm with Operator Controls	
	2-Post Roll Over Protection Structure	
	Air Ride Suspension Seat with Armrest and Retractable Seat Belt	
	TechControl Display with built in Machine Settings Controls	
	and Electrical Diagnostics	
	One-Touch Lift/Lower cutting unit Joystick control	
	HYDRAULICS:	
	Power Steering with Double acting steering cylinder	
	ELECTRICAL:	
	2 Front LED Work Lights	
	12-volt Power Port	
	CUTTING UNITS:	
	108 In. (274cm) Cutting Width	
	(5) Rotary Deck Hydraulic Motors	
	(5) 27 In. (68.58 cm) Floating Rotary Rear Discharge Decks	
	WHEELS AND TIRES:	
	26.5x14-12 Turf Drive Tires	
	20X12-10 Turf Steer Tires BASE MACHINE	



Code	Description	List price(USD)
1446TC	EPA Final Tier 4 Diesel engine, 4 cylinders, direct injection, turbocharged, liquid cooled with centrifugal pump B20 compatible outside of the European Union. Engine output, gross SAE J1995: 55.1 HP (41.1 kW). Engine output is provided by the engine manufacturer to be used for comparison purposes only. Engine Displacement: 2091 cc Fuquay-Varina, North Carolina 9009A TerrainCut Rough Mower	\$104,889.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
001A	United States/Canada OPERATOR'S MANUAL	In Base Price
0443	All Other Countries (English / Spanish)	In Base Price
	OPERATOR'S STATION AND CONTROLS Field Installed Options MISCELLANEOUS	
9792	Air Ride Suspension Kit This kit contains suspension base to replace existing mechanical spring base of standard suspension seat.	\$998.00
9764	Canopy Kit This kit includes canopy, frame and brackets to attach to ROPS.	\$735.00
9871	ShadePro(TM) Canopy Canopy with Integrated Adjustable Dual Fan. ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	\$1,428.00
BUC11050	ShadePro(TM) Canopy Canopy with Integrated Adjustable Dual Fan.	\$1,527.99
BUC10762	LED Work Light Kit Includes 2 LED Flood Lights. Replaces (3) standard halogen work lights that are shipped standard with the machine. When installing this kit, the center light mounting position does not get used. Use outer light mounting positions only. Requires (2)	\$442.99



Code	Description	List price(USD)
	AUC15219 adapter harnesses ordered separately from parts for installation on MY 19 and prior machines.	
	CUTTING UNITS Field Installed Options ROLLER SCRAPERS	
9862	27 In. Rear Roller Scraper Kit, 9009A (1) 9862 kit needed per 9009A. MULCH KITS	\$423.00
9765	27 In. Mulch Kit, 9009A (1) kit needed per 9009A. Does not include mulch blade. Blades must be ordered through parts system	\$759.00
9857	ROLLERS 27" Rear Stepped Roller, 9009A (1) 9857 kit needed per 9009A.	\$2,212.00
9859	27" Cast Front Roller Kit, 9009A (1) 9859 kit needed per 9009A.	\$2,212.00
	MACHINE CONNECTIVITY Basic Factory Options CONNECTIVITY HARDWARE	
183B	Less JDLink™ Hardware	In Base Price
183E	JDLink™ Modem JDLink™ connectivity can be enabled in John Deere Operations Center. Connectivity service is subject to country availability.	\$932.00
	JDLink™ connectivity links you to your work and results, your team, your advisors, your dealer, and your equipment. See Ag Sales Manual for details. Includes field installed antenna, JDLink™ Modem (MTG), machine harness, and all required brackets.	
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION MISCELLANEOUS	
BTC10338	Canopy	\$787.51
BUC10909	FRONT ROLLER KIT, 27 INCH CAST IRON	\$453.69



Code	Description	List price(USD)
	BUC10909 fits MY20 and later years. Not interchangeable with MY19 cast front rollers.	
BUC10149	FRONT ROLLER KIT, 27 INCH CAST IRON BUC10149 fits MY19 and prior years. Not interchangeable with MY20 cast front rollers.	\$474.01
BUC10825	SCRAPER KIT, 27 INCH REAR ROLLER For MY20 and later.	\$51.36
BUC10908	REAR STEPPED ROLLER KIT, 27 INCH Fits MY20 and Later Decks. Not Interchangeable With Earlier Model Decks. Order (5) BUC10908 for complete 9009A TerrainCut Order (3) BUC10908 for complete 7400A TerrainCut	\$453.69
TCU27401	BLADE, HIGH LIFT 27 INCH DECK	\$47.43
UC12014	BLADE, LOW LIFT MULCH 27 INCH DECK	\$69.38
BTC10789	MULCHING KIT, 27 INCH DECK Fits On MY16 and Later Decks. Includes Baffle and Mounting Hardware only. Does Not Include Mulching Blades. (5) BTC10789 Must be ordered for complete 9009A Machine. (3) BTC10789 Must be ordered for complete 7400A Machine. Mulching Blades TCU27876 or UC12014 Must Be Ordered Separately Through Parts.	\$162.64
TCU38740	BLADE, LOW LIFT 27 INCH DECK	\$29.43
TCU27876	BLADE, HIGH LIFT MULCH 27 INCH DECK	\$39.12