

Current Date 15Jan2021

316GR SKID STEER

316GR SKID STEER Radial Lift Boom Path Equipment for Base Machine Engine:

Yanmar 4TNV86CHT **Electronic Injection** 4 Cylinder 48.5 kW (65hp) 2.1L (128 cu. in.) Displacement Auto Idle

Glow Plugs (Automatically

Activated)

Engine/Hydraulic Systems Shutdown Protection 71.2 L (19 gal) fuel tank

750 CCA Battery 70 amp Alternator Operator Station: **Roll Over Protective** Structure (ROPS) Falling Object Protective Structure (FOPS) Top and rear windows Seat, retractable seatbelt,

adjustable lapbar

In-cab boom lockout system

Headliner with Interior Dome Tipping load - 1589 kg (3500

lighting

12V power port Back-up Alarm

Horn

Rear View Mirror

Operator selectable LCD Deluxe Instrumentation:

Fuel Gauge

Engine Coolant Temperature

Hourmeter Engine RPM Battery Voltage Engine Coolant Temp. Hydraulic Oil Temp.

Job Clock Diagnostic Codes Indicator Lights:

Battery Not Charging Hydraulics Locked Out Park Brake Engaged Hydraulic Oil Over Temp Air Filter Restriction Engine Preheat

Safety Interlocks Low Oil Pressure Quick Specs:

Rated Operating Capacity -795 kg (1750 lb)

Hydraulic pump flow - 59

L/m (16 gpm)

Travel speed - 11 km/h (6.9

mph)

Bucket Breakout force -

2507 kg (5526 lb)

Boom Breakout force - 2294

kg (5058 lb)

Width without attachment -

1.60 m (62.9 in.)

Length without attachment -

2.63 m (103 in.)

Height to top of ROPS - 1.96

m (77.2 in.)

Height to hinge pin - 2.92 m

(120 in.)

10x16.5 10 PR Galaxy "Beefy Baby III" HD Tires Warranty (US and Canada): John Deere 2 years/2000

hours

Required - You must select one from each category

BASE MACHINE

Description Code Price 316GR SKID STEER 06G2T \$39,090.00

PACKAGES

Description Code Price Foot Contrl, Open ROPS, Manual QT, 1spd 0700 No Added Cost

Includes foot controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics, and single speed transmission.

Foot Contrl, Cab/Heat/AC, Power QT, SL, 1spd	0715	\$5,877.00
quik-tatch, standard hydraulics and self level-up, and single speed		
EH, Open ROPS, Manual QT, SL, 2spd, Att Perf	0740	\$5,320.00
tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment		
EH, Cab/Heat/AC, Power QT, SL, 2spd, Att Perf	0745	\$10,801.00
defrost, power quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14		
• • • • • • • • • • • • • • • • • • • •	0765	\$13,081.00
(see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, two speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED		
- Creeper Mode- Boom and bucket speed settings- Selectable propel		
GINE		
Description	Code	Price
Engine - Turbocharged	1301	\$1,304.00
4 Cylinder Turbo-Charged 65 Gross hp (48.5 kW)		
TOR'S MANUAL AND DECALS		
Description	Code	Price
	1501	No Added Cost
For use with FT4 Engine.		
English Operator's Manual and No Text Decals	1503	No Added Cost
	Includes foot controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, and single speed transmission. EH, Open ROPS, Manual QT, SL, 2spd, Att Perf Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux). EH, Cab/Heat/AC, Power QT, SL, 2spd, Att Perf Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux). EH Joystick Perf, Cab/Heat/AC, Power QT, SL & RC, 2spd, Att Perf, LED lights Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, two speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting. EH (ISO - H pattern) joystick controls with performance package includes: - Creeper Mode Boom and bucket speed settings - Selectable propel - Switchable accelerator/decelerator GINE Description Engine - Turbocharged Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV86CT 2.1L 4 Cylinder Turbo-Charged 65 Gross hy (48.5 kW) 61 Net hy (45.6 kW) TOR'S MANUAL AND DECALS Description English Operator's Manual and Decals	Includes foot controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, and single speed transmission. EH, Open ROPS, Manual QT, SL, 2spd, Att Perf O740 Includes EH (ISO) joystick controls, canopy - ROPS/FOPS, manual quiktatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux). EH, Cab/Heat/AC, Power QT, SL, 2spd, Att Perf O745 Includes EH (ISO) joystick controls, cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up, two speed transmission, and EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux). EH Joystick Perf, Cab/Heat/AC, Power QT, SL & RC, 2spd, Att Perf, LED lights Includes EH (ISO - H pattern) joystick controls with performance package (see below), cab with air conditioning/heat and defrost, power quik-tatch, standard hydraulics and self level-up with ride control, two speed transmission, EH attachment performance package (includes the 3/14 pin attachment control and connect under pressure aux), and deluxe LED lighting. EH (ISO - H pattern) joystick controls with performance package includes: - Creeper Mode - Boom and bucket speed settings - Selectable propel - Switchable accelerator/decelerator GINE Description Engine - Turbocharged Option for the United States, Canada, or regions that use ultra low sulfur fuels. This engine is certified to FT4 EPA emission standards. Yanmar 4TNV86CT 2.1L 4 Cylinder Turbo-Charged 65 Gross hp (48.5 kW) 61 Net hp (48.6 kW) TOR'S MANUAL AND DECALS Description English Operator's Manual and Decals For use with FT4 Engine.

	French Operator's Manual and Decals	1510	No Added Cost
	For use with FT4 Engine.		
-	French Operator's Manual and No Text Decals	1512	No Added Cost
	Not for Canada. For use with IT4/Stage IIIB Engine.		
	Spanish Operator's Manual and Decals	1515	No Added Cost
	For use with FT4 Engine.		
7	Spanish Operator's Manual and No Text Decals	1516	No Added Cost
	Not for Canada. For use with IT4/Stage IIIB Engine.		
	Russian Operator's Manual and Decals	1525	No Added Cost
	JDLINK		
	Description	Code	Price
	JDLink Ultimate Cellular - 5 Years	170C	\$1,777.00
	Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG). JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
	Less JDLink	1741	No Added Cost
	WHEELS AND TIRES		
	Description	Code	Price
	10x16.5 10 PR Galaxy "Beefy Baby III" HD	2040	No Added Cost
	For use primarily in medium duty applications. Provides 63 in. machine width.		
	10x16.5 10 PR Galaxy "Beefy Baby III" HD	2041	\$150.00
	For use primarily in medium duty applications. Provides 60 in. machine width.		
	10x16.5 NHS, CAMSO SKS	2285	(\$505.00)
	For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.		

	10x16.5 Brawler Treaded SolidFlex	2400	\$1,774.00
	For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.		
	10x16.5 10 PR Galaxy Hulk	2430	\$205.00
	For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.		
¥	SEAT		
	Description Seat (Vinyl)	Code 6000	Price (\$410.00)
	Mechanical Suspension Seat (Vinyl)	6001	No Added Cost
	Vinyl, Air-Ride Seat	6003	\$462.00
-	Air Suspension Seat (Cloth with Heat)	6006	\$639.00
	Cloth seat only available with cab machines.		
v	SEAT BELT		
	Description	Code	Price
	2-Inch Seat Belt	4000	No Added Cost
-	2-Inch Seat Belt with Shoulder Harness	4001	\$217.00
	Shoulder harness required with a cab package.		
	3-Inch Seat Belt with Shoulder Harness	4003	\$271.00
	Shoulder harness required with a cab package.		
Opt	ional - Select as desired		
$\overline{}$	COLD START PACKAGES		
	Description	Code	Price
	Cold Start Package	8050	\$310.00
	Includes Heavy Duty 925cca Battery and Block Heater. (110 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		
	Cold Start Package	8051	\$310.00
	Includes Heavy Duty 925cca Battery and Block Heater. (220 volt) Includes Hydrau XR Cold Start Oil for Hydraulics.		
٧	EXPORT CODES		
	Description	Code	Price
	Australian Compliance Certificate and Hearing Protection Caution Label	9280	No Added Cost
¥	REAR CAMERA		

	Description Rear View Camera	Code 8042	Price \$869.00
_	Includes 5" LCD monitor.		
Y	RADIO		
	Description Radio, AM/FM/WB with Aux Input	Code 8340	Price \$552.00
	Radio, AM/FM with Bluetooth	8342	\$614.00
	Bluetooth connection is for streaming only - does not allow for hands-free calling.		
v	KEYLESS START		
	Description	Code	Price
	Keyless Start (Sealed Switch Module)	8395	\$408.00
	Includes programmable machine security code system.		
V	BUCKETS		
	Description	Code	Price
	60 in. Dirt Bucket (14.3 cu. Ft)	9020	\$929.00
	60 in. Dirt Bucket (14.3 cu. Ft) with Edge	9021	\$1,133.00
	60 in. Grading Heel Bucket (14.3 cu. Ft)	9025	\$977.00
	60 in. Grading Heel Bucket (14.3 cu. Ft) with Teeth	9027	\$1,171.00
	66 in. Grading Heel Bucket (15.4 cu. Ft)	9028	\$1,108.00
	66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	9030	\$1,336.00
	66 in. Construction Bucket (16.2 cu. ft.)	9031	\$1,139.00
	66 in. Construction Bucket (16.2 cu. ft.) with Edge	9032	\$1,162.00
	66 in. Dirt Bucket (14.5 cu. ft.)	9033	\$993.00
	66 in. Dirt Bucket (14.5 cu. ft.) with Edge	9034	\$1,236.00
	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	9035	\$1,197.00
	66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	9036	\$1,337.00
	60 in. Dirt Bucket (14.3 cu. ft) with Teeth	9190	\$1,211.00
	66 in. Tooth Bucket (16.2 cu. ft.)	9200	\$1,256.00
-	66 in. Utility Bucket (20.6 cu. ft.)	9310	\$1,101.00
	66 in. Utility Bucket (20.6 cu. ft.) with Edge	9311	\$1,288.00

COUNTERWEIGHT

Description	Code	Price
Counterweight, (Single Set)	8300	\$383.00
Decided 400 additional and of ortal according		
Provides 100 additional pounds of rated operating capacity.		
Counterweight, (Double Set)	8305	\$765.00
Provides 200 additional pounds of rated operating capacity.		

MISCELLANEOUS

Description	Code	Price
Connect Under Pressure (CUP)	8410	\$351.00
Replaces standard auxiliary hydraulic couplers.		

RUST PROTECTION

Description	Code	Price
Rust Preventative	9909	\$163.00

Coating protects exposed unpainted surfaces from road salt during shipment.

Applied at PSL.

Not for use with export shipments as export pricing includes rust prevention.

ATTACHMENTS FOR FIELD CONVERSION

Description Buckets	Code	Price
60 in. Dirt Bucket (14.3 cu. ft.)	AT331803	\$938.00
60 in. Dirt Bucket (14.3 cu. ft.) with Edge	AT333697	\$1,163.00
60 in. Dirt Bucket (14.3 cu. ft.) with Teeth	AT336694	\$1,241.00
60 in. Grading Heel Bucket (14.0 cu. ft.)	AT419835	\$987.00
60 in. Grading Heel Bucket (14.0 cu. ft.) with Teeth	AT441038	\$1,183.00
66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	BYT10855	\$1,350.00
66 in. Construction Bucket (16.2 cu. ft.)	KV11630	\$1,150.00
66 in. Construction Bucket (16.2 cu. ft.) with Edge	KV24751	\$1,174.00
66 in. Dirt Bucket (14.5 cu. ft.)	AT354876	\$1,003.00
66 in. Dirt Bucket (14.5 cu. ft.) with Edge	AT354874	\$1,248.00
66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	AT354880	\$1,209.00
66 in. Foundry Bucket (14.6 cu. ft.)	KV11636	\$1,026.00

66 in. Grading Heel Bucket (15.4 cu. ft.)	AT440989	\$1,119.00
66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	AT441048	\$1,349.00
66 in. Tooth Bucket (16.2 cu. ft.)	KV12311	\$1,269.00
66 in. Utility Bucket (20.6 cu. ft.)	KV22801	\$1,112.00
66 in. Utility Bucket (20.6 cu. ft.) with Edge	KV24755	\$1,301.00
Kits & Accessories		
12 Volt Demonstration Kit	KV21995	\$323.00
3-pin connector		
2-inch Seat Belt with Shoulder Harness for Standard Seat	AT417007	\$323.00
3-inch Seat Belt with Shoulder Harness for Standard Seat	AT417008	\$491.00
60 in. Bolt-on Cutting Edge, Serrated	T394965	View Price
66 in. Bolt-on Serrated Cutting Edge	T394966	View Price
Attachment Control Field Kit - Radial Machines - Manual	BYT10807	\$706.00
3 & 14 pin attachment control connector. For machines equipped with Connect Under Pressure (CUP) code 8410. If machine does not have CUP installed, order kit BYT11068. Only compatible with machines serial number 366357 and higher.		
Block Heater 110V Field Kit	BYT11199	\$115.00
Only compatible with machines serial number 366357 and higher.		
Block Heater 220V Field Kit	BYT11200	\$115.00
Only compatible with machines serial number 366357 and higher.		
Bobcat Attachment Harness Adapter Kit	BYT10661	\$355.00
Must have the 14 pin attachment connector already installed.		
Boom Mounted Hose Guide Kit	BYT10477	\$108.00
Boom Mounted Hose Guide Kit		
Boom Mounted Mirrors	BYT10168	\$78.00
	BYT10168 BYT11068	\$78.00 \$354.00
Boom Mounted Mirrors		·
Boom Mounted Mirrors Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers.		\$354.00
Boom Mounted Mirrors Connect Under Pressure, CUP Replaces standard auxiliary hydraulic couplers. Only compatible with machines serial number 366357 and higher.	BYT11068	·

Factory Code 8395 or kit BYT11419 Keyless Start (Sealed Switch Module) is required prior to installing EH performance package. Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed

Grounds Equipment - Bid #ESCNJ 18/19-25

settings Enables the following features: Switchable control patterns between ISO and H Selectable propel aggressiveness Creeper Mode Boom and Bucket speed settings		
Engine Air Pre-cleaner Kit	BYT11415	\$471.00
Compatible with 316G, 317G, and 318G. Only compatible with machines serial number 366357 and higher.		
Fire Extinguisher Mounting Bracket Kit	BYT11438	\$52.00
Only compatible with machines serial number 366357 and higher.		
Fluid Sampling Field Kit	AT464541	\$88.00
Glass Cab Door Field Kit	BYT12233	\$729.00
Provides a glass front cab door assembly including hardware, hinges, decals, and wiper motor for machines previously configured with an open ROPS		
Hazard Warning Lights	AT446202	\$131.00
JDLink Field Kit	BYT11282	\$51.00
Hardware for mounting JDLink MTG terminal (does not include MTG). Only compatible with machines serial number 366357 and higher.		
Keyless Start - Sealed Switch Module (SSM)	BYT11419	\$185.00
Includes programmable machine security code system. Only compatible with machines serial number 366357 and higher.		
Polycarbonate Cab Door Field Kit	BYT11494	\$3,169.00
Only compatible with machines serial number 366357 and higher.		
Radio AM/FM Bluetooth Field Kit	BYT11297	\$525.00
Bluetooth connection is for streaming only. Does not allow for hands-free calling.		
Only compatible with machines serial number 366357 and higher.		
Radio Field Kit	BYT10069	\$525.00
Rear Counterweight Kit, Stackable - Single Set	BYT10533	\$387.00
Provides 100 lbs. of rated operating capacity.		
Rear View Camera Field Kit	BYT11287	\$876.00
Includes 5" LCD Monitor. Only compatible with machines serial number 366357 and higher.		
SMV Sign	KV26958	\$80.00
Single Point Lift System	BYT10800	\$1,377.00

Vinyl Cab Enclosure	AT459416	\$368.00
Vinyl Cab Enclosure Kit	BYT11443	\$927.00
Warning Beacon	AT446201	\$222.00
Tooth Bars		
66 in. Tooth Bar - 7 Teeth	KV12294	\$490.00
66 in. Tooth Bar for BOCE - 6 Teeth	AT347126	\$735.00
Wheels & Tires, Single (Right H& Only)		
10x16.5 10 PR Galaxy "Beefy Baby III" HD	AT466913	\$408.00
10x16.5 10PR Galaxy Hulk, Right	AT446724	\$511.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |