John Deere -2022 Price List 324G SKID STEER

01-Mar-2022



Code Description QTY List Price (USD)

00C2T 324G SKID STEER 1 \$57,618.00

324G SKID STEER

Equipment for Base Machine

Engine:

4 Cylinder Turbo-Charged Electronic Injection System

Auto Idle Glow Plugs

Automatic Engine Shutdown with Alarm

V-Plenum Engine and Hydraulic cooling package

Hydraulic Cool-on-Demand Variable Speed Fan

Dual Element Air Cleaner Auto Fan Belt Tensioner

John Deere "Cool Gard II" Extended Life Anti-Freeze

John Deere Plus 50 10w30 engine oil 5 Micron fuel filter with Water Separator 100 Micron secondary fuel filter

21 Gallon (79 L) Fuel Tank

Final Drive System and Brakes:

2-speed transmission

Servo Axial Piston Hydrostatic Pumps

Radial Piston Hydrostatic Motors

Four Wheel Drive

Four 80 HD heavy duty chain, continuous loop

Spring applied, hydraulically released wet-disk park brake

Gauges and Instruments:

Keyless Start Sealed Switch Module

Fuel Gauge

Engine Coolant Temperature

Operator Selectable LCD Digital Readout:

Hourmeter

Engine RPM

Battery Voltage

Engine Coolant Temp.

Hydraulic Oil Temp.

Job Clock

Service Codes

Diagnostic Codes

Configuration Codes

Indicator Warning Lights:

Battery Not Charging

Hydraulics Locked Out

Park Brake Illumination

Hydraulic Oil Over Temp

2-Speed Option Engaged

Air Filter Restriction

Hydraulic Oil Filter

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

Restriction
Lap Bar Switch
Seat Switch
Door Open Switch
Engine Preheat
Low Engine Oil Pressure
Automatic Engine Preheat

Electrical:

12-Volt Electrical Battery 750 cca w/150 minute reserve capacity Alternator 70 Amp Halogen Work Lights, 2 Front and 1 Rear Programmable courtesy lighting shutoff system

Hydraulics:

3-Spool Open Center Valve
System Pressure 3450 psi
5 Micron Hydraulic Filter
John Deere Boom & Bucket Cylinders w/Cushioned Boom
Connect-under-pressure auxiliary hydraulic couplers
Loader Arm, Bucket, & Auxiliary Hydraulic Lockout system
Auxiliary Hydraulics Lock-out Override
Boom Float

Performance Characteristics:

Gross Horsepower 74 Hp (54.8 Kw)

Rated Operating Capacity 2,690 lbs. (1,221 kg)

Tipping Load 5,380 lbs. (2,443 kg)

Hydraulic Pump Flow 21 gpm (79 L/m)

Travel Speed-Low 6.9 mph (11.1 km/h)

Construction Bucket Breakout Force 6,000 lbs. (2,724 kg)

Boom Breakout Force 5,500 lbs. (2,497 kg)

Width without Attachment 70.1 in. (1.78 m)

Length without Attachment 112 in. 2.85 m)

Height to Top of ROPS 79.4 in. (2.02 m)

Height to Hinge Pin 125.5 in. (3.19 m)

Machine Operating Weight 7,500 lbs. (3,405 kg)

Operator Protection/Comfort:

FOPS / ROPS Roll-Guard with Side Screens

In-Cab Boom Lockout System

Adjustable Interlocking Operator Presence Lap Bar System

Retractable Seat Belt

Rearview mirror

Back-up Alarm

Horn

Deluxe Headliner

12V power port

Cell Phone cargo net storage

Interior Dome Lighting

Cup Holder

Itrigal Grab Handles for Easy Entry / Exit

Top and Rear Windows

Water Shedding Deluxe Seating

Convenient Tie Downs

Includes set of 2 stackable 86 lb (39 Kg) counterweights

COOffour Dee	ere -2022/Rüce Histill	NJ State Approved Co-op #65MCESCCPS	Grounds Equipment - Bid #ESU	M) HB/(19-45) 2D)
	Attachment Coupler: John Deere patented Quik-Tatch Warranty: John Deere 2 years/2000 hours	n system (no grease required)		
00C2T	324G SKID STEER		1	\$57,618.00
	PACKAGES			
	Packages		Basic Factory Opt	ions - Required
0722	Open ROPS, Manual QT, SL, 2Sp Includes canopy - ROPS/FOPS, man	d ual quik-tatch, standard hydraulics with self level-up, a	and two speed transmission.	No Added Cost
0750	Cab/Heat/AC, Power QT, SL, 2Sp Includes cab with air conditioning/h transmission.	od neat and defrost, power quik-tatch, standard hydraulic	s with self level-up, and two speed	\$5,314.00
0755	Includes cab with air conditioning/h	v, SL & RC, 2Spd, LED Lights, Rev Fan neat and defrost, power quik-tatch, high flow hydraulic luxe LED lighting, and reversing fan drive.	cs with self level-up and ride	\$9,644.00
0770	Radio Includes cab with air conditioning/h	v, SL & RC, 2Spd, LED Lights, Rev Fan, Chrome, He neat and defrost, power quik-tatch, high flow hydraulic fluxe LED lighting, reversing fan drive, chrome stack, he	cs with self level-up and ride	\$10,593.00
	ENGINE			
	Engine		Basic Factory Opt	ions - Required
1301	Engine - Turbocharged Required for the United States. No FT4 EPA emission standards. Yamnar 4TNV98CT 3.3L 4 Cylinder Turbo-Charged	t available for export to markets without ultra-low sulf	ur fuel. This engine is certified to	\$2,665.00

74 Gross hp (54.8 kW)

70 Net hp (52.5 kW)

Cold Start Packages

Field Installed Attachments - Optional

8050 Cold Start Package \$310.00

Includes Heavy Duty 925cca Battery and Block Heater. (110 volt)

	•	
Includes Hydra	au XR Cold Start Oil for Hydraulics.	
	Air Pre-Cleaner	Field Installed Attachments - Optional
8060	Engine Air Precleaner	\$465.00
	DESTINATION AND LANGUAGE	
	Operator's Manual and Decals	Basic Factory Options - Required
1501	English Operator's Manual and Decals For use with FT4 Engine.	No Added Cost
1510	French Operator's Manual and Decals For use with FT4 Engine.	No Added Cost
1515	Spanish Operator's Manual and Decals For use with FT4 Engine.	No Added Cost
	JOHN DEERE WORKSIGHT™	
	JDLink	Basic Factory Options - Required
1741	Less JDLink	No Added Cost
170K	JDLink™ Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG). JDLink connectivity is enabled separately through the JDLink website. Connectivity service is	\$1,777.00
	WHEELS AND TIRES	
	Wheels and Tires	Basic Factory Options - Required

Codenn Deere -2022 Rrice List

2040	10x16.5 10 PR Galaxy "Beefy Baby III" HD	\$182.00
	For use primarily in medium duty applications. Provides 63 in. machine width.	
2070	12x16.5 10 PR Titan HD2000-II	\$503.00
	Provides 70 in. machine width.	
2285	10x16.5 NHS, CAMSO SKS	(\$323.00)
	For use primarily in lighter duty dirt applications. Provides 63.3 in. machine width.	
2315	12 X 16.5 NHS, CAMSO SKS	No Added Cost
	Provides 69.5 in. machine width.	
2400	10x16.5 Brawler Treaded SolidFlex	\$1,956.00
	For use primarily in severe duty applications. Provides 67.25 in. machine width. Not compatible with steel tracks.	
2410	12x16.5 Brawler Treaded SolidFlex	\$2,656.00
	Provides 69 in. machine width. Not compatible with steel tracks.	
2430	10x16.5 10 PR Galaxy Hulk	\$387.00
	For use primarily in medium duty/hard surface applications. Provides 63 in. machine width.	
2440	12x16.5 12 PR Galaxy Hulk	\$826.00
	Provides 69 in. machine width.	
	OPERATOR'S STATION AND CONTROLS	
	Controls	Basic Factory Options - Required
0950	E-H (ISO Pattern) Joystick Controls	No Added Cost
0953	ISO-H Switchable Controls and EH Joystick Performance Package	\$1,058.00
	Includes Switchable Controls between ISO Joystick Control or H-Pattern Joystick control mo	odes.

mode.

EH Joystick Performance Package Features: Selectable propel speeds Creeper Mode Boom and Bucket speed settings 12V 3 Pin and 14 Pin Attachment Control Harness

	Seat	Basic Factory Options - Required
6001	Mechanical Suspension Seat (Vinyl)	No Added Cost
6003	Vinyl, Air-Ride Seat	\$462.00
6006	Air Suspension Seat (Cloth with Heat) Cloth seat only available with cab machines.	\$639.00
	Seat Belt	Basic Factory Options - Required
4000	2-Inch Seat Belt	No Added Cost
4001	2-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	\$217.00
4003	3-Inch Seat Belt with Shoulder Harness Shoulder harness required with a cab package.	\$271.00
	Radio	Field Installed Attachments - Optional
8342	Radio, AM/FM with Bluetooth Bluetooth connection is for streaming only - does not allow for hands-free calling.	\$614.00
	Floor Mat	Field Installed Attachments - Optional

8380	Footrest with Floormat	\$147.00
	BUCKETS	
	Buckets	Field Installed Attachments - Optional
9028	66 in. Grading Heel Bucket (15.4 cu. Ft)	\$1,514.00
9030	66 in. Grading Heel Bucket (15.4 cu. Ft) with Teeth	\$1,763.00
9031	66 in. Construction Bucket (16.2 cu. ft.)	\$1,600.00
9032	66 in. Construction Bucket (16.2 cu. ft.) with Edge	\$1,680.00
9033	66 in. Dirt Bucket (14.5 cu. ft.)	\$1,338.00
9034	66 in. Dirt Bucket (14.5 cu. ft.) with Edge	\$1,605.00
9035	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	\$1,507.00
9036	66 in. Construction Bucket (16.2 cu. ft.) with Serrated Edge	\$1,749.00
9200	66 in. Tooth Bucket (16.2 cu. ft.)	\$1,662.00
9310	66 in. Utility Bucket (20.6 cu. ft.)	\$1,190.00

9311	66 in. Utility Bucket (20.6 cu. ft.) with Edge	\$1,737.00
9040	72 in. Construction Bucket (17.8 cu. ft.)	\$1,665.00
9041	72 in. Construction Bucket (17.8 cu. ft.) with Edge	\$1,915.00
9125	72 in. Grading Heel Bucket (16.8 cu. ft.)	\$2,132.00
9127	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	\$2,238.00
9210	72 in. Tooth Bucket (17.8 cu. ft.)	\$1,857.00
9320	72 in. Utility Bucket (22.6 cu. ft.)	\$1,692.00
9321	72 in. Utility Bucket (22.6 cu. ft.) with Edge	\$1,920.00
9322	72 in. Construction Bucket (17.8 cu. ft.) with Serrated Edge	\$2,102.00
9051	78 in. HD Construction Bucket (19.4 cu. ft.)	\$1,839.00
9052	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	\$2,069.00
9221	78 in. HD Tooth Bucket (19.4 cu. ft.)	\$2,031.00
9325	78 in. HD Grading Heel Bucket (18.2 cu. ft.)	\$2,019.00

9327	78 in. HD Grading Heel Bucket (18.2 cu. ft.) with Teeth	\$2,381.00
9330	78 in. HD Utility Bucket (24.5 cu. ft.)	\$1,760.00
9331	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	\$1,993.00
9332	78 in. HD Construction Bucket (19.4 cu. ft.) with Serrated Edge	\$2,266.00
	Buckets	Field Installed Attachments - Optional
BYT10855	66 IN. CONSTRUCTION BUCKET (16.2 CU. FT.) WITH SERRATED EDGE	\$1,749.00
BYT10086	72 in. Grading Heel Bucket (16.8 cu. ft.)	\$2,132.00
BYT10151	72 in. Grading Heel Bucket (16.8 cu. ft.) with Teeth	\$2,238.00
BYT10854	72 IN. CONSTRUCTION BUCKET (17.8 CU. FT.) WITH SERRATED EDGE	\$2,102.00
BYT10191	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.)	\$2,019.00
AT441048	66 in. Grading Heel Bucket (15.4 cu. ft.) with Teeth	\$1,763.00
BYT10328	78 IN. HD GRADING HEEL BUCKET (18.2 cu. Ft.) WITH TEETH	\$2,381.00
AT440989	66 in. Grading Heel Bucket (15.4 cu. ft.)	\$1,514.00

BYT10853	78 IN. HD CONSTRUCTION BUCKET (19.4 CU. FT.) WITH SERRATED EDGE	\$2,266.00
AT354876	66 in. Dirt Bucket (14.5 cu. ft.)	\$1,338.00
KV24756	72 in. Utility Bucket (22.6 cu. ft.) with Edge	\$1,920.00
AT322309	72 in. Construction Bucket (17.8 cu. ft.) with Edge	\$1,915.00
AT321177	72 in. Tooth Bucket (17.8 cu. ft.)	\$1,857.00
KV24757	78 in. HD Utility Bucket (24.5 cu. ft.) with Edge	\$1,993.00
AT321180	78 in. HD Tooth Bucket (19.4 cu. ft.)	\$2,031.00
AT322310	78 in. HD Construction Bucket (19.4 cu. ft.) with Edge	\$2,069.00
AT354874	66 in. Dirt Bucket (14.5 cu. ft.) with Edge	\$1,605.00
KV22802	78 in. HD Utility Bucket (24.5 cu. ft.)	\$1,760.00
AT354880	66 in. Dirt Bucket (14.5 cu. ft.) with Teeth	\$1,507.00
KV11636	66 in. Foundry Bucket (14.6 cu. ft.)	\$1,399.00
KV22801	66 in. Utility Bucket (20.6 cu. ft.)	\$1,190.00

AT319177	72 in. Construction Bucket (17.8 cu. ft.)	\$1,665.00
KV24751	66 in. Construction Bucket (16.2 cu. ft.) with Edge	\$1,680.00
AT319180	78 in. HD Construction Bucket (19.4 cu. ft.)	\$1,839.00
KV11637	72 in. Foundry Bucket (16.0 cu. ft.)	\$1,502.00
KV12311	66 in. Tooth Bucket (16.2 cu. ft.)	\$1,662.00
KV11630	66 in. Construction Bucket (16.2 cu. ft.)	\$1,600.00
KV24755	66 in. Utility Bucket (20.6 cu. ft.) with Edge	\$1,737.00
KV21474	72 in. Utility Bucket (22.6 cu. ft.)	\$1,692.00
	Tooth Bars	Field Installed Attachments - Optional
AT347126	66 in. Tooth Bar for BOCE - 6 Teeth	\$786.00
KV12294	66 in. Tooth Bar - 7 Teeth	\$524.00
KV11598	72 in. Tooth Bar - 7 Teeth	\$562.00
AT347128	72 in. Tooth Bar for BOCE - 8 Teeth	\$808.00

	WEIGHTS AND BALLASTING	
	Counterweight	Field Installed Attachments - Optional
8305	Counterweight, (Double Set)	\$383.00
	Includes 2 stackable 86 lb weights (39 Kg) to add to the set included in base.	
8310	Counterweight, (Triple Set) Includes 4 stackable 86 lb weights (39 Kg) to add to the set included in base.	\$765.00
	MISCELLANEOUS	
	Miscellaneous	Field Installed Attachments - Optional
8370	HD Rear Grille Provides protection to cooling package.	\$497.00
8525	Cab Severe Duty Polycarbonate Door	\$2,248.00
8530	Power Quik-Tatch for Canopy Units	\$740.00
	G.R.Mfg.	Field Installed Attachments - Optional
	G.R. Manufacturing, Inc. * Kits listed below must be ordered through John Deere installation instructions * All warranty, repair parts, technical support and assista responsibility of G.R. Manufacturing, Inc., and will be handled directly between th G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005	nce, and sales support and assistance will be the
BYT10946	Light Guard Kit	\$342.00
BYT10945	Bottom Covers & Reinforcement Plates	\$440.00
BYT10947	Bucket Cylinder Rod Guard	\$546.00

BYT10943	Bumper, Rear w/o Deflectors	\$1,440.00
BYT10948	Lift Cylinder Hose Guards	\$424.00
AT372950	Toe Guard and Door Upgrade Kit Required to meet ISO 8084 Forestry Applications	\$720.00
BYT10263	Guard, Cab Roof Debris Requires Level II FOPS Plate AT445276	\$142.00
AT445276	Level II FOPS Plate Required to meet ISO 8083 Level 2 Forestry Applications For use on D, E and G Series.	\$884.00
	Kits & Accessories	Field Installed Attachments - Optional
BYT10679	HD Rear Grille Provides protection to cooling package.	\$611.00
BYT10227	Standard Door	\$1,062.00
BYT10682	Engine Air Pre-Cleaner Kit Compatible with 320G, 324G, & 325G machines with Turbocharged engine code 1301.	\$471.00
BYT10313	Backhoe Attachment Mounting Kit	\$291.00
		¢10F 00
BYT11292	SSM - Use with Manual Controls	\$185.00

BYT10647	Attachment Control	\$706.00
	3 & 14 pin attachment connector	
BYT10661	Bobcat Attachment Harness Adapter Kit	\$355.00
	Must have the 14 pin attachment connector already installed.	
BYT10641	Fluid Sampling Field Kit	\$134.00
BYT10648	Deluxe Light Package	\$927.00
	Includes 2 additional side lights and LED light bulbs for all exterior machine lights.	
BYT10226	Severe Duty Door	\$3,169.00
	BYT10085 Canopy Severe Duty Hardware Kit is required when installing on a canopy machine.	
BYT10650	SSM - Use with EH Controls	\$185.00
BYT10843	Single Point Support Kit	\$2,623.00
BYT10048	Beacon Warning Light	\$329.00
	Magnetic Base	
BYT10042	Radio, AM/FM with Aux Input and Bluetooth	\$593.00
	Streaming Bluetooth, no Hands-Free.	
BYT10356	Field Kit, Reversing Fan	\$860.00
BYT10168	Boom Mounted Mirrors	\$78.00
BYT10062	Radio Field Kit	\$525.00
BYT10085	Canopy Severe Duty Door Hardware Kit	\$175.00

BYT10454	EH Joystick Performance Package	\$611.00
AT348835	Counterweight, Stackable (Single Set) Includes 2 - 86 lb weights (39 Kg)	\$367.00
AT374642	Foot Throttle Removal Kit	\$54.00
KV21995	12 Volt Demonstration Kit 3-pin connector	\$323.00
AT436025	Boom Mounted Hose Guide Kit [E-series] [G-series: 320G - 333G]	\$102.00
AT419446	Joystick Pod Mounted Throttle	\$157.00
AT428072	Hydraulic Quick Coupler Adapter Kit Adapts Highflow Machine Aux Couplers to Operate Low Flow Attachment.	\$335.00
AT431921	Hazard Warning Lights	\$131.00
AT427686	Block Heater Kit	\$115.00
BYT12524	Ride Control Field Kit Field kit for units with self level less ride control	\$356.00
AT433683	High Spring Effort Joysticks Only compatible on 250K baud rate machines. Serial number ending in 391835 and lower.	\$789.00
	RUST PROTECTION	
	Rust Protection	Field Installed Attachments - Optional

Grounds Equipment - Bid #ESCNU 18/19-25 SD)

9909 Rust Preventative \$163.00

Coating protects exposed unpainted surfaces from road salt during shipment. Applied at PSL.

Not for use with export shipments as export pricing includes rust prevention.

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.