



Current Date 06Jan2021

350G LC FT4 EXCAVATOR

HYDRAULICS:

Open Center, Load Sensing with Variable Displacement

Pumps

Hydraulic Pilot Controls Axial Piston Swing Motor Multiple Wet Disk Swing

Brake

Auxiliary Valve Section Adjustable Flow for Attachments Through

Monitor

Boom and Arm Reduced Drift Centralized Lubrication

Valves

Auto Power Lift

Hydraulic Tank Site Gauge 5,000 Hour Hydraulic Oil

Change Interval

Hydraulic Oil Sampling Valve

Inline DEF Filter **UNDERCARRIAGE:** 32 In. (800 mm) Triple

Grouser Shoes

Two Speed Propel with Auto-

Shift

Axial Piston Propel Motors

Propel Motor Shields Planetary Final Drives Sealed Track Chain

Three Track Guides Provisions for Tie Downs

X-Frame Car Body

Hydraulic Track Adjuster **Eight Lower Rollers**

Two Upper Rollers Spring Applied Hydraulic

Released Propel Brake **UPPER STRUCTURE:**

Right, Left and

Counterweight Mirrors

Toolbox

Vandal Locks for:

Cab Door Service Doors Tool Box

Counterweight, 15,274 lbs.

(6,928 kg)

Debris Screening Side Panel Remote Mounted Engine Oil and Fuel Filters

Handrails

FRONT ATTACHMENT:

Oil Impregnated Bushings Reinforced Resin Thrust

Plates

Tungsten Carbide Thermal Coating on arm to Bucket

Joint

System

Dirt Seals on Bucket Pins

Less Boom Less Arm Less Bucket

OPERATOR'S STATION: Adjustable Control Positions (Levers to Seat, Seat to

Pedals)

4" Arm Rests Attached to

Side Consoles

Pilot Control Shut-Off Lever Short Stroke, Low Effort Pilot Rear View camera

Levers

Switches for Auxiliary

Hydraulic Control on RH Pilot

Lever

Deluxe Adjustable Cloth Seat with Suspension, Reclining

Backrest,

Headrest, and Adjustable

Lumbar Support

Multifunction, Color LCD Monitor System with: Diagnostic Capability

Systems Monitoring Capability

Multiple Language Capability

Maintenance Tracking Engine Coolant Temperature

Gauge

Engine Coolant Temperature Warning Indicator with

Audible Alarm

Fuel Gauge with Low Fuel

Indicator

Diesel Exhaust Fluid Gauge Work Mode Indicator

Auto Idle Indicator

Alternator Charge Indicator

Air Filter Restriction

Indicator

Fault Code Alert Indicator Check Engine Indicator Wiper Mode Indicator Work Lights On Indicator

Fuel Rate Display

Clock

Hour Meter Mode Selection:

One Work Mode Three Power Modes Numerous Attachment

Modes

Auto-Climate Control/Air

Conditioner, Heater with

Pressurizer AM-FM Radio

Control Pattern Changer

Machine Information Center

(MIC)

Windshield Wiper/Washer with Intermittent Speed 12V-60W, 5 Amp Cell Phone

Power Outlet

2 In. Retractable Seat Belt

Tinted Safety Glass

Hot/Cold Box Compartment

Horn

Two Cup Holders Interior Light Coat Hook Floor Mat

Motion Alarm with Cancel

Switch

Transparent Tinted Roof Hatch with Sunshade Four Fluid-Filled Elastic

Mounts

Work Lights: One Mounted on Frame One Mounted on Boom Engine Oil Pressure Warning Indicator with Audible Alarm

Easy Access Air Conditioning Filter Value Packages Available

Required - You must select one from each category

BASE MACHINE

F.O.B Kernersville, North Carolina for Complete Machine. See DEALER-INSTALLED ATTACHMENT section for additional source notes.

Description	Code	Price
350G LC FT4 EXCAVATOR	0BJ1FF	\$329,023.00

ENGINE

DescriptionCodePriceEngine Stage IV Emissions1095\$36,995.00

John Deere PowerTech PSS 9.0L 271 Net Rated hp (ISO 9249) Series Turbocharged Charge Air Cooler Electronic Engine Control Unit

Auto-Idle System
Cool on Demand Hydraulic Driven Fan

Antifreeze Protection to -34F (-37C)

Enclosed Fan Guard

A/C Condenser and Fuel Cooler

Dual Element Dry-type Air Filter with Restriction Indicator

Full Flow Oil Filter Double Fuel Filter

Water Separator

Underhood Diesel Particulate Filter with Curved Exhaust

Automatic Belt Tension Device

Heavy Duty, Low Maintenance Batteries

80-Amp Alternator - 24 Volt

500 Hour Engine Oil Change Interval

70% (35 degrees) Off Level Capability

Engine Oil Sampling Valve

OPTIONAL PACKAGE

DescriptionCodePricePACKAGE 2 - Configured with Options for Multiple080A(\$686.00)Applications

Package Includes:

- 800MM Triple Grouser Track Shoes (3350)
- 6.4M (21 ft. 0 in.) Boom (6835)
- Air Suspension Heated Seat (4130)
- Auxiliary Hydraulics w/AFL (7490/7495)
- Engine Block Heater (9015)
- Ether Start Aid (9030)
- Chrome Exhaust (9700)
- Automatice Reversing Cooling Fan (9115)
- Severe Duty Fuel Filters (9060)
- LED Light Package (9150)
- JDLink Ultimate Cellular 5 Years (170C)

Also choose from codes below:

- Arm 3.2M (10 ft 6 in) or 4.0M (13 ft. 1 in.) (7222, 7267)
- Grade Guidance / Grade Ready Options (7901, 7920, 7930, 7950, 7951, 7953, 7954)
- Buckets (8001, 8340, 8350, 8353, 8354)

PACKAGE 1 - Configured with Minimal Options

080B No Added Cost

Package Includes:

- 800MM Triple Grouser Track Shoes (3350)
- 6.4M (21 ft. 0 in.) Boom (6835)
- Air Suspension Heated Seat (4130)
- Engine Block Heater (9015)
- JDLink Ultimate Cellular 5 Years (170C)

Also choose from codes below:

- Arm 3.2M (10 ft 6 in) or 4.0M (13 ft. 1 in.) (7222, 7267)
- Grade Guidance / Grade Ready Options (7901, 7920, 7930, 7950, 7951, 7953, 7954)
- Buckets (8001, 8340, 8350, 8353, 8354)

STANDARD EXCAVATOR

080Z No Added Cost

Includes Standard Equipment

OPERATOR'S MANUAL AND DECALS

Non-English Operator's Manuals

Translated Customer Delivery Packets can be ordered using the John Deere Technical Information Bookstore at http://www.johndeeretechinfo.com at no charge. The Translated Delivery Packets include the Operator Manual, Decal Kit, Warranty Information Booklet, and Uptime Maintenance Planner. Search for and order the Translated Delivery Packets by model and language that meets your customer requirements. A listing of all Translated Delivery Packets available can be found by selecting Translated Delivery Packets from the Manual Type dropdown list. Technical support is available by calling 1-866-213-3373.

Description	Code	Price
English Customer Delivery Packet	1600	No Added Cost

English Decals and Customer Delivery Packet

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink /ZXLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description Code **Price** 170C No Added Cost

JDLink Ultimate - 5 Year Subscription

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to

restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

W	TRACK SHOES		
	Description	Code	Price
	600 mm (24 In.) Triple Semi-Grouser Shoes	3310	(\$1,952.00)
	Recommended for rocky terrain, hard ground and stumps.		
	700 mm (28 In.) Single-Bar, Heavy-Duty Chain and Shoes	3320	\$9,056.00
	Recommended for use only in mountainous terrain.		
	Triple Semi-Grouser Shoes	3330	(\$1,279.00)
	700 mm (28 ln.) Recommended for general conditions and soft terrain.		
	Triple Semi-Grouser Shoes	3350	No Added Cost
	800 mm (32 ln.) Recommended for extremely soft terrain.		
V	SEAT		
	Description	Code	Price
	Seat, Standard Mechanical	4125	No Added Cost
	Seat, Heated Air-Suspension	4130	\$1,366.00
	Seat, Premium Leather Thermal Heating and Active Cooling	4135	\$2,731.00
	Active heating and cooling Air suspension High seat back 3-way adjustability High visability orange 3 inch seat belt		
V	BOOM		
	Description	Code	Price
	Less Boom	6801	No Added Cost
	Excludes Arm Cylinder, Boom Cylinders and Plumbing on Boom. Includes Pin Connecting Boom to Mainframe and the Two Boom Cylinder Pins. Requires code 7001, "Less Arm". The "Hydraulic Filter Restriction Indicator" in DEALER-INSTALLED		

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

ATTACHMENTS is recommended

One Piece	Boom	with	Arm	Cylinder	and	Plumbing

6835

\$29,127.00

1	GRADE READY/GRADE GUIDANCE		
	Description	Code	Price
	Less Grade Reference Ready Mounts	7901	No Added Cost
	Grade Reference Ready Mounts	7920	\$1,738.00
	3.2M Arm Includes mounting points on link, arm, boom, upperstructure, and counterweight for grade reference sensors. Sensors, manufacturing specific mounts, wiring harness, and monitor provided by OEM suppliers.		
	Grade Reference Ready Mounts	7930	\$1,738.00
	4.0M Arm Includes mounting points on link, arm, boom, upperstructure, and counterweight for grade reference sensors. Sensors, manufacturing specific mounts, wiring harness, and monitor provided by OEM suppliers.		
	Grade Guidance		
	TOPCON 2D Integrated Grade Guidance, Topcon - Less Laser Catcher	7950	\$18,607.00
	2D Grade Guidance system fully integrated into the cab and structures. Intuitive functionality with built-in audible tones and light bars, matched with precise real-time bucket cutting edge position information of relative depth and slope, provide clear guidance to target grade. Consists of sensors, controllers and in-cab display for configuring, monitoring, and measuring grade.		
	TOPCON 2D Integrated Grade Guidance, Topcon - with Laser	7951	\$20,022.00
	2D Grade Guidance system fully integrated into the cab and structures. Intuitive functionality with built-in audible tones and light bars, matched with precise real-time bucket cutting edge position information of relative depth and slope, provide clear guidance to target grade. Consists of laser receiver, sensors, controllers and in-cab display for configuring, monitoring, and measuring grade. Laser receiver enables greater jobsite flexibility utilizing plane for references across larger jobsites. Laser receiver requires offboard laser transmitter for functionality.		
	TOPCON 3D Integrated Grade Guidance, Topcon - 915 Mhz & 450 Mhz Radio - Less Laser Catcher	7953	\$55,444.00
	3D Grade Guidance system fully integrated into the cab and structures. Intuitive functionality with built-in audible tones and light bars, matched with precise real-time bucket cutting edge position information, including relative depth and slope to 3 dimensional design plans. Consists of UHF transmitter/receiver, sensors, and in-cab display for configuring, monitoring, and measuring grade. Includes Topcon 3D-MC² software compatible with Topcon file formats.		
	TOPCON 3D Integrated Grade Guidance, Topcon - 915 Mhz & 450 Mhz Radio -with Laser Catcher	7955	\$56,859.00

Description

3D Grade Guidance system fully integrated into the cab and structures. Intuitive functionality with built-in audible tones and light bars, matched with precise real-time bucket cutting edge position information, including relative depth and slope to 3 dimensional design plans. Consists of UHF transmitter/receiver, laser reciever, sensors, and in-cab display for configuring, monitoring, and measuring grade. Includes Topcon 3D-MC² software compatible with Topcon file formats. Laser receiver enables greater jobsite flexibility utilizing plane for references across larger jobsites. Laser receiver requires offboard laser transmitter for functionality.		
SmartGrade Ready 2D grade control- Less Laser Catcher	7956	\$33,357.00
SmartGrade ready 2D grade control system fully integrated into the cab and structures. Adaptively controls bucket relative to target grade to improve accuracy and efficiency. Includes Virtual alert features (Virtual Ceiling, Virtual Floor, Virtual Swing, Virtual Wall, Virtual Front & Over-Dig Protect). Upgradeable to SmartGrade 3D solution via upgrade kit. Consists of sensors, controllers, valves and in-cab display for configuring, monitoring, and controlling grade. Calibrated at factory using factory bucket.		
SmartGrade Ready 2D grade control - w/ Laser Catcher	7957	\$34,772.00
SmartGrade ready 2D grade control system fully integrated into the cab and structures. Adaptively controls bucket relative to target grade to improve accuracy and efficiency. Includes Virtual alert features (Virtual Ceiling, Virtual Floor, Virtual Swing, Virtual Wall, Virtual Front & Over-Dig Protect). Upgradeable to SmartGrade 3D solution via upgrade kit. Consists of laser receiver, sensors, controllers, valves and in-cab display for configuring, monitoring, and controlling grade. Laser receiver enables greater jobsite flexibility utilizing plane for references across larger jobsites. Laser receiver requires offboard laser transmitter for functionality. Calibrated at factory using factory bucket.		
3D SmartGrade(TM) W/ 915MHz & 450MHz Radio - Less Laser Catcher	7958	\$77,857.00
SmartGrade 3D GNSS grade control system fully integrated into the cab and structures. Adaptively controls bucket relative to grade to improve accuracy and efficiency. Includes Virtual alert features (Virtual Ceiling, Virtual Floor, Virtual Swing, Virtual Wall, Virtual Front & Over-Dig Protect). Consists of sensors, valves, GNSS receivers, UHF receiver, and in-cab display for configuring, monitoring, measuring, and controlling grade. Includes Topcon 3DMC software compatible with Topcon file formats. Calibrated at factory using factory bucket.		
3D SmartGrade(TM) W/ 915MHz & 450MHz Radio - with Laser Catcher	7959	\$79,272.00
SmartGrade 3D GNSS grade control system fully integrated into the cab and structures. Adaptively controls bucket relative to grade to improve accuracy and efficiency. Includes Virtual alert features (Virtual Ceiling, Virtual Floor, Virtual Swing, Virtual Wall, Virtual Front & Over-Dig Protect). Consists of sensors, valves, GNSS receivers, UHF receiver, and in-cab display for configuring, monitoring, measuring, and controlling grade. Includes Topcon 3DMC software compatible with Topcon file formats. Laser receiver enables greater jobsite flexibility utilizing plane for references across larger jobsites. Laser receiver requires offboard laser transmitter for functionality. Calibrated at factory using factory bucket.		
ARM		

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Price

Code

00	10 Caller pprocess GC op (100).10 Caller pprocess GC op (100).	0.0440 _94	,p
	Less Arm, Bucket Cylinder, Bucket Linkage and All Attaching Pins and Hoses	7001	No Added Cost
	Hydraulic Filter Indicator Recommended. Requires code 8001, Less Buckets.		
	Arm with Bucket Cylinder and Linkage	7222	\$21,359.00
	3.2 M (10 ft. 6 in.) Arm		
	Arm with Bucket Cylinder and Linkage	7267	\$22,839.00
	4.0 M (13 ft. 1 in.) Not recommended for impact (hammer) or high density material applications.		
AUX	ILIARY HYDRAULICS		
	Description	Code	Price
	Less Auxiliary Hydraulics	7401	No Added Cost
	Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller	7420	\$10,139.00
	Includes Combination piping for 3.2 M Arm (10 ft. 6 in.)		
	Auxiliary High-Flow Hydraulic w/ 2-Way Foot Controller	7430	\$10,189.00
	Includes Combination piping for 4.0 M Arm		
	Auxiliary High-Flow Hydraulic Lines Only	7450	\$8,108.00
	Includes Combination piping Requires a control circuit such as a foot controller or the standard right- hand control handle with (2) switches. Also order a solenoid kit. for 3.2 M Arm		
	Auxiliary High-Flow Hydraulic Lines w/ AFL (Electronic Proportional Control, Pilot Level Mounted)	7490	\$11,159.00
	Includes Combination piping for 3.2 M Arm		
	Auxiliary High-Flow Hydraulic Lines w/ AFL (Electronic Proportional Control, Pilot Level Mounted)	7495	\$11,209.00
	Includes Combination piping for 4.0 M Arm		
BUC	KETS		
All He	eavy-Duty and Severe-Duty Buckets come standard with TK-Series Fanggs	Гeeth.	
	Description	Code	Price
	Less Bucket	8001	No Added Cost

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

Includes bucket mounting pins.

Oreande Equipir	10111 Bld #200110 10
8340	\$13,063.00
8350	\$13,992.00
8453	\$17,772.00
8454	\$16,336.00
Code	Price
9015	\$248.00
Code	Price
9030	\$347.00
Code	Price
9060	\$175.00
9070	\$631.00
Code	Price
9115	\$1,782.00
9180	\$2,259.00
Code	Price
9700	\$445.00
	8350 8453 8454 Code 9015 Code 9060 9070 Code 9115 9180

Description Special Export Preparation Do not install front for		
shipping	Code 9803	Price No Added Cost
For Export Containerization		
UNDERCARRIAGE		
Description	Code	Price
Track Frame Undercover	9160	\$629.00
LIGHT PACKAGE		
Description	Code	Price
Light Package	9150	\$2,258.00
All exterior machine lights are LED 2 Front Cab lights, 1 Rear Cab light, 1 Toolbox Light, 1 Under Engine Ho Light, 1 Left hand and 1 Right hand Boom Lights	od	
BOOM CYLINDERS		
Description	Code	Price
Boom Cylinders with Plumbing to Main Frame	9010	\$7,697.00
Requires 6801, Less Boom, and Code 7001, Less Arm.		
ATTACHMENTS FOR FIELD CONVERSION		
Description	Code	Price
Buckets, Heavy-Duty		
Buckets, Heavy-Duty 36 In (914 mm), 1.37 yd3 (1.05 M3) Heavy-Duty Bucket	BYT11167	
	BYT11167	
36 In (914 mm), 1.37 yd3 (1.05 M3) Heavy-Duty Bucket	BYT11167	7 \$8,568.00
36 In (914 mm), 1.37 yd3 (1.05 M3) Heavy-Duty Bucket Includes Four (4) John Deere TK-Series Fanggs Teeth (TK450FD) 42 In (1067 mm), 1.66 yd3 (1.27 M3) Heavy-Duty		7 \$8,568.00
36 In (914 mm), 1.37 yd3 (1.05 M3) Heavy-Duty Bucket Includes Four (4) John Deere TK-Series Fanggs Teeth (TK450FD) 42 In (1067 mm), 1.66 yd3 (1.27 M3) Heavy-Duty Bucket		7 \$8,568.00 8 \$9,148.00
36 In (914 mm), 1.37 yd3 (1.05 M3) Heavy-Duty Bucket Includes Four (4) John Deere TK-Series Fanggs Teeth (TK450FD) 42 In (1067 mm), 1.66 yd3 (1.27 M3) Heavy-Duty Bucket Includes Four (4) John Deere TK-Series Fanggs Teeth (TK450FD). 48 In (1219 mm), 1.96 yd3 (1.50 M3) Heavy-Duty	BYT11168	7 \$8,568.00 8 \$9,148.00
36 In (914 mm), 1.37 yd3 (1.05 M3) Heavy-Duty Bucket Includes Four (4) John Deere TK-Series Fanggs Teeth (TK450FD) 42 In (1067 mm), 1.66 yd3 (1.27 M3) Heavy-Duty Bucket Includes Four (4) John Deere TK-Series Fanggs Teeth (TK450FD). 48 In (1219 mm), 1.96 yd3 (1.50 M3) Heavy-Duty Bucket	BYT11168	7 \$8,568.00 8 \$9,148.00 9 \$9,803.00
36 In (914 mm), 1.37 yd3 (1.05 M3) Heavy-Duty Bucket Includes Four (4) John Deere TK-Series Fanggs Teeth (TK450FD) 42 In (1067 mm), 1.66 yd3 (1.27 M3) Heavy-Duty Bucket Includes Four (4) John Deere TK-Series Fanggs Teeth (TK450FD). 48 In (1219 mm), 1.96 yd3 (1.50 M3) Heavy-Duty Bucket Includes Five (5) John Deere TK-Series Fanggs Teeth (TK450FD) 54 In (1372 mm), 2.27 yd3 (1.74 M3) Heavy-Duty	BYT11168	7 \$8,568.00 8 \$9,148.00 9 \$9,803.00

Includes Five (5) John Deere TK-Series Teeth (TK550SD). Also include Side Shrouds and Wear Protectors.		
60 In (1524 mm), 2.57 yd3 (1.96 M3) Heavy-Duty Bucket	BYT11171	\$11,494.00
Includes Six (6) John Deere TK-Series Teeth (TK450)		
Buckets, Side Cutters		
Edge Protector Kit	AT342511	\$624.00
Side-Cutter Kit, 3 inch	AT342512	\$647.00
Side-Cutter Kit, 6 inch	AT342513	\$647.00
<u>G.R.Mfg.</u>		
Auxilary Counterweight, 2000 lbs. Bottom Mount	ETN85108	\$6,635.00
Counterweights are painted yellow		
Auxilary Counterweight, 4300 lbs, Bottom Mount, 22m Arm	ETN85109	\$11,192.00
Counterweights are painted yellow		
Auxiliary Counterweight, 2250 lbs.	BYT11004	\$6,635.00
Front Window Guard, Polycarbonate	ETN210311	\$2,596.00
Guard, Slant Top Rub Rails	AT401261	\$2,163.00
Rear Work Lights Package	AT430784	\$1,284.00
<u>Guards</u>		
Cab FOPS Guard	AT390802	\$3,104.00
FOPS Level II, ISO 10262 Certified		
Hydraulic Couplers		
Hydraulic Quick Coupler (Non-Variable type) - Coupler and Controls Kit	AT452020	\$10,920.00
Includes non-variable hydraulic quick coupler with hydraulic and electrical control components		
Hydraulic Quick Coupler (Variable-type Pin-Grabber) - Coupler Only	BYT11634	\$14,912.00
Coupler kit ONLY. Includes coupler, jumper hoses, and one set of dead		
pins. Controls components NOT included. Also purchase Controls Kit		
BYT11635. Not compatible with hydraulic thumb AT379660, AT379661, AT379662, AT379663.		
Hydraulic Quick Coupler Controls Kit, (Variable-type Pin- Grabber) - Controls Kit Only	BYT11635	\$1,536.00

Controls kit ONLY. Includes hydraulic control components, electrical control components and components to manifold on end of arm. Does not include hydraulic quick coupler - also purchase BYT11634.		
May not be required if replacing existing hydraulic quick coupler.		
Installation Charge for Hydraulic Quick Coupler	AT345608	\$1,401.00
When ordering Hydraulic Quick Coupler (Variable-type Pin-Grabber) must order both Coupler and Controls attachment kits. Installation Charge Order also requires attachment part number, SHIP-TO address for Paladin Custom Works, AND reference related machine order number. The related machine order must reference the attachment order number. Order code available only for Kernersville, North Carolina installations.		
Hydraulic Thumb Kits		
Deere/Hitachi Hydraulic Thumb Installation	AT339844	\$1,987.00
Labor for installation of Deere/Hitachi thumb at Paladin Customworks Kernersville, NC.		
Hydraulic Thumb Kit, Direct	AT379660	\$11,229.00
Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing. Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. Not compatible with couplers.		
Hydraulic Thumb Kit, Direct for Couplers	AT379661	\$11,229.00
Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing. Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. Not compatible with Hydraulic Quick Coupler (Variable-type Pin-Grabber) BYT11634.		
Hydraulic Thumb Kit, Progressive	AT379662	\$12,765.00
Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing. Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. Only available for the following arm lengths: 350/380 4.0M (13'1") Not compatible with couplers.		
Hydraulic Thumb Kit, Progressive for Couplers	AT379663	\$12,765.00
Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth, and tooth spacing. Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. Only available for the following arm lengths: 350/380 4.0M (13'1") Not compatible with Hydraulic Quick Coupler (Variable-type Pin-Grabber) BYT11634.		
<u>Hydraulics</u>		

Anti-Drift Valve with Plumbing and Hardware, Arm Cylinder	AT327659	\$3,131.00
For ZX350LC-3,ZX350LC-5,ZX380LC-5N machines also order the following parts: AT332580 Hydraulic Hose M44269 Spacer T153064 Clamp 14M7415 Nut M12 24M7404 Washer (2 used) 4053698 Clamp For 350DLC,350GLC,380GLC machines also order the following parts: AT332580 Hydraulic Hose M44269 Spacer T153064 Clamp 14M7415 Nut M12 24M7404 Washer (2 used) 4053698 Clamp		
Auxiliary Lines, High-Flow for 4.0 M Arm for 350G & 380G	AT390767	\$7,056.00
Includes 1 In. diameter lines from the auxiliary spool in main control valve along the boom ending on the arm and 1.25 In. return line routed directly to return filter piping for low pressure return. Also includes 2 relief valves and 2 shutoff valves located on end of arm. Recommend Hydraulic Filter Restriction Indicator Kit.		
Boom Cylinder Anti-Drift Valve with Plumbing and Hardware	AT438678	\$3,603.00
Control Handle for Auxiliary Hydraulics, Left-Hand	AT327652	\$530.00
Requires control solenoid for either 1-way or 2-way auxiliary hydraulics. Recommended for use with auxiliary hydraulic lines.		
Control Solenoid for 1-way Auxiliary Hydraulics with Foot Switch	AT446156	\$960.00
Does not use the monitor for flow control. Does not require solenoids for auxiliary hydraulics. Includes foot switch, solenoid, wiring, and hoses.		
Control Solenoids for 2-Way Auxiliary Hydraulics	AT445530	\$808.00
Monitor can be used to control hydraulic flow. Can be used with either right-hand or left-hand control handle.		
Hydraulic Filter Restriction Indicator Kit	AT445803	\$797.00
Two-Pump Combined Flow Piping	AT358596	\$1,691.00
For attachments that require additional hydraulic flow. Do not use with DPF Load Valve kit ETN92604.		
Operator Environment		
Exterior Work Lights Package	AT396663	\$748.00
Additional 2 Cab lights, with 1 Right hand Boom Light.		
Full Length Front Guards	BYT11141	\$1,547.00

Stereo adapter for phone or music device.	ETN93549	\$226.00
Applicable for machines before SN 1FF350GXTJF812859		
Overall Vehicle		
Vandal Covers	BYT11005	\$3,053.00
After Serial # 12863		
Powertrain & Cooling		
Automatic Reversing Cooling Fan	AT449123	\$2,050.00
Features selectable intervals and manual override. For use in environments with airborne debris. Installation time 2 hours.		

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |