



Current Date 24Jun2020

370E ARTICULATED DUMP TRUCK

COOLING

*Side-mounted engine, transmission, axle, charge air, A/C condenser and hydraulic coolers *2 Hydraulically driven, variable speed fans Remote pressurized coolant reservoir John Deere COOL-GARD II long-life engine coolant **POWERTRAIN** *Fully automatic transmission, 8 speeds forward, 4 speeds reverse *Automatic high capacity transmission retarder with selectable aggressiveness Lock-up torque converter Adaptive shift control *Gear hold, shuttle shifting, downhill descent control, overspeed protection features *Heavy Duty John Deere Hauler Axles with outboard planetaries and wet disc brakes *6 Wheel Drive with on the fly, automatic traction control feature *Independently pressure lubed, cooled and filtered axles *Spring-applied, hydraulically released park *Maintnenace free, Adaptive Front suspension system using position sensitive oil/nitrogen struts *High travel, maintenance free rear suspension with load equalizing walking beams

ELECTRICAL:

Batteries, 2 x 950 CCA LED Rear Turn Signals/ Brake Lights Reverse Alarm Reverse Camera with secondary monitor JDLink Ultimate with 5 years of free subscription service Tire Presure Monitoring System (includes both tire pressure and temperature) **HYDRAULICS:** Closed-center, load-sensing Axial-piston, variabledisplacement pumps Single-stage, dual acting, dump-body cylinders Electrohydraulic dump-body control Ground-driven, secondarysteering pump Brake Accumulator, CSA Certified OPERATOR'S STATION: ROPS/FOPS Certified, Tiltable Cab Sound Insulated Air Conditioner with Heater and Defroster AM/FM Radio/CD player and **Speakers** Rear window guard Tilt and telescopic steering wheel Fully-adjustable, air suspension, heated, highback, cloth with leather inserts seat Retractable, 3-Inch, high visibility operator seat belt Fold-away instructor's seat with retractable seat belt 12-volt power outlet Cup holder

Tachometer Inclinometer LED function/warning indicators and audible alarm Gear Indicator Battery voltage Hour meter Clock Odometer Fuel consumption Trip counter Trip timer Trip distance Metric/English units Service codes/diagnostics Programmable Dump Body Rollover Protection On-Board Weighing Display Multi-Language Capability Tire Pressure Monitoring System Warning *15 button Backlit Sealed Switch Module Functions: Keyless Start/Stop Hazard Lights Park Brake Transmission Controls Drive/Neutral/Reverse/Gear Select/Up-Shift/Down-Shift Transmission Gear Hold Retarder aggressiveness Interaxle Differential Lock Downhill descent control *15 button Backlit Sealed Switch Module Functions: Headlights Beacon **Heated Mirrors** Worklights Ingress/Egress Light A/C heater controls BODY: *Heavy duty, high capacity dump body Dump-body with lock bar Body Ducted to Accept

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS

John Deere - 2021 Price List NJ State Appr

Grounds Equipment - Bid #ESCNJ 18/19-25

24 Volt

*100-amp alternator Solid-state electrical power distribution system

distribution system Battery disconnect Fold-Away outside rearview

mirrors

Deluxe monitor: Speedometer Fuel gauge

Transmission oil temperature

gauge

Engine coolant temperature

gauge

Exhaust Heating Connections

OTHER:

*Single remote grease bank

Articulation lock bar *Greaseless pins and

bushings

*Ground level servicing

Required - You must select one from each category

BASE MACHINE

F.O.B. Davenport, Iowa for Complete Machine.

See DEALER-INSTALLED ATTACHMENT section for additional source notes.

Description	Code	Price
370E ARTICULATED DUMP TRUCK	02D0T	\$608,087.00

ENGINE

DescriptionCodePriceJohn Deere PowerTech meets EPA FT4 and EU Stage IV0924\$48,439.00Emissions

John Deere PowerTech PSS 13.5L

For use only in areas where EPA Final Tier 4/EU Stage IV is required.

Required in the US.

Turbo Charged, Charge Air Cooled

Automatic Exhaust Filter Regeneration

4 Valves / Cylinder

Wet Sleeve Cylinder Liners

Starter Protection

Electronically Controlled Fuel Delivery System

Electrical Fuel Priming System

Automatic Derating for Exceeded System Temperatures

Under Hood Dual Element Air Cleaner with Restriction Indicator

Curved Exhaust Stack

10-Micron 500 hour Spin-On Primary Fuel Filter/Water Separator

2-Micron 500 hour Spin-On Final Fuel Filter

Inline Fuel Strainer

Auto Tensioner Serpentine Belt

With 422 Net Peak hp

EXHAUST

Description	Code	Price
Engine Exhaust with Flat Black Curved Stack	1310	No Added Cost
Engine Exhaust with Chrome Curved Stack	1330	\$370.00

ENGINE FAN

Description	Code	Price
Standard Fan Drive	1510	No Added Cost

Hydraulic Reversing Fan Drive	1520	\$1,442.00
FAST FILL FUEL SYSTEM		
Description	Code	Price
Fast Fill Fuel System	5710	\$2,599.00
150 gpm fill rate. Field Kit available, but not easily installed.		
No Fast Fill Fuel System	5720	No Added Cost
BATTERY		
Description	Code	Price
Batteries, 2 x 1400 CCA	1120	\$397.00
VOLTAGE CONVERTER		
Description	Code	Price
24 to 12 Volt Voltage Converter, 15 Amp Converter	2710	\$158.00
24 to 12 Volt Voltage Converter, 25 Amp Converter	2720	\$270.00
ON BOARD WEIGHING		
Description	Code	Price
Less On Board Weighing	5530	No Added Cost
On Board Weighing with Light Indicators	5550	\$2,040.00
MACHINE CONNECTIVITY		

MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

Description	Code	Price
JDLink Ultimate 5 Year Subscription	170C	No Added Cost

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the

Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

JDLink Ultimate Dual 5 Year Subscription

170J

\$1,936.00

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.

DUMP BODY

	Description	Code	Price
	Standard Dump Body	1910	No Added Cost
_	Dump Body w/8 mm (5/16 in) Steel Liner	1915	\$10,258.00
	Less Dump Body	1920	(\$48,158.00)
w	DUMP BODY HEATER		
	Description	Code	Price
	Dump Body Heater Exhaust Connections	2110	\$3,866.00
	Requires code 1910 or 1915 dump body.		
	Less Dump Body Heater Connections	2120	No Added Cost
w	TAILGATE		
	Description	Code	Price
	Mechanical/Automatic Tailgate	2210	\$13,435.00
	Requires code 1910 or 1915 Dump Body.		
	Less Tailgate	2220	No Added Cost

OPERATOR'S MANUAL AND DECALS

Required for	labels and	Trademarks
--------------	------------	------------

		Required for labels and Trademarks
Price	Code	Description
No Added Cost	2350	English Decals and Operator's Manual
No Added Cost	2352	French Decals and Operator's Manual
No Added Cost	2354	Spanish Decals and Operator's Manual
No Added Cost	2358	No Text Decals for EU27
		Requires option 9150.
		MIRRORS
Price	Code	Description
No Added Cost	2410	Mirrors, Manual
\$900.00	2420	Mirrors, Remote Adjustable with Heating
		SEAT
		Operator Seats are fully adjustable with air suspension
Price	Code	Description
No Added Cost	2520	Operator's seat, heated, high-back, cloth/leather with fore/aft isolation
\$157.00	2530	Operator's seat, heated, high-back, cloth/leather, no fore/aft isolation with extreme duty suspension
		RADIO
Price	Code	Description
No Added Cost	2610	AM/FM radio/CD player
\$950.00	2612	AM/FM radio/CD player and Bluetooth
		AIR CONDITIONING SYSTEM
Price	Code	Description
No Added Cost	6110	Air Conditioner Refrigerant Charged
		REAR CAMERA
Price	Code	Description
No Added Cost	2815	Rear Camera with Secondary Monitor
		HVAC CONTROLS
Price	Code	Description
No Added Cost	3010	Manual Operator Station Temperature Control

~	HVAC PRE-CLEANER		
	Description	Code	Price
_	HVAC Pre-cleaner	3210	\$500.00
	No HVAC Pre-cleaner	3220	No Added Cost
Y	WHEELS AND TIRES		
	Description	Code	Price
	26.5R25 Tires with 3 Piece Rims		
	Michelin E-3 Radial Tires	4531	\$24,820.00
	Bridgestone E-3 Radial Tire	4537	\$21,875.00
	29.5R25 Tires with 5 Piece Rims		
	Michelin E-3 Radial Tires	4540	\$32,630.00
	E3 radial tire for use in a variety of applications. Rugged shoulder design for added sidewall protection and long tire life.		
	Bridgestone E-3 Radial Tire	4547	\$31,130.00
_	Other Tire Options		
	875/65R29 Michelin XAD65-1 E3T Tires	4561	\$38,037.00
	29.5R25 Michelin E-4 XTRA Defend Radial Tires	4544	\$34,660.00
	E4 Xtra Defend with better aggression resistance due to thicker sidewalls, deeper tread pattern, and bigger cables inside the tire. Excellent performance in mines and quarries-hard ground and aggressive environments.		
w	MONITORING SYSTEM		
	Description	Code	Price
	Tire Pressure Monitoring System	5310	\$3,214.00
_	Less Tire Pressure Monitoring System	5320	No Added Cost
Opt	ional - Select as desired		
w	ETHER STARTING AID		
	Description	Code	Price
	Ether Start Aid	9215	\$308.00
	Compatible with engine coolant heater code 9225. Compatible with diesel fuel fired coolant heater AT418721. Ether canister is not part of this kit.		
w	COOLANT HEATER		
	Description	Code	Price
	Engine Coolant Heater, 120V	9225	\$190.00

Not for use with diesel fuel fired coolant heater code AT418721. For use when average cold temperature is no lower than -25C (-13F). If average cold temperature is lower than -25C (-13F), order diesel fuel fire coolant heater AT418721.	d	
Diesel Fired Coolant Heater	9221	\$4,533.00
Not for use with engine coolant heater options 9225 or 9300.		
FUEL FILTRATION		
Description	Code	Price
Severe Duty Fuel Filter	9250	\$350.0
Code 9250 or 9255 required for Engine code 0944.		
Heated Severe Duty Fuel Filter	9255	\$455.0
Code 9250 or 9255 required for Engine code 0944.		
WARNING BEACON		
Description	Code	Pric
Warning Beacon	9320	\$499.0
LIGHTING		
Description	Code	Pric
130-amp Alternator & Additional Cab Front Work Lights - Halogen	9230	\$359.0
Cannot order with code 9232.		
130-amp Alternator & Additional Cab Front Work Lights - LED	9232	\$1,534.0
Cannot order with code 9230.		
OPERATOR'S MANUAL AND DECALS		
Description	Code	Pric
Operator manual and labels, Spanish, FT4 models	9280	No Added Cos
WINDSHIELD WIPERS		
Description	Code	Pric
Rear Windshield Wiper	9327	\$478.0
RUST PROTECTION		
Description	Code	Pric
Non-Export Rust Preventive Coating	9909	\$226.0
Electrical Corrosion Protection Package	9211	\$987.0
HYDRAULIC OIL		

	Description	Code	Price
	Hydraulic Oil - Hydrau XR	9315	\$230.00
	Optional Factory Fill. Intended for Colder Climates with Extreme Cold Ambient Temperatures down to -40C (-40F) Provides All-Season Capability in Ambient Temperature Ranging from -40C to 40C (-40F to 104F). Required for Russia.		
	Quick Service Bank for Transmission, Hydraulic, Engine oil & Engine Coolant Fluid changes	9045	\$505.00
¥	FIRE EXTINGUISHER		
	Description	Code	Price
	Fire Extinguisher - 5 lbs.	9140	\$110.00
v	TOOLBOX		
	Description	Code	Price
	Toolbox	9150	\$157.00
¥	MISCELLANEOUS		
	Description Code		Price
-	ATTACHMENTS FOR FIELD CONVERSION		

F.O.B. Dubuque, Iowa for dealer-installed kits, except where noted. Some of the following kits may require additional parts for a complete installation. Prior to ordering, check the installation instructions by going to www.johndeeretechinfo.com and clicking on Library, or by clicking on this Hyperlink (Installation Bulletin Search), and insert the AT number to retrieve the attachment installation instruction bulletin for additional parts. Exception to above note is FRONTIER Dealer Installed Kits.

All attachments are sold as a quantity of one.

Description Cold Start	Code	Price
DIESEL FIRED COOLANT HEATER, W/ KEROSENE TANK, FIELD ROW	AT463615	\$7,782.00
Diesel Fuel-Fired Engine Coolant Heater Kit for FT4 Engines	AT436009	\$4,578.00
For use when average cold temperatures are below -25C (-13F). Cannot be used in conjunction with Code 9225 Engine Coolant Heater, 110V. Dealer installed field kit only.		
Engine Block Heater, 120V (FT4 Engines)	AT377212	\$186.00
Ether Start Aid Kit for Stage II Engines	AT392214	\$306.00
Ether Starting Aid for IT4 engines	AT377256	\$310.00
<u>Hydraulics</u>		

\$612.00

High-Altitude Hydraulic Kit

Grounds Equipment - Bid #ESCNJ 18/19-25

AT435710

,		'
For use at high altitudes to improve hydraulic performance by pressurizing the hydraulic tank. For use above 10,000 feet on 4WD Loaders.		
For use on Stage 2/Tier 3/iT4 4WD Loader Engines. No kit required for FT4 Loader Engines. For use above 6,000 feet on E-Series ADTs (Tier 3).		
<u>Miscellaneous</u>		
Engine Block Heater, 240V (Stage II Engines)	AT463605	\$186.00
May be used with Diesel-Fired Coolant Heater		
Grease Steering Bushing Kit	AT454055	\$828.00
JDLink 4G LTE (MTG) Field Installed System	BYT10733	\$99.00
Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.		
Operator Environment		
Cigarette Lighter	AT448829	\$40.00
HVAC PreCleaner	AT445689	\$505.00
Universal XM-Tuner Installation Kit	BYT11328	\$354.00
Includes hardware and brackets to add XM capability to radio		
WorkSafe BC Secondary Access Window	AT456170	\$848.00
Required for ADT in BC, Canada.		
Overall Vehicle		
Beacon Strobe kit	AT426730	\$288.00
Dump Body Heater Exhaust Connections for FT4 Engines	AT429614	\$4,535.00
Dump Body Heater Exhaust Connections for Stage II Engines	AT429612	\$4,535.00
Dump Body Rock Deflector Kit	AT441877	\$1,354.00
 Recommended with low profile tire (code 4561). Only applicable with tailgate installed.		
Guard, Headboard	AT462648	\$1,877.00
Mechanical/Automatic Tailgate	BYT10485	\$18,130.00
On Board Weighing Kit	AT458044	\$2,060.00
	AT377246	\$518.00

Quick Fluid Service Field Kit		
For use with iT4 engine.		
Quick Fluid Service Field Kit	AT430820	\$518.00
For use with FT4 engine.		
Tire Pressure Monitoring Kit	AT458120	\$3,246.00
For 26.5/29.5 Wheels.		
Tire Pressure Monitoring Kit	AT458121	\$3,246.00
For Low Profile Wheels.		
<u>Powertrain</u>		
Fast Fuel System	AT429613	\$3,849.00
Severe-Duty Fuel Filter w/ Heater	AT427351	\$467.00
Severe-Duty Fuel Filter w/o Heater	AT427350	\$357.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |