John Deere -2022 Price List 410L BACKHOE LOADER

01-Mar-2022

Code

Description OTYList Price (USD)

OAB1T 410L BACKHOE LOADER 1 \$154,666.00

JOHN DEERE

Grounds Equipment - Bid #ESCNJ 18/19-25

ENGINE:

John Deere PowerTech™ EWL 4.5L Turbocharged 4-Cylinder

Engine

Serpentine Belt with Automatic Belt Tensioner

Vertical Spin-On Engine Oil Filter

410L Standard Equipment

Primary and Secondary Spin-on Fuel filter with Water Separator Dual Safety Element Dry-Type Air Cleaner With Evacuator Valve

Vertical Curved Exhaust Stack

COOLING SYSTEM:

Engine Radiator

Engine Coolant -40 Degrees F (-40C)

Coolant Recovery Tank with Low Level Indicator

Cooling Fan with Fan Guard Oil-to-Water Engine Oil Cooler Oil to Air Hydraulic Oil Cooler Oil to Water Transmission Oil Cooler Fold-Out Hinged Cooling System

High Ambient Temperature Engine Coolant

POWERTRAIN:

Powershift Transmission with Torque Converter

Auto-Shift Feature (On/Off) Vertical Spin-on Transmission Filter

Single Electric Transmission Control Lever (Forward/Neutral/

Reverse) with integrated gear selection & horn

Electronic Transmission Controller with On-board Diagnostics

Rigid Mounted Rear Axle with 4-Planet Final Drive

Differential Lock, Foot Switch Activated, Protection On/Off

Mechanical Limited Slip Front Wheel Drive

Hydrostatic Power Steering with Emergency Manual Mode

Power-Assisted Hydraulic Service Brakes Inboard, Wet Disc, Self-

Adjusting and Self-Equalizing (Conforms to ISO 3450)

Adjusting and Self-Equalizing (Conforms to ISO 3450)

Parking/Emergency Brake: Independent of Service Brakes

(Conforms to ISO 3450) Spring Applied, Hydraulically Released,

Wet Multi-Disc

HYDRAULICS:

42 GPM (159 L/m) Axial Piston Pump - PCLS System

Dedicated Hydraulic Reservoir 6 Micron Vertical Spin-On Filter "O" Ring Face Seal Connectors Circuit Relief Valve Protection

Economy Mode

Auto Idle

Lift Mode Provides up to 15% Additional Cranning Capacity

LOADER:

Return-To-Dig Feature **Bucket Level Indicator**

Hydraulic Self-Leveling (anti-spill)

Single Lever Control with Electric Clutch Cut-off Switch

Less Bucket with Bucket Pins Loader Boom Service Lock High-Visibility Loader Arms

ELECTRICAL:

12 Volt System

145 Amp Alternator

(4) Front Driving/Working, (4) Rear Working and (2) Side

Docking Halogen Lights (32,500 Candlepower Each)

(2) Front and (2) Rear Turn Signal/ Flashing

(2) Rear Stop and Tail

(2) Rear Reflectors

Single Battery with 180 Minute reserve Capacity and 925

CCA

Blade Type Multi-Fused Circuits By-Pass Start Safety Cover on Starter

Positive Terminal Battery Cover

OPERATOR STATION:

Modular-design ROPS/FOPS (level 2) canopy with molded roof (meets ISO 3471 and ISO 3449): Isolation mounted

Left and Right Side Access

Slip Resistant Steps and Ergonomically Located Handholds

(Conforms to SAE J185)

Seat, Deluxe Deep Foam, Vinyl Cover, High Back with

Adjustable:

Suspension for Weight/Height

Fore-Aft

Lumbar Adjustment

Flip-up Arm Rests

Power-Assisted Hydraulic Service Brakes Inboard, Wet Disc, Self- 3 In. Orange Seat Belt with Retractor

Tilt Steering **Fuel Gauge**

Engine Coolant Temperature Gauge

Transmission Oil Temperature Gauge

Electric Monitor System with Audible and Visual Warning:

Air Cleander restriction Low Alternator Voltage **Engine Coolant Temperature** Engine Oil Pressure & Temperature

Hydraulic Filter Restriction

Low Brake Pressure Seat Belt Indicator

Transmission Oil Temperature

Hourmeter / Tachometer / Voltmeter

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; EXtended to 2/21/23

BACKHOE:

15 Ft. 11 In. (4.85 m) Digging Depth (Extendible Dipperstick,

Retracted)

Backhoe Transport Lock Lever

Swing Locking Pin Stored in Op. Station

ISO (Deere) 2 Lever Mechanical Backhoe Controls

Reversible Pad Stabilizer Feet with integrated lock Stabilizer Two- Interior Rearview Mirror

Direction Anti-Drift Valves Less Bucket with Bucket Pins

Backhoe boom includes mounting hole for optional boom

protection plate.

Machine Diagnostics Sealed Switch Module

Keyless Start
Machine Security

12 Volt Outlets (1)

Horn

Interior Rearview Mirror Rotary Hand Trottle Suspended Foot Throttle

Operator's Manual Storage Compartment

Integrated Cup Holder with Form Fitting Rubber Insert

Lockable Right Hand Storage

Coat Hook

OVERALL VEHICLE:

(2) Front and (2) Rear Built-In Tie Downs One-Piece Unitized Construction Mainframe

Heavy Duty Front Bumper Dent Resistant Rear Fenders Vandal Protection Locking for:

Engine Hood Monitor Tool Box

Hydraulic Reservoir 34 Gal. (128.7 L) Fuel Tank Reverse Warning Alarm

21L - 24 In. 12 PR (R4) Tubeless Rear

12.5/80 - 18 In. 12 PR Traction Front Sure Grip Lug Tires

Ground Level Fueling

Remote Grease Bank for Front Axle Tilt Hood with (2) Service Positions JDLink Ultimate in Approved Countries

OAB1T 410L BACKHOE LOADER

1 \$154,666.00

2404	English Decals with French Decals and Manuals Seperate	No Added Cost
	English decals installed with Spanish decal packet included with English and Spanish operator's manual. Requires engine code 1065.	
2403	English Decals with Spanish Decals and Manuals Separate	No Added Cost
	English decals installed and English operator's manual. Requires engine code 1065.	
2401	English Decals with English Operator and Safety Manuals	No Added Cost
	Operator's Manual and Decals	Basic Factory Options - Required
	DESTINATION AND LANGUAGE	

English decals installed with French decal packet included with English and French operator's manual.

JOHN DEERE WORKSIGHT™

Requires engine code 1065.

Machine Connectivity

Basic Factory Options - Required

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

170K JDLink™

No Added Cost

Includes integrated cab wiring harness, antenna, and JDLink Modem (MTG).

JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.

170R

JDLink™ Satellite

\$3,462.00

Includes integrated cab wiring harness, antenna, JDLink Modem's (Cellular MTG & Satellite MTG).

JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.

TRANSMISSION

Front Axle and Transmission

Basic Factory Options - Required

3025 2 Wheel Drive Autoshift Transmission

(\$8,406.00)

No Added Cost

With AutoShift 5F/3R Transmission.

Autoshift can turned on/off in the SSM. When Autoshift if off, Backhoe will operate with Powershift transmission.

3095 Mechanical Front Wheel Drive (MFWD) with Limited Slip Differential Autoshift Transmission 5F/3R Autoshift Transmission.

Autoshift can turned on/off in the SSM. When Autoshift if off, Backhoe will operate with Powershift transmission.

OPERATOR'S STATION AND CONTROLS

Operator's Station

Basic Factory Options - Required

2015 Canopy (ROPS/FOPS)

No Added Cost

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471) Molded roof.

Molded floor mats is optional.

Keyless Start.

Deluxe Mechanical Suspension Deluxe, Vinyl, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable.

3 In. Retractable Seat Belt.

(2) front driving/working halogen lights - 32,500 Candlepower Each

(2) rear working halogen lights - 32,500 Candlepower Each

(6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof

(4) turn signal/flashing/rear stop/tail lights - 2 front and rear

(2) rear reflectors

2035 Cab \$13,243.00

Isolation mounted Modular design ROPS/FOPS Level 2 (meets ISO 3449 & ISO 3471) Molded roof.

Tinted safety glass.

Deluxe interior trim.

Headliner.

Molded floor mats.

Less radio (Cab includes power connector for radio and threaded bosses for mounting brackets - see radio kit installation

instructions).

Air Conditioning 26,000 BTU.

CFC free R134a refrigerant.

Heater/defrosters/pressurizer, 40,000 BTU, 10 speed.

Deluxe Mechanical Suspension, Cloth, Swivel Seat with Lumbar Adjustment and Arm Rests, Fully Adjustable.

Keyless Start.

3 inch Orange Seat Belt with retractor.

Tilt Steering Wheel.

Interior Rearview Mirror.

Front 2-speed wiper with windshield washer and rear 1-speed wiper.

- (2) front driving/working halogen lights 32,500 Candlepower Each
- (2) rear working halogen lights 32,500 Candlepower Each
- (6) additional work roof lights adds 2 front, 2 rear and 1 on each side of roof
- (4) turn signal/flashing/rear stop/tail lights 2 front and rear
- (2) rear reflector

See Order As Desired codes for additional Cab options not included in standard Cab (i.e. Air Suspension Seat, Radio, Sun Visor).

Operator's Station	Field Installed Attachments - Optional
Orders with custom codes are exempt from order response targets. Not all custom codes may be published. I configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and	
Front View Mirror	\$82.00
Headliner - Canopy	\$149.00
Tilt Steering - Canopy	\$561.00
Floor Mat - Canopy	\$374.00
Left Side Console Storage with Cup Holders	\$81.00
Custom Code - Less A/C	(\$992.00)
	Orders with custom codes are exempt from order response targets. configuration needs that you don't see available, please contact Des DMAC can also provide assistance in referring Dealers to aftermarked. Front View Mirror Headliner - Canopy Tilt Steering - Canopy Floor Mat - Canopy Left Side Console Storage with Cup Holders

9916	Radio, Bosch Premium Package AM/FM/Weather Radio, Bluetooth capable with microphone, 3.5mm auxiliary input, USB input, roof power port, roof storage compartment.	\$1,356.00
9917	Radio, Bosch Basic Package	\$873.00
	AM/FM/Weather Radio	
9919	Sun Visor	\$95.00
9920	Exterior Rear View Mirrors (2)	\$343.00
9965	Seat, Cloth Air-Suspension For enclosed Cab.	\$503.00
9970	Seat, Cloth Air-Suspension - Heated	\$994.00
	For enclosed Cab.	
9975	Seat, Vinyl Air-Suspension	\$503.00
	For open ROPS or enclosed Cab.	
	Operator's Station Field Installed	Attachments - Optional
BYT11384	Radio, Basic Package	\$882.00
	For use with serial numbers prior to 329231. AM/FM/Weather Radio.	
BYT10717	Radio, Premium Package	\$1,370.00
	For use with serial number 329231 or greater. AM/FM/Weather Radio, Bluetooth capable with microphone, 3.5mm auxiliary input, USB input, roof power port, roof storage compartment.	
BYT10718	Radio, Basic Package	\$882.00
	For use with serial number 329231 or greater. AM/FM/Weather Radio.	
BYT11385	Radio, Premium Package	\$1,370.00
	For use with serial numbers prior to 329231. AM/FM/Weather Radio, Bluetooth capable with microphone, 3.5mm auxiliary input, USB input, roof power port, roof storage compartment.	

AT186155	(2) External Rear View Mirrors	\$293.00
BYT10673	Heated Seat Kit	\$270.00
	This kit includes the heated cloth seat cushion (back and bottom), electrical harness, and the switch to control the heated	
	seat. Converstion kit can be used with mechanical or air suspension seats. Conversion kit can be used for cab configurations only.	
AT446496	License Plate Bracket	\$59.00
	Light not included.	
AT186307	Sun Visor	\$96.00
AT187707	License Plate Bracket and Light	\$233.00
BYT10250	Canopy (ROPS/FOPS) to Quarter Cab Conversion Kit	\$405.00
	Includes all parts needed to add quarter cab to canopy machine, including windshield wiper and windshield washer, but not including the glass. Refer to installation instructions for a list of glass pieces to order from service parts.	
BYT10670	Mechanical to Air Seat Conversion	\$816.00
	For use on machines prior to Serial Number: 329231. Includes complete air suspension assembly, wiring, and controls, to convert mechanical seat suspension to air suspension. Conversion kit can be used for open ROPS or cab configurations.	
AT192032	Operator Manual Tether Cables for ROPS or Cab	\$28.00
AT451676	Radio Auxiliary kit	\$291.00
	Requires code 9917 or BYT10718 basic radio package. 3.5mm auxiliary input jack, harness for aux input to radio, roof power port, roof storage compartment. This kit is designed to add 3.5mm input to radios, and power to charge devices. Note that this kit does NOT include XM, USB input, or Bluetooth microphone.	V 27.1100
BYT10672	Mechanical to Air Seat Suspension	\$816.00
	For use on machines after serial number: 329230. Includes complete air suspension assembly, wiring, and controls, to convert mechanical seat suspension to air suspension. Conversion kit can be used for open ROPS or cab configurations.	
AT313589	Beacon/Strobe Ready Wiring Kit	\$35.00
	Kit for aftermarket Beacon or Strobe light Kit does not include Beacon	

4484

AT186288	Slow Moving Vehicle Emblem	\$115.00
	3	

Wheels and Tires

Basic Factory Options - Required

\$1,153.00

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

For use with MFWD

Galaxy 580 Radial - 500/70R24 Rear & 340/80R18 Front

Requires axle code 3095. Rear tire chains require wheel spacers (AT347522). Tire designed for hard surface roading and snow.	
Galaxy 21L 24 in. 12 PR Rear & 12.5/80-18 10PR Front	No Added Cost
Requires axle code 3095. Rear tire chains require wheel spacers (AT347522).	
Firestone 21L - 24 12PR & 12.5/80-18 12PR Traction Sure Grip Lug, Front	\$590.00
92 Inches (2.33 M) overall width. Requires axle code 3095. Rear tire chains require wheel spacers (AT347522).	
Michelin Radial - 500/70 R24 XMCL Rear & 340/80 R18 XMCL Front	\$2,345.00
85 in. (2.16 m) overall width.	
Requires axle code 3095.	
Rear tire chains require wheel spacers (AT347522). Tire designed for hard surface roading and snow.	
	Rear tire chains require wheel spacers (AT347522). Tire designed for hard surface roading and snow. Galaxy 21L 24 in. 12 PR Rear & 12.5/80-18 10PR Front Requires axle code 3095. Rear tire chains require wheel spacers (AT347522). Firestone 21L - 24 12PR & 12.5/80-18 12PR Traction Sure Grip Lug, Front 92 Inches (2.33 M) overall width. Requires axle code 3095. Rear tire chains require wheel spacers (AT347522). Michelin Radial - 500/70 R24 XMCL Rear & 340/80 R18 XMCL Front 85 in. (2.16 m) overall width.

Custom Code - Galaxy 21L 24 in. 12 PR Rear on HD Rim & 12.5/80-18 10PR Front Requires axle code 3095.

\$1,134.00

\$306.00

\$1,934.00

Requires axle code 3095.

Requires axle code 3095.

Rear tire chains require wheel spacers (AT347522).

Galaxy 16.9-28 12PR Rear & 12.5/80 10PR Front

Galaxy 550 Radial - 500/70R24 Rear & 340/80R18 Front

Rear tire chains require wheel spacers (AT347522).

Rear tire chains require wheel spacers (AT347522). Tire designed for hard surface roading and snow.

4468

4482

44G6

47D8	Custom Code - Goodyear 16.9 x 28 10PR R-4 TL IT525 with 12.5/80 x 18 14PR I-3	\$928.00
	Requires axle code 3095. Rear tire chains require wheel spacers (AT347522).	
	For use with 2 Wheel Drive	
42C0	Custom Code - 19.5L X 24 10 PR Softrac II R-3 TURF (GY) w/ 12.5/80-18 12PR (Galaxy)	\$946.00
	Requires code 3025. Rear tire chains require wheel spacers (AT347522).	
44D2	Custom Code - ALLIANCE 550 RADIAL 2WD - 550/70R24 REAR w/ 340/80R18 FRONT	\$3,712.00
	Requires code 3025. Rear tire chains require wheel spacers (AT347522).	
4440	Galaxy 16.9-28 12 PR Rear & 12.5/80-18 12PR Front	\$380.00
	Requires axle code 3025. Rear tire chains require wheel spacers (AT347522).	
4444	Galaxy 21L 24 12PR Rear & 12.5/80-18 12PR Front	No Added Cost
	Requires axle code 3025. Rear tire chains require wheel spacers (AT347522).	
4452	Galaxy 21L 24 12PR Rear & 14.5/75-16.1 16PR Front	No Added Cost
	Requires axle code 3025. Rear tire chains require wheel spacers (AT347522).	
	Wheels and Tires	Field Installed Attachments - Optional
AT347522	Rear Wheel Spacers for Rear Tire Chains	\$989.00
	ELECTRICAL	
	Batteries	Basic Factory Options - Required
8625	Single Maintenance Free Battery	No Added Cost
	175 Minute Reserve Capacity (950 CCA) Recommended for use in ambient temperatures ABOVE 32 degrees F (0 degrees C).	

8635	Single Maintenance Free Battery With Disconnect and Jump Post	\$257.00
	175 Minute Reserve Capacity (950 CCA) Recommended for use in ambient temperatures ABOVE 32 degrees F (0 degrees C).	
8675	Dual Maintenance Free Batteries	\$287.00
	350 Minute Reserve Capacity (1900 CCA). Recommended for temperatures below 32 degrees F (0 degrees C).	
8685	Dual Maintenance Free Batteries With Disconnect and Jump Post	\$544.00
	350 Minute Reserve Capacity (1900 CCA). Recommended for use in ambient temperatures BELOW 32 degrees F (0 degrees C).	
	Lighting	Field Installed Attachments - Optional
9905	Strobe Light with Magnetic Mount	\$588.00
	Light is shipped loose in the cab.	*******
9116	LED Light Package	\$1,053.00
	Includes factory installed 2 LED spot lights and 8 LED flood lights in lieu of the standard halogo	en light package.
	Lighting	Field Installed Attachments - Optional
AT313592	6 inch Amber Warning Light with LED Beacon and Magnetic Roof Mounting Kit	\$267.00
AT445010	LED Spot Light Kit	\$223.00
	Includes 2 lights.	
AT445009	LED Flood Light Kit	\$223.00
	Includes 2 lights.	
BYT11137	Boom Light Kit	\$409.00
	For use on 310SL (0A71T), 310SL HL (0A81T) and 410L (0AB1T). For improved trench visibilty. Provides two LED flood light for mounting on the boom. Includes rocker switch, mounting hardware and wiring harness.	
	BACKHOE	
	Backhoe Dipperstick	Basic Factory Options - Required

6010	Standard Dipperstick	No Added Cost
	Includes extended stabilizer legs.	
6020	Extendible Dipperstick	\$8,365.00
	Extended stabilizer legs.	
	Backhoe Auxiliary Hydraulics	Basic Factory Options - Required
6210	No Auxiliary	No Added Cost
6220	Auxiliary Hydraulic with One Way Flow (Hammer)	\$4,087.00
	Includes plumbing to end of dipperstick.	
6230	Auxiliary Hydraulic with One & Two Way Flow (Hammer & Thumb/Swinger)	\$6,225.00
	Includes factory installed plumbing to end of dipperstick for one and two way flow valve.	
6240	Auxiliary Hydraulic with Two Way Flow	\$1,060.00
	Requires standard dipperstick code 6010. Includes left foot pedal for operation of 2-way flow auxiliary circuit with mechanical control (code 5225) thumb roller if equipped with pilot controls (code 5285). Includes plumbing and relief valves.	or activation of left
	Backhoe Controls	Basic Factory Options - Required
5225	Mechanical Controls, Two Lever, ISO (DEERE)	No Added Cost
5285	Pilot Controls, Two Lever, with Pattern Selection Proportional Auxiliary control and extendable dipperstick control integrated into pilot control levers.	\$2,665.00
	Backhoe Quick Couplers	Basic Factory Options - Required

Less Coupler - Less Thumb 5400

No Added Cost

	If ordering with thumb, must order option code 5401.	
5401	Less Coupler - Thumb Ready	No Added Cost
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 9230 - 37 inch tine.	
5410	DEERE Standard Quick Coupler - Less Thumb	\$1,538.00
	If ordering thumb, must order option 5411 or 5412. For use with 310SE, SG, SJ, SK, SL; 410E, G, J, K, L backhoe buckets. Not compatible with 310E, G, J, K, L Series Backhoe Buckets.	
5411	DEERE Standard Quick Coupler - 37 Inch Thumb Ready	\$1,538.00
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 9230 - 37 inch tine. For use with 310SE, SG, SJ, SK, SL; 410E, G,J, K, L backhoe buckets. Not compatible with 310E, G, J, K, L Series Backhoe Buckets.	
5412	DEERE Standard Quick Coupler - 42 Inch Thumb Ready	\$1,538.00
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 9235 - 42 inch tine. For use with 310SE, SG, SJ, SK, SL; 410E, G,J, K, L backhoe buckets. Not compatible with 310E, G, J, K, L Series Backhoe Buckets.	
5420	Multi-Brand Quick Coupler - Less Thumb	\$1,719.00
	If ordering coupler with thumb, requires option code 5421 or 5422. For use with DEERE C, D, SE, SG, SJ, SK, SL & SL HL Series buckets and with Case K, L, M and CAT C Series Buckets. Not for use with 710 Buckets. Not compatible with Case N-Series.	
	Spacers are recommended for Cat and Case buckets, see bulletin 07BH08 for details.	
5421	Multi-Brand Quick Coupler - 37 Inch Thumb Ready	\$1,719.00
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 9230 - 37 inch tine. For use with DEERE C, D, SE, SG, SJ, SK, SL & SL HL Series buckets and with Case K, L, M and CAT C Series Buckets. Not for use with 710 Buckets. Not compatible with Case N-Series.	
	Spacers are recommended for Cat and Case buckets, see bulletin 07BH08 for details.	
5422	Multi-Brand Quick Coupler - 42 Inch Thumb Ready	\$1,719.00
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 9235 - 42 inch tine. For use with DEERE C, D, SE, SG, SJ, SK, SL & SL HL Series buckets and with Case K, L, M and CAT C Series Buckets. Not for use with 710 Buckets. Not compatible with Case N-Series.	
	Spacers are recommended for Cat and Case buckets, see bulletin 07BH08 for details.	
5430	Top Hook Quick Coupler - Less Thumb	\$1,421.00
	If ordering with thumb, requires option code 5432. For use with DEERE Top Hook Coupler bucket option codes 5630 or 5660 and CP or Pre-XLS Wain Roy Top Hook Bucket.	

5432	Top Hook Quick Coupler - 42 Inch Thumb Ready	\$1,421.00
	Only Compatible with DEERE Top Hook Coupler bucket option code 5660 and CP or Pre-XLS Wain Roy Top Hook Bucket. Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 9235 - 42 inch tine.	
5440	New Series Multi-Brand Quick Coupler - Less Thumb	\$1,768.00
	If ordering with thumb, requires option code 5441 or 5442. For use with CAT D,E, F, Case K-L-M, and DEERE SE, SG, SJ, SK, SL & SL HL Series backhoe buckets except high-capacity buckets and 710 buckets. Not compatible with Case N-Series.	
5441	New Series Multi-Brand Quick Coupler - 37 Inch Thumb Ready	\$1,768.00
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 9230 - 37 inch tine. For use with CAT D,E, F, Case K-L-M, and DEERE SE, SG, SJ, SK, SL & SL HL Series backhoe buckets except high-capacity buckets and 710 buckets. Not compatible with Case N-Series.	
5442	New Series Multi-Brand Quick Coupler - 42 Inch Thumb Ready	\$1,768.00
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 9235 - 42 inch tine. For use with CAT D,E, F, Case K-L-M, and DEERE SE, SG, SJ, SK, SL & SL HL Series backhoe buckets except high-capacity buckets and 710 buckets. Not compatible with Case N-Series.	
5460	Rear Hydraulic Coupler for Pin-on Buckets - Less Thumb	\$8,104.00
	If ordering coupler with thumb, requires code 5462. For use on 310SL, 310SL HL, and 410L with a Serial Number of 303524 and Higher. For use with DEERE SE, SG, SJ, SK, SL & SL HL Series pin-on buckets and 410E, G, J, K, and L Series pin-on buckets. Not for use with Top Hook Buckets. Reference Bulletins 17BH09 and 16BH17 for bucket compatibility and SSM information.	
5462	Rear Hydraulic Coupler for Pin-on Buckets - 42 Inch Thumb Ready	\$8,104.00
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 9235 - 42 inch tine. For use on 310SL, 310SL HL, and 410L with a Serial Number of 303524 and Higher. For use with DEERE SE, SG, SJ, SK, SL & SL HL Series pin-on buckets and 410E, G, J, K, and L Series pin-on buckets. Not for use with Top Hook Buckets. Reference Bulletins 17BH09 and 16BH17 for bucket compatibility and SSM information.	
5480	Rear Spring Type Quick Coupler - Less Thumb	\$3,530.00
	If ordering coupler with thumb, requires code 5482. For use with DEERE SE, SG, SJ, SK, SL & SL HL Series pin-on buckets and 410E, G, J, K, and L Series pin-on buckets. Not for use with Top Hook Buckets. Reference Bulletin 17BH09 for bucket compatibility information.	
5482	Rear Spring Type Quick Coupler - 42 Inch Thumb Ready	\$3,530.00
	Includes factory installed thumb cylinder mounting ears installed onto dipper. If factory installed thumb option required, order code 9235 - 42 inch tine. For use with DEERE SE, SG, SJ, SK, SL & SL HL Series pin-on buckets and 410E, G, J, K, and L Series pin-on buckets. Not for use with Top Hook Buckets. Reference Bulletin 17BH09 for bucket compatibility information.	
	Backhoe Buckets Basic Factory Optic	ons - Required

	Backhoe Auxiliary Hydraulics	Field Installed Attachments - Optional
5686	30" (762 mm) Wide, Heavy-Duty, 10 Cu. Ft. (0.28 Cu. M.) Capacity Bucket Bucket includes TK Teeth.	\$2,145.00
5678	24" (610 mm) Wide, Severe-Duty, 8.8 Cu. Ft. (0.25 Cu. M.) Capacity Bucket Bucket includes TK Teeth.	\$2,648.00
5676	24" (610 mm) Wide, Heavy-Duty, 8.8 Cu. Ft. (0.25 Cu. M.) Capacity Bucket Bucket includes TK Teeth.	\$2,072.00
5660	Top Hook 24" (610 mm) Wide, Heavy-Duty, 8.8 Cu. Ft. (0.25 Cu. M.) Capacity Coupler Buck Bucket includes TK Teeth. Requires Code 5430 or 5432 Top Hook Coupler.	et \$2,035.00
5658	24" (610 mm) Wide, Severe-Duty, 7.5 Cu. Ft.(0.21 Cu. M.) Capacity Bucket Bucket includes TK Teeth.	\$2,564.00
5656	24" (610 mm) Wide, Heavy-Duty, 7.5 Cu. Ft. (0.21 Cu. M.) Capacity Bucket Bucket includes TK Teeth.	\$1,889.00
5630	Top Hook 18" (457 mm) Wide, Heavy-Duty, 5.1 Cu. Ft. (0.14 Cu. M.) Capacity Coupler Buck Bucket includes TK Teeth. Requires Code 5430 Top Hook Coupler.	et \$1,825.00
5626	18" (457 mm) Wide, Heavy-Duty, 5.1 Cu. Ft. (0.14 Cu. M.) Capacity Bucket Bucket includes TK Teeth.	\$1,739.00
5616	12" (305 mm) Wide Bucket, 3.3 Cu. Ft. (0.09 Cu. M.) Capacity Buckets Bucket includes TK Teeth.	\$1,525.00
5600	Less Backhoe Bucket with Bucket Pins	No Added Cost
	For Deere buckets: All buckets include lift holes.	

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660. DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and field kit installations.

90A1 Custom Code - ACCU-SWING

\$670.00

9230	37 Inch Hydraulic Backhoe Thumb - 4 Tine	\$9,201.00
,200	Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 6230 or 6240. It does include plumbing for two-way auxiliary valve.	
9235	42 Inch Hydraulic Backhoe Thumb - 4 Tine	\$9,345.00
	Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 6230 or 6240. It does include plumbing for two-way auxiliary valve.	3
	Stabilizer Legs Field Installed Attac	hments - Optional
9947	Heavy-Duty Stabilizer Pads	\$462.00
	Laminated and reinforced rubber, compressed on edge within the steel shoe for improved durability and wear performance.	
	Backhoe Controls Field Installed Attac	hments - Optional
AT309739	Case Three Lever Controls with Foot Swing	\$1,407.00
	For units with code 5225.	
AT185624	ISO (Deere) Two Lever Mechanical Controls	\$512.00
	Requires Right Pedal Kit, if equipped with Case controls and five function control valve. For units with code 5225.	
AT301434	SAE Excavator Style Two Lever Controls	\$260.00
AT185628	Ford Four Lever Controls for Standard and Extendible Dipperstick	\$3,088.00
	Ford Four Lever Controls for Standard and Extendible Dipperstick. For units with code 5225.	
AT185629	Sixth Function Pedal for Lever Controls	\$387.00
AT309740	Case Three Lever Controls 5th Function Lever Kit	\$198.00
	Adds lever to Case 3 lever backhoe controls to operate auxiliary valve on Standard Dipperstick or operates Extendable Dipperstick	
	Backhoe Quick Couplers Field Installed Attac	hments - Optional

AT336315	Coupler, Multi-Brand Universal Backhoe Bucket	\$1,524.00
711000010	For use with CAT B & C Series, Case K-L-M and DEERE SE,SG & SJ Series backhoe buckets except High Capacity Buckets and	\$1,02 H.00
	710 Buckets. Recommend AT179130 high-strength pin for 300D-510D and 210C-610C 18-36 Inch Buckets Proper counterweighting is required. See Counterweight	
	Selection Chart. Recommend Backhoe Boom Bolt-on Protection Plate.	
	Spacers are recommended for CAT and Case buckets, refer to dealer bulletin 07BH08.	
AT324292	Coupler, Top Hook Backhoe Bucket	\$1,153.00
	Fits on 410G, 410J, 410TJ, 310SG, 310SJ, 310TJ Backhoes. For use with Top Hook backhoe bucket from	
	Deere, CP, and Pre-XLS Wain Roy	
	Recommend Backhoe Boom Bolt-on Protection Plate. Proper counterweighing is required. See 310SJ or 410J Counterweight Selection Chart.	
AT343629	Coupler, Universal - Pin-grabber style (non-hydraulic)	\$3,235.00
	Fits John Deere 310SE, 310SG, 310SJ, 310TJ, 410E, 410G, 410J, 410TJ backhoes	
	For use with DEERE C-D-E-G-J Series buckets and with Case K-L-M and CAT C-D-E Series Buckets. Not for High Capacity Buckets and 710 Buckets.	
	Proper counterweighing is required. See Counterweight Selection Chart. Recommend Backhoe Boom Bolt-on Protection Plate.	
	Reconfinentia backinge boom boit-on Protection Plate.	
AT393558	Backhoe New Series Multi-Brand Quick Coupler	\$1,574.00
	For use with DEERE C-D-SE-SG-SJ-SK-SL Series buckets and with Case K-L-M and Cat D and E Series Buckets Buckets, High Capacity Buckets and 710J Buckets.	
	Spacers are recommended for CAT and Case buckets, refer to dealer bulletin 07BH08.	
BYT10289	Coupler, Rear Hydraulic for Pin-on Buckets, Extendable Dipperstick	\$6,927.00
	For use on 310SL with a Serial Number of 303524 and Higher.	
	Requires Valve Plumbing Kit BYT10077. Bucket Compatibility: For use with DEERE SE, SG, SJ, SK, SL & SL HL Series pin-on buckets and 410E, G, J, K, and L Series pin-	
	on buckets. Not for use with Top Hook Buckets.	
	Reference Bulletins 17BH09 and 16BH17 for bucket compatibility and SSM information.	
BYT10333	Coupler, Rear Spring Type Quick Coupler	\$3,354.00
	For use with DEERE SE, SG, SJ, SK, SL & SL HL Series pin-on buckets and 410E, G, J, K, and L Series pin-on buckets.	
	Not for use with Top Hook Buckets. Reference Bulletin 17BH09 for bucket compatibility information.	
BYT10078	Coupler, Rear Hydraulic Kit	\$1,134.00
	Includes valve and plumbing only, for standard and extendable dipperstick.	
	Hydraulic coupler for pin-on buckets not included. Used in the installation process of Rear Hydraulic Coupler BYT10288 or BYT10289.	
	For use with Serial Number 304845 and above.	
BYT10288	Coupler, Rear Hydraulic for Pin-On Buckets, Standard Dipperstick	\$6,927.00
	For use on 310SL HL and 410L with a Serial Number of 303524 and Higher. Requires Valve Plumbing Kit BYT10078. Bucket	
	Compatibility: For use with DEERE SE, SG, SJ, SK, SL & SL HL Series pin-on buckets and 410E, G, J, K, and L Series pin-on buckets. Not for use with Top Hook Buckets. Reference Bulletins 17BH09 and 16BH17 for bucket compatibility and SSM	

information.			
AT336316	Coupler, Deere Backhoe Bucket Fits 310SE, 310SG, 310SJ, 310SK, 310SL, 410E, 410G, 410J,410TJ, 410K, 410L backhoes. For use with 310SE, 310SG, 310SJ, 410E, 410G,410J, 410TJ, 410K, 410L backhoe buckets Proper counterweighing is required. See Counterweight Selection Chart. Recommend Backhoe Boom Bolt-on Protection Plate.		\$1,530.00
	Backhoe Buckets	Field Installed Attachments	- Optional
AT437700	BKH Pin-on Bucket 18 in (457 mm) Severe Duty 5.1 Cu. Ft. (0.14 Cu. M.)		\$1,765.00
AT437343	BKH Pin-On Bucket 24 In. (610 mm) Heavy Duty 7.5 Cu. Ft. (0.21 Cu. M.)		\$1,616.00
AT437362	BKH Top Hook Coupler Bucket 18 in. (457 mm) Heavy Duty 5.1 Cu. Ft. (0.14 Cu. M.)		\$1,561.00
AT437616	BKH Pin-on Bucket 36 In. (914 mm) Ditching 12.5 Cu. Ft. (0.35 Cu. M.)		\$1,810.00
AT437344	BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty 8.8 Cu. Ft. (0.25 Cu. M.)		\$1,772.00
AT437342	BKH Pin-On Bucket 24 In. (610 mm) Standard-Duty 7.5 Cu. Ft. (0.21 Cu. M.)		\$1,667.00
AT437338	BKH Pin-on Bucket 12 In. (305 mm) Heavy-Duty 3.3 Cu. Ft. (0.09 Cu. M.)		\$1,282.00
AT437701	BKH Pin-on Bucket 24 in (610 mm) Severe Duty 7.5 Cu. Ft. (0.21 Cu. M.)		\$2,193.00
AT437702	BKH Pin-on Bucket 24 in (610 mm) Severe Duty 8.8 Cu. Ft. (0.25 Cu. M.)		\$2,264.00
AT436333	BKH Pin-on Bucket 36 In. (914 mm) Heavy-Duty 12.5 Cu. Ft. (0.35 Cu. M.)		\$2,757.00

AT437340	BKH Pin-on Bucket 18 In. (457 mm) Heavy-Duty 5.1 Cu. Ft. (0.14 Cu. M.)	\$1,487.00
AT437361	BKH Top Hook Coupler Bucket 12 in. (305 mm) Heavy Duty 3.3 Cu. Ft. (.09 Cu. M.)	\$1,307.00
AT437345	BKH Pin-on Bucket 30 In. (762 mm) Heavy-Duty 10.0 Cu. Ft. (0.28 Cu. M.)	\$1,835.00
AT437363	BKH Top Hook Coupler Bucket 24 in. (610 mm) Heavy Duty 7.5 Cu. Ft. (0.21 Cu. M.)	\$1,741.00
	Stabilizer Legs Field Installed Attac	hments - Optional
AT376410	Heavy Duty Stabilizer Pads	\$467.00
AT376409	Standard Stabilizer Street Pads	\$234.00
	Attachments & Accessories Field Installed Attac	hments - Optional
BYT10287	42 Inch Hydraulic Backhoe Thumb - 4 Tine Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 6230, 6240, or field installed 2-way auxiliary hydraulic kit.	\$7,069.00
AT308139	Forks, Pallet (2) 60 in.(1.52m) with 60 in. (1.52m) Coupler Fork Carriage	\$4,652.00
AT308138	Forks, Pallet (2) 48 in.(1.22m) with 60 in. (1.52m) Coupler Fork Carriage	\$4,084.00
BYT10285	37 Inch Hydraulic Backhoe Thumb - 4 Tine Reference Bulletin 17BH08 for compatibility with couplers and buckets, and to determine necessary thumb length. Requires Two-way Auxiliary Hydraulics, code 6230, 6240, or field installed 2-way auxiliary hydraulic kit.	\$6,981.00
AT366494	Multi-Purpose Flip-Over Forks	\$3,584.00

	FRONT LOADER		
	Loader Buckets Bas	sic Factory Options - Required	
	Loader Buckets include Skid Plates and Lift Hooks unless stated otherwise. Orders with custom codes are exempt from order response targets. Not all custom codes may be pu configuration needs that you don't see available, please contact Dealer Marketing Assistance Center DMAC can also provide assistance in referring Dealers to aftermarket options for customized attach	e Center (DMAC): (563) 589-6660.	
	Pin-On Loader Buckets		
	Not compatible with 7035 and 7085 Loader Hydraulics.		
7645	1.3 Cu. Yd. (1.0 Cu. M.) 92 in. (2.34 m) Wide Heavy Duty Long Lip Bucket with Bolt on Cutting Edge and Skid Plates	\$4,531.00	
7687	1.32 Cu. Yd. (1.0 Cu. M.), 92 in. (2.34 m) Wide, Multipurpose Bucket with Bolt On Teeth	\$8,756.00	
	Requires Code 7080, Auxiliary Loader Hydraulic. Includes reversible cutting edge for moldboard and back of clamshell. Includes mounting ears for flip-over forks. Includes two lift holes. Includes skid plates.		
7685	Wide Multipurpose Bucket	\$10,554.00	
	1.32 Cu. Yd. (1.0 Cu. M.), 92 in. (2.34 m). Requires Code 7080, Aux. Loader Hydraulic Includes reversible bolt-on cutting edge and skid plates. Includes reversible cutting edge for moldboard and back of clamshell. Pre-drilled for eight teeth - Order teeth from parts. Includes two lift holes.		
76A1	Custom Code - 1.30 CU YD MP Bucket with BOCE (4-in-1) and Flip over Fork Kit - Installation Ready Requires 7025 or 7080. Flip over forks not included. Please order field kit: AT366494.	\$8,215.00	
7655	1.5 Cu. Yd. (1.15 Cu. M.), 92 in. (2.34 m.) wide Heavy Duty Long Lip Bucket with Bolt-On Cutting Edge and Skid Plates 92 in. (2.34 m.) wide. Includes reversible bolt-on cutting edge and skid plates. Includes two lift holes.	\$5,033.00	
	Coupler Loaders Buckets		
	Requires codes 7035 or 7085 Loader Coupler		
7605	Less Coupler Bucket	No Added Cost	

7690	1.32 Cu. Yd.(1.0 Cu. M.), 92 in.(234 mm) wide Multipurpose Coupler Bucket	\$9,529.00
	Requires Code 7085, Aux. Loader Coupler Hydraulics. Requires Code 8415, Counterweight.	
	Cannot be used with code 8475 or 8485 Counterweight. Includes reversible bolt-on cutting edge and skid plates.	
	Includes reversible cutting edge for moldboard and back of clamshell.	
	Pre-drilled for eight teeth - Order teeth from parts. Includes two lift holes.	
	1.5 Cu. Yd.(1.15 Cu. M.), 92 in.(2.34 m.) wide Heavy Duty Long Lip Coupler Bucket w/ Bolt-On	
7660	Cutting Edge & Skid Plates	\$5,285.00
	92 in. (2.34 m.) wide. Includes reversible bolt-on cutting edge and skid plates.	
	Includes two lift holes.	
7600	Less Loader Bucket with Pins for Buckets or Front Attachments	No Added Cost
	Old Style pins will be necessary with older buckets and attachments.	
	Loader Controls Basic Factory	Options - Required
	All selections come with Return to Dig feature.	The state of the s
	Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If	there are specific
	configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (DMAC can also provide assistance in referring Dealers to aftermarket options for customized attachments and	
	Diviac can also provide assistance in referring Dealers to aftermarket options for customized attachments and	Heid Kit ilistaliations.
7025	Two-Function Loader Hydraulics, Single Lever	No Added Cost
	Single lever loader control with electric clutch disconnect and momentary MFWD.	
7035	Loader Coupler, 2-Function Hydraulics, Single Lever	\$6,829.00
	Includes Auto Ride Control, option 9115.	
	Single lever loader control with electric clutch disconnect and momentary MFWD. Will accept G, J, K and L-Series loader coupler buckets	
7080	Three-Function Loader Hydraulics, Single Lever	\$3,268.00
	Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydrau	ılic
	auxiliary control. For multi-purpose bucket and front attachments.	
	Includes valve with circuit relief and 5 In. (12.7 mm) hoses and steel lines to loader cross tube.	
7085	Loader Coupler, 3-Function Hydraulics, Single Lever	\$9,974.00
	Includes Auto Ride Control, option 9115. Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydrau	ılic
	auxiliary control.	mio
	For multi-purpose coupler bucket and front attachments. Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines to loader cross tube.	
	Will accept G, J, K, and L-Series loader coupler buckets.	
70B6	Custom Code - Loader Coupler Configuration, 3-Function Hydraulics, Single Lever (Less	\$7,682.00
	Coupler) Includes Auto Ride Control, option 9115.	
	Single lever loader control with electric clutch disconnect, momentary MFWD, transmission quick-shift, and electro-hydrau auxiliary control.	ilic
	auxiliary control.	

Does not include the coupler.

For multi-purpose coupler bucket and front attachments.

Includes valve with circuit relief and .5 in. (12.7 mm) hoses and steel lines are capped at the cross tube.

Will accept G, J, K, and L-Series loader coupler buckets.

	Loader Controls	Field Installed Attachments - Optional
9115	Auto Ride Control	\$2,335.00
	Loader Buckets	Field Installed Attachments - Optional
AT336927	Loader Coupler Attachment Adapter Hook Plates (2) Standard	\$1,934.00
AT308082	LDR Pin-on Bucket 1.5 Cu. Yd. (1.15 Cu. M.) Heavy Duty Long Lip 92 in. (2.34 m) wide. Includes reversible bolt-on cutting edge with skid plates. Includes two lift loops.	\$4,304.00
BYT10708	LDR Coupler Multipurpose 1.3 cu. Yd. (1.0 cu. m), 92 in (2.34 m) wide bucket Includes Reversible Bolt On Cutting Edges and Skid Plates. Includes reversible cutting edge for moldboard and back of clamshell. Requires Code 7085, or Third Function Loader Hydraulics and Loader Coupler. 92 in. (2.3 m) bucket width. Includes reversible bolt-on cutting edge with skid plates. Pre-drilled for eight teeth. Includes two built-in lift loops. Order teeth from parts. Includes two lift holes. Proper counterweight is required. See Counterweight Selection Chart.	\$8,150.00
AT308968	LDR Coupler Bucket 1.25 Cu. Yd. (.96 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Long Lip Does not include Bolt-On Cutting Edges or Skid Plates.	\$3,546.00
BYT10705	LDR Pin-on Multipurpose 1.25 Cu. Yd. (0.96 Cu. M.), 92 in. (2.34 m) wide bucket flip fork ready Includes reversible cutting edge for moldboard and back of clamshell. Includes bolt-on teeth, flip-fork ready. If forks are desired, please order field kit: AT366494.	\$7,489.00
BYT10703	LDR Pin-on Multi-Purpose Bucket 1.32 Cu. Yd. (1.0 Cu. M.), 92 in. (2.34 m) wide Includes Reversible Bolt On Cutting Edges and Skid Plates. Includes reversible cutting edge for moldboard and back of clamshell. Requires Third Function Loader Hydraulics. 92 in. (2.3 m) bucket width	\$7,564.00

	n parts.	
AT308966	LDR Coupler Bucket 1.32 Cu. Yd. (1.0 cu. m) Heavy Duty 92 in. (2.34 m) Long Lip	\$4,197.00
	Includes Reversible Bolt On Cutting Edge and Skid Plates.	
AT308080	LDR Pin-On Bucket 1.32 Cu. Yd. (1.0 Cu. M.) Heavy Duty Long Lip Bucket	\$3,876.00
	92 in. (2.34 m) wide. Includes reversible bolt-on cutting edge with skid plates. * Includes two lift holes.	
BYT12306	LDR Pin-on Bucket 1.3 Cu. Yd. (1.0 Cu. M.) Heavy Duty 86 in. (2.18 m) wide Long Lip	\$3,375.00
	Loader Controls Field Installed Attachm	nents - Optional
AT452094	Ride Control Plumbing Kit	\$708.00
	Harness, plumbing, and accumulator for ride control. Must order valve and mounting plate separately. Compatible with both manual and auto ride control.	
AT449593	Auto Ride Control Valve Kit	\$570.00
	Includes valve and mounting plate. Also requires plumbing kit AT452094. Must order applicable Software Part Number in JDPoint for Field Kit to function properly.	
BYT11542	Multi-Purpose Bucket Anti-Drift Valve Kit	\$759.00
	Prevents clam shell from drifting open during load, carry and three-point stance operations. Kit includes valve, hoses and mounting hardware. Compatible with all Backhoe and Tractor Loader multi-purpose buckets (installation instructions will also detail mounting procedure for buckets produced prior to September 2018)	
	WEIGHTS AND BALLASTING	

Counterweight Basic Factory Options - Required

410L COUNTERWEIGHT SELECTION CHART

Select the Proper Counterweight for the Machine and Optional Equipment

Add/subtract the options front axle percent. Then add the counterweight that gives the desired weight distribution between 27-32% (Target = 30%) to select counterweight.

"To this percent weight, add/subtract the following option percents, according to configuration as ordered."

Loader Coupler	+4.4%
Non-Powered Front Ax	
Cab	0.4%

[&]quot;Choose counterweight which results in the target front axle weight percent"

Counterweight Options

Bumper 0.0%	
450 lb. Counterweight +2.4	1%
750 lb. Counterweight +4.0)%
1,000 lb. Counterweight +5.	0%
1,250 lb. Counterweight +6.	2%

*** Base calculated using an Standard dipper, Canopy, Mechanical Front Wheel Drive, Standard Loader bucket, and a Standard Backhoe bucket.

8410	Front Cover - For Machines Without a Front Counterweight	No Added Cost
8415	Heavy-Duty Bumper - For Machines Without a Front Counterweight	\$223.00
8425	450 Lb. (204 kg) Front Counterweight	\$615.00
8455	750 Lb. (340 kg) Front Counterweight	\$998.00
8475	1000 Lb. (454 kg) Front Counterweight	\$1,374.00
8485	1250 Lb. (567 kg) Front Counterweight	\$1,758.00
	Counterweight	Field Installed Attachments - Optional
BYT10255	Counterweight, Front, 1,000 lbs (454 kg) Use with (4) T119912 AND (4) 19M9124.	\$1,388.00
BYT10251	Counterweight, Front, 450 lbs (204 kg) Use with (4) T119912 AND (4) 19M9124.	\$621.00

BYT10256	Counterweight, Front, 1,250 lbs (567 kg)	\$1,794.00
	Use with (4) T119912 AND (4) 19M9124.	
AT409592	Counterweight, Front, 250 lbs (113 kg)	\$544.00
	If adding to the 450 lb. (204 KG) counterweight, order (4) T151797, (2) 19M9088, AND (2) 14M72 For 750 lb. (340 KG), 1000 lb. (454 KG) and 1250 lb. (567 KG) counterweights, order (2) T151797	
BYT10254	Counterweight, Front, 750 lbs (340 kg)	\$1,008.00
	Use with (4) T119912 AND (4) 19M9124.	
	ENGINE	
	Engine	Basic Factory Options - Required
1065	John Deere PowerTech™ EWL 4.5L (276 Cu. In.) Engine Meets Final Tier 4 and Stage IV Emissions	\$15,228.00
	Net Peak Power of 116 Hp. For use only in areas where EPA Final Tier 4/EU Stage IV is required.	
	Turbocharged. Wet Sleeve Cylinder Liners.	
	4 Valves / Cylinder. Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel Compatible.	
	Serpentine Belt with Automatic Belt Tensioner. Enclosed Safety Fan Guard.	
	Vertical Spin-On Engine Oil Filter. Spin-On Fuel Filter with Water Separator. Dual Safaty Flomont Day Type Air Cleaner with Everyator Valve.	
	Dual Safety Element Dry-Type Air Cleaner with Evacuator Valve. Underhood Exhuast Filter and Catalysts with Evacuator Valve. Automatic Exhuast Filter Regeneration.	
	Glow Plugs. Electronically controlled, variable-speed cooling fan.	
	Engine	Field Installed Attachments - Optional
9045	Chrome Exhaust Extension	\$178.00
9080	Engine Coolant Heater	\$172.00
9085	Electric Ether Start Aid without Ether Canister	\$319.00
	Not for use with 310L EP.	

	Oil Sampling Ports	Field Installed Attachments - Optional
9515	Diagnostic Oil Sampling Ports	\$207.00
	Requires code engine code 1085 or 1065. Includes 4 ports: Engine oil Engine coolant Transmission oil Hydraulic oil	
	Hydraulic Oil	Field Installed Attachments - Optional
9088	Hydraulic Fluid - Hydrau XR Synthetic Oil	\$608.00
7000	Intended for colder climates with extreme cold ambient temperatures down to -40C (-40F). Provide ambient temperatures ranging from -40C to 40C (-40F to 104F).	
	Engine	Field Installed Attachments - Optional
AT393180	Environmental Drain Kit	\$595.00
BYT11568	Pre-Cleaner, Engine Air Intake	\$1,064.00
	Aspiration style pre-cleaner using engine exhaust to scavenge debris from air filter intake.	
BYT11589	Fluid Sampling Ports	\$498.00
	Not available on Stage II (Tier 2) engines. For use on Backhoes with a Serial Number 390995 and Higher.	
	MISCELLANEOUS	
	Guards	Field Installed Attachments - Optional
9505	Full MFWD Driveshaft Guard	\$428.00
9120	Heavy-Duty Grille Frame	\$555.00

	Miscellaneous	Field Installed Attachments - Optional
	Paint and Rust Protection	Field Installed Attachments - Optional
9800	Finish Paint - Decals Not Installed	\$165.00
9909	Non-Export Rust Preventive Coating	\$172.00
,,,,,	Coating protects exposed unpainted surfaces from road salt during shipment.	¥1,7 <u>1</u> .00
	Guards	Field Installed Attachments - Optional
AT371257	MFWD Wheel Fender Kit for 18 in. tires only	\$723.00
	Requires MFWD and 12.5/80-18 or 340/80R-18 front tires.	
AT438402	KIT, FULL MFWD GUARD	\$280.00
AT434236	Rubber Bumper for Grille Frame	\$192.00
AT323580	Backhoe Boom Protection Plate, Bolt-On	\$608.00
	Installation instructions T207899, Average installation 1.5 hours. Bolt on or weld to underside of backhoe boom. Recommended for rental, lease non-Deere attachments on couplers.	e, thumbs/clamps, swingers, jaw buckets, and
AT335984	Extendable Dipperstick Bolt-On Protection Plate	\$379.00
	Bolts on bottom of dipperstick, Average installation 2 hours.	
AT305073	Stabilizer Cylinder Guards (Set of Two)	\$314.00
BYT11926	Heavy-Duty Grille Screen Kit	\$561.00
	Compatible with L-Series Backhoe Loaders.	
	Miscellaneous	Field Installed Attachments - Optional
	Did Tamas	2/22/40 2/24/24: Extended to 2/24/22: Extended to 2/24/22

BYT10330	Rear Wiring Harness for Hammer, Auto Greaser	\$180.00
	Harness that enables installation of an auto greaser (primarily for hammer use).	
BYT10312	Stop Kit, Field Kit - Pilot Tower Stow	\$26.00
AT437905	Jump Start and Battery Disconnect Kit	\$247.00
AT451194	Pivotable Beacon Bracket	\$104.00
AT408903	Mounting kit for multi-purpose (ABC) Dry Chemical Fire Extinguisher Kit Does not Include Fire Extinguisher.	\$100.00
	G.R.Mfg.	Field Installed Attachments - Optional

G.R. Manufacturing, Inc.

- * Kits listed below must be ordered through John Deere.
- * F.O.B. Trussville, Alabama
- * All kits include installation instructions
- * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.

G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

AT441379

Guard, Transmission Bottom

\$1,880.00

Kit is not compatible with the factory MWFD guard (option code 9505) or the MFWD field kit (BYT11208).

HYDRAULICS

Hydraulics

Field Installed Attachments - Optional

BYT11079

1-Way (Select Flow) Auxiliary Hydraulics Bulkhead - Bucket Cylinder Mounted

\$216.00

This field kit provides an alternative connection point for 1-way (select) flow hydraulics. The bulkhead will accept existing factory sourced plumbing, normally attached to dipper side sheets. Kit consists of two clamps and bulkhead bracket.

AT431340	Accu-Swing Kit for Backhoe	\$492.00
A1431340	Includes two circuit reliefs, fittings, clamps and hardware. Installation instructions T210751.	\$4.7Z.UU
AT448428	Hand Held Hydraulics	\$464.00
	Plumbing routed from the backhoe valve to above the battery box for hook up of hand held attachments. Average installation, 4 hours. Includes two circuit reliefs, fittings, clamps and hardware. Requires Selective Flow Valve. Installed in Battery Box.	
AT431160	Auxiliary Plumbing for Selective Flow - Extendible Dipperstick	\$687.00
	Installation instructions T208495 Average installation, 2 hours. Requires Extendible Dipperstick. Requires Five Function Plus Selective Flow or Selective Flow.Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of dipperstick. Required for hammers, compactors, high or low flow motor attachments mounted on end of dipperstick.	
BYT11011	Hydraulic Plumbing, Bulk Head to Deere Thumb Cylinder - Extendable Dipperstick	\$88.00
	For use with serial numbers after 338468. Must be configured with 6230 or 6240 or BYT11016, BYT11694, BYT11018, BYT11019. Average installation, 2 hours. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310L EP and 310L controlled by foot pedal. 310SL, 310SL HL and 410L controlled by thumb roller in pilot joystick. For installation instructions, please reference DTAC Solution 115211.	
BYT11015	Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way Proportional Flow - Standard Dipperstick	\$597.00
	For use with serial numbers after 338456. Includes plumbing to bulkhead at the end of the dipperstick. Average installation, 2 hours Includes two circuit reliefs, fittings, clamps, hoses and hardware. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. Controlled by thumb roller in pilot joystick. Quick connect couplers and jumper hoses from bulkhead to attachment not included. If installing hydraulic Deere thumb, additional thumb plumbing kit is required (BYT11010). Please reference DTAC Solution 115211.	
BYT11010	Hydraulic Plumbing, Bulk Head to Deere Thumb Cylinder - Standard Dipperstick	\$88.00
	For use with serial numbers after 338468. Must be configured with 6230 or 6240 or BYT11006, BYT11693, BYT11014, BYT11015. Average installation, 2 hours. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310L EP and 310L controlled by foot pedal. 310SL, 310SL HL and 410L controlled by thumb roller in pilot joystick. For installation instructions, please reference DTAC Solution 115211.	
BYT10279	Loader Coupler, Hydraulic	\$7,841.00
	For use on Backhoes with a Serial Number 390995 and Higher. L-Series backhoes must order applicable Software Part Number in JDPoint for Field Kit to function properly.	
AT455624	Sixth Function Manual Valve Kit (2 way flow for thumb swinger or grapple)	\$1,052.00

Valve section and two hoses. Pedal and linkage ordered separately. For use with Manual Controls 5225. Auxiliary Plumbing for Selective Flow - Standard Dipperstick AT456542 \$610.00 Average installation, 2 hours. Requires Standard Dipperstick. Requires BYT11701 Selective Flow Control Kit. Includes boom and dipperstick hydraulic lines, and hardware for attaching hoses and lines from the selective flow valve section to end of Dipperstick. Required for hammers, compactors, high or low flow motor attachments mounted on end of Dipperstick. AT431164 Controlled Lowering Device for Backhoe Boom Cylinder \$2,734.00 AT450466 Auxiliary Backhoe Hydraulics for Auger, Extendible Dipperstick \$384.00 Includes fittings and hydraulic couplers for bucket cylinder. Average installation, 1 hour. Bucket cylinder hoses are disconnected; bucket function operates auger forward and reverse. No additional controls are required. Dealer must supply 0.5 inch (12.7 mm) ID hoses from bucket cylinder hydraulic couplers to auger. AT431166 Loader Coupler, Hydraulic \$7,841.00 For use on Backhoes with a Serial Numbers below 304845. L-Series backhoes except the 310L and 310L EP must order applicable Software Part Number in JDPoint for Field Kit to function properly. Auxiliary Backhoe Hydraulic Plumbing Kit, Two-Way Proportional Flow - Extendable BYT11019 \$597.00 Dipperstick For use with serial numbers after 338456. Includes plumbing to bulkhead at the end of the dipperstick. Average installation, 2 hours Includes two circuit reliefs, fittings, clamps, hoses and hardware. For Low Flow intermittent usage (Thumb, Auger, Rotation Circuit, etc.) Requires unit to have unused 5th, 6th or 7th 2 way hydraulic functions. 310SL HL and 410L controlled by thumb roller in Quick connect couplers and jumper hoses from bulkhead to attachment not included. If installing hydraulic Deere thumb, additional thumb plumbing kit is required (BYT11011). Please reference DTAC Solution 115211. BYT11688 \$4,031.00 Auxiliary Loader Control Valve with 3 Function Hydraulics - Single Lever For use on 310SL (0A71T), 310SL HL (0A81T) and 410L (0AB1T). For use on Backhoes with a Serial Number 390995 and Higher. Must order applicable Software Part Number in JDPoint for Field Kit to function properly. BYT11992 Sixth Function Valve Kit (2 way flow for thumb swinger or grapple) \$3,048.00 For use on Backhoes with a Serial Number 390995 and Higher. Must order applicable Software Part Number in JDPoint for Field Kit to function properly. Valve section and two hoses. For use with Pilot Controls 5285. If the machine is not equipped with single lever loader control (SLLC) and loader auxiliary, also order:

AT432173 Wiring Harness

14M7303 Nut (Qty 4)

19M7775 Cap Screw M6 X 16 (Qty 4)

AT472332 Auxiliary Valve Controller (AVC)

BYT11701 Selective Flow Control Kit (1 way flow for use with hammer or compactor)

\$1,759.00

For use on Backhoes with a Serial Number 390995 and Higher. Selective flow control to the backhoe valve for switch control of auxiliary hydraulics. Does not include plumbing kit.

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.