John Deere -2022 Price List 470 P Excavator Base Machine

01-Mar-2022



Description QTY List Price (USD) Code

04K0FF 470 P Excavator Base Machine 1 \$515,368.00

HYDRAULICS:

Open Center, Load Sensing with Variable Displacement Pumps

Hydraulic Pilot Controls Axial Piston Swing Motor Multiple Wet Disk Swing Brake

Auxiliary Valve Section

Adjustable Flow for Attachments Through Monitor

Boom and Arm Reduced Drift Valves

Mechanical Pattern changer Hydraulic Tank Site Gauge

4,000 Hour Hydraulic Oil Change Interval

Variable Reversing Fan now included in base machine.

UNDERCARRIAGE:

Two Speed Propel with Auto-Shift

Axial Piston Propel Motors

Propel Motor Shields

Planetary Final Drives

Sealed and Lubricated Track Chain

Front and Center Track Guides

X-Frame Car Body

Hydraulic Track Adjuster

Nine Lower Rollers

Three Upper Rollers

Spring Applied Hydraulic Released Propel Brake

UPPER STRUCTURE:

Right and Left Mirrors

Toolbox

Vandal Locks for:

Cab Door

Service Doors

Fuel Cap

Tool Box

Deluxe Front LED Work Lights:

One Mounted on Frame

Two Mounted on Boom

Two Mounted on Cab

Debris Screen in Side Panel

Remote Mounted Engine Oil Filter

Chrome Exhaust

FRONT ATTACHMENT:

Centralized Lubrication System

Dirt Seals on Bucket Pins

Less Boom

Less Arm

Less Bucket

OPERATOR'S STATION:

Adjustable Control Positions (Levers to Seat, Seat to Pedals)

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

4" Arm Rests Attached to Side Consoles

Pilot Control Shut-Off Lever

Short Stroke, Low Effort Pilot Levers

Deluxe Adjustable, Heated Cloth Seat with Air Suspension, Reclining Backrest, Headrest, and Adjustable Lumbar Support

Multifunction, Color LCD Monitor System with:

Diagnostic Capability

Systems Monitoring Capability

Multiple Language Capability

Maintenance Tracking

Engine Coolant Temperature Gauge

Engine Coolant Temperature Warning Indicator with Audible Alarm

Engine Oil Pressure Warning Indicator with Audible Alarm

Fuel Gauge with Low Fuel Indicator

Work Mode Indicator

Auto Idle Indicator

Auto Shut Down Indicator

Alternator Charge Indicator

Air Filter Restriction Indicator

Fault Code Alert Indicator

Check Engine Indicator

Wiper Mode Indicator

Work Lights On Indicator

Fuel Rate Display

Clock

Hour Meter

Mode Selection:

One Work Mode

Three Power Modes

Boom Mode

Numerous Attachment Modes

Auto-Climate Control/Air Conditioner, Heater with Pressurizer

AM-FM Radio

Right, Rear and Left Camera System

Machine Information Center (MIC)

Windshield Wiper/Washer with Intermittent Speed

12V-60W, 5 Amp Cell Phone Power Outlet

2 In. Retractable Seat Belt

Tinted Safety Glass

Hot/Cold Box Compartment

Horn

Two Cup Holders

Interior Light

Coat Hook

Floor Mat

Motion Alarm with Cancel Switch

Transparent Tinted Roof Hatch with Sunshade

Easy Access Air Conditioning Filter

04K0FF 470 P Excavator Base Machine

1 \$515,368.00

DESTINATION AND LANGUAGE

Destination Codes Basic Factory Options - Required

0184 Destination Code - Canada No Added Cost

0202	Destination Code - United States	No Added Cost
0203	Destination Code - Puerto Rico (U.S. Territory)	No Added Cost
0245	Destination Code - Guam	No Added Cost
	Operator's Manual and Decals	Basic Factory Options - Required
0259	English Customer Delivery Packet	No Added Cost
	PACKAGES	
	Trim Packages	Basic Factory Options - Required
0603	Level 3 Includes: - Seat, Heated Air-Suspension - Deluxe Front LED Worklights - Chrome Exhaust	\$4,300.00
0604	Level 4 Includes: - Seat, Premium Leather – Thermal Heating and Active Cooling - Deluxe Front LED Worklights - Chrome Exhaust	\$5,500.00
	OPERATOR'S STATION AND CONTROLS	
	Obstacle Intelligence	Basic Factory Options - Required
1101	Right, Rear and Left Camera System	\$4,378.00

Includes:

- Right, Rear	and Left LED Lighting	
	PRECISION TECHNOLOGY SOLUTIONS	
	Machine Connectivity Basic Factory Opt	tions - Required
170K	JDLink™ Ultimate 5 Year Subscription with 50 Hour Temp License	No Added Cost
	Includes: - Integrated cab wiring harness, antenna, and JDLink Modem (MTG) JDLink connectivity is enabled separately through the JDLink website. Connectivity service is subject to country availability.	
	Grade Systems Basic Factory Opt	tions - Required
2000	Less Grade Reference Ready Mounts	No Added Cost
2001	Grade Reference Ready Mounts	\$1,555.00
	Includes: - Mounting points on bucket link, arm and boom for grade reference sensors. Sensors, manufacturing specific mounts, wiring harness and monitor provided by OEM suppliers.	
2002	2D Integrated Grade Guidance, Topcon	\$16,648.00
	2D Grade Guidance system fully integrated into the cab and structures. Intuitive functionality with built-in audible tones and light bars, matched with precise real-time bucket cutting edge position information of relative depth and slope, provide clear guidance to target grade. Consists of sensors, controllers and in-cab display for configuring, monitoring, and measuring grade.	
2003	3D Integrated Grade Guidance, Topcon - 915 Mhz & 450 Mhz Radio	\$49,608.00
	3D Grade Guidance system fully integrated into the cab and structures. Intuitive functionality with built-in audible tones and light bars, matched with precise real-time bucket cutting edge position information, including relative depth and slope to 3 dimensional design plans. Consists of UHF transmitter/receiver, sensors, and in-cab display for configuring, monitoring, and measuring grade. Includes Topcon 3D-MC ² software compatible with Topcon file formats.	
2004	SmartGrade™ Ready 2D Grade Control	\$29,846.00
	SmartGrade™ ready 2D grade control system fully integrated into the cab and structures. Adaptively controls bucket relative to target grade to improve accuracy and efficiency. Includes Virtual alert features (Virtual Ceiling, Virtual Floor, Virtual Swing, Virtual Wall, Virtual Front & Over-Dig Protect). Upgradeable to SmartGrade™ 3D solution via upgrade kit. Consists of sensors, controllers, valves and in-cab display for configuring, monitoring, and controlling grade.	
2005	3D SmartGrade™ - 915MHz & 450MHz Radio	\$69,662.00
	SmartGrade™ 3D GNSS grade control system fully integrated into the cab and structures. Adaptively controls bucket relative to grade to improve accuracy and efficiency. Includes Virtual alert features (Virtual Ceiling, Virtual Floor, Virtual Swing, Virtual Wall, Virtual Front & Over-Dig Protect). Consists of sensors, valves, GNSS receivers, UHF receiver, and in-cab display for configuring, monitoring, measuring, and controlling grade. Includes Topcon 3DMC software compatible with Topcon file.	

configuring, monitoring, measuring, and controlling grade. Includes Topcon 3DMC software compatible with Topcon file

formats.

h Laser Catcher er receiver enables greater jobsite flexibility utilizing plane for references across larger jobsites. Lase oard laser transmitter for functionality. s: Laser Catcher GINE ine	Basic Factory Options - Required \$1,266.00 r receiver requires No Added Cost Basic Factory Options - Required
er receiver enables greater jobsite flexibility utilizing plane for references across larger jobsites. Lase oard laser transmitter for functionality. S: Laser Catcher GINE	r receiver requires No Added Cost
er receiver enables greater jobsite flexibility utilizing plane for references across larger jobsites. Lase oard laser transmitter for functionality. S: Laser Catcher GINE	r receiver requires No Added Cost
GINE	
	Basic Factory Options - Required
ine	Basic Factory Options - Required
n Deere PowerTech PSS 13.5L meets EPA FT4 and EU Stage IV Emissions	\$13,500.00
IN FRAME	
m	Basic Factory Options - Required
s Boom, Less Boom Cylinders ommend: Hyd. Filter Restriction Indicator Kit	No Added Cost
avy Duty One Piece Boom w/Arm Cyl. and Plumbing M (23 ft. 0 in.) Boom	\$67,043.00
	Basic Factory Options - Required
s: Arm ucket is desired, must order attachment separately commend: d. Filter Restriction Indicator Kit and Indicator Coupler	No Added Cost
n: Standard M (11 ft 2 in) Arm	\$32,158.00
	M (23 ft. 0 in.) Boom s: Arm ucket is desired, must order attachment separately commend: d. Filter Restriction Indicator Kit and Indicator Coupler

6718	Arm: Semi-Long	\$32,387.00
	3.9 M (12 ft. 8 in.) Arm Arm with Bucket Cylinder and Linkage If Bucket is Desired, Must Order Attachment Separately	
	Note: Recommend Hyd. Filter Restriction Indicator Kit and Indicator Coupler	
	Lower Frame Bottom Covers	Basic Factory Options - Required
6630	Less: Lower Frame, Bottom Cover	No Added Cost
	Less: track frame under cover	
6631	Lower Frame, Bottom Cover	\$575.00
	Track frame under cover	
	Counterweight	Basic Factory Options - Required
6570	Counterweight	No Added Cost
6572	Counterweight w/ Counterweight Removal Device	\$10,035.00
	HYDRAULICS	
	Auxiliary Hydraulics	Basic Factory Options - Required
	Advillary Frydraulics	basic ractory options - required
7000		N. A.I. 10 .
7000	Less: Auxiliary Hydraulics	No Added Cost
7005	Aux High-Flow Lines Only with Push Button Control Grip	\$13,007.00
	Includes:	, , , , , , , , , , , , , , , , , , , ,
	 Combination auxiliary hydraulic piping with dedicated stop valves for each attachment. Requires dealer installed 1-way solenoid kit, 2-way solenoid kit, AFL kit, or a foot pedal kit functionality. 	or auxiliary hydraulics
	Hydraulic Coupler Ready	Basic Factory Options - Required

7040	Less: Hydraulic Coupler Ready	No Added Cost
	TRACKS	
	Track Shoes	Basic Factory Options - Required
5753	900 mm (36 In.) Steel Track with Triple Semi-Grouser Shoes Recommended for general conditions and soft terrain.	No Added Cost
	ATTACHMENTS	
	Buckets	Basic Factory Options - Required
7800	Less: Bucket	No Added Cost
7817	Heavy Duty Bucket 60IN (1525MM) 2.98YD (2.28 M3) Heavy Duty Bucket Includes (6) TK550 Series Teeth	\$17,153.00
7819	Heavy Duty Bucket 72IN (1825MM) 3.69YD (2.82 M3) Heavy Duty Bucket Includes Seven (7) TK550 Series Teeth.	\$16,773.00
7872	Severe Duty Bucket 60IN (1525MM) 2.98YD (2.28 M3) Severe Duty Bucket Includes Six (6) TK550 Series Teeth, Side Shrouds, and Edge Protectors	\$16,268.00
	MISCELLANEOUS PRODUCT LINE	
	Filter	Field Installed Attachments - Optional
8124	Fuel Filter, Severe-Duty Recommended for harsh conditions.	\$175.00
	Single Pedal Propel	Field Installed Attachments - Optional

8261	Single Pedal Propel Additional pedal for tracking both tracks simultaneously in the same direction	\$2,259.00
	Cold Weather Package	Field Installed Attachments - Optional
8500	Cold Weather Package Includes Engine Block Heater and Ether Start Aid	\$600.00
	Debris Package	Field Installed Attachments - Optional
8501	Debris Package Includes Engine Air Centrifugal Pre-Cleaner (Variable Reversing Fan included in base machine).	\$568.00
	BUCKETS	
	Buckets, Side Cutters	Field Installed Attachments - Optional
AT342513	Side-Cutter Kit, 6 inch	\$679.00
	Hydraulic Thumb Kits	Field Installed Attachments - Optional
AT379664 AT379665	Hydraulic Thumb Kit, Progressive Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. Not compatible with couplers, for use only with pin-on buckets. Hydraulic Thumb Kit, Progressive for Couplers Teeth matching between the bucket and thumb will depend on the bucket width, number of teeth	\$15,285.00
	Please see DMAC solution 94331 for optimum thumb and bucket teeth engagement. For use with Hydraulic Quick coupler (non-variable type) AT452021 only. Not compatible with Hydraulic Quick Coupler (Variable-type Pin-Grabber) BYT11634.	. •
	Buckets, Heavy-Duty	Field Installed Attachments - Optional

BYT11173	42 In (1067 mm), 1.74 yd3 (1.33 M3) Heavy-Duty Bucket Includes Four (4) John Deere TK-Series Fanggs (TK550).	\$11,378.00
BYT11174	48 In (1219 mm), 2.07 yd3 (1.58 M3) Heavy-Duty Bucket Includes Five (5) John Deere TK-Series Fanggs (TK550)	\$12,300.00
DVT11175	54 la (4272 ann) 2 44 ad2 (4 04 M2) Hanna Data Davida	\$10.400.00
BYT11175	54 In (1372 mm), 2.41 yd3 (1.84 M3) Heavy-Duty Bucket Includes Five (5) John Deere TK-Series Fanggs (TK550)	\$13,693.00
BYT11176	60 In (1524 mm), 2.75 yd3 (2.10 M3) Heavy-Duty Bucket	\$14,880.00
	Includes Six (6) John Deere TK-Series Fanggs (TK550)	
BYT11177	66 In (1676 mm), 3.09 yd3 (2.36 M3) Heavy-Duty Bucket	\$15,400.00
	Includes Six (6) John Deere TK-Series Fanggs (TK550)	
BYT11178	72 In (1829 mm), 3.44 yd3 (2.63 M3) Heavy-Duty Bucket	\$16,620.00
	Includes Seven (7) John Deere TK-Series Fanggs (TK550)	
BYT11179	60IN (1525MM) 2.98YD (2.28 M3) SD Bucket Includes Five (5) TK550SD SeriesTeeth, Side Shrouds and Edge Protectors	\$17,316.00
	MISCELLANEOUS	
	Hydraulic Couplers Field Installed A	attachments - Optional
AT452021	Hydraulic Quick Coupler (Non-Variable type) - Coupler and Controls Kit	\$12,844.00
711 102021	Includes non-variable hydraulic quick coupler with hydraulic and electrical control components	\$12,011.00
BYT11636	Hydraulic Quick Coupler (Variable-type Pin-Grabber) - Coupler Only	\$19,843.00
	Coupler kit ONLY. Includes coupler, jumper hoses, and one set of dead pins. Controls components NOT included. Also purchase Controls Kit BYT11637. Not compatible with hydraulic thumb AT379664 or AT379665.	
BYT11637	Hydraulic Quick Coupler Controls Kit, (Variable-type Pin-Grabber) - Controls Kit Only	\$1,613.00
	Controls kit ONLY. Includes hydraulic control components, electrical control components and components to manifold end of arm. Does not include hydraulic quick coupler - also purchase BYT11636. May not be required if replacing existing hydraulic quick coupler.	on

ATGR704042	G.R.Mfg.	Field Installed Attachments - Optional
ATGR704042		
ATGR704042		
	Guard, Undercarriage Frame Opening Approximately 1 hour to install.	\$8,052.00
ETN90043	Front Window Guard, Polycarbonate	\$3,598.00
	Hydraulics	Field Installed Attachments - Optional
AT316251	Boom Anti-Drift Kit Installation Instruction T217533	\$4,045.00
AT327652	Control Handle for Auxiliary Hydraulics, Left-Hand Requires control solenoid for either 1-way or 2-way auxiliary hydraulics. Recommended for use with auxiliary hydraulic lines.	\$530.00
AT338257	Anti-Drift Valve with Plumbing and Hardware, Arm Cylinder	\$3,638.00
AT390776	Single Pedal Propel Kit	\$2,143.00
AT437218	Foot Control, Two-Way Hydraulics	\$2,029.00
BYT10125	High-Flow Auxiliary Hydraulic Lines for 3.9 M Arm	\$12,913.00
	Guards	Field Installed Attachments - Optional
AT419609	Cab FOPS Guard FOPS Level II, ISO 10262 Certified	\$4,680.00
	Overall Vehicle	Field Installed Attachments - Optional

BYT11005	Vandal Covers After Serial # 36001	\$3,053.00
	Operator Environment	Field Installed Attachments - Optional
BYT11141	Full Length Front Guards After Serial # 36000	\$1,547.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.