

### Current Date 06Jan2021

## 644 X WHEEL LOADER

644 X Standard Equipment POWER TRAIN: Hybrid Electric Drivetrain Brushless A/C Generator Solid State Power Inverter Brushless A/C Motor Simplified Transmission with Integrated Wet Disc Park Brake Electronically Controlled Automated Shift System Quick Shift Button on Loader Control Lever with 2 Selectable Modes Automatic / Manual Shift Modes Programmable Maximum High Speed Range Automatic Transmission Neutralizer 100% Locking Front and Conventional Rear Differentials with Inboard Mounted Heavy Duty **Planetary Gears** Heavy Duty Self Adjusting Front and Rear Power Brakes **Electrically Actuated** Automatic Spring Applied, Hydraulically Released, Wet Multi-Disc Park Brake Transmission Fill Tube and Sight Gauge 2000 Hour Transmission Rimpull Control COOLING:

Height Kickout / Return to Carry **Hydraulic Function** Enable / Disable Hydraulic Reservoir with Sight Gauge and Fill Strainer Hydraulic Diagnostic **Ports** 4000 Hour In-Tank Filter **ELECTRICAL:** 24 Volt Electrical System Solid State Electrical Power Distribution System (2) Heavy Duty Batteries - each 950 Cold Cranking amps/190 minute Reserve Capacity Lockable Master Electrical Disconnect Switch Battery Terminal Safety Covers Pre-wired for Beacon/Strobe Light Lights: (2) Halogen Driving Lights with Guards (4) Front and (2) Rear Work Lights LED Turn Signals and **Flashers** LED Stop and Tail Lights Horn, Electric Reverse Warning Alarm Voltage Converter for 24V to 12V / 8 Amps Multi-Function / Multi-Language LCD Color Monitor includes: **DIGITAL INSTRUMENTS** ANALOG Display:

Defroster and Pressurizer Front and Rear Intermittent Windshield Wipers and Washers (1) Inside and (2) Outside Rear View Mirrors Left and Right Rear Side Opening Windows Sun Visor Keyless Start with Multiple Security Modes Sealed Switch Module with Function Indicators Seat with Back Rest Extension, Deep Foam, Fabric Cover, Adjustable Air Suspension for Weight/Height with Fore-Aft Adjustment and Adjustable Arm Rests Hydraulic Controls Integrated to Seat 3 Inch High Visibility Blaze Orange Seat Belt with Retractor (2) Cup Holders Lunch box (Cooler) Holder LED Dome and Reading Light 12 Volt Power Port Radio Ready Rubber Floor Mat Tilt Steering Column Textured Steering Wheel with Spinner Knob Operator's Manual Storage Compartment Left Side Operator Station Access Slip-Resistant Steps and **Ergonomically Located Handholds** Overall Vehicle: NeverGrease Rear Axle Oscillation Joints Front and Rear Tie Downs Front Fenders Rear Hitch with Locking Pin Articulation Locking Bar Boom Locking Bar 40 Degree Steering Articulation to Each Side with Rubber Cushion Stops on Frame

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25

John Deere -2021 Price List

Quad-Cool System: Heavy Duty, Trash Resistant

Radiator and High Ambient Cooling

Package

2 Side access to all

Coolers

Cooling System isolated

from Engine Compartment Engine Radiator Integral Engine Oil

Cooler

Hydraulic Oil Cooler (Oil

to Air)

(Oil to

Transmission Oil Cooler

Air)
Front and Rear Axle
Coolers with
Axle Oil Filtration
Charge Air Cooler (Air to

Air)

Coolant Recovery Tank

Antifreeze, -34F (-37 C) Cool-on Demand Swing

out Fan

**Enclosed Fan Safety** 

Guard HYDRAULICS:

Pressure Compensating

Load Sensing

Hydraulic System

2 Function Hydraulic

Joystick with FNR Control

Automatic Return to Dig In Cab Adjustable

Automatic Boom

Hydraulic Oil Temperature Engine Coolant Temperature Transmission Oil

Temperature
Engine Oil Pressure
DIGITAL Display:

Engine RPM

Transmission Gear /

Direction
Indicator
Hour Meter
Fuel Level
DEF Level
Speedometer
Odometer

Outside Temperature Indicator Lights for Standard and Selected Options Indicator Lights For Amber Caution and Red Stop

Operator Warning Messages BUILT-IN

DIAGNOSTICS:

Diagnostic Code Details

Sensor Values Calibrations

Individual Circuit Tester

MENU DISPLAY:

Codes

Machine Settings
Diagnostics
Monitor Settings

OPERATOR'S STATION: ROPS Quiet Cab with

Heater and Air Conditioning

Vandal Protection With Lockable

Engine Enclosures, Right Counterweight Compartment,

Battery

Box, Filler Access for

Radiator/Fuel/Hydraulic/Transmission

Service Steps and Handholds

Storage Compartment Fuel Tank Fill Strainer

Heavy Duty Fuel Tank Guard Ground Level Fueling and DEF

Less Tires and Wheels

Required - You must select one from each category

BASE MACHINE

FOB Davenport, Ia.

As not all option codes have field kits, please review your order option codes and available kits prior to placing a machine order

DescriptionCodePrice644 X WHEEL LOADER6060DW \$281,307,00

OPERATOR'S MANUAL AND DECALS

	<b>Description</b> English Decals and Manuals	<b>Code</b> 2605	<b>Price</b> No Added Cost
-	Spanish Decals and Manuals	2610	No Added Cost
	French Decals and Manuals	2615	No Added Cost
8	MACHINE CONFIGURATION		

### Y

Description	Code	Price
Standard Wheel Loader	1010	No Added Cost
Waste Handler Configuration	1021	No Added Cost

Requires the following codes:

1140- Hybrid Electric Drive Transmission System

1430 - Engine Air Intake with Centrifugal Precleaner

1520 - Automatic Reversing Fan Drive

2010 or 2020 - Z-BAR or High Lift Linkage

3120 - Manual Axle Differential Lock

5570 - Less Fenders

5610 - Left Side Steps Only

8450 - Cab w/ Air A/C Charge

8230 - Less Hitch and Counterweights

8298 - Less Beacon and Bracket

9410 Transmission and Bottom Guards

Requires BYT11873 - 644 X-tier Waste Handler Package, Installed. (Requires loader to ship to GR Mfg).

The dealer is responsible for making arrangements to get the unit to GR Manufacturing for installation. Shipping cost is not included in the installation.



## **ENGINE**

Description	Code	Price
John Deere PowerTech Engine	0924	\$37,509.00

John Deere PowerTech PSS 6.8L meets EPA FT4 Emissions (231 Net Peak hp)

Turbocharged

Wet Sleeve Cylinder Liners

Programmable Auto-Idle and Auto-Shutdown

Selected Idle Adjustment from 900-1250 RPM

Starter Protection

4 Valves / Cylinder

Cooled Exhaust Gas Recirculation

Automatic Derating for Exceeded System Temperatures

Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel

Compatible

Electrical Fuel Priming System

Serpentine Drive Belt with Automatic Tensioner

Under Hood Dual Element Air Cleaner with Restriction Indicator

Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack

Automatic Exhaust Filter Regeneration

Dual-Stage Fuel Filter and Water Separator

500 Hour Vertical Spin-on Oil Filter

Oil crankcase filter, Lifetime

Automatic Engine Cool-down Timer

Remote Start Battery Terminals 140 Amp Alternator

FAI			
•	N DRIVE		
	Description	Code	Price
	Standard Hydraulic Fan	1510	No Added Cost
	Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise.		
	Automatic Reversing Hydraulic Fan	1520	\$1,792.00
	Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise. Automatic Reversing fan to purge debris and dust on cooling system inlet screens and coolers periodically to reduce cleaning. Reversing intervals can be set in the monitor.		
	Requires code 1430 Engine Air Intake with Centrifugal Precleaner		
AIR	INTAKE		
	Description	Code	Price
	Standard Engine Air Intake System	1410	No Added Cost
	Does not include centrifugal precleaner		
	Engine Air Intake System with Centrifugal Precleaner	1430	\$667.00
EXI	HAUST		
	Description	Code	Price
	Flat Black Curved Stack	1310	No Added Cost
	Chrome Curved Stack	1330	\$443.00
FUFI	FILTRATION		
· OLL			
. 022	Description	Code	Price
. 322	<b>Description</b> Standard Fuel Filter with Water Separator and Standard Fuel Fill	<b>Code</b> 1610	
	Standard Fuel Filter with Water Separator and Standard		
	Standard Fuel Filter with Water Separator and Standard Fuel Fill		No Added Cost
	Standard Fuel Filter with Water Separator and Standard Fuel Fill RNATOR	1610	No Added Cos
	Standard Fuel Filter with Water Separator and Standard Fuel Fill  RNATOR  Description	1610	No Added Cost
ALTE	Standard Fuel Filter with Water Separator and Standard Fuel Fill  RNATOR  Description 140 amp Alternator  Required with code 1910 Premium Cab, code 2715 15 Amp/12V Power	1610	No Added Cost
ALTE	Standard Fuel Filter with Water Separator and Standard Fuel Fill  RNATOR  Description 140 amp Alternator  Required with code 1910 Premium Cab, code 2715 15 Amp/12V Power Converter, or code 2730 30 Amp/12V Power Converter.	1610	Price \$347.00
ALTE	Standard Fuel Filter with Water Separator and Standard Fuel Fill  RNATOR  Description 140 amp Alternator  Required with code 1910 Premium Cab, code 2715 15 Amp/12V Power Converter, or code 2730 30 Amp/12V Power Converter.  VERTER	1610 <b>Code</b> 1217	Price No Added Cost  Price \$347.00  Price No Added Cost

	15 Amp Converter	2715	\$115.00
	Requires code 1217 140 amp alternator		
	30 Amp Converter	2730	\$265.00
	Requires code 1217 140 amp alternator		
v	LIGHTING		
0.00		Codo	Duigo
	Description Halogan Work and Drive Lights	<b>Code</b> 7120	Price No Added Cost
	Halogen Work and Drive Lights	/120	No Added Cost
	LED Front Turn/Marker & Rear Turn/Brake Lights		
	Premium LED Work and Drive Lights	7140	\$1,449.00
	All exterior machine lights are LED LED Front Turn/Marker & Rear Turn/Brake Lights		
V	TRANSMISSION		
	Description	Code	Price
	Hybrid Electric Drive Transmission System	1140	\$37,317.00
	Hybrid Electric Drivetrain Brushless A/C Generator Solid State Power Inverter Brushless A/C Motor Simplified Transmission with Integrated Wet Disk Park Brake Four Operating Speed Ranges in both Forward and Reverse Recommend Ride Control with Lock-up Clutch for Load and Carry applications.		
W	AXLES		
	Description	Code	Price
	Front Hydraulically Locking Differential and Rear Conventional Differential Axles	3046	No Added Cost
	High Traction - Front & Rear Hydraulically Locking Differential Axles	3049	\$2,982.00
W	DIFFERENTIAL LOCK		
	Description	Code	Price
	Automatic Differential Lock	3110	\$1,429.00
	Allows operator to switch on Automatic Diff Lock providing continual differential lock in all conditions, minimizing tire spin. Requires code 9410 Transmission and Bottom Guards.		
	Manual Axle Differential Lock	3120	No Added Cost
*	LINKAGE CONFIGURATION		
	Description	Code	Price
	Standard Z-BAR	2010	No Added Cost

	Parallel Lift Linkage		
	High Lift Z-BAR	2020	\$6,040.00
	Parallel Lift Linkage		
	Adds 16.3 inches (416 mm) height to bucket hinge pin, fully raised over standard linkage. Rated tipping load and lift capacity will be lower than unit equipped with the standard boom.		
~	HYDRAULIC CONTROLS		
	Description	Code	Price
	Single Axis Lever Controls	2350	\$202.00
	Provides an individual hydraulic function control lever for each function. Only available for 2 function and 3 function hydraulics. Includes steering column mounted FNR lever.		
	Joystick Controls	2360	No Added Cost
	Provides a single lever (joystck) control for the boom and the bucket. Optional 3rd and 4th functions are controlled with proportional thumb rollers integrated in the joystick handle. Includes FNR switch integrated into the joystick control lever.		
~	HYDRAULIC SYSTEM		
	Description	Code	Price
	Two Function Hydraulics	2402	No Added Cost
	Controls Boom and Bucket only.		
	Three Function Hydraulics	2403	\$2,231.00
	Controls Boom and Bucket and adds an auxiliary function and boom lines.		
	Four Function Hydraulics	2404	\$4,231.00
	Controls Boom and Bucket and adds two auxiliary functions and boom lines.		
	Requires code 2360 Joystick Controls.		
V	HYDRAULIC FLUID		
	Description	Code	Price
	Hydrau Hydraulic Fluid	1970	No Added Cost
	Hydrau XR Hydraulic Fluid	1975	\$250.00
	Optional factory fill.		
	Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).		

RIDE CONTROL

	<b>Description</b> Ride Control	<b>Code</b> 2510	<b>Price</b> \$4,818.00
	Nide Control	2310	<b>ў</b> 4,010 <b>.</b> 00
	Code 9410 Transmission and Botttom Guards are recommended in applications where underside is vulnerable.		
	Less Ride Control	2520	No Added Cost
W	CAB / ROPS		
	Description	Code	Price
	Standard Cab	1905	No Added Cost
	The following options are only available on the standard cab: 1210 100 amp Alternator 1934 5 inch (127mm) Display Monitor 2220 Deluxe Seat 2708 8 amp Voltage Converter 8310 Standard Exterior Mirrors OR 8320 Heated Exterior Mirrors 8360 Standard radio OR 8380 No radio		
	Allows lowest cost configuration.		
	The following options are NOT available in the standard cab configuration: 8370 Premium Radio 8350 Remote Powered and Heated Exterior Mirrors		
	Premium Cab	1910	(\$512.00)
	Requires/Includes the following option codes in order to qualify for package group price:		
	1217 140 Amp Alternator 1940 7 inch (178mm) Display Monitor OR 1945 7 inch (178mm) Display Monitor with Dedicated 7 inch (178mm) Rear View Camera Display 2240 Premium Seat 2715 15 amp Voltage Converter OR 2730 30 amp Voltage Converter 8350 Remote Powered and Heated Exterior Mirrors 8370 Premium Radio		
	Also includes Cab Automatic Temperature Control System.		
~	A/C CHARGE		
	Description	Code	Price
	Cab with Air A/C Charge	8450	No Added Cost
	Cab with Air Export A/C - No Charge	8460	No Added Cost
	Recommended for units that require to be containerized for overseas shipment.		
*	SEAT		
	Description	Code	Price
	Deluxe Seat, Cloth with Air Suspension	2220	No Added Cost

Fabric Covered Seat with Back Rest Extension includes Lumbar Adjustment and Air Suspension with Full Damping Capability.

	Not Available with Premium Cab code 1910		
	Premium Seat, Heated and Ventilated with Heavy Duty Air Suspension	2240	\$1,295.00
	Leather Accented Seat with Back Rest Extensions includes Pan Tilt, Pan Extend, Lumbar Adjustment and Air Suspension with Full Damping Capability.		
V	MONITOR		
	Description	Code	Price
	7 inch Monitor	1940	No Added Cost
	7 inch Monitor with Dedicated Rear Camera Display	1945	\$1,645.00
	Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.		
	5 inch Monitor	1934	(\$206.00)
	Not Available with Premium Cab code 1910		
7	MIRRORS		
	Description	Code	Price
	Standard Exterior Mirrors	8310	No Added Cost
	Not Available with Premium Cab code 1910		
	Heated Exterior Mirrors	8320	\$424.00
	Not Available with Premium Cab code 1910		
	Remote Powered and Heated Exterior Mirrors	8350	\$712.00
	Not Available with Standard Cab code 1905		
7	RADIO		
	Description	Code	Price
	Standard Radio	8360	\$576.00
	AM/FM/Weather Band (WB) Radio with Remote AUX Port		
	Requires Standard Cab		
	Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port	8370	\$850.00
	AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port		
	Requires Premium cab		
	No Radio	8380	No Added Cost

Requires Standard Cab

W	REAR OBJECT DETECTION		
	Description	Code	Price
	Rear Camera and Rear Object Radar Detection	8235	\$3,304.00
	Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.		
	Rear Camera	8240	No Added Cost
V	BEACONS		
	Description	Code	Price
	LED Strobe Beacon with Left Beacon Bracket	8275	\$275.00
	LED Strobe Beacon on hinged bracket mounted to the rear left side of the cab exterior.		
	Left Beacon Bracket Only	8290	\$168.00
	Hinged bracket only mounted to the rear left side of the cab exterior.		
	No Strobe Beacon or Left Beacon Bracket	8298	No Added Cost
V	CAB ENTRANCE STEPS		
	Description	Code	Price
	Left Side Steps Only	5610	No Added Cost
V	STEERING SYSTEMS		
	Description	Code	Price
	Steering Wheel Only	2120	No Added Cost
	Steering Wheel and Joystick Steering	2135	\$4,892.00
	Provides 2 Steering Systems with Steering Wheel and Left Hand Joystick with FNR Switch.		
V	PAYLOAD SCALE		
	Description	Code	Price
	No Payload Scale with Cycle Counter	2870	\$119.00
_	No Payload Scale without Cycle Counter	2890	No Added Cost

### MACHINE CONNECTIVITY

Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's acceptance of the terms of the John Deere Telematics System Contract.

Option availability limited by specific geographical regions. Please refer to region specific price pages for appropriate ordering codes.

**Description** Code Price

\$2,074.00

Price

170C No Added Cost

170J

service.

## JDLink Ultimate 5 Year Subscription

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions. Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the

### JDLink Ultimate Dual 5 Year Subscription

Includes JDLink hardware: integrated cab wiring harness, antenna, modular telematics gateway (MTG), and now includes all cellular dependent Ultimate Connectivity features - Wireless Data Transfer (WDT) enabling automatic data transfer from TimberMatic and Waratah H16 Measuring Systems to TimberManager and MyJohnDeere, supporting TimberOffice 5 Software. Additionally, Ultimate Dual now includes Limited Internet features supporting optional ForestSight Solutions such as advance mapping systems and Remote Display Access (RDA) features supported by TeamViewer applications when cellular signal is available. JD Link Ultimate Dual works with the 4G LTE MTG to automatically transmit compressed summary data over a satellite network when a cellular network is not available. JDLink utilizes cellular and satellite technology infrastructure that is outside the control of John Deere. Changes to that infrastructure may require customers to purchase compatible JDLink hardware to restore functionality. Includes 5 year subscription. Annual subscription renewal required after 5 years for continued functionality. JDLink customer account must be created to access JDLink Ultimate data. Go to www.StellarSupport.com to renew or update JDLink subscriptions.

Use of this service, and all rights and obligations of John Deere and the Customer (as identified in the applicable agreement), are governed by the terms and conditions outlined in the applicable Services and Software agreements available at www.JohnDeere.com/Agreements. If these terms and conditions are not agreeable do not proceed and do not use the service.



## **FENDERS**

Description Code Standard Front Fenders 5530 No Added Cost

Includes standard width front fenders, left side steps, as well as both left and right side platforms.

Fender width is narrower than tire by design to be less susceptible to damage if tire brushes against objects from the side.

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

https://configurator.deere.com/servlet/com.deere.u90947.eproducts.view.servlets.Equipment... 1/6/2021

Full Width Front Fenders	5540	\$430.00
Includes full width front fenders, left side steps, as wel right side platforms.	as both left and	
Fender width is wider than tire by design to capture me susceptible to damage if tire brushes against objects f		
Full Width Front and Rear Fenders	5550	\$2,590.00
Includes full width front and rear fenders, left side step left and right side platforms.	s, as well as both	
Fender width is wider than tire by design to capture mosusceptible to damage if tire brushes againt objects from		
Mudflaps and wiper flap are NOT included.		
Full Coverage Front and Rear Fenders with	Mudflaps 5560	\$3,085.00
Includes full width front and rear fenders, left side step left and right side platforms.	s, as well as both	
Also includes mudflaps and wiper flap on front fenders while traveling fast in wet conditions.	to reduce tire spray	
Fender width is wider than tire by design to capture me susceptible to damage if tire brushes againt objects from		
Less Fenders and Rear Platforms	5570	No Added Cost
Not for use with Code 5620 Left and Right Side Steps		

# WHEELS AND TIRES

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4.

Tire chain use requires Axle Stops.

NOTE: If a No Brand Preference code is selected a 9000 code in the Optional Equipment - Order as Desired section will automatically be selected as well. This is required to enable the factory to source this order.

Orders with custom codes are exempt from order response targets. Not all custom codes may be published. If there are specific configuration needs that you don't see available, please contact Dealer Marketing Assistance Center (DMAC): (563) 589-6660.

	Description <u>Less Wheels and Tires</u>	Code	Price
	Less Wheels and Tires	4000	No Added Cost
	8 Degree Axle Stops Installed If solid tires are installed it requires the Rear Access Platforms from GR Mfg listed in the Referral section of the Price Pages. Includes retaining hardware. This package is required for rear axle warranty. For warranty information refer to the SAM manual.		
	23.5X25 3pc. Rims Less Tires	4010	\$5,868.00
	750/65R25 5pc. Rims Less Tires	4012	\$8,453.00
	23.5R25 L3 Single Star Radial Tires With 3 Piece Rims		
		4621	\$27,273.00

	Michelin XHA2, 23.5R25 L3 Single Star Radial Tires On 3pc. Rims		
	Bridgestone VJT, 23.5R25 L3 Single Star Tires On 3pc. Rims	4625	\$24,640.00
	No Brand Preferred, 23.5R25 L3 Single Star Radial On 3pc. Rims	4935	\$21,812.00
	Other Tire Options		
	Titan, 23.5-25 L3 20PR Bias Tires With 3pc. Rims	4523	\$20,952.00
	Titan, 725/70-25 Logger Tires With Rims	5113	\$27,089.00
	Not for order with Fender Codes 5550 or 5560		
	Michelin Low Profile, 750/65R25 Single Star L3 Radial Tires With 5pc. Rims	5241	\$36,958.00
TIRE P	RESSURE MONITORING		
	Description	Code	Price
	Tire Pressure Monitoring System	5310	\$1,700.00
	Less Tire Pressure Monitoring System	5320	No Added Cost
HYDRÆ	AULIC COUPLERS		
	Description	Code	Price
	Hydraulic Coupler - JRB 418 Pattern	8559	\$7,227.00
	Hydraulic Coupler - Hi-Vis/ISO Pattern	8561	\$7,227.00
	Field Coupler Ready: Pin Disconnect Plumbing	8563	\$1,452.00
	For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube, electric switch, and solenoid valve. Pins NOT included - dealer will need to work with aftermarket supplier of		
	coupler to procure proper size pins.		
	coupler to procure proper size pins.  Field Bucket Ready: Pins Only	8565	\$595.00
		8565	\$595.00
	Field Bucket Ready: Pins Only  Pins are shipped with the machine. The pins provided are designed and intended for use in installing Deere designed field installed pin-on buckets. Use of the pins to attach any other buckets, couplers, or other attachments may or may not be acceptable, and must be reviewed on a case by case basis to determine if they	8565 8567	\$595.00 No Added Cost

# BUCKETS

Bucket options are orderable with either a coupler or a pin-on configuration, unless otherwise noted.

	<b>Description</b> No Bucket	<b>Code</b> 8960	<b>Price</b> No Added Cost
	4.0 Cu. Yd. Bucket	8932	\$8,557.00
	All 4.0 cu yd buckets are 120" (3048mm) wide coupler style hook-on Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard.		
	No pin-on bucket is offered in this size.		
	Not for use with code 8567 Factory Pin-on Bucket.		
	Requires Coupler code 8559 or 8561.		
	4.25 Cu. Yd. Bucket	8937	\$8,892.00
	All 4.25 cu yd buckets are 120" (3048mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard.		
	Requires Coupler code 8559 or 8561 OR Factory Pin-on Bucket code 8567.		
	4.5 Cu. Yd. Bucket	8942	\$9,228.00
	All 4.5 cu yd buckets are 120" (3048mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard.		
	Requires Coupler code 8559 or 8561 OR Factory Pin-on Bucket code 8567.		
	4.75 Cu. Yd. Bucket	8947	\$9,817.00
	All 4.75 cu yd buckets are 120" (3048mm) wide Enhanced Production buckets with weld-on Skid Shoes and integrated spill guard.		
	Requires Coupler code 8559 or 8561 OR Factory Pin-on Bucket code 8567.		
	Requires Standard Z-BAR code 2010		
CUTT	NG EDGES AND TEETH		
	Description	Code	Price
	Bolt-on Cutting Edge	8860	\$2,368.00
	For use with 120 inch wide buckets.		
	Bolt-on Teeth with Cutting Edge Segments	8880	\$3,505.00
	For use with 120 inch wide buckets.		
	No Bucket Edge or Teeth	8890	No Added Cost
	Required when ordering code 8960 No Bucket		
FOF	RK FRAME		
	Description	Code	Price
	No Fork Frame	5840	No Added Cost

## 76 in (1930mm) Wide Fork Frame, Floating Tine

5770

\$11,591.00

Requires code 8559 Hydraulic Coupler - JRB 418 Pattern OR code 8561 Hydraulic Coupler - Hi-Vis/ISO Pattern

w		-	ΓΙΝ	EC
1000			ITIA	ட

<b>Description</b> No Tines	<b>Code</b> 5940	<b>Price</b> No Added Cost
Required when ordering code 5840 No Fork Frame		
60 in (1524mm) Construction Tines	5875	\$1,625.00
Requires code 5770 76 in (1930mm) Wide Fork Frame, Floating Tine		
72 in (1829mm) Construction Tines	5895	\$2,945.00
Requires code 5770 76 in (1930mm) Wide Fork Frame, Floating Tine		

### REAR HITCH AND COUNTERWEIGHTS

Description	Code	Price
Rear Hitch and Counterweight	8220	No Added Cost
Less Rear Hitch and Counterweight	8230	(\$1,053.00)

Right side rear counterweight is removed, left side rear counterweight is still in place due to DEF/fuel tank placement.

For use with Standard or High Lift Linkage Codes 2010 or 2020 only This option is typically used in conjuncture with a waste handling package or any other special application where a GR Manufacturing rear guarding package is installed. The less counterweight code still includes the left side pod as it is needed to house the DEF tank.

Please consult DMAC if you have any questions as this code will reduce FTTL.

Right side rear counterweight is removed, left side rear counterweight is still in place due to DEF/fuel tank placement. For use with Standard or High Lift Linkage Codes 2010 or 2020 only

## Optional - Select as desired

#### ENGINE

<b>Description</b> Engine Block Heater	<b>Code</b> 9015	<b>Price</b> \$243.00
Recommend for cold starts below -10 degrees F (-23 C)		
Throttle Lock	9055	\$215.00
This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.		
Engine Compartment Light	9240	\$180.00
	9045	\$867.00

## Quick Fluid Service

Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.

OPERATOR'	'S STATION		
Des	scription	Code	Price
Pow	ered Cab Fresh Air Pre-Cleaner	9115	\$945.00
Exter	nds cab air filter change intervals.		
Sea	t Belt with Minder Switch and External Indicator Light	9127	\$360.00
relea strob	seat belt Minder Switch sends a JDLink code alert if the park brake is used and seat belt not latched The external indicator light, is a green be beacon mounted on the right hand corner of the cab that flashes me the unit is running and the seat belt is latched.		
Fire	Extinguisher	9140	\$149.00
	os. multi purpose (ABC) Dry Chemical Fire Extinguisher mounted inside ab to the left front ROPS post.		
TIRE BRANI	D PREFERENCE		
Des	scription	Code	Price
<u>No</u>	<u>Tire Brand Preference</u>		
23.5 Rim	5R25 L3 Single Star No Brand Preferred Radial On 3pc. s	9710	No Added Cost
MISCELLAN	IEOUS		
Des	scription	Code	Price
Elec	trical Corrosion Prevention Package	9210	\$1,425.00
Preve	entive corrosion treatment for use in corrosive environments. entive corrosion treatment includes dielectric grease for electrical ections and polyurethane-based sealant on exposed terminals.		
Trar	nsmission and Bottom Guards	9410	\$2,428.00
Reco	ommended in applications where underside is vulnerable.		
Inclue cove	des transmission side guards, bottom guards, and loader mast side rs.		
Lift	Hooks	9510	\$428.00
Lice	nse Plate Bracket	9520	\$177.00
Inclu	des light for night time illumination.		
Slov	w Moving Vehicle (SMV) Emblem	9525	\$157.00
Finis	sh Paint - Decals Not Installed	9800	No Added Cost

For custom paint.  Non-Paintable charcoal grey cab roof.  Decals packaged with machine.  Safety decals installed.		
Shipping Rust Preventive Coating - Non Export	9909	\$235.00
Coating protects exposed unpainted surfaces from road salt during shipment.		

# 4WD LOADER SIMULATOR

## ATTACHMENTS FOR FIELD CONVERSION

BYT10575	\$9,379.00
BYT10580	\$9,379.00
BYT10576	\$9,667.00
BYT10577	\$9,956.00
BYT10582	\$9,956.00
BYT10578	\$10,461.00
BYT10583	\$10,461.00
BYT10586	\$9,667.00
BYT10587	\$9,956.00
	BYT10583 BYT10586

120" (3048mm) wide pin-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard.		
4.75 Cu. Yd. YD Pin-on Bucket w/ Cutting Edge	BYT10588	\$10,461.00
120" (3048mm) wide pin-on Enhanced Production bucket with weld-on Skid Shoes and integrated spill guard.		
<u>Couplers</u>		
Hydraulic Coupler - Hi-Vis/ISO Pattern	BYT10594	\$6,205.00
For use with Standard and High Lift Z-Bar Linkages		
Hydraulic Coupler - JRB 418 Pattern	BYT10595	\$6,205.00
For use with Standard and High Lift Z-Bar Linkages		
<u>Forks</u>		
76 in. (1.93 m) Hi-Vis Coupler Fork Frame, Floating Tine w/ (2) 60 in. (1.52 m) Tines	BYT10666	\$9,740.00
Compatible with Hi-Vis/ISO pattern hook-on coupler		
76 in. (1.93 m) Hi-Vis Coupler Fork Frame, Floating Tine w/ (2) 72 in. (1.83 m) Tines	BYT10667	\$11,458.00
Compatible with Hi-Vis/ISO pattern hook-on coupler		
76 in. (1.93 m) Std. Coupler Fork Frame, Floating Tine w/ (2) 60 in. (1.52 m) Tines	BYT10668	\$9,740.00
Compatible with JRB 418 pattern hook-on coupler.		
76 in. (1.93 m) Std. Coupler Fork Frame, Floating Tine w/ (2) 72 in. (1.83 m) Tines	BYT10669	\$11,458.00
Compatible with JRB 418 pattern hook-on coupler.		
G.R.Mfg.		
644L Hybrid Waste Handler Package, Installed	BYT11873	\$28,529.00

Requires code 1021, Waste Handler Configuration Installed package

includes the following:

Axle Seal Guards

Boom Cylinder Hydraulic Line & Cavity Guards

Bucket Cylinder Hydraulic Line/Rod/Sensor Guard

Articulation Joint Guards

Hydraulic Tank and Cab Entry Step Guard

Extreme Service Transmission Side Guards

Extreme Service Loader Frame Front Cover

Extreme Service Guards for Loader Drive, Work, & Turn Lights Full Frontal

Cab Window Guard (does not meet SAE J1084 Forestry Standard)

Rear Loader Frame Guard

4th Gear Disabled

Strobe Light Right Rear Cab Roof Mounted, Fold Down

Lower Boom & Bucket Grease Fitting Guards

Rear Access Platforms with Flexible Step, Hand Holds & Tie Downs

Battery Disconnect Switch

Compartment Guard Precleaner Prescreen Kit		
Axle Seal Guards	BYT11780	\$1,477.00
Boom Cylinder Hydraulic Line & Cavity Guards	BYT11786	\$2,849.00
Hyd Operated Extreme Duty Bottom Guards	BYT11782	\$6,303.00
Cannot be used with code 3110 Axle Auto Diff Lock or 9410 Transmission & Bottom Guards.		
Rear Tire Deflector Kit	BYT11788	\$6,707.00
Required when machine is equipped with solid or foam filled tires.		
<u>Hydraulics</u>		
3rd Function Hydraulics - High Lift	BYT11839	\$4,288.00
Includes third function hydraulic valve section.  Does not include in-cab control function.  For use with High Lift Linkage.		
Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.		
3rd Function Hydraulics - Z-Bar	BYT11838	\$4,288.00
Includes third function hydraulic valve section.  Does not include in-cab control function.  For use with Z-Bar Linkage.		
Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.		
3rd Function Plumbing from Boom to Coupler	BYT11836	\$176.00
For use on units with factory 3rd function hydraulics having a coupler added in the field.		
Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.		
4th Function Hydraulics - High Lift	BYT11841	\$4,288.00
Includes fourth function hydraulic valve section.  Does not include in-cab control function.  For use with High Lift Linkage.		
Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.		
4th Function Hydraulics - Z-Bar	BYT11840	\$4,288.00
Includes fourth function hydraulic valve section.  Does not include in-cab control function.  For use with Z-Bar Linkage.		
Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.		
	BYT11892	\$5,207.00

## 5th/6th Function Hydraulics

Includes one hydraulic valve section and tie rods which allow for either 5th or 6th auxiliary functions. Two kits are needed to add both 5th and 6th functions to an existing 4-function valve.

Does not include in-cab control function. Unit must be equipped with 4-function joystick control lever to operate 5th and 6th functions. If unit is equipped with 3-function joystick control lever then a new 4-function joystick control lever will be required. 5th and 6th functions are not compatible with single axis controls.

For use with Standard Z-bar & High Lift Linkages.

Kit does not include hoses and will require dealer to manufacture hoses per installation instructions

CB Radio Antenna Kit	BYT11300	\$152.00
Operator Environment		
For use with field installed Attachment couplers. Includes solenoid valve and and software to program SSM switch to operate coupler.  Both Attachment Coupler Plumbing and Cable Reinforced Coupler Plumbing kits are needed to provide plumbing from the valve to the coupler.		
Hydraulic Control Valve for Attachment Coupler Locking Pins	BYT11821	\$899.00
For use with Deere designed JRB style coupler added in the field.		
Provides plumbing from boom cross tube to the coupler.		
Cable Reinforced Coupler Plumbing kit - JRB	BYT11834	\$218.00
For use with Deere designed Hi-Vis/ISO style coupler added in the field.		
Provides plumbing from boom cross tube to the coupler.		
Cable Reinforced Coupler Plumbing kit - Hi-Vis/ISO	BYT11835	\$218.00
For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.		
Attachment Coupler Plumbing Kit - Standard Z-Bar Linkag	je BYT11843	\$449.00
For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube.		
Attachment Coupler Plumbing Kit - High Lift Z-Bar Linkag	e BYT11844	\$449.00
per installation instructions.		

Transmission and Bottom Guards are recommended in applications where underside is vulnerable.

Kit includes CB Radio Antenna, Antenna Cable, Mounting Brackets, and

Hardware

Joystick Steering

Ride Control Kit

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22

BYT11865

BYT11820

\$5,093.00

\$4,563.00

Seat Belt with Minder Switch and External Indicator Light Kit	BYT11857	\$530.00
The seat belt Minder System monitors seat belt status and reports through JDLink when enabled. The external indicator light is a green strobe beacon mounted on the right hand corner of the cab that flashes anytime the unit is running and the seat belt is latched.		
Secondary Steering System	BYT11773	\$2,645.00
Steering Column FNR Kit	BYT11988	\$402.00
Overall Vehicle		
24V Aux Electrical Output Kit	BYT11267	\$179.00
Provides 24V output to allow opertion of electrical solenoid valves or other electrical components from the hydraulic controls through the multifunction button.		
Full Coverage Front and Rear Fenders with Mudflaps	BYT11696	\$3,023.00
Fender Kit contains all parts necessary to convert a machine from the base factory option of Standard Front Fenders to the equivalent of the factory option of Full Coverage Front and Rear Fenders with Mudflaps. Includes full width front and rear fenders, mudflaps on front and rear fenders, and wiper flaps on front fenders to reduce tire spray while traveling fast in wet conditions.		
Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side.		
Strobe Beacon with Mounting Brackets	BYT11547	\$472.00
Kit includes one strobe beacon and two hinged mounting brackets, one for each side of the machine. Each side of the machine is pre-wired for the beacon so beacon can be installed on either side.		
Payload Scale		
Cycle Counter Switch Field Kit	BYT11767	\$121.00
Powertrain & Cooling		
Automatic Reversing Hydraulic Fan	BYT11862	\$1,661.00
Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel and reduce noise. Automatic Reversing fan to purge debris and dust on cooling system inlet screens and coolers periodically to reduce cleaning. Reversing intervals can be set in the monitor.		
 Requires Engine Air Intake with Centrifugal Precleaner		
 Quick Fluid Service	BYT11855	\$700.00
Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.		
 Tire Pressure Monitoring System (TPMS)	BYT11856	\$1,745.00

John Deere -2021 Price List

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |