John Deere -2022 Price List 744L WHEEL LOADER

01-Mar-2022

Description OTYList Price (USD) Code

1 7680DW 744L WHEEL LOADER \$462,678.00

POWERTRAIN:

5 Speed Transmission with Lock-Up Torque Converter Electronically Controlled Fully Automated Shift System Quick Shift Button on Loader Control Lever with 2 Selectable Modes

Automatic / Manual Shift Modes Programmable Maximum High Gear

Transmission Clutch Disconnect with 4 Selectable Settings Transmission Clutch Calibration Engaged from Monitor 100% Locking Front and Conventional Rear Differentials with Inboard

Mounted Heavy Duty Planetary Gears

Heavy Duty Self Adjusting Front and Rear Power Brakes Electrically Actuated Automatic Spring Applied, Hydraulically

Released, Wet Multi-Disc Park Brake Transmission Fill Tube and Sight Gauge

2000 Hour Transmission Filter Wheel Spin Control System

COOLING:

Quad-Cool System:

Heavy Duty, Debris Resistant High Ambient Cooling Package

2 Side access to all Coolers

Cooling System isolated from Engine Compartment

Engine Radiator

Integral Engine Oil Cooler Hydraulic Oil Cooler (Oil to Air) Transmission Oil Cooler (Oil to Air) Charge Air Cooler (Air to Air) Air Conditioner Condenser Coolant Recovery Tank Antifreeze, -34F (-37 C) Cool-on Demand Swing out Fan **Enclosed Fan Safety Guard**

Front and Rear Axle Coolers with Axle Oil Filtration

HYDRAULICS:

2 Function -- 2-Lever Single Axis Electrohydraulic Controls Joystick Steering with Lever Mounted FNR Control Variable-Displacement, Load-Sensing Axial Piston Steering

Hydraulic Pump; Closed-Center System

2 Variable-Displacement, Load-Sensing Axial-Piston Implement

Pumps; Closed-Center System

In Cab Adjustable Automatic Boom Height Kickout/Return To

Carry/Bucket Return To Dig

Ride Control, Automatic with Monitor Adjustable Speed Settings Diagnostic Code Details

Hydraulic Function Enable/ Disable

Hydraulic Reservoir with Sight Gauge and Fill Strainer

Hydraulic Diagnostic Ports 4000 Hour In-Tank Filter

ELECTRICAL:

24 Volt Electrical System

Solid State Electrical Power Distribution System

150 Amp Alternator

(2) Heavy Duty Batteries - each 1400 Cold Cranking

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE

amps/440 minute **Reserve Capacity**

Lockable Master Electrical Disconnect Switch

Battery Terminal Safety Covers By-Pass Start Safety Cover at Starter Starting Switch with Electric Fuel Shut Off

Pre-wired for Beacon/Strobe Light

(1) Engine Compartment Light

(1) LED Coolant Reservoir Illumination Light

(2) Halogen Driving Lights with Guards

(4) Front, (2) Rear Cab and (2) Rear Grille mounted Work

Lights

Turn Signals and Flashers LED Stop and Tail Lights

Horn, Electric

Reverse Warning Alarm

Voltage Converter for 24V to 12V / 30 Amps Multi-Function LCD Color Monitor includes:

DIGITAL INSTRUMENTS

ANALOG Display:

Hydraulic Oil Temperature **Engine Coolant Temperature Transmission Oil Temperature**

Engine Oil Pressure DIGITAL Display: Engine RPM

Transmission Gear / Direction Indicator

Hour Meter Fuel Level

DEF Level (FT4 Only) Speedometer

Odometer

Outside Temperature Fuel Consumption Rate

Integrated Cycle Counter with 5 Categories

INDICATOR LIGHTS for Standard and Selected Options INDICATOR LIGHTS for Amber Caution and Red Stop

OPERATOR WARNING MESSAGES

BUILT-IN DIAGNOSTICS:

Sensor Values Calibrations

Individual Circuit Tester

MENU DISPLAY:

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

Codes

Machine Settings

Diagnostics

Monitor Settings

Clock

OPERATOR'S STATION:

Isolation Mounted ROPS/FOPS Quiet Cab with:

Air Conditioning, Heater, Defroster and Pressurizer

Keyless Start with Multiple Security Modes

Sealed Switch Module with Function Indicators

Deluxe Heated and Ventilated Seat with

Leather/Fabric, High-Wide Back with

Head Rest

Seat Pan Tilt And Extend Adjustment

Suspension for Weight/Height with Fore-Aft Adjustment,

Vertical and Horizontal Adjustable Arm Rests

Hydraulic Controls Integrated to Seat

3 Inch High Visibility Blaze Orange Seat Belt with Retractor

Seat Belt Latching Monitoring System

(2) Cup Holders

Lunch box (Cooler) Holder

LED Dome and Reading Light

(3) 12 Volt Power Ports

Front Sun Visor

Premium Radio with Blue Tooth Connectivity

Rubber Floor Mat

Operator's Manual Storage Compartment

(2) Powered and Heated Outside Mirrors

(2) Inside Rear View Mirrors

Front and Rear Intermittent Windshield Wiper and Washers Left and Right-Side Cab Access

Slip-Resistant Steps and Ergonomically Located Handholds

Front Window Washing Platforms 5000lb Capacity Anchor Point for Fall Arrest Lanyard Tie Off

CB Radio Ready with CB Mounting Bracket, Power and

Antennae Wiring

OVERALL VEHICLE:

Automatic Greasing System with Selectable Grease Interval

(2) Programmable Multi-Function Buttons Located on

Hydraulic Implement Controls

Level 1 Sound Package

Lift Eyes

Front and Rear Tie Downs

Full Coverage Front Fenders

Bumper with Rear Hitch and Locking Pin

Articulation Locking Bar

Boom Locking Bar

40 Degree Steering Articulation to Each Side with Rubber

Cushion Stops

on Frame

Vandal Protection With Lockable Engine Enclosures, Right

Counterweight

Compartment, Battery Box, Filler Access for

Radiator/Fuel/Hydraulic/Transmission

Right and Left Handrails, Platforms and Steps
Fluid Sampling Ports for Engine, Transmission, Hydraulic,
Axles Oils
and Engine Coolant
Environmental Drains with Hoses for Engine, Transmission,
Hydraulic
Oils and Engine Coolant
Ground Level Fueling (and DEF - FT4 Only)
Fuel Tank Fill Strainer
Left and Right Engine Frame Service Steps and Handholds
Storage Compartment
Heavy Duty Fuel Tank Guard
Less Tires and Wheels

7680DW	744L WHEEL LOADER	1 \$462,678.00
	DESTINATION AND LANGUAGE	
	Operator's Manual and Decals	Basic Factory Options - Required
2605	English Decals and Manuals	No Added Cost
2606	No-Text Decals with English Operator's Manual	No Added Cost
2610	Spanish Decals and Manuals	No Added Cost
2615	French Decals and Manuals	No Added Cost
2620	Russian Decals and Manuals	No Added Cost
2625	Portuguese with No Text Labels	No Added Cost
	Gathering Group Configurations	Basic Factory Options - Required
0810	Standard Gathering Group	No Added Cost

0820	Russian Gathering Group	\$847.00
	Includes: 220 Volt Engine Block Coolant Heater Russian License Plate Bracket and Light EAC CONFORMITY TAG	
	Requires: Code 8240 Rear Camera And a Strobe Beacon with code 8275 or 8285 or 8296	
0850	Brazilian Gathering Group Includes:	\$35.00
	Brazil Battery Label	
	Requires Code 9520 (License Plate Bracket and Light)	
0860	Australian Gathering Group	\$35.00
	Includes: Australian Compliance Document	
	PACKAGES	
	Machine Configuration	Basic Factory Options - Required
1010	Standard Wheel Loader	No Added Cost
1025	Standard Waste Handler with Standard Z-Bar and Hi Lift Boom	No Added Cost
	Requires codes: 0810 Standard Gathering Group 0924 FT4 Engine 1430 Air Intake System with Centrifugal Precleaner 1520 Automatic Reversing Hydraulic Fan 2020 High Lift Loader Boom 3120 Manual Axle Differential Lock 5575 Less Fenders 5705 Less Autolube 8130 Less hitch and counterweights 8298 No Beacon Bracket	
1045	Standard Waste Handler with Standard Z-Bar Linkage and Boom	No Added Cost
	Requires codes: 0810 Standard Gathering Group 0924 FT4 Engine 1430 Air Intake System with Centrifugal Precleaner 1520 Automatic Reversing Hydraulic Fan 2010 Standard Lift Loader Boom 3120 Manual Axle Differential Lock 5575 Less Fenders 5705 Less Autolube 8130 Less hitch and counterweights	

8298 No Beacon Bracket

1047 Log Handler \$6,500.00

The Log Handler Package is a configuration designed for heavy lift applications using log forks or sorting grapples to handle logs and lumber. It is not approved for bucket or digging applications. Please consult the Service Administration Manual as unapproved applications may result in loss of warranty.

The package Includes: Increased counterweighting for 11% greater tipping load than a standard 744. Standard 744L Z-Bar Pin-up applies to 744L Log and Pipe Handler.

Requires code:

2403 - Three Function Hydraulics2010 - Standard Lift Loader Boom

8960 - No Bucket

1048 Pipe Handler \$6,500.00

The Pipe Handler Package is a configuration designed for heavy lift applications using forks or pipe grapples to handle pipe. It is not approved for bucket or digging applications. Please consult the Service Administration Application as unapproved applications may result in loss of warranty.

The package Includes: Increased counterweighting for 11% greater tipping load than a standard 744. Standard 744L Z-Bar Pin-up applies to 744L Log and Pipe Handler.

Requires code:

2403 - Three Function Hydraulics 2010 - Standard Lift Loader Boom

8960 - No Bucket

ENGINE

Engine Basic Factory Options - Required

0910 John Deere Powertech Engine

\$25,872.00

\$48,084.00

9.0L meets EPA Tier 3 and EU Stage IIIA Emissions (315 Net Peak hp)

Turbocharged, Charge Air Cooled Wet Sleeve Cylinder Liners

Programmable Auto-Idle and Auto-Shutdown Selected Idle Adjustment from 900-1250 RPM

Starter Protection 4 Valves / Cylinder

Cooled Exhaust Gas Recirculation

Automatic Derating for Exceeded System Temperatures

Electronically Controlled Fuel Delivery System Serpentine Drive Belt with Automatic Tensioner

Under Hood Dual Element Air Cleaner with Restriction Indicator

Under Hood Muffler with Curved Exhaust Stack Dual-Stage Fuel Filter and Water Separator 500 Hour Vertical Spin-on Oil Filter

Engine Compartment Light Remote Jump Starting Lugs

Automatic Engine Cool-down Timer

0924 John Deere PowerTech Engine

9.0L meets EPA FT4 and EU Stage V Emissions (315 Net Peak hp)

Turbocharged, Charge Air Cooled

Wet Sleeve Cylinder Liners

Programmable Auto-Idle and Auto-Shutdown

Selected Idle Adjustment from 900-1250 RPM

Starter Protection

4 Valves / Cylinder

Cooled Exhaust Gas Recirculation

Automatic Derating for Exceeded System Temperatures

Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel Compatible

Electrical Fuel Priming System

Serpentine Drive Belt with Automatic Tensioner

Under Hood Dual Element Air Cleaner with Restriction Indicator

Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack

Automatic Exhaust Filter Regeneration

Dual-Stage Fuel Filter and Water Separator

500 Hour Vertical Spin-on Oil Filter

Oil crankcase filter, Lifetime

Engine Compartment Light

Remote Jump Starting Lugs

Automatic Engine Cool-down Timer

	Fan Drive	Basic Factory Options - Required
1510	Standard Hydraulic Fan Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel an	No Added Cost d reduce noise.
1520	Automatic Reversing Hydraulic Fan	\$1,755.00
	Hydraulically driven fan with proportional fan speed control based on cooling demands to save fuel an Automatic Reversing fan to purge debris and dust on cooling system inlet screens and coolers periodic cleaning. Reversing intervals can be set in the monitor.	
	Requires code 1430 Engine Air Intake with Centrifugal Precleaner	
	Air Intake	Basic Factory Options - Required
1430	Engine Air Intake System with Centrifugal Precleaner	\$617.00
	Exhaust	Basic Factory Options - Required
1310	Flat Black Curved Stack	No Added Cost

Codenn Deere -2022 Rrice List

1330	Chrome Curved Stack	\$620.00
	Fuel Filtration	Basic Factory Options - Required
1610	Standard Fuel Filter with Water Separator and Standard Fuel Fill Not Available on Code 0910 EPA T3/EU Stage IIIA Engines	No Added Cost
1620	Severe Duty Fuel Filter with Water Separator and Heater Not Available on Code 0924 EPA FT4 /EU Stage V Engines	\$976.00
1630	Standard Fuel Filter with Water Separator and Fast Fuel Not Available on Code 0910 EPA T3/EU Stage IIIA Engines	\$830.00
	Engine	Field Installed Attachments - Optional
9020	Cold Weather Starting Recommended for cold starts below -10 degrees F (-23 C) Includes Automatic Ether Start Aid and Engine Block Heater. Unit is not factory shipped with Ether can installed. Dealer must install.	\$581.00
9045	Quick Fluid Service with Environmental Drain Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.	\$850.00
9055	Throttle Lock This feature adds the convenience of holding the engine at a constant engine speed for long trav constant engine speed needs without the operator having to hold the accelerator pedal position.	
	ELECTRICAL	
	Alternator	Basic Factory Options - Required
1220	150 Amp Alternator	\$675.00
	Converter	Basic Factory Options - Required

15 Amp Converter Requires code 1215 140 amp alternator or code 1220 150 amp alternator	\$115.00
30 Amp Converter Requires code 1215 140 amp alternator or code 1220 150 amp alternator	\$265.00
Lighting	Basic Factory Options - Required
Halogen Work and Drive Lights LED Front Turn/Marker & Rear Turn/Brake Lights	No Added Cost
Premium LED Work and Drive Lights All exterior machine lights are LED LED Front Turn/Marker & Rear Turn/Brake Lights	\$2,114.00
DRIVETRAIN	
Transmission	Basic Factory Options - Required
5-Speed Powershift Transmission with Lock-up Torque Converter	No Added Cost
Axles	Basic Factory Options - Required
Axles with Hydraulic Locking Front Differential and Standard Rear	No Added Cost
Axles with Front and Rear Hydraulic Locking Differential	\$3,092.00
Differential Lock	Basic Factory Options - Required
	Requires code 1215 140 amp alternator or code 1220 150 amp alternator 30 Amp Converter Requires code 1215 140 amp alternator or code 1220 150 amp alternator Lighting Halogen Work and Drive Lights LED Front Turn/Marker & Rear Turn/Brake Lights Premium LED Work and Drive Lights All exterior machine lights are LED LED Front Turn/Marker & Rear Turn/Brake Lights DRIVETRAIN Transmission 5-Speed Powershift Transmission with Lock-up Torque Converter Axles Axles with Hydraulic Locking Front Differential and Standard Rear Axles with Front and Rear Hydraulic Locking Differential

3110	Automatic Differential Lock	\$1,429.00
	Allows operator to switch on Automatic Diff Lock providing continual differential lock in all conditions, minimizing tire spin. Requires code 9410 Transmission and Bottom Guards.	
3120	Manual Axle Differential Lock	No Added Cost
	LINKAGE	
	Linkage Configuration Basic Factory C	Options - Required
2010	Standard Z-BAR	No Added Cost
2020	High Lift Z-BAR Adds 22 inches (570mm) height to bucket hinge pin, fully raised over standard linkage. Rated tipping load and lift capacity will be lower than unit equipped with the standard boom.	\$8,148.00
	LUBRICATION Basic Factory C	Options - Required
5700	Autolube	No Added Cost
5705	Less Autolube	(\$6,000.00)
	HYDRAULICS	
	Hydraulic Controls Basic Factory C	Options - Required
2350	Single Axis Lever Controls Provides an individual hydraulic function control lever for each function. Only available for 2 function and 3 function hydraulics.	No Added Cost
2360	Joystick Controls Provides a single lever (joystck) control for the boom and the bucket. Optional 3rd and 4th functions are controlled with proportional thumb rollers integrated in the joystick handle (If equipped for applicable models).	\$571.00

	HYDRAULIC SYSTEM Basic Factory Opt	ions - Required
	The Notice of State in the State of the Stat	nons required
2402	Two Function Hydraulics	No Added Cos
	Controls Boom and Bucket only.	
2403	Three Function Hydraulics Controls Boom and Bucket and adds an auxiliary function and boom lines.	\$4,500.00
	Hydraulic Fluid Basic Factory Opt	ions - Required
1970	Hydrau Hydraulic Fluid	No Added Cost
1975	Hydrau XR Hydraulic Fluid Optional factory fill.	\$370.00
	Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).	
	Hydraulics Field Installed Attachm	nents - Optional
BYT10172	High-Altitude Hydraulic Kit	\$626.00
	For use at high altitudes to improve hydraulic performance by pressurizing the hydraulic tank. For use above 10,000 feet. For use with Stage 2, Tier 3, or IT4 Engines.	
BYT11498	Kit, Pin Disconnect System Hydraulic Control System for Quick Coupler Locking Pins	\$1,497.00
BYT11512	Kit, Autolube - Std	\$5,667.00
	Deere autolube system integrated with JDLink. Will require field installation at additional cost.	
BYT11530	Joystick Controls (2 or 3 function) Conversion to Joystick Controls (4 Function)	\$1,212.00
	To convert from single joystick hydraulic control lever and one integrated auxiliary function roller (2 or 3 function) to single joystick hydraulic control lever and two integrated auxiliary function rollers for 4-functions.	
	Kit only updates in-cab controls and does not include valve sections or plumbing.	
BYT10643	Kit, 4th Function Hydraulics, Does Not Include Controls	\$3,879.00

Includes 4th function hydraulic valve section and plumbing from valve to boom cross tube.

Not for use with single axis control levers. Requires joystick control lever.

Does not include in-cab control function.

Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.

BYT11500 Kit, 3rd Function Hydraulics, Does Not Include Controls

> Includes third function hydraulic valve section. Does not include in-cab control function.

Kit does not include hoses and will require dealer to manufacture hoses per installation instructions

BYT11529 Single Axis Controls Conversion to Joystick Controls (4 Function) \$1,559.00

\$3,445.00

To convert from 2 or 3-Lever single axis controls to single joystick hydraulic control lever with FNR and integrated auxiliary

function rollers for 4 functions.

Kit only updates in-cab controls and does not include valve sections or plumbing.

BYT11543 Single Axis Controls Conversion to Joystick Controls (2 or 3-Function) \$1,253.00

To convert from 2 or 3-Lever single axis controls to single joystick hydraulic control lever with integrated auxiliary function

roller.

OPERATOR'S STATION AND CONTROLS

Cab / ROPS

Basic Factory Options - Required

Grounds Equipment - Bid #E\$CNU 18/19-25 SD)

1905 Standard Cab No Added Cost

The following options are REQUIRED on the standard cab:

2120 Steering Wheel Only 2220 Deluxe Cloth Seat 2715 15 Amp Converter

The following options are ONLY AVAILABLE on the standard cab:

8250 No Rear Camera or Radar Object Detection System (If camera is not required for regional homologation requirements)

8310 Standard Exterior Mirrors

8380 No radio

Allows lowest cost configuration.

The following options are NOT AVAILABLE in the standard cab configuration:

8370 Premium Radio

2105 Joystick Steering Only

2240 Premium Seat

1910 Premium Cab (\$512.00)

Requires/Includes the following option codes in order to qualify for package group price:

2240 Premium Seat

2730 30 amp Voltage Converter

8240 Rear Camera Only OR 8235 Rear Camera and Radar Object Detection System

8350 Remote Powered and Heated Exterior Mirrors

8370 Premium Radio

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23 Copyright © 2022 Deere Company. All Rights Reserved. Page 11 of 30

Also includes Cab A	Automatic Temperature Control System.	
	A/C Charge Basic Factor	ory Options - Required
8450	Cab with Air A/C Charge	No Added Cost
8460	Cab with Air Export A/C - No Charge Recommended for units that require to be containerized for overseas shipment.	No Added Cost
	Seat Basic Factor	ory Options - Required
2220	Deluxe Seat, Cloth with Air Suspension Fabric Covered Seat with Back Rest Extension includes Lumbar Adjustment and Air Suspension with Full Damping Capab Not Available with Premium Cab code 1910	No Added Cost ility.
2240	Premium Seat, Heated and Ventilated with Heavy Duty Air Suspension Leather Accented Seat with Back Rest Extensions includes Pan Tilt, Pan Extend, Lumbar Adjustment and Air Suspension Full Damping Capability. Not Available with Standard Cab code 1905	\$1,295.00 with
	MONITOR Basic Factor	ory Options - Required
1940	7 inch Monitor	No Added Cost
1945	7 inch Monitor with Dedicated Rear Camera Display Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowistandard monitor to display without interruption.	\$1,645.00 ng
	Mirrors Basic Factor	ory Options - Required
8310	Standard Exterior Mirrors Not Available with Premium Cab code 1910	No Added Cost

\$712.00	Remote Powered and Heated Exterior Mirrors	8350
Basic Factory Options - Required	Radio	
\$850.00	Premium Radio AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port	8370
	Requires Premium Cab Code 1910	
No Added Cost	No Radio Requires Standard Cab Code 1905	8380
Basic Factory Options - Required	REAR OBJECT DETECTION	
\$3,304.00 abled color monitor or	Rear Camera and Radar Object Detection System Display shows view behind the machine and provides audible alert. Rear view is displayed in video-endedicated color monitor.	8235
No Added Cost	Rear Camera Only	8240
Basic Factory Options - Required	BEACONS	
\$275.00	LED Strobe Beacon with Left Beacon Bracket A yellow strobe beacon on hinged bracket mounted to the rear left side of the cab exterior.	8275
\$443.00 and bracket is mounted	LED Strobe Beacon with Dual Beacon Bracket A yellow strobe beacon on hinged bracket mounted to the rear left side of the cab exterior and secon on right rear side for fitment of a of second beacon of customers choice color.	8285
\$168.00	Left Beacon Bracket Only Hinged bracket only mounted to the rear left side of the cab exterior.	8290
\$336.00	Dual Beacon Bracket Only	8293

8295	External Seat Belt Indicator with Single Right Bracket	\$225.00
	The Seat Belt Indicator Light is a Green Strobe Beacon mounted on the rear right of the cab that lights whenever the belt is latched whenever the machine is powered on.	seat
8296	External Seat Belt Indicator with Dual Bracket and LED Strobe Beacon	\$393.00
	The Seat Belt Indicator Light is a Green Strobe Beacon mounted on the rear right of the cab that lights whenever the belt is latched whenever the machine is powered on. A yellow strobe beacon on hinged bracket mounted to the rear I side of the cab exterior.	
8298	No Strobe Beacon or Beacon Bracket	No Added Cost
	Operator's Station Field Installed	Attachments - Optional
9115	Powered Cab Fresh Air Pre-Cleaner	\$945.00
	Extends cab air filter change intervals.	
9136	Rear Sunvisor	\$100.00
9140	Fire Extinguisher 5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher mounted inside the cab to the left front ROPS post.	\$149.00
	STEERING	
	Steering Systems Basic Fac	tory Options - Required
2105	Joystick Steering Only	No Added Cost
2120	Steering Wheel Only	\$500.00
2125	Joystick Steering Only with Secondary Steering	\$5,500.00
2130	Steering Wheel Only with Secondary Steering	\$6,000.00

	PAYLOAD SCALE	
	Payload Scale Basic Factor	y Options - Required
2870	No Payload Scale with Cycle Counter	\$119.00
	Z-Bar and High Lift Linkage models will be shipped payload scale ready. A payload scale whole good field kit may be added at a later time to install a Payload Scale.	
2875	Topcon Payload Scale with Cycle Counter	\$7,850.00
	Option includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink™ to track and visualize payload weighing data. System will be installed during machine assembly at the factory. Calibration, service, and support will be provided by the John Deere Dealer.	
2880	Topcon Payload Scale and Printer with Cycle Counter	\$9,250.00
	Option includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink™ to track and visualize payload weighing data. Option also includes a printer that connects directly into the Topcon display. System will be installed during machine assembly at the factory. Calibration, service, and support will be provided by the John Deere Dealer.	ng
	Payload Scale Field Installed Att	achments - Optional
BYT11837	John Doorg Daylood Printer	\$1,414.00
D1111037	John Deere Payload Printer For TopCon Alpha 100 Payload Scale	\$1,414.00
BYT11545	John Deere Payload Scale Kit	\$7,929.00
	Kit includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink to track and visualize payload weigh data. This scale kit fits only the 744L, 824L, and 844L (including Aggregate Handler) models only. Printer is available as separate field kit.	
	Calibration, service, and support will be provided by the John Deere Dealer.	
	JOHN DEERE WORKSIGHT™	
	Machine Connectivity Basic Factor	y Options - Required
	Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's accept the John Deere Telematics System Contract.	ance of the terms of
	Option availability limited by specific geographical regions. Please refer to region specific price pages for app codes.	ropriate ordering
1741	No JDLink	(\$1,320.00)

170K	JDLink™	No Added Cos
	Includes integrated cab wiring harness, antenna, and JDLink™ Modem (MTG).	
	JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.	
170R	JDLink™ Satellite	\$3,215.00
	Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG).	
	JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.	
	FENDER	
	Fenders Basic Fac	ctory Options - Required
5540	Full Width Front Fenders	No Added Cost
	Includes full width front fenders, left side steps, as well as both left and right side platforms.	
	Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes again objects from the side.	st
5550	Full Width Front and Rear Fenders	\$3,489.00
	Includes full width front and rear fenders, left side steps, as well as both left and right side platforms.	
	Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes again objects from the side.	t
	Mudflaps are included but wiper flaps are NOT.	
5553	Roading Fenders Front and Rear	\$3,614.00
	Includes full width front and rear fenders, left side steps, as well as both left and right side platforms. Mudflaps and f wiper flaps are included to minmize spray in load and carry applications on firm footing.	ront
	Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes again objects from the side. Mudflaps are designed to be low and catch tirespray but can be torn if the operator spins out a then backs over them. Trimming is recommended or order Code 5550 Full Width Front and Rear Fenders.	
5575	No Front Fenders	(\$450.00)
	Intended for severe applications like Wastehandling where fenders can be damaged.	
	WHEELS AND TIRES	
	Wheels and Tires Basic Fa	ctory Options - Required
	Duble 1 de	,

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4. Tire chain use requires Axle Stops.

NOTE: If a No Brand Preference code is selected a 9000 code in the Optional Equipment - Order as Desired section will automatically be selected as well. This is required to enable the factory to source this order.

Less Wheels and Tires

4000	Less Wheels and Tires	No Added Cost
	8 Degree Axle Stops Installed If solid tires are installed it requires the Rear Access Platforms from GR Mfg listed in the Referral section of the Price Pages. Includes retaining hardware. This package is required for rear axle warranty. For warranty information refer to the SAM manual.	
4013	26.5x25 5pc.Rims less Tires	\$12,857.00
	8 Degree Axle Stops Installed	
	26.5R25 L3 Radial Tires with 5 Piece Rims	
4920	26.5R25 No Brand Preferred Radial L3 1-Star Tires with 5 pc. Rims	\$25,380.00
4811	26.5R25 Michelin Radial XHA2 L3 2-Star Tires with 5 pc. Rims	\$36,967.00
4813	26.5R25 Titan Radial STL3 L3 1-Star Tires with 5 pc. Rims	\$26,380.00
4815	26.5R25 Bridgestone Radial VJT L3 1-Star Tires with 5 pc. Rims	\$38,967.00
4818	26.5R25 Bridgestone Radial VJT L3 1-Star Tires with 5 pc. Rims	\$38,967.00
	775/65R29 L3 Radial Tires with 5 Piece Rims	
4924	775/65R29 No Brand Preferred Radial L3 1-Star Tires with 5 pc. Rims	\$49,232.00

9701	26.5R25 No Brand Preferred L3 1-Star Tires with 5 pc rims	No Added Cost
	No Tire Brand Preference	
	Tire Brand Preference	Field Installed Attachments - Optional
5320	Less Tire Pressure Monitoring System	No Added Cost
5310	Tire Pressure Monitoring System	\$1,700.00
	Tire Pressure Monitoring	Basic Factory Options - Required
4816	26.5R25 Michelin Radial XTXL L4 3-Star Tires with 5 pc. Rims	\$49,095.00
4722	26.5-25 Firestone Bias SDT LD L5 20 Ply Rating Tires with 5 pc. Rims	\$40,480.00
4712	26.5-25 Firestone Bias SRG LD L3 20 Ply Rating Tires with 5 pc. Rims	\$26,911.00
	Other Tire Options	
5033	775/65R29 Michelin Radial XHA2 L3 1-Star Tires with 5 pc. Rims	\$51,967.00
5038	775/65R29 Bridgestone Radial VTS L3 1-Star Tires with 5 pc. Rims	\$50,132.00

9711	775/65R29 No Brand Preferred L3 1-Star Tires with 5 pc rims	No Added Cost
	WORK TOOLS	
	Hydraulic Couplers Basic Factory Op	otions - Required
8558	Hydraulic Coupler - JRB 420 Pattern	\$11,201.00
8564	Field Coupler or Bucket Ready - Pins Only And Pin Disconnect Plumbing Pins are shipped with the machine. The pins provided are designed and intended for use in installing Deere designed field installed pin-on buckets or Deere designed couplers. Use of the pins to attach any other buckets, couplers, or other attachments may or may not be acceptable, and must be reviewed on a case by case basis to determine if they provide adequate pin engagement and pin retention.	\$2,300.00
8565	Field Bucket Ready - Pins Only Pins are shipped with the machine. The pins provided are designed and intended for use in installing Deere designed field installed pin-on buckets. Use of the pins to attach any other buckets, couplers, or other attachments may or may not be acceptable, and must be reviewed on a case by case basis to determine if they provide adequate pin engagement and pin retention.	\$1,900.00
8567	Factory Pin-on Bucket Ready Required when ordering factory installed pin-on buckets - NOT coupler style hook-on buckets or field installed buckets.	No Added Cost
	Buckets Basic Factory Op	otions - Required
	Bucket options are orderable with either a coupler or a pin-on configuration, unless otherwise noted.	
8944	5.25 Cu. Yd. (4.0 Cu. M) GP Bucket Straight side cutters. Bolt on spill sheet can be installed - see options below. Does not include the integrated spill deflector, replaceable bushed static joints, nor provisions for side cutter protection guards.	\$18,723.00
8948	5.0 Cu. Yd. (3.8 Cu. M) Enhanced Production GP JRB 420 Pattern Coupler Bucket Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	\$20,952.00
8951	5.25 Cu. Yd. (4.0 Cu. M) Enhanced Production GP JRB 420 Pattern Coupler Bucket Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	\$21,751.00

5.5 Cu. Yd. (4.2 Cu. M) Enhanced Production GP Pin-On Bucket without Wear Plates	\$18,377.00
Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
5.5 Cu. Yd. (4.2 Cu. M) Enhanced Production GP Pin-On Bucket with Wear Plates	\$20,083.00
Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
5.85 Cu. Yd. (4.5 Cu. M) Enhanced Production Material Handling Pin-On Bucket without	\$19,954.00
Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
No Bucket	No Added Cost
5.85 Cu. Yd. (4.5 Cu. M) Enhanced Production Material Handling Pin-On Bucket with Wear Plates Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard.	\$21,661.00
CUTTING EDGES AND TEETH Basic Factory Opt	tions - Required
Bolt-on Cutting Edge	\$1,995.00
Bolt on Jagz Cutting Edge	\$3,255.00
Teeth with Segments	\$5,200.00
No Bucket Edge or Teeth	No Added Cost
Required when ordering code 8960 No Bucket	
	Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spilliguard. Has provisions for lower side cutter protection guard, available through Dealer Parts. 5.5 Cu. Yd. (4.2 Cu. M) Enhanced Production GP Pin-On Bucket with Wear Plates Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spilliguard. Has provisions for lower side cutter protection guard, available through Dealer Parts. 5.85 Cu. Yd. (4.5 Cu. M) Enhanced Production Material Handling Pin-On Bucket without Wear Plates Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spilliguard. Has provisions for lower side cutter protection guard, available through Dealer Parts. No Bucket 5.85 Cu. Yd. (4.5 Cu. M) Enhanced Production Material Handling Pin-On Bucket with Wear Plates Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spilliguard. Has provisions for lower side cutter protection guard, available through Dealer Parts. CUTTING EDGES AND TEETH Basic Factory Opt Teeth with Segments No Bucket Edge or Teeth

5790 106 in (2690mm) Wide Fork Frame

\$11,025.00

5840	No Fork Frame	No Added Cost
	TINES	Basic Factory Options - Required
E000	72 Inch (1920mm) Construction Tines	\$7.054.00
5890	72 Inch (1829mm) Construction Tines	\$7,954.00
5900	96 Inch (2438mm) Construction Tines	\$12,233.00
5940	No Tines Required when ordering code 5840 No Fork Frame	No Added Cost
	Bucket Spillguards	Field Installed Attachments - Optional
9790	Bucket Spill Guard for Use with 5.25 Cu. Yd. Buckets For 5.25 cu. yd. Pin-on bucket - Requires Code 8944 bucket. This does not fit Enhanced Production I	\$1,690.00 Buckets.
	Hydraulic Couplers	Field Installed Attachments - Optional
9310	Quick Coupler Hydraulic System (Pin Disconnect) For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube, electric switch and solenoid va	\$1,525.00 live.
	FRAME AND CHASSIS	
	Rear Hitch and Counterweights	Basic Factory Options - Required
8110	Main Counterweight	No Added Cost

8130	Less Counterweight and Rear Hitch For use on Waste Handler with solid or foam filled tires OR field kit "Rear Access Platform with Steps & Hand Holds", must be purchased for solid or foam filled tires.	(\$3,310.00)
	MISCELLANEOUS	
	Miscellaneous Field Installed Attachm	ents - Optional
9210	Electrical Corrosion Prevention Package Preventive corrosion treatment for use in corrosive environments. Preventive corrosion treatment includes dielectric grease for electrical connections and polyurethane-based sealant on exposed terminals.	\$1,425.00
9410	Transmission and Bottom Guards Recommended in applications where underside is vulnerable. Includes transmission side guards, bottom guards, and loader mast side covers.	\$2,457.00
9520	License Plate Bracket Includes light for night time illumination.	\$177.00
9525	Slow Moving Vehicle (SMV) Emblem	\$157.00
9800	Finish Paint - Decals Not Installed For custom paint. Non-Paintable charcoal grey cab roof. Decals packaged with machine. Safety decals installed.	No Added Cost
9909	Shipping Rust Preventive Coating - Non Export Coating protects exposed unpainted surfaces from road salt during shipment.	\$235.00
9675	Attachment Recognition Enables Asset Tracking Beacons to allow hydraulic settings to change while swapping attachments for applicable machines.	\$980.00
	Custom Codes Field Installed Attachm	ents - Optional
	Miscellaneous Field Installed Attachm	ents - Optional

AT519021	Attachment Recognition Enables Asset Tracking Beacons to allow hydraulic settings to change while swapping attachments for applicable machines. Software Only Kit to be ordered through Service Parts.	\$1,087.80
	Bucket Hardware & Accessories Field Installed Attachm	nents - Optional
AT309138	KIT, BOLT ON SPILL GUARD FOR 6.0 YD PIN-ON BUCKET ONLY For use on 6.0 Cu. Yd. clipped corner buckets. Bolt on Spillguards adds 0.4 cubic yards to Bucket Capacity. Not compatible with Enhanced Production Buckets.	\$1,858.00
AT400169	Teeth with Segments For use on 5.25, 5.5, 6.0, and 6.25 Cu. Yd. Buckets (including Enhanced Production Buckets).	\$6,316.00
	Overall Vehicle Field Installed Attachm	nents - Optional
AT345202	License Plate Bracket with Light For units with Stage 2 or T3 Engines.	\$189.00
AT368286	Slow Moving Vehicle (SMV) Emblem and Bracket For use with IT4/FT4 engines.	\$121.00
BYT11513	Kit, Autolube - Highlift Deere autolube system integrated with JDLink. Will require field installation at additional cost.	\$5,667.00
BYT11318	Kit, Platform Toe Kicks Adds toe kicks to left and right platforms to meet local requirements.	\$258.00
BYT11390	KIT, WHEEL CHOCKS & BRACKET Wheel Chocks & Bracket that holds a pair of Checkers Brand (Part Number MC3010) Wheel Chocks. These brackets can be accessed from ground level and are mounted under the platform steps so they are easy for the operator access when getting on and off the machine.	\$1,700.00
BYT11534	Kit, Quick Service For FT4/Stage V or EPA Tier 3/Stage IIIA Engines Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.	\$700.00
BYT11389	Kit, Platform Railing Extension To 1M Height	\$2,827.00

	Extends left and right platform railings to 1 meter height to meet local requirements. Required in AB and BC Mines.	
BYT11467	KIT, FRONT FENDER EXTENSIONS, 26.5R25, 29.5R25, 775/65R29 TIRES Adds additional length to front fenders to reduce tire spray while traveling at high speeds.	\$1,130.00
BYT11520	Kit, Dual Beacon Bracket Left and Right Beacon Brackets Only - Beacon Not Included	\$392.00
	Left and hight beacon brackets only - beacon not included	
BYT11514	Kit, 24V Aux Electrical Output	\$179.00
	Provides 24V output to allow operation of electrical solenoid valves or other electrical components from the hydraulic controls through the multi-function button.	
BYT11519	Kit, Beacon Bracket	\$196.00
	Left Beacon Bracket Only - Beacon Not Included	
BYT11521	Kit, External Seat Belt Indicator	\$321.00
	Includes Right Beacon bracket and green strobe beacon that indicates if it the seat belt is latched for external awareness. With the machine powered up, the green strobe beacon will flash anytime the belt is latched regardless if it is in park or not.	
BYT11509	Kit, Rear Fender Only, 26.5R25 and 775/65R29 Tires	\$2,814.00
	Intended for wet applications. Mudflaps may need to be trimmed to higher height or removed if the customer is operating in soft ground conditions to avoid getting ripped off while backing out of holes.	
BYT11525	Kit, Roading Fender, Front Wipers Only - L3 Tires Only	\$207.00
	These cannot be used with L4 or L5 tires due to increased tire heights. These are intended to reduce spray while traveling forward at high speeds.	
BYT11505	Kit, Beacon Single, Orange	\$169.00
	Powertrain & Cooling Field Installed Attachment	s - Optional
AT362998	Automatic Axle Differential Lock (Auto-Diff/Lock)	\$1,581.00
BYT11253	Powered Cab Air Pre-Cleaner	\$878.00
	Extends cab air filter change intervals	
BYT11492	Kit, Reversible Fan Drive	\$1,803.00

BYT10842	Kit, Diesel Fired Coolant Heater	\$4,268.00
	For FT4/Stage V or EPA Tier 3/Stage IIIA Engines Includes igniter, timer and coolant circulation pump. Recommended for temperatures below -13 deg. F (-25 deg. C).	
BYT11502	Tire Pressure Monitoring System - 25" Rim Sensor Mounting - Less Sensors	\$940.00
	Tire Pressure Sensors must be ordered from parts to assure freshest battery life.	
BYT11517	Kit, Engine Block Heater - 9L 120V	\$165.00
	Includes remote plug-in at rear of loader and associated harnesses.	
AT465389	Kit, Ether Start Aid	\$352.00
	For FT4/Stage V or EPA Tier 3/Stage IIIA Engines	
	Kit does not include Ether canister. Recommended below 10 degrees F (-12 degrees C).	
	Recommend with Engine Block Heater for cold starts below -10 degrees F(-23 C).	
AT463190	Kit, Fast Fill Fuel	\$2,939.00
	For FT4/Stage V or EPA Tier 3/Stage IIIA Engines. 150 gpm fill rate.	
BYT11504	Tire Pressure Monitoring System - 29" Rim Sensor Mounting - Less Sensors	\$941.00
	Tire Pressure Sensors must be ordered from parts to assure freshest battery life.	
	Hydraulics Field Installed Attachm	ents - Optional
BYT11268	3rd Function Single Axis Lever	\$318.00
	In-cab control lever only for updating units equipped with two-function single axis controls to three-function single axis controls. Not for use with joystick control lever. Does not include hydraulic valve section or any associated plumbing.	
BYT11187	Joystick Controls Conversion to Single Axis Controls (3-Function)	\$1,591.00
	To convert from single joystick hydraulic control lever with FNR and auxiliary function to 3-Lever single axis controls with steering column FNR lever.	
BYT11250	Joystick Controls Conversion to Single Axis Controls (2-Function)	\$1,275.00
	To convert from single joystick hydraulic control lever with FNR to 2-Lever single axis controls with steering column FNR lever.	

BYT11265 Dedicated 7-inch Rear Camera Display

\$1,527.00

	Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.	
BYT11259	24 Volt to 12 Volt - 30 Amp Converter	\$341.00
BYT11192	Kit, Steering Wheel Only To Steering Wheel & Joystick - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11194, Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11197	Kit, Secondary Steering Parts Kit REQUIRES ORDERING THE APPROPRIATE INSTALLATION INSTRUCTIONS TO ENABLE THE CORRECT SOFTWARE UPDATE FOR THIS FEATURE TO FUNCTION. SEE APPROPRIATE KITS.	\$5,667.00
BYT11188	REQUIRES BYT11195 or BYT11196 Kit, Steering Joystick Only To Steering Wheel Only - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11190, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11195	Kit, Secondary Steering For Joystick Steering Only - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11197, Kit, Secondary Steering Parts Kit. This kit is only installation instructions and instructions for software update for the loader to enable this feature.	\$11.00
BYT11190	Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit REQUIRES ORDERING THE APPROPRIATE INSTALLATION INSTRUCTIONS TO ENABLE THE CORRECT SOFTWARE UPDATE FOR	\$4,859.00
	THIS FEATURE TO FUNCTION. SEE APPROPRIATE KITS. REQUIRES BYT11184 or BYT11188 or BYT11189	
BYT11193	Kit, Wheel W/ Secondary Steering To Joystick W/ Secondary Steering - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11194, Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11191	Kit, Steering Wheel Only To Steering Joystick Only - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11194, Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11588	Satellite Radio Installation Kit	\$382.00
	Kit includes a Satellite Radio Antenna, Satellite Radio Receiver, Satellite Radio Harness, and mounting brackets to allow the existing radio to receive and play Satellite radio broadcast signals. The kit does not include a Satellite radio subscription and an existing radio is required.	
BYT11189	Kit, Steering Joystick W/Secondary Steering To Steering Wheel W/ Secondary Steering - INSTALLATION INSTRUCTIONS AND SOFT REQUIRES BYT11190, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit	\$11.00

This kit is only in	nstallation instructions and instructions for software update for the loader to enable this feature.	
BYT11196	Kit, Secondary Steering For Steering Wheel Only - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11197, Kit, Secondary Steering Parts Kit. This kit is only installation instructions and instructions for software update for the loader to enable this feature.	\$11.00
BYT11194	Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit	\$8,382.00
	REQUIRES ORDERING THE APPROPRIATE INSTALLATION INSTRUCTIONS TO ENABLE THE CORRECT SOFTWARE UPDATE FOR THIS FEATURE TO FUNCTION. SEE APPROPRIATE KITS.	
	REQUIRES BYT11191 or BYT11192 or BYT11193	
BYT11516	FNR to RNF Transmission Direction Control Switch Reversed Pattern Decal	\$11.00
	This kit provides the in-cab sticker to correctly show the direction of the steering lever, transmission directional control switch on loaders that have the pattern reversed from F-N-R (Forward - Neutral - Reverse) to R-N-F.	
BYT11184	Kit, Steering Joystick Only To Steering Wheel & Joystick - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY	\$11.00
	REQUIRES BYT11190, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit	
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11515	Kit, Throttle Lock Software	\$200.00
	This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.	
BYT11526	Rear Camera and Rear Object Radar Detection	\$4,072.00
	Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.	
BYT11527	Rear Camera Only	\$1,007.00
	Display shows view behind the machine. Rear view is displayed in video-enabled color monitor or dedicated color monitor.	
BYT11503	Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port Radio	\$789.00
	Forks Field Installed Attachm	ents - Optional
BYT10924	KIT, CONSTRUCTION UTILITY FORKS, 72" TINES w/ 106" FRAME	\$17,446.00
	JRB 420 Pattern Hook-on Coupler Forks. 106 in (2690mm) Wide Fork Frame. 96 Inch (2438mm) Construction Tines	
BYT10923	KIT, CONSTRUCTION UTILITY FORKS, 96" TINES w/ 106" FRAME	\$21,391.00
	JRB 420 Pattern Hook-on Coupler Forks. 106 in (2690mm) Wide Fork Frame. 72 Inch (1829mm) Construction Tines	

G.R.Mfg. Field Installed Attachments - Optional

G.R. Manufacturing, Inc.

- * Kits listed below must be ordered through John Deere.
- * F.O.B. Trussville, Alabama
- * All kits include installation instructions
- * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.

G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

BYT11352	Cab Side And Rear Screen Package	\$5,660.00
	Polycarbonate side window guards, screen rear window guard.	
BYT11353	Heavy-Duty Rear Grille Guard	\$6,320.00
	Requires Deflectors, Tires, Rear	
BYT11349	Extreme Duty Cab Entry Step Kit	\$2,152.00
	Replaces left hand platform with close mounted steps that are less susceptible to damage	
BYT11348	Hydraulic Operated Extreme Service Bottom Guards	\$8,146.00
	For all engine emissions.	
BYT11347	Axle Seal Guards	\$2,072.00
	For all engine emissions.	
BYT11346	Articulation Joint Guards	\$2,420.00
	Protects center pivot area. Recommended for trash handling, brush clearing, & recycling.	
BYT11350	Boom Cylinder Hydraulic Line And Cavity Guards	\$3,910.00
	For all engine emissions.	
BYT11351	Front Screen, Laser Cut Plate, Cab, ISO 8084 Certified	\$3,140.00
	Front Screen will fully open to facilitate cleaning.	
BYT11354	Deflectors, Tires, Rear	\$9,588.00
	For all engine emissions. Required for rear axle when equipped with foam filled or solid tires. Monitor to be reprogrammed to block 4th gear. Recommend code 8130 to deduct main counterweight and rear hitch on new machine orders.	

BYT11345 744L Standard Waste Handler Package

\$39,410.00

Recommended for use in waste, scrap, or recycling applications.

FOB Davenport, Iowa, dealer is responsible for freight of unit from factory to Trussville, Alabama, and freight from Trussville to final destination.

Package includes the following:

Axle Seal Guards

Boom Cylinder Hydraulic Line & Cavity Guards Bucket Cylinder Hydraulic Line/Rod/Sensor Guard

Articulation Joint Guards Extreme Duty Cab Entry Step

Extreme Service Transmission Side Guards Extreme Service Loader Frame Front Cover

Extreme Service Guards for Loader Drive, Work, & Turn Lights

Full Frontal Cab Window Guard (does not meet SAE J1084 Forestry Standard)

Rear Loader Frame Guard

4th Gear Disabled

Strobe Light Right Rear Cab Roof Mounted, Fold Down

Lower Boom & Bucket Grease Fitting Guards

Rear Access Platforms with Flexible Step, Hand Holds & Tie Downs

Battery Disconnect Switch Compartment Guard

Precleaner Prescreen Kit

Couplers

Field Installed Attachments - Optional

BYT11056

KIT, 744/824 HYDRAULIC COUPLER (JRB 420 PATTERN) - DOES NOT INCLUDE PIN DISCONNECT VALVE

\$10,341.00

ADDITIONAL INFORMATION

4WD Loader Simulator

Field Installed Attachments - Optional

4WD Loader Operator Training Simulator

- JD Bookstore order code: SIM5700
- JD Bookstore Price: \$15,997

Includes software, replica joysticks, foot petals, steering wheel and integrated seat. Item ordered through the JD Bookstore.

BUCKETS

Buckets & Bucket Wear Components

Field Installed Attachments - Optional

BYT10122

KIT, WEAR PLATE

\$4,209.00

Wear Plates for 5.5 & 5.85 Cu. Yd. Enhanced Production Buckets

BYT10108	KIT, 5.85 CU YD PIN-ON BUCKET w/o WEAR PLATES	\$18,783.00
	5.85 Cu. Yd. (4.5 Cu. M.) Enhanced Production General Purpose Bucket without Wear Plates. No Ground Engaging Tools Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
AT347010	KIT, BOLT ON SPILL GUARD FOR 5.25 YD PIN-ON BUCKET ONLY	\$1,993.00
	For use on 5.25 clipped corner buckets. Bolt on Spillguards adds 0.4 cubic yards to Bucket Capacity. Not compatible with Enhanced Production Buckets.	
BYT10109	KIT, 5.85 CU YD PIN-ON BUCKET w/ WEAR PLATES	\$20,507.00
	5.85 Cu. Yd. (4.5 Cu. M.) Enhanced Production General Purpose Bucket with Wear Plates. No Ground Engaging Tools	
	Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
AT346219	KIT, 4.0M3 (5.25YD) GP PIN_ON BUCKET	\$19,026.00
	5.25 Cu. Yd. (4.0 Cu. M.) General Purpose Bucket with Skid Shoes Without Bolt-on Cutting Edge for S/N 616708 and above	
BYT10107	KIT, 5.5 CU YD PIN-ON BUCKET w/ WEAR PLATES	\$18,913.00
	5.5 Cu. Yd. (4.2 Cu. M.) Enhanced Production General Purpose Bucket with Wear Plates. No Ground Engaging Tools Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
AT314301	KIT, HEAVY CUTTING EDGE	\$3,133.00
	Bolt On Cutting Edge for 5.0, 5.25, 5.5, 5.75, 5.85, 6.0, 6.25, and 6.75 Cu. Yd. Buckets (including Enhanced Production Buckets)	
BYT10106	KIT, 5.5 CU YD PIN-ON BUCKET w/o WEAR PLATES	\$17,189.00
	5.5 Cu. Yd. (4.2 Cu. M.) Enhanced Production General Purpose Bucket without Wear Plates. No Ground Engaging Tools Installed.	
	Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts	
BYT10865	KIT, 5.25 CU YD STD COUPLER BUCKET KIT	\$21,529.00
	Enhanced Production GP JRB 420 Pattern Coupler Bucket. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts	
BYT10864	KIT, 5.0 CU YD STD COUPLER BUCKET KIT	\$20,256.00
[:	Enhanced Production GP JRB 420 Pattern Coupler Bucket. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on	ına omer aearer vailability, and