



Current Date 06Jan2021

75G EXCAVATOR

ENGINE:

Yanmar 4TNV98C 3.3L certified with EPA Final Tier 4 Back-fill Blade emissions 57 SAE Net HP Direct Injection Antifreeze Protection to -34 degrees F (-37 degrees C) Single Dry-Type Air Filter

Electric Fuel Shutoff Low-Noise Fan with Guard Full Flow Oil Filter Heavy-Duty Low Maintenance Batteries

Fuel Filter

Isolation Mounted

Radiator/Oil Cooler Trash

Screen

50 Amp Alternator - 24 Volt **Automatic Belt Tension**

Device

Water Separator **HYDRAULICS:**

Open Center with Two Variable Displacement

Pumps

Hydraulic Shut-Off Lever Hydraulic Pilot Controls Axial Piston Swing Motor Multiple Wet Disk Swing

Brake

Boom Reduced-Drift Valves Mechanical Pattern Changer Hand Controlled Proportional Auxiliary Hydraulics Plumbed

to the End of the Boom UNDERCARRIAGE:

450 mm (18 In.) Rubber

Pad Track Shoes Front Track Guide Propel Motor Shield Planetary Final Drive

Two-Speed Propel

Axial Piston Propel Motor

UPPER STRUCTURE:

Rear-view Mirrors (right, left,

and rear) Toolbox

Vandal Locks for:

Cab Door Service Doors Fuel Cap

Hydraulic Reservoir

Toolbox Work lights:

One Mounted on Frame One Mounted on Boom Counterweight 2,877 lbs.

(1,305 kg)

FRONT ATTACHMENTS:

WC Thermal Spraying of

Bucket Joint

Dirt Seal on all Bucket Pins

One Piece Boom Less Bucket

OPERATOR'S STATION: Adjustable Control Positions

(Levers to Seat, Seat to

Pedals) Arm Rests

Pilot Control Shut-Off Lever Short Stroke, Low Effort Pilot

Levers

Deluxe Adjustable Cloth Seat

with Suspension

Multi-function, Color LCD Monitor System with: Diagnostic Capability Systems Monitoring

Capability

Multiple Language Capability Maintenance Tracking Engine Coolant Temperature

Gauge

Engine Coolant Temperature Warning Indicator with

Audible Alarm

Fuel Gauge with Low Fuel

Indicator

Work Mode Indicator Auto Idle Indicator

Alternator Charge Indicator

Air Filter Restriction

Indicator

Fault Code Alert Indicator Check Engine Indicator Wiper Mode Indicator Work Lights On Indicator

Fuel Rate Display

Clock Hour Meter Mode Selection: One Work Mode Two Power Modes **Numerous Attachment**

Modes

Auto-Climate Control/Air Conditioner, Heater with

Pressurizer AM-FM Radio

Machine Information Center

Windshield Wiper/Washer with Intermittent Speed Cell Phone Power Outlet 2 In. Retractable Seat Belt

Tinted Safety Glass

Hot/Cold Box Compartment

Horn

Two Cup Holders **Interior Light** Coat Hook Floor Mat

Motion Alarm with Cancel

Switch

Transparent Tinted Roof Hatch with Sunshade Four Fluid-Filled Elastic

Mounts

Easy Access Air Conditioning

Filter

Grounds Equipment - Bid #ESCNJ 18/19-25

Engine Oil Pressure Warning Indicator with Audible Alarm

Required - You must select one from each category

BASE MACHINE

F.O.B. US/Canadian Port of Entry except where noted. See DEALER-INSTALLED ATTACHMENT section for additional source notes.

	Description	Code	Price
	75G EXCAVATOR	0091FF	\$131,407.00
¥	TRACK SHOES		
	Description	Code	Price
	600 mm (24in.) Track Shoes	3205	\$1,020.00
	Triple Semi-Grouser Shoes w/ Blade		
	Rubber Crawler Pads	3265	No Added Cost
	Steel track shoes with vulcanized rubber pads bonded to top of shoes. 450 mm (18 ln.) Rubber Pads w/ Blade		
	450 mm (18 In.) Continous Rubber Belt w/ Blade	3275	\$1,020.00
	Long lead time required.		
¥	ARM		
	Description	Code	Price
	2.12 M (6 Ft. 11 In.) Arm Assembly with Bucket Cylinder and Linkage	7060	\$6,791.00

Optional - Select as desired

ATTACHMENTS FOR FIELD CONVERSION

Description Buckets	Code	Price
BKH Pin-on Bucket 18 In. (457 mm) Heavy-Duty 5.1 Cu. Ft. (0.14 Cu. M.)	AT437340	\$1,358.00
Must include hydraulic coupler AT442602 if ordered for excavator usage.		
BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty 8.8 Cu. Ft. (0.25 Cu. M.)	AT437344	\$1,609.00
Must include hydraulic coupler AT442602 if ordered for excavator usage.		
BKH Pin-on Bucket 30 In. (762 mm) Heavy-Duty 10.0 Cu. Ft. (0.28 Cu. M.)	AT437345	\$1,687.00
Must include hydraulic coupler AT442602 if ordered for excavator usage.		
	AT437616	\$1,594.00

Grounds Equipment - Bid #ESCNJ 18/19-25

BKH Pin-on Bucket 36 In. (914 mm) Ditching 12.5 Cu. Ft. (0.35 Cu. M.)		
Must include hydraulic coupler AT442602 if ordered for excavator usage. Ditching bucket does not include teeth.		
BKH Pin-on Bucket 36 In. (914 mm) Heavy-Duty; 12.5 Cu. Ft. (0.35 Cu. M.)	AT437346	\$1,816.00
Must include hydraulic coupler AT442602 if ordered for excavator usage.		
Buckets, Heavy-Duty		
24 IN (610 mm), 0.33 yd3 (0.25 M3) Heavy-Duty Bucket (Pin-on Bucket)	BYT11021	\$1,597.00
Includes Five (5) John Deere TK-Series Fanggs Teeth (TK225FD)		
30 IN (762 mm), 0.37 yd3 (0.28 M3) Heavy-Duty Bucket (Pin-on Bucket)	BYT11022	\$1,675.00
Includes Five (5) John Deere TK-Series Fanggs Teeth (TK225FD)		
36 IN (914 mm), 0.46 yd3 (0.35 M3) Heavy-Duty Bucket (Pin-on Bucket)	BYT11023	\$1,803.00
Includes Six (6) John Deere TK-Series Fanggs Teeth (TK225FD)		
36 IN (914mm), 0.49yd3 (0.38 M3) Ditch-cleaning Bucket (Pin-on Bucket)	BYT11024	\$1,661.00
Includes reversible bolt-on cutting edge		
<u>Hydraulic Couplers</u>		
Hydraulic Quick Coupler	AT442602	\$7,553.00
For use with John Deere backhoe buckets only. Will not interface with standard excavator buckets. Extra pins required can be ordered through service parts: T185832 T185831		
Thumb Kit, Direct with Coupler	BYT10499	\$5,151.00
Works with machines equipped without aux selector valve, SN 017498 or less. For machines JD75G / ZX75 SN 017499 and greater For machine with selector valve, order Thumb kit BYT12156 instead. To be used with hydraulic coupler AT442602		
Thumb Kit, Direct without Coupler	BYT10498	\$5,151.00
Works with machines equipped without aux selector valve, SN 017498 or less. For machines JD75G / ZX75 SN 017499 and greater For machine with selector valve, order Thumb Kit BYT12155 instead		
Hydraulic Thumb Kits		
Direct Thumb Kit, 34 in. with Selector Valve	BYT12156	\$5,151.00

Grounds Equipment - Bid #ESCNJ 18/19-25

Works with machines equipped with aux selector valve, SN 021949 and greater. To be used with hydraulic coupler AT442602		
Direct Thumb Kit, 37 in. with Selector Valve	BYT12155	\$5,151.00
Works with machines equipped with aux selector valve, SN 017499 and greater		
<u>Hydraulics</u>		
Auxiliary Hydraulic Lines – Boom to Arm	AT436726	\$1,182.00
Foot Pedal Control Kit for Meterable Two-Way Hydraulics	AT356391	\$1,452.00
Recommended: Hydraulic Filter Restriction Indicator Kit Does not require a solenoid kit.		
Foot Pedal Switch for 1-Way Control of Auxiliary Valve	AT196587	\$530.00
Installation instructions T161995. Average installation, 1 hour. For customers who want an auxiliary valve with foot pedal control of attachments that require 1-direction on/off control without metering. Includes foot switch and wiring harness.		
ALSO ORDER: Hydraulic Filter Restriction Indicator Kit Recommended. For a complete system, also order 1-Way or 2-Way Electric Solenoid Valves for Auxiliary Valve and Auxiliary Hydraulic Lines. Requires a solenoid kit. Average installation, 1 hour. For customers who want an auxiliary valve with foot pedal control of attachments that require 1-direction on/off control without metering. Includes foot switch and wiring harness.		
ALSO ORDER: Hydraulic Filter Restriction Indicator Kit Recommended. For a complete system, also order the 2-Way Electric Solenoid Valves for Auxiliary Valve and Auxiliary Hydraulic Lines.		
Hydraulic Filter Restriction Indicator Kit	AT442872	\$797.00
For iT4 and FT4 only.		
Single Pedal Propel Kit	AT390776	\$2,143.00
Miscellaneous		
Pin Kit, 75/85 Excavator Bucket Pin Field Kit	BYT11472	\$387.00

Copyright © Deere & Company. All Rights Reserved.

About Our Site | Privacy and Data | Legal | |