John Deere -2022 Price List 824L WHEEL LOADER

01-Mar-2022

Description OTYList Price (USD) Code

1 7690DW 824L WHEEL LOADER \$486,709.00

POWERTRAIN:

5 Speed Transmission with Lock-Up Torque Converter Electronically Controlled Fully Automated Shift System Quick Shift Button on Loader Control Lever with 2 Selectable Modes

Automatic / Manual Shift Modes Programmable Maximum High Gear

Transmission Clutch Disconnect with 4 Selectable Settings Transmission Clutch Calibration Engaged from Monitor 100% Locking Front and Conventional Rear Differentials with Inboard

Mounted Heavy Duty Planetary Gears

Heavy Duty Self Adjusting Front and Rear Power Brakes Electrically Actuated Automatic Spring Applied, Hydraulically

Released, Wet Multi-Disc Park Brake Transmission Fill Tube and Sight Gauge

2000 Hour Transmission Filter Wheel Spin Control System

COOLING:

Quad-Cool System:

Heavy Duty, Debris Resistant High Ambient Cooling Package

2 Side access to all Coolers

Cooling System isolated from Engine Compartment

Engine Radiator

Integral Engine Oil Cooler Hydraulic Oil Cooler (Oil to Air) Transmission Oil Cooler (Oil to Air) Charge Air Cooler (Air to Air) Air Conditioner Condenser Coolant Recovery Tank Antifreeze, -34F (-37 C) Cool-on Demand Swing out Fan **Enclosed Fan Safety Guard**

Front and Rear Axle Coolers with Axle Oil Filtration

HYDRAULICS:

2 Function -- 2-Lever Single Axis Electrohydraulic Controls Joystick Steering with Lever Mounted FNR Control Variable-Displacement, Load-Sensing Axial Piston Steering

Hydraulic Pump; Closed-Center System

2 Variable-Displacement, Load-Sensing Axial-Piston Implement

Pumps; Closed-Center System

In Cab Adjustable Automatic Boom Height Kickout/Return To

Carry/Bucket Return To Dig

Ride Control, Automatic with Monitor Adjustable Speed Settings Diagnostic Code Details

Hydraulic Function Enable/ Disable

Hydraulic Reservoir with Sight Gauge and Fill Strainer

Hydraulic Diagnostic Ports 4000 Hour In-Tank Filter

ELECTRICAL:

24 Volt Electrical System

Solid State Electrical Power Distribution System

150 Amp Alternator

(2) Heavy Duty Batteries - each 1400 Cold Cranking

Grounds Equipment - Bid #ESCNJ 18/19-25

JOHN DEERE

amps/440 minute **Reserve Capacity**

Battery Terminal Safety Covers By-Pass Start Safety Cover at Starter

Lockable Master Electrical Disconnect Switch Starting Switch with Electric Fuel Shut Off

Pre-wired for Beacon/Strobe Light

(1) Engine Compartment Light

(1) LED Coolant Reservoir Illumination Light

(2) Halogen Driving Lights with Guards

(4) Front, (2) Rear Cab and 2-Rear Grille mounted Work

Lights

Turn Signals and Flashers LED Stop and Tail Lights

Horn, Electric

Reverse Warning Alarm

Voltage Converter for 24V to 12V / 30 Amps Multi-Function LCD Color Monitor includes:

DIGITAL INSTRUMENTS ANALOG Display:

Hydraulic Oil Temperature **Engine Coolant Temperature Transmission Oil Temperature**

Engine Oil Pressure DIGITAL Display: Engine RPM

Transmission Gear / Direction Indicator

Hour Meter Fuel Level

DEF Level (FT4 Only) Speedometer

Odometer

Outside Temperature Fuel Consumption Rate

Integrated Cycle Counter with 5 Categories

INDICATOR LIGHTS for Standard and Selected Options INDICATOR LIGHTS FOR Amber Caution and Red Stop

OPERATOR WARNING MESSAGES

BUILT-IN DIAGNOSTICS:

Sensor Values Calibrations

Individual Circuit Tester

MENU DISPLAY:

Codes

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

Machine Settings Diagnostics Monitor Settings Clock

OPERATOR'S STATION:

Isolation Mounted ROPS/FOPS Quiet Cab with: Air Conditioning, Heater, Defroster and Pressurizer Keyless Start with Multiple Security Modes Sealed Switch Module with Function Indicators Deluxe Heated And Ventilated Seat with Leather/Fabric, High-Wide Back with Head Rest

Seat Pan Tilt and Extend Adjustment

Suspension for Weight/Height with Fore-Aft Adjustment

Vertical and Horizontal Adjustable Arm Rests

Hydraulic Controls Integrated to Seat

3-Inch High Visibility Blaze Orange Seat Belt with Retractor Seat Belt Latching Monitoring System

(2) Cup Holders

Lunch box (Cooler) Holder

LED Dome and Reading Light

(3) 12 Volt Power Ports

Front Sun Visor

Premium Radio with Blue Tooth Connectivity Rubber Floor Mat

Operator's Manual Storage Compartment

(2) Powered And Heated Outside Mirrors

(2) Inside Rear View Mirrors

Front and Rear Intermittent Windshield Wiper and Washers Left and Right-Side Cab Access

Slip-Resistant Steps and Ergonomically Located Handholds Front Window Washing Platforms

5000lb Capacity Anchor Point for Fall Arrest Lanyard Tie Off Ring

CB Radio Ready with CB Mounting Bracket, Power and Antennae Wiring

OVERALL VEHICLE:

Level 1 and Level 2 Sound Package

Automatic Greasing System with Selectable Grease Interval Settings

(2) Programmable Multi-Function Buttons Located on Hydraulic Implement Controls

Lift Eyes

Front and Rear Tie Downs

Full Coverage Front Fenders

Cast Bumper with Rear Hitch and Locking Pin

Articulation Locking Bar

Boom Locking Bar

40 Degree Steering Articulation to Each Side with Rubber Cushion Stops

on Frame

Vandal Protection With Lockable Engine Enclosures, Right

Counterweight

Compartment, Battery Box, Filler Access for Radiator/Fuel/Hydraulic/Transmission

Right and Left Handrails, Platforms and Steps
Fluid Sampling Ports for Engine, Transmission, Hydraulic,
Axles Oils
and Engine Coolant
Environmental Drains with Hoses for Engine, Transmission,
Hydraulic
Oils and Engine Coolant
Ground Level Fueling (and DEF - FT4 Only)
Fuel Tank Fill Strainer
Left and Right Engine Frame Service Steps and Handholds
Storage Compartment
Transmission Side Access Guards
Front and Rear Bottom Guards
Heavy Duty Fuel Tank Guard

7690DW	824L WHEEL LOADER	1 \$486,709.00
	DESTINATION AND LANGUAGE	
	Operator's Manual and Decals	Basic Factory Options - Required
2605	English Decals and Manuals	No Added Cost
2606	No-Text Decals with English Operator's Manual	No Added Cost
2610	Spanish Decals and Manuals	No Added Cost
2615	French Decals and Manuals	No Added Cost
2620	Russian Decals and Manuals	No Added Cost
2625	Portuguese with No Text Labels	No Added Cost
	Gathering Group Configurations	Basic Factory Options - Required
0810	Standard Gathering Group	No Added Cost

0820 Russian Gathering Group \$847.00 Includes: 220 Volt Engine Block Coolant Heater Russian License Plate Bracket and Light **EAC CONFORMITY TAG** Requires: Code 8240 Rear Camera And a Strobe Beacon with code 8275 or 8285 or 8296 0850 Brazilian Gathering Group \$35.00 Includes: Brazil Battery Label Requires Code 9520 (License Plate Bracket and Light) 0860 Australian Gathering Group \$35.00 Includes: Australian Compliance Document **ENGINE**

Engine Basic Factory Options - Required

0910 John Deere Powertech Engine \$26,963.00

9.0L meets EPA Tier 3 and EU Stage IIIA Emissions (343 Net Peak hp)

Turbocharged, Charge Air Cooled Wet Sleeve Cylinder Liners

Programmable Auto-Idle and Auto-Shutdown Selected Idle Adjustment from 900-1250 RPM

Starter Protection 4 Valves / Cylinder

Cooled Exhaust Gas Recirculation

Automatic Derating for Exceeded System Temperatures

Electronically Controlled Fuel Delivery System Serpentine Drive Belt with Automatic Tensioner

Under Hood Dual Element Air Cleaner with Restriction Indicator

Under Hood Muffler with Curved Exhaust Stack Dual-Stage Fuel Filter and Water Separator 500 Hour Vertical Spin-on Oil Filter **Engine Compartment Light**

Remote Jump Starting Lugs Automatic Engine Cool-down Timer

0924 John Deere PowerTech Engine \$50,800.00

9.0L meets EPA FT4 and EU Stage V Emissions (343 Net Peak hp)

Turbocharged, Charge Air Cooled Wet Sleeve Cylinder Liners

Programmable Auto-Idle and Auto-Shutdown Selected Idle Adjustment from 900-1250 RPM

Starter Protection 4 Valves / Cylinder Cooled Exhaust Gas Recirculation
Automatic Derating for Exceeded System Temperatures
Electronically Controlled HPCR Fuel Delivery System, B20 Biodiesel Compatible
Electrical Fuel Priming System
Serpentine Drive Belt with Automatic Tensioner
Under Hood Dual Element Air Cleaner with Restriction Indicator
Under Hood Exhaust Filter and Catalysts with Curved Exhaust Stack
Automatic Exhaust Filter Regeneration
Dual-Stage Fuel Filter and Water Separator
500 Hour Vertical Spin-on Oil Filter
Oil crankcase filter, Lifetime
Engine Compartment Light
Remote Jump Starting Lugs

Automatic Engine Cool-down Timer

	Fan Drive	Basic Factory Options - Required
1510	Standard Hydraulic Fan	No Added Cost
	Hydraulically driven fan with proportional fan speed control based on cooling demands to	save fuel and reduce noise.
1520	Automatic Reversing Hydraulic Fan	\$1,755.00
	Hydraulically driven fan with proportional fan speed control based on cooling demands to Automatic Reversing fan to purge debris and dust on cooling system inlet screens and coo cleaning. Reversing intervals can be set in the monitor.	save fuel and reduce noise. plers periodically to reduce
	Requires code 1430 Engine Air Intake with Centrifugal Precleaner	
	Air Intake	Basic Factory Options - Required
1430	Engine Air Intake System with Centrifugal Precleaner	\$617.00
	Exhaust	Basic Factory Options - Required
1310	Flat Black Curved Stack	No Added Cost
1330	Chrome Curved Stack	\$620.00
	Fuel Filtration	Basic Factory Options - Required

1610	Standard Fuel Filter with Water Separator and Standard Fuel Fill Not Available on Code 0910 EPA T3/EU Stage IIIA Engines	No Added Cost
1620	Severe Duty Fuel Filter with Water Separator and Heater Not Available on Code 0924 EPA FT4 /EU Stage V Engines	\$976.00
1630	Standard Fuel Filter with Water Separator and Fast Fuel Not Available on Code 0910 EPA T3/EU Stage IIIA Engines	\$830.00
	Engine	Field Installed Attachments - Optional
9020	Cold Weather Starting Recommended for cold starts below -10 degrees F (-23 C) Includes Automatic Ether Start Aid and Engine Block Heater. Unit is not factory shipped with Ether can installed. Dealer must install.	\$581.00
9045	Quick Fluid Service with Environmental Drain Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.	\$850.00
9055	Throttle Lock This feature adds the convenience of holding the engine at a constant engine speed for l constant engine speed needs without the operator having to hold the accelerator pedal p	
	ELECTRICAL	
	Alternator	Basic Factory Options - Required
1220	150 Amp Alternator	\$675.00
	Converter	Basic Factory Options - Required
2715	15 Amp Converter Requires code 1215 140 amp alternator or code 1220 150 amp alternator	\$115.00

2730	30 Amp Converter Requires code 1215 140 amp alternator or code 1220 150 amp alternator	\$265.00
	Lighting	Basic Factory Options - Required
7120	Halogen Work and Drive Lights LED Front Turn/Marker & Rear Turn/Brake Lights	No Added Cost
7140	Premium LED Work and Drive Lights All exterior machine lights are LED LED Front Turn/Marker & Rear Turn/Brake Lights	\$2,114.00
	DRIVETRAIN	
	Transmission	Basic Factory Options - Required
1120	5-Speed Powershift Transmission with Lock-up Torque Converter	No Added Cost
	Axles	Basic Factory Options - Required
3056	Axles with Hydraulic Locking Front Differential and Standard Rear	No Added Cost
3059	Axles with Front and Rear Hydraulic Locking Differential	\$3,092.00
	Differential Lock	Basic Factory Options - Required
3110	Automatic Differential Lock Allows operator to switch on Automatic Diff Lock providing continual differential lock in all condi Requires code 9410 Transmission and Bottom Guards.	\$1,429.00 litions, minimizing tire spin.
3120	Manual Axle Differential Lock	No Added Cost

	LINKAGE	
	Linkage Configuration	Basic Factory Options - Required
2010	Standard Z-BAR	No Added Cos
2020	High Lift Z-BAR	\$8,148.00
	Adds 15 inches (370mm) height to bucket hinge pin, fully raised over standard linkage. Rated will be lower than unit equipped with the standard boom.	tipping load and lift capacity
	LUBRICATION	Basic Factory Options - Required
5700	Autolube	No Added Cos
5705	Less Autolube	(\$6,000.00
	HYDRAULICS	
	Hydraulic Controls	Basic Factory Options - Required
2350	Single Axis Lever Controls	No Added Cos
	Provides an individual hydraulic function control lever for each function. Only available for 2 hydraulics.	function and 3 function
2360	Joystick Controls	\$571.00
	Provides a single lever (joystck) control for the boom and the bucket. Optional 3rd and 4th further proportional thumb rollers integrated in the joystick handle (If equipped for applicable models).	

2402 Two Function Hydraulics

No Added Cost

	Controls Boom and Bucket only.	
2403	Three Function Hydraulics Controls Boom and Bucket and adds an auxiliary function and boom lines.	\$4,500.00
	controls been and backet and dads an advinary function and been lines.	
	Hydraulic Fluid Basic Factory O	ptions - Required
1970	Hydrau Hydraulic Fluid	No Added Cost
1975	Hydrau XR Hydraulic Fluid	\$370.00
	Optional factory fill.	
	Required for colder climates with operation below -25C (-13F) and extreme cold ambient temperatures down to -40C (-40F). Provides all-season capability in ambient temperatures ranging from -40C to 40C (-40F to 104F).	
	Hydraulics Field Installed Attach	ments - Optional
BYT11498	Kit, Pin Disconnect System Hydraulic Control System for Quick Coupler Locking Pins	\$1,497.00
BYT11512	Kit, Autolube - Std	\$5,667.00
	Deere autolube system integrated with JDLink. Will require field installation at additional cost.	
BYT11530	Joystick Controls (2 or 3 function) Conversion to Joystick Controls (4 Function)	\$1,212.00
	To convert from single joystick hydraulic control lever and one integrated auxiliary function roller (2 or 3 function) to single joystick hydraulic control lever and two integrated auxiliary function rollers for 4-functions.	
	Kit only updates in-cab controls and does not include valve sections or plumbing.	
BYT10643	Kit, 4th Function Hydraulics, Does Not Include Controls	\$3,879.00
	Includes 4th function hydraulic valve section and plumbing from valve to boom cross tube. Not for use with single axis control levers. Requires joystick control lever. Does not include in-cab control function.	
	Kit does not include hoses and will require dealer to manufacture hoses per installation instructions.	
BYT11500	Kit, 3rd Function Hydraulics, Does Not Include Controls	\$3,445.00
	Includes third function hydraulic valve section. Does not include in-cab control function.	

BYT11529 Single Axis Controls Conversion to Joystick Controls (4 Function)

\$1,559.00

To convert from 2 or 3-Lever single axis controls to single joystick hydraulic control lever with FNR and integrated auxiliary

function rollers for 4 functions.

Kit only updates in-cab controls and does not include valve sections or plumbing.

BYT11543 Single Axis Controls Conversion to Joystick Controls (2 or 3-Function)

\$1,253.00

 $To \ convert \ from \ 2 \ or \ 3-Lever \ single \ axis \ controls \ to \ single \ joystick \ hydraulic \ control \ lever \ with \ integrated \ auxiliary \ function$

roller.

OPERATOR'S STATION AND CONTROLS

Cab / ROPS Basic Factory Options - Required

1905 Standard Cab No Added Cost

The following options are REQUIRED on the standard cab:

2120 Steering Wheel Only 2220 Deluxe Cloth Seat 2715 15 Amp Converter

The following options are ONLY AVAILABLE on the standard cab:

8250 No Rear Camera or Radar Object Detection System (If camera is not required for regional homologation requirements)

8310 Standard Exterior Mirrors

8380 No radio

Allows lowest cost configuration.

The following options are NOT AVAILABLE in the standard cab configuration:

8370 Premium Radio 2105 Joystick Steering Only 2240 Premium Seat

1910 Premium Cab (\$512.00)

Requires/Includes the following option codes in order to qualify for package group price:

2240 Premium Seat

2730 30 amp Voltage Converter

8240 Rear Camera Only OR 8235 Rear Camera and Radar Object Detection System

8350 Remote Powered and Heated Exterior Mirrors

8370 Premium Radio

Also includes Cab Automatic Temperature Control System.

A/C Charge Basic Factory Options - Required

8450 Cab with Air A/C Charge No Added Cost

8460	Cab with Air Export A/C - No Charge Recommended for units that require to be containerized for overseas shipment.	No Added Cost
	Seat Basic Factory Op	otions - Required
2220	Deluxe Seat, Cloth with Air Suspension Fabric Covered Seat with Back Rest Extension includes Lumbar Adjustment and Air Suspension with Full Damping Capability. Not Available with Premium Cab code 1910	No Added Cost
2240	Premium Seat, Heated and Ventilated with Heavy Duty Air Suspension Leather Accented Seat with Back Rest Extensions includes Pan Tilt, Pan Extend, Lumbar Adjustment and Air Suspension with Full Damping Capability. Not Available with Standard Cab code 1905	\$1,295.00
	MONITOR Basic Factory Op	otions - Required
1940	7 inch Monitor	No Added Cost
1945	7 inch Monitor with Dedicated Rear Camera Display Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.	\$1,645.00
	Mirrors Basic Factory Op	otions - Required
8310	Standard Exterior Mirrors Not Available with Premium Cab code 1910	No Added Cost
8350	Remote Powered and Heated Exterior Mirrors	\$712.00
	Radio Basic Factory Op	otions - Required
0070		

8370 Premium Radio

\$850.00

AM/FM/Weather Band (WB) Radio with Bluetooth, Remote Aux and Remote USB Port	
Requires Premium Cab Code 1910	
No Radio	No Added Cost
Requires Standard Cab Code 1905	
REAR OBJECT DETECTION Basic Factory Op	tions - Required
Rear Camera and Radar Object Detection System	\$3,304.00
Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.	
Rear Camera Only	No Added Cost
BEACONS Basic Factory Op	tions - Required
LED Strobe Beacon with Left Beacon Bracket	\$275.00
A yellow strobe beacon on hinged bracket mounted to the rear left side of the cab exterior.	
LED Strobe Beacon with Dual Beacon Bracket	\$443.00
A yellow strobe beacon on hinged bracket mounted to the rear left side of the cab exterior and second bracket is mounted on right rear side for fitment of a of second beacon of customers choice color.	
Left Beacon Bracket Only	\$168.00
Hinged bracket only mounted to the rear left side of the cab exterior.	
Dual Beacon Bracket Only	\$336.00
Hinged bracket only mounted to the rear left and right sides of the cab exterior.	
External Seat Belt Indicator with Single Right Bracket	\$225.00
The Seat Belt Indicator Light is a Green Strobe Beacon mounted on the rear right of the cab that lights whenever the seat belt is latched whenever the machine is powered on.	
External Seat Belt Indicator with Dual Bracket and LED Strobe Beacon	\$393.00
The Seat Belt Indicator Light is a Green Strobe Beacon mounted on the rear right of the cab that lights whenever the seat belt is latched whenever the machine is powered on. A yellow strobe beacon on hinged bracket mounted to the rear left side of the cab exterior.	
	Remote Aux and Remote USB Port Requires Premium Cab Code 1910 No Radio Requires Standard Cab Code 1905 REAR OBJECT DETECTION Basic Factory Op Rear Camera and Radar Object Detection System Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor. Rear Camera Only BEACONS Basic Factory Op LED Strobe Beacon with Left Beacon Bracket A yellow strobe beacon on hinged bracket mounted to the rear left side of the cab exterior. LED Strobe Beacon with Dual Beacon Bracket A yellow strobe beacon on hinged bracket mounted to the rear left side of the cab exterior and second bracket is mounted on right rear side for fitment of a of second beacon of customers choice color. Left Beacon Bracket Only Hinged bracket only mounted to the rear left side of the cab exterior. Dual Beacon Bracket Only Hinged bracket only mounted to the rear left side of the cab exterior. External Seat Belt Indicator Light is a Green Strobe Beacon mounted on the rear right of the cab that lights whenever the seat belt is latched whenever the machine is powered on. External Seat Belt Indicator light is a Green Strobe Beacon mounted on the rear right of the cab that lights whenever the seat belt is latched whenever the machine is powered on. A yellow strobe beacon on hinged bracket mounted to the rear left side list lights whenever the seat belt is latched whenever the machine is powered on.

8298	No Strobe Beacon or Beacon Bracket	No Added Cost
	Operator's Station	Field Installed Attachments - Optional
9115	Powered Cab Fresh Air Pre-Cleaner Extends cab air filter change intervals.	\$945.00
9136	Rear Sunvisor	\$100.00
9140	Fire Extinguisher 5.0 lbs. multi purpose (ABC) Dry Chemical Fire Extinguisher mounted inside the	\$149.00 cab to the left front ROPS post.
	STEERING	
	Steering Systems	Basic Factory Options - Required
2105	Joystick Steering Only	No Added Cost
2120	Steering Wheel Only	\$500.00
2125	Joystick Steering Only with Secondary Steering	\$5,500.00
2130	Steering Wheel Only with Secondary Steering	\$6,000.00
	PAYLOAD SCALE	
	Payload Scale	Basic Factory Options - Required

2870 No Payload Scale with Cycle Counter

\$119.00

		, ,
	Z-Bar and High Lift Linkage models will be shipped payload scale ready. A payload scale whole good field kit may be added at a later time to install a Payload Scale.	
2875	Topcon Payload Scale with Cycle Counter	\$7,850.00
	Option includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink™ to track and visualize payload weighing data. System will be installed during machine assembly at the factory. Calibration, service, and support will be provided by the John Deere Dealer.	
2880	Topcon Payload Scale and Printer with Cycle Counter	\$9,250.00
	Option includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink™ to track and visualize payload weighing data. Option also includes a printer that connects directly into the Topcon display. System will be installed dur machine assembly at the factory. Calibration, service, and support will be provided by the John Deere Dealer.	
	Payload Scale Field Installed A	ttachments - Optional
BYT11837	John Deere Payload Printer	\$1,414.00
	For TopCon Alpha 100 Payload Scale	*********
BYT11545	John Deere Payload Scale Kit	\$7,929.00
	Kit includes the Topcon Loadmaster Alpha 100 Payload Scale integrated with JDLink to track and visualize payload weig data. This scale kit fits only the 744L, 824L, and 844L (including Aggregate Handler) models only. Printer is available as separate field kit.	
	Calibration, service, and support will be provided by the John Deere Dealer.	
	JOHN DEERE WORKSIGHT™	
	Machine Connectivity Basic Factor	ory Options - Required
	Machine connectivity functions require cellular coverage. Usage of JDLink System requires customer's accept the John Deere Telematics System Contract.	otance of the terms of
	Option availability limited by specific geographical regions. Please refer to region specific price pages for ap codes.	propriate ordering
1741	No JDLink	(\$1,320.00)
170K	JDLink™	No Added Cost
	Includes integrated cab wiring harness, antenna, and JDLink™ Modem (MTG).	
	JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.	
170R	JDLink™ Satellite	\$3,215.00
	Includes integrated cab wiring harness, antenna, JDLink™ Modem's (Cellular MTG & Satellite MTG).	

JDLink™ connectivity is enabled separately through the JDLink™ website. Connectivity service is subject to country availability.

FENDER

Fenders

Basic Factory Options - Required

5540 Full Width Front Fenders

No Added Cost

Includes full width front fenders, left side steps, as well as both left and right side platforms.

Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes against objects from the side.

5550 Full Width Front and Rear Fenders

\$3,489.00

Includes full width front and rear fenders, left side steps, as well as both left and right side platforms.

Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes againt objects from the side.

Mudflaps are included but wiper flaps are NOT.

5553 Roading Fenders Front and Rear

\$3,614.00

Includes full width front and rear fenders, left side steps, as well as both left and right side platforms. Mudflaps and front wiper flaps are included to minmize spray in load and carry applications on firm footing.

Fender width is wider than tire by design to capture more tire spray but is susceptible to damage if tire brushes againt objects from the side. Mudflaps are designed to be low and catch tirespray but can be torn if the operator spins out and then backs over them. Trimming is recommended or order Code 5550 Full Width Front and Rear Fenders.

WHEELS AND TIRES

Wheels and Tires

Basic Factory Options - Required

All Tires are tubeless and include rims, axle stops when required, and come in sets of 4.

Tire chain use requires Axle Stops.

NOTE: If a No Brand Preference code is selected a 9000 code in the Optional Equipment - Order as Desired section will automatically be selected as well. This is required to enable the factory to source this order.

26.5R25 L3 Radial Tires with 5 Piece Rims

4920 26.5R25 No Brand Preferred Radial L3 1-Star Tires with 5 pc. Rims

\$25,380.00

4811 26.5R25 Michelin Radial XHA2 L3 2-Star Tires with 5 pc. Rims

\$36,967.00

4813	26.5R25 Titan Radial STL3 L3 1-Star Tires with 5 pc. Rims	\$26,380.00
4815	26.5R25 Bridgestone Radial VJT L3 1-Star Tires with 5 pc. Rims	\$38,967.00
4818	26.5R25 Bridgestone Radial VJT L3 1-Star Tires with 5 pc. Rims	\$38,967.00
	775/65R29 L3 Radial Tires with 5 Piece Rims	
4924	775/65R29 No Brand Preferred Radial L3 1-Star Tires with 5 pc. Rims	\$49,232.00
5038	775/65R29 Bridgestone Radial VTS L3 1-Star Tires with 5 pc. Rims	\$50,132.00
5033	775/65R29 Michelin Radial XHA2 L3 1-Star Tires with 5 pc. Rims	\$51,967.00
	Other Tire Options	
4712	26.5-25 Firestone Bias SRG LD L3 20 Ply Rating Tires with 5 pc. Rims	\$26,911.00
4722	26.5-25 Firestone Bias SDT LD L5 20 Ply Rating Tires with 5 pc. Rims	\$40,480.00
4816	26.5R25 Michelin Radial XTXL L4 3-Star Tires with 5 pc. Rims	\$49,095.00
	Tire Pressure Monitoring	Basic Factory Options - Required

5310 Tire Pressure Monitoring System

\$1,700.00

5320	Less Tire Pressure Monitoring System	No Added Cost
	Tire Brand Preference Field Installed Attachr	ments - Optional
	No Tire Brand Preference	
9701	26.5R25 No Brand Preferred L3 1-Star Tires with 5 pc rims	No Added Cost
9711	775/65R29 No Brand Preferred L3 1-Star Tires with 5 pc rims	No Added Cost
	WORK TOOLS	
	Hydraulic Couplers Basic Factory Op	otions - Required
8558	Hydraulic Coupler - JRB 420 Pattern	\$11,201.00
8564	Field Coupler or Bucket Ready - Pins Only And Pin Disconnect Plumbing	\$2,300.00
	Pins are shipped with the machine. The pins provided are designed and intended for use in installing Deere designed field installed pin-on buckets or Deere designed couplers. Use of the pins to attach any other buckets, couplers, or other attachments may or may not be acceptable, and must be reviewed on a case by case basis to determine if they provide adequate pin engagement and pin retention.	
8565	Field Bucket Ready - Pins Only	\$1,900.00
	Pins are shipped with the machine. The pins provided are designed and intended for use in installing Deere designed field installed pin-on buckets. Use of the pins to attach any other buckets, couplers, or other attachments may or may not be acceptable, and must be reviewed on a case by case basis to determine if they provide adequate pin engagement and pin retention.	
8567	Factory Pin-on Bucket Ready	No Added Cost
	Required when ordering factory installed pin-on buckets - NOT coupler style hook-on buckets or field installed buckets.	

	Buckets Basic Factory Op	tions - Required
	Bucket options are orderable with either a coupler or a pin-on configuration, unless otherwise noted.	
8946	6.0 Cu. Yd. (4.5 Cu. M) Bucket	\$20,959.00
	Straight side cutters. Bolt on spill sheet can be installed - see options below. Does not include the integrated spill deflector, replaceable bushed static joints, nor provisions for side cutter protection guards.	
8948	5.0 Cu. Yd. (3.8 Cu. M) Enhanced Production GP JRB 420 Pattern Coupler Bucket	\$20,952.00
	Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
8951	5.25 Cu. Yd. (4.0 Cu. M) Enhanced Production GP JRB 420 Pattern Coupler Bucket	\$21,751.00
	Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
8957	5.75 Cu. Yd. (4.4 Cu. M) Enhanced Production GP Standard Coupler Bucket	\$23,834.00
	Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
8960	No Bucket	No Added Cost
8963	6.0 Cu. Yd. (4.6 Cu. M) Enhanced Production GP Standard Coupler Bucket	\$24,658.00
	Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
8965	6.25 Cu. Yd. (4.8 Cu. M) Enhanced Production GP Bucket without Wear Plates	\$20,339.00
	Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
8967	6.25 Cu. Yd. (4.8 Cu. M) Enhanced Production GP Bucket with Wear Plates	\$22,046.00
	Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
8973	6.75 Cu. Yd. (5.2 Cu. M) Enhanced Production Material Handling Bucket without Wear Plates	\$21,336.00
	Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
8975	6.75 Cu. Yd. (5.2 Cu. M) Enhanced Production Material Handling Bucket with Wear Plates	\$23,042.00
	Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard.	

Has provisions for lower side cutter protection guard, available through Dealer Parts.

	CUTTING EDGES AND TEETH	Basic Factory Options - Required
8881	Bolt-on Cutting Edge	\$1,995.00
8886	Bolt on Jagz Cutting Edge	\$3,255.00
8889	Teeth with Segments	\$5,200.00
8890	No Bucket Edge or Teeth Required when ordering code 8960 No Bucket	No Added Cost
	FORK FRAME	Basic Factory Options - Required
5790	106 in (2690mm) Wide Fork Frame	\$11,025.00
5840	No Fork Frame	No Added Cost
	TINES	Basic Factory Options - Required
5890	72 Inch (1829mm) Construction Tines	\$7,954.00
5900	96 Inch (2438mm) Construction Tines	\$12,233.00
5940	No Tines	No Added Cost

	Bucket Spillguards Field Installed Attachm	ents - Optional
9793	Bucket Spill Guard for Use with 6.0 Cu. Yd. Buckets For 6.00 cu. yd. Pin-on bucket - Requires Code 8946 bucket. This does not fit Enhanced Production Buckets.	\$1,707.00
	Hydraulic Couplers Field Installed Attachm	ents - Optional
9310	Quick Coupler Hydraulic System (Pin Disconnect) For use with field installed Attachment couplers. Includes hydraulic lines from control valve to loader boom cross tube, electric switch and solenoid valve.	\$1,525.00
	FRAME AND CHASSIS	
	Rear Hitch and Counterweights Basic Factory Opt	ions - Required
8110	Main Counterweight	No Added Cost
8130	Less Counterweight and Rear Hitch For use on Waste Handler with solid or foam filled tires OR field kit "Rear Access Platform with Steps & Hand Holds", must be purchased for solid or foam filled tires.	(\$3,310.00)
	MISCELLANEOUS	
	Miscellaneous Field Installed Attachm	ents - Optional
9210	Electrical Corrosion Prevention Package Preventive corrosion treatment for use in corrosive environments. Preventive corrosion treatment includes dielectric grease for electrical connections and polyurethane-based sealant on exposed terminals.	\$1,425.00
9520	License Plate Bracket Includes light for night time illumination.	\$177.00
9525	Slow Moving Vehicle (SMV) Emblem	\$157.00

9800 Finish Paint - Decals Not Installed	No Added Cost
For custom paint. Non-Paintable charcoal grey cab roof. Decals packaged with machine. Safety decals installed.	
9909 Shipping Rust Preventive Coating - Non Export	\$235.00
Coating protects exposed unpainted surfaces from road salt during shipment.	
9675 Attachment Recognition	\$980.00
Enables Asset Tracking Beacons to allow hydraulic settings to change while swapping attachments for applications and the state of the s	able machines.
Custom Codes Field In	nstalled Attachments - Optional
Miscellaneous Field In	nstalled Attachments - Optional
AT519021 Attachment Recognition	\$1,087.80
Enables Asset Tracking Beacons to allow hydraulic settings to change while swapping attachments for applica Software Only Kit to be ordered through Service Parts.	able machines.
Bucket Hardware & Accessories Field In	nstalled Attachments - Optional
AT309138 KIT, BOLT ON SPILL GUARD FOR 6.0 YD PIN-ON BUCKET ONLY For use on 6.0 Cu. Yd. clipped corner buckets. Bolt on Spillguards adds 0.4 cubic yards to Bucket Capacity. Not compatible with Enhanced Production Buckets.	\$1,858.00
AT400169 Teeth with Segments For use on 5.25, 5.5, 6.0, and 6.25 Cu. Yd. Buckets (including Enhanced Production Buckets).	\$6,316.00
Overall Vehicle Field In	nstalled Attachments - Optional
AT345202 License Plate Bracket with Light For units with Stage 2 or T3 Engines.	\$189.00

	For use with IT4/FT4 engines.	
BYT11513	Kit, Autolube - Highlift	\$5,667.00
	Deere autolube system integrated with JDLink. Will require field installation at additional cost.	
BYT11318	Kit, Platform Toe Kicks	\$258.00
	Adds toe kicks to left and right platforms to meet local requirements.	
BYT11390	KIT, WHEEL CHOCKS & BRACKET	\$1,700.00
	Wheel Chocks & Bracket that holds a pair of Checkers Brand (Part Number MC3010) Wheel Chocks.	
	These brackets can be accessed from ground level and are mounted under the platform steps so they are easy for the operator access when getting on and off the machine.	
BYT11534	Kit, Quick Service	\$700.00
	For FT4/Stage V or EPA Tier 3/Stage IIIA Engines Coupling system for Engine Oil, Transmission Fluid, Hydraulic Fluid and Engine Coolant.	
BYT11389	Kit, Platform Railing Extension To 1M Height	\$2,827.00
	Extends left and right platform railings to 1 meter height to meet local requirements. Required in AB and BC Mines.	
BYT11467	KIT, FRONT FENDER EXTENSIONS, 26.5R25, 29.5R25, 775/65R29 TIRES	\$1,130.00
	Adds additional length to front fenders to reduce tire spray while traveling at high speeds.	
BYT11520	Kit, Dual Beacon Bracket	\$392.00
	Left and Right Beacon Brackets Only - Beacon Not Included	
BYT11514	Kit, 24V Aux Electrical Output	\$179.00
	Provides 24V output to allow operation of electrical solenoid valves or other electrical components from the hydraulic controls through the multi-function button.	
BYT11519	Kit, Beacon Bracket	\$196.00
	Left Beacon Bracket Only - Beacon Not Included	
BYT11521	Kit, External Seat Belt Indicator	\$321.00
	Includes Right Beacon bracket and green strobe beacon that indicates if it the seat belt is latched for external awareness. With the machine powered up, the green strobe beacon will flash anytime the belt is latched regardless if it is in park or not.	
BYT11509	Kit, Rear Fender Only, 26.5R25 and 775/65R29 Tires	\$2,814.00
	Intended for wet applications. Mudflaps may need to be trimmed to higher height or removed if the customer is operating in soft ground conditions to avoid getting ripped off while backing out of holes.	
BYT11525	Kit, Roading Fender, Front Wipers Only - L3 Tires Only	\$207.00

Grounds Equipment - Bid #ESCNU 78/19-25 SD)

	Hydraulics	Field Installed Attachments - Optional
BYT11504	Tire Pressure Monitoring System - 29" Rim Sensor Mounting - Less Sensors Tire Pressure Sensors must be ordered from parts to assure freshest battery life.	\$941.00
DVT14504	150 gpm fill rate.	*0.47.00
AT463190	Kit, Fast Fill Fuel For FT4/Stage V or EPA Tier 3/Stage IIIA Engines.	\$2,939.00
AT465389	Kit, Ether Start Aid For FT4/Stage V or EPA Tier 3/Stage IIIA Engines Kit does not include Ether canister. Recommended below 10 degrees F (-12 degrees C). Recommend with Engine Block Heater for cold starts below -10 degrees F(-23 C).	\$352.00
AT4/F200		¢2F2.00
BYT11517	Kit, Engine Block Heater - 9L 120V Includes remote plug-in at rear of loader and associated harnesses.	\$165.00
BYT11502	Tire Pressure Monitoring System - 25" Rim Sensor Mounting - Less Sensors Tire Pressure Sensors must be ordered from parts to assure freshest battery life.	\$940.00
BYT10842	Kit, Diesel Fired Coolant Heater For FT4/Stage V or EPA Tier 3/Stage IIIA Engines Includes igniter, timer and coolant circulation pump. Recommended for temperatures below -13 deg. F (-25 deg. C).	\$4,268.00
BYT11492	Kit, Reversible Fan Drive	\$1,803.00
BYT11253	Powered Cab Air Pre-Cleaner Extends cab air filter change intervals	\$878.00
AT362998	Automatic Axle Differential Lock (Auto-Diff/Lock)	\$1,581.00
	Powertrain & Cooling	Field Installed Attachments - Optional
BYT11505	Kit, Beacon Single, Orange	\$169.00
	These cannot be used with L4 or L5 tires due to increased tire heights. These are intended to forward at high speeds.	o reduce spray while traveling

BYT11268	3rd Function Single Axis Lever	\$318.00
	In-cab control lever only for updating units equipped with two-function single axis controls to three-function single axis controls. Not for use with joystick control lever. Does not include hydraulic valve section or any associated plumbing.	
BYT11187	Joystick Controls Conversion to Single Axis Controls (3-Function)	\$1,591.00
	To convert from single joystick hydraulic control lever with FNR and auxiliary function to 3-Lever single axis controls with steering column FNR lever.	
BYT11250	Joystick Controls Conversion to Single Axis Controls (2-Function)	\$1,275.00
	To convert from single joystick hydraulic control lever with FNR to 2-Lever single axis controls with steering column FNR lever.	
	Operator Environment Field Installed Attachme	ents - Optional
BYT11265	Dedicated 7-inch Rear Camera Display	\$1,527.00
	Provides a separate and dedicated 7 inch display monitor for displaying continuous rear view camera imagery and allowing standard monitor to display without interruption.	, ,,
BYT11259	24 Volt to 12 Volt - 30 Amp Converter	\$341.00
BYT11192	Kit, Steering Wheel Only To Steering Wheel & Joystick - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11194, Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11197	Kit, Secondary Steering Parts Kit	\$5,667.00
	REQUIRES ORDERING THE APPROPRIATE INSTALLATION INSTRUCTIONS TO ENABLE THE CORRECT SOFTWARE UPDATE FOR THIS FEATURE TO FUNCTION. SEE APPROPRIATE KITS.	
	REQUIRES BYT11195 or BYT11196	
BYT11188	Kit, Steering Joystick Only To Steering Wheel Only - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11190, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11195	Kit, Secondary Steering For Joystick Steering Only - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11197, Kit, Secondary Steering Parts Kit. This kit is only installation instructions and instructions for software update for the loader to enable this feature.	\$11.00
BYT11190	Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit	\$4,859.00

BYT11526	Rear Camera and Rear Object Radar Detection	\$4,072.00
	This feature adds the convenience of holding the engine at a constant engine speed for long travel distances or other constant engine speed needs without the operator having to hold the accelerator pedal position.	
BYT11515	Kit, Throttle Lock Software	\$200.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11184	Kit, Steering Joystick Only To Steering Wheel & Joystick - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11190, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit	\$11.00
	This kit provides the in-cab sticker to correctly show the direction of the steering lever, transmission directional control switch on loaders that have the pattern reversed from F-N-R (Forward - Neutral - Reverse) to R-N-F.	
BYT11516	FNR to RNF Transmission Direction Control Switch Reversed Pattern Decal	\$11.00
	REQUIRES BYT11191 or BYT11192 or BYT11193	
	REQUIRES ORDERING THE APPROPRIATE INSTALLATION INSTRUCTIONS TO ENABLE THE CORRECT SOFTWARE UPDATE FOR THIS FEATURE TO FUNCTION. SEE APPROPRIATE KITS.	
BYT11194	Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit	\$8,382.00
BYT11196	Kit, Secondary Steering For Steering Wheel Only - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11197, Kit, Secondary Steering Parts Kit. This kit is only installation instructions and instructions for software update for the loader to enable this feature.	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11189	Kit, Steering Joystick W/Secondary Steering To Steering Wheel W/ Secondary Steering - INSTALLATION INSTRUCTIONS AND SOFT REQUIRES BYT11190, Kit, Joystick Steering to add or convert to Steering Wheel Parts Kit	\$11.00
	existing radio to receive and play Satellite radio broadcast signals. The kit does not include a Satellite radio subscription and an existing radio is required.	
BYT11588	Satellite Radio Installation Kit Kit includes a Satellite Radio Antenna, Satellite Radio Receiver, Satellite Radio Harness, and mounting brackets to allow the	\$382.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
BYT11191	Kit, Steering Wheel Only To Steering Joystick Only - INSTALLATION INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11194, Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit	\$11.00
	This kit is only installation instructions and instructions for software update for the loader to enable this feature.	
D1111170	INSTRUCTIONS AND SOFTWARE ONLY REQUIRES BYT11194, Kit, Steering Wheel to add or convert to Joystick Steering Parts Kit	Ψ11.00
BYT11193	Kit, Wheel W/ Secondary Steering To Joystick W/ Secondary Steering - INSTALLATION	\$11.00
	REQUIRES BYT11184 or BYT11188 or BYT11189	
	REQUIRES ORDERING THE APPROPRIATE INSTALLATION INSTRUCTIONS TO ENABLE THE CORRECT SOFTWARE UPDATE FOR THIS FEATURE TO FUNCTION. SEE APPROPRIATE KITS.	

	Display shows view behind the machine and provides audible alert. Rear view is displayed in video-enabled color monitor or dedicated color monitor.	
BYT11527	Rear Camera Only Display shows view behind the machine. Rear view is displayed in video-enabled color monitor or dedicated color monitor.	\$1,007.00
BYT11503	Premium AM/FM/Weather Band (WB) with Bluetooth, Remote Aux and Remote USB Port Radio	\$789.00

G.R.Mfg.

Field Installed Attachments - Optional

- G.R. Manufacturing, Inc.
- * Kits listed below must be ordered through John Deere.
- * F.O.B. Trussville, Alabama
- * All kits include installation instructions
- * All warranty, repair parts, technical support and assistance, and sales support and assistance will be the responsibility of G.R. Manufacturing, Inc., and will be handled directly between the Dealer and G.R. Manufacturing, Inc.

G.R. Manufacturing, Inc. 4800 Commerce Drive Trussville, Alabama 35173 Phone: (800)841-8001 Fax: (205)655-8005

Heavy-Duty Rear Grille Guard

BYT11347	Axle Seal Guards For all engine emissions.	\$2,072.00
BYT11348	Hydraulic Operated Extreme Service Bottom Guards For all engine emissions.	\$8,146.00
BYT11350	Boom Cylinder Hydraulic Line And Cavity Guards For all engine emissions.	\$3,910.00
BYT11354	Deflectors, Tires, Rear For all engine emissions. Required for rear axle when equipped with foam filled or solid tires. Monitor to be reprogrammed to block 4th gear. Recommend code 8130 to deduct main counterweight and rear hitch on new machine orders.	\$9,588.00
BYT11351	Front Screen, Laser Cut Plate, Cab, ISO 8084 Certified Front Screen will fully open to facilitate cleaning.	\$3,140.00
BYT11352	Cab Side And Rear Screen Package Polycarbonate side window guards, screen rear window guard.	\$5,660.00

\$6,320.00

BYT11353

	Requires Deflectors, Tires, Rear	
BYT11346	Articulation Joint Guards	\$2,420.00
	Protects center pivot area. Recommended for trash handling, brush clearing, & recycling.	
BYT11349	Extreme Duty Cab Entry Step Kit	\$2,152.00
	Replaces left hand platform with close mounted steps that are less susceptible to damage	
	Couplers	Field Installed Attachments - Optional
	KIT, 744/824 HYDRAULIC COUPLER (JRB 420 PATTERN) - DOES NOT INCLUDE PIN	
BYT11056	DISCONNECT VALVE	\$10,341.00
	Forks	Field Installed Attachments - Optional
BYT10924	KIT, CONSTRUCTION UTILITY FORKS, 72" TINES w/ 106" FRAME	\$17,446.00
	JRB 420 Pattern Hook-on Coupler Forks. 106 in (2690mm) Wide Fork Frame. 96 Inch (2438mm) Construction Tines	
BYT10923	KIT, CONSTRUCTION UTILITY FORKS, 96" TINES w/ 106" FRAME	\$21,391.00
	JRB 420 Pattern Hook-on Coupler Forks. 106 in (2690mm) Wide Fork Frame. 72 Inch (1829mm)) Construction Tines
	ADDITIONAL INFORMATION	
	4WD Loader Simulator	Field Installed Attachments - Optional
	4WD Loader Operator Training Simulator - JD Bookstore order code: SIM5700 - JD Bookstore Price: \$15,997	
	Includes software, replica joysticks, foot petals, steering wheel and integrated seat. Ite	em ordered through the JD Bookstore.
	BUCKETS	
	Buckets & Bucket Wear Components	Field Installed Attachments - Optional

BYT10104

 $6.75\ \text{Cu}$. Yd. (5.2 Cu. M.) Enhanced Production General Purpose Bucket without Wear Plates. No Ground Engaging Tools Installed.

\$20,179.00

	Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	
BYT10102	6.25 Cu. Yd. (4.8 Cu. M.) Enhanced Production General Purpose Bucket without Wear Plates. No Ground Engaging Tools Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate), integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	\$19,173.00
AT346234	KIT, 4.5M (6YD) PIN-ON BUCKET	\$21,424.00
	6.00 Cu. Yd. (4.6 cm) General Purpose Bucket Includes Skid Shoes, No Bolt-On Cutting Edges and Side Cutters (for Units made after 26NOV07).	
BYT10105	6.75 Cu. Yd. (5.2 Cu. M.) Enhanced Production General Purpose Bucket with Wear Plates. No Ground Engaging Tools Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	\$21,902.00
BYT10123	Wear Plates for 6.25 & 6.75 Cu. Yd. Enhanced Production Buckets	\$4,209.00
AT314301	KIT, HEAVY CUTTING EDGE	\$3,133.00
	Bolt On Cutting Edge for 5.0, 5.25, 5.5, 5.75, 5.85, 6.0, 6.25, and 6.75 Cu. Yd. Buckets (including Enhanced Production Buckets)	
BYT10103	6.25 Cu. Yd. (4.8 Cu. M.) Enhanced Production General Purpose Bucket with Wear Plates. No Ground Engaging Tools Installed. Updated bucket profile for easier loading. Curved profile side cutters for improved material retention. Includes interior and exterior side wear protection (cheek plates), bucket liner, integrated spill deflector, and replaceable bushed static joints. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts.	\$20,895.00
BYT10866	KIT, 5.75 CU YD STD COUPLER (HOOK-ON) BUCKET	\$24,074.00
	Enhanced Production GP JRB 420 Pattern Coupler Bucket. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts	
BYT10867	KIT, 6.0 CU YD STD COUPLER (HOOK-ON)BUCKET	\$24,604.00
	Enhanced Production GP JRB 420 Pattern Coupler Bucket. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts	
BYT10865	KIT, 5.25 CU YD STD COUPLER BUCKET KIT	\$21,529.00
	Enhanced Production GP JRB 420 Pattern Coupler Bucket. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts	
BYT10864	KIT, 5.0 CU YD STD COUPLER BUCKET KIT	\$20,256.00
	Enhanced Production GP JRB 420 Pattern Coupler Bucket. Curved profile side cutters for improved material retention. Includes exterior side wear protection (cheek plate) and integrated spill deflector. Does not allow installation of bolt on	

spillguard. Has provisions for lower side cutter protection guard, available through Dealer Parts

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.