John Deere -2022 Price List 85G EXCAVATOR

01-Mar-2022



Code Description QTY List Price (USD)

0081FF 85G EXCAVATOR 1 \$145,443.00

ENGINE: UPPER STRUCTURE:

Yanmar 4TNV98C 3.3L - certified with EPA Final Tier 4 emissions Rear-view Mirrors (right, left, and rear)

57 SAE Net HP Toolbox

Direct Injection Vandal Locks for:

Antifreeze Protection to -34 degrees F (-37 degrees C)

Single Dry-Type Air Filter

Electric Fuel Shutoff

Cab Door

Service Doors

Fuel Cap

Electric Fuel Shutoff
Low-Noise Fan with Guard

Fuel Cap
Hydraulic Reservoir

Full Flow Oil Filter Toolbox
Heavy-Duty Low Maintenance Batteries Work lights:

Fuel Filter One Mounted on Frame Isolation Mounted One Mounted on Boom

Radiator/Oil Cooler Trash Screen Counterweight 3,104 lbs. (1,305 kg)

50 Amp Alternator - 24 Volt
Automatic Belt Tension Device FRONT ATTACHMENTS:

Water Separator WC Thermal Spraying of Bucket Joint

Dirt Seal on all Bucket Pins
HYDRAULICS:
One Piece Swing Boom

Open Center with Two Variable Displacement Pumps Less Bucket
Hydraulic Shut-Off Lever

Hydraulic Pilot Controls

Axial Piston Swing Motor

Arm Rests

Multiple Wet Disk Swing Brake

Boom Reduced-Drift Valves

OPERATOR'S STATION:

Arm Rests

Pilot Control Shut-Off Lever

Short Stroke, Low Effort Pilot Levers

Mechanical Pattern Changer Deluxe Adjustable Cloth Seat with Suspension

Hand Controlled Proportional Auxiliary Hydraulics Plumbed to the Multi-function, Color LCD Monitor System with:

End of the Boom Diagnostic Capability

Systems Monitoring Capability
UNDERCARRIAGE: Multiple Language Capability

450 mg (10 kg.) Publish a Pad Track Share.

Maintenance Tracking

450 mm (18 In.) Rubber Pad Track Shoes

Maintenance Tracking

Engine Coolant Temperature Gauge

Propel Motor Shield Engine Coolant Temperature Warning Indicator with Planetary Final Drive Audible Alarm

Two-Speed Propel Engine Oil Pressure Warning Indicator with Audible Alarm

Axial Piston Propel Motor Fuel Gauge with Low Fuel Indicator

Back-fill Blade Work Mode Indicator
Auto Idle Indicator

Alternator Charge Indicator
Air Filter Restriction Indicator
Fault Code Alert Indicator
Check Engine Indicator
Wiper Mode Indicator
Work Lights On Indicator

Fuel Rate Display

Clock Hour Meter Mode Selection: One Work Mode Two Power Modes

Numerous Attachment Modes

Auto-Climate Control/Air Conditioner, Heater with

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

Pressurizer AM-FM Radio Machine Information Center (MIC) Windshield Wiper/Washer with Intermittent Speed Cell Phone Power Outlet 2 In. Retractable Seat Belt **Tinted Safety Glass** Hot/Cold Box Compartment Horn Two Cup Holders Interior Light Coat Hook Floor Mat Motion Alarm with Cancel Switch Transparent Tinted Roof Hatch with Sunshade Four Fluid-Filled Elastic Mounts Easy Access Air Conditioning Filter

0081FF	85G EXCAVATOR	1 \$145,443.00
	UNDERCARRIAGE	
	Track Shoes	Basic Factory Options - Required
3205	600 mm (24in.) Track Shoes Long lead time required. Triple Semi-Grouser Shoes w/ Blade	\$1,010.00
3215	450 mm (18 In.) Steel Triple Semi-Grouser Shoes w/ Blade	(\$2,930.00)
3265	Rubber Crawler Pads Steel track shoes with vulcanized rubber pads bonded to top of shoes. 450 mm (18 In.) Rubber Pads w/ Blade	No Added Cost
3275	450 mm (18 In.) Continous Rubber Belt w/ Blade Long lead time required.	\$1,010.00
	ARM	
	Arm	Basic Factory Options - Required

7060 2.12 M (6 Ft. 11 In.) Arm Assembly with Bucket Cylinder and Linkage

\$6,724.00

MISCELLANEOUS

	Miscellaneous Field Installe	ed Attachments - Optional
	Miscellaneous Field Installe	ed Attachments - Optional
BYT11472	Pin Kit, 75/85 Excavator Bucket Pin Field Kit	\$406.00
	Hydraulic Couplers Field Installe	ed Attachments - Optional
BYT10499	Thumb Kit, Direct with Coupler Works with machines equipped without aux selector valve, SN 021948 or less. For machines JD85G / ZX85 SN 0219 greater To be used with hydraulic coupler AT442602 For machine with selector valve, order Thumb kit BYT12156 instead.	\$5,409.00 949 and
BYT10498	Thumb Kit, Direct without Coupler	\$5,409.00
	Works with machines equipped without aux selector valve, SN 021948 or less. For machines JD85G / ZX85 SN 0219 greater For machine with selector valve, order Thumb Kit BYT12155 instead	949 and
AT442602	Hydraulic Quick Coupler	\$7,931.00
	For use with John Deere backhoe buckets only. Will not interface with standard excavator buckets. Extra pins required can be ordered through service parts: T185832 T185831	
	Hydraulics Field Installe	ed Attachments - Optional
AT442872	Hydraulic Filter Restriction Indicator Kit For iT4 and FT4 only.	\$797.00
AT436726	Auxiliary Hydraulic Lines – Boom to Arm	\$1,182.00
	Newer machines with serial numbers listed below now include these components and would no longer require AT43	36726.
	Deere/Zaxis 75 Serial No: 017499 (including and greater than) Deere/Zaxis 85 Serial No: 021949 (including and greater than)	
AT390776	Single Pedal Propel Kit	\$2,143.00

	G.R.Mfg.	Field Installed Attachments -	- Optional
BYT10447	Front Window Guard, Polycarbonate		\$3,598.00
	BUCKETS		
	Buckets	Field Installed Attachments -	- Optional
AT437346	BKH Pin-on Bucket 36 In. (914 mm) Heavy-Duty; 12.5 Cu. Ft. (0.35 Cu. M.) Must include hydraulic coupler AT442602 if ordered for excavator usage.		\$1,907.00
AT437345	BKH Pin-on Bucket 30 In. (762 mm) Heavy-Duty 10.0 Cu. Ft. (0.28 Cu. M.) Must include hydraulic coupler AT442602 if ordered for excavator usage.		\$1,835.00
AT437340	BKH Pin-on Bucket 18 In. (457 mm) Heavy-Duty 5.1 Cu. Ft. (0.14 Cu. M.) Must include hydraulic coupler AT442602 if ordered for excavator usage.		\$1,487.00
AT437616	BKH Pin-on Bucket 36 In. (914 mm) Ditching 12.5 Cu. Ft. (0.35 Cu. M.) Must include hydraulic coupler AT442602 if ordered for excavator usage. Ditching bucket does not include teeth.		\$1,810.00
AT437344	BKH Pin-on Bucket 24 In. (610 mm) Heavy-Duty 8.8 Cu. Ft. (0.25 Cu. M.) Must include hydraulic coupler AT442602 if ordered for excavator usage.		\$1,772.00
	Buckets, Heavy-Duty	Field Installed Attachments -	· Optional
BYT11023	36 IN (914 mm), 0.46 yd3 (0.35 M3) Heavy-Duty Bucket (Pin-on Bucket) Includes Six (6) John Deere TK-Series Fanggs Teeth (TK225FD)		\$1,893.00
BYT11021	24 IN (610 mm), 0.33 yd3 (0.25 M3) Heavy-Duty Bucket (Pin-on Bucket) Includes Five (5) John Deere TK-Series Fanggs Teeth (TK225FD)		\$1,677.00
BYT11022	30 IN (762 mm), 0.37 yd3 (0.28 M3) Heavy-Duty Bucket (Pin-on Bucket)		\$1,759.00

		()
	Includes Five (5) John Deere TK-Series Fanggs Teeth (TK225FD)	
BYT11024	36 IN (914mm), 0.49yd3 (0.38 M3) Ditch-cleaning Bucket (Pin-on Bucket) Includes reversible bolt-on cutting edge	\$1,744.00
	Hydraulic Thumb Kits	Field Installed Attachments - Optional
BYT12156	Direct Thumb Kit, 42 in. with Selector Valve	\$5,409.00
	Works with machines equipped with aux selector valve, SN 021949 and greater. To be used with hydraulic coupler AT442602	
BYT12155	Direct Thumb Kit, 37 in. with Selector Valve	\$5,409.00

Manufacturer's Suggested List Price shown. Retail prices may vary by dealer. Unless stated otherwise, taxes, freight, setup, delivery and other dealer specific charges not included in the pricing. Options/items noted with anything other than price will have additional costs. Pricing, availability, and specifications subject to change without notice. Special program pricing may be available on certain models. See dealer for details. Prices shown are in U.S. dollars and valid only in the U.S.