

F, Z, ZG, ZD SERIES

WHOLEGOODS PRICE LIST EFFECTIVE MARCH 1, 2019

These pages are a complete revision of this section and contain new model and product information. All prices are effective as of March 1, 2019.

NOTE: Tire prices appear per piece.

1/18/2019 Update F Series Cab components. See pages 2-55.
3/1/2019 Update Pricing Multi pages
4/5/2019 Update Z4051 and add Z4052. See pages 2-13&14.



This page intentionally left blank.

		PAGE		GROSS ENGINE	FACTORY	SUGGESTED		
OUDDE		NUMBER	MODEL	H.P. ①	NUMBER	LIST PRICE		
CURRE	NI MC		17400DKW 40	1 04 5 1	1/07/04770	0.4.440.00		
		2-5	Z122RKW-42	21.5	K3Z464Z76	\$4,442.00		
Kommander Z100 Series		2-6	Z122EBR-48	22	K3Z992Z04	\$5,118.00		
an	2	2-7	Z121SKH-48	21	K4Z368Z78	\$5,601.00		
mu 0 S	Gas	2-8	Z125EBR-54	25	K4Z661Z28	\$5,976.00		
(on		2-9	Z125SKH-54	25	K5Z038Z02	\$6,459.00		
7 17		2-10	Z100 Series Matching Chart					
		2-10	Z100 Series Implements & Attachme		VEZ040Z00	CC CO4 OO		
der		2-11	Z411KW-48	22	K5Z218Z98	\$6,691.00		
an 3er	Gas	2-12	Z421KW-54	24	K5Z637Z06	\$7,227.00		
Kommander PRO Z400 Series	ၓိ	2-13	Z421KWT-60	24	K6Z060Z60	\$7,770.00		
(or 240		2-14	Z400 Series Matching Chart Z400 Series Implements & Attachme	nto				
		2-15			V77002762	¢0.070.00		
		2-16	Z723KH-2-48	22.5	K7Z003Z62 K7Z319Z52	\$8,979.00 \$9,384.00		
		2-16	Z724XKW-2-48 Z724KH-2-54	23.5 25				
		2-17			K7Z403Z76	\$9,492.00		
Z700 Series	Gas	2-17 2-18	Z724XKW-2-54 Z725KH-2-60	23.5 23.5	K7Z602Z66 K7Z803Z90	\$9,747.00		
Ser	ဖြ	2-18 2-18	Z725KH-2-60 Z726XKW-2-60		K7Z803Z90 K8Z062Z08	\$10,005.00 \$10,336.00		
00			Z751KWi-48	25.5	K8Z229Z00	\$10,550.00		
270		2-19 2-20	Z781KWi-46	25.5 29.5	K8Z811Z66	\$10,550.00		
						\$11,817.00		
		2-21 2-22	Z781KWTi-60 Z700 Series Matching Chart	29.5	K9Z217Z26	\$11,017.00		
		2-22						
			ZG222A-48		K7Z039Z20	\$8,799.00		
ies	Gas	2-24 2-25	ZG22ZA-46 ZG227A-54	21.1 26	K7Z999Z20	\$9,999.00		
Ser	Ű	2-25	ZG227A-54 ZG227LA-60	26	K8Z399Z20	\$10,499.00		
Z200 Series		2-26	Z200 Series Matching Chart	20	N0Z399ZZ0	\$10,499.00		
22(2-29	Z200 Series Implements & Attachme	ante				
		2-30	ZD1011-48	19.3	K10Z159Z20	\$12,699.00		
rie	Diesel	2-30	ZD1011-54	19.3	K10Z399Z20	\$12,999.00		
Se		2-31	ZD1021-60	21.6	K11Z679Z20	\$14,599.00		
00		2-32	Z1000 Series Matching Chart	21.0	KTIZOTOZZO	ψ14,000.00		
Z1000 Series		2-33	Z1000 Series Implements & Attachments					
		2-35	ZG327PA-60	26	1/07050700	£44.000.00		
ies	Gas				K9Z359Z20	\$11,699.00		
Sei)	2-35	ZG327RPA-60R*	26	K9Z599Z20	\$11,999.00		
Z300 Series		2-36	Z300 Series Matching Chart					
Z3(2-38	Z300 Series Implements & Attachme	ents				
		2-42	ZD1211-60	24.8	K12Z959Z20	\$16,199.00		
ies		2-42	ZD1211R-60R	24.8	K13Z199Z20	\$16,499.00		
Sei	sel	2-42	ZD1211L-72	24.8	K13Z599Z20	\$16,999.00		
8	Diesel	2-42	ZD1211RL-72R	24.8	K13Z839Z20	\$17,299.00		
Z1200 Series	-	2-43	Z1200 Series Matching Chart	· ·				
Z		2-44	Z1200 Series Implements & Attachm	nents				
Se		2-46	ZD1511LF-72	30.8	K17Z679Z20	\$22,099.00		
erie	<u> 6</u>	2-46	ZD1511RL-60R	30.8	K16Z879Z20	\$21,099.00		
S	Diesel	2-46	ZD1511RLF-72R	30.8	K18Z079Z20	\$22,599.00		
Z1500 Series	۵	2-47	Z1500 Series Matching Chart					
71		2-48	Z1500 Series Implements & Attachm	nents				
	<u>6</u>	2-49 ^②	F2690E	24.8	K13F833F34	\$17,312.00		
es	Diesel	2-50 ^②	F2690	24.8	K15F983F10	\$20,004.00		
Series	۵	2-51 ^②	F3990	36.9	K19F663F10	\$24,604.00		
FS		2-52	F Series Matching Chart	•				
		2-53	F Series Implements & Attachments					
		2-57	Z Series / F Series Replacement En	gines				
Subject to availability.								

Subject to availability.

① The engine horsepower information is provided by the engine manufacturer. Refer to the engine manufacturer's web site for additional information.

② Price includes standard tires.

Kommander Z122R

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Kawasaki FR651V Series Air-cooled V-Twin Vertical Shaft 21.5 Gross HP @ 3600 rpm* Displacement 726 cc Kubota Model GH7302V

TRANSMISSION

Hydro-Gear Commercial ZT2200 Integrated Zero-Turn Transaxle Internal Parking Brake Forward Speeds 0 - 6.5 mph Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers Hydraulically Damped

FLUID CAPACITY

 Fuel Tank
 3.22 gal

 Oil
 2.3 qts

 Transaxle
 1.6 - 1.68 qts

TIRES AND WHEELS

Front Casters 11 x 4-5 Smooth Rear 18 x 7.5-10 Turf

DIMENSIONS

Height 65.4" Length 74.4 Width Overall 42.4" w/o deck Wheelbase 48.7"

OPERATING FEATURES

Zero Turn Radius
Full pressure lube system
Hands-free K-Lift Deck Lift
Cup Holder & Storage Compartment

SAFETY EQUIPMENT

Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch Fixed ROPS

MOWER DECK

Ogura GT1A Electric Clutch
42" Cutting Width
1.5-4.25" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 10 Gauge Steel
4.5" Deep Design
2 Blades
17,700 fpm Blade Tip Speed
Maintenance-Free, Sealed Bearings

^{*} Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDAR	RD MACHINE * * *		
Z122RKW-42	Zero Turn Mower with ROPS 42" Mower Deck	K3Z464Z76	801	\$4,442.00
-	es and Wheels (price per piece)		Order from D	lorto Donortmont
K3011-18020 K3001-17200	Front Tire Assembly 11 x 4-5 Pneumatic Smooth Rear 18 x 7.5-10 Turf			arts Department arts Department

Kommander Z122E

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Briggs & Stratton Professional Series 44S6 Air-cooled V-Twin Vertical Shaft 22 Gross HP @ 3600 rpm* Displacement 724 cc Kubota Model GH7301V

TRANSMISSION

Hydro-Gear Commercial ZT3100 Integrated Zero-Turn Transaxle Internal Parking Brake Forward Speeds 0 - 8 mph Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
Oil 2 qts
Transaxle 2.4 gts

TIRES AND WHEELS

Front Casters 11 x 4 Rear 22 x 10-14 Turf

DIMENSIONS

Height 65"
Length 77.5"
Width Overall 52"
Wheelbase 45.5"

OPERATING FEATURES

Zero Turn Radius Full pressure lube system Hands-free K-Lift Deck Lift 2 Cup Holders & 4 Storage Compartments

SAFETY EQUIPMENT

Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch Fixed ROPS

MOWER DECK

Ogura GT1A Electric Clutch
48" Cutting Width
1.5-4.5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 10 Gauge Steel
5" Deep Design
3 Blades
18,300 fpm Blade Tip Speed
Maintenance Free Sealed Bearings

^{*} Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MA	CHINE * * *		
Z122EBR-48	Zero Turn Mower with ROPS 48" Mower Deck	K3Z992Z04	892	\$5,118.00
Replacement Tir K3011-18020 AZR8630	res and Wheels (price per piece) Front Tire Assembly 11 x 4-5 Pneumatic Smooth Rear 22 x 10-14 Turf Ultrascaper Z	K118Z08	Order from P 33	arts Department \$144.00

Kommander Z121S

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Kohler Confidant ZT720 Air-cooled V-Twin Vertical Shaft 21 Gross HP @ 3600 rpm* Displacement 725 cc Kubota Model GH7301V

TRANSMISSION

Hydro-Gear Commercial ZT3100 Integrated Zero-Turn Transaxle Internal Parking Brake Forward Speeds 0 - 8 mph Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
Oil 2 qts
Transaxle 2.4 gts

TIRES AND WHEELS

Front Casters 11 x 4 Rear 22 x 10-14 Turf

DIMENSIONS

 Height
 65"

 Length
 77.5"

 Width Overall
 52"

 Wheelbase
 45.5"

OPERATING FEATURES

Zero Turn Radius
Full pressure lube system
Hands-free K-Lift Deck Lift
2 Cup Holders & 4 Storage Compartments
LED Headlights
Full Seat Suspension

SAFETY EQUIPMENT

Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch Fixed ROPS

MOWER DECK

48" Cutting Width
1.5-4.5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 10 Gauge Steel
5" Deep Design
3 Blades
18,300 fpm Blade Tip Speed
Maintenance Free Sealed Bearings
Ogura GT1A Electric Clutch

^{*} Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDAR	D MACHINE * * *		
Z121SKH-48	Zero Turn Mower with ROPS 48" Mower Deck	K4Z368Z78	915	\$5,601.00
•	es and Wheels (price per piece)		Order from D	arta Danartmant
K3011-18020 AZR8630	Front Tire Assembly 11 x 4-5 Pneumatic Smooth Rear 22 x 10-14 Turf Ultrascaper Z	K118Z08	33	arts Department \$144.00

Kommander Z125E

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Briggs & Stratton
Cyclonic Commercial Turf 44T9
Air-cooled
V-Twin Vertical Shaft
25 Gross HP @ 3600 rpm*
Displacement 724 cc

TRANSMISSION

Kubota Model GH733V-1

Hydro-Gear Commercial ZT3100 Integrated Zero-Turn Transaxle Internal Parking Brake Forward Speeds 0 - 8 mph Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
Oil 2 qts
Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4 Rear 22 x 10-14 Turf

DIMENSIONS

 Height
 65"

 Length
 77.5"

 Width Overall
 57"

 Wheelbase
 45.5"

OPERATING FEATURES

Zero Turn Radius
Full pressure lube system
5-step Integrated Cyclonic Air Cleaner
Hands-free K-Lift Deck Lift
2 Cup Holders & 4 Storage Compartments

SAFETY EQUIPMENT

Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch Fixed ROPS

MOWER DECK

54" Cutting Width
1.5-4.5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 10 Gauge Steel
5" Deep Design
3 Blades
18,300 fpm Blade Tip Speed
Maintenance Free Sealed Bearings
Ogura GT1A Electric Clutch

^{*} Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACI	HINE * * *		
Z125EBR-54	Zero Turn Mower with ROPS 54" Mower Deck	K4Z661Z28	912	\$5,976.00
Replacement Tire K3011-18020 AZR8630	es and Wheels (price per piece) Front Tire Assembly 11 x 4-5 Pneumatic Smooth Rear 22 x 10-14 Turf Ultrascaper Z	K118Z08	Order from Pa	arts Department \$144.00

Kommander Z125S

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Kohler Confidant ZT740 Air-cooled V-Twin Vertical Shaft 25 Gross HP @ 3600 rpm* Displacement 725 cc Kubota Model GH750V

TRANSMISSION

Hydro-Gear Commercial ZT3100 Integrated Zero-Turn Transaxle Internal Parking Brake Forward Speeds 0 - 8 mph Reverse Speeds 0 - 4 mph

STEERING / MOTION CONTROL

(2) Hand Levers Hydraulically Damped

FLUID CAPACITY

Fuel Tank 4.3 gal
Oil 2 qts
Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 11 x 4 Rear 22 x 10-14 Turf

DIMENSIONS

Height 65" Length 77.5" Width Overall 57" Wheelbase 45.5"

OPERATING FEATURES

Full Seat Suspension

Zero Turn Radius
Full pressure lube system
Hands-free K-Lift Deck Lift
2 Cup Holders & 4 Storage Compartments
LED Headlights

SAFETY EQUIPMENT

Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch Fixed ROPS

MOWER DECK

54" Cutting Width
1.5-4.5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 10 Gauge Steel
5" Deep Design
3 Blades
18,300 fpm Blade Tip Speed
Maintenance Free Sealed Bearings
Ogura GT1A Electric Clutch

^{*} Manufacturer's estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDAR	D MACHINE * * *		
Z125SKH-54	Zero Turn Mower with ROPS 54" Mower Deck	K5Z038Z02	952	\$6,459.00
Replacement Tir K3011-18020	res and Wheels (price per piece) Front Tire Assembly 11 x 4-5 Pneumatic Smooth		Order from P	arts Department
AZR8630	Rear 22 x 10-14 Turf Ultrascaper Z	K118Z08	33	\$144.00

Kommander Z100 Series Implements and Attachments

Kommander Z100 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Model	Z122R-42	Z122E-48	Z125E-54	Z121S-48	Z125S-54	
Implements						
Grass Catcher, 2-Bag	GCK42-122Z	GCK54-100Z				
Replacement Deck	RCK42P-122Z	RCK48P-124Z	RCK54P-127Z	RCK48P-124Z	RCK54P-127Z	
Blade, Replacement (1 blade)*	K5559-34330*	K5575-34330*	K5617-34330*	K5575-34330*	K5617-34330*	
Blade, Replacement Mulching (1 blade)*	K5124-71930*	K5579-34350*	K5639-34350*	K5579-34350*	K5639-34350*	
Blade, Replacement High-Lift (1 blade)*	K6041-34330*	K5579-92330*	K5639-92330*	K5579-92330*	K5639-92330*	
Blade Set, Replacement High-Lift (3 blades)*		K5579-92300*	K5639-92300*	K5579-92300*	K5639-92300*	
Attachments						
Hitch Kit	ZG1343 Hitch Kit Standard					
Spark Arrester Kit*	70000-01602*	70000-01602*	70000-01602*	70000-01602*	70000-01602*	
LED Light Kit		ZG1302			LED Lights Standard	
Mower Deck Lift Assist Kit	N/A		ZG	1337		
Mulch Kit	ZG1342	ZG1348	ZG1354	ZG1348	ZG1354	
Seat Suspension Kit	N/A	ZG1	356	Seat Suspens	ion Standard	
Arm Rest Kit	ZG1341		N	I/A		
Tuff Top Canopy SUNSHADE	N/A	Z3366 (Not approved with grass catcher)				
Replacement ROPS	SFZ-122	SFZG-124				
Tires (Replacement)*						
Front Tire Assy Pneumatic Smooth 11x4.0-5*	K3011-18020*					
Rear Turf Tire Assembly *	K3001-17200*		AZR8630	(22x10 -14)*		
tOuder from David Department						

^{*}Order from Parts Department

ORDER	DESCRIPTION	FACTORY	APPROX.	SUGGESTED
CODE		NUMBER	SHIP WT.	LIST PRICE
GRASS CATCHER	R			
GCK54-100Z	Grass Catcher Z100E & S models, 2-Bag, 6 Bushel Capacity	K646Z98	270	\$789.00
GCK42-122Z	Grass Catcher Z122R models, 2-Bag, 4 Bushel Capacity	K548Z58	258	\$669.00
HITCH KIT				
ZG1343	Hitch Kit for Z122R	K23Z78	4	\$29.00
LED LIGHT KIT				
ZG1302	LED Light Kit for Z100 Series	K163Z18	2	\$199.00
MID MOUNT MOW	/ER DECK (REPLACEMENT)			
RCK42P-122Z	42" Mid-mount Mower Deck	K679Z78	187	\$829.00
RCK48P-124Z	48" Mid-mount Mower Deck	K802Z78	213	\$979.00
RCK54P-127Z	54" Mid-mount Mower Deck	K888Z42	227	\$1,139.00
MOWER DECK LI	FT ASSIST KIT			
ZG1337	Mower Lift Assist Kit for Z100 E & S Models	K20Z50	1	\$25.00
MULCH KIT				
ZG1342	Mulch Kit for Z100 with 42" Deck	K122Z18	18	\$149.00
ZG1348	Mulch Kit for Z100 with 48" Deck	K171Z38	25	\$209.00
ZG1354	Mulch Kit for Z100 with 54" Deck	K171Z38	27	\$209.00
ROPS, FIXED (Re	placement)			
SFZG-124	ROPS	K171Z38	150	\$209.00
SFZ-122	Replacement ROPS for Z122R	K171Z38	150	\$209.00
CANOPY				
Z3366	Tuff Top Canopy SUNSHADE	K220Z58	42	\$269.00
SEAT SUSPENSION	ON			
ZG1356	Seat Suspension Kit	K204Z18	35	\$249.00
ARM REST KIT				
ZG1341	Arm rest kit for Z122R	K46Z80	8	\$60.00
SPARK ARRESTO	OR .			
70000-01602	Spark Arrestor for all Z100 models		Order from F	arts Department

Prices and specifications subject to change without notice. F.O.B. KTC designated shipping point. Complete revision March 1, 2019.

KommanderPro / Z411KW-48

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Air-cooled V-Twin Vertical Shaft KAWASAKI, Model FS651V 22hp @ 3,600 RPM * Displacement 726 cc Kubota Model GH7302V

TRANSMISSION

Hydro-Gear ZT-3600 Integrated 12cc pump and 16cc motor Internal Parking Brake Forward Speeds 0 - 10 mph Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand LeversHydraulically Damped(3) Position Damper Adjustment

* Manufacturer's estimate.

FLUID CAPACITY

Fuel Tank 6.8 gal
Oil w/filter 2.1 qts
Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Pneumatic Rear 24 x 9.5 -14 Turf - Low profile

DIMENSIONS

 Height
 69.8"

 Length
 80.9"

 Width w/o deck
 48.1"

 Wheelbase
 49.4"

 Weight
 856 lbs.

OPERATING FEATURES

Zero Turn Radius
Foot Controlled Brake
Adjustable Steering Levers
Adjustable Mower Deck Lift Pedal
Cup Holder & Storage Compartments
Pneumatic, Smooth, Front Tires

SAFETY EQUIPMENT

Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS

PTO SYSTEM

Belt Driven

Dynamo-Electric clutch

MOWER DECK

48" Cutting Width

1.5-5" Cut Height, Adjustable 1/4" Increments Flexible Discharge Cover Fabricated 10 Gauge Steel

5" Deep Design

3 Blades

18,800 fpm Blade Tip Speed Maintenance-Free Sealed Spindles

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
* * * STANDARD MACHINE * * *				
Z411KW-48	Commercial Zero Turn Mower with ROPS 48" Mower Deck, KAWASAKI FS651V Engine	K5Z218Z98	1175	\$6,691.00

Replacement Tires and Wheels (price per piece)

K3091-18020 Front Tire Assembly Pneumatic 13 x 5 - 6 Smooth K3091-17200 Rear 24 x 9.5 -14 Turf Tire Assembly - Low Profile Order from Parts Department
Order from Parts Department

KommanderPro / Z421KW-54

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Air-cooled V-Twin Vertical Shaft KAWASAKI, Model FS730V 24hp @ 3,600 RPM * Displacement 726 cc Kubota Model GH7301V

TRANSMISSION

Hydro-Gear ZT-3600 Integrated 12cc pump and 16cc motor Internal Parking Brake Forward Speeds 0 - 10 mph Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand LeversHydraulically Damped(3) Position Damper Adjustment

FLUID CAPACITY

Fuel Tank 6.8 gal
Oil w/filter 2.1 qts
Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Pneumatic Rear 24 x 9.5 -14 Turf - Low profile

DIMENSIONS

Height 69.8"
Length 80.9"
Width w/o deck 48.1"
Wheelbase 49.4"
Weight 870 lbs.

OPERATING FEATURES

Zero Turn Radius
Foot Controlled Brake
Adjustable Steering Levers
Adjustable Mower Deck Lift Pedal
Cup Holder & Storage Compartments
Pneumatic, Smooth, Front Tires

SAFETY EQUIPMENT

Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS

PTO SYSTEM

Belt Driven Dynamo-Electric clutch

MOWER DECK

54" Cutting Width
1.5-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 10 Gauge Steel
5" Deep Design
3 Blades

18,700 fpm Blade Tip Speed Maintenance-Free Sealed Spindles

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
* * * STANDARD MACHINE * * *				
Z421KW-54	Commercial Zero Turn Mower with ROPS 54" Mower Deck, KAWASAKI FS730V Engine	K5Z637Z06	1190	\$7,227.00

Replacement Tires and Wheels (price per piece)

K3091-18020 Front Tire Assembly Pneumatic 13 x 5 - 6 Smooth K3091-17200 Rear 24 x 9.5 -14 Turf Tire Assembly - Low Profile Order from Parts Department Order from Parts Department

^{*} Manufacturer's estimate.

KommanderPro / Z421KWT-60

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Air-cooled V-Twin Vertical Shaft KAWASAKI, Model FS730V 24hp @ 3,600 RPM * Displacement 726 cc Kubota Model GH7301V

TRANSMISSION

Hydro-Gear ZT-3600 Integrated 12cc pump and 16cc motor Internal Parking Brake Forward Speeds 0 - 10 mph Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand LeversHydraulically Damped(3) Position Damper Adjustment

FLUID CAPACITY

Fuel Tank 6.8 gal
Oil w/filter 2.1 qts
Transaxle 2.4 qts

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 Pneumatic Rear 24 x 12 -14 Turf - Low profile

DIMENSIONS

Height 69.8"
Length 80.9"
Width w/o deck 48.1"
Wheelbase 49.4"
Weight 904 lbs.

OPERATING FEATURES

Zero Turn Radius
Foot Controlled Brake
Adjustable Steering Levers
Adjustable Mower Deck Lift Pedal
Cup Holder & Storage Compartments
Pneumatic, Smooth, Front Tires

SAFETY EQUIPMENT

Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS

PTO SYSTEM

Belt Driven
Dynamo-Electric clutch

MOWER DECK

60" Cutting Width
1.5-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 10 Gauge Steel
5" Deep Design
3 Blades

18,300 fpm Blade Tip Speed Maintenance-Free Sealed Spindles

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MAC	CHINE * * *		
Z421KWT-60	Commercial Zero Turn Mower with ROPS	K6Z060Z60	1225	\$7,770.00

Replacement Tires and Wheels (price per piece)

K3071-18020 Front Tire Assembly Pneumatic 13 x 6.5 - 6 Smooth K3071-17200 Rear 24 x 12 -14 Turf Tire Assembly - Low Profile

Order from Parts Department Order from Parts Department

^{*} Manufacturer's estimate.

Z400 Series Implements and Attachments

Z400 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

		=			
Implements	Model	Z411KW-48	Z421KW-54	Z421KWT-60	
3 Bag Grass Catcher		GCK48-400Z	GCK54-400Z	GCK60-400Z	
Front Suitcase Weight (Requires 4)			G8103 (Requires 4)		
Replacement Deck		RCK48P-400Z	RCK54P-400Z	RCK60P-400Z	
Blades*					
Replacement blade (1 blade)		K5583-34340	K5613-34340	K5647-34340	
Mulching blade (1 blade)		K5583-34350	K5613-34350	K5645-34340	
Attachments					
LED Work Lights		Z3318A			
Operator Controlled Discharge Chute (OCDC)		Z4023	Z4024	Z4025	
Mulch Kit		Z4048	Z4054	Z4060	
Chute Block Kit		Z4026	Z4027	Z4028	
Tuff Top Canopy SUNSHADE		Z3366			
Replacement ROPS		SFZ-F421			
Maintenance Lift Kit			Z4030		
ROPS Organizer			E1184		
Spart Arrester Kit*		77700-06366			
Seat Suspension Kit **		Z4031			
Seat Suspension Kit must include Z4052		Z4051			
Mount Kit for Z400 Suspension Seat			Z4052		
Tires*					
Front Semi-Pneumatic Caster Tire/Wheel Assembly•		K3091-18020		K3071-18020	
Rear Turf Tire/Wheel Assembly		K3091-17200		K3071-17200	

^{*}Order through Parts Department

^{**} Limited Availability

Z400 Series Implements and Attachments

ORDER	DESCRIPTION	FACTORY	APPROX.	SUGGESTED
CODE	DESCRIPTION	NUMBER	SHIP WT.	LIST PRICE
GRASS CATCHER		1/47000700	050	£4 000 00
GCK48-400Z	3 Bag, Grass Catcher	K1Z036Z62	258	\$1,329.00
GCK54-400Z	3 Bag, Grass Catcher	K1Z036Z62	91	\$1,329.00
GCK60-400Z	3 Bag, Grass Catcher	K1Z036Z62	270	\$1,329.00
G8103	Front Suitcase Weights (4 are required)	K31G20	27	\$40.00
MID-MOUNT MOW	ER DECK (REPLACEMENT)			
RCK48P-400Z	48" Fabricated Deck Assembly, Z400 Series 48" Deck	K974Z22	208	\$1,249.00
RCK54P-400Z	54" Fabricated Deck Assembly, Z400 Series 54" Deck	K1Z130Z22	190	\$1,449.00
RCK60P-400Z	60" Fabricated Deck Assembly, Z400 Series 60" Deck	K1Z379Z82	190	\$1,769.00
	,			. ,
Work Lights	155 W 11:14 6 AN 7400 15500 M 11			
Z3318A	LED Work Lights for All Z400 and Z700 Models	K155Z22	4	\$199.00
Maintenance Lift k	(it			
Z4030	Maintenance Lift Kit for All Z400 Models	K131Z82	16	\$169.00
				4.00.00
Operator Controlle	ed Discharge Chute			
Z4023	OCDC, Hand operated for Z400 Series 48" Deck	K194Z22	11	\$249.00
Z4024	OCDC, Hand operated for Z400 Series 54" Deck	K194Z22	12	\$249.00
Z4025	OCDC, Hand operated for Z400 Series 60" Deck	K194Z22	12	\$249.00
Mulah Kita				
Mulch Kits Z4048	Mulch Kit for Z400 Series 48" Deck	K194Z22	24	\$249.00
		-		·
Z4054	Mulch Kit for Z400 Series 54" Deck	K194Z22	26	\$249.00
Z4060	Mulch Kit for Z400 Series 60" Deck	K202Z02	32	\$259.00
Chute Block Kits				
Z4026	Chute Block Kit for Z400 Series 48" Deck	K31Z20	4	\$40.00
Z4027	Chute Block Kit for Z400 Series 54" Deck	K31Z20	4	\$40.00
Z4028	Chute Block Kit for Z400 Series 60" Deck	K31Z20	4	\$40.00
5.11.11. DODO				
Foldable ROPS	Deplement DODC 7400 Medele	K00E740	4.44	#200.00
SFZ-F421	Replacement ROPS Z400 Models	K225Z42	141	\$289.00
E1184	ROPS Organizer	K45K60	2	\$57.00
CANOPY				
Z3366	Tuff Top Canopy SUNSHADE	K220Z58	42	\$269.00
				
Seat Suspension I		1/0 / / 700	0=	0000.00
Z4031 *	daspension fit for ocat 2400 oches	K241Z02	37	\$309.00
Z4051	Suspension Seat for Z400 Series must include Z4052	K280Z02	68	\$359.00
Z4052	Mount Kit for Z400 Suspension Seat	K81Z90	68	\$105.00
SPARK ARRESTO	R			
SI AININ AININESTO	n			

77700-06366 Spark Arrestor for Z400 models only. Order from Parts Department

^{*} Subject to availability.

Z723-2-48 / Z724X-2- 48

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE Z723KH-2-48

Air-cooled V-Twin Vertical Shaft Kohler Command Pro CV682 22.5 Gross HP @ 3600 rpm* Displacement 694 cc Kubota Model GH680V

Z724XKW-2-48

Air-cooled V-Twin Vertical Shaft Kawasaki FX730V 23.5 hp @ 3,600 RPM Displacement 726 cc Kubota Model GH735V

TRANSMISSION

Parker Torqpact HTG14 Integrated 14cc pump and wheel motor Internal Parking Brake Forward Speeds 0 - 11.2 mph Reverse Speeds 0 - 5.6 mph

STEERING / MOTION CONTROL

(2) Hand Levers Hydraulically Damped

FLUID CAPACITY

 Fuel Tank
 11.6 gal

 Oil
 2.2 qts

 Transaxle
 3.5 qts

 Gross Weight (Kaw)
 1163 lbs

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Flat free Rear 24 x 9.5 -12 Turf

DIMENSIONS

Height 69.9" Length 83.9" Width w/o deck 50.4" Wheelbase 51"

OPERATING FEATURES

Premium Adjustable Suspension Seat Zero Turn Radius Foot Controlled Brake Adjustable Levers and Mower Deck Lift Pedal Cup Holder & Storage Compartments Semi-pneumatic, Smooth, Flat free Front Tires

SAFETY EQUIPMENT

Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS

PTO SYSTEM

Belt Driven Dynamo-Electric clutch

MOWER DECK

48" Cutting Width
1-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 8 Gauge Steel
6" Deep Design
3 Blades
18,100-18,600 fpm Blade Tip Speed
Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER	DESCRIPTION	FACTORY	APPROX.	SUGGESTED
CODE		NUMBER	SHIP WT.	LIST PRICE
	* * * STANDARD MA	CHINE * * *		
Z723KH-2-48	Commercial Zero Turn Mower with ROPS 48" Mower Deck	K7Z003Z62	1440	\$8,979.00
Z724XKW-2-48	Commercial Zero Turn Mower with ROPS 48" Mower Deck	K7Z319Z52	1440	\$9,384.00
Replacement Tire	s and Wheels (price per piece)			
K3831-18022	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6		Order from P	arts Department
K3831-17200	Rear 24 x 9.5 -12 Turf Tire Assembly		Order from P	arts Department

Z724-2-54 / Z724X-2-54

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE Z724KH-2-54

Air-cooled, V-Twin Vertical Shaft Kohler Command Pro CV732 23.5 Gross HP @ 3600 rpm* Displacement 747 cc Kubota Model GH730V

Z724XKW-2-54

Air-cooled, V-Twin Vertical Shaft Kawasaki FX730V 23.5 hp @ 3,600 RPM Displacement 726 cc Kubota Model GH735V

TRANSMISSION

Parker Torqpact HTG14 Integrated 14cc pump and wheel motor Internal Parking Brake Forward Speeds 0 - 11.2 mph Reverse Speeds 0 - 5.6 mph

STEERING / MOTION CONTROL

(2) Hand Levers Hydraulically Damped

FLUID CAPACITY

Fuel Tank 11.6 gal
Oil 2.2 qts
Transaxle 3.5 qts
Gross Weight (Kaw) 1179 lbs

TIRES AND WHEELS

Front Casters 13 x 5.0 - 6 Flat free Rear 24 x 9.5 -12 Turf

DIMENSIONS

Height 69.9" Length 83.9" Width w/o deck 50.4" Wheelbase 51"

OPERATING FEATURES

Premium Adjustable Suspension Seat Zero Turn Radius Foot Controlled Brake Adjustable Levers and Mower Deck Lift Pedal Cup Holder & Storage Compartments Semi-pneumatic, Smooth, Flat free Front Tires

SAFETY EQUIPMENT

Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS

PTO SYSTEM

Belt Driven Dynamo-Electric clutch

MOWER DECK

54" Cutting Width
1-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
Fabricated 8 Gauge Steel
6" Deep Design
3 Blades
18,100-18,600 fpm Blade Tip Speed
Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACH	IINE * * *		
Z724KH-2-54	Commercial Zero Turn Mower with ROPS 54" Mower Deck	K7Z403Z76	1440	\$9,492.00
Z724XKW-2-54	Commercial Zero Turn Mower with ROPS 54" Mower Deck	K7Z602Z66	1485	\$9,747.00
Replacement Tires K3831-18022 K3831-17200	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6 Rear 24 x 9.5 -12 Turf Tire Assembly			arts Department arts Department

Z725-2-60 / Z726X-2-60

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Z725KH-2-60

Air-cooled, V-Twin Vertical Shaft Kohler Command Pro CV742 25 Gross HP @ 3600 rpm* Displacement 747 cc Kubota Model GH740V

Z726XKW-2-60

Kawasaki FX801V

Air-cooled, V-Twin Vertical Shaft

25.5 hp @ 3,600 RPM Displacement 852 cc Kubota Model GH860V

TRANSMISSION

Parker Torqpact HTG14

Integrated 14cc pump and wheel motor

Internal Parking Brake

Forward Speeds 0 - 11.2 mph Reverse Speeds 0 - 5.6 mph

STEERING / MOTION CONTROL

(2) Hand Levers Hydraulically Damped

FLUID CAPACITY

Fuel Tank 11.6 gal
Oil 2.4 qts
Transaxle 3.5 qts
Gross Weight (Kaw) 1232 lbs

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 Flat free

Rear 24 x 12 - 12 Turf

DIMENSIONS

 Height
 69.9"

 Length
 83.9"

 Width w/o deck
 54.7"

 Wheelbase
 51"

OPERATING FEATURES

Premium Adjustable Suspension Seat Zero Turn Radius Foot Controlled Brake Adjustable Levers and Mower Deck Lift Pedal

Cup Holder & Storage Compartments Semi-pneumatic, Smooth, Flat free Front Tires

SAFETY EQUIPMENT

Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch

Foldable ROPS

PTO SYSTEM

Belt Driven

Dynamo-Electric clutch

MOWER DECK

60" Cutting Width

1-5" Cut Height, Adjustable

1/4" Increments

Flexible Discharge Cover Fabricated 8 Gauge Steel

6" Deep Design

3 Blades

18,100-18,600 fpm Blade Tip Speed Maintenance-Free Sealed Spindles

* Manufacturer's estimate.

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MA	ACHINE * * *		
Z725KH-2-60	Commercial Zero Turn Mower with ROPS 60" Mower Deck	K7Z803Z90	1440	\$10,005.00
Z726XKW-2-60	Commercial Zero Turn Mower with ROPS 60" Mower Deck	K8Z062Z08	1525	\$10,336.00
Replacement Tire	es and Wheels (price per piece)			
K3811-18022	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6		Order from F	arts Department
K3811-17200	Rear 24 x 12 -12 Turf Tire Assembly		Order from F	arts Department

Z751KWi-48

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Air-cooled V-Twin Vertical Shaft

Z751KWi-48

Kawasaki FX730V-EFI Kubota Model GH7303V-F 25.5* hp @3,600 RPM Displacement 726 cc

TRANSMISSION

Parker Torqpact HTG14 Integrated 14cc pump and wheel motor

Internal Parking Brake
Forward Speeds 0 - 11.2 mph
Reverse Speeds 0 - 5.6 mph

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 (Flat free) Rear 24 x 9.5 - 14 Turf - Low Profile

STEERING / MOTION CONTROL

(2) Hand Levers

Hydraulically Damped - 3 Position Adjustable

FLUID CAPACITY

Fuel Tank 11.6 gal
Oil 2.2 qts
Transaxle 3.5 qts
Gross Weight (Kaw) 1215 lbs

DIMENSIONS

Height 70.1" Length 83.9" Width w/o deck 50.4" Wheelbase 51"

OPERATING FEATURES

Kawasaki EFI with E-Gov and advanced ECU
Dial Throttle Control with PTO Engage Zone
New Style Adjustable High Back Suspension Seat
Zero Turn Radius
Foot Activated Parking Brake
Quick Dial Height Deck Height Adjustment
Mower Deck Transport Lock (On/Off) Lever
Adjustable Levers and Mower Deck Lift Pedal
Cup Holder & Storage Compartments
Smooth 6.5" Wide Flat Free Front Caster Tires

PTO SYSTEM Belt Driven

12V Power Outlet

Electric Clutch

SAFETY EQUIPMENT

Water and Dust Proof Safety Switches Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS

LCD Engine Meter

Unit Status -

Fuel Level, Hours, Oil Temp, and RPM Safety Switch Status -

Seat, Steering, Brake, and PTO

Engine Warning Lights -

Oil Press&Temp, Battery, and CK Eng Unit Performance -

Fuel Consumption and Engine Load

MOWER DECK

48" Cutting Width - 3 Blades
Deck Step Indicator
6" Deep Design
1-5" Cut Height, Adjustable
1/4" Increments
18,600 fpm Blade Tip Speed
Maintenance-Free Sealed Spindles
Fabricated 8 Gauge Steel
Flexible Discharge Cover

3 Adjustable Anti-Scalp Wheels

* [Manufacturer's	estimate.
-----	----------------	-----------

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACH	HINE * * *		
Z751KWi-48	Commercial Zero Turn EFI Mower with ROPS 48" Mower Deck	K8Z229Z00	1440	\$10,550.00
Replacement Tir	res and Wheels (price per piece)			
K3811-18023	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6			arts Department
K3891-17202	Rear 24 x 9.5 -14 Turf Tire Assembly		Order from P	arts Department

Z781KWi-54

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Air-cooled V-Twin Vertical Shaft

Z781KWi-54

Kawasaki FX850V-EFI Kubota Model GH860V-F 29.5* hp @ 3,600 RPM Displacement 852 cc

TRANSMISSION

Parker Torqpact HTG14

Integrated 14cc pump and wheel motor

Internal Parking Brake

Forward Speeds 0 - 11.2 mph Reverse Speeds 0 - 5.6 mph

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 (Flat free) Rear 24 x 9.5 - 14 Turf - Low Profile

STEERING / MOTION CONTROL

(2) Hand Levers

Hydraulically Damped - 3 Position Adjustable

FLUID CAPACITY

Fuel Tank	11.6 gal
Oil	2.2 qts
Transaxle	3.5 qts
Gross Weight (Kaw)	1254 lbs

DIMENSIONS

Height	70.1"
Length	83.9"
Width w/o deck	50.4"
Wheelbase	51"

OPERATING FEATURES

Kawasaki EFI with E-Gov and advanced ECU Dial Throttle Control with PTO Engage Zone New Style Adjustable High Back Suspension Seat Zero Turn Radius Foot Activated Parking Brake

Quick Dial Height Deck Height Adjustment Mower Deck Transport Lock (On/Off) Lever Adjustable Levers and Mower Deck Lift Pedal

Cup Holder & Storage Compartments Smooth 6.5" Wide Flat Free Front Caster Tires

12V Power Outlet

PTO SYSTEM

Belt Driven Electric Clutch

SAFETY EQUIPMENT

Water and Dust Proof Safety Switches Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS

LCD Engine Meter

Unit Status -

Fuel Level, Hours, Oil Temp, and RPM

Safety Switch Status -

Seat, Steering, Brake, and PTO

Engine Warning Lights -

Oil Press&Temp, Battery, and CK Eng Unit Performance -

Fuel Consumption and Engine Load

MOWER DECK

54" Cutting Width - 3 Blades Deck Step Indicator 6" Deep Design 1-5" Cut Height, Adjustable

1/4" Increments 18,400 fpm Blade Tip Speed

Maintenance-Free Sealed Spindles Fabricated 8 Gauge Steel Flexible Discharge Cover 3 Adjustable Anti-Scalp Wheels

* Manufacturer's estimate.

ORDER	DESCRIPTION	FACTORY	APPROX.	SUGGESTED
CODE		NUMBER	SHIP WT.	LIST PRICE

* * * STANDARD MACHINE * * *

Z781KWi-54 Commercial Zero Turn EFI Mower with ROPS K8Z811Z66 1485 \$11,297.00

54" Mower Deck

Replacement Tires and Wheels (price per piece)

K3811-18023 Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6 Order from Parts Department
K3891-17202 Rear 24 x 9.5 -14 Turf Tire Assembly Order from Parts Department

Z781KWTi-60

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Air-cooled V-Twin Vertical Shaft

Z781KWi-60

Kawasaki FX850V-EFI Kubota Model GH860V-F 29.5* hp @ 3,600 RPM Displacement 852 cc

TRANSMISSION

Parker Torqpact HTG14

Integrated 14cc pump and wheel motor

Internal Parking Brake

Forward Speeds 0 - 11.2 mph

Reverse Speeds 0 - 5.6 mph

TIRES AND WHEELS

Front Casters 13 x 6.5 - 6 (Flat free) Rear 24 x 12 - 14 Turf - Low Profile

STEERING / MOTION CONTROL

(2) Hand Levers

K3881-17202

Hydraulically Damped - 3 Position Adjustable

DECCRIPTION

Rear 24 x 12 -14 Turf Tire Assembly

FLUID CAPACITY

Fuel Tank 11.6 gal
Oil 2.2 qts
Transaxle 3.5 qts
Gross Weight (Kaw) 1285 lbs

DIMENSIONS

Height 70.1"
Length 83.9"
Width w/o deck 54.7"
Wheelbase 51"

OPERATING FEATURES

Kawasaki EFI with E-Gov and advanced ECU
Dial Throttle Control with PTO Engage Zone
New Style Adjustable High Back Suspension Seat
Zero Turn Radius
Foot Activated Parking Brake
Quick Dial Height Deck Height Adjustment

Mower Deck Transport Lock (On/Off) Lever Adjustable Levers and Mower Deck Lift Pedal Cup Holder & Storage Compartments

Smooth 6.5" Wide Flat Free Front Caster Tires

12V Power Outlet

PTO SYSTEM

Belt Driven
Electric Clutch

SAFETY EQUIPMENT

Water and Dust Proof Safety Switches Seat Safety Switch Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS

LCD Engine Meter

Unit Status -

Fuel Level, Hours, Oil Temp, and RPM Safety Switch Status -

Seat, Steering, Brake, and PTO

Engine Warning Lights -

Oil Press&Temp, Battery, and CK Eng Unit Performance -

Fuel Consumption and Engine Load

MOWER DECK

FACTORY

60" Cutting Width - 3 Blades
Deck Step Indicator
6" Deep Design
1-5" Cut Height, Adjustable
1/4" Increments
18,600 fpm Blade Tip Speed
Maintenance-Free Sealed Spindles
Fabricated 8 Gauge Steel
Flexible Discharge Cover

3 Adjustable Anti-Scalp Wheels

Order from Parts Department

ADDDOV

* Manufacturer's estimate.

CODE	DESCRIPTION	NUMBER	SHIP WT.	LIST PRICE
	* * * STANDARD MACI	HINE * * *		
Z781KWTi-60	Commercial Zero Turn EFI Mower with ROPS 60" Mower Deck	K9Z217Z26	1525	\$11,817.00
Replacement Tir	es and Wheels (price per piece)			
K3811-18023	Front Tire Assembly Semi-pneumatic 13 x 6.5 - 6		Order from P	arts Department

CHACECTED

Z700 Series Implements and Attachments

Z700 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Model	Z723-2-48/ Z724X-2-48/ Z723-48/ Z724X-48	Z724-2-54/ Z724X-2-54/ Z724-54/ Z724X-54	Z725-2-60/ Z726X-2-60/ Z725-60/ Z726X-60	
Implements	Z751KWi-48 EFI	Z781KWi-54 EFI	Z781KWTi-60 EFI	
3 Bag Grass Catcher(ALL MODELS)	GCK48-700ZA	GCK54-700ZA	GCK60-700ZA	
3 Bag Grass Catcher (NON-EFI Models) (Limited availablity) **	GCK48-700Z	GCK54-700Z	GCK60-700Z	
Front Suitcase Weight (Requires 6)		G8103		
Replacement Deck (ALL MODELS)	RCK48P-751Z	RCK54P-781Z	RCK60P-781Z	
Replacement Deck (Limited availablity) **	RCK48P-723Z	RCK54P-724Z	RCK60P-725Z	
Blades*				
Replacement blade kit (3 blades)	K5583-97530	K5613-97530	K5647-97530	
Replacement blade (1 blade)	K5583-34340	K5613-34340	K5647-34340	
Mulching blade (1 blade)	K5583-34350	K5613-34350	K5645-34342	
Karu Mulching (Multi-tooth) blade (1 blade)			77700-06350	
Attachments				
Hitch		Z3308		
Halogen Work Lights (ROPS Mounted) **	Z3317			
LED Work Lights	Z3318A			
Maintenance Lift Kit		Z3338		
Adapter Bracket -Maintenance Lift kit (use w/grass catcher)		Z1340		
Mulch Kit	Z3448	Z3454	Z3460	
Operator Controlled Discharge Chute (OCDC)	Z3348	Z3354	Z3360	
Replacement ROPS (for all models only)		SFZ-F781		
ROPS Organizer		E1184		
Tuff Top Canopy SUNSHADE (Not compatitable with Kohler models using Grass Catchers)	Z3366			
Seat Suspension Kit **		Z3356A		
3" Susp Seat Kit for Z700 ALL		Z3359		
Spark Arrestor for Kohler models only*		77700-06209		
Spark Arrestor for Kawasaki models only*	77700-06366			
Spark Arrestor Exhaust Diverter Elbow (for Grass Catcher) (Kohler models only)*	77700-06208			

^{*}Order through Parts Department

^{**} Subject to availability.

Z700 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHER				
GCK48-700ZA	3 Bag, 10 Bushel Bagger	K1Z886Z82	258	\$2,419.00
GCK54-700ZA	3 Bag, 10 Bushel Bagger	K1Z894Z62	268	\$2,429.00
GCK60-700ZA	3 Bag, 11 Bushel Bagger	K1Z972Z62	268	\$2,529.00
G8103	Front Suitcase Weights	K31G20	27	\$40.00
MID-MOUNT MOW	/ER DECK (REPLACEMENT)			
RCK48P-751Z	48" Fabricated Deck Assembly, Z700 Series 48" Deck	K1Z231Z62	307	\$1,579.00
RCK54P-781Z	54" Fabricated Deck Assembly, Z700 Series 54" Deck	K1Z426Z62	323	\$1,829.00
RCK60P-781Z	60" Fabricated Deck Assembly, Z700 Series 60" Deck	K1Z676Z22	342	\$2,149.00
RCK48P-723Z	* 48" Fabricated Deck Assembly, Z700 Series 48" Deck	K1Z223Z82	307	\$1,569.00
RCK54P-724Z	* 54" Fabricated Deck Assembly, Z700 Series 54" Deck	K1Z418Z82	323	\$1,819.00
Hitch Kits				
Z3308	Towing Hitch for All Z700 Models	K30Z42	3	\$39.00
Work Lights				
Z3318A	LED Work Lights for All Z700 Models	K155Z22	4	\$199.00
Maintenance Lift I	Kit			
Z3338	Maintenance Lift Kit for All Z700 Models	K131Z82	14	\$169.00
Z1340	Adapter Bracket, Maint. Lift kit (for use w/grass catcher)	K53Z82	5	\$69.00
Mulch Kits				
Z3448	Mulch Kit for Z700 Series 48" Deck	K233Z22	40	\$299.00
Z3454	Mulch Kit for Z700 Series 54" Deck	K233Z22	41	\$299.00
Z3460	Mulch Kit for Z700 Series 60" Deck	K233Z22	44	\$299.00
Operator Controll	ed Discharge Chute			
Z3348	OCDC, Hand operated for Z700 Series 48" Deck	K194Z22	11	\$249.00
Z3354	OCDC, Hand operated for Z700 Series 54" Deck	K194Z22	12	\$249.00
Z3360	OCDC, Hand operated Z700 Series 60" Deck	K194Z22	12	\$249.00
Foldable ROPS				
SFZ-F781	Replacement ROPS Z700 Models (for all models)	K241Z02	141	\$309.00
E1184	ROPS Organizer	K45K60	2	\$57.00
CANOPY				
Z3366	Tuff Top Canopy SUNSHADE (Not compatitable with Kohler models with Grass Catchers)	K220Z58	42	\$269.00
Seat Suspension	Kit			
Z3356A	Seat Suspension Kit for Z700 Series	K326Z82	80	\$419.00
Z3359	3" SUSP SEAT Update Kit for Z700 Series	K471Z90	68	\$605.00
SPARK ARRESTO	PR .			
77700-06209	Spark Arrestor for Kohler models only.		Order from F	arts Department
77700-06366	Spark Arrestor for Kawasaki models only.			arts Department
77700-06208	Spark Arrestor Exhaust Diverter Elbow (Kohler models only) Diverter must be installed when using Grasscatcher.			Parts Department

^{*} Subject to availability.

ZG222

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE						
Kubota KGZ770-E2-M3						
Overhead Valve - air cooled						
2 Cylinders						
.00.0						

+22 Gross HP @ 3600 rpm

TRANSMISSION

Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 9 mph
Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers Hydraulically Damped

FLUID CAPACITY

Fuel Tank 7.4 gal
Crankcase w/ Filter 1.9 qts
Transmission Case 7.9 qts
and Axle Gear

TIRES AND WHEELS

Front 13 x 5.0 - 6 Turf Rear 23 x 10.5 - 12 Turf

DIMENSIONS

Height	69.9'
Length	
(ZG222A-48S)	81.1'
(ZG222A-48)	82.4'
Width Overall	61.1'
Wheelbase	51.0'

POWER TAKE OFF

Hydraulic Independent PTO Shaft Drive Mower Deck Wet Disk Clutch

OPERATING FEATURES

Zero Turn Radius Dual Element Air Filter Hands-free Hydraulic Deck Lift Hands-free Parking Brake Cup Holder

SAFETY EQUIPMENT

Electric Key Shut Off Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS

MOWERS

1-5" Cut Height, Adjustable 1/4" Increments Flexible Discharge Cover 3 Blades ZG222A-48S, Stamped 10 Gauge, 5" Deep Design Deck ZG222A-48, Fabricated 9 Gauge,

Wet Disk Clutch 6" Deep Design Deck

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDAR	D MACHINE * * *		
ZG222A-48	Zero Turn Mower with ROPS 48" PRO Commercial Mower Deck	K7Z039Z20	1504	\$8,799.00
Replacement Tire	es and Wheels (price per piece) Front 13 x 5.00 - 6 Turf	K44Z46	9	\$57.00
AZR8633A	Rear 23 x 10.5 - 12 Turf	K113Z88	32	\$146.00

ZG227

CASOLINE ENGINE

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE	
Kubota KGZ770-E2-M2	
Overhead Valve - air cooled	
2 Cylinders	
+27 Gross HP @ 3600 rpm	

TRANSMISSION
Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 9 mph
Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers Hydraulically Damped

POWER TAKE OFF

Hydraulic Independent PTO Shaft Drive Mower Deck Wet Disk Clutch

FLUID CAPACITY

Fuel Tank 7.4 gal
Crankcase w/ Filter 2.1 qts
Transmission Case 7.9 qts
and Axle Gear

TIRES AND WHEELS

Front 13 x 5.0 - 6 Turf Rear 23 x 10.5 - 12 Turf

DIMENSIONS

Height	69.9"
Length	
(ZG227A-54)	82.4"
(ZG227LA-60)	83.9"
Width Overall	
(ZG227A-54)	67.3"
(ZG227LA-60)	75.2"
Wheelbase	51.0"

OPERATING FEATURES

Zero Turn Radius Dual Element Air Filter Hands-free Hydraulic Deck Lift Hands-free Parking Brake Cup Holder

SAFETY EQUIPMENT

Electric Key Shut Off Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS

MOWERS

6" Deep, Fabricated Decks
1-5" Cut Height, Adjustable
1/4" Increments
Flexible Discharge Cover
3 Blades

ZG227A-54, 8 Gauge, 54" Cut ZG227LA-60, 8 Gauge, 60" Cut

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARI	D MACHINE * * *		
ZG227A-54	Zero Turn Mower with ROPS 54" PRO Commercial Mower Deck	K7Z999Z20	2042	\$9,999.00
ZG227LA-60	Zero Turn Mower with ROPS 60" PRO Commercial Mower Deck	K8Z399Z20	1800	\$10,499.00
Replacement Tir AZR8637 AZR8633A	res and Wheels (price per piece) Front 13 x 5.00 - 6 Turf Rear 23 x 10.5 - 12 Turf	K44Z46 K113Z88	9 32	\$57.00 \$146.00

Z200 Series Implements and Attachments

Z200 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Model	ZG222A	ZG227A	ZD221
Implements			
Grass Catcher GCK54-200ZB ①	Х	X	Х
48" Replacement Deck RCK48-222Z	ZG222A-48S		
48" Replacement Deck RCK48P-222Z	ZG222A-48		ZD221-48
54" Replacement Deck RCK54P-227Z		ZG227A-54	ZD221-54
60" Replacement Deck RCK60P-227Z	1	ZG227LA-60	
Attachments			
Mount Kit for use with GCK54-200ZA			ZD3154
Mount Kit for use with GCK54-200ZB	ZG3164	ZG3164	ZD3154
Blower Kit (for 48" Deck) ZD3140	ZG222A-48S		
Blower Kit (for 48" Deck) ZD3141	ZG222A-48		ZD221-48
Blower Kit (for 54" Deck) ZG3152	1	ZG227A-54	ZD221-54
Blower Kit (for 60" Deck) ZG3162		ZG227LA-60	
Weight Kit (for GCK54-200ZB) ZG3131			ZD221 (Below S/N 30001)
Weight Kit (for GCK54-200ZB) ZG3132	ZG222A-48S, ZG222A-48	ZG227A-54	ZD221 (Above S/N 30001)
Mulch Kit (for 48" Deck) ZG3049	ZG222A-48S		
Mulch Kit (for 48" Deck) ZD3145	ZG222A-48		ZD221-48
Mulch Kit (for 54" Deck) ZG3156	-	ZG227A-54	ZD221-54
Mulch Kit (for 60" Deck) ZG3157	-	ZG227LA-60	
Maintenance Lift Kit - ZG3127	Χ	X	X
Canopy, Deluxe Fiberglass E1123 ②	Χ	X	X
Work Light Kit - ZD3116A	Χ	X	X
ROPS Organizer – E1184	X	X	Х
SPARK ARRESTOR KIT ZG31233	X	X	
SPARK ARRESTOR KIT ZD3125			Х
Foldable ROPS (replacement) - SFZD-F221			X
Foldable ROPS (replacement) - SFZG-F222	X	X	
Foldable ROPS (replacement) - SFZG-F27A*			X
Tires (Replacement)			
AZR8637 Pneumatic, Front (13x5.0-6)	X	X	X
AZR8633A Turf, Rear (23x10.5-12)	X	X	X

① See Grass Catcher Matching Chart for necessary Weight Brackets, Mount Kits, and Blower Kits.

② Requires Canopy Mount Kit (E1124) for use with E1123 Deluxe Canopy.

³ ZG200A Series require additional ZG Adapter Kit (ZG3133).

Z200 Series Implements and Attachments

Z200 Series Grass Catchers											
		Grass Blower Kit		Mount Kit		Weight Kit					
	GCK54-200ZA	GCK54-200ZB	ZD3140	ZD3141	ZG3152	ZG3162	ZG3144	ZD3154	ZG3164	ZG3131	ZG3132
ZG222A-48S		Х	Х						Х		(5)
ZG222A-48		Х		Х					Χ		4
ZG227A-54		Х			Х				Х		Х
ZG227LA-60		Х				Х			Х		
ZD221-48 ①		Х		Х				Χ			4
ZD221-54 ①		Х			Х			Х			Х
ZD221-48 ②	Х	Х		Х				Х		3	
ZD221-54 ②	Х	Х			Х			Х		3	

- ① ZD200 Models ABOVE S/N 30001
- ② ZD200 Models BELOW S/N 30001
- 3 Required only for GCK54-200ZB
- 4 Requires the addition of one (1) G8103 Suitcase Weights
- ⑤ Requires the addition of two (2) G8103 Suitcase Weights

Z200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHER	3			
GCK54-200ZB	2-Bag Grass Catcher, 8 bu. Capacity	K568Z62	91	\$729.00
00.10. 20022	Fits Z200/Z200A Series 48", 54", & 60" decks	. 1000_0_	•	ψ. Ξ0.00
	May require Blower Kit, Weight Kit, & Mount Kit			
BLOWER KIT, reg	uired for use with Grass Catcher			
ZD3140	48" Blower Kit for ZG222(A)-48S	K490Z62	61	\$629.00
ZD3141	48" Blower Kit for ZG222(A)-48 & ZD221-48	K818Z22	78	\$1,049.00
ZG3152	54" Blower Kit for ZG227(A)-54 & ZD221-54	K818Z22	75	\$1,049.00
ZG3162	60" Blower Kit for ZG227L(A)-60	K989Z82	78	\$1,269.00
MOUNT KIT, requ	ired for use with Grass Catcher			
ZG3144	Mount Kit for ZG200 Series w/ GCK54-200Z(A)(B)	K286Z26	34	\$367.00
ZG3164	Mount Kit for ZG200A Series w/ GCK54-200ZB	K303Z42	33	\$389.00
ZD3154	Mount Kit for ZD200 Series w/ GCK54-200Z(A)(B)	K311Z22	39	\$399.00

_	be required for use with GCK54-200ZB Grass Catcher			
ZG3131	Weight kit for all ZG200, and ZD200 under S/N 30001	K22Z62	14	\$29.00
	(ZG227L-60 does not require Weight Kit)			
ZG3132	Weight kit for all ZG200A, and ZD200 over S/N 30001	K85Z02	13	\$109.00
	(ZG227LA-60 does not require Weight Kit)			
	**ZG3132 requires (2) G8103 Suitcase Weights			
MULCH KIT				
ZG3049	48" Mulch Kit for ZG222(A)-48S	K131Z82	17	\$169.00
ZD3145	48" Mulch Kit for ZG222(A)-48 & ZD221-48	K233Z22	34	\$299.00
ZG3156	54" Mulch Kit for ZG227(A)-54 & ZD221-54	K233Z22	37	\$299.00
ZG3157	60" Mulch Kit for ZG227L(A)-60	K248Z82	41	\$319.00
OPTIONAL / REPL	ACEMENT MOWER BLADES			
K5575-97530	48" Stamped Deck Replacement Blade Set (3 blades)		Order from F	Parts Department
K5575-97590	48" Stamped Deck Mulch Blade Set (3 blades)			Parts Department
K5576-97530	48" Pro Deck Replacement Blade Set (3 blades)			Parts Department
K5576-34340	48" Pro Deck Mulch Blade (1 blade)			arts Department
K5619-97530	54" Pro Deck Replacement Blade Set (3 blades)			Parts Department
K5351-99040	54" Pro Deck Mulch Blade (1 blade)			arts Department
K5647-97530	60" Pro Deck Replacement Blade Set (3 blades)			Parts Department
K5645-34340	60" Pro Deck Mulch Blade (1 blade)			arts Department
77700-63500	60" Karu Mulching Blade (Multi-tooth) (1 blade)			Parts Department
MAINTENANCE L	IFT KIT			
ZG3127	Fits all Z200(A) Series	K108Z42	13	\$139.00
CANOPY				
E1123	Canopy Sunshade (Deluxe Fiberglass)	K264Z42	90	\$339.00
E1124	Mounting Bracket for E1123	K147Z42	28	\$189.00
WORK LIGHT KIT				
ZD3116A	Work Light Kit (ROPS Mounted)	K92Z82	4	\$119.00
	Fits all Z-Series			
	1 113 All 4-951163			

^{*} Subject to availability.

Z200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ROPS ORGANIZER E1184	Storage organizer (ROPS mounted) 5 protective pockets with zippers	K45K60	2	\$57.00
MID MOUNT MOWE RCK48S-222Z	ERS (replacement) 48" Stamped Deck, for ZG222(A)-48S	K1Z216Z02	208	\$1,559.00
RCK48P-222Z	48" Fabricated Deck (Pro Commercial) for ZG222(A)-48 & ZD221-48	K1Z325Z22	190	\$1,699.00
RCK54P-227Z	54" Fabricated Deck (Pro Commercial) for ZG227(A)-54 & ZD221-54	K1Z535Z82	190	\$1,969.00
RCK60P-227Z	60" Fabricated Deck (Pro Commercial) for ZG227L(A)-60	K1Z793Z22	190	\$2,299.00
SPARK ARRESTOR ZG3123	R MUFFLER KIT Spark Arrestor Kit (screen type) Fits ZG200 Series **ZG200A Series require additional ZG3133 Adapter Kit	K186Z42	12	\$239.00
ZG3133	Adapter Kit required for ZG200A Models w/ ZG3123	K15Z60	2	\$20.00
ZD3125	Spark Arrestor (screen type) Fits ZD200 Series	K53Z82	2	\$69.00
FOLDABLE ROPS (SFZD-F221 SFZG-F222 SFZG-F27A*	(replacement) Fits ZD200 Series (Supersedes SFZG-F27A) Fits ZG200A Series (Evaporative Regulations) Fits all Z200 Series	K287Z82 K287Z82 K287Z82	141 159 150	\$369.00 \$369.00 \$369.00

^{*} Subject to availability.

ZD1011

DIESEL ENGINE

3 Cylinder, Model # D782 19.3 Gross HP @ 3200 rpm 47.5 cu. in. Displacement 12v 430 Amp Hr. Battery 14 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 9 mph
Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable Hydraulically Damped, Adjustable

* * * EQUIPMENT IN STANDARD MACHINE * * *

FLUID CAPACITY
Fuel Tank 5.8 gal
Engine Coolant w/ 3.11 qts
Recovery Tank
Crankcase w/ Filter 3.7 qts
Transmission Case 7.9 qts
and Axle Gear

TIRES AND WHEELS

Front 13 x 5.0 - 6 Rear 24 x 9.5-14 Turf, Low Profile

DIMENSIONS

Height		74.4"
Length		87.8"
Width C	Overall	
	(ZD1011-48)	61.6"
	(ZD1011-54)	67.3"
Wheelb	ase	54.3"

POWER TAKE OFF

Hydraulic Independent PTO Shaft Drive Mower Deck Wet Disk Clutch

OPERATING FEATURES

Zero Turn Radius
Dual Element Air Filter
Adj. Front Axle: Rigid/Oscillating
Deluxe Suspension Seat
Hands-free Hydraulic Deck Lift
Hands-free Parking Brake
Cup Holder

SAFETY EQUIPMENT

Electric Key Shut Off Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS Seat Safety Switch

MOWERS

6" Deep, Pro Deck w/ACS 1-5" Cut Height, Adjustable 1/4" Increments Flexible Discharge Cover 3 Blades ZD1011-48, 8 Gauge, 48" Cut ZD1011-54, 8 Gauge, 54" Cut

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE		
	* * * STANDARD N	MACHINE * * *				
ZD1011-48	Zero Turn Mower with ROPS 48" Kubota PRO Deck w/ACS	K10Z159Z20	1296	\$12,699.00		
ZD1011-54	Zero Turn Mower with ROPS 54" Kubota PRO Deck w/ACS	K10Z399Z20	1323	\$12,999.00		
ZD1011-48/54 Replacement Tires and Wheels (price per piece)						
K3411-18020 K3411-17300	Front Pneumatic Caster Tire/Wheel Assembly Rear Turf Tire/Wheel Assembly			arts Department arts Department		

ZD1021

* * * EQUIPMENT IN STANDARD MACHINE * * *

DIESEL ENGINE

3 Cylinder, Model # D902 21.6 Gross HP @ 3200 rpm 54.8 cu. in. Displacement 12v 430 Amp Hr. Battery 14 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 9 mph
Reverse Speeds 0 - 5 mph

STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable Hydraulically Damped, Adjustable

FLUID CAPACITY

Fuel Tank 5.8 gal
Engine Coolant w/ 3.11 qts
Recovery Tank
Crankcase w/ Filter 3.7 qts
Transmission Case 7.9 qts
and Axle Gear

TIRES AND WHEELS

Front 13 x 6.5 - 6 Rear 24 x 12 - 14 Turf, Low Profile

DIMENSIONS

Height 74.4" Length 88.6" Width Overall 73.8" Wheelbase 54.3"

POWER TAKE OFF

Hydraulic Independent PTO Shaft Drive Mower Deck Wet Disk Clutch

OPERATING FEATURES

Zero Turn Radius
Dual Element Air Filter
Adj. Front Axle: Rigid/Oscillating
Deluxe Suspension Seat
Hands-free Hydraulic Deck Lift
Hands-free Parking Brake
Cup Holder

SAFETY EQUIPMENT

Electric Key Shut Off Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS Seat Safty Switch

MOWERS

6" Deep, Pro Deck w/ACS 1-5" Cut Height, Adjustable 1/4" Increments Flexible Discharge Cover 3 Blades ZD1021-60, 8 Gauge, 60" Cut

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACHIN	IE * * *		
ZD1021-60	Zero Turn Mower with ROPS 60" PRO Commercial ACS Mower Deck	K11Z679Z20	1530	\$14,599.00
ZD1021-60 Repla K3421-18020 K3421-17300	cement Tires and Wheels (price per piece) Front Pneumatic Caster Tire/Wheel Assembly Rear Turf Tire/Wheel Assembly			arts Department arts Department

Z1000 Series Implements and Attachments

Z1000 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	ZD1011-48	ZD1011-54	ZD1021-60			
2 Bag Grass Catcher	GCK48-ZD1011	GCK54-ZD1011	GCK60-ZD1021			
Replacement Deck	RCK48P-1000Z	RCK54P-1000Z	RCK60P-1000Z			
Blades*						
Replacement blade kit (3 blades)	K5915-97530*	K5935-97530*	K5945-97530*			
Replacement blade (1 blade)	K5915-34361*	K5935-34361*	K5945-34361*			
Attachments						
Hitch		ZD3328				
Maintenance Lift Kit		ZD3117				
Mulch Kit	ZD3145	ZG3156	ZG3157			
Operator Controlled Discharge Chute (OCDC)	ZD6148	ZD6154	ZD6160			
Replacement ROPS	SFZD-F1021					
Canopy Sunshade (Deluxe Fiberglass, Orange)	E1123					
Mounting Bracket for E1123	E1124					
Block Heater*	70000-17552					
Spark Arrester*	70000	-01605	70000-01604			
ROPS Organizer		E1184	-			
Tires*						
Front Pneumatic Caster Tire/Wheel Assembly•	K3411	-18020*	K3421-18020*			
Rear Turf Tire/Wheel Assembly	K3411-	-17300*	K3421-17300*			

^{*}Order through Parts Department

Z1000 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
CODE		NUMBER	SHIP WI.	LIST PRICE
GRASS CATCHER				
GCK48-ZD1011	2-Bag Grass Catcher, 8 bu. Capacity	K1Z968Z72	258	\$2,524.00
	Requires (2) G8103 Front Weights			
GCK54-ZD1011	2-Bag Grass Catcher, 8 bu. Capacity	K1Z972Z62	91	\$2,529.00
	Requires (2) G8103 Front Weights			
GCK60-ZD1021	2-Bag Grass Catcher, 8 bu. Capacity	K1Z972Z62	270	\$2,529.00
	Requires (2) G8103 Front Weights			
MID MOUNT MOWE		1/17000710	000	44 000 00
RCK48P-1000Z	48" Kubota PRO Deck w/ACS for ZD1011	K1Z393Z18	208	\$1,699.00
RCK54P-1000Z	54" Kubota PRO Deck w/ACS for ZD1011	K1Z535Z82	190	\$1,969.00
RCK60P-1000Z	60" Kubota PRO Deck w/ACS for ZD1021	K1Z715Z22	190	\$2,199.00
MULCH KIT				
ZD3145	48" Mulch Kit for ZD1011-48	K233Z22	34	\$299.00
ZG3156	54" Mulch Kit for ZD1011-54	K233Z22	37	\$299.00
ZG3157	60" Mulch Kit for ZD1021-60	K248Z82	41	\$319.00
MAINTENANCE LIF				
ZD3117	Fits all ZD1000 Series	K124Z02	1750	\$159.00
	Fits all Z-Series			
	ROLLED DISCHARGE CHUTE			
ZD6148	OCDC, Hand operated for ZD1000 series 48" Deck	K209Z82	11	\$269.00
ZD6154	OCDC, Hand operated for ZD1000 series 54" Deck	K209Z82	12	\$269.00
ZD6160	OCDC, Hand operated for ZD1000 series 60" Deck	K209Z82	12	\$269.00
НІТСН КІТ				
ZD3328	Fits all ZD1000 Series	K46Z02	1750	\$59.00
	Fits all Z-Series			
	ACEMENT MOWER BLADES	DOKAOD 40007	O)t Dtt
K5915-97530	48" Kubota PRO Deck Replacement Blade Set (3 blades)fo			Parts Department
K5915-34361	48" Kubota PRO Deck Replacement Blade Set (1 blade)for			Parts Department
K5576-34340	48" Kubota PRO Deck Mulch Blade (1 blade) for RCK48P-			Parts Department
K5935-97530	54" Kubota PRO Deck Replacement Blade Set (3 blades)fo			Parts Department
K5935-34361	54" Kubota PRO Deck Replacement Blade Set (1 blade)for			Parts Department
K5351-99040	54" Kubota PRO Deck Mulch Blade (1 blade)for RCK54P- 60" Kubota PRO Deck Replacement Blade Set (3 blades)for			Parts Department
K5945-97530 K5945-34361	60" Kubota PRO Deck Replacement Blade Set (3 blades)fo			arts Department arts Department
K5645-34340	60" Kubota PRO Deck Replacement Blade Set (1 blade) for RCK60P-			Parts Department
110070-07040	of Rubola I NO Deck Mulcil Blade (1 blade)101 RCK00F-	10002	Older Holli P	and Department
FOLDABLE ROPS (
SFZD-F1021	Fits all ZD1000 Series	K319Z02	246	\$409.00
CANOPY				
E1123	Canopy Sunshade (Deluxe Fiberglass, Orange)	K264Z42	90	\$339.00
E1124	Mounting Bracket	K147Z42	28	\$189.00
L1147	Mounting Didoket	11171444	20	ψ103.00

Z1000 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ROPS ORGANIZER E1184	Storage organizer (ROPS mounted) 5 protective pockets with zippers	K45B60	2	\$57.00
WORK LIGHT KIT ZD3116A	Work Light Kit (ROPS Mounted)	K92Z82	1750	\$119.00
BLOCK HEATER 70000-17552	Engine Block Heater for Cold Weather Starts	Ord	er through Parts De	epartment
SPARK ARRESTOR	MUFFLER KIT			
7000-01605	Spark Arrestor (screen type) Fits ZD1011 Series	Ord	er through Parts De	epartment
7000-01604	Spark Arrestor (screen type) Hits ZD1021 Series	Ord	er through Parts De	epartment

ZG327

* * * EQUIPMENT IN STANDARD MACHINE * * *

GASOLINE ENGINE

Kubota KGZ770-E2-M1 Overhead Valve - air cooled 2 Cylinders +27 Gross HP @ 3600 rpm

TRANSMISSION

Hydrostatic Drive (2) HST w/Gear Reduction Brake - Wet Multi Disks Forward Speeds 0 - 10.6 mph

STEERING / MOTION CONTROL

(2) Hand Levers Hydraulically Damped

Reverse Speeds 0 - 5.3 mph

POWER TAKE OFF

Hydraulic Independent PTO Shaft Drive Mower Deck Wet Disk Clutch

FLUID CAPACITY

Fuel Tank 12.7 gal Crankcase w/ Filter 2.1 qts **Transmission Case** 12.8 qts and Axle Gear

TIRES AND WHEELS

Front 15 x 6.0 - 6. Flat Free Rear 26 x 12.0 - 12 Turf

DIMENSIONS

Height	75.4"
Length	87.8"
Width Overall	
(ZG327PA-60)	75.2"
(ZG327RPA-60R)	63.1"
Wheelbase	55.5"

SAFETY EQUIPMENT

Electric Key Shut Off Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS

OPERATING FEATURES

Zero Turn Radius **Dual Element Air Filter** Deluxe Suspension Seat Hands-free Hydraulic Deck Lift Hands-free Parking Brake Cup Holder

SIDE DISCHARGE MOWER

60" PRO Commercial Deck 7 Gauge, 6.5" Deep Deck 1-5" Cut Height, Adjustable 1/4" Increments Flexible Discharge Cover 3 Blades

REAR DISCHARGE MOWER

60" Fabricated Deck 5.5" Deep Deck 1-5" Cut Height, Adjustable 1/4" Increments

Bolt-on Skid Bars

3 Blades

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACH	INE * * *		
ZG327PA-60	Zero Turn Mower with ROPS 60" PRO Commercial Mower Deck	K9Z359Z20	2000	\$11,699.00
ZG327RPA-60R	Zero Turn Mower with ROPS 60" Rear Discharge Mower Deck	K9Z599Z20	2200	\$11,999.00
Replacement Tires AZR8638B AZR8632A	and Wheels (price per piece) Front 15 x 6.00 - 6 Semi-pneumatic, Flat-free Rear 26 x 12.0 - 12 Turf	K99Z84 K141Z96	20 44	\$128.00 \$182.00

Z300 Series Implements and Attachments

Z300 SERIES IMPLEMENT AND ATTACHMENT MATCHING CHART

GRASS COLLECTION SYSTEMS	ZG327PA-60	ZG332P-60	ZG332LP-72	ZP330-60/72	ZD323-60	ZD326S/P-60	ZD326HL-72	ZD331-72
GRASS CATCHER BAGGER STYLE	GCK60-331ZA	GCK60-331ZA	LCCCLL 72	21 000 00/12	GCK60-331ZA	GCK60-331ZA	LDOZONE 72	2000172
Blower Kit	ZD3163	ZD3163			ZD3163	ZD3163		
Mount Kit	250100	ZG3174			200100	200100		
Weight Kit	ZG3134	ZG3134						
Suitcase Weight	200104	G8103 (2)						
GRASS CATCHER HOPPER STYLE	GCK60H-300Z	GCK60H-332Z	GCK72H-332Z		GCK60H-300Z	GCK60H-300Z		GCK72H-300Z
Blower Kit	ZD3163	ZD3163	ZG3172		ZD3163	ZD3163		001112110002
Mount Kit	250100	220100	200112		ZD3121	ZD3121		
Weight Kit	ZG3126				230.2.	220.2.		
Suitcase Weight	G8103 (4)	G8103 (6)	G8103 (4)					
Boss Kit	00100(1)	33133 (3)	33.55 (.)					ZD3128 ①
MOWER DECKS & MULCH KITS	ZG327PA-60	ZG332P-60	ZG332LP-72	ZP330-60/72	ZD323	ZD326	ZD326HL-72	ZD331-72
60" Replacement Deck	RCK60P-327Z	RCK60P-327Z		RCK60P-327Z	RCK60P-331Z	RCK60P-331Z		
Mulch Kit 60" Deck	ZD3165	ZD3165		ZD3165	ZD3165	ZD3165		
60" Replacement Deck -Rear Disch.	RCK60R-331Z					RCK60R-331Z		
Mulch Kit 60" Rear Disch. Deck	F5266					F5266		
72" Replacement Deck			RCK72P-332Z	RCK72P-332Z			TBA	RCK72P-331Z
Mulch Kit 72" Deck			ZD3175	ZD3175			F5372	ZD3175
ATTACHMENTS	ZG327PA-60	ZG332P-60	ZG332LP-72	ZP330-60/72	ZD323-60	ZD326-60	ZD326HL-72	ZD331-72
Canopy - Plastic	E1133	E1133	E1133	E1133	E1133	E1133	E1133	E1133
			E4400	E1123	E1123	E1123	= 4 4 0 0	= 1 100
Canopy, Deluxe - Fiberglass	E1123	E1123	E1123	LIIZJ	LIIZJ	E1123	E1123	E1123
Canopy, Deluxe - Fiberglass Canopy, Deluxe - Mount Kit®	E1123 E1124	E1123 E1124	E1123 E1124	E1124	E1123	E1123	E1123 E1124	E1123 E1124
Canopy, Deluxe - Mount Kit®	E1124	E1124	E1124	E1124	E1124	E1124	E1124	E1124
Canopy, Deluxe - Mount Kit③ Front Push Blade	E1124 ZD3110	E1124 ZD3110	E1124 ZD3110	E1124 ZD3110 ZG3137 -60"	E1124	E1124	E1124	E1124
Canopy, Deluxe - Mount Kit® Front Push Blade Maintenance Lift Kit ROPS, Foldable (Replacement)	E1124 ZD3110 ZG3137	E1124 ZD3110 ZG3137	E1124 ZD3110 ZG3138	E1124 ZD3110 ZG3137 -60" ZP3147 -72"	E1124 ZD3110	E1124 ZD3110	E1124 ZD3110A	E1124 ZD3110
Canopy, Deluxe - Mount Kit③ Front Push Blade Maintenance Lift Kit	E1124 ZD3110 ZG3137 SFZG-F31	E1124 ZD3110 ZG3137 SFZG-F31	E1124 ZD3110 ZG3138 SFZG-F31	E1124 ZD3110 ZG3137 -60" ZP3147 -72" SFZP-F330	E1124 ZD3110	E1124 ZD3110	E1124 ZD3110A	E1124 ZD3110
Canopy, Deluxe - Mount Kit® Front Push Blade Maintenance Lift Kit ROPS, Foldable (Replacement) ROPS Organizer Rear Weight Bracket	E1124 ZD3110 ZG3137 SFZG-F31	E1124 ZD3110 ZG3137 SFZG-F31	E1124 ZD3110 ZG3138 SFZG-F31	E1124 ZD3110 ZG3137 -60" ZP3147 -72" SFZP-F330	E1124 ZD3110	E1124 ZD3110	E1124 ZD3110A SFZD-F31	E1124 ZD3110 SFZD-F31
Canopy, Deluxe - Mount Kit® Front Push Blade Maintenance Lift Kit ROPS, Foldable (Replacement) ROPS Organizer	E1124 ZD3110 ZG3137 SFZG-F31 E1184	E1124 ZD3110 ZG3137 SFZG-F31 E1184	E1124 ZD3110 ZG3138 SFZG-F31 E1184	E1124 ZD3110 ZG3137 -60" ZP3147 -72" SFZP-F330	E1124 ZD3110 SFZD-F31	E1124 ZD3110 SFZD-F31	E1124 ZD3110A SFZD-F31 ZD3124 ②	E1124 ZD3110 SFZD-F31 ZD3124@
Canopy, Deluxe - Mount Kit® Front Push Blade Maintenance Lift Kit ROPS, Foldable (Replacement) ROPS Organizer Rear Weight Bracket Spark Arresting Muffler Kit	E1124 ZD3110 ZG3137 SFZG-F31 E1184 ZG3123	E1124 ZD3110 ZG3137 SFZG-F31 E1184	E1124 ZD3110 ZG3138 SFZG-F31 E1184	E1124 ZD3110 ZG3137 -60" ZP3147 -72" SFZP-F330	E1124 ZD3110 SFZD-F31	E1124 ZD3110 SFZD-F31	E1124 ZD3110A SFZD-F31 ZD3124 ②	E1124 ZD3110 SFZD-F31 ZD3124@
Canopy, Deluxe - Mount Kit® Front Push Blade Maintenance Lift Kit ROPS, Foldable (Replacement) ROPS Organizer Rear Weight Bracket Spark Arresting Muffler Kit Spark Arrester Kit m	E1124 ZD3110 ZG3137 SFZG-F31 E1184 ZG3123 ZG3133	E1124 ZD3110 ZG3137 SFZG-F31 E1184 ZG3123	E1124 ZD3110 ZG3138 SFZG-F31 E1184 ZG3123	E1124 ZD3110 ZG3137 -60" ZP3147 -72" SFZP-F330 E1184	E1124 ZD3110 SFZD-F31 ZD3125	E1124 ZD3110 SFZD-F31 ZD3125	E1124 ZD3110A SFZD-F31 ZD3124 ②	E1124 ZD3110 SFZD-F31 ZD3124@ ZD3125
Canopy, Deluxe - Mount Kit® Front Push Blade Maintenance Lift Kit ROPS, Foldable (Replacement) ROPS Organizer Rear Weight Bracket Spark Arresting Muffler Kit Spark Arrester Kit m Stripe Kit	E1124 ZD3110 ZG3137 SFZG-F31 E1184 ZG3123 ZG3133 ZD3122	E1124 ZD3110 ZG3137 SFZG-F31 E1184 ZG3123	E1124 ZD3110 ZG3138 SFZG-F31 E1184 ZG3123	E1124 ZD3110 ZG3137 -60" ZP3147 -72" SFZP-F330 E1184	E1124 ZD3110 SFZD-F31 ZD3125 ZD3122	E1124 ZD3110 SFZD-F31 ZD3125 ZD3122	E1124 ZD3110A SFZD-F31 ZD3124 ② ZD3125	E1124 ZD3110 SFZD-F31 ZD3124@ ZD3125 ZD3122
Canopy, Deluxe - Mount Kit® Front Push Blade Maintenance Lift Kit ROPS, Foldable (Replacement) ROPS Organizer Rear Weight Bracket Spark Arresting Muffler Kit Spark Arrester Kit m Stripe Kit Work Light Kit	E1124 ZD3110 ZG3137 SFZG-F31 E1184 ZG3123 ZG3133 ZD3122 ZD3116A	E1124 ZD3110 ZG3137 SFZG-F31 E1184 ZG3123 ZD3122 ZD3116A	E1124 ZD3110 ZG3138 SFZG-F31 E1184 ZG3123 ZD3122 ZD3116A	E1124 ZD3110 ZG3137 -60" ZP3147 -72" SFZP-F330 E1184 ZD3122 ZD3116A	E1124 ZD3110 SFZD-F31 ZD3125 ZD3122 ZD3116A	E1124 ZD3110 SFZD-F31 ZD3125 ZD3122 ZD3116A	E1124 ZD3110A SFZD-F31 ZD3124 ② ZD3125 ZD3116A	E1124 ZD3110 SFZD-F31 ZD3124@ ZD3125 ZD3122 ZD3116A
Canopy, Deluxe - Mount Kit® Front Push Blade Maintenance Lift Kit ROPS, Foldable (Replacement) ROPS Organizer Rear Weight Bracket Spark Arresting Muffler Kit Spark Arrester Kit m Stripe Kit Work Light Kit TIRES (REPLACEMENT)	E1124 ZD3110 ZG3137 SFZG-F31 E1184 ZG3123 ZG3133 ZD3122 ZD3116A	E1124 ZD3110 ZG3137 SFZG-F31 E1184 ZG3123 ZD3122 ZD3116A	E1124 ZD3110 ZG3138 SFZG-F31 E1184 ZG3123 ZD3122 ZD3116A ZG332LP-72	E1124 ZD3110 ZG3137 -60" ZP3147 -72" SFZP-F330 E1184 ZD3122 ZD3116A	E1124 ZD3110 SFZD-F31 ZD3125 ZD3122 ZD3116A	E1124 ZD3110 SFZD-F31 ZD3125 ZD3122 ZD3116A	E1124 ZD3110A SFZD-F31 ZD3124 ② ZD3125 ZD3116A ZD326HL-72	E1124 ZD3110 SFZD-F31 ZD3124@ ZD3125 ZD3122 ZD3116A
Canopy, Deluxe - Mount Kit® Front Push Blade Maintenance Lift Kit ROPS, Foldable (Replacement) ROPS Organizer Rear Weight Bracket Spark Arresting Muffler Kit Spark Arrester Kit m Stripe Kit Work Light Kit TIRES (REPLACEMENT) Full Pneumatic Front Tire	E1124 ZD3110 ZG3137 SFZG-F31 E1184 ZG3123 ZG3133 ZD3122 ZD3116A	E1124 ZD3110 ZG3137 SFZG-F31 E1184 ZG3123 ZD3122 ZD3116A	E1124 ZD3110 ZG3138 SFZG-F31 E1184 ZG3123 ZD3122 ZD3116A	E1124 ZD3110 ZG3137 -60" ZP3147 -72" SFZP-F330 E1184 ZD3122 ZD3116A	E1124 ZD3110 SFZD-F31 ZD3125 ZD3122 ZD3116A ZD323-60	E1124 ZD3110 SFZD-F31 ZD3125 ZD3122 ZD3116A ZD326-60	E1124 ZD3110A SFZD-F31 ZD3124 ② ZD3125 ZD3116A	E1124 ZD3110 SFZD-F31 ZD3124@ ZD3125 ZD3122 ZD3116A

①Boss Kit ZD3128 is required for decks below #30375 (See PSB-2010-009)

②Rear Weight Kit ZD3124 requires G8103 Suitcase Weights

③Canopy Mount Kit (E1124) is required for use with E1123 Deluxe Canopy

Z300 Series Implements and Attachments

Model	ZG327*	ZG327A	ZG332	ZP330	ZD321*	ZD323	ZD326	ZD331		
Tires (Replacement)										
AZR8636 Pneumatic, Front (15x6.0-6.5)					Х	Х	ZD326S-60			
AZR8638 Semi-Pneumatic, Front (15x6.0-6.5)	Х	×	Х	Х			ZD326P-60 ZD326RP- 60R	Х		
AZR8634 Turf, Rear (26x10.5-12)					ZD321N-54					
AZR8532 Turf, Rear (26 x 12.0-12)	х	х	х	х	ZD321-60	х	х	х		

^{*} Subject to availability

Z300 Series Grass Catchers								
GCK60-331ZA		ВІ	ower I	Kit	Mount / Weight Kit			
		ZD3151	ZD3161	ZD3163	ZG3174	ZG3134		
ZG327P-60*			(1)	Χ				
ZG327PA-60	∢		(1)	Χ		Х		
ZG332P-60	12		(1)	Χ	Х	(2)		
ZD321N-54*	-33	Χ						
ZD321-60*	.09		(1)					
ZD323-60	GCK60-331ZA		(1)	Χ				
ZD326S/P-60	G		(1)	Χ				
ZD331P-60			(1)	Χ				
(1) 7D2161 will be replaced by 7D2162								

⁽¹⁾ ZD3161 will be replaced by ZD3163

^{*} Subject to availability

Z300 Series Hopper Style Grass Catchers										
	Z 0	32Z	Z 0	32Z	Blower Kit			Weight & Mount Kits		
	GCK60H-300Z	GCK60H-33;	GCK72H-300Z	GCK72H-33;	ZD3161	ZD3163	ZG3172	ZD3121	ZG3126	G8103
ZG327P(A)-60	Х				(1)	Х			Х	(4)
ZG332P-60		Χ				Х				(6)
ZG332LP-72				Х			Х			(4)
ZD323-60	Х				(1)	Х		Х		
ZD326S/P-60	Х				(1)	Х		Х		
ZD331P-60	Х				(1)	Х		Х		
ZD331LP-72			(2)							

⁽¹⁾ ZD3161 will be replaced by ZD3163 (updated Blower Kit includes Steel Impeller)

GCK72H-300Z contains Blower & Mount Kit, requires no additions Boss Kit ZD3128 is required for decks below #30375 (See PSB-2010-009)

⁽²⁾ Requires the addition of two G8103 Suitcase Weights

⁽²⁾ GCK72H-300Z is available for ZD331LP-72

⁽⁴⁾ Requires addition of four G8103 Suitcase Weights

⁽⁶⁾ Requires addition of six G8103 Suitcase Weights

Z300 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHER	S			
GCK60-331ZA	2-Bag / 1-Tray Grass Catcher, 12.2 bu. Capacity Fits ZG/ZD300(A) Series 54" and 60" Decks May require Blower Kit, Weight Kit, & Mount Kit	K911Z82	270	\$1,169.00
GCK60H-300Z	Hopper Style Grass Catcher, 11.4 bu. Capacity Fits ZD323, ZD326S/P, ZG327P(A), & ZD331P, w/ 60" Decks ***May require Blower Kit and Weight / Mount Kit	K1Z574Z82	270	\$2,019.00
GCK60H-332Z	Hopper Style Grass Catcher, 11.4 bu capacity Fits ZG332P-60, requires Blower Kit and Weights	K2Z011Z62	452	\$2,579.00
GCK72H-300Z	Hopper Style Grass Catcher, 11.4 bu. Capacity Fits ZD331LP-72 Includes Blower Kit and Mount Kit ***May require ZD3128 Boss KIT. See PSB-2010-009	K3Z119Z22	270	\$3,999.00
GCK72H-332Z	Hopper Style Grass Catcher, 11.4 bu. Capacity Fits ZG332LP-72, requires Blower Kit	K2Z027Z22	434	\$2,599.00
Boss KIT. may be	required for use with GCK72H-300Z Grass Catcher (See F	SB-2010-009)		
ZD3128	Boss Kit, 72" mower deck for mounting Blower Unit	K22Z62	5	\$29.00
BLOWER KIT, requ	uired for use with Grass Catcher			
ZD3151	54" Blower Kit for ZD321N-54 (with RCK54 below serial number 30000	K1Z161Z42	80	\$1,489.00
ZG3152	54" Blower Kit for ZD321N-54	K818Z22	75	\$1,049.00
	(with RCK54 above serial number 30001			
ZD3163	60" Blower Kit for ZD323, ZD326, ZG327(A), ZD331, ZG332, and ZP330 (Steel Impeller Fan)	K1Z270Z62	98	\$1,629.00
ZG3172	72" Blower Kit for ZG332LP-72	K1Z364Z22	106	\$1,749.00

Z300 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MOLINT KIT may	be required for use with Grass Catcher			
ZG3174	Mount Kit for ZG332P-60 w/ GCK60-331ZA ***Requires (2) G8103 Suitcase Weights	K85Z02	9	\$109.00
ZD3121	Mount Kit for ZD323, ZD326, or ZD331 w/ GCK60H-300Z	K319Z02	104	\$409.00
WEIGHT KIT, ma ZG3134	y be required for use with Grass Catcher Weight Kit required for use w/ GCK60-331ZA on ZG327PA & ZG332P-60. Addition of (2) G8103 Suitcase Weights also required for ZG332P-60.	K100Z62	39	\$129.00
ZG3126	Weight Kit for ZG327(A) models w/ GCK60H-300Z. Kit includes Weight Bracket ***Requires (4) G8103 Suitcase Weights	K319Z02	54	\$409.00
G8103	Single Suitcase Weight	K31G20	27	\$40.00
MULCH KIT				
ZD3155	54" Mulch Kit for ZD321N-54	K233Z22	38	\$299.00
ZD3165	60" Mulch Kit for ZD321-60, ZD323-60, ZP330P-60 ZD326S-60, ZD326P-60, ZG327P(A)-60, ZD331P-60, ZG332P-60	K256Z62	44	\$329.00
F5266	60" Mulch Kit for ZD326RP-60R, ZG327RP(A)-60R, & ZD331RP-60R	K256F62	36	\$329.00
ZD3175	72" Mulch Kit for ZD331P-72, ZP330LP-72, and ZG332LP-72	K272Z22	53	\$349.00
OPTIONAL / REP	LACEMENT MOWER BLADES			
K5619-97530 K5647-97530 K5645-97530 K5677-97530 K5615-34340 K5645-34340 77700-06350	54" Standard Replacement Blade Set (3 blades) 60" Standard Replacement Blade Set (3 blades) 60" Rear Discharge Replacement Blade Set (3 blades) 72" Standard Replacement Blade Set (3 blades) 54" Replacement Mulch Blade (1 blade) 60" Replacement Mulch Blade (1 blade) 60" Karu Mulching Blade (Multi-tooth) (1 blade) (for use only on deck RCK60P-331Z		Order from F Order from F Order from F Order from F Order from F Order from F	Parts Department
K5647-97590 K5698-34340	60" Rear Discharge Mulch Blade Set (3 blades) 72" Replacement Mulch Blade (1 blade)			Parts Department Parts Department

Z300 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MAINTENANCE LIF	T KIT			
ZG3137	Fits all ZG327(A), ZG332, ZP330P-60 Models *Applications on ZG332LP-72 require ZG3138 Bracket	K108Z42	14	\$139.00
CANOPY				
E1133	Canopy Sunshade, includes mount (Plastic, Orange)	K351B20	63	\$439.00
E1123 E1124	Canopy Sunshade (Deluxe Fiberglass, Orange)	K264Z42 K147Z42	90 28	\$339.00 \$189.00
	Mounting Bracket for E1123	K147242	20	φ109.00
WORK LIGHT KIT ZD3116A	Work Light Kit (ROPS Mounted) Fits all Z-Series	K92Z82	4	\$119.00
STRIPE KIT ZD3122	Fits all Z300 Series with side discharge mounted decks	K319Z02	54	\$409.00
FRONT BLADE ZD3110A	Fits all Z300 Series	K568Z62	177	\$729.00
REAR WEIGHT BR	ACKET			
ZD3124	For ZD331P-72 (requires G8103, maximum 4)	K77Z22	22	\$99.00
G8103	Single Suitcase Weight	K31G20	27	\$40.00
MID MOUNT MOWI RCK54P-321Z	ERS (replacement) 54" Fabricated Deck (Pro Commercial) for ZD321N-54	K1Z652Z82	190	\$2,119.00
RCK60P-327Z	60" Fabricated Deck (Pro Commercial) for ZG327P(A)-60, ZG323P-60, ZP330P-60	K1Z879Z02	190	\$2,409.00
RCK60P-331Z	60" Fabricated Deck (Pro Commercial) for ZD321-60, ZD323-60, ZD326S-60, ZD326P-60, & ZD331P-60	K1Z879Z02	190	\$2,409.00
RCK60R-331Z	60" Rear Discharge Deck for ZD326RP-60R, ZG327RP(A)-60R, & ZD331RP-60R	K2Z666Z82	190	\$3,419.00
RCK72P-331Z	72" Fabricated Deck (Pro Commercial) for ZD331LP-72, ZP330LP-72	K2Z331Z42	190	\$2,989.00
RCK72P-332Z	72" Fabricated Deck (Pro Commercial) for ZG332LP-72	K2Z331Z42	462	\$2,989.00
BLOCK HEATER 70000-73274	Engine Block Heater for Cold Weather Starts		Order through	Parts Department
SPARK ARRESTOR	R MUFFLER KIT			
ZD3125	Screen Type Spark Arrestor. Fits ZD300 Series	TBA	TBA	TBA
ZG3123	Screen Type Spark Arrestor. Fits ZG300 Series. ZG300A Series require additional ZG3133 Adapter Kit	K186Z42	12	\$239.00
ZG3133	Adapter Kit, required for ZG300A Models w/ ZG3123	K15Z60	1	\$20.00
FOLDABLE ROPS	(replacement)			
SFZG-F300	Fits ZG300A Series (Evaporative Regulations)	K319Z02	162	\$409.00
SFZG-F332	Fits ZG332 Series	K319Z02	141	\$409.00
SFZD-F31	Fits ZD300 Series	K311Z22	150	\$399.00
SFZG-F31	Fits ZG300 Series	K311Z22	150	\$399.00
ROPS ORGANIZER			_	
E1184	Storage organizer (ROPS mounted) 5 protective pockets with zippers	K45K60	2	\$57.00



This page intentionally left blank.

ZD1211

* * * EQUIPMENT IN STANDARD MACHINE * * *

DIESEL ENGINE

3 Cylinder, Kubota Model # D1105 24.8 Gross HP @ 3000 rpm 68.5 cu. in. Displacement 12v 430 Amp Hr. Battery 14 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 10.6 mph
Reverse Speeds 0 - 5.3 mph

STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable Hydraulically Damped, Adjustable

POWER TAKE OFF

Hydraulic Independent PTO Shaft Drive Mower Deck Wet Disk Clutch

FLUID CAPACITY

Fuel Tank 13.1 gal
Engine Coolant 3.96 qts
w/ Recovery tank
Crankcase w/ Filter
Transmission Case 12.8 qts
and Axle Gear

TIRES AND WHEELS

Front 15 x 6.0 - 6 Flat-free (S/N-10001-20000) Front 15 x 6.5 - 8 Flat-free (S/N-20001 up) Rear 26 x 12.0 - 16 Turf, Low Profile

DIMENSIONS

Height	78.7"	
Length		
(ZD1211)	89.0"	
(ZD1211L)	93.7"	
Width Overall		Gross Weig
(ZD1211)	73.8"	1687 lbs
(ZD1211R)	63.0"	1667 lbs
(ZD1211L)	85.8"	1764 lbs
(ZD1211RL)	75.2"	1744 lbs
Wheelbase		
(ZD1211)	56.7"	

61.4"

SAFETY EQUIPMENT

Electric Key Shut Off Control Lever Safety Switch Parking Brake Safety Switch

(ZD1211L)

Foldable ROPS Seat Saftv Switch

OPERATING FEATURES

Zero Turn Radius Adj. Front Axle: Rigid/Oscillating Dual Element Air Filter Deluxe Suspension Seat Hands-free Hydraulic Deck Lift Hands-free Parking Brake Cup Holder

SIDE DISCHARGE MOWER

60" and 72" Kubota PRO Deck w/ACS 8 Gauge, 6" Deep Deck 1-5" Cut Height, Adjustable 1/4" Increments Flexible Discharge Cover 3 Blades

REAR DISCHARGE MOWER

ght 60" and 72" Kubota PRO Deck 5.5" Deep Deck 1-5" Cut Height, Adjustable 1/4" Increments 3 Blades Bolt-on Skid Bars

+ Manufacturer Estimate

ORDER ___

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACHI	NE * * *		
ZD1211-60	Zero Turn Mower with ROPS 60" Kubota PRO Deck w/ACS	K12Z959Z20	1676	\$16,199.00
ZD1211L-72	Zero Turn Mower with ROPS 72" Kubota PRO Deck w/ACS	K13Z599Z20	1742	\$16,999.00
ZD1211R-60R	Zero Turn Mower with ROPS 60" Kubota PRO Deck; Rear Discharge Mower Deck	K13Z199Z20	1530	\$16,499.00
ZD1211RL-72R	Zero Turn Mower with ROPS 72" Kubota PRO Deck; Rear Discharge Mower Deck	K13Z839Z20	1530	\$17,299.00
Replacement Tires K3441-18030 K3451-18020 K3441-17300	and Wheels (price per piece) Front Semi-pneumatic Caster Tire/Wheel Assembly (S/N-1 Front Semi-pneumatic Caster Tire/Wheel Assembly (S/N-2 Rear Turf Tire/Wheel Assembly	•	Order from F	Parts Department Parts Department Parts Department

Z1200 Series Implements and Attachments

Z1200 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	ZD1211-60	ZD1211L-72	ZD1211R-60R	ZD1211RL-72R
Bagger Style Grass Catcher	GCK60-ZD1211	GCK72-ZD1211L	-	=
Hopper Style Grass Catcher	GCK60H-ZD1211	GCK72H-ZD1211L	-	-
Replacement Deck	RCK60P-1200Z	RCK72P-1200Z	RCK60RP-1200Z	RCK72RP-1200Z
Blades*				
Replacement blade kit (3 blades)	K5955-97530	K5975-97530	K5645-97530	K5698-97530
Replacement blade (1 blade)	K5955-34360	K5975-34360	K5645-34340	K5698-34340
Replacement mulch kit (3 blade)	K5955-97530	K5975-97530	K5647-97590	K5677-97590
Replacement mulch (1 blade)	K5955-34360	K5677-92340		
Attachments				
Work Light Kit	ZD3116A			
Hitch	ZD3358			
Mulch Kit	ZD3166	ZD3167	F5266	ZD3168
Operator Controlled Discharge Chute (OCDC)	ZD5960	ZD5972	-	=
Replacement ROPS		SFZD-I	F1511	
Canopy Sunshade (Deluxe Fiberglass, Orange)		E11	23	
Mounting Bracket for E1123		E11	24	
Block Heater*		70000-	17552	
Spark Arrester*		70000-	01604	
ROPS Organizer		E11	84	
Tires*				
Front Semi-Pneumatic Caster Tire/Wheel Assembly•	K3441-18030 (S/N 10001-20000)			
Front Semi-Pneumatic Caster Tire/Wheel Assembly•	K3451-18020 (S/N 20001 up)			
Rear Turf Tire/Wheel Assembly		K3441-	17300	

^{*}Order through Parts Department

Z1200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHERS	3			
GCK60-ZD1211	2-Bag / 1-Tray Grass Catcher, 12.2 bu. Capacity May require Blower Kit, Weight Kit, & Mount Kit Requires (2) G8103 Front Weights	K2Z370Z42	270	\$3,039.00
GCK60H-ZD1211	Hopper Style Grass Catcher, 11.4 bu. Capacity Requires (6) G8103 Front Weights	K3Z329Z82	270	\$4,269.00
GCK72-ZD1211L	2-Bag / 1-Tray Grass Catcher, 12.2 bu. Capacity Requires (2) G8103 Front Weights	K2Z370Z42	270	\$3,039.00
GCK72H-ZD1211L	Hopper Style Grass Catcher, 11.4 bu. Capacity	K3Z329Z82	270	\$4,269.00
MOUNT KIT, may b ZG3174	e required for use with Grass Catcher Mount Kit for ZG332P-60 w/ GCK60-331ZA ***Requires (2) G8103 Suitcase Weights	K85Z02	20	\$109.00
ZD3121	Mount Kit for ZD323, ZD326, or ZD331 w/ GCK60H-300Z	K319Z02	103	\$409.00
WEIGHT KIT, may I ZG3134	be required for use with Grass Catcher Weight Kit required for use w/ GCK60-331ZA on ZG327PA & ZG332P-60. Addition of (2) G8103 Suitcase Weights also required for ZG332P-60.	K100Z62	14	\$129.00
ZG3126	Weight Kit for ZG327(A) models w/ GCK60H-300Z. Kit includes Weight Bracket ***Requires (4) G8103 Suitcase Weights	K319Z02	14	\$409.00
G8103	Single Suitcase Weight Requires (2) G8103 Front Weights	K31G20	25	\$40.00
MULCH KIT				
ZD3166 *	60" Mulch Kit for ZD1211-60	K217Z62	29	\$279.00
ZD3167 *	72" Mulch Kit for ZD1211L-72	K233Z22	33	\$299.00
F5266 ZD3168	60" Mulch Kit Rear Discharge for ZD1211R-60R 72" Mulch Kit Rear Discharge for ZD1211RL-72R	K256F62 K280Z02	36 39	\$329.00 \$359.00
OPERATOR CONTI	ROLLED DISCHARGE CHUTE			
ZD5960 ZD5972	OCDC, Hand operated for ZD1200 series 60" Deck OCDC, Hand operated for ZD1200 series 72" Deck	K209Z82 K209Z82	14 14	\$269.00 \$269.00
HITCH KIT ZD3358	Fits all ZD1200 Series	K53Z82	7	\$69.00

Z1200 Series Implements and Attachments

	ACEMENT MOWER BLADES 60" ACS Kubota PRO Deck Replacement Blade Set (3 blades) fo	r DCV60D 120		Order from Parts Department
K0900-97000	ou ACS Rubota FRO Deck Replacement Blade Set (3 blades) to	1 KCK00F-12((Order from Parts Department
K5955-34360 **	* 60" ACS Kubota PRO Deck Replacement Blade (1 blade) for RCK60P-1200Z			Order from Parts Department
K5975-97530 **	72" ACS Kubota PRO Deck Replacement Blade Set (3 blades) for	r RCK72P-12(C	Order from Parts Department
K5975-34360 **	72" ACS Kubota PRO Deck Replacement Blade (1 blade) for RCF	K72P-1200Z	C	Order from Parts Department
K5645-97530	60" Kubota PRO Deck; Rear Discharge Replacement Blade Set (For RCK60RP-1200Z	3 blades)	C	Order from Parts Department
K5645-34340	60" Kubota PRO Deck; Rear Discharge Replacement Blade (1 bl for RCK60RP-1200Z	ade)	C	Order from Parts Department
K5647-92340	60" Kubota PRO Deck; Rear Discharge Mulch Blade (1 blade) for RCK60RP-1200Z		C	Order from Parts Department
K5698-97530	72" Kubota PRO Deck; Rear Discharge Replacement Blade Set (RCK72RP-1200Z	3 blades) for	C	Order from Parts Department
K5698-34340	72" Kubota PRO Deck; Rear Discharge Replacement Blade (1 bla for RCK72RP-1200Z	ade)	C	Order from Parts Department
K5677-92340	72" Kubota PRO Deck; Rear Discharge Mulch Blade (1 blade) for RCK72RP-1200Z		C	Order from Parts Department
FOLDABLE ROPS	Replacement)			
SFZD-F1511	Fits ALL ZD1200/ZD1500 Series models	K350Z22	246	\$449.00
CANOPY				
E1123	Canopy Sunshade (Deluxe Fiberglass, Orange)	K264Z42	90	\$339.00
E1124	Mounting Bracket	K147Z42	28	\$189.00
WORK LIGHT KIT				
ZD3116A	Work Light Kit (ROPS Mounted)	K92Z82	4	\$119.00
ZD3124	For ZD331P-72 (requires G8103, maximum 4)	K77Z22	30	\$99.00
G8103	Single Suitcase Weight	K31G20	25	\$40.00

^{*} Standard blade is used in Mulch kit.

^{**} Order Replacement Blade as replacement for Mulch Kit.

Z1200 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MID MOUNT MOW	ERS (Replacement)			
RCK60P-1200Z	60" Kubota PRO Deck w/ACS Mower Deck for ZD1211	K1Z886Z82	190	\$2,419.00
RCK60RP-1200Z	60" Kubota PRO Deck; Rear Discharge Deck for ZD1211R	K2Z674Z62	190	\$3,429.00
RCK72P-1200Z RCK72RP-1200Z	72" Kubota PRO Deck w/ACS Mower Deck for ZD1211L 72" Kubota PRO Deck; Rear Discharge Deck for ZD1211RL	K2Z339Z22 K2Z815Z02	462 462	\$2,999.00 \$3,609.00
BLOCK HEATER 70000-17552	Engine Block Heater for Cold Weather Starts		Order thro	ugh Parts Department
ZG3133 70000-01604	Adapter Kit, required for ZG300A Models w/ ZG3123 Screen Type Spark Arrestor. Fits Z1200 Series	K15Z60	TBA Order thro	\$20.00 ugh Parts Department
ROPS ORGANIZER E1184	Storage organizer (ROPS mounted) 5 protective pockets with zippers	K45K60	2	\$57.00

ZD1511

* * * EQUIPMENT IN STANDARD MACHINE * * *

DIESEL ENGINE

4 Cylinder, Kubota Model # V1505T w/ DPF 30.8 Gross HP @ 3000 rpm 91.4 cu. in. Displacement 12v 430 Amp Hr. Battery 14 Amps Charging Output

TRANSMISSION

Hydrostatic Drive
(2) HST w/Gear Reduction
Brake - Wet Multi Disks
Forward Speeds 0 - 10.6 mph
Reverse Speeds 0 - 5.3 mph

STEERING / MOTION CONTROL

(2) Hand Levers, Adjustable Hydraulically Damped, Adjustable

POWER TAKE OFF

Hydraulic Independent PTO Shaft Drive Mower Deck Wet Disk Clutch

FLUID CAPACITY

Fuel Tank 13.1 gal
Engine Coolant 3.96 qts
w/ Recovery tank
Crankcase w/ Filter
Transmission Case 12.8 qts
and Axle Gear

TIRES AND WHEELS

Front 15 x 6.5 - 8 Flat-free Rear 26 x 12.0 - 16 Turf, Low Profile

78.7"

DIMENSIONSHeight (rops up):

Height (rops down): 64.6" 104.7" Width Overall (w/o Mower): (ZD1511RL-60R) 59.4" (ZD1511LF-72) 60.6" (ZD1511RLF-72R) 60.6" Wheelbase: 61.4" Weight: (ZD1511RL-60R) 1984 lbs. 2006 lbs. (ZD1511LF-72) 2028 lbs. (ZD1511RLF-72R)

SAFETY EQUIPMENT

Electric Key Shut Off Control Lever Safety Switch Parking Brake Safety Switch Foldable ROPS Seat Safety Switch

OPERATING FEATURES

Zero Turn Radius
Adj. Front Axle: Rigid/Oscillating
Dual Element Air Filter
Deluxe Air Ride Suspension Seat
Hands-free Hydraulic Deck Lift
Hands-free Parking Brake
Cup Holder

SIDE DISCHARGE MOWER

72" Kubota PRO Deck w/ACS 8 Gauge, 6" Deep Deck 1-5" Cut Height, Adjustable 1/4" Increments Flexible Discharge Cover 3 Blades

REAR DISCHARGE MOWER

60" and 72" Kubota PRO Deck 5.5" Deep Deck 1-5" Cut Height, Adjustable 1/4" Increments 3 Blades Bolt-on Skid Bars

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARD MACHINE	* * *		
ZD1511LF-72	Zero Turn Mower with ROPS 72" Kubota PRO Deck w/ACS	K17Z679Z20	1530	\$22,099.00
ZD1511RL-60R	Zero Turn Mower with ROPS 60" Kubota PRO Deck; Rear Discharge Mower Deck	K16Z879Z20	1530	\$21,099.00
ZD1511RLF-72R	Zero Turn Mower with ROPS 72" Kubota PRO Deck; Rear Discharge Mower Deck	K18Z079Z20	1530	\$22,599.00
Replacement Tires K3451-18020 K3441-17300	and Wheels (price per piece)* Front Semi-pneumatic Caster Tire/Wheel Assembly Rear Turf Tire/Wheel Assembly			Parts Department Parts Department

Z1500 Series Implements and Attachments

Z1500 SERIES IMPLEMENTS AND ATTACHMENT MATCHING CHART

Implements	ZD1511LF-72	ZD1511RL-60R	ZD1511RLF-72R
Replacement Deck	RCK72P-1500Z	RCK60RP-1500Z	RCK72RP-1500Z
Blades*			
Replacement blade kit (3 blades)	K5975-97530 K5645-97530 K5698		
Replacement blade (1 blade)	K5955-34361	K5955-34342	K5698-34342
Attachments			
Operator Controlled Discharge Chute (OCDC)	ZD5972	-	-
Mulch Kit	ZD3167	F5266	ZD3168
Work Light Kit		ZD3116A	
Replacement ROPS		SFZD-F1511	
Canopy Sunshade (Deluxe Fiberglass, Orange)		E1123	
Mounting Bracket for E1123		E1124	
Block Heater		70000-73274	
ROPS Organizer	E1184		
Tires*			
Front Semi-Pneumatic Caster Tire/Wheel Assembly•	K3451-18020		
Rear Turf Tire/Wheel Assembly		K3441-17300	

^{*}Order through Parts Department

Z1500 Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
MID MOUNT MOWE	-RS (Ranlacement)			
RCK60RP-1500Z RCK72P-1500Z RCK72RP-1500Z	60" Kubota PRO Deck; Rear Discharge Deck for ZD1511RL 72" Kubota PRO Deck w/ACS Mower Deck for ZD1511LF 72" Kubota PRO Deck; Rear Discharge Deck for ZD1511RLF	K2Z674Z62 K2Z339Z22 K2Z815Z02	190 462 462	\$3,429.00 \$2,999.00 \$3,609.00
MULCH KIT ZD3167 * F5266 ZD3168	72" Mulch Kit for ZD1200 / 1500 60" Mulch Kit Rear Discharge for ZD1200 / 1500 72" Mulch Kit Rear Discharge for ZD1200 / 1500	K233Z22 K256F62 K280Z02	33 36 39	\$299.00 \$329.00 \$359.00
OPERATOR CONTI ZD5972	ROLLED DISCHARGE CHUTE OCDC, Hand operated for ZD1200 / 1500 series 72" Deck	K209Z82	14	\$269.00
OPTIONAL / REPLA	ACEMENT MOWER BLADES			
K5975-97530 **	* 72" Kubota PRO Deck Replacement Blade Set (3 blades) for Ro	CK72P-1500Z	Order f	rom Parts Department
K5975-34361 **	* 72" Kubota PRO Deck Replacement Blade (1 blade) for RCK72	P-1500Z	Order f	rom Parts Department
K5645-97530	60" Kubota PRO Deck; Rear Discharge Replacement Blade Set for RCK60RP-1500Z	t (3 blades)	Order f	rom Parts Department
K5955-34342	60" Kubota PRO Deck; Rear Discharge Replacement Blade Se for RCK60RP-1500Z	Kubota PRO Deck; Rear Discharge Replacement Blade Set (1 blade) CK60RP-1500Z		rom Parts Department
K5647-92342	60" Kubota PRO Deck; Rear Discharge Mulch Blade Set (1 blade) for RCK60RP-1500Z		Order from Parts Department	
K5698-97530	72" Kubota PRO Deck; Rear Discharge Replacement Blade Set RCK72RP-1500Z	t (3 blades) for	Order from Parts Department	
K5698-34342	72" Kubota PRO Deck; Rear Discharge Replacement Blade Set for RCK72RP-1500Z	t (1 blade)	Order from Parts Departmer	
K5677-92342	72" Kubota PRO Deck; Rear Discharge Mulch Blade Set (1 blac for RCK72RP-1500Z	de)	Order f	rom Parts Department
FOLDABLE ROPS (SFZD-F1511	(Replacement) Fits ALL ZD1200/ZD1500 Series models	K350Z22	246	\$449.00
BLOCK HEATER 70000-73274	Engine Block Heater for Cold Weather Starts		Order thro	ugh Parts Department
ROPS ORGANIZER E1184	Storage organizer (ROPS mounted) 5 protective pockets with zippers	K45K60	2	\$57.00
CANOPY E1123 E1124	Canopy Sunshade (Deluxe Fiberglass, Orange) Mounting Bracket	K264Z42 K147Z42	90 28	\$339.00 \$189.00
WORK LIGHT KIT ZD3116A	Work Light Kit (ROPS Mounted)	K92Z82	4	\$119.00
ZD3124 G8103 ** Order Replaceme	For ZD331P-72 (requires G8103, maximum 4) Single Suitcase Weight nt Blade as replacement for Mulch Kit.	K77Z22 K31G20	22 27	\$99.00 \$40.00

F2690E

* * * EQUIPMENT IN STANDARD MACHINE * * *

DIESEL ENGINE

Model #D1105 3 Cyl., 1123 cu. cm. +25.5 Gross Eng. HP @3000 Eng. RPM CARB Certified Alernator -- 40 Amps Hand Throttle

Dual Element Air Cleaner OPERATING FEATURES

Tilt Steering Wheel Power Steering Deluxe Suspension Seat w/ 4 Adj. Controls

HYDRAULICS

Open Center -- Gear Type 2 Point Hitch Lift Cap. at Lift Point -- 573 lbs 8.6 GPM Hyd. Pump Cap. 6 GPM Remote Outlet

HYD. INDEPENDENT PTO

Hyd. Multi-Disc PTO Single Speed PTO 2545 rpm @ 3000 Eng. rpm

FLUID CAPACITY

Fuel Tank 16.1 gal
Cooling System 4.9 qts
Engine Oil 3.7 qts
Transmission and 14.8 qts
Hydraulics

1620 lbs

TIRES AND WHEELS

Front 23 x 10.5 - 12 Multi-Trac C/S Rear 16 x 6.5 - 8 Multi-Trac C/S

TRANSMISSION

Gross Weight

Hydrostatic Drive (F2/R2) Forward Speed -- 0 - 12.0 mph Reverse Speed -- 0 - 6.2 mph Front Differential Lock

INSTRUMENTS

Liquid Chrystal Dispay (LCD)Panel Hour Meter Electric Fuel Gauge Temperature Gauge Easy Checker™ Oil Light Charge Light Glow Plug Light

SAFETY EQUIPMENT

2 Post Foldable ROPS w/ Retractable Sear Belt ROPS meet ISO and OSHA Safety Start Switch Operator Presence Control Parking Brake Overheat Alarm Buzzer

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	* * * STANDARI	D MACHINE * * *		
F2690E	2WD FRONT MOWER w/ ROPS (Price includes seat and ROPS) (Mower Decks and tires must be ordered separate)	K13F549F42	1750	\$16,948.00

F2690E							
							Price with Tire
TIRES AND	WHEEL	S (priced per piece)					Option
ORDER		DESCRIPTION	FACTORY	APPROX	SUG	GESTED LIST	SUGG. LIST
CODE		DESCRIPTION	NUMBER	SHIP WT.		PRICE	FACT. NO.
AF9364	**	Front TIRE 23x10.5-12 R3 TF Steel Bias BB	K91F26	32	\$	117.00	\$17,312.00
AF8603	**	Rear TIRE 16x6.5-8 R3 TF Steel Bias BB	K50F70	14	\$	65.00	K13F833F34

^{**} Standard tires.

F2690

* * * EQUIPMENT IN STANDARD MACHINE * * *

DIESEL ENGINE

Model #D1105 3 Cyl., 1123 cu. cm. +25.5 Gross Eng. HP @3000 Eng. RPM CARB Certified Alernator -- 40 Amps Hand Throttle

OPERATING FEATURES

Dual Element Air Cleaner

Tilt Steering Wheel Power Steering Deluxe Suspension Seat w/ 4 Adj. Controls

HYDRAULICS

Open Center -- Gear Type 2 Point Hitch Lift Cap. at Lift Point -- 573 lbs 8.6 GPM Hyd. Pump Cap.

6 GPM Remote Outlet

HYD. INDEPENDENT PTO

Hyd. Multi-Disc PTO Single Speed PTO 2545 rpm @ 3000 Eng. rpm

FLUID CAPACITY

Fuel Tank 16.1 gal
Cooling System 4.9 qts
Engine Oil 3.7 qts
Transmission and 14.8 qts
Hydraulics
Gross Weight 1631 lbs

TIRES AND WHEELS

Front 24 x 12 - 12 Multi-Trac C/S Rear 18 x 9.5 - 8 Multi-Trac C/S

TRANSMISSION

Hydrostatic Drive (F2/R2)
Forward Speed -- 0 - 12.5 mph
Reverse Speed -- 0 - 6.8 mph
Front Differential Lock

INSTRUMENTS

Liquid Chrystal Dispay (LCD)Panel Hour Meter Electric Fuel Gauge Temperature Gauge Easy Checker™ Oil Light Charge Light Glow Plug Light

SAFETY EQUIPMENT

2 Post Foldable ROPS w/ Retractable Sear Belt ROPS meet ISO and OSHA Safety Start Switch Operator Presence Control Parking Brake Overheat Alarm Buzzer

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE			
* * * STANDARD MACHINE * * *							
F2690	4WD FRONT MOWER w/ ROPS (Price includes seat and ROPS) (Mower Decks and tires must be ordered separ	K15F549F42	1750	\$19,448.00			

F2690								
								Price with Tire
TIRES AND W	VHEEL	S (priced per piece)						Option
ORDER		DESCRIPTION		FACTORY	APPROX	SUGG	ESTED LIST	SUGG. LIST
CODE		DESCRIPTION		NUMBER	SHIP WT.		PRICE	FACT. NO.
AR8641	**	Front TIRE 24x12-12 R3 TF Stee	Bias BB	K148F20	37	\$	190.00	\$20,004.00
AF9398A	**	Rear TIRE 18x9.5-8 R3 TF Steel	Bias AA	K68F64	19	\$	88.00	K15F983F10

^{**} Standard tires.

F3990

* * * EQUIPMENT IN STANDARD MACHINE * * *

DIESEL ENGINE

Model #V1505T-IDI+DPF 4 Cyl., 1498 cu. cm. +39 Gross Eng. HP @3000 Eng. RPM CARB Certified Alernator -- 60 Amps Hand Throttle

OPERATING FEATURES

Dual Element Air Cleaner

Tilt Steering Wheel Power Steering Deluxe Suspension Seat w/ 4 Adj. Controls

HYDRAULICS

Open Center -- Gear Type 2 Point Hitch Lift Cap. at Lift Point -- 573 lbs 8.6 GPM Hyd. Pump Cap. 6 GPM Remote Outlet

HYD. INDEPENDENT PTO

Hyd. Multi-Disc PTO Single Speed PTO 2583 rpm @ 2500 Eng. rpm

FLUID CAPACITY

Fuel Tank 16.1 gal
Cooling System 3.9 qts
Engine Oil 5 qts
Transmission and 14.8 qts
Hydraulics

1830 lbs

TIRES AND WHEELS

Front 24 x 12 - 12 Multi-Trac C/S Rear 18 x 9.5 - 8 Multi-Trac C/S

TRANSMISSION

Gross Weight

Hydrostatic Drive (F2/R2) Forward Speed -- 0 - 12.5 mph Reverse Speed -- 0 - 6.8 mph Front Differential Lock

INSTRUMENTS

Liquid Chrystal Dispay (LCD)Panel Hour Meter Electric Fuel Gauge Temperature Gauge Easy Checker™ Oil Light Charge Light Glow Plug Light

SAFETY EQUIPMENT

2 Post Foldable ROPS w/ Retractable Sear Belt ROPS meet ISO and OSHA Safety Start Switch Operator Presence Control Parking Brake Overheat Alarm Buzzer

+ Manufacturer Estimate

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE			
* * * STANDARD MACHINE * * *							
F3990	4WD FRONT MOWER w/ ROPS (Price includes seat and ROPS) (Mower Decks and tires must be ordered separ	K19F229F42	1750	\$24,048.00			

F3990

					Price with Tire	
TIRES AND WHEELS (priced per piece)						
DESCRIPTION	FACTORT	AFFROX	3000		3000. LIST	
			\$		\$24.604.00	
** Rear TIRE 18x9.5-8 R3 TF Steel Bias AA	K68F64	19	\$	88.00	K19F663F10	
	DESCRIPTION ** Front TIRE 24x12-12 R3 TF Steel Bias BB	DESCRIPTION ** Front TIRE 24x12-12 R3 TF Steel Bias BB K148F20	** Front TIRE 24x12-12 R3 TF Steel Bias BB K148F20 37	** Front TIRE 24x12-12 R3 TF Steel Bias BB K148F20 37 \$	** Front TIRE 24x12-12 R3 TF Steel Bias BB K148F20 37 \$ 190.00	

^{**} Standard tires.

F Series Implement Matching Chart

Model	F2690E F2690 F399						
Implements							
60" Side Discharge Mower		RCK60P-F39					
60" Rear Discharge Mower		RCK60R-F36					
72" Side Discharge Mower		RCK72P-F39					
72" Rear Discharge Mower		RCK72R-F36					
Low Dump Hopper Style Grass Catcher/F90 ①②		GCK72-F39					
Front Debris Blower (Quick Attach Style) ①		F2535D					
Front Blade (Quick Attach Style) ①		B2765A					
Front Rotary Sweeper (Quick Attach Style) ①		L2163					
Front Snowblower (Quick Attach Style) ①		F5220B					
Attachments							
Deluxe Hard Cab, 3 4		F5206					
Canopy / 2 Post ROPS		E1133					
Cruise Control	F8281						
Hazard Light Kit ⊕		F8271					
Mulching Kit 60" Side Discharge		ZG3157					
Mulching Kit 60" Rear Discharge		F5266					
Mulching Kit 72" Side Discharge		F5372					
Mulching Kit 72" Rear Discharge		F5276					
Replacement Seat		F8280R					
Replacement ROPS		SFF-F36					
ROPS Organizer		E1184					
Tachometer, Engine		STANDARD					
Turn Assist Brakes ④							
Worklight Kit (ROPS Mounted) 4							
Tires (Replacement)							
AF9364 - Front 23 x 10.5 - 12 Multi-Trac C/S	AF9364				0.5 - 12 Multi-Trac C/S AF9364		
AF8603 - Rear 16 x 6.50 - 8 Multi-Trac C/S	AF8603						
AF8641 - Front 24 x 12 - 12 Pro-Tech Turf	AF8641 AF864						
AF9398A - Rear 18 x 9.5 - 8 Turf Trac R/S		AF9398	AF9398				

①Additional Kits are required for mounting. (Please see Implement Section.) F8284 Second Auxiliary Hydraulic Valve Kit required for use with wholegoods requiring F8283 single valve in conjunction with grass catcher.

² Not compatible with Hard Cab F5205 or F5206.

³ Not compatible with F8282 Turn Assist Brakes.

[@] Compatible with Grass Catcher GCK72-F39 with Adapter Kit F5208.

F Series Grass Catcher Matching Chart

	Deck Size	Model	Grass Catcher	Boot kit	Mount Kit	Hydraulic Valve	
		F2680					
S	60"	F3080	GCK72-F36	F8286	F5326		
erie		F3680	or			F0202	
F80 Series		F2680	GCK72-F39 (requires F5326		required ONLY with GCK72-F39	F8283	
	72"	F3080	mount kit)	F8287			
		F3680					
		F2690E			F5326		
S	60"	F2690		F8288	F3320		
erie		F3990	GCK72-F39		F5339	E0202	
F90 Series		F2690E	GCK/2-F39		F5326	F8283	
й	72"	F2690		F8289	1 3320		
		F3990			F5339	1	

NOTE:

- 1. Grass Catcher is not compatible with Rear Discharge Decks.
- 2. Grass Catcher is not compatible with Hard Cabs.
- 3. Requires F8284 Seond Auziliary Hydraulic Valve Kit if used in confunction with a front mounted implement
- 4. Grass catchers on lower hp units with larger decks will perform best in mild, flat mowing conditions.

F Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT MOUNT	MOWERS			
RCK60P-F39	60" Cutting Width, HiPro3 Standard Side Discharge Deck. Fits all F90 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	K2F776F02	495	\$3,559.00
RCK72P-F39	72" Cutting Width, HiPro3 Standard Side Discharge Deck. Fits all F90 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	K3F523F26	569	\$4,517.00
RCK60P-F36	60" Cutting Width, HiPro3 Standard Side Discharge Deck. Fits all F80 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	K2F604F42	489	\$3,339.00
RCK60R-F36	60" Cutting Width, Fabricated Rear Discharge Deck. Fits all F80 Series, 3 – Blade Mower / Rear Discharge / Shaft Drive / Quick Mount Mechanism	K2F663F70	494	\$3,415.00
RCK72P-F36	72" Cutting Width, HiPro3 Standard Side Discharge Deck. Fits all F80 Series, 3 – Blade Mower / RH Discharge / Shaft Drive / Quick Mount Mechanism	K3F353F22	571	\$4,299.00
RCK72R-F36	72" Cutting Width, Fabricated Rear Discharge Deck. Fits all F80 Series, 3 – Blade Mower / Rear Discharge / Shaft Drive / Quick Mount Mechanism	K3F411F72	541	\$4,374.00
PERFORMANCE	BAFFLE KITS - Fine Cut			
F5267	Baffle Kit for RCK60P-F36	K61F62	14	\$79.00
F5277	Baffle Kit for RCK72P-F36	K69F42	16	\$89.00
Note: Performance	e Baffle Kits are not available for Rear Discharge Decks			
MULCHING KITS	, include mulching blades			
F5265	Mulching Kit for RCK60P-F36	K209F82	42	\$269.00
F5266	Mulching Kit for RCK60R-F36	K256F62	36	\$329.00
F5275	Mulching Kit for RCK72P-F36	K233F22	44	\$299.00
F5276	Mulching Kit for RCK72R-F36	K287F82	43	\$369.00
F5372 ZG3157	Mulching Kit for RCK72P-F39 Mulching Kit for RCK60P-F39	K272F22 K248Z82	49 41	\$349.00 \$319.00
OPTIONAL / REP	LACEMENT MOWER BLADES			
K5647-97530	* 60" Side Replacement Blade Set (3 blades)		Order from F	Parts Department
K5647-97590	* 60" Side Discharge Mulch Blade Set (3 blades.)		Order from F	Parts Department
K5645-97530	* 60" Rear Replacement Blade Set (3 blades)		Order from F	Parts Department
K5647-97590	* 60" Rear Discharge Mulch Blade Set (3 blades)		Order from F	Parts Department
K5677-97530	* 72" Side Replacement Blade Set (3 blades)		Order from F	Parts Department
K5677-97590	* 72" Side Discharge Mulch Blade Set (3 blades)			Parts Department
K5698-97530	* 72" Rear Replacement Blade Set (3 blades)			Parts Department
K5677-97590	* 72" Rear Discharge Mulch Blade Set (3 blades)		Order from F	Parts Department
* Subject to availa	ability.			

F Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
GRASS CATCHERS				
GCK72-F39	Grass Catcher - Low Dump, Hopper Style F90 Series 12 Bushel Capacity, Hydraulic Dump from Operator's seat Requires Boot Kit, Mount Kit and Hydraulic Vavle	K3F228F42	618	\$4,139.00
Note:	 Grass Catcher is not compatible with Rear Discharge Decks Grass Catcher is not compatible with Hard Cabs. Requires F8284 Second Auxiliary Hydraulic Valve Kit if used Grass catchers on lower hp units with larger decks will perform 	d in conjunction wit	th a front mounted it mowing conditions	mplement. s.
BOOT KIT, required	d for use with GCK72-F36			
F8286	Boot kit for RCK60P-F36 Deck	K217F62	31	\$279.00
F8287	Boot kit for RCK72P-F36 Deck	K217F62	26	\$279.00
F8288 F8289	Boot kit for RCK60P-F39 Deck Boot kit for RCK72P-F39 Deck	K217F62 K217F62	14 14	\$279.00 \$279.00
HYDRAULIC VALVE F8283	E, required for use with GCK72-F36 or RCL100F-F36 Hydraulic Valve, Single	K358F02	12	\$459.00
F8284	Second Auxiliary Hydraulic Valve Kit For use with wholegoods requiring F8283 Single Valve in conjunction with grass catcher	K521F82	16	\$669.00
GRASS CATCHER	MOUNT KIT			
F5326	Required to mount GCK72-F39 to F2690E & F2690	K311F22	34	\$399.00
F5339	and to all F 80 models. Required to mount GCK72-F39 to F3990	K311F22	41	\$399.00
BLOCK HEATER 70000-73274	Engine Block Heater for Cold Weather Starts	Ord	er through Parts De	epartment
CANOPY				
E1133	Orange, ABS Plastic Canopy Sunshade. Fits all F90 Series	K340B86	63	\$437.00
CRUISE CONTROL	KIT Fits all F90 Series	K225F42	7	\$289.00
1 0201	The diff of defice	112201 12	•	Ψ200.00
HAZARD LIGHT KIT F8271	Two Light Assembly ROPS Mounted Includes all mounting hardware Not compatible with Hard Cab F5205 or F5206	K163F02	7	\$209.00
TURN ASSIST BRA	KES			
F8282	Turn Assist Brakes (not compatible with F5205 & F5206 Hard Cab)	K186F42	9	\$239.00
WORKLIGHT KIT F8255	ROPS Mounted Worklight Kit	K85F02	2	\$109.00
ROPS ORGANIZER E1184	Storage Organizer (ROPS mounted) 5 protective pockets with zippers	K45K60	2	\$57.00

F Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
DELUXE HARD	CAB			
F5206	Deluxe Hard Cab Standard Features Glass Windows, Removable Doors, Steel Frame and Roof, Front LED Work Lights, HD Pantograph Windshield Wipe Overhead Dome Light, Switch Panel, Blower/Defroster Fan Assembly. Shipped assembled. Fits F90 Series	K4F523F22 er,	487	\$5,799.00
Deluxe Hard Ca	ab Options			
F5254	Cab Sealing Kit for F5206 Cab	K202F02	16	\$259.00
F5208	Adapter Kit - Grass Catcher Control Mount	K85F02	3	\$109.00
F5311	Cab Heater w/Quick Connect Hose Fittings	K389F22	16	\$499.00
F5312	Rear LED Work Light Kit - Includes 2 Lights	K155F22	3	\$199.00
F5313	Roof Mounted LED Strobe Light Kit	K147F42	3	\$189.00
F5314	Interior Rearview Mirror	K69F42	1	\$89.00
DEBRIS BLOW	/ER			
F2535D	Produces up to 250 mph air velocity. Hydraulic 230 degree chute rotation is standard. Requires: F5212A Male Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, F2523B ½ PTO Shaft, (1) BX8064 Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits.	K2F456F22	350	\$3,149.00
FRONT BLADE	<u>:</u>			
B2765A	60" Heavy Duty Dozer Blade with Quick Attach Design. Hydraulic Lift, Hydraulic Angle, Skid Shoes, and Spring Trip are Standard Equipment. Requires: F5212A Male Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, (1) BX8064 Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits. Optional B2766 60" rubber cutting edge.	K1B284B80	411	\$1,606.00
B2766	60" Rubber cutting edge, option for B2765A	K172B00	49	\$215.00
ROTARY SWEI	EPER			
L2163	60" Rotary Sweeper, Hydraulic Angle Standard Requires: F5212A Male Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, (1) BX8064A Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits, (1) F2524 1/2 PTO Shaft Kit. Std Brush: 100% polypropylene; Option: 50% steel/50% poly	K3F016F26 vpropylene	300	\$3,867.00
BL2178	Gauge Wheel Kit, option for L2163	K364B80	45	\$456.00
L2168	Rubber Dust Deflector Kit, option for L2163	K127L20	31	\$159.00

F Series Implements and Attachments

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
SNOWBLOWER				
F5220B	Heavy Duty 51" Two Stage Snowblower with 4 Blade 17.75" Impeller. Features Hydraulic Chute Rotator standard with Manual Chute Deflector. Requires: F5212A Male Quick Hitch, F5216 Remote Hyd. Kit, F8283 Hydraulic Valve, (1) BX8064 Weight Bracket, (4) BL8060-1 Suitcase Weights, (4) BL8062 Bolt Kits.	K2F986F62	495	\$3,829.00
B2516A	Electric Chute Deflector, option for F5220B	K496B00	9	\$620.00
B2786	Side Extensions (5" overall), option for F5220B	K94B40	27	\$118.00
SUBFRAMES (MOU F5212A	INTING KITS) Male Quick Hitch	K248F82	114	\$319.00
HYDRAULIC KITS	VALVE			
F5216	Remote Hydraulic Kit, Hose Kit Requires F8283 Hydraulic Valve, Single	K139F62	4	\$179.00
F8283	Hydraulic Valve, Single	K358F02	12	\$459.00
F8284	Second Auxiliary Hydraulic Valve Kit For use with wholegoods requiring F8283 Single Valve in conjunction with grass catcher	K521F82	16	\$669.00
WEIGHT BRACKET	S (Rear)			
BX8064A	Rear Weight Bracket	K82B40	23	\$103.00
SUITCASE WEIGHT BL8060-1 BL8062 M8071 M8073	One (1) 55 lbs. Weight, requires one (1) BL8062 Bolt Kit Suitcase Weight Bolt Kit (Qty: 1) One (1) Suitcase Weight (100" Flex Deck) Bolt/Bar Kit for M8071 Weights (Qty: 1) (100" Flex Deck)	K56B80 K7B20 K80M00 K47M20	55 1 94 10	\$71.00 \$9.00 \$100.00 \$59.00
PTO KITS F2524	1/2 PTO Shaft Kit for L2163	K178F62	6	\$229.00
F2523B	1/2 PTO Shaft Kit for F2535D	K155F22	6	\$199.00

Replacement Engines

Effective June 2, 2014 all replacement engines must be ordered through the Parts Department. See Parts Bulletin DPB-2014-011 R01.