

# **AGRICULTURAL EQUIPMENT**

U.S. Price List Effective January 1, 2022

MAXXUM™ SERIES TRACTORS
PL-100 MA Revision 029
SAP Price List 042 C3

THIS IS A COMPLETE REVISION

This price list is intended for dealers with the AG and AL contract only.

Products included in this price list are eligible for the Performance Plus Program.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Dealers should retain prior price list pages for any discontinued equipment or attachments remaining in inventory.

Prices in this revision are subject to change. Check eQuipment for the most current pricing.

Copyright 2021 By CNH Industrial America LLC

Case 2021 Price List

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

### **ADVANCE FREIGHT**

Advance freight will be added to the machinery invoice as a separate net charge for machinery shipped from field locations or from other than specified Ex Works locations.

#### **PRICES**

Prices are Ex Works factory, where the goods are manufactured, except where noted. For detailed information concerning prices, please refer to your OPERATING GUIDE. Prices and specifications are subject to change without notice.

#### **CONTENTS OF ORGANIZATION**

CNH Industrial N.V. issues price lists and revisions covering each Case IH contract. The U.S. Price List is published in U.S. funds and the Canadian Price List is published in Canadian funds. Ensure that you are using the correct price list. U.S. or Canada is referenced at the top of each page and the Canadian price lists have a Maple Leaf on the price list cover page.

Freight, duty and sales taxes are NOT included in any wholegoods or attachment prices shown in the price list. Any appropriate freight, duty, Federal, State, and Provincial taxes will be added to the machinery invoice as separate net charges.

#### **PROCEDURE**

The price pages for each machine (or group of machines) lists both "Factory Supplied Options" and "Factory Supplied Accessories."

Each price list is comprised of the various machines sold under that contract. Each price book section has "Factory Supplied Options" and "Factory Supplied Accessories" price pages. When ordering and pricing a machine, follow the ordering instructions listed for that machine. Accessories listed following the "Factory Supplied Accessories" heading are available for installation in the field.

#### **DISTRIBUTION OF PRICE LISTS**

Price lists and periodic price list revisions will be posted on the Dealer Portal and distributed electronically when possible.

Printed copies of current price lists, index tabs and binders can be purchased from the Document Management Center (DMC). Orders should be placed only through the DMC web site link located on the Dealer Portal. For DMC customer service inquiries, other than placing orders, call (262) 636-7540.

Internal E-mail: #NA DMC ORDER CENTER Complete U.S. Price List is PL-100 Complete Canadian Price List is PLC-100

Periodic price list revisions are usually accompanied by a cover sheet which carries instructions on price page changes and where to insert replacement or new price pages. The revisions are dated and are effective as of that date. However, PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE.

Case 2021 Price List

MAXXUM™ SERIES TRACTORS



# MAXXUM™ SERIES TRACTORS TABLE OF CONTENTS

| MAXXUM™ 115-150 TRACTOR - ACTIVEDRIVE 4                          |        |
|--|--------|
| Standard Features Price List                                     | 1<br>4 |
| MAXXUM™ 115-150 TRACTOR - ACTIVEDRIVE 8 STG V  Standard Features | 2-     |
| Price List   | 30     |
| MAXXUM™ SERIES 115-150 TRACTOR- CVXDRIVE STG V                   |        |

#### 

| TIRE CHARTS                       |    |
|-----------------------------------|----|
| MAXXUM Tire Charts                | 81 |
| CASE IH PURCHASED PROTECTION PLAN | 85 |

Case 2021 Price List



# (Ex Works Port Of Entry) Standard Equipment

#### ENGINE:

115 - 145: 4 Cylinder Turbocharged and Intercooled Engine with electronic management with Power Boost

115: 95 PTO hp @ 2200 RPM/ 273 cu. in. (4.5 L) Displacement

125: 105 PTO hp @ 2200 RPM/ 273 cu. in. (4.5 L) Displacement

135: 110 PTO hp @ 2200 RPM/ 273 cu. in. (4.5 L) Displacement

145: 120 PTO hp @ 2200 RPM/ 273 cu. in. (4.5 L) Displacement

150: 6 Cylinder Turbocharged and Intercooled Engine with electronic management with Power Boost

150: 125 PTO hp @ 2200 RPM/ 411 cu. in. (6.75 L) Displacement Tier 4B Final/Stage V Compliant

4 valves per cylinder
Bosch fuel injection pump (electronic)
Air Cleaner w/ Precleaner & Exhaust

Aspiration Dual element air filter

Hand and foot throttle Grid Heater Starting Aid 55.4-gallon (210 L) Fuel

Tank w/guard

8.3 Gallon (31.4 L) Diesel Exhaust

Fluid (DEF) Tank
Viscous fan (9 Blades)
Engine auto shut down feature
Fuel Cooler

EXHAUST:

A-Post exhaust with integral muffler

OPERATOR PROTECTIVE STRUCTURE:

CAB:

ROPS protected, ISO-mounted flat deck platform, narrow profile roof design with heater and air conditioner (with 4-speed pressurizer), tinted windshield with sunshade, fixed OPERATOR PROTECTIVE STRUCTURE:

(continued)

hi-visibility roof window with retractable sun screen, front intermittent wipers and washers, two doors with locks, two external mirrors, hinged rear window (fully opens), radio ready (speakers, wiring, antenna), rear window access panel for control/monitor box or wiring harness entrance, interior dome light, self-cancelling turn signal, and two external courtesy lights
Steering wheel: tilt and telescoping
Seat: Basic air suspension seat with operator's presence sensor, seat belt, and swivel

### INSTRUMENTATION:

Analog/Digital instrumentation cluster with LCD display
Warning lights for air cleaner service, alternator, oil pressure, fuel sediment/water sensor, headlight high beam and parking brake
Gauges for fuel level, engine temperature, tachometer (mechanical) and hour meter

### TRANSMISSION:

16F x 16R Semi-Powershift
- ACTIVEDRIVE 4 Transmission
Steering column mounted Left Hand
Power clutchless shuttle (F/R)
Fully synchronized
4 powershifts in 4 ranges
Clutchless range change
Multiplate wet clutch design

MFD -- 25 mph (40 kph) Speed varies with tire selection

CLUTCH:

Multi-plate wet clutch design



# (Ex Works Port Of Entry) Standard Equipment

#### STEERING/BRAKES:

Hydrostatic Power Steering Hydraulically actuated wet disc brakes (self-equalizing and self-adjusting) Independent Parking brake

#### HYDRAULICS:

Fixed displacement gear pump system:
Maximum flow at rated engine speed
22.7 gpm (86 1/m) flow
(implement pump)
12.4 gpm (47 1/m) flow
(steering and operating circuits)
35.1 gpm (133 1/m) total tractor
hydraulic flow
Two closed-center remote valves
with flow control, quick couplers,
and anti-leak down
Dual individual lever control
Rear remote oil collection system
Hydraulic tapping port (power beyond)

### AXLES:

MFD Front Axle:
Class III MFD Axle
Limited slip front differential
without steering sensors
Dual steering cylinders
Adjustable tread width from
61.4 in. to 88.8 in. (May vary
up to 1 in. depending on tires)
55 degree Turning Angle
12 degree Axle Oscillation
Drive Shaft Shield
Standard front tires:
14.9R28 (R1W)

# Rear Axle: Flange type

18.4R38 (R1W)

Dog Clutch rear differential: MFD - Electro-hydraulic engaged (front and rear) Standard rear tires: нттсн.

Electronic draft control
(lower link sensing)
3-point hitch category II with flex link
ends and telescoping stabilizers
Fast Raise/Lower Control (in cab)
6200 lb/2812 kg lift capacity (OECD)
with dual 80mm external assist ram
Rear fender mounted remote
hitch switches
Ride control
Swinging drawbar

#### PTO:

Independent 540/1000 RPM with single reversible shaft Multi-plate wet clutch design Electro-hydraulic engagement with soft start/auto feathering Flip-up PTO shaft guard Fender mounted PTO control switch

#### ELECTRICAL:

(1) 12-volt 1000 cca Battery
Geared starter motor (4.2kW)
7-pin outlet for trailer/implement
lighting
3-pin implement socket (40 amp)
15 amp screw type positive/negative
terminals
Single Pin (8 amp) Accessory Power
outlet
150 amp Alternator
Two roof mounted single pin outlets
for beacon

### LIGHTING:

Two hood mounted forward facing
Eight LED worklights
Two cab roof mounted forward facing
Two grab rail mounted forward facing
Two cab roof mounted rear facing
Two "C"-post mounted rear facing
Two tailights



Grounds Equipment - Bid #ESCNJ 18/19-25 -T1OE 01

# MAXXUM ACTIVEDRIVE 4 SERIES TRACTOR US PRICE LIST

# (Ex Works Port Of Entry) Standard Equipment

LIGHTING: (continued)
Time delayed turn indicators with
audible warning
Side mounted LED safety marker lights

Pivoting engine hood
SMV emblem
Toolbox
Horn
NEBRASKA TEST REPORT STATUS:
Nebraska Temporary Sales Permit
to be applied for

MISCELLANEOUS:

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23

# (Ex Works Port Of Entry) Models

| COMMERCIAL MODEL        | Weight    | Factory Data | List Price   |
|-------------------------|-----------|--------------|--------------|
| MAXXUM 115 ACTIVEDRIVE4 | 12,037 LB | 9100920P05   | \$131,065.00 |
| MAXXUM 125 ACTIVEDRIVE4 | 12,037 LB | 9107487P38   | \$139,594.00 |
| MAXXUM 135 ACTIVEDRIVE4 | 12,037 LB | 9110341P77   | \$143,301.00 |
| MAXXUM 145 ACTIVEDRIVE4 | 12,037 LB | 9115957P38   | \$150,594.00 |
| MAXXUM 150 ACTIVEDRIVE4 | 12,698 LB | 9121200P31   | \$157,403.00 |

# **Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|            |             |        |              |            |

### **PACKAGES**

| SD_T9980 PA | CKAGING  |   |            |              |
|-------------|--|---|------------|--------------|
| XT9980X     | Less Packaging   |   | 1          | No Charge    |
|             | No Package selected; Custom premium pricing included in base     |   |            |              |
| X0481XX     | AD4 Standard Package   | ( | 906001P38) | (\$7,794.00) |
|             | Includes: ENG STG V W/Boost, STD ENG Cooling Fan, Std Fuel       |   |            |              |
|             | Tank+Guard, Engine Speed Management, HD Bar Steel Multi-         |   |            |              |
|             | Diff OR HD Flange Multi-Diff Rear Axle, Std. Heavy Duty Brake    |   |            |              |
|             | Discs, Class 3 L/Brakes OR Class 4 Hydraulic Lock, Less          |   |            |              |
|             | Advanced Processor, Standard Steering, Less Trailer Brakes,      |   |            |              |
|             | L/Pneumatic Trailer Brake, Less Radar, Enhanced Inst w/ ISO      | 1 |            | 1            |
|             | Socket, Deluxe Radio with Bluetooth, Less Autoguidance, Less     |   |            | 1            |
| 1 1 1       | ISO BUS, Less MMV, Less Front Linkage, CCLS Pump, Low-           |   |            |              |
| 1 1 1       | Pressure Return, Less Tubes For FHPL, Standard Fenders, Less     |   |            |              |
|             | Auto PTO, Front Fender 420MM Dynamic OR Less Front Fender,       |   |            |              |
|             | CAT II/III Flex Links, Mechanical Stabilizer, Instructional Seat |   |            |              |
|             | With Belt, Less Rear Cab Storage Box, 8 LED Lights, Self-Cancel+ |   |            |              |
|             | Audible Turn, Rear Window Wiper, Sunshade, Std Steering          | 1 |            |              |
|             | Wheel, Standard Toolbox  |   |            |              |
|             |  |   |            |              |
|             | Selectable Options: Charging Systems, Weather Pack, Front        | 1 |            |              |
|             | Ballast, Speed, Tire Category, Front Wheels and Tires, Rear      |   |            |              |
|             | Wheels and Tires, Wheel Weights, Battery, Joystick, Loader       |   |            |              |
|             | Brackets, Rear Remotes, Aux Rams, Hood Lights, Front             |   |            |              |
|             | Work Lamps, Rotary Beacon, Operator Structure, RR Mirror         |   |            |              |



(Ex Works Port Of Entry)

|         | - 15  |             |              |
|---------|---|-------------|--------------|
| X0482XX | AD4 Economy Package Includes: ENG STG V W/Boost, STD ENG Cooling Fan, 150 AMP Alternator, Std Fuel Tank+Guard, Engine Speed Management, 40KPH_16X16_L/Autoshift OR 40KPH_16X16_W/Autoshift, HD Flange Multi-Diff Rear Axle, Std. Heavy Duty Brake Discs, Class 3 L/Brakes, Less Advanced Processor, Standard Steering, Less Trailer Brakes, L/Pneumatic Trailer Brake, STD DTY MECH ISOLAT, Less Radar, Enhanced Inst w/ ISO Socket, Deluxe Radio with Bluetooth, Less Autoguidance, Less ISO BUS, Less Joystick, Less MMV, Less Front Linkage, Less Loader Ready OR Loader Ready + 2MECH MMV +JOY, 80L/MIN Fixed Displacement PMP, Low-Pressure Return, Less Tubes For FHPL, Standard Fenders, Less Auto PTO, Front Fender 420MM Dynamic OR Less Front Fender, CAT II/III Flex Links, Mechanical Stabilizer, Instructional Seat With Belt, Less Rear Cab Storage | (906001P38) | (\$7,794.00) |
|         | Box, Basic Hood Lights, 8 LED Lights, Self-Cancel+Audible Turn,   |             |              |
|         | CAB W/Fixed Front Screen, Rear Window Wiper, Sunshade   |             |              |
|         | OR Rear Window Sunshade, 2 Std Mirrors, Std Steering  |             | T .          |
|         | Wheel, Standard Toolbox   |             |              |
|         | Selectable Options: Weather Pack, Front Ballast, Tire Category.   |             |              |
|         | Front Wheels and Tires, Rear Wheels and Tires, Wheel Weights,   |             |              |
|         | CCLS Pump, Rear Remotes, Aux Rams, Front Work   |             |              |
|         | Lamps, Rotary Beacon  |             |              |
| X0483XX | AD4 2wd Package   | (906001P38) | (\$7,794.00) |
|         | Includes: ENG STG V W/Boost, STD ENG Cooling Fan, Std Fuel  |             |              |
|         | Tank+Guard, Less Engine Speed Management, 30KPH 16X16   |             |              |
|         | L/Autoshift, HD Bar Steel Multi-Diff OR HD Flange Multi-Diff  |             |              |
|         | Rear Axle, Std. Heavy Duty Brake Discs, 2WD Heavy Duty Axle,  |             |              |
|         | Front Tire 11.00-16 10PR F2, Less Advanced Processor, Standard  |             |              |
|         | Steering, Less Trailer Brakes, L/Pneumatic Trailer Brake, Less  |             |              |
|         | Radar, Enhanced Inst w/ ISO Socket, Deluxe Radio with Bluetooth, Less Autoguidance, Less ISO BUS, Less Joystick, Less   |             |              |
|         | MMV, Less Front Linkage, Low-Pressure Return, Less Tubes For  |             |              |
|         | FHPL, Standard Fenders, Less Auto PTO, Less Front Fender,   |             |              |
|         | CAT II/III Flex Links, Mechanical Stabilizer, Instructional Seat  |             |              |
|         | With Belt, Less Rear Cab Storage Box, 8 LED Lights, Self-Cancel+  |             |              |
|         | Audible Turn, Std Steering Wheel, Standard Toolbox  |             |              |
|         | Selectable Options: Charging Systems, Weather Pack, Front   |             |              |
|         | Ballast, Tire Category, Rear Wheels and Tires, Wheel Weights,   |             |              |
|         | Battery, Loader Brackets, Hydraulic Pump, Rear Remotes,   |             |              |
|         | Aux Rams, Hood Lights, Front Work Lamps, Rotary Beacon,   |             |              |
|         | Operator Structure, Rear Wiper and Washer, Rear Window<br>Sunshade, RR Mirror   |             |              |
|         | Junionaue, AR Willion   |             |              |

|         | (Ex Works Port Of Entry)   |             |              |
|---------|--|-------------|--------------|
| X0484XX | AD4 HD Loader Package  | (906001P38) | (\$7,794.00) |
|         | Includes: ENG STG V W/Boost, STD ENG Cooling Fan, Std Fuel       |             |              |
|         | Tank+Guard, Engine Speed Management OR Engine Speed              |             |              |
| 1       | Management, 40KPH_16X16_L/AUTOSHIFT or 40KPH_16X16               |             |              |
|         | W/AUTOSHIFT, HD Bar Steel Multi-Diff OR HD Flange Multi-         |             |              |
|         | Diff Rear Axle, Std. Heavy Duty Brake Discs, CLASS 4 HD STD      |             |              |
|         | AXLE, Less Advanced Processor, Standard Steering, Less           |             |              |
|         | Trailer Brakes, L/Pneumatic Trailer Brakes, Less Radar,          |             |              |
|         | Enhanced Inst w/ ISO Socket, Deluxe Radio with Bluetooth,        |             |              |
|         | Less Autoguidance, Less ISO BUS, Basic MECH Joystick             |             |              |
|         | W/3RD FUNC, 3 Mechanical MMV,ader Ready + 3MECH                  |             |              |
|         | MMV+JOY, Less Front Linkage, CCLS Pump, Low-                     |             |              |
|         | Pressure Return, Less Tubes For FHPL, Standard Fenders, Less     | 1           |              |
|         | Auto PTO, Front Fender 420MM Dynamic OR Less Front Fender,       |             |              |
|         | CAT II/III Flex Links, Mechanical Stabilizer, Instructional Seat |             |              |
|         | With Belt, Less Rear Cab Storage Box, 8 LED Lights, High         |             |              |
|         | Headlight Righthand Dip, Self-Cancel+Audible Turn,               |             |              |
|         | Suspended Cab, Rear Window Wiper, Rear Window Sunshade,          |             |              |
|         | 2 Telescopic Mirrors OR 2 TELE/HEAT/REM ADJ Mirror,              |             |              |
|         | Std Steering Wheel, Standard Toolbox                             |             |              |
|         |  |             |              |

| ODED | ATOD | STRUCTI | IDE |
|------|------|---------|-----|
|      |      |         |     |

| OPERATOR | STRU | CTL | IRE |
|----------|------|-----|-----|
|----------|------|-----|-----|

| CD TOOO  | ODEDATOR | STRUCTURE #1 |
|----------|----------|--------------|
| 3D 19200 | UPERATUR | OTRUCTURE #1 |

|   | 39 | 1610 | Cab w/Fixed Front Screen   |            | No Charge  |
|---|----|------|--|------------|------------|
| 1 |    |      | Standard Cab - Does not include Cab Suspension                   |            |            |
|   | 75 | 8479 | Suspended_Cab  | 9001479P17 | \$1,921.00 |
|   |    |      | Two shocks mounted in rear of cab increase operator comfort      |            |            |
|   |    |      | Reduces shock loads transmitted to the tractor by up to 25%      |            |            |
|   |    |      | When coupled with a suspended axle, the ultimate in ride comfort |            |            |
|   |    |      | is achieved.   |            |            |
|   |    |      | Includes tinted rear window                                      |            |            |

Selectable Options: Charging Systems, Weather Pack, Front Ballast, Tire Category, Front Wheels and Tires, Rear

Wheels and Tires, Wheel Weights, Battery, CCLS Pump, Rear

Remotes, Aux Rams, Hood Lights, Rotary Beacon

CAB

| SD | T7620 | SPEAKERS |
|----|-------|----------|

| Г | 390653 | Radio Predisposition.  |  | No Charge |
|---|--------|--|--|-----------|
|   |        | Includes speakers and wiring. Ready for aftermarket radio in DIN |  |           |
|   |        | slot.  |  |           |



|   | US PRICE LIST   |                          |  |
|---|---|--------------------------|--|
|   | (Ex Works Port Of Entry)  |                          |  |
| 743714  | Deluxe Radio with Bluetooth Bluetooth Radio including: AM, FM, Micro SD, USB, AUX, and Bluetooth with noise cancelling microphone. Includes speakers and wiring.  | 9000428P89               | \$557.00                                       |
| SD T9000 S  | TORAGE BOX/SEAT   |                          |  |
| 390905  | Less LH Front Box   |                          | No Charge                                      |
| 758568  | Lefthand Front Box  | 9000111P65               | \$145.00                                       |
| 750500  | Storage area near the LH door, instead of an instructor seat  |                          |  |
| 758569  | Instructional Seat with Belt  | 9000497P42               | \$646.00                                       |
|   | Includes seatbelt   |                          |  |
|   | Cloth will match operator seat  |                          |  |
| SD_T9010 R  | EAR CAB STORAGE BO  |                          |  |
| 390906  | Less Rear Cab Storage Box   |                          | No Charge                                      |
| 758570  | Lefthand Rear Cab Storage Box   | 9000187P11               | \$243.00                                       |
|   | Large LH storage box  |                          |  |
|   | Located in the back left hand corner, behind instructor seat area   |                          |  |
|   | Compatible with or without instructor seat/front toolbox options  |                          |  |
| SD T9230 C  | LIMATE CONTROL  |                          |  |
| 392701  | AIR CONDITIONING 392701   |                          | No Charge                                      |
|   | Standard A/C  |                          | ona.g  |
| 758482  | Air Conditioning W/ATC  | 9000610P61               | \$793.00                                       |
| CD Toogo D  | TAR MIRER & MARKET  |                          |  |
| SU 19200 K  |   |                          |  |
|   | EAR WIPER & WASHER  |                          |  |
| 390675  | Less Rear Wiper   | 000007.4700              |  |
|   | Less Rear Wiper Rear Window Wiper   | 9000374P99               |  |
| 390675  | Less Rear Wiper  Rear Window Wiper  Includes a rear windshield wiper: Allows for easier rear window   | 9000374P99               |  |
| 390675  | Less Rear Wiper  Rear Window Wiper  Includes a rear windshield wiper: Allows for easier rear window cleaning, especially in dusty conditions with sharp sun angles into   | 9000374P99               | No Charge<br>\$487.00                          |
| 390675  | Less Rear Wiper  Rear Window Wiper  Includes a rear windshield wiper: Allows for easier rear window   | 9000374P99               |  |
| 390675<br>758348  | Less Rear Wiper  Rear Window Wiper  Includes a rear windshield wiper: Allows for easier rear window cleaning, especially in dusty conditions with sharp sun angles into   | 9000374P99               |  |
| 390675<br>758348<br>SD_T9291 RE   | Less Rear Wiper  Rear Window Wiper  Includes a rear windshield wiper: Allows for easier rear window cleaning, especially in dusty conditions with sharp sun angles into the cab   | 9000374P99               | \$487.00                                       |
| 390675<br>758348<br>SD_T9291 RE   | Less Rear Wiper Rear Window Wiper Includes a rear windshield wiper: Allows for easier rear window cleaning, especially in dusty conditions with sharp sun angles into the cab  EAR WINDOW SUNSHADE No Rear Window Sunshade Sunshade, Rear Window  | 9000374P99<br>9000171P71 | \$487.00<br>No Charg                           |
| 390675<br>758348<br>SD_T9291 RE<br>X92911X                                    | Less Rear Wiper Rear Window Wiper Includes a rear windshield wiper: Allows for easier rear window cleaning, especially in dusty conditions with sharp sun angles into the cab  AR WINDOW SUNSHADE No Rear Window Sunshade   |                          |  |
| 390675<br>758348<br>SD_T9291 RE<br>X92911X<br>758580                          | Less Rear Wiper Rear Window Wiper Includes a rear windshield wiper: Allows for easier rear window cleaning, especially in dusty conditions with sharp sun angles into the cab  EAR WINDOW SUNSHADE No Rear Window Sunshade Sunshade, Rear Window Pull down perforated material sunscreen.   |                          | \$487.00<br>No Charg                           |
| 390675<br>758348<br>SD_T9291 RI<br>X92911X<br>758580<br>SD_T9553 LU           | Less Rear Wiper Rear Window Wiper Includes a rear windshield wiper: Allows for easier rear window cleaning, especially in dusty conditions with sharp sun angles into the cab  EAR WINDOW SUNSHADE No Rear Window Sunshade Sunshade, Rear Window Pull down perforated material sunscreen.   |                          | \$487.00<br>No Charg<br>\$223.00               |
| 390675<br>758348<br>SD_T9291 RE<br>X92911X<br>758580                          | Less Rear Wiper Rear Window Wiper Includes a rear windshield wiper: Allows for easier rear window cleaning, especially in dusty conditions with sharp sun angles into the cab  EAR WINDOW SUNSHADE No Rear Window Sunshade Sunshade, Rear Window Pull down perforated material sunscreen.  IXURY PACK Std Steering Wheel                                      |                          | \$487.00<br>No Charg<br>\$223.00               |
| 390675<br>758348<br>SD_T9291 RI<br>X92911X<br>758580<br>SD_T9553 LU           | Less Rear Wiper Rear Window Wiper Includes a rear windshield wiper: Allows for easier rear window cleaning, especially in dusty conditions with sharp sun angles into the cab  EAR WINDOW SUNSHADE No Rear Window Sunshade Sunshade, Rear Window Pull down perforated material sunscreen.  IXURY PACK Std Steering Wheel Standard, non-leather steering wheel | 9000171P71               | \$487.00<br>No Charge<br>\$223.00<br>No Charge |
| 390675<br>758348<br>SD_T9291 RE<br>X92911X<br>758580<br>SD_T9553 LU<br>391152 | Less Rear Wiper Rear Window Wiper Includes a rear windshield wiper: Allows for easier rear window cleaning, especially in dusty conditions with sharp sun angles into the cab  EAR WINDOW SUNSHADE No Rear Window Sunshade Sunshade, Rear Window Pull down perforated material sunscreen.  IXURY PACK Std Steering Wheel                                      |                          | \$487.00<br>No Charg                           |

(Ex Works Port Of Entry)

| ete | ERING COLUM  | în   |             |           |
|-----|--------------|--|-------------|-----------|
| SIE | EKING COLUN  | IN   |             |           |
| S   | D T6300 STI  | EERING OR AUTOGUIDANCE READY                                       |             |           |
| ΠĬ  | 391630       | Standard Steering  |             | No Charge |
|     | 007000       | Factory Installed Autoguidance is not available on                 |             |           |
|     |              | Active Drive 4 MaxxumTractors                                      |             |           |
|     |              |  |             |           |
| S   | D T9180 AU   | DIBLE WARNING TURN INDICATOR                                       |             |           |
|     | 758504       | Self-Cancel + Audible Turn   |             | No Charge |
|     |              | Cancels automatically with the turn of the steering wheel          |             |           |
|     |              | Sound and dash light indicates turn signal active                  |             |           |
|     | 390930       | Audible Turn Indicator   | (900070P84) | (\$92.00) |
|     |              | Non-self cancelling - operator must manually cancel the turn       |             |           |
|     |              | signal following the turn  |             |           |
|     |              | Sound and dash light indicates turn signal active                  |             |           |
|     |              |  |             |           |
| MIR | RORS         |  |             |           |
|     | 2302.03.03   |  |             |           |
| S   | D T9360 RR   | MIRRORS  |             |           |
|     | 759453       | 2 Std Mirrors  |             | No Charge |
|     |              | 2 Standard Mirrors: 6.3" x 10.4" (160 x 263 mm)                    |             |           |
|     | 759153       | 2 Telescopic Mirrors 759153  | 9000231P77  | \$301.00  |
|     |              | 2 telescopic mirrors shatter proof with large head. 8.5" x 12"     |             |           |
|     |              | ( 215 x 304 mm)  |             |           |
|     | 759154       | 2 Tele/Heat/Rem Adj Mirror   | 9000286P44  | \$372.00  |
|     |              | 2 Telescopic, Heated, Remote Adjustable Mirrors (Shatter proof     |             |           |
|     |              | with Large Head and Spotter)                                       |             |           |
|     |              | 7.9" x 11.8" (200 x 300 mm)  |             |           |
|     |              | ,                            |             |           |
| INS | TRUMENTATIO  | ON   |             |           |
|     |              |  |             |           |
| 5   | SD T7610 IN: | STRUMENT PANEL   |             |           |
|     | 390761       | Analog/Digital Basic Cluster                                       |             | No Charge |
|     |              | Basic instrument cluster   |             |           |
|     |              | Does not monitor PTO speed   |             |           |
|     | 743902       | Enhanced Inst w/ ISO Socket  | 9000143P99  | \$187.00  |
|     |              | Required with radar  |             |           |
|     |              | Includes 7-pin DIN/ISO 11786 socket in RH console to power         |             |           |
|     |              | implement monitors   |             |           |
|     |              | Includes ground speed, rear PTO speed, and rear 3-point position & |             |           |
|     |              | work status  |             |           |
|     |              | Includes functionality for Area accumulator, odometer, PTO speed   |             |           |
|     |              | display, and wheel slip on dashboard instrument cluster.           |             |           |

(Ex Works Port Of Entry)

| SD_T9110 H    | OOD LIGHTS   |               |             |
|---------------|--|---------------|-------------|
| 759446        | BASIC HOOD LIGHTS  |               | No Charge   |
|               | New Grill Styling with updated headlights  |               |             |
|               | 2 halogen road lights 2 halogen work lights  |               |             |
| 759447        | HIGH SPEC HOOD LIGHT   | 9000847P00    | \$1,100.0   |
|               | New Grill Styling with updated LED High Spec Hood Lights   |               | 41,10010    |
|               | 2 halogen road lights 4 led work lights 2 LED signature lights   |               |             |
| OD T0400 14   | 001/114400   |               |             |
| SD_T9130 W    |  |               |             |
| 758593        | 8 LED High Power Low-Roof  |               | No Charg    |
| h             | High power 1950 Lumens LED work lamps  | 1 1           |             |
|               | 2 front roof-mounted LED work lights   | 1 1           |             |
|               | 2 rear roof-mounted LED work lights  | 1 1           |             |
|               | 2 grab rail LED work lights (redesigned structures)  |               |             |
|               | 2 rear post-mounted LED work lights  | 1 1           |             |
|               | 2 halogen road hood lights   | 1 1           |             |
|               | 2 halogen work hood lights   |               |             |
| 758355        | 4 LED Std Power Low-Roof   | (901312P85)   | (\$1,705.00 |
|               | Included in base equipment   |               |             |
|               | Standard power 1100 Lumens LED work lights   |               |             |
|               | 2 front roof-mounted LED work lights   |               |             |
|               | 2 rear roof-mounted LED work lights  |               |             |
|               | 2 halogen road hood lights   |               |             |
|               | 2 halogen work hood lights   |               |             |
| SD T9131 FF   | RONT WORK LAMPS ON   |               |             |
| 390661        | Less High Mounted Headlamp   |               | No Charg    |
| 758488        | High Headlight Righthand DIP   | 9000259P49    | \$337.0     |
|               | 2 Grab Rail-mounted headlights - remain on for road transport.   | 30002391 43   | φ337.0      |
|               | These lights assist in visibility during transport with a loader or  |               |             |
|               | front 3-point hitch mounted implement.   |               |             |
|               | The state of the s |               |             |
| EACON LIGHTIN | G  |               |             |
| CD T044C D0   | OTADV BEACON   |               |             |
|               | DTARY BEACON No Rotary Beacon  |               |             |
|               | Rotary Beacon Lefthand Side  | 00000000      | No Charg    |
|               |  | 9000349P58    | \$454.0     |
| 758489        | Control (197) and Control (197)  | 00000 (0. 00) | Ψ101.0      |
|               | Single Foldable LED Beacon on rear left of tractor.  Twin Beacon   | 9000699P93    | \$909.0     |

### (Ex Works Port Of Entry)

| PRECISION FARMING |
|-------------------|
|-------------------|

| 391249 | Less Telematics   |            | No Charge  |
|--------|---|------------|------------|
| 763260 | 1 Year Basic Telematics                                       | 9000868P56 | \$1,128.00 |
|        | P&CM Basic 1 year Telematics (Does Not Include File Transfer) |            |            |
| 763261 | 3 Year Basic Telematics                                       | 9001282P82 | \$1,666.00 |
|        | P&CM Basic 3 year Telematics (Does Not Include File Transfer) |            |            |
| 763264 | 5 Year Basic Telematics                                       | 9001697P08 | \$2,204.0  |
|        | P&CM Basic 5 year Telematics (Does Not Include File Transfer) |            |            |

|     | SD_T7632 PR | RECISION AND COMMUN                                    | N. Observe |
|-----|-------------|--|------------|
|     | 393190      | LESS P&CM MODULE & H                                   | No Charge  |
|     | 762621      | PCM4G USA  | No Charge  |
| 1 1 |             | PCM 4G USA 4G P&CM controller for USA Market Verizon   |            |
|     |             | SIM This device provides optimal coverage in a large   |            |
| 1 1 |             | majority of the USA, however for areas with poor or no |            |
| 1 1 |             | Verizon cellular coverage order 762622.                |            |
|     |             | NOT FOR CANADIAN MARKETS                               |            |
|     | 762622      | PCM4G CANADA   | No Charge  |
|     |             | PCM 4G Canada 4G P&CM controller for Canadian or       |            |
| 1 1 |             | LIMITED USA Market AT&T SIM This device is the         |            |
|     |             | only option for Canadian markets, and should also      |            |
| 1 1 |             | be ordered for USA markets that have poor or no V      |            |
|     |             | erizon cellular coverage                               |            |

| S | D T9223 RH | WINDOW BAR MOUNT            |            |           |
|---|------------|-----------------------------|------------|-----------|
|   | 390665     | Fixings for Mounted Monitor |            | No Charge |
|   | 758153     | Monitor Mounting Bracket.   | 9000125P51 | \$163.00  |

## AUTOGUIDANCE

|   | SD T5101 AD | DV PROCESSOR                  |            |           |
|---|-------------|-------------------------------|------------|-----------|
|   | X15011X     | Less Advanced Processor       |            | No Charge |
| П | 758498      | Advanced Processor            | 9000333P41 | \$433.00  |
|   |             | Required for front suspension |            |           |
|   |             | Required for front hitch      |            |           |

| SD T7630 AUTOGUIDANCE    |           |
|--------------------------|-----------|
| 392484 Less Autoguidance | No Charge |



(Ex Works Port Of Entry)

| ENGINE                | State where the street was the state of the state of              |             | ************************************** |
|-----------------------|---|-------------|--|
|                       |   |             |  |
| SD_T1000_EI           | NGINE   |             |  |
| 393110                | ENG STG V W/BOOST   |             | No Chara                               |
| 762186                | ENG STG V W/BSCS/   | 9001597P75  | No Charg<br>\$2,075.0                  |
|                       | Elect. Fuel pump - 4 valves with Power Boost and Engine Exhaust   | 90013971-73 | φ2,075.0                               |
|                       | Brake - Activated by depressing a pedal on left side in the cab   | 0 1         |  |
| 1 1                   | Closes the exhaust flap to act as an exhaust brake to reduce      |             |  |
|                       | braking when hauling heavy loads on steep terrain.                |             |  |
|                       |   |             |  |
|                       | NGINE OPTIONS   |             |  |
| 392300                | STD ENG COOLING FAN   |             | No Charg                               |
| SD T1040 C            | HARGING SYSTEMS   |             |  |
| 758557                | 150 AMP Alternator  |             | No Charc                               |
| 758558                | 200 AMP_Alternator  | 9000200P97  | \$261.0                                |
|                       | Required for Suspended Cab w/htd screens 758480                   |             | <b>420</b> 110                         |
|                       |   |             |  |
|                       | IG SPEED MANAGEMENT   |             |  |
| 390465                | Less Engine Speed Management                                      |             | No Charg                               |
| 743814                | Engine Speed Management   | 9000389P62  | \$506.0                                |
|                       | Constant Engine RPM (CERPM) Functions                             |             |  |
|                       | Allows operator to set and switch between two engine RPM          |             |  |
|                       | set-points  |             |  |
|                       | Switches located on RH console                                    |             |  |
| STARTING AID          |   |             |  |
| STARTING AID          |   |             |  |
| SD T1938 W            | EATHER PACK   |             |  |
| 758401                | Grid_Heater   | T           | No Charg                               |
|                       | -18F (-10C) to -32.4F (-18C)                                      |             | rio onarg                              |
| 758402                | Grid_Heater + 110V Pack   | 9000339P57  | \$441.0                                |
|                       | Improves cold weather starting abilities; transmission heat       |             |  |
|                       | maintainer  |             |  |
|                       | 110V Electrical Plug in   |             |  |
|                       | Engine block heater includes 2 heaters: 1 for engine block heater |             |  |
|                       | and 1 for transmission and hydraulic heat maintainer              |             |  |
|                       | Plugs located side by side, below main cab door opening           |             |  |
|                       |   |             |  |
| BATTERY               |   |             |  |
| SD T7420 DA           | TTEDV   |             |  |
| SD_T7420 BA<br>392499 | STD DTY MECH ISOLAT   |             | N- 05                                  |
| 552-55                | Standard Duty Battery (140AH) Mech Isolator                       |             | No Char                                |
| 1-1                   | Communica Duty Dattery (140ATI) Micch (50Idt0)                    |             |  |

(Ex Works Port Of Entry)

| 758407 | HD Battery 176AH   | 9000093P94 | \$122.00 |
|--------|--|------------|----------|
|        | Heavy Duty Battery (176Ah 1300 EN cca)                             |            |          |
|        | Does not include battery isolator                                  |            |          |
| 759140 | Hvy Dty Bty Mech ISO   | 9000368P83 | \$479.00 |
|        | Includes mechanical battery isolator switch                        |            |          |
|        | Mechanical switch disconnects battery to prevent battery drainage. |            |          |
| 758409 | HD Battery W/Isolator 176AH  | 9000460P46 | \$598.00 |
|        | Includes electronic battery isolator switch on right hand rear     |            |          |
|        | c-pillar in cab.   |            |          |
|        | In-cab switch disconnects battery to prevent battery drainage.     |            |          |

**FUEL TANK** 

SD T1400 FUEL TANK

| 759128 | Std Fuel Tank+Guard                         |         | No Charge       |
|--------|---|---------|-----------------|
|        | Includes fuel tank guards                   |         |                 |
|        | Capacity - 55.4 Gal (210L)                  |         |                 |
| 759127 | Std Fuel Tank                               | (900279 | P51) (\$363.00) |
|        | Does not include fuel tank guards           |         |                 |
|        | Capacity - 55.4 Gal (210L)                  |         |                 |
| 759130 | Large Fuel Tank+Guard                       | 900019  | 7P12 \$256.00   |
|        | Includes fuel tank guards                   |         |                 |
|        | Incompatible with 34" rear wheels (8365401) |         |                 |
|        | Capacity - 66 Gal (250L)                    |         |                 |

### TRANSMISSION

### TRANSMISSION

SD T2800 SPEED

|     | D_12800 SP |  |             |              |
|-----|------------|--|-------------|--------------|
|     | 392195     | 40KPH_16X16_L/Autoshift  |             | No Charge    |
|     |            | 25 MPH (40 KPH)  |             |              |
|     |            | Does not include autoshift functionality                       |             |              |
|     | 759375     | 30KPH 16X16 L/Autoshift  | (901211P21) | (\$1,573.00) |
|     |            | 19 MPH (30 KPH)  |             |              |
|     | 759377     | 30KPH 16X16 W/Autoshift  | (900558P25) | (\$725.00)   |
| 1 1 |            | 19 MPH (30 KPH)  |             |              |
|     |            | Includes autoshift-field and autoshift-road modes for ease of  |             |              |
|     |            | operation  |             |              |
| 1 1 |            | Autoshift road mode allows for automatic shifting              |             |              |
| 1 1 |            | between gears 9-16/17  |             |              |
| 1 1 |            | Autoshift field mode will allow for automatic shifting between |             |              |
|     |            | a specific set of gears  |             |              |
| 1 1 |            | When engaged transmission will automatically shift with        |             |              |
|     |            | throttle input   |             |              |



(Ex Works Port Of Entry)

|     | r        | (Ex Works Port Of Entry)   |             |            |
|-----|----------|--|-------------|------------|
|     | 758413   | 40KPH_16X16_w/Autoshift<br>25 MPH (40 KPH)   | 9000664P51  | \$863.00   |
|     |          | Includes autoshift-field and autoshift-road modes for ease of  |             |            |
|     |          | operation  |             |            |
|     |          | Autoshift road mode allows for automatic shifting  |             |            |
|     |          | between gears 9-16/17  |             |            |
|     |          | Autoshift field mode will allow for automatic shifting between   |             |            |
|     |          | a specific set of gears  |             |            |
|     |          | When engaged transmission will automatically shift   |             |            |
|     |          | with throttle input  |             |            |
|     | 759379   | 30KPH 16X16 Autoshift+Creeper  | 9001494P57  | \$1,941,00 |
|     |          | 19 MPH (30 KPH)  | 3001434137  | ψ1,541.00  |
|     |          | Includes autoshift-field and autoshift-road modes for ease of  |             |            |
|     |          | operation  |             |            |
|     |          | Autoshift road mode allows for automatic shifting  |             |            |
|     |          | between gears 9-16/17  |             |            |
| 1 1 |          | Autoshift field mode will allow for automatic shifting between   |             |            |
| 1 1 |          | a specific set of gears  |             |            |
|     |          | When engaged transmission will automatically shift   |             |            |
|     |          | with throttle input  |             |            |
|     | 743764   | 40 KPH (17x16) ECO   | 9001841P84  | \$2,392.00 |
|     |          | 25 MPH (40 KPH)  | 90010411-04 | \$2,392.00 |
|     |          | In 17th gear, engine RPMs limited to save fuel at max speed  |             |            |
|     |          | Includes autoshift-field and autoshift-road modes for ease of  |             |            |
|     |          | operation  |             |            |
|     |          | Autoshift road mode allows for automatic shifting  |             |            |
|     |          | between gears 9-16/17  |             |            |
|     |          | Autoshift field mode will allow for automatic shifting between   |             |            |
|     |          | a specific set of gears  |             |            |
|     |          | When engaged transmission will automatically shift   |             |            |
|     |          | with throttle input  |             |            |
|     | 743766   | 50 KPH (17x16)   | 9001841P84  | ¢2 202 00  |
|     | 7 107 00 | 31 MPH (50 KPH)  | 9001641764  | \$2,392.00 |
|     |          | Includes autoshift-field and autoshift-road modes for ease of  |             |            |
|     |          | operation  |             |            |
|     |          | Autoshift road mode allows for automatic shifting  |             |            |
|     |          | between gears 9-16/17  |             |            |
|     |          | Autoshift field mode will allow for automatic shifting between   |             |            |
|     |          | a specific set of gears  |             |            |
|     |          | When engaged transmission will automatically shift   |             |            |
|     |          | with throttle input  |             |            |
|     |          | -  |             |            |
|     |          | Requires class 4 suspended front axle with brakes, hydraulic trailer brakes, specific tires, and the 26.5 gpm (113L/min) |             |            |
|     |          |  |             |            |

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23



| (Ex Works Port Of Er |
|----------------------|
|----------------------|

| 758414 | 40KPH_32X32_Autoshift+Creeper                                  | 9002758P14 | \$3,582.00 |
|--------|--|------------|------------|
|        | 25 MPH (40 KPH)  |            |            |
|        | Includes autoshift-field and autoshift-road modes for ease of  |            |            |
|        | operation  |            |            |
|        | Autoshift road mode allows for automatic shifting              |            |            |
|        | between gears 9-16/17  |            |            |
|        | Autoshift field mode will allow for automatic shifting between |            |            |
|        | a specific set of gears  |            |            |
|        | When engaged transmission will automatically shift             |            |            |
|        | with throttle input  |            |            |

### RADAR

#### SD T7580 RADAR

| 390703 | Less Radar  |            | No Charge |
|--------|---|------------|-----------|
| 758501 | Radar NAR   | 9000684P53 | \$889.00  |
|        | Provides more accurate speed readings and area measurements |            |           |
|        | Requires enhanced instrumentation                           |            | 1         |
|        | (758546) A Pillar CIH Enhanced Instru                       |            |           |

### TRAILER BRAKES

### SD\_T7230 PNEUM TRAILER BRAKE

|     | 390729 | L/ Pneumatic Trailer Brakes                                       |            | No Charge  |
|-----|--------|---|------------|------------|
|     | 758447 | Pneumatic Trailer Brake Univ                                      | 9006777P54 | \$8,802.00 |
| П   |        | Requires hydraulic trailer brakes (744784) or brake logic valve   |            |            |
|     |        | (744783)  | 1          |            |
| 1 1 |        | Dual air line system is used for dual cylinder truck type trailer |            |            |
| 1 1 |        | brakes.   |            |            |
|     |        | For customers with air brakes in heavy hauling applications, such |            |            |
|     |        | as with manure tankers.   |            |            |

### TRAILER BRAKES

#### SD T7130 TRLR BRK VLV

| 00 1110 | OU TICK DIKK VEV          |            |            |
|---------|---------------------------|------------|------------|
| 390     | 0711 Less trailer brakes  |            | No Charge  |
|         | 9472 HYD TRLBRK - NOT ISO | 9000947P10 | \$1,230.00 |

### HITCH

### FRONT HITCH

# SD\_T8100 FRONT THREE POINT HITCH

| T | 390811 | Less Front Linkage     |            | No Charge  |
|---|--------|------------------------|------------|------------|
| T | 759144 | Integrated FHPL 759144 | 9006511P12 | \$8,456.00 |
|   |        | Integrated Front Hitch |            |            |

758453

C2/3 QA Hyd Link Adj

Grounds Equipment - Bid #ESCNJ 18/19-25
-T10E 01

# MAXXUM ACTIVEDRIVE 4 SERIES TRACTOR

|              | (Ex Works Port Of Entry)  |              |             |
|--------------|---|--------------|-------------|
| 759147       | Int FHPL+FPTO Integrated Front Hitch with PTO The front PTO is a 6 spline, 1 3/8" 1000 RPM shaft, which rotates counter-clockwise when looking from the front of the tractor. | 9013734P49   | \$17,837.00 |
| SD_T8106 7F  | PLUG ON FHPL SUP  |              |             |
| XT8106X      | Std L/ 7P Plug On F   |              | No Charge   |
|              |   |              |             |
|              | OSES FOR FHPL   |              |             |
| 390926       | Less Tubes for FHPL   |              | No Charge   |
| 758473       | Tubes FHPL Connect Mech RR  |              | No Charge   |
| 750500       | Connects front hitch to mechanical rear remote  |              |             |
| 758582       | Tubes + Coupler Mech Rear Rem.  | 9000161P70   | \$210.00    |
|              | Front hitch and 1 front remote to mechanical rear remotes   |              |             |
| REAR 3-POINT |   |              |             |
| NEAR OF GIVE |   |              |             |
| SD_T8950 AL  | JX RAMS   |              |             |
| 390911       | EDC Base Hydraulic Lift Cyl.  |              | No Charge   |
|              | 3-Point Hitch Capacity with two 80mm lift cylinders   |              | · ·         |
|              | 6,990 lbs. (3,170 kg) OECD rated lift capacity  |              |             |
|              | through the whole range per Nebraska Tractor Test   |              |             |
| 743811       | 2 External 90mm Cylinders -EDC  | 9000443P52   | \$576.00    |
|              | 3-Point Hitch Capacity with two 90mm lift cylinders   |              |             |
|              | 8945 lbs. (4057 kg) OECD rated lift capacity  |              |             |
|              | through the whole range per Nebraska Tractor Test   |              |             |
| OD TROOP DE  | ANALYSIS AND A DOME HITCH   |              |             |
| 758451       | RAWBAR AND 3 POINT HITCH  Cat II Flex Links   |              | N- Ob       |
| 750451       | Telescopic link ends  |              | No Charge   |
| 758452       | Cat II/III Flex Links   | 9000105P49   | \$137,00    |
| 100102       | Telescopic link ends  | 9000103F49   | \$137.00    |
| 758454       | C2/3 QA Hyd Top Link  | 9000308P77   | \$401.00    |
|              | Quick-Attach "Claw-type" link ends.   | 3000300177   | φ+01.00     |
|              | Includes hydraulic top link, which uses 1 pair of   | 1 1          |             |
|              | rear remote valves  |              |             |
| 759922       | HYDTOPLINK+FLEX LINK  | 9000308P77   | \$401.00    |
|              |   | 1 0000000111 | Ψ+01.00     |
|              | Includes hydraulic top link, which uses 1 pair of rear remote valves  |              |             |

\$1,091.00

9000840P07

(Ex Works Port Of Entry)

| INDDALILION   |   |             |           |
|---------------|---|-------------|-----------|
| HYDRAULICS    |   |             |           |
|               |   |             |           |
| SD_T8230 H    | TD PUMP   |             |           |
| 391828        | 80L/Min Fixed Displacement Pmp                                      |             | No Charge |
|               | Fixed Displacement Pump   | 1           |           |
|               |   | 1 1         |           |
|               | Max flow available @ remotes (combined flow) or                     |             |           |
|               | power beyond (I/min) considering 90% efficiency- 19.3gpm (73 I/m)   |             |           |
| 758441        | CCLS Pump   | 9001386P77  | \$1,801.0 |
|               | Pressure Flow Compensating (PFC) Closed Center Load Sensing         | l i         |           |
|               | Optional for mechanical rear remote valves                          |             |           |
|               |   |             |           |
|               | Max flow available @ remotes (combined flow) or                     |             |           |
| 1 1           | power beyond (I/min) considering 90% efficiency- 32.2 gpm (122      |             |           |
|               | I/m)  |             |           |
|               |   |             |           |
| REAR REMOTE V | ALVES   |             |           |
|               |   |             |           |
| SD_T8270 RI   | EAR REMOTES .   |             |           |
| 390840        | 2 Mechanical Rear Remotes   |             | No Charg  |
|               | 2 mechanical; non-configurable                                      |             |           |
| 743740        | 2 Mech Rear Remote Valves (2C)                                      | 9000281P82  | \$366.0   |
|               | 2 mechanical; configurable rear remotes                             |             |           |
| 743741        | 3 Mech Rear Remote Valves (2C)                                      | 9001031P80  | \$1,340.0 |
|               | 3 mechanical rear remotes, 2 configurable detents and flow control  |             |           |
| 743685        | 4 Mech Rear Remotes (2NC+2C)  | 9002059P75  | \$2,675.0 |
|               | 4 mechanical rear remotes, 2 configurable detents and flow control  |             |           |
| 758358        | 4-Mech Rear Remotes F/ Pwr Byd                                      | 9002691P15  | \$3,495.0 |
|               | 4 mechanical rear remotes, 2 with configurable detents and flow     | 1           |           |
|               | control, power beyond ready. This option is required if power       | [ ]         |           |
|               | beyond is going to be equipped with 4 mechanical rear remotes.      |             |           |
|               |   |             |           |
| POWER BEYOND  |   |             |           |
|               |   |             |           |
| SD_T8275 P    | OWER BEYOND COUPLE  |             |           |
| 758540        | Low-Pressure Return   |             | No Charg  |
|               | Low pressure return line with 1/2" hydraulic quick coupler.         |             |           |
|               | ISO 7241 Series A hydraulic quick coupler, non-flat face design.    |             |           |
|               | Does not include load sense line                                    |             |           |
|               | Requires male end on implement 83972881 (CNH Industrial Parts)      |             |           |
| 390710        | Hyd Power Beyond Capped   | (900150P92) | (\$196.0  |
| 1.1           | Hydraulic power beyond capped off.                                  |             |           |
|               | This option is less power beyond and less low-pressure return line. |             |           |



(Ex Works Port Of Entry)

PTO

SD\_T8720 AUTO PTO

|    | CONTRACTOR OF THE | 516116   |            |           |
|----|-------------------|--|------------|-----------|
|    | 390160            | Less Auto PTO  |            | No Charge |
|    | 330160            | Auto PTO Management System                                 | 9000185P57 | \$241.00  |
| 11 |                   | Allows PTO to automatically engage/disengage based on rear |            |           |
| П  |                   | three-point hitch position.                                |            |           |
|    |                   | Enabled via switch on RH console near RH C-pillar          |            |           |

### **FRONT AXLE**

SD\_T4010 FRONT AXLE

|        | FRONT AXLE  |             |              |
|--------|---|-------------|--------------|
| 392196 | Class 3, L/Brakes   |             | No Charge    |
|        | Class 3 less brakes   |             |              |
| 75938  | 2WD Heavy Duty Axle   | (907538P30) | (\$9,790.00) |
| 1 1 1  | Requires 30 KPH (19 MPH) transmission and 11.00-16 10PR             |             | ,            |
|        | tires (8138401)   |             |              |
|        | Not compatible with Front PTO or Front Fenders                      | 1 1         |              |
|        | Compatible with 758344: Complete Loader Ready                       | 1 1         |              |
|        | Only compatible with L103 Loader                                    |             |              |
| 758420 | Class 3 Hydraulic Lock  | 9000279P51  | \$363.00     |
| 1 1 1  | 9,039 lbs. maximum carrying capacity                                |             |              |
|        | Hydraulic Differential Lock: Multiplate differential lock, engages  | 1 1         |              |
|        | when operator engages the rear differential lock                    |             |              |
| 758425 |   | 9001054P13  | \$1,369.00   |
|        | Class 4 MFD axle with multi-plate fully locking, front differential | 1           |              |
|        | with steering sensors   |             |              |
|        | 10,803 maximum carrying capacity                                    | 1 1         |              |
|        | Requires 113 L/min pump (758441)                                    |             |              |
|        | Hydraulic Differential Lock: Multiplate differential lock, engages  |             |              |
|        | when operator engages the rear differential lock                    |             |              |
|        | Incompatible with 34 inch rear wheels                               |             |              |
| 758427 | Class 4 Suspension Lock   | 9005892P04  | \$7,652.00   |
|        | 10,803 maximum carrying capacity                                    |             |              |
|        | Suspension: Cushions and dampens the movement of the front          |             |              |
|        | axle, Smoother ride for increased operator comfort and decreased    |             |              |
|        | fatigue, improved traction. Suspenson can be locked solid by the    |             |              |
|        | operator using an in-cab switch, locatedon the RH console.          |             |              |
|        | Requires 113 L/min pump (758441)                                    |             |              |

(Ex Works Port Of Entry)

| 759109 | Class 4 HD Std Axle   | 9001 | 1266P65 | \$1,645.00 |
|--------|---|------|---------|------------|
|        | Class 4 Heavy Duty Axle   |      |         |            |
|        | Includes multi-plate, fully locking front differential for extra traction |      |         |            |
|        | in slippery conditions  |      |         |            |
|        | Recommended for Loader application  |      |         |            |
|        | Non-suspended   |      |         |            |
|        | Requires 113 L/min pump (758441)  |      |         |            |
| 758428 | Class 4 Susp + Brake Hyd Lock   | 9006 | 6364P82 | \$8,266.00 |
|        | 10,803 maximum carrying capacity  |      |         |            |
|        | Suspension: Cushions and dampens the movement of the front                |      |         |            |
|        | axle. Smoother ride for increased operator comfort and decreased          |      |         |            |
| 1 1    | fatigue. Improved traction, Suspenson can be locked solid by the          |      |         |            |
|        | operator using an in-cab switch, locatedon the RH console                 |      |         |            |
|        | Brakes: Front wheel brakes allow for additional braking power for a       |      |         |            |
|        | shorter braking distance, Recommended for hauling applications,           |      |         |            |
|        | Required for high-speed applications (31 mph/50 KPH)                      |      |         |            |

## FRONT WHEELS AND TIRES

SD\_T4940 FRONT WHEELS AND TIRES

| For Class 3 1 |  |             | No Charge    |
|---------------|--|-------------|--------------|
| 8241401       | 380/85(14.9)R28 A8                             |             | No Charge    |
|               | Brands: Mitas, Firestone, Michelin, Trelleborg | 1 1 1       |              |
|               | Requires 460(18.4)R38 R1W                      |             |              |
| 8138401       | 11.00-16 10PR F2 2WD                           | (901455P30) | (\$1,890.00) |
|               | Requires 2WD Front Axle                        |             |              |
| 8299905       | Front Shipping Wheels-4WD                      | (901018P71) | (\$1,323.00) |
|               | Requires rear shipping wheels                  |             |              |
| 8250401       | 340/85(13.6)R28 R1W                            | 9000265P65  | \$345.00     |
|               | Brands: Firestone, Mitas, Trelleborg           |             |              |
|               | Requires 16.9R38 R1W                           |             |              |
| 8240402       | 380/85(14.9)R24 A8                             | 9000265P65  | \$345.00     |
|               | Brands: Firestone, Michelin                    |             |              |
|               | Requires 460/85(18.4)R34 R1W                   |             |              |
| 8825401       | 480/65R28(R1W) Fixed Rims F/CL                 | 9000303P38  | \$394.00     |
|               | Michelin, Firestone, Mitas                     |             |              |
| 8258404       | 380/85(14.9)R30R1W MI,F,T,C,A                  | 9000470P47  | \$611.00     |
|               | Brands: Michelin                               |             |              |
|               | Requires 18.4R42 R1W                           |             |              |
| 8859604       | 320/85R34 R1W MI,FI                            | 9000613P69  | \$797.00     |
|               | Brands: Michelin                               |             |              |
|               | Requires 320/90R50 R1W                         |             |              |
| 8255404       | 420/85(16.9) R28 R1W MI-FI-TR                  | 9000620P62  | \$806.00     |
|               | Brands: Michelin, Firestone                    |             |              |
|               | Requires 20.8R38 R1W                           |             |              |

(Ex Works Port Of Entry)

|             | (EX WORST OF OILDING)                          |             |              |
|-------------|--|-------------|--------------|
| 8201201     | 400/80R28 Fixed Cls 3 Alliance                 | 9000869P33  | \$1,129.00   |
|             | Brand: Alliance                                |             |              |
| 8801301     | 520/60R28 MAVT Rims - MI                       | 9001930P39  | \$2,507.00   |
|             | Brand: Michelin                                |             |              |
| 8299906     | Front Shipping Wheels                          | (901018P71) | (\$1,323.00) |
| 8258704     | 380/85(14.9)R30 R1W MI-FI-CM                   | 9000470P47  | \$611.00     |
| For Class 4 | Front Axle                                     |             |              |
| 8241901     | 380/85(14.9)R28R1W HD-MIFITRCO                 |             | No Charge    |
|             | Brands: Trelleborg, Michelin, Firestone, Mitas |             |              |
|             | Requires: 460(18.4)R38 R1W                     |             |              |
| 8815601     | 480/65R28 R1W HD                               | 9000303P38  | \$394.00     |
|             | Brands: Firestone, Michelin, Trelleborg        |             |              |
|             | Requires 600/65R38 R1W                         |             |              |
|             | Requires Full Cover Rear Fenders               |             |              |
| 8801604     | 320/85R34 R1W Brands - MI                      | 9000613P69  | \$797.00     |
|             | Brands: Michelin, Firestone                    |             |              |
|             | Requires 320/90R50 R1W                         |             |              |
| 8255904     | 420/85(16.9)R28 R1W MI-FI                      | 9000620P62  | \$806.00     |
| 1           | Brands: Michelin, Firestone                    |             |              |
|             | Requires 20.8R38 R1W or 18.4R42 R1W            |             |              |
| 8866501     | 400/80R28 Fixed Cls 4 Alliance                 | 9000869P33  | \$1,129.00   |
|             | Brand: Alliance                                |             | , , ,        |
| 8801601     | 520/60R28 R1W Fixed HD                         | 9002754P29  | \$3,577.00   |
|             | Brand: Michelin                                |             | ,            |
|             | Requires 650/60R38                             |             |              |

## **REAR AXLE**

SD\_T3200 REAR AXLE

| 3D_13200 KI   |   |      |        |            |
|---------------|---|------|--------|------------|
| 392197        | HD Flange With Dog Diff                         |      |        | No Charge  |
|               | Axle: HD Flange 56.3"-84" (1,430 mm - 2,134 mm) |      |        |            |
| 1 1 1         | Differential: Dog-Clutch                        |      |        |            |
|               | Wheel: Steel Wheel Rims                         |      |        |            |
| Multi-Differe | ential  |      |        |            |
| 758430        | HD Flange Multi-Diff                            | 9000 | 279P51 | \$363.00   |
|               | Axle: HD Flange- 56.3"-84" (1430 mm - 2134 mm)  |      |        |            |
|               | Differential: Hydraulic                         |      |        |            |
|               | Wheel: Steel Wheel Rims                         |      |        |            |
| 758432        | HD Bar Steel Multi-Diff                         | 9001 | 247P40 | \$1,620.00 |
| 1             | Axle: HD 98" (2,489 mm) Bar                     |      |        |            |
|               | Differential: Hydraulic                         |      |        |            |
|               | Wheel: Steel Wheel Rims                         |      |        |            |
| 759136        | HD 98"BAR STEEL MULT                            | 9001 | 247P40 | \$1,620.00 |

(Ex Works Port Of Entry)

### **REAR WHEELS AND TIRES**

SD\_T4950 REAR WHEELS AND TIRES

| Flange o | Bar Axle Steel Disc                            | - y         |              |
|----------|--|-------------|--------------|
| 84401    | 04 DUAL 320/90R50                              | 9005430P81  | \$7,053.00   |
| 84704    | 04 DUAL 380/90R46 (14.9) R1W MICO              | 9005231P38  | \$6,794.00   |
| 83284    | 01 460/85(18.4)R38 R1W-MIFITRCO                |             | No Charge    |
|          | Brands: Trelleborg, Michelin, Firestone, Mitas |             |              |
| 83999    | Rear Shipping Wheels                           | (903013P78) | (\$3,914.00) |
|          | Requires front shipping wheels                 |             |              |
| 83654    | 01 460/85(18.4)R34 A8 FI,MI,CO,TR              | (901189P65) | (\$1,545.00) |
|          | Brands: Michelin, Firestone, Mitas, Trelleborg |             |              |
| 83704    | 04 380/90(14.9)R46R1WAdj Rim-C,MI              | 9000322P63  | \$419.00     |
|          | Brands: Mitas                                  |             |              |
| 83884    | 04 460/85(18.4)R42R1W MI,F,T,C,A               | 9000399P63  | \$519.00     |
|          | Michelin                                       |             |              |
| 89635    | 04 320/90R50 R1W MI                            | 9000519P75  | \$675.00     |
|          | Brands: Michelin                               |             |              |
| 89694    | 01 600/65R38 R1W-FI,MI,CO,TR                   | 9000887P04  | \$1,152.00   |
|          | Brands: Trelleborg, Michelin, Firestone, Mitas |             |              |
| 89076    | 01 650/60R38 R1W F/Bar AXL                     | 9001154P23  | \$1,499.00   |
|          | Brands: Michelin                               |             |              |
|          |  |             |              |

## **FENDERS**

8919401

8380404

480/80R38 Alliance Alliance 550 Multi-Use

**Brands: Michelin** 

520/85 (20.8) R38 R1W MI, TR

| 5 | SD_T8710 FE | NDERS PTO CONTROL   |  |           |
|---|-------------|---|--|-----------|
|   | 392803      | Fender Mounted Controls   |  | No Charge |
|   |             | Fender mounted switches for rear PTO and rear three-point hitch |  |           |
|   |             | for operation from outside cab                                  |  |           |

### FRONT FENDERS

|   | - 5 | D_T8740 FR | ONT FENDERS       |  |
|---|-----|------------|-------------------|--|
|   |     | 390875     | Less front fender |  |
| _ |     |            |                   |  |

Requires full cover rear fenders (743707 or 743708)

| 1 | 390875 | Less front fender  |            | No Charge |
|---|--------|--|------------|-----------|
|   | 758505 | Front Fender 420mm Dynamic                                     | 9000658P35 | \$855.00  |
| 1 |        | Recommended for tire sizes less than 420/16.9"                 |            |           |
|   |        | Dynamic front fenders allow the fenders to turn with the tires |            |           |

9001185P03

9001797P95

\$1,539.00

\$2,335.00

(Ex Works Port Of Entry)

|   | 758506 | Front Fender 480mm Dynamic                                     | 9000764P61 | \$993.00   |
|---|--------|--|------------|------------|
|   |        | Recommended for tire sizes less than 480/18.9"                 |            |            |
|   |        | Dynamic front fenders allow the fenders to turn with the tires |            |            |
|   | 758507 | Front Fender 540mm Dynamic                                     | 9000859P32 | \$1,116.00 |
|   |        | Recommended for tire sizes larger than 520/20.8"               |            |            |
| L |        | Dynamic front fenders allow the fenders to turn with the tires |            |            |

### REAR FENDERS

SD\_T8700 FENDERS

| 391153 | Standard Fenders  |            | No Charge  |
|--------|---|------------|------------|
|        | 85.4 in (2170 mm) overall width                                 |            | _          |
| 743777 | Standard fenders with extensn                                   | 9000324P94 | \$422.00   |
|        | 3" (75 mm) fender extensions added on to the full cover fenders |            |            |
| 743707 | Full Cover  | 9000607P53 | \$789.00   |
|        | 92.1 in./2340 mm rear fenders.                                  |            |            |
| 743708 | Full Cover with extension                                       | 9000928P62 | \$1,206.00 |
|        | Full cover with 3 in./ 75 mm wide extensions.                   |            |            |

## LOADER

### MOUNTING BRACKETS

SD\_T8110 LOADER BRACKETS

| Side Rails  |   |            |             |
|-------------|---|------------|-------------|
| 758478      | Engine Side Rails                                     | 9000814P66 | \$1,058.00  |
|             | Recommended for side-mounted attachments e.g. sprayer |            |             |
|             | tanks.  |            |             |
|             | No Loader Brackets.                                   |            |             |
|             | Not compatible with loader equipment.                 |            |             |
| Loader Brad | kets  |            |             |
| 390819      | Less Loader Ready                                     |            | No Charge   |
|             | No Loader Brackets                                    |            |             |
|             | No Engine Side Rails                                  |            |             |
| 758344      | Loader Ready + 2Mech MMV +Joy                         | 9006287P05 | \$8,165.00  |
|             | Complete Loader Ready includes                        |            |             |
|             | TPS Mount Bracket Set (with Grill Guard) and          |            |             |
|             | Mid Mounted Valve - 2 function mechanical             |            |             |
|             | (Includes valve, mech joystick, cables, & hose kit)   |            |             |
| 758351      | Loader Ready + 3Mech MMV+Joy                          | 9007776P23 | \$10,099.00 |
|             | Complete Loader Ready includes                        |            |             |
|             | TPS Mount Bracket Set (with Grill Guard) and          |            |             |
|             | 3MMVs - 2 Mechanical and 1 Electronic                 |            |             |
|             | (Includes valve, mech joystick, cables, & hose kit)   |            |             |
| 11          | Required for "live" third function such as a          |            |             |
|             | grapple attachment                                    | 1 1        |             |
|             | Not available with 759381: 2WD Heavy Duty Axle        |            |             |



### (Ex Works Port Of Entry)

| 1 / | COLU | IPMENT |
|-----|------|--------|
|     |      |        |

|  | JOYSTICK |  |
|--|----------|--|
|  |          |  |
|  |          |  |

| 394782 | Less Joystick                                       |            | No Charge |
|--------|---|------------|-----------|
| 759373 | BASIC MECH JOYSTICK                                 |            |           |
|        | if LOADER BRACKETS is Loader Ready + 2Mech MMV +Joy |            | No Charge |
|        | if LOADER BRACKETS is Less Loader Ready             | 9000469P70 | \$610.00  |
| 759374 | Basic Mech Joystick w/3rd Func                      |            |           |
|        | if LOADER BRACKETS is Loader Ready + 3Mech MMV+Joy  |            | No Charge |
|        | if LOADER BRACKETS is Less Loader Ready             | 9000706P09 | \$917.00  |

### SD T7790 MID-MOUNT VALVES

| 390560 | Less Mid-Mount Valves                               |            | No Charge  |
|--------|---|------------|------------|
| 759371 | 2 MECH MMV  |            |            |
|        | if LOADER BRACKETS is Loader Ready + 2Mech MMV +Joy |            | No Charge  |
|        | if LOADER BRACKETS is Less Loader Ready             | 9001891P12 | \$2,456.00 |
| 759372 | 3 Mechanical MMV                                    |            |            |
|        | if LOADER BRACKETS is Loader Ready + 3Mech MMV+Joy  |            | No Charge  |
|        | if LOADER BRACKETS is Less Loader Ready             | 9002836P68 | \$3,684.00 |

### OTHER EQUIPMENT

### FRONT BALLAST

## SD\_T2150 FRONT BALLAST

| Tow Hook  | -Only  |            |           |
|-----------|--|------------|-----------|
| 390444    | Tow Hook-Only                                      | 1 1        | No Charge |
|           | Tow Hook 251 lbs/114 kg                            | 1 1        |           |
|           | Not allowed with Front hitch (743699 or 743700)    |            |           |
| Weight Ca | arrier Only  |            |           |
| 758562    | Weight Carrier w/Hook                              | 9000218P68 | \$284.00  |
|           | Weight Carrier                                     | 1 1        |           |
|           | Narrow Weight Carrier 253 lbs/115 kg               | 1          |           |
|           | Holds up to 8 weights                              | 1 1        |           |
|           | Not compatible with Front hitch (743699 or 743700) |            |           |
| 758563    | Wide carrier CIH                                   | 9000367P29 | \$477.00  |
|           | Wide front weight carrier                          |            |           |
|           | Wide Weight Carrier 361 lbs/164 kg,                |            |           |
|           | holds up to 16 weights.                            |            |           |
|           | Not compatible with front loader.                  |            |           |

Grounds Equipment - Bid #ESCNJ 18/19-25 -T10E 01



### **MAXXUM ACTIVEDRIVE 4 SERIES TRACTOR US PRICE LIST**

(Ex Works Port Of Entry)

| Wghts plus | Carrier no Tow Hook                                |     |             |                   |
|------------|--|-----|-------------|-------------------|
| 758515     | Weight Pack A CIH                                  |     | 9000803P88  | \$1,044.00        |
|            | 4 weights plus narrow carrier                      |     | 00000001 00 | Ψ1,044.00         |
|            | Narrow Weight Carrier 253 lbs/115 kg.              |     |             |                   |
|            | plus 4 Weights 396 lbs/180 kg.                     |     |             |                   |
|            | Total weight 649 lbs/295 kg.                       |     |             |                   |
|            | Not compatible with Front hitch (743699 or 743700) |     |             |                   |
| 758516     | Weight Pack B_CIH                                  |     | 9001390P62  | \$1,806.00        |
|            | 8 weights plus narrow carrier                      |     | 30013301 02 | Ψ1,000.00         |
|            | Narrow Weight Carrier 253 lbs/115 kg.              |     |             |                   |
|            | plus 8 Weights 792 lbs/359 kg.                     |     |             |                   |
|            | Total weight 1045 lbs/474 kg.                      |     |             |                   |
|            | Not compatible with Front hitch (743699 or 743700) |     |             |                   |
| 758517     | Weight Pack C_CIH                                  |     | 9002711P94  | \$3,522.00        |
|            | 16 weights plus wide carrier                       |     | 00027111 04 | Ψ0,022.00         |
|            | Wide Weight Carrier 361 lbs/164 kg,                |     |             |                   |
|            | Plus 16 Weights 1584 lbs/718 kg.                   |     |             |                   |
|            | Total weight 1945 lbs/882 kg.                      |     |             |                   |
|            | Not compatible with Front hitch (743699 or 743700) |     |             |                   |
| Wghts plus | Carrier w/ Tow Hook                                |     |             |                   |
| 758518     | Weight Pack A w/Hook                               |     | 9000945P56  | \$1,228.00        |
| 1.6        | Weight Pack A                                      |     |             | <b>4</b> 1,420.00 |
|            | Narrow Weight Carrier 253 lbs/115 kg.              |     |             |                   |
|            | Plus Center Tow Hook Weight 251 lbs/114 kg.        |     |             |                   |
|            | Plus 2 Weights 198 lbs/90 kg.                      |     |             |                   |
|            | Total weight 702 lbs/318 kg.                       |     |             |                   |
|            | Not compatible with Front hitch (743699 or 743700) |     |             |                   |
| 758519     | Weight Pack B w/Hook                               | i i | 9001472P24  | \$1,912.00        |
|            | Weight Pack B                                      |     |             | ¥ 1,0 1=100       |
|            | Narrow Weight Carrier 253 lbs/115 kg.              |     |             |                   |
|            | Plus Center Tow Hook Weight 251 lbs/114 kg.        |     |             |                   |
|            | Plus 6 Weights 594 lbs/269 kg.                     |     |             |                   |
|            | Total weight 1098 lbs/498 kg.                      |     |             |                   |
|            | Not compatible with Front hitch (743699 or 743700) |     |             |                   |
| 758520     | Weight Pack C w/Hook                               |     | 9002398P55  | \$3,115.00        |
|            | Weight Pack C                                      |     |             | 40,110,00         |
|            | Wide Weight Carrier 361 lbs/164 kg.                |     |             |                   |
|            | Plus Center Tow Hook Weight 251 lbs/114 kg.        |     |             |                   |
|            | Plus 12 Weights 1188 lbs/549 kg.                   |     |             |                   |
|            | Total weight 1800 lbs/816 kg.                      |     |             |                   |
|            | Not compatible with Front hitch (743699 or 743700) |     |             |                   |

| REAR | BAL | LAST |
|------|-----|------|
|------|-----|------|

| SD_T4960 | ) W   | HEEL WEIGHTS |  |
|----------|-------|--------------|--|
| V40      | 0041/ | 1.00%1.10/   |  |

| <br>VITELL VILIGITIS    |  |           |
|-------------------------|--|-----------|
| X49601X L/Wheel Weights |  | No Charge |

| (Ex Works | Port | Of Entry) |
|-----------|------|-----------|
|-----------|------|-----------|

|     | 758564 | 6X65KG Wheel Weight                                | 9001003P31 | \$1,303.00 |
|-----|--------|--|------------|------------|
|     |        | Each weight weighs 143 lbs. (65 kg)                |            |            |
| 1.1 |        | 3 weights are on each side on the rear             |            |            |
| 1.1 |        | Total weight = 806 lbs. (389 kg)                   |            |            |
|     |        | Not Compatible with 650/60R38 (8907501 or 8907601) |            |            |
|     | 762228 | R WHL WEIGHTS 4X200                                | 9001308P23 | \$1,699.00 |
|     | 762229 | R WHL WEIGHTS 6X200                                | 9002245P32 | \$2,916.00 |

### ADDITIONAL EQUIPMENT

#### SD T3600 BRAKE PACK

|   | OD 10000 DI   | GARLI AUG                            | <br>       |           |
|---|---|--------------------------------------|------------|-----------|
|   | 390166  | Std. Heavy Duty Brake Discs          |            | No Charge |
| П | 758435  | Extended-Life Brake Discs            | 9000286P44 | \$372.00  |
|   | Made of a carbon mesh material for a significantly longer life than |                                      |            |           |
|   |   | the standard brake packs             |            |           |
|   |   | Recommended for haulage applications |            |           |

| S    | D_T7642 ISC | BUS                |           |
|------|-------------|--------------------|-----------|
|      | 390648      | Less ISOBUS Socket | No Charge |
| <br> |             |                    |           |

| SD | T9560 | FRONT TOOLBOX |
|----|-------|---------------|

|  | 390996 | Standard Toolbox   |            | No Charge |
|--|--------|--|------------|-----------|
|  |        | 5.5 in. x 12.5 in. (140 mm x 315 mm)                     |            |           |
|  | 743848 | Large Toolbox  | 9000079P31 | \$103.00  |
|  |        | 5.5 in. x 16.5 in. (140 mm x 420 mm)                     |            |           |
|  |        | Great for larger tools, like hammers and larger wrenches |            |           |

## **OTHER OPTIONS**

### TIRE BRAND PREFERENCE

# SD\_T4900 TIRE CATEGORY CHOICE

| 330439 | Mitas  | 9000468P93 | \$609.00   |
|--------|--|------------|------------|
| 330438 | No tire brand preference Tire brands are subject to availability. If the Tire Brand Preference Code is ordered, the plant will install the brand selected.  If no Tire Brand Preference is selected, a tire from existing inventory will be installed. This will include one of the following brands in the chosen tire size: Michelin, Firestone, Trelleborg, Alliance, or Mitas. |            | No Charge  |
| 330447 | Alliance   | 9000468P93 | \$609.00   |
| 330446 | Firestone  | 9000468P93 | \$609.00   |
| 330442 | Michelin   | 9001420P65 | \$1,845.00 |
| 330418 | Trelleborg   | 9000468P93 | \$609.00   |

Grounds Equipment - Bid #ESCNJ 18/19-25 -T10E 01



## **MAXXUM ACTIVEDRIVE 4 SERIES TRACTOR US PRICE LIST**

## (Ex Works Port Of Entry)

| SD_T9802 ( | DPERATORS MANUAL                |        |
|------------|---------------------------------|--------|
| 758534     | English USA                     | No Cha |
|            | Extra Operators Manual          |        |
| 758535     | Spanish NAR                     | No Cha |
|            | Extra Operators Manual          |        |
| 759101     | French NAR                      | No Cha |
|            | Extra Operators Manual          |        |
| V00024     | X No Additional Operator Manual | No Cha |

Case 2021 Price List



# **Standard Equipment**

#### ENGINE:

115 - 145: 4 Cylinder Turbocharged and Intercooled Engine with Electronic Power Management and Constant RPM feature Power Boost in Transport and PTO Modes

115: 95 PTO hp @ 2200 RPM/ 273 cu. in. (4.5 L) Displacement 125: 105 PTO hp @ 2200 RPM/

273 cu. in. (4.5 L) Displacement 135: 110 PTO hp @ 2200 RPM/

273 cu. in. (4.5 L) Displacement

145: 120 PTO hp @ 2200 RPM/

273 cu. in. (4.5 L) Displacement

150: 6 Cylinder Turbocharged and Intercooled Engine with Electronic Power Management and Constant RPM feature Power Boost in Transport and PTO Modes

150: 125 PTO hp @ 2200 RPM/
411 cu. in. (6.75 L) Displacement
Tier 4B Final/Stage V Compliant
4 valves per cylinder
Bosch fuel injection pump (electronic)
Air Cleaner w/ Precleaner & Exhaust
Aspiration
Dual element air filter

Dual element air filter
Hand and foot throttle
Grid Heater Starting Aid
55.4-gallon (210 L) Fuel
Tank w/guard
8.3 Gallon (31.4 L) Diesel Exhaust Fluid
(DEF) Fuel Tank

Viscous fan (9 Blades) Engine auto shut down feature Fuel Cooler

#### EXHAUST:

A-Post exhaust with integral muffler

OPERATOR PROTECTIVE STRUCTURE: CAB:

ROPS protected, flat deck platform

with Standard Cab, with heater and air conditioner OPERATOR PROTECTIVE STRUCTURE: (continued)

pressurizer), tinted windshield with sunshade, opening hi-visibility roof window with retractable sun screen, low mounted front wiper and washer, two doors with locks, two telescoping external mirrors, hinged rear window (fully opens), radio ready (premium speakers, wiring, antenna), rear window access panel for control/monitor box or wiring harness entrance, digital clock, covered cool box with adjustable ventinterior storage box, interior dome light, self cancelling turn signal, and two external courtesy lights

Steering wheel: tilt and telescoping Seat: Deluxe air suspension seat with operator's presence sensor, seat belt, and swivel

MultiControl Armrest with Integrated
Transmission, Throttle, PTO and
Hitch Controls

#### INSTRUMENTATION:

A-Post mounted Analog/Digital
Instrument Cluster with display of
engine oil pressure, fuel level,
coolant temperature and speed,
hitch and PTO operational indicators

#### TRANSMISSION:

23 X 23 Dual Clutch Transmission

3 Range Transmission (A,B,C) Clutchless Range Change between ranges A/B and B/C Steering Column Mounted Left-hand Power Shuttle Multi-plate Wet Clutch Design

MFD -- 25 mph (40 kph)



## Standard Equipment

Speed varies with tire selection

#### STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulically actuated wet disc brakes
(self-equalizing and self-adjusting)
Independent parking brake

#### HYDRAULICS:

Pressure and flow compensated hydraulic system (PFC): Variable displacement piston pump Maximum flow at rated engine speed 39.6 gpm (150 l/m) flow (implement pump) 17.1 qpm (65 l/m) flow (steering and operating circuits) 56.7 gpm (215 1/m) total tractor hydraulic flow 3 Closed-center Electronic Remote Valves with in-cab flow control Hydraulic Tapping Port (Power Beyond Ready) Fender mounted hydraulic 3rd remote activation switch

#### AXLES:

Class IV MFD Front Axle:
Electro-hydraulic auto MFD and
diff-lock engagement
Fully locking front differential
Dual steering cylinders
Adjustable tread width from
61.4 in. to 88.8 in. (May vary
up to 1 in. depending on tires)
55 degree Turning Angle
12 degree Axle Oscillation
Drive Shaft Shield
Standard front tires:
14.9R28 (R1W)

Rear Axle: Flange type Wet plate rear differential lock MFD - Electro-hydraulic engaged
Standard rear tires:
18.4R38 (R1W)

#### HITCH:


Electronic draft control
(lower link sensing)
3-point hitch category II with
flex link ends and telescoping stabilizers
Fast Raise/Lower Control (in cab)
6700 lb/3039 kg lift capacity (OECD)
with dual 80mm external assist ram
Rear fender mounted remote
hitch switches
Ride control
Swinging drawbar

#### PTO:

Independent 540/1000 RPM
with single reversible shaft
Multi-plate wet clutch design
Electro-hydraulic engagement
with soft start/auto feathering
Flip-up PTO shaft guard
Fender mounted PTO control switch

### ELECTRICAL:

(1) 12-volt 1300 cca Battery
Geared starter motor (4.2kW)
7-pin outlet for trailer/implement
lighting
3-pin implement socket (40 amp)
ISO BUS 11783 rear breakaway socket
15 amp screw type positive/negative
terminals
Single pin (8 amp) accessory power
outlet
150 amp Alternator
ISO/JD (30 amp) socket
Two roof mounted single pin outlets
for beacon





# **Standard Equipment**

audible warning
Side mounted LED safety marker lights

LIGHTING:

Two hood mounted forward facing
Eight LED worklights
Two cab roof mounted forward facing
Two grab rail mounted forward facing
Two cab roof mounted rear facing
Two rear "C"-post mounted rear
facing
Two tailights

Time delayed turn indicators with

MISCELLANEOUS:
Pivoting engine hood
SMV emblem
Toolbox
Horn

NEBRASKA TEST REPORT STATUS: Nebraska Temporary Sales Permit

# **Models**

| COMMERCIAL MODEL           | Weight    | Factory Data | List Price   |
|----------------------------|-----------|--------------|--------------|
| MAXXUM 115HP ACTIVEDRIVE 8 | 13,580 LB | 9114608P34   | \$148,842.00 |
| MAXXUM 125HP ACTIVEDRIVE 8 | 13,580 LB | 9121175P67   | \$157,371.00 |
| MAXXUM 135HP ACTIVEDRIVE 8 | 13,580 LB | 9124030P06   | \$161,078.00 |
| MAXXUM 145HP ACTIVEDRIVE 8 | 13,580 LB | 9130264P75   | \$169,175.00 |
| MAXXUM 150HP ACTIVEDRIVE 8 | 14,242 LB | 9134950P97   | \$175,261.00 |



### **Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|            |             |        |              |            |

### PACKAGES PACKAGES

| SD | T9980 | PACKAGING |
|----|-------|-----------|
|    |       |           |

| XT9980X    | L con Dackasina  | T        |             | 11 01        |
|------------|--|----------|-------------|--------------|
| 1 1 119900 | Less Packaging   |          |             | No Charge    |
| X0408XX    | No Package selected; Custom premium pricing included in base       | <u> </u> |             |              |
| XU4U8XX    | AD8 Standard Pack  |          | (906252P40) | (\$8,120.00) |
|            | Includes: ENG STG V W/Boost, Vistronic Fan, Std Fuel               |          |             |              |
|            | Tank+Guard OR Large Fuel Tank+Guard, Basic Auto Feature            |          |             |              |
|            | OR ADV Trans Auto Feat, HD Flange Multi-Diff OR HID Bar            |          |             |              |
|            | Steel Multi-Diff, STD. Heavy Duty Brake Discs, End of Row          |          |             |              |
|            | Function, Less Trailer Brakes, L/ Pneumatic Trailer Brakes,        |          |             |              |
|            | HD Battery 176AH OR HVY DTY BTY MECH ISO, Less Radar, A            |          |             |              |
|            | Pillar CIH Enhanced Instru, Deluxe Radio, Less Joystick OR         |          |             |              |
|            | EH Joystick, Less Front Linkage, STD L/ 7P PLUG                    |          |             |              |
|            | ON F, CCLS PUMP, 3 ELECT HYD Rear Remote Valve OR                  |          |             |              |
|            | 4 ELECT HYD Rear Remote Valve, Low-Pressure Return, Less           |          |             |              |
|            | Tubes For FHPL, Deluxe Air Up.Down Head Rest, Standard             |          |             |              |
|            | Fenders, CAT II/III FLEX LINKS, Fenders EDC/PTO/REM VALV           |          |             |              |
|            | CONTRL, Auto PTO Management System, L/Front Fender, CAT            |          |             |              |
|            | II/III FLEX LINKS, Instructional Seat With Belt, Less Rear Cab     |          |             |              |
|            | Storage Box, Basic Hood Light, 8 LED High Power HI-Roof            |          |             |              |
|            | Lights, Suspended Cab, Less Armrest Monitor OR 10" Color           |          |             |              |
|            | Touch Screen Display, Air Conditioning, Rear Window                |          |             |              |
|            | Wiper, No Window Sunshade, 2 TELE/HEAT/REM ADJ Mirror,             |          |             |              |
|            | Std Steering Wheel, Tool Box                                       |          |             |              |
|            |  |          |             |              |
|            | Selectable Options: Charging Systems, Weather Pack, Front          |          |             |              |
|            | Ballast, Speed, Park Lock, Rear Axle, Brake Pack, Front Axle, Tire |          |             |              |
|            | Category, Front Wheels and Tires, Rear Wheels and Tires, Wheel     |          |             |              |
|            | Weights, Steering OR Autoguidance Ready, Autoguidance,             |          |             |              |
|            | ISO BUS, Mid-Mount Valves, Loader Brackets, Front Fenders,         |          |             |              |
|            | AUX RAMS, Front Work Lamps, Rotary Beacon, RH Window               |          |             |              |
|            | Bar Mount  |          |             |              |

| X0409XX | AD8 Deluxe Pack  |   | (906252P40) | (\$8,120.00) |
|---------|--|---|-------------|--------------|
|         | Includes: ENG STG V W/Boost, Vistronic Fan, Std Fuel         |   |             |              |
|         | Tank+Guard OR Large Fuel Tank+Guard, Basic Auto Feature      | 1 |             |              |
|         | OR ADV Trans Auto Feat, HD Flange Multi-Diff OR HID Bar      | ) |             |              |
|         | Steel Multi-Diff, End of Row Function OR ADV. Headland       | ) |             |              |
|         | CTRL Confg EHR, HD Battery 176AH OR HVY DTY BTY MECH         |   |             |              |
|         | ISO, Less Radar, A Pillar CIH Enhanced Instru, Deluxe Radio, |   |             | 1            |
|         | Less Joystick OR EH Joystick, Less Front Linkage, STD L/7P   |   |             | 1            |
|         | PLUG ON F, CCLS PUMP, 3 ELECTHYD Rear Remote Valve           |   |             |              |
|         | OR 4 ELECT HYD Rear Remote Valve, Low-Pressure Return,       |   |             |              |
|         | Less Tubes For FHPL, Deluxe Fabric W HT + VENT OR MAX        |   |             |              |
|         | EVO Leather Active, StandardnOR Full Cover Fenders,          |   |             |              |
|         | Fenders EDC/PTO/REM VALV CONTRL, Auto PTO                    |   |             |              |
|         | Management System, L/Front Fender, CAT II/III Flex Links,    |   |             |              |
|         | Instructional Seat With Belt, Less Rear Cab Storage Box,     |   |             |              |
|         | High Spec Hood Light, 12 OR 14 LED High Power HI-Roof        |   |             |              |
|         | Lights, Suspended Cab, Less Armrest Monitor OR 10"           |   |             |              |
|         | Color Touch Screen Display, Air Conditioning W/ATC,          |   |             |              |
|         | Rear Window Wiper, Rear Window Sunshade, 2                   |   |             |              |
|         | TELE/HEAT/REM ADJ Mirror, Leather Steering                   |   |             |              |
|         | Wheel+Carpet, Tool Box                                       |   |             |              |
|         | Selectable Options: Charging Systems, Weather Pack, Front    |   |             |              |
|         | Ballast, Speed, Park Lock, Brake Pack, Front Axle, Tire      |   |             |              |
|         | Category, Front Wheels and Tires, Rear Wheels and Tires,     |   |             |              |
| i       | Wheel Weights, Steering OR Autoguidance Ready, TRLR          |   |             |              |
|         | BRK VLV, PNEUM Trailer Brake, Autoguidance, ISO BUS,         |   |             |              |
|         | Mid-Mount Valves, Loader Brackets, Front Fenders,            |   |             |              |
|         | AUX RAMS, Front Work Lamps, Rotary Beacon, RH Window         |   |             |              |
|         | Bar Mount  |   |             |              |



| X0410XX | AD8 HD Loader Pack  | (906252P40) | (\$8,120.00) |
|---------|---|-------------|--------------|
|         | Includes: ENG STG V W/Boost, Vistonic Fan, Std Fuel             |             |              |
|         | Tank+Guard OR Large Fuel Tank+Guard, 40 KPH DCT FD Pump,        |             |              |
|         | Basic Auto Feature OR ADV Trans Auto Feat, HD Flange Multi-     |             |              |
|         | Diff OR HID Bar Steel Multi-Diff, STD HD Brake Discs, Class 4   |             |              |
|         | HD STD Axle OR Class 4 Susp + Brake HYD Lock, End of Row        |             |              |
|         | Function, Less Trailer Brakes, L/Pneumatic Trailer Brakes, Less |             |              |
|         | Radar, A Pillar CIH Enhanced Instru, Deluxe Radio, EH Joystick, |             |              |
|         | 3 Electronic MMV, NA LDR RDY+3MMV+ADVmm, Less Front             |             |              |
|         | Linkage, STD L/ 7P PLUG ON F, CCLS PUMP, 3 ELECT HYD            |             |              |
|         | Rear Remote Valve OR 4 ELECT HYD Rear Remote Valve,             |             |              |
|         | Low-Pressure Return, Less Tubes For FHPL, Deluxe Fabric         |             |              |
|         | W HT + Vent OR Deluxe Air Up/DownHead Rest, Standard            |             |              |
|         | Fenders, Fenders EDC/PTO/REM VALV CONTRL, Auto PTO              |             |              |
|         | Management System, L/Front Fender, CAT II/III FLEX LINKS,       |             |              |
|         | Instructional Seat With Belt, Less Rear Cab Storage Box, Basic  |             |              |
|         | Hood Lights, 8 LED High Power HI-Roof Lights, High Headlight    |             |              |
|         | Righthand Dip, Suspended Cab, Less Armrest Monitor OR 10"       |             |              |
|         | Color Touch Screen Display, Air Conditioning, Rear Window       |             |              |
|         | Wiper, Rear Window Sunshade, 2 TELE/HEAT/REM ADJ Mirror,        |             |              |
|         | Std Steering Wheel+Carpet, Tool Box                             |             |              |
|         | Selectable Options: Charging Systems, Weather Pack, Front       |             |              |
|         | Ballast, Park Lock, Tire Category, Front Wheels and Tires,      |             |              |
|         | Rear Wheels and Tires, Wheel Weights, Steering OR               |             |              |
|         | Autoguidance Ready, Battery, Autoguidance, ISO BUS,             |             |              |
|         | Front Fenders, AUX RAMS, Rotary Beacon, RH Window               |             |              |
|         | Bar Mount   |             |              |

### **OPERATOR STRUCTURE**

**OPERATOR STRUCTURE** 

| SI    | D_T9200 OF | PERATOR STRUCTURE #1   |             |              |
|-------|------------|--|-------------|--------------|
|       | 758479     | Suspended_Cab  |             | No Charge    |
| I I I |            | Two shocks mounted in rear of cab increase operator comfort      |             |              |
|       |            | Reduces shock loads transmitted to the tractor by up to 25%      |             |              |
| 1 1 1 |            | When coupled with a suspended axle, the ultimate in ride comfort |             |              |
|       |            | is achieved  |             |              |
|       |            | Includes tinted rear window                                      |             |              |
|       | 391610     | Cab w/Fixed Front Screen   | (901479P17) | (\$1,921.00) |
|       |            | Standard Cab - Does not include Cab Suspension                   |             |              |
|       | 758481     | Suspended Cab + Heated Screens                                   | 9000424P27  | \$551.00     |
| 1 1 1 |            | Includes 758479 Suspended Cab plus heated front and rear         |             |              |
|       |            | windscreens  |             |              |
|       |            | Requires 200A alternator   |             |              |



### **MAXXUM MC ACTIVEDRIVE 8 SERIES TRACTOR US PRICE LIST**

| 390665   | H WINDOW BAR MOUNT Fixings for Mounted Monitor  |                          | No Charge   |
|--|---|--------------------------|---|
|  | No Bar or Monitor   |                          |   |
| 763152   | DELUXE MONITOR BRACK  | 9000346P50               | \$450.00  |
|  | Deluxe monitor rail with harness guide and 2 USB Power Ports  |                          |   |
| 763153   | DISPLAY READY INC E   | 9000519P75               | \$675.00  |
|  | Included Deluxe Monitor Bracket Prewired for Pro 700 display  |                          |   |
| 763154   | AFS700 TOUCHSCREEN  | 9004643P10               | \$6,030.00  |
|  | AFS Pro 700 Mounted on Deluxe Monitor Rail.   |                          |   |
|  |   |                          |   |
| SD_T9228 R   | H ARMREST MOUNT   |                          |   |
| 390686   | Less Armrest Monitor.   |                          | No Charge   |
| 758147   | Display Ready: Pre-wired  | 9000220P22               | \$286.00  |
|  | MultiControl armrest complete with mounting bracket and   |                          |   |
|  | pre-wired to mount an optional AFS Pro 700 Display  |                          |   |
|  | No display included   |                          |   |
| 758548   | 10" Color Touch Screen Display  | 9004441P36               | \$5,768.00  |
|  | Includes AFS Pro 700 Color Touchscreen display mounted at the   |                          |   |
|  | end of MultiControl Armrest   |                          |   |
|  |   |                          |   |
| AB   |   |                          |   |
| , 18   |   |                          |   |
|  |   |                          |   |
| SD_T7620 S   |   |                          | No Charge   |
|  | Radio Predisposition.   |                          | No Charge   |
| SD_T7620 S   | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket  |                          | No Charge   |
| SD_T7620 S<br>390653   | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.   | 0000449D44               |   |
| SD_T7620 S   | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712  | 9000418P11               |   |
| SD_T7620 S<br>390653   | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.   | 9000418P11               |   |
| SD_T7620 S<br>390653<br>743712                                   | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers   | 9000418P11               |   |
| SD_T7620 S<br>390653<br>743712<br>SD_T8500 S                     | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers   | 9000418P11               | \$543.0   |
| SD_T7620 S<br>390653<br>743712                                   | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers  EAT  Deluxe Air Up/Down Head Rest  | 9000418P11               | \$543.0   |
| SD_T7620 S<br>390653<br>743712<br>SD_T8500 S<br>391285           | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers  EAT  Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension  |                          | \$543.00<br>No Chargo                             |
| SD_T7620 S<br>390653<br>743712<br>SD_T8500 S                     | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers  EAT  Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension  Deluxe Fabric w HT + VENT   | 9000418P11<br>9001637P02 | \$543.0<br>No Charg                               |
| SD_T7620 S<br>390653<br>743712<br>SD_T8500 S<br>391285           | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers  EAT  Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension  Deluxe Fabric w HT + VENT Deluxe air seat with low frequency suspension,  |                          | \$543.0<br>No Charg                               |
| SD_T7620 S<br>390653<br>743712<br>SD_T8500 S<br>391285           | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers  EAT  Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension  Deluxe Fabric w HT + VENT Deluxe air seat with low frequency suspension, swivel headrest, heated, and passive venting   |                          | \$543.0<br>No Charg                               |
| SD_T7620 S<br>390653<br>743712<br>SD_T8500 S<br>391285<br>758362 | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers  EAT  Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension  Deluxe Fabric w HT + VENT Deluxe air seat with low frequency suspension, swivel headrest, heated, and passive venting Deluxe Fabric material  | 9001637P02               | \$543.0<br>No Charg<br>\$2,126.0                  |
| SD_T7620 S<br>390653<br>743712<br>SD_T8500 S<br>391285           | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers  EAT  Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension  Deluxe Fabric w HT + VENT Deluxe air seat with low frequency suspension, swivel headrest, heated, and passive venting Deluxe Fabric material  MAX EVO LEATHER ACTIVE  |                          | \$543.0<br>No Charg<br>\$2,126.0                  |
| SD_T7620 S<br>390653<br>743712<br>SD_T8500 S<br>391285<br>758362 | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers  EAT  Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension  Deluxe Fabric w HT + VENT Deluxe air seat with low frequency suspension, swivel headrest, heated, and passive venting Deluxe Fabric material  | 9001637P02               | \$543.0<br>No Charg<br>\$2,126.0                  |
| SD_T7620 S<br>390653<br>743712<br>SD_T8500 S<br>391285<br>758362 | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers  EAT  Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension  Deluxe Fabric w HT + VENT Deluxe air seat with low frequency suspension, swivel headrest, heated, and passive venting Deluxe Fabric material  MAX EVO LEATHER ACTIVE  | 9001637P02               | \$543.00<br>No Charge<br>\$2,126.0                |
| SD_T7620 S   | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers  EAT  Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension  Deluxe Fabric w HT + VENT Deluxe air seat with low frequency suspension, swivel headrest, heated, and passive venting Deluxe Fabric material  MAX EVO LEATHER ACTIVE Active air suspension leather seat with low frequency suspension, headrest, heated, and active venting | 9001637P02               | \$543.0<br>No Charg<br>\$2,126.0                  |
| SD_T7620 S   | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers  EAT  Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension  Deluxe Fabric w HT + VENT Deluxe air seat with low frequency suspension, swivel headrest, heated, and passive venting Deluxe Fabric material  MAX EVO LEATHER ACTIVE Active air suspension leather seat with low frequency suspension, headrest, heated, and active venting | 9001637P02               | \$543.0<br>No Charg<br>\$2,126.0<br>\$4,167.0     |
| SD_T7620 S   | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers  EAT  Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension  Deluxe Fabric w HT + VENT Deluxe air seat with low frequency suspension, swivel headrest, heated, and passive venting Deluxe Fabric material  MAX EVO LEATHER ACTIVE Active air suspension leather seat with low frequency suspension, headrest, heated, and active venting | 9001637P02               | \$543.00<br>No Charge<br>\$2,126.00<br>\$4,167.00 |
| SD_T7620 S   | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot.  DELUXE RADIO 743712 Deluxe radio with blue tooth and high premium speakers  EAT  Deluxe Air Up/Down Head Rest Deluxe Seat with Low Frequency Air Suspension  Deluxe Fabric w HT + VENT Deluxe air seat with low frequency suspension, swivel headrest, heated, and passive venting Deluxe Fabric material  MAX EVO LEATHER ACTIVE Active air suspension leather seat with low frequency suspension, headrest, heated, and active venting | 9001637P02               | \$543.00<br>No Charge<br>\$2,126.00<br>\$4,167.00 |

### MAXXUM MC ACTIVEDRIVE 8 SERIES TRACTOR

| West Control      | US PRICE LIST  |            |           |
|-------------------|--|------------|-----------|
| 758569            | Instructional Seat with Belt Includes seatbelt                       | 9000385P00 | \$500.00  |
|                   | Cloth/Leather will match operator seat                               |            |           |
| 00 T0040 D        |  |            |           |
| SD_19010 RI       | EAR CAB STORAGE BO   |            |           |
| 758570            | Less Rear Cab Storage Box  |            | No Charg  |
| /565/0            | Lefthand Rear Cab Storage Box  | 9000187P11 | \$243.0   |
|                   | Large LH storage box   |            |           |
|                   | Located in the back left hand corner, behind instructor seat area    |            |           |
|                   | Compatible with or without instructor seat/front toolbox options     |            |           |
| SD T9230 CI       | LIMATE CONTROL   |            |           |
| 392701            | AIR CONDITIONING 392701  |            | No Charg  |
| 758482            | Air Conditioning W/ATC   | 9000610P61 | \$793.0   |
|                   | Automatic Temperature Control (ATC). Operator sets desired           | 333313.3.  | Ψ100.0    |
|                   | temperature and system maintains set temperature.                    |            |           |
|                   |  |            |           |
| SD_T9260 RE       | EAR WIPER & WASHER   |            |           |
| 390675            | Less Rear Wiper  |            | No Charg  |
| 758348            | Rear Window Wiper  | 9000374P99 | \$487.0   |
|                   | Includes a rear windshield wiper: Allows for easier rear window      | 1          |           |
|                   | cleaning, especially in dusty conditions with sharp sun angles into  | 1 1        |           |
|                   | the cab  |            |           |
| 00 T0004 D        | AD WALL ON A STATE OF  |            |           |
|                   | EAR WINDOW SUNSHADE  |            |           |
| X92911X<br>758580 |  |            | No Charge |
| /30300            | Sunshade, Rear Window  | 9000171P71 | \$223.0   |
|                   | Pull down perforated material sunscreen                              |            |           |
| SD T9553 LU       | IXURY PACK   |            |           |
| 391152            | Std Steering Wheel   |            | No Charg  |
|                   | Standard, non-leather steering wheel                                 |            | <b>3</b>  |
| 758483            | Leather Steering Wheel +Carpet                                       | 9000405P02 | \$526.0   |
| 1 1               | Includes premium Case IH leather steering wheel with silver          |            |           |
|                   | spokes and carpet with Case IH logo.                                 |            |           |
|                   | William Agri   |            |           |
| STEERING COLUI    | MN   |            |           |
|                   |  |            |           |
|                   | EERING OR AUTOGUIDANCE READY   |            |           |
| 391630            | Standard Steering  |            | No Charg  |
| 759186            | Variable Ratio Steer   | 9002268P42 | \$2,946.0 |
|                   | ASC (Adaptive Steering Control) adjusts steering ratio based on      |            |           |
|                   | vehicle speed for increased steering control                         |            |           |
|                   | - Reduces number of steering wheel turns from lock to lock           |            |           |
|                   | - Great feature for loader operations                                |            |           |
|                   | Functions via VRS rocker switch or via display (if tractor is fitted |            |           |
|                   | with Pro 700 display)  |            |           |

| 759185       | Autoguidance Ready  | 9004007P08 | \$5,204.00 |
|--------------|---|------------|------------|
|              | Includes steering valve and manifold, hoses, wiring harness, and                                    |            |            |
| 1            | roof mounting bracket for receiver  |            |            |
|              | Does not include display mount  |            |            |
| 759187       | Va.Ratio + Autoguidance   | 9004429P04 | \$5,752.00 |
|              | Includes Variable Ratio Steer 759186 and Autoguidance Ready   |            |            |
|              | (759185)  |            |            |
|              |   |            |            |
|              | JDIBLE WARNING TURN INDICATOR   |            | No Charge  |
| 393177       | SMART SLF CANC STALK  |            | No Charge  |
| RRORS        |   |            |            |
| KKOKO        |   |            |            |
| SD T9360 R   | RMIRRORS  |            |            |
| 759153       | 2 Telescopic Mirrors 759153   |            | No Charg   |
|              | 2 telescopic mirrors shatter proof with large head. 8.5" x 12"                                      |            |            |
|              | ( 215 x 304 mm)   |            |            |
| 759154       | 2 Tele/Heat/Rem Adj Mirror  | 9000055P44 | \$72.0     |
|              | 2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof                                      |            |            |
|              | with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)   |            |            |
|              |   |            |            |
| STRUMENTATI  | NCNC_   |            |            |
|              | ATTENDED TO A MEL   |            |            |
|              | STRUMENT PANEL  |            | No Charg   |
| 390763       | "A" Pillar for CIH Basic Instr Includes oil, brake, PTO speed, hitch, reset, electronic remote flow |            | nto onarg  |
|              | and timer (when equipped), engine hours, fault codes, egress light                                  |            |            |
|              | settings.   | 1 1        |            |
| 750546       | A Pillar CIH Enhanced Instru  | 9000138P60 | \$180.0    |
| 758546       | Includes oil, brake, PTO speed, hitch, reset, electronic remote flow                                | 0000.00.00 | *          |
|              | and timer (when equipped), engine hours, fault codes, egress light                                  |            |            |
|              | settings.   |            |            |
|              | j settings.   |            |            |
|              | Also includes A-Post data display slip control, area worked, tractor                                |            |            |
|              | Also includes A-Post data display, slip control, area worked, tractor                               |            |            |
|              | Also includes A-Post data display, slip control, area worked, tractor performance monitoring.       |            |            |
| ORK LIGHTING | performance monitoring.   |            |            |
| ORK LIGHTING | performance monitoring.   |            |            |
| ORK LIGHTING | performance monitoring.   |            | No Charr   |

759447 HIGH SPEC HOOD LIGHT

New Grill Styling with LED High Spec Hood Lights

2 halogen roadlights 4 led worklights 2 led signature lights

New Grill Styling with updated hoodlights 2 halogen roadlights 2 halogen worklights

BASIC HOOD LIGHTS

759446

No Charge

\$1,100.00

9000847P00



| SD | T9130 | WORK | LAMPS |
|----|-------|------|-------|
|    |       |      |       |

| 758357 8 LED High Power Hi-Roof High Power LED lights 1950 Lumens 4 front roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights 392212 8 LED Std Power Hi-Roof Standard Power LED lights produce 1000 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights 758594 12 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights 2 halogen road hood lights   |
|--|
| 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights 392212 8 LED Std Power Hi-Roof (900328P02) (\$426.0 Standard Power LED lights produce 1000 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights 12 LED High Power Hi-Roof (900328P02) (\$426.0 Standard Power LED lights Power LED Work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights  |
| 4 rear roof-mounted LED work lights 2 halogen work hood lights 392212 8 LED Std Power Hi-Roof Standard Power LED lights produce 1000 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights 12 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights 2 halogen road hood lights  |
| 2 halogen road hood lights 2 halogen work hood lights  392212 8 LED Std Power Hi-Roof Standard Power LED lights produce 1000 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights 12 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights   |
| 2 halogen work hood lights  392212 8 LED Std Power Hi-Roof Standard Power LED lights produce 1000 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights  758594 12 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights  |
| 392212 8 LED Std Power Hi-Roof Standard Power LED lights produce 1000 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights 12 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights  |
| Standard Power LED lights produce 1000 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights  758594 |
| 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 halogen road hood lights  758594 12 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights  |
| 4 rear roof-mounted LED work lights 2 halogen road hood lights 2 halogen work hood lights  758594 12 LED High Power Hi-Roof 9001312P85 \$1,705.0 High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights   |
| 2 halogen road hood lights  2 halogen work hood lights  758594  12 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights  |
| 2 halogen work hood lights  758594  12 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights  |
| 758594 12 LED High Power Hi-Roof High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights   |
| High Power LED lights produce 1950 Lumens 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights  |
| 4 front roof-mounted LED work lights 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights  |
| 4 rear roof-mounted LED work lights 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights   |
| 2 front grab rail-mounted LED work lights 2 rear post-mounted LED work lights 2 halogen road hood lights   |
| 2 rear post-mounted LED work lights 2 halogen road hood lights   |
| 2 halogen road hood lights   |
|  |
|  |
| 2 halogen work hood lights   |
| 758595 14 LED High Power Hi-Roof 9001968P12 \$2,556.0  |
| High Power LED lights produce 1950 Lumens  |
| 4 front roof-mounted LED work lights   |
| 6 rear roof-mounted LED work lights  |
| 2 front grab rail-mounted LED work lights  |
| 2 rear post-mounted LED work lights  |
| 2 halogen road hood lights   |
| 2 halogen work hood lights   |

#### SD\_T9131 FRONT WORK LAMPS ON

| 390661 | Less High Mounted Headlamp  |            | No Charge |
|--------|---|------------|-----------|
| 758488 | High Headlight Righthand DIP  | 9000259P49 | \$337.00  |
|        | 2 Grab Rail-mounted headlights - remain on for road transport.      |            |           |
|        | These lights assist in visibility during transport with a loader or |            |           |
|        | front 3-point hitch mounted implement.                              |            |           |

#### BEACON LIGHTING

SD\_T9146 ROTARY BEACON

| X91461X | No Rotary Beacon  |            | No Charge |
|---------|---|------------|-----------|
| 758489  | Rotary Beacon Lefthand Side                               | 9000349P58 | \$454.00  |
|         | Single Foldable LED Beacon on rear left of tractor.       |            |           |
| 758491  | Twin Beacon   | 9000699P93 | \$909.00  |
|         | Dual Foldable LED Beacons mounted on rear corners of cab. |            |           |

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22; Extended to 2/21/23



### **PRECISION FARMING**

|       | 17002 110 | ECISION AND COMMON                                     |           |
|-------|-----------|--|-----------|
|       | 393190    | LESS P&CM MODULE & H                                   | No Charge |
|       | 762621    | PCM4G USA  | No Charge |
|       |           | PCM 4G USA 4G P&CM controller for USA Market Verizon   |           |
|       |           | SIM This device provides optimal coverage in a large   | 1         |
|       |           | majority of the USA, however for areas with poor or no |           |
|       |           | Verizon cellular coverage order 762622.                |           |
|       |           | NOT FOR CANADIAN MARKETS                               |           |
|       | 762622    | PCM4G CANADA   | No Charge |
| 111   |           | PCM 4G Canada 4G P&CM controller for Canadian or       |           |
| 1 1 1 |           | LIMITED USA Market AT&T SIM This device is the         |           |
| 1 1 1 |           | only option for Canadian markets, and should also      |           |
|       |           | be ordered for USA markets that have poor or no V      |           |
|       |           | erizon cellular coverage                               |           |

#### AUTOGUIDANCE

SD\_T4820 HEADLAND SYSTEM

|     | 743737 | End of Row Function   |            | No Charge  |
|-----|--------|---|------------|------------|
|     | 391341 | Less Headland Control System                                  |            | No Charge  |
|     | 758592 | Adv. Headland Ctrl Confg EHR                                  | 9000815P43 | \$1,059.00 |
|     |        | Allows End of Row functions to be precisely programmed within |            |            |
|     |        | AFS Pro 700 monitor   |            |            |
|     |        | More user-friendly than basic End of Row controls             |            |            |
|     |        | Allows operator to choose within the display which remote is  | 1          |            |
| 1 1 |        | operated on the MultiFunction handle                          |            |            |
|     |        | Requires an AFS Pro 700 display                               |            |            |

SD\_T7625 TELEMATICS

|   | 391249 | Less Telematics  |            | No Charge  |
|---|--------|--|------------|------------|
|   | 763262 | 1 Year Telematics Subs                                   | 9001184P26 | \$1,538.00 |
|   |        | P&CM Advanced 1 year Telematics (Includes File Transfer) |            |            |
|   | 763263 | 3 Year Telematics Subs                                   | 9001598P52 | \$2,076.00 |
|   |        | P&CM Advanced 3 year Telematics (Includes File Transfer) |            |            |
| П | 763265 | 5 Year Telematics Subs                                   | 9002012P78 | \$2,614.00 |
|   |        | P&CM Advanced 5 year Telematics (Includes File Transfer) |            |            |

SD\_T7630 AUTOGUIDANCE

|  | 392484 | Less Autoguidance   |            | No Charge   |
|--|--------|---|------------|-------------|
|  | 758803 | Full AG Nav GPS L1  | 9007244P16 | \$9,408.00  |
|  |        | Includes WAAS with accuracy to +/- 3 Ft                   |            |             |
|  | 758804 | Full AG Nav GPS L2  | 9009337P79 | \$12,127.00 |
|  |        | Includes Omnistar activation with accuracy to +/- 1.5 ln. |            |             |



Grounds Equipment - Bid #ESCNJ 18/19-25 -T1TD 01

## MAXXUM MC ACTIVEDRIVE 8 SERIES TRACTOR US PRICE LIST

| 758871 | Autoguidance Lvl 3 RTK Modem                                | 9011430P65 | \$14,845.00 |
|--------|---|------------|-------------|
|        | Full AG NAV GPS Level 3                                     |            |             |
|        | Includes Omnistar and RTK receiver activation with accuracy |            |             |
|        | to +/- 1 In.  |            |             |
|        | Requires an RT radio or modem                               |            |             |
|        | Requires subscription                                       |            |             |

#### ENGINE

#### SD T1000 ENGINE

| П | 393110 | ENG STG V W/BOOST   |            | No Charge  |
|---|--------|---|------------|------------|
| Ш |        | Elect. Fuel pump - 4 valves with Power Boost                    |            |            |
|   | 762186 | ENG STG V W/BST W/BR  | 9001597P75 | \$2,075.00 |
|   |        | Elect. Fuel pump - 4 valves with Power Boost and Engine Exhaust |            |            |
|   |        | Brake - Activated by depressing a pedal on left side in the cab |            |            |
| Ш |        | Closes the exhaust flap to act as an exhaust brake to reduce    |            |            |
|   |        | braking when hauling heavy loads on steep terrain.              |            |            |

#### SD\_T1010 ENGINE OPTIONS

|   |        | SINE 51 110115   |            |           |
|---|--------|--|------------|-----------|
|   | 392300 | STD ENG COOLING FAN                                      | - 1        | No Charge |
| П | 758700 | VISTRONIC FAN  | 9000140P14 | \$182.00  |
| ш |        | Can vary speed independent of engine speed, based on the |            |           |
|   |        | demand for cooling                                       |            |           |

#### SD T1040 CHARGING SYSTEMS

| <br>OD TIONO OF | IANOINO OTOTEMO                                 |            |           |
|-----------------|---|------------|-----------|
| 758557          | 150 AMP_Alternator                              |            | No Charge |
| 758558          | 200 AMP_Alternator                              | 9000200P97 | \$261.00  |
|                 | Required for Suspended Cab w/htd screens 758480 |            |           |

#### SD T1934 ENG SPEED MANAGEMENT

| П | 743814 | Engine Speed Management                                  | No Charge |
|---|--------|--|-----------|
| П |        | Constant Engine RPM (CERPM) Functions                    |           |
| П | 1      | Allows operator to set and switch between two engine RPM |           |
| Н |        | set-points   |           |
|   |        | Switches located on RH console                           |           |

### STARTING AID

| SD     | T1938 | WEATHER PACK  |  |
|--------|-------|---------------|--|
| 3.31.7 | 330   | VVLMITIENTACK |  |

|   | 758401 | Grid_Heater                  |  | No Charge |
|---|--------|------------------------------|--|-----------|
| Ш |        | -18F (-10C) to -32.4F (-18C) |  |           |

|  | 758402 | Grid_Heater + 110V Pack   | 9000339P57 | \$441.00 |
|--|--------|---|------------|----------|
|  |        | Improves cold weather starting abilities; transmission heat       |            |          |
|  |        | maintainer  |            |          |
|  |        | 110V Electrical Plug in   |            |          |
|  |        | Engine block heater includes 2 heaters: 1 for engine block heater |            |          |
|  |        | and 1 for transmission and hydraulic heat maintainer              |            |          |
|  |        | Plugs located side by side, below door opening                    |            |          |

#### BATTERY

| SD T7420 BATTER | RY |
|-----------------|----|
|-----------------|----|

| П | 758407 | HD Battery 176AH  |            | No Charge |
|---|--------|---|------------|-----------|
|   |        | Heavy Duty Battery (176Ah 1300 EN cca)                            |            |           |
|   |        | Does not include battery isolator                                 |            |           |
|   | 759140 | Hvy Dty Bty Mech ISO  | 9000275P66 | \$358.00  |
|   |        | Includes mechanical battery isolator switch                       |            |           |
|   |        | Mechanical switch disconnects battery to prevent battery drainage |            |           |
|   | 758409 | HD Battery W/Isolator 176AH                                       | 9000367P29 | \$477.00  |
|   |        | Includes electronic battery isolator switch on right hand rear    |            |           |
|   |        | c-pillar in cab.  |            |           |
|   |        | In-cab switch disconnects battery to prevent battery drainage.    |            |           |

#### FUEL TANK

| CD  | T1400  | TANIZ |
|-----|--------|-------|
| 317 | 1 1400 | IANN  |

| 759128 | Std Fuel Tank+Guard                                     |             | No Charge  |
|--------|---|-------------|------------|
|        | Includes fuel tank guards                               |             |            |
|        | Capacity - 210L (55.4 Gal)                              |             |            |
| 759127 | Std Fuel Tank   | (900279P51) | (\$363.00) |
|        | Does not include fuel tank guards                       |             |            |
|        | Capacity - 210L (55.4 Gal)                              |             |            |
| 759130 | Large Fuel Tank+Guard                                   | 9000197P12  | \$256.00   |
|        | Includes fuel tank guards                               |             | 1          |
|        | Incompatible with 34" front tires (8801604 and 8859604) |             |            |
|        | Capacity - 250L (66 Gal)                                |             |            |

### **TRANSMISSION**

#### TRANSMISSION

SD\_T2800 SPEED

| DCT    |   |           |
|--------|---|-----------|
| 392464 | 40 KPH DCT FD PUMP  | No Charge |
|        | 23 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up |           |
|        | to 8 Power Shifts per range over 3 ranges                       |           |
|        | Pushbutton shift, No need for mechanical range lever, No need   | 1         |
|        | to clutch between ranges  |           |

| 759111     | 40 KPH ECO - DCT  | 9001534P61 | \$1,993.00 |
|------------|---|------------|------------|
|            | 24 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up |            | .,,        |
|            | to 8 Power Shifts per range over 3 ranges                       |            |            |
|            | Pushbutton shift, No need for mechanical range lever, No need   |            |            |
|            | to clutch between ranges  |            |            |
| 759113     | 50 KPH - DCT  | 9001534P61 | \$1,993.00 |
|            | 24 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up |            | . ,        |
|            | to 8 Power Shifts per range over 3 ranges                       |            |            |
|            | Pushbutton shift, No need for mechanical range lever, No need   | 1 1        |            |
| 1.1        | to clutch between ranges  |            |            |
|            | Requires 113L Hyd Pump (758441), Class 3 Susp + Brake Hyd Lock  | 1 1        |            |
|            | (758423) or Class 4 Susp + Brake Hyd Lock (758428) and Front    |            |            |
|            | Fenders   |            |            |
| DCT + Cree | eper  |            |            |
| 759131     | 40KPH DCT + CREEPER   | 9002093P63 | \$2,719.00 |
|            | 23 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up |            |            |
|            | to 8 Power Shifts per range over 3 ranges                       | 1 1        |            |
|            | Pushbutton shift, No need for mechanical range lever, No need   | 1 1        |            |
|            | to clutch between ranges  | 1 1        |            |
|            | Creeper - 722 Feet per hour (220 meters per hour)               |            |            |
| 759112     | 40K ECO - DCT+CREEPE  | 9003627P47 | \$4,711.00 |
|            | 24 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up |            |            |
|            | to 8 Power Shifts per range over 3 ranges                       |            |            |
|            | Pushbutton shift, No need for mechanical range lever, No need   |            |            |
|            | to clutch between ranges  |            |            |
|            | Creeper - 722 Feet per hour (220 meters per hour)               |            |            |
| 759134     | 50KPH DCT + CREEPER   | 9003627P47 | \$4,711.00 |
|            | 23 Speed ActiveDrive 8 Transmission (DCT Style Transmission) up |            |            |
|            | to 8 Power Shifts per range over 3 ranges                       | 1 1        |            |
|            | Pushbutton shift, No need for mechanical range lever, No need   |            |            |
|            | to clutch between ranges  |            |            |
|            | Requires 113L Hyd Pump (758441), Class 3 Susp + Brake Hyd Lock  |            |            |
|            | (758423) or Class 4 Susp + Brake Hyd Lock (758428)              |            |            |
|            | and Front Fenders   |            |            |
|            | Creeper - 722 Feet per hour (220 meters per hour)               |            |            |

| S           | D_T2816 AU | TO FEATURES   |  |           |
|-------------|------------|---|--|-----------|
|             | 759166     | BASIC AUTO FEATURE  |  | No Charge |
|             |            | Includes 392359 plus  |  |           |
|             |            | Pedal Kick Down: Enhances acceleration while in autoshift mode        |  |           |
|             |            | during transport applications   |  |           |
|             |            |   |  |           |
| $  \cdot  $ |            | AutoShift: Automates shifting of gears based on engine load           |  |           |
|             |            |   |  |           |
| 1 1 1       |            | Active Clutch II: Allows operator finite inching control by utilizing |  |           |

brake pedal on the tractor

| Г | 758631 | ADV TRANS AUTO FEAT   |   | 9000623P70 | \$810.00 |
|---|--------|---|---|------------|----------|
| 1 |        | Includes 392359 and 758631 plus                             |   |            |          |
|   |        | Target Speed Management (APM): Maintains set speed; similar | ~ |            |          |
|   |        | to Magnum   |   |            |          |

#### RADAR

SD\_T7580 RADAR

| П | 390703 | Less Radar  |            | No Charge |
|---|--------|---|------------|-----------|
|   | 758501 | Radar NAR   | 9000684P53 | \$889.00  |
|   |        | Provides more accurate speed readings and area measurements |            |           |
|   |        | Requires enhanced instrumentation                           |            |           |
|   |        | 758546 A Pillar CIH Enhanced Instru                         |            |           |

#### TRAILER BRAKES

SD T7230 PNEUM TRAILER BRAKE

| П | 390729 | L/ Pneumatic Trailer Brakes                                       |            | No Charge  |
|---|--------|---|------------|------------|
|   | 758447 | Pneumatic Trailer Brake Univ                                      | 9006777P54 | \$8,802.00 |
|   |        | Requires hydraulic trailer brakes (744784) or brake logic valve   |            |            |
|   |        | (744783)  |            |            |
|   | 1      | Dual air line system is used for dual cylinder truck type trailer |            |            |
|   |        | brakes.   |            |            |
|   |        | For customers with air brakes in heavy hauling applications, such |            |            |
|   |        | as with manure tankers.   |            |            |

#### TRAILER BRAKES

SD T7130 TRLR BRK VLV

|  | 100    | ACT BIAC VEV         |            |            |
|--|--------|----------------------|------------|------------|
|  | 390711 | Less trailer brakes  |            | No Charge  |
|  | 759472 | HYD TRLBRK - NOT ISO | 9000947P10 | \$1,230.00 |

### HITCH

#### FRONT HITCH

SD\_T8100 FRONT THREE POINT HITCH

| 390811 | Less Front Linkage  |            | No Charge   |
|--------|---|------------|-------------|
| 759144 | Integrated FHPL 759144  | 9006511P12 | \$8,456.00  |
|        | Integrated Front Hitch  |            |             |
| 759147 | Int FHPL+FPTO   | 9013734P49 | \$17,837.00 |
|        | Integrated Front Hitch with PTO                                   |            |             |
|        | The front PTO is a 6 spline, 1 3/8" 1000 RPM shaft, which rotates |            |             |
|        | counter-clockwise when looking from the front of the tractor.     |            |             |



| XT8106X                           | Std L/ 7P Plug On F ,   |                          | No Charge                      |
|-----------------------------------|---|--------------------------|--------------------------------|
|                                   | Front Implement Lighting Connector  |                          |                                |
| 758713                            | 7PIN + 3 PIN 40AMP  | 9000138P60               | \$180.00                       |
|                                   | Front Implement Lighting Connector with 3 Pin Power Connector   |                          |                                |
| D T0000 116                       |   |                          |                                |
|                                   | DSES FOR FHPL   |                          |                                |
| 390926                            | Less Tubes for FHPL   |                          | No Charge                      |
| 758473                            | Tubes FHPL Connect Mech RR  |                          | No Charge                      |
|                                   | Connects front hitch to mechanical rear remote  |                          |                                |
| 758474                            | Hose pkg for frt hitch w/ ERV   |                          | No Charge                      |
|                                   | Front hitch to electronic rear remote   |                          |                                |
| 758544                            | Hse pkg frt hit w/MMV/frt coup  | 9000161P70               | \$210.00                       |
|                                   | Front hitch and 1 front remote to electronic mid-mount valves   |                          |                                |
| 758582                            | Tubes + Coupler Mech Rear Rem.  | 9000161P70               | \$210.00                       |
|                                   | Front hitch and 1 front remote to mechanical rear remotes   |                          |                                |
|                                   | X RAMS  |                          |                                |
| R 3-POINT                         |   |                          |                                |
| D_T8950 AL                        | 1   |                          | No Charge                      |
| R 3-POINT<br>D_T8950 AU<br>390911 | EDC Base Hydraulic Lift Cyl.  |                          | No Charge                      |
| D_T8950 AL                        | EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders  |                          | No Charge                      |
| D_T8950 AL                        | EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity   |                          | No Charge                      |
| 390911                            | EDC Base Hydraulic Lift Cyl. 3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test   | 0000443DE2               |                                |
| D_T8950 AL                        | EDC Base Hydraulic Lift Cyl.  3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC   | 9000443P52               | No Charge<br>\$576.00          |
| 390911                            | EDC Base Hydraulic Lift Cyl.  3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders   | 9000443P52               |                                |
| 390911                            | EDC Base Hydraulic Lift Cyl.  3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity  | 9000443P52               |                                |
| 390911                            | EDC Base Hydraulic Lift Cyl.  3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders   | 9000443P52               |                                |
| 390911<br>743811                  | EDC Base Hydraulic Lift Cyl.  3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity  | 9000443P52               |                                |
| 390911<br>743811                  | EDC Base Hydraulic Lift Cyl.  3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test  | 9000443P52               | \$576.00                       |
| 743811<br>D_T8960 DR              | EDC Base Hydraulic Lift Cyl.  3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test  AWBAR AND 3 POINT HITCH Cat II Flex Links   | 9000443P52               |                                |
| 743811<br>D_T8960 DR              | EDC Base Hydraulic Lift Cyl.  3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test  AWBAR AND 3 POINT HITCH   |                          | \$576.00<br>No Charge          |
| 743811<br>758451                  | EDC Base Hydraulic Lift Cyl.  3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test  AWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends Cat II/III Flex Links                      | 9000443P52<br>9000105P49 | \$576.00                       |
| 743811<br>758451                  | EDC Base Hydraulic Lift Cyl.  3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test  AWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends  | 9000105P49               | \$576.00<br>No Charge          |
| 743811<br>758451<br>758452        | EDC Base Hydraulic Lift Cyl.  3-Point Hitch Capacity with two 80mm lift cylinders 6,990 lbs. (3,170 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test 2 External 90mm Cylinders -EDC 3-Point Hitch Capacity with two 90mm lift cylinders 8945 lbs. (4057 kg) OECD rated lift capacity through the whole range per Nebraska Tractor Test  AWBAR AND 3 POINT HITCH Cat II Flex Links Telescopic link ends Cat II/III Flex Links Telescopic link ends |                          | \$576.0<br>No Charg<br>\$137.0 |

Includes hydraulic top link, which uses 1 pair of rear remote valves

Telescopic Cat 2/3 Flex Links

| SD T8230 H                       | YD PUMP   |                           |                                    |
|----------------------------------|---|---------------------------|------------------------------------|
| 758441                           | CCLS Pump Pressure Flow Compensating (PFC) Closed Center Load Sensing Required for electronic rear remote valves and optional for mechanical rear remote valves   |                           | No Charge                          |
|                                  | Max flow available @ remotes* (combined flow) or power beyond (I/min)considering 90% efficiency- 35.6 gpm (134 l/m)   |                           |                                    |
| 391828                           | 80L/Min Fixed Displacement Pmp  Fixed Displacement Pump for use with mechanical rear remote valves  | (901386P77)               | (\$1,801.00                        |
|                                  | Max flow available @ remotes (combined flow) or   |                           |                                    |
|                                  | power beyond (I/min) considering 90% efficiency- 19.3gpm (73 I/m)   |                           |                                    |
|                                  |   |                           |                                    |
| EAR REMOTE \                     | ALVES   |                           |                                    |
| 0.125                            |   |                           |                                    |
|                                  | EAR REMOTES   |                           | No Charg                           |
| 743686                           | 3 Elect Hyd. Rear Remote Valve  | (902788P17)               | (\$3,621.0                         |
| 743740                           | 2 Mech Rear Remote Valves (2C)  | (902766F17)               | (\$5,021.00                        |
|                                  | 2 mechanical rear remotes, both with configurable detents and flow  |                           |                                    |
| 740744                           | control   | (902038P96)               | (\$2,648.00                        |
| 743741                           | 3 Mech Rear Remote Valves (2C) 3 mechanical rear remotes, 2 configurable detents and flow control   | (9020301 30)              | (Ψ2,040.00                         |
| 742005                           |   | (901009P47)               | (\$1,311.00                        |
| 743685                           | 4 Mech Rear Remotes (2NC+2C) 4 mechanical rear remotes, 2 configurable detents and flow control   | (0010001 11)              | (4.15.116                          |
|                                  | 4 mechanical rear remotes, 2 configurable detents and now control   |                           |                                    |
| 750250                           | 4 Mach Pear Pernates F/ Pwr Byd   | (900378P07)               | (\$491.00                          |
| 758358                           | 4-Mech Rear Remotes F/ Pwr Byd  | (900378P07)               | (\$491.00                          |
| 758358                           | 4 mechanical rear remotes, 2 with configurable detents and flow   | (900378P07)               | (\$491.0                           |
| 758358                           | 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power   | (900378P07)               | (\$491.00                          |
|                                  | 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.  | (900378P07)<br>9001031P03 |                                    |
| 758358<br>743733                 | 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.  4 Elect Hyd. Rear Remote Valve  |                           |                                    |
| 743733                           | 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.  4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes  |                           | \$1,339.0                          |
|                                  | 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.  4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes  4-Elec Rear Remotes W/ Pwr Byd  | 9001031P03                | \$1,339.0                          |
| 743733                           | 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.  4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes  | 9001031P03                | \$1,339.0                          |
| 743733<br>758359                 | 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.  4 Elect Hyd. Rear Remote Valve  4 electronic rear remotes  4-Elec Rear Remotes W/ Pwr Byd  4 electronic rear remotes, power beyond ready  | 9001031P03                | \$1,339.0                          |
| 743733                           | 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.  4 Elect Hyd. Rear Remote Valve  4 electronic rear remotes  4-Elec Rear Remotes W/ Pwr Byd  4 electronic rear remotes, power beyond ready  | 9001031P03                | \$1,339.0                          |
| 743733<br>758359<br>OWER BEYON   | 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.  4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes 4-Elec Rear Remotes W/ Pwr Byd 4 electronic rear remotes, power beyond ready   | 9001031P03                | \$1,339.0                          |
| 743733<br>758359<br>POWER BEYONI | 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.  4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes  4-Elec Rear Remotes W/ Pwr Byd 4 electronic rear remotes, power beyond ready  OWER BEYOND COUPLE  | 9001031P03                | \$1,339.0<br>\$2,180.0             |
| 743733<br>758359<br>POWER BEYON  | 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.  4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes  4-Elec Rear Remotes W/ Pwr Byd 4 electronic rear remotes, power beyond ready  OWER BEYOND COUPLE  Low-Pressure Return   | 9001031P03                | \$1,339.0<br>\$2,180.0             |
| 743733<br>758359<br>POWER BEYONI | 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.  4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes  4-Elec Rear Remotes W/ Pwr Byd 4 electronic rear remotes, power beyond ready  OWER BEYOND COUPLE  Low-Pressure Return Low pressure return line with 1/2" hydraulic quick coupler. | 9001031P03                | \$1,339.0<br>\$2,180.0<br>No Charg |
| 743733<br>758359<br>POWER BEYONI | 4 mechanical rear remotes, 2 with configurable detents and flow control, power beyond ready. This option is required if power beyond is going to be equipped with 4 mechanical rear remotes.  4 Elect Hyd. Rear Remote Valve 4 electronic rear remotes  4-Elec Rear Remotes W/ Pwr Byd 4 electronic rear remotes, power beyond ready  OWER BEYOND COUPLE  Low-Pressure Return   | 9001031P03                | \$1,339.0<br>\$2,180.0             |

Grounds Equipment - Bid #ESCNJ 18/19-25
-T1TD 01



## MAXXUM MC ACTIVEDRIVE 8 SERIES TRACTOR US PRICE LIST

|   | 390710 | Hyd Power Beyond Capped   | (900150P92) | (\$196.00) |
|---|--------|---|-------------|------------|
|   |        | Hydraulic power beyond capped off.                                  |             |            |
| L |        | This option is less power beyond and less low-pressure return line. |             |            |

### PTO

SD\_T8010 PTO

| 758440      | 540/1000 - Reversible                                     |             | No Charge  |
|-------------|---|-------------|------------|
| SD_T8720 AL | уто рто   |             |            |
| 330160      | Auto PTO Management System                                |             | No Charge  |
|             | Allows PTO to automatically engage/disengage base on rear |             |            |
|             | three-point three-point                                   |             |            |
|             | hitch position.   |             | 1          |
|             | Enabled via switch on RH console near RH C-pillar         |             |            |
| 390160      | Less Auto PTO   | (900185P57) | (\$241.00) |

### **FRONT AXLE**

SD\_T4010 FRONT AXLE

| 758425 | Class 4 Hydraulic Lock  |             | No Charge    |
|--------|---|-------------|--------------|
|        | Class 4 MFD axle with multi-plate fully locking, front differential |             | ŭ            |
|        | with steering sensors   |             |              |
|        | 10,803 maximum carrying capacity                                    |             |              |
|        | Requires 113 L/min pump (758441)                                    |             |              |
|        | Hydraulic Differential Lock: Multiplate differential lock, engages  |             |              |
|        | when operator engages the rear differential lock                    |             |              |
|        | Incompatible with 34 inch rear wheels                               |             |              |
| 758420 | Class 3 Hydraulic Lock  | (901054P13) | (\$1,369.00) |
| 1 1 1  | 9,039 lbs. maximum carrying capacity                                | , ,         | ,            |
|        | Hydraulic Differential Lock: Multiplate differential lock, engages  |             |              |
|        | when operator engages the rear differential lock                    |             |              |
| 759109 | Class 4 HD Std Axle   | 9000210P98  | \$274.00     |
|        | Class 4 Heavy Duty Axle   |             |              |
|        | Includes multi-plate, fully locking differential for extra traction |             |              |
|        | in slippery conditions  | 1           |              |
|        | Non-suspended   |             |              |
| 758422 | Class 3 Suspension Lock   | 9003783P01  | \$4,913.00   |
|        | 9,039 lbs. maximum carrying capacity                                |             |              |
|        | Suspension: Cushions and dampens the movement of the front          |             |              |
|        | axle, Smoother ride for increased operator comfort and decreased    |             |              |
|        | fatigue, Improved traction, Suspenson can be locked solid by the    |             |              |
|        | operator using an in-cab switch, located on the RH console          |             |              |

| 758423 | Class 3 Susp+ Brake Hyd Lock  |   | 9004256P56 | \$5,528.00 |
|--------|---|---|------------|------------|
| /30423 | 9,039 lbs. maximum carrying capacity                                | 1 |            |            |
|        | Suspension: Cushions and dampens the movement of the front          | 1 |            |            |
|        | axle, Smoother ride for increased operator comfort and decreased    |   |            |            |
|        | fatigue, Improved traction, Suspenson can be locked solid by the    |   |            |            |
|        | operator using an in-cab switch, locatedon the RH console           |   |            |            |
|        | Brakes: Front wheel brakes allow for additional braking power for a |   |            |            |
|        | shorter braking distance, Recommended for hauling applications,     |   |            |            |
|        | Required for high-speed applications (31 mph/50 KPH)                |   |            |            |
| 1 1 1  | Troductor riight opool approximent (or implication ri)              |   |            |            |
| 758427 | Class 4 Suspension Lock   |   | 9004837P14 | \$6,282.00 |
|        | 10,803 maximum carrying capacity                                    |   |            |            |
|        | Suspension: Cushions and dampens the movement of the front          |   |            |            |
|        | axle, Smoother ride for increased operator comfort and decreased    |   | Ü          |            |
|        | fatigue, improved traction. Suspenson can be locked solid by the    |   |            |            |
|        | operator using an in-cab switch, locatedon the RH console.          |   |            |            |
| 758428 | Class 4 Susp + Brake Hyd Lock                                       |   | 9005309P92 | \$6,896.00 |
|        | 10,803 maximum carrying capacity                                    |   |            |            |
|        | Suspension: Cushions and dampens the movement of the front          |   |            |            |
|        | axle. Smoother ride for increased operator comfort and decreased    |   |            |            |
|        | fatigue. Improved traction, Suspenson can be locked solid by the    |   |            |            |
|        | operator using an in-cab switch, located on the RH console          |   |            |            |
|        | Brakes: Front wheel brakes allow for additional braking power for a |   |            |            |
|        | shorter braking distance, Recommended for hauling applications,     |   |            |            |
|        | Required for high-speed applications (31 mph/50 KPH)                |   |            |            |

#### **FRONT WHEELS AND TIRES**

SD\_T4940 FRONT WHEELS AND TIRES

| For Class 3 | Front Axle                                     |             |              |
|-------------|--|-------------|--------------|
| 8241401     | 380/85(14.9)R28 A8                             |             | No Charge    |
|             | Brands: Michelin, Firestone, Mitas, Trelleborg |             |              |
|             | Requires 460(18.4)R38                          |             |              |
| 8299905     | Front Shipping Wheels-4WD                      | (901018P71) | (\$1,323.00) |
|             | Requires rear shipping wheels                  |             |              |
| 8258404     | 380/85(14.9)R30R1W MI,F,T,C,A                  | 9000470P47  | \$611.00     |
|             | Brands: Michelin, Firestone                    |             |              |
|             | Requires 18.4R42 R1W                           |             |              |
| 8250401     | 340/85(13.6)R28 R1W                            | (900265P65) | (\$345.00)   |
|             | Brands: Firestone, Mitas, Trelleborg           | 1 1         |              |
|             | Requires 16.9R38 R1W                           |             |              |
| 8240402     | 380/85(14.9)R24 A8                             | (900265P65) | (\$345.00)   |
|             | Brands: Firestone, Michelin                    | 1 1 1       |              |
|             | Requires 460/85(18.4)R34 R1W                   |             |              |
| 8825401     | 480/65R28(R1W) Fixed Rims F/CL                 | 9000303P38  | \$394.00     |
|             | Michelin, Firestone, Mitas                     |             |              |



| 8859604     | 320/85R34 R1W MI,FI                            | 9000613P69  | \$797.00           |
|-------------|--|-------------|--------------------|
|             | Brands: Michelin                               |             |                    |
|             | Requires 320/90R50 R1W                         |             |                    |
| 8255404     | 420/85(16.9) R28 R1W MI-FI-TR                  | 9000620P62  | \$806.00           |
|             | Brands: Michelin, Firestone                    |             |                    |
|             | Requires 20.8R38 R1W                           |             |                    |
| 8801301     | 520/60R28 MAVT Rims - MI                       | 9001930P39  | \$2,507.00         |
|             | Brand: Michelin                                |             |                    |
| For Class 4 | Front Axle                                     |             |                    |
| 8241901     | 380/85(14.9)R28R1W HD-MIFITRCO                 |             | No Charge          |
|             | Brands: Trelleborg, Michelin, Firestone, Mitas |             | · ·                |
|             | Requires: 460(18.4)R38 R1W                     |             |                    |
| 8299906     | Front Shipping Wheels                          | (901018P71) | (\$1,323.00)       |
|             | Requires rear shipping wheels                  |             | (, ,,              |
| 8815601     | 480/65R28 R1W HD                               | 9000303P38  | \$394.00           |
|             | Brands: Firestone, Michelin, Trelleborg        |             | , , ,              |
|             | Requires 600/65R38 R1W                         |             |                    |
|             | Requires Full Cover Rear Fenders               |             |                    |
| 8801604     | 320/85R34 R1W Brands - MI                      | 9000613P69  | \$797.00           |
|             | Brands: Michelin, Firestone                    |             | ,                  |
|             | Requires 320/90R50 R1W                         |             |                    |
| 8255904     | 420/85(16.9)R28 R1W MI-FI                      | 9000620P62  | \$806.00           |
|             | Brands: Michelin, Firestone                    |             |                    |
| 8866501     | 400/80R28 Fixed Cls 4 Alliance                 | 9000869P33  | \$1,129.00         |
|             | Brand: Alliance                                |             |                    |
| 8801601     | 520/60R28 R1W Fixed HD                         | 9002754P29  | \$3,577.00         |
|             | Brand: Michelin                                |             |                    |
|             | fixed rims, not adjustable                     |             |                    |
|             | Requires 650/60R38                             |             |                    |
| 8258704     | 380/85(14.9)R30 R1W MI-FI-CM                   | 9000470P47  | \$611.00           |
|             | Brands: Michelin, Firestone, Mitas, Alliance   |             | ÷= / 1100          |
|             | Requires 18.4R42 R1W or 14.9R46 R1W            |             |                    |
| 8201201     | 400/80R28 Fixed Cls 3 Alliance                 | 9000869P33  | \$1,129.00         |
|             | Brand: Alliance                                |             | Ţ.,. <b>2010</b> 0 |

### **REAR AXLE**

SD\_T3200 REAR AXLE

| _ |        |  |            |            |
|---|--------|--|------------|------------|
|   | 392197 | HD Flange With Dog Diff  |            | No Charge  |
|   | 758430 | HD Flange Multi-Diff   |            | No Charge  |
|   |        | HD Flange, Hydraulic, Steel wheel rims                               |            |            |
|   |        | Track setting with adjustable wheels 56.3 - 84.0 in (1430 - 2134 mm) |            |            |
|   | 758432 | HD Bar Steel Multi-Diff  | 9001247P40 | \$1,620.00 |
|   |        | HD 98" (2,489 mm) Bar, Hydraulic, Steel Wheel Rims                   |            |            |

-T1TD 01

### **MAXXUM MC ACTIVEDRIVE 8 SERIES TRACTOR US PRICE LIST**

| Г | 759136 | HD 98"BAR STEEL MULT              | 9001247P40 | \$1,620.00 |
|---|--------|-----------------------------------|------------|------------|
| 1 |        | 98" (2489 mm)                     |            |            |
| 1 |        | This bar axle is for dual wheels  |            |            |
|   |        | - 320/90R50 (8440104)             |            |            |
| 1 |        | - 380/90R46 (8470404)             |            |            |
|   |        | Includes 4 hubs with steel wheels |            |            |
|   |        | Multiplate Diff Lock 4WD Clutch   |            |            |

### **REAR WHEELS AND TIRES**

SD T4950 REAR WHEELS AND TIRES

| Flange or Ba | r Axle Steel Disc                                   |             |              |
|--------------|---|-------------|--------------|
| 8328401      | 460/85(18.4)R38 R1W-MIFITRCO                        |             | No Charge    |
|              | Brands: Trelleborg, Michelin, Firestone, Mitas      |             |              |
| 8399906      | Rear Shipping Wheels                                | (903013P78) | (\$3,914.00) |
|              | Requires front shipping wheels                      |             |              |
| 8365401      | 460/85(18.4)R34 A8 FI,MI,CO,TR                      | (901189P65) | (\$1,545.00) |
|              | Brands: Trelleborg, Michelin, Firestone, Mitas      |             |              |
| 8375501      | 420/85(16.9)R38 R1W FI,CM                           | (900048P51) | (\$63.00)    |
|              | Brands: Firestone, Mitas                            |             |              |
| 8370404      | 380/90(14.9)R46R1WAdj Rim-C,MI                      | 9000322P63  | \$419.00     |
|              | Brands: Mitas                                       |             |              |
| 8969401      | 600/65R38 R1W-FI,MI,CO,TR                           | 9000887P04  | \$1,152.00   |
|              | Brands: Trelleborg, Michelin, Firestone, Mitas      |             |              |
| 8907601      | 650/60R38 R1W F/Bar AXL                             | 9001154P23  | \$1,499.00   |
|              | Brands: Michelin                                    |             |              |
| 8919401      | 480/80R38 Alliance                                  | 9001185P03  | \$1,539.00   |
|              | Alliance 550 Multi-Use                              |             |              |
| 8380404      | 520/85 (20.8) R38 R1W MI, TR                        | 9001797P95  | \$2,335.00   |
|              | Brands: Michelin                                    |             |              |
|              | Requires full cover rear fenders (743707 or 743708) |             |              |
| Dual         |   |             |              |
| 8470404      | DUAL 380/90R46 (14.9) R1W MICO                      | 9005231P38  | \$6,794.00   |
|              | This option is for Dual Rear Wheels and Tires       |             |              |
|              | Must be ordered with Dual Rear Axle (759136)        |             |              |

#### **FENDERS**

SD T8710 FENDERS PTO CONTROL

|  | 392803 | Fender Mounted Controls   |  |            | No Charge |
|--|--------|---|--|------------|-----------|
|  |        | Fender mounted switches for rear PTO and rear three-point hitch   |  |            |           |
|  |        | for operation from outside cab                                    |  |            |           |
|  | 743680 | Fender EDC/PTO/Rem Valv Contrl                                    |  | 9000243P32 | \$316.00  |
|  |        | Fender mounted switches for rear PTO, rear three-point hitch, and |  |            |           |
|  |        | third electronic rear remote.                                     |  |            |           |



| C | OOK | IT I | NID | FRS |
|---|-----|------|-----|-----|
|   |     |      |     |     |

SD\_T8740 FRONT FENDERS

| 390875   | Less front fender  |            | No Charge  |
|--|--|------------|------------|
| 758505   | 505 Front Fender 420mm Dynamic 9000658                         |            | \$855.00   |
|  | Recommended for tire sizes less than 420/16.9"                 |            |            |
| Dynamic front fenders allow the fenders to turn with the tires |  |            |            |
| 758506   | Front Fender 480mm Dynamic                                     | 9000764P61 | \$993.00   |
|  | Recommended for tire sizes less than 480/18.9"                 |            |            |
|  | Dynamic front fenders allow the fenders to turn with the tires |            |            |
| 758507   | Front Fender 540mm Dynamic                                     | 9000859P32 | \$1,116.00 |
|  | Recommended for tire sizes larger than 520/20.8"               |            |            |
|  | Dynamic front fenders allow the fenders to turn with the tires |            |            |

#### REAR FENDERS

SD\_T8700 FENDERS

| 391153 | Standard Fenders  |            | No Charge  |
|--------|---|------------|------------|
| 743777 | Standard fenders with extensn                                   | 9000324P94 | \$422.00   |
|        | 3" (75 mm) fender extensions added on to the full cover fenders |            |            |
| 743707 | Full Cover  | 9000607P53 | \$789.00   |
|        | 92.1 in./2340 mm rear fenders.                                  |            |            |
| 743708 | Full Cover with extension                                       | 9000928P62 | \$1,206.00 |
|        | Full cover with 3 in./ 75 mm wide extensions.                   |            |            |

### LOADER

SD\_T7780 JOYSTICK

|  | 394782 | Less Joystick   |            | No Charge  |
|--|--------|---|------------|------------|
|  | 763174 | EH JOYSTICK 763174                                    |            |            |
|  |        | Advanced EH joystick with "live" 3rd function switch. |            |            |
|  |        | Included gear shift w/F-R shuttle.                    |            |            |
|  |        | if LOADER BRACKETS is NA LDR RDY+3MMV+ADV             |            | No Charge  |
|  |        | if LOADER BRACKETS is NA LDR RDY+2MMV+ADV             |            | No Charge  |
|  |        | if LOADER BRACKETS is Less Loader Ready               | 9001343P65 | \$1,745.00 |
|  |        | if LOADER BRACKETS is Engine Side Rails               | 9001343P65 | \$1,745.00 |

SD\_T7790 MID-MOUNT VALVES

| 390560 | Less Mid-Mount Valves                     |            | No Charge  |
|--------|---|------------|------------|
| 743689 | 2 Electronic MMV                          |            |            |
|        | 2 Electronic Mid-Mount Valves             |            |            |
|        | Requires Electronic Joystick              |            |            |
|        | if LOADER BRACKETS is NA LDR RDY+2MMV+ADV |            | No Charge  |
|        | if LOADER BRACKETS is Less Loader Ready   | 9002092P09 | \$2,717.00 |
|        | if LOADER BRACKETS is Engine Side Rails   | 9002092P09 | \$2,717.00 |

| 743690 | 3 Electronic MMV                          |            |            |
|--------|---|------------|------------|
|        | 3 Electronic Mid-Mount Valves             |            |            |
|        | Requires Electronic Joystick              |            |            |
|        | if LOADER BRACKETS is NA LDR RDY+3MMV+ADV |            | No Charge  |
|        | if LOADER BRACKETS is Less Loader Ready   | 9003207P05 | \$4,165.00 |
|        | if LOADER BRACKETS is Engine Side Rails   | 9003207P05 | \$4,165.00 |

#### MOUNTING BRACKETS

SD T8110 LOADER BRACKETS.

| Side Rails | OADER BRACKETS  |            |             |
|------------|---|------------|-------------|
| 758478     | Engine Side Rails   | 9000814P66 | \$1,058.00  |
| 1 1 1      | Recommended for side-mounted attachments e.g. sprayer       |            |             |
| 1 1 1      | tanks   | 4 1        |             |
|            | No Loader Brackets  | 4          |             |
|            | Not compatible with loader equipment                        |            |             |
| Loader Bra | nckets  |            |             |
| 390819     | Less Loader Ready   |            | No Charge   |
| 759470     | NA LDR RDY+2MMV+ADV   | 9008203P58 | \$10,654.00 |
|            | Complete Loader Ready includes:                             | 1 1        |             |
|            | Advanced Joystick 763174: EHSTICK ADV +/- PROP              | 1          |             |
|            | 2 Electronic MMV 743689                                     | 1 1        |             |
|            | TPS Mount Bracket Set (with Grill Guard) and                |            |             |
|            | (Includes valve, joystick, cables, & hose kit)              |            |             |
| 759471     | NA LDR RDY+3MMV+ADV   | 9009465P61 | \$12,293.00 |
|            | Complete Loader Ready includes                              | 1 1        |             |
|            | Advanced Joystick 763174: EHSTICK ADV +/- PROP              | 1 1        |             |
|            | 3 Electronic MMV 743690                                     |            |             |
|            | TPS Mount Bracket Set (with Grill Guard) and                |            |             |
|            | (Includes valve, Proportional joystick, cables, & hose kit) |            |             |

### OTHER EQUIPMENT

| SD T7629 | EXTERNAL AIR LINE |  | <br>_ |
|----------|-------------------|--|-------|
|          |                   |  |       |

| 1 | 393161 | NO EXTERNAL AIR LINE 393161 | No Charge |  |
|---|--------|-----------------------------|-----------|--|
|   |        |                             |           |  |

FRONT BALLAST

| 010 | T0450 | COOKET DALLACT |  |
|-----|-------|----------------|--|
| 511 | T2150 | FRONT BALLAST  |  |
|     |       |                |  |

| ſ | 390444 | Tow Hook-Only                                   |  |   | No Charge |
|---|--------|---|--|---|-----------|
| ı |        | Tow Hook 251 lbs/114 kg                         |  | ľ |           |
|   |        | Not allowed with Front hitch (743699 or 743700) |  |   |           |

Grounds Equipment - Bid #ESCNJ 18/19-25
-T1TD 01



## MAXXUM MC ACTIVEDRIVE 8 SERIES TRACTOR US PRICE LIST

| 758562 | Weight Carrier w/Hook                              | 9000218P68 | \$284.00   |
|--------|--|------------|------------|
|        | Weight Carrier                                     |            |            |
|        | Narrow Weight Carrier 253 lbs/115 kg               |            |            |
|        | Holds up to 8 weights                              |            |            |
|        | Not compatible with Front hitch (743699 or 743700) |            |            |
| 758563 | Wide carrier CIH                                   | 9000367P29 | \$477.00   |
|        | Wide front weight carrier                          |            |            |
|        | Wide Weight Carrier 361 lbs/164 kg,                |            |            |
|        | holds up to 16 weights.                            |            |            |
|        | Not compatible with front loader.                  |            |            |
| 758515 | Weight Pack A_CIH                                  | 9000803P88 | \$1,044.00 |
|        | 4 weights plus narrow carrier                      |            |            |
|        | Narrow Weight Carrier 253 lbs/115 kg,              |            |            |
|        | plus 4 Weights 396 lbs/180 kg.                     |            |            |
|        | Total weight 649 lbs/295 kg.                       |            |            |
|        | Not compatible with Front hitch (743699 or 743700) |            |            |
| 758518 | Weight Pack A w/Hook                               | 9000945P56 | \$1,228.00 |
|        | Weight Pack A                                      |            |            |
|        | Narrow Weight Carrier 253 lbs/115 kg.              |            |            |
|        | Plus Center Tow Hook Weight 251 lbs/114 kg.        | 1          |            |
|        | Plus 2 Weights 198 lbs/90 kg.                      |            |            |
|        | Total weight 702 lbs/319 kg.                       |            |            |
|        | Not compatible with Front hitch                    |            |            |
| 758516 | Weight Pack B_CIH                                  | 9001390P62 | \$1,806.00 |
|        | 8 weights plus narrow carrier                      |            |            |
|        | Narrow Weight Carrier 253 lbs/115 kg,              |            |            |
|        | plus 8 Weights 792 lbs/359 kg.                     |            |            |
|        | Total weight 1045 lbs/474 kg.                      |            |            |
|        | Not compatible with Front hitch                    |            |            |
| 758519 | Weight Pack B w/Hook                               | 9001472P24 | \$1,912.00 |
|        | Weight Pack B                                      |            |            |
|        | Narrow Weight Carrier 253 lbs/115 kg.              |            |            |
|        | Plus Center Tow Hook Weight 251 lbs/114 kg.        |            |            |
|        | Plus 6 Weights 594 lbs/269 kg.                     |            |            |
|        | Total weight 1098 lbs/498 kg.                      |            |            |
|        | Not compatible with Front hitch (743699 or 743700) |            |            |
| 758520 | Weight Pack C w/Hook                               | 9002398P55 | \$3,115.00 |
|        | Weight Pack C                                      |            |            |
|        | Wide Weight Carrier 361 lbs/164 kg.                |            |            |
|        | Plus Center Tow Hook Weight 251 lbs/114 kg.        | 1 1        |            |
|        | Plus 12 Weights 1188 lbs/539 kg.                   |            |            |
|        | Total weight 1800 lbs/816 kg.                      |            |            |
|        | Not compatible with Front hitch                    |            |            |

SD\_T9850 SPECIAL COLORS/PANELS

392209 Base Color ISO

-T1TD 01



#### **MAXXUM MC ACTIVEDRIVE 8 SERIES TRACTOR US PRICE LIST** 9002711P94 \$3,522.00 758517 Weight Pack C\_CIH 16 weights plus wide carrier Wide Weight Carrier 361 lbs/164 kg, Plus 16 Weights 1584 lbs/718 kg. Total weight 1945 lbs/882 kg. Not compatible with Front hitch (743699 or 743700) REAR BALLAST SD T4960 WHEEL WEIGHTS No Charge X49601X L/Wheel Weights 9001308P23 \$1,699.00 R WHL WEIGHTS 4X200 762228 9002245P32 \$2,916.00 762229 R WHL WEIGHTS 6X200 ADDITIONAL EQUIPMENT SD T2820 PARK LOCK Less electronic parkbrake lock No Charge 391147 Less EPL will prevent full functionality of ISOBUS CL3 automation There is no DIA kit to install this feature at a later date EPL must be ordered from the factory \$1,335.00 9001027P95 EPL Electronic parkbrake75803 758034 Electronic Park Lock is require for ISOBUS CL3 automation SD\_T3600 BRAKE PACK No Charge 390166 Std. Heavy Duty Brake Discs 758435 Extended-Life Brake Discs 9000286P44 \$372.00 Made of a carbon mesh material for a significantly longer life than the standard brake packs Recommended for haulage applications SD\_T7642 ISO BUS No Charge ISO CL2+9PIN IN CAB 758632 \$416.00 759062 CL 3 ISO BUS W/Stop 9000320P32 SD\_T9560 FRONT TOOLBOX No Charge 390996 Standard Toolbox 5.5 in. x 12.5 in. (140 mm x 315 mm) 9000079P31 \$103.00 743848 Large Toolbox 5.5 in. x 16.5 in. (140 mm x 420 mm) Great for larger tools, like hammers and larger wrenches **OTHER OPTIONS**

| 52 | of | 26 |
|----|----|----|
|    |    |    |

No Charge



|   | Std Color- No Visibility Panel   | (900490P49) | (\$637.00                     |
|---|--|-------------|-------------------------------|
| TIRE BRAND PR   | EFERENCE   |             |                               |
|   |  |             |                               |
| SD_T4900 T  | TRE CATEGORY CHOICE  |             |                               |
| 330438  | No tire brand preference   |             | No Charg                      |
|   | Tire brands are subject to availability.   |             |                               |
|   | If the Tire Brand Preference Code is ordered, the plant will   |             |                               |
|   | install the brand selected.  |             |                               |
|   | If no Tire Brand Preference is selected, a tire from existing  |             |                               |
|   | inventory will be installed. This will include one of the following  |             |                               |
|   | brands in the chosen tire size: Michelin, Firestone, Trelleborg,   |             |                               |
|   | Alliance, or Mitas.  |             |                               |
|   |  |             |                               |
|   | Availability of brands vary by size.   |             |                               |
| 330418  | Trelleborg   | 9000468P93  | \$609.0                       |
| 330439  | Mitas  | 9000468P93  | \$609.0                       |
| 330446  | Firestone  | 9000468P93  | \$609.0                       |
| 330447  | Alliance   | 9000468P93  | \$609.0                       |
| 330442  | Michelin   | 9001420P65  | \$1,845.0                     |
|   |  |             |                               |
| PERATOR'S M   | ANUAL  |             |                               |
|   |  |             |                               |
|   |  |             |                               |
|   |  |             |                               |
| SD_T9802 C  | PERATORS MANUAL  |             | No Char                       |
|   | DPERATORS MANUAL English USA   |             | No Charç                      |
| SD_T9802_C<br>758534  | PERATORS MANUAL English USA Extra Operators Manual   |             |                               |
| SD_T9802 C  | PERATORS MANUAL  English USA  Extra Operators Manual  Spanish NAR  |             |                               |
| SD_T9802 C<br>758534<br>758535  | English USA  Extra Operators Manual  Spanish NAR  Extra Operators Manual   |             | No Charç                      |
| SD_T9802_C<br>758534  | PERATORS MANUAL  English USA  Extra Operators Manual  Spanish NAR  Extra Operators Manual  French NAR                                    |             | No Char                       |
| SD T9802 C<br>758534<br>758535<br>759101                                    | English USA  Extra Operators Manual  Spanish NAR  Extra Operators Manual  French NAR  Extra Operators Manual                             |             | No Charg                      |
| SD_T9802 C<br>758534<br>758535  | English USA  Extra Operators Manual  Spanish NAR  Extra Operators Manual  French NAR  Extra Operators Manual                             |             | No Charç                      |
| SD_T9802 C<br>758534<br>758535<br>759101<br>X980212                         | English USA Extra Operators Manual Spanish NAR Extra Operators Manual French NAR Extra Operators Manual  K No Additional Operator Manual |             | No Charç                      |
| SD T9802 C<br>758534<br>758535<br>759101<br>X980212                         | English USA Extra Operators Manual Spanish NAR Extra Operators Manual French NAR Extra Operators Manual  K No Additional Operator Manual |             | No Charg<br>No Charg          |
| SD_T9802 C<br>758534<br>758535<br>759101<br>X980212                         | English USA Extra Operators Manual Spanish NAR Extra Operators Manual French NAR Extra Operators Manual  K No Additional Operator Manual |             | No Char                       |
| SD_T9802 C<br>758534<br>758535<br>759101<br>X980212<br>SD_T9840 C<br>758531 | English USA Extra Operators Manual Spanish NAR Extra Operators Manual French NAR Extra Operators Manual  K No Additional Operator Manual |             | No Char<br>No Char<br>No Char |

Case 2021 Price List



-T1TF 01

### MAXXUM CVXDRIVE SERIES TRACTOR US PRICE LIST

### **Standard Equipment**

MODELS:

Maxxum 115 CVXDRIVE 95 PTO hp @ 2200 RPM

Maxxum 125 CVXDRIVE 105 PTO hp @ 2200 RPM

Maxxum 135 CVXDRIVE 110 PTO hp @ 2200 RPM

Maxxum 145 CVXDRIVE 120 PTO hp @ 2200 RPM

Maxxum 150 CVXDRIVE 125 PTO hp @ 2200 RPM/

#### ENGINE:

273 cu. in. (4.5 L) Displacement 4 Cylinder Turbocharged and Intercooled Engine with Electronic Power Management and Constant RPM feature Power Boost in Transport and PTO Modes Tier 4b Final/ Stage V Compliant 4 valves per cylinder Bosch fuel injection pump (electronic) Air Cleaner w/ Precleaner & Exhaust Aspiration Dual element air filter Hand and foot throttle Grid Heater Starting Aid 55.4-gallon (210 L) Fuel Tank with guard 8.3 Gallon (31.4 L) Diesel Exhaust Fuel (DEF) Tank Viscous fan (9 Blades) Engine auto shut down feature Fuel Cooler

#### EXHAUST:

A-Post exhaust with integral muffler

OPERATOR PROTECTIVE STRUCTURE: CAB:

ROPS protected, flat deck platform with Standard Cab, with heater and air conditioner, tinted windshield with sunshade, opening hi-visibility roof window with retractable sun screen, front (low mounted) and rear intermittent wipers and washers, two doors with locks, two telescoping external mirrors, hinged rear window (fully opens), radio ready (premium speakers, wiring, antenna), rear window access panel for control/ monitor box or wiring harness entrance, covered cool box with adjustable ventinterior storage box, interior dome light, self-cancelling turn signal, and two external courtesy lights Steering wheel: tilt and telescoping

Steering wheel: tilt and telescoping Seat: Deluxe air suspension seat with operator's presence sensor, seat belt, and swivel

MultiControl Armrest with Integrated Transmission, Throttle, PTO and Hitch Controls

#### INSTRUMENTATION:

A-Post mounted Analog/Digital
Instrument Cluster with display of
engine oil pressure, fuel level,
coolant temperature and speed,
hitch and PTO operational indicators

#### TRANSMISSION:

Continuously variable transmission with standard creep speeds and Active Stop control feature 25 mph (40 kph) Economy Transmission

MFD -- 25 mph (40 kph)
Speed varies with tire selection

#### CLUTCH:

Double wet clutch technology



### Standard Equipment

STEERING/BRAKES:

Hydrostatic Power Steering
Hydraulically actuated wet disc brakes
(self-equalizing and self-adjusting)
Independent parking brake

#### HYDRAULICS:

Pressure and flow compensated hydraulic system (PFC): Variable displacement piston pump Maximum flow at rated engine speed 39.6 gpm (150 l/m) flow (implement pump) 17.7 gpm (67 l/m) flow (steering and operating circuits) 57.3 gpm (217 1/m) total tractor hydraulic flow 3 Closed-center Electronic Remote Valves with in-cab flow control Hydraulic Tapping Port (Power Beyond Ready) Fender mounted hydraulic 3rd remote activation switch

#### AXLES:

MFD Front Axle:
Class IV MFD Axle
Electro-hydraulic auto MFD and
diff-lock engagement
Fully locking front differential
Dual steering cylinders
Adjustable tread width from
61.4 in. to 88.8 in. (May vary
up to 1 in. depending on tires)
55 degree Turning Angle
12 degree Axle Oscillation
Drive Shaft Shield
Standard front tires:
14.9R28 (RIW)

Rear Axle: Flange type Wet plate rear differential lock: MFD - Electro-hydraulic engaged (front and rear) Rear Axle: (continued) Standard rear tires: 18.4R38 (R1W)

#### HITCH:


Electronic draft control
(lower link sensing)
3-point hitch category II with flex
link ends and telescoping stabilizers
Fast Raise/Lower Control (in cab)
6700 lb/3039 kg lift capacity (OECD)
with dual 80mm external assist ram
Rear fender mounted remote
hitch switches
Ride control
Swinging drawbar

#### PTO

Independent 540/1000 RPM
with single reversible shaft
Multi-plate wet clutch design
Electro-hydraulic engagement
with soft start/auto feathering
Flip-up PTO shaft guard
Fender mounted PTO control switch

#### ELECTRICAL:

(1) 12-volt 1300 cca Battery
Geared starter motor (4.2kW)
7-pin outlet for trailer/implement
lighting
3-pin implement socket (40 amp)
15 amp screw type positive/negative
terminals
Single pin (8 amp) accessory power
outlet
150 amp Alternator
ISO/JD (30 amp) socket
ISO BUS 11783 rear breakaway socket
Two roof mounted single pin outlets





### **Standard Equipment**

for beacon

LIGHTING:
Two hood mounted forward facing
Eight LED worklights
Two cab roof mounted forward facing
Two grab rail mounted forward facing
Two cab roof mounted rear facing
Two rear "C"-post mounted rear
facing
Two tailights
Time delayed turn indicators with

audible warning
Side mounted LED safety marker lights

MISCELLANEOUS: Pivoting engine hood SMV emblem Toolbox Horn

NEBRASKA TEST REPORT STATUS: Nebraska Temporary Sales Permit



### **Models**

| COMMERCIAL MODEL           | Weight    | Factory Data | List Price   |
|----------------------------|-----------|--------------|--------------|
| MAXXUM 115HP CVXDRIVE STGV | 12,368 LB | 9125122P69   | \$162,497.00 |
| MAXXUM 125HP CVXDRIVE STGV | 12,368 LB | 9133861P42   | \$173,846.00 |
| MAXXUM 135HP CVXDRIVE STGV | 12,368 LB | 9142600P15   | \$185,195.00 |
| MAXXUM 145HP CVXDRIVE STGV | 12,368 LB | 9148424P43   | \$192,759.00 |
| MAXXUM 150HP CVXDRIVE STGV | 13,029 LB | 9153261P57   | \$199,041.00 |



-T1TF 01

## MAXXUM CVXDRIVE SERIES TRACTOR US PRICE LIST

### **Factory Supplied Options**

| Order Code | Description | Weight | Factory Data | List Price |
|------------|-------------|--------|--------------|------------|
|            |             |        |              |            |

### PACKAGES

| SD | T9980 | PACKAGING |
|----|-------|-----------|
|    |       |           |

| XT9980 | X Less Packaging   |             | No Charge    |
|--------|--|-------------|--------------|
|        | No Package selected; Custom premium pricing included in base   |             | 3            |
| X0822X | X CVX Standard Pack  | (907030P10) | (\$9,130.00) |
|        | Includes: ENG STG V W/BOOST, Vistronic Fan, Grid htr + 110V    | 1 1         | \; · · · /   |
|        | Pack, 40KPH Economy, Heavy-Duty Rear Flange OR HD 98"          |             |              |
|        | Bar Steel Multi, EXTENDED-LIFE BRAKE DISCS, CLASS 4            |             |              |
|        | HYDRAULIC LOCK, Headland Control System OR ADV                 |             |              |
|        | Headland CTRL CONFG HER, CLASS 4 HYDRAULIC LOCK, L/            |             |              |
|        | PNEUMATIC TRAILER BRAKES, Less Trailer Control, A Pillar       |             |              |
|        | CIH Enhanced NSTRU, Deluxe Radio, ISO CL3+                     |             |              |
|        | 9PIN+SPEED, Less Joystick OR EH JOYSTICK, Less                 |             |              |
|        | Front Linkage, STD L/ 7P PLUG ON F, Less Loader Ready OR       |             |              |
|        | NA LDR RDY+3MMV+ADV, 3 ELECT HYD. Rear Remote                  |             |              |
|        | Valve, OR 4 ELECT HYD Rear Remote Valve, Low-Pressure          |             |              |
|        | Return OR HYD Power Beyond Capped, Less Tubes For              | 1           |              |
| 1.1    | FHPL, DELUXE AIR UP/DOWN HEAD REST, Mechanical                 |             |              |
|        | Armrest Adj, Standard Fenders, Fender EDC/PTO/REM              | 1           |              |
|        | VALV CONTRL, IND. Swinging Drawbar L/CLEVIS, EDC               |             |              |
|        | Base Hydraulic Link CYL. OR 2 External 90MM Cylinders -        | 1           |              |
|        | EDC, CAT II/III Flex Links, Instructional Seat W/Belt, Less    | 10          |              |
|        | Rear Cab Storage Box, Basic Hood Light, 8LED High Power        | 1 1         |              |
|        | HI-Roof,Less High Mounted OR High Headlight Righthand          | 1           |              |
| 11     | Dip, SELF-Cancel + Audible Turn, Suspended Cab, Less           |             |              |
|        | Armrest Monitor OR 10" Coolor Touch Screen Display, Air        | 1 1         |              |
|        | Conditioning, No Rear Window Sunshade, 2 TELE/HEAT/            | 1 (         |              |
|        | REM ADJ Mirror, Std Steering Wheel +Carpet, Large Toolbox      |             |              |
|        | Selectable Options: Charging System, Fuel Tank, Front Ballast, |             |              |
|        | Tire Category, Front Tire, Rear Tires, Wheel Weights, Steering | 1 1         |              |
|        | or Autoguidance Ready, PNEUM Trailer Brake, Battery,           |             |              |
|        | Autoguidance, Mid-Mount Valves, Joystick, Front Fenders,       |             |              |
|        | Rotary Beacon, RH Window Bar Mount                             |             |              |



|   | X0823XX | CVX Deluxe Pack   |   | (907030P10) | (\$9,130.00)   |
|---|---------|---|---|-------------|----------------|
|   |         | Includes: ENG STG V W/BOOST, Vistronic Fan, Grid htr +      |   |             |                |
|   |         | 110V Pack, Heavy-Duty Rear Flange OR HD 98" Bar Steel       | Ï |             |                |
|   |         | Multi, Headland Control System OR ADV Headland CTRL         |   |             | 1              |
|   |         | CONFG HER, Less Trailer Control, A Pillar CIH Enhanced      |   |             |                |
|   |         | INSTRU, Deluxe Radio, ISO CL3+9PIN+SPEED,                   |   |             |                |
|   |         | Less Joystick OR EH JOYSTICK, Less Front                    |   |             |                |
|   | 1       | Linkage, STD L/ 7P PLUG ON F, Less Loader Ready OR          |   |             | T <sub>1</sub> |
|   |         | NA LDR RDY+3MMV+ADV, 3 ELECT HYD. Rear Remote               |   |             | N.             |
|   |         | Valve, OR 4 ELECT HYD Rear Remote Valve, Low-Pressure       |   |             |                |
|   |         | Return OR HYD Power Beyond Capped, Less Tubes For FHPL,     |   |             |                |
|   |         | Deluxe Fabric W HT + Vent OR MAX EVO Leather Active,        |   |             |                |
|   |         | Mechanical Armrest Adj, Standard Fenders OR Full Cover,     |   |             |                |
|   |         | Fender EDC/PTO/REM VALV CONTRL, IND. Swinging               |   |             |                |
|   |         | Drawbar L/CLEVIS, EDC Base Hydraulic Link CYL. OR 2         |   |             |                |
|   |         | External 90MM Cylinders -EDC, CAT II/III Flex Links,        |   |             |                |
|   |         | Instructional Seat W/Belt, Less Rear Cab Storage Box,       |   |             |                |
|   |         | High Spec Hood Light, 12 OR 14 LED High Power HI-Roof,      |   |             |                |
|   |         | Less High Mounted OR High Headlight Righthand Dip,          |   |             |                |
|   |         | SELF-Cancel + Audible Turn, Suspended Cab, Less Armrest     |   |             |                |
|   |         | Monitor OR 10" Coolor Touch Screen Display, Air             |   |             |                |
|   |         | Conditioning W/ATC, Rear Window Sunshade, 2 TELE/HEAT/      |   |             |                |
|   |         | REM ADJ Mirror, Leather Steering Wheel +Carpet,             |   |             |                |
|   |         | Large Toolbox   |   |             |                |
|   |         |   |   |             |                |
|   |         | Selectable Options: Charging System, Fuel Tank, Front       |   |             |                |
|   |         | Ballast Speed, Brake Pack, Front Axle, Tire Category, Front |   |             |                |
| ш |         | Tire, Rear Tires, Wheel Weights, Steering or Autoguidance   |   | -           |                |
|   |         | Ready, TRLR BRK VLV, PNEUM Trailer Brake, Battery,          |   |             |                |
|   |         | Autoguidance, Mid-Mount Valves, Front Fenders, Rotary       |   |             |                |
|   |         | Beacon, RH Window Bar Mount                                 | r |             |                |



| X0824XX | CVX HD Loader Pack   | (907030P10) | (\$9,130.00) |
|---------|--|-------------|--------------|
|         | Includes: ENG STG V W/BOOST, Vistronic Fan, Grid htr + 110V    | 1           |              |
|         | Pack, 40KPH Economy, Heavy-Duty Rear Flange OR HD 98"          |             |              |
|         | Bar Steel Multi, EXTENDED-LIFE BRAKE DISCS, CLASS 4 HD STD     |             |              |
|         | AXLE, Headland Control System, CLASS 4 HYDRAULIC LOCK, L/      |             |              |
|         | PNEUMATIC TRAILER BRAKES, Less Trailer Control, A Pillar       |             |              |
|         | CIH Enhanced NSTRU, Deluxe Radio, ISO CL3+9PIN+SPEED,          |             |              |
|         | 3 ELECTRONIC MMV, EH JOYSTICK, Less Front Linkage,             |             |              |
|         | STD L/ 7P PLUG ON F, NA LDR RDY+3MMV+ADV, 3                    |             |              |
|         | ELECT HYD. Rear Remote Valve, OR 4 ELECT HYD Rear              |             |              |
|         | Remote Valve, Low-Pressure Return, Less Tubes For FHPL,        |             |              |
|         | DELUXE AIR UP/DOWN HEAD REST DELUXE FABRIC W HT +              | 1           |              |
|         | VENT, Mechanical Armrest Adj, Standard Fenders, Fender         | 1           |              |
|         | EDC/PTO/REM VALV CONTRL, IND. Swinging Drawbar                 |             |              |
|         | L/CLEVIS, EDC Base Hydraulic Link CYL. OR 2 External 90MM      |             |              |
|         | Cylinders -EDC, CAT II/III Flex Links, Instructional Seat      |             |              |
|         | W/Belt, Less Rear Cab Storage Box, Basic Hood Light, 8LED      |             |              |
|         | High Power HI-Roof, High Headlight Righthand Dip, SELF-        |             |              |
| 1.0     | Cancel + Audible Turn, Suspended Cab, Less Armrest Monito      |             |              |
|         | OR 10" Coolor Touch Screen Display, Air Conditioning, Rear     | II.         |              |
|         | Window Sunshade, 2 TELE/HEAT/REM ADJ Mirror, Std Steering      | 1           |              |
|         | Wheel +Carpet, Large Toolbox                                   |             |              |
|         |  |             |              |
|         | Selectable Options: Charging System, Fuel Tank, Front Ballast, |             |              |
|         | Tire Category, Front Tire, Rear Tires, Wheel Weights, Steering |             |              |
|         | or Autoguidance Ready, PNEUM Trailer Brake, Battery,           |             |              |
|         | Autoguidance, Front Fenders, Rotary Beacon, RH Window          |             |              |
|         | Bar Mount  |             |              |

### **OPERATOR STRUCTURE**

### OPERATOR STRUCTURE

| SD | T7610 | INSTRUMENT PANEL |
|----|-------|------------------|
|    |       |                  |

|   |    | 390763 | "A" Pillar for CIH Basic Instr  |            | No Charge |
|---|----|--------|---|------------|-----------|
| 1 | 1  |        | Includes oil, brake, PTO speed, hitch, reset, electronic remote flow  |            |           |
|   |    |        | and timer (when equipped), engine hours, fault codes, egress light    |            |           |
|   |    |        | settings.   |            |           |
|   |    | 758546 | A Pillar CIH Enhanced Instru  | 9000138P60 | \$180.00  |
|   | 10 |        | Includes oil, brake, PTO speed, hitch, reset, electronic remote flow  |            |           |
| 1 |    |        | and timer (when equipped), engine hours, fault codes, egress light    | į į        |           |
| 1 |    | h i    | settings.   |            |           |
|   |    | 1      | Also includes A-Post data display, slip control, area worked, tractor |            |           |
| L |    |        | performance monitoring.   |            |           |

| an | TO400 | WORK I | ARADO  |
|----|-------|--------|--------|
|    | 19130 | VVURNI | AIVIPa |

| SD 19130 WC |   | TT         | 1            |
|-------------|---|------------|--------------|
| 758357      | 8 LED High Power Hi-Roof                      |            | No Charge    |
|             | High Power LED lights produce 1950 Lumens     |            |              |
|             | 4 front roof-mounted LED work lights          |            |              |
|             | 4 rear roof-mounted LED work lights           |            |              |
|             | 2 halogen road hood lights                    |            |              |
|             | 2 halogen work hood lights                    |            |              |
| 392212      | 8 LED Std Power Hi-Roof                       | (900328P02 | (\$426.00)   |
|             | Standard Power LED lights produce 1000 Lumens |            |              |
|             | 4 front roof-mounted LED work lights          | 1 1        |              |
|             | 4 rear roof-mounted LED work lights           |            |              |
|             | 2 halogen road hood lights                    | 1          |              |
|             | 2 halogen work hood lights                    |            |              |
| 758594      | 12 LED High Power Hi-Roof                     | 9001312P8  | 5 \$1,705.00 |
|             | High Power LED lights produce 1950 Lumens     | 1          |              |
|             | 4 front roof-mounted LED work lights          | 1          |              |
|             | 4 rear roof-mounted LED work lights           |            |              |
|             | 2 front grab rail-mounted LED work lights     | 1 1        |              |
|             | 2 rear post-mounted LED work lights           | 1          |              |
|             | 2 halogen road hood lights                    | 1 1        |              |
|             | 2 halogen work hood lights                    | <u> </u>   |              |
| 758595      | 14 LED High Power Hi-Roof                     | 9001968P1  | 2 \$2,556.00 |
|             | High Power LED lights produce 1950 Lumens     |            |              |
|             | 4 front roof-mounted LED work lights          |            |              |
|             | 6 rear roof-mounted LED work lights           |            |              |
|             | 2 front grab rail-mounted LED work lights     |            |              |
|             | 2 rear post-mounted LED work lights           |            |              |
|             | 2 halogen road hood lights                    |            |              |
|             | 2 halogen work hood lights                    |            |              |

#### SD T9131 FRONT WORK LAMPS ON

|        | COTT. TOTAL CONT.   | <br>       |           |
|--------|---|------------|-----------|
| 390661 | Less High Mounted Headlamp  |            | No Charge |
| 758488 | High Headlight Righthand DIP  | 9000259P49 | \$337.00  |
|        | 2 Grab Rail-mounted headlights - remain on for road transport.      |            |           |
|        | These lights assist in visibility during transport with a loader or |            |           |
|        | front 3-point hitch mounted implement.                              |            |           |

### SD\_T9146 ROTARY BEACON

|   | X91461X | No Rotary Beacon  |            | No Charge |
|---|---------|---|------------|-----------|
| П | 758489  | Rotary Beacon Lefthand Side                               | 9000349P58 | \$454.00  |
|   |         | Single Foldable LED Beacon on rear left of tractor.       |            |           |
|   | 758491  | Twin Beacon   | 9000699P93 | \$909.00  |
|   |         | Dual Foldable LED Beacons mounted on rear corners of cab. |            |           |

391285

Deluxe Air Up/Down Head Rest

Deluxe Seat with Low Frequency Air Suspension



## MAXXUM CVXDRIVE SERIES TRACTOR US PRICE LIST

|                       | Suspended_Cab   |             | No Charge                               |
|-----------------------|---|-------------|---|
|                       | Two shocks mounted in rear of cab increase operator comfort   |             |   |
|                       | Reduces shock loads transmitted to the tractor by up to 25%   |             |   |
|                       | When coupled with a suspended axle, the ultimate in ride comfort                                      | 1           |   |
|                       | is achieved   |             |   |
|                       | Includes tinted rear window   |             |   |
| 391610                | Cab w/Fixed Front Screen  | (901479P17) | (\$1,921.00                             |
|                       | Standard Cab - Does not include Cab Suspension  |             | ,,,,                                    |
| 758481                | Suspended Cab + Heated Screens  | 9000424P27  | \$551.00                                |
|                       | Includes 758479, plus heated front and rear windscreens   |             |   |
|                       | Requires 200A alternator  |             |   |
| SD T9223 RF           | I WINDOW BAR MOUNT  |             |   |
| 390665                | Fixings for Mounted Monitor   |             | No Charge                               |
|                       | No Bar or Monitor   |             | 140 Onargi                              |
| 763152                | DELUXE MONITOR BRACK  | 9000346P50  | \$450.0                                 |
|                       | Deluxe monitor rail with harness guide and 2 USB Power Ports  |             | • |
| 763153                | DISPLAY READY INC E   | 9000519P75  | \$675.0                                 |
|                       | Included Deluxe Monitor Bracket Prewired for Pro 700 display  |             |   |
| 763154                | AFS700 TOUCHSCREEN  | 9004643P10  | \$6,030.0                               |
|                       | AFS Pro 700 Mounted on Deluxe Monitor Rail  |             |   |
| 0D T0000 DI           | ADMOSOT MOUNT   |             |   |
|                       | ARMREST MOUNT   | η           |   |
| 390686                | Less Armrest Monitor.   |             | No Charge                               |
| 758147                | Display Ready: Pre-wired  | 9000220P22  | \$286.00                                |
|                       | MultiControl armrest complete with mounting bracket and   |             |   |
|                       | pre-wired to mount an optional AFS Pro 700 Display  |             |   |
| 758548                | No display included   | 0001111700  |   |
| / 50540               | 10" Color Touch Screen Display  | 9004441P36  | \$5,768.00                              |
|                       | Includes AFS Pro 700 Color Touchscreen display mounted at the   |             |   |
|                       | end of MultiControl Armrest.  |             |   |
|                       |   |             |   |
| AB                    |   |             |   |
| e Central C           | FAKERS  |             |   |
| AB SD_17620 SP 390653 |   |             | No Charg                                |
| SD_17620 SP           | Radio Predisposition.   |             | No Charg                                |
| SD_17620 SP           | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket                    |             | No Charg                                |
| SD_17620 SP           | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket radio in DIN slot. | 9000418P11  |   |
| SD_T7620_SP<br>390653 | Radio Predisposition. Includes premium speakers and antenna. Ready for aftermarket                    | 9000418P11  | No Charg<br>\$543.0                     |

No Charge

| 758362       | Deluxe Fabric w HT + VENT   | 9001637P02  | \$2,126.00 |
|--------------|---|-------------|------------|
|              | Deluxe air seat with low frequency suspension,                    |             |            |
|              | swivel headrest, heated, and passive venting                      |             |            |
|              | Deluxe Fabric material  |             |            |
| 758363       | MAX EVO LEATHER ACTIVE  | 9003208P59  | \$4,167.0  |
|              | Active air suspension leather seat with low frequency suspension, |             |            |
|              | headrest, heated, and active venting                              |             |            |
| SD T9000 ST  | ORAGE BOX/SEAT  |             |            |
| 758568       | Lefthand Front Box  |             | No Charg   |
|              | Storage area near the LH door, instead of an instructor seat      |             |            |
| 390905       | Less LH Front Box   | (900111P65) | (\$145.00  |
| 758569       | Instructional Seat with Belt                                      | 9000385P00  | \$500.0    |
|              | Includes seatbelt   | 1           |            |
|              | Cloth/Leather will match operator seat                            |             |            |
| WW. 20040    | ALC: ALC: STOPMOF BO  |             |            |
|              | EAR CAB STORAGE BO Less Rear Cab Storage Box                      |             | No Charg   |
| 390906       | Lefthand Rear Cab Storage Box                                     | 9000187P11  | \$243.0    |
| 758570       | Large LH storage box  | 3000107111  | Ψ2 10.0    |
|              | Located in the back left hand corner, behind instructor seat area |             |            |
|              | Compatible with or without instructor seat/front toolbox options  | 1 1         |            |
|              | Companie with or without instructor seasmont toolbox options      |             |            |
| -            | IMATE CONTROL   |             | N. Observe |
| 392701       | AIR CONDITIONING 392701   | 0000040004  | No Charg   |
| 758482       | Air Conditioning W/ATC  | 9000610P61  | \$793.0    |
|              | Automatic Temperature Control (ATC). Operator sets desired        |             |            |
|              | temperature and system maintains set temperature.                 |             |            |
|              | AR WINDOW SUNSHADE  |             |            |
| X92911X      |   | 0000474574  | No Charg   |
| 758580       | Sunshade, Rear Window   | 9000171P71  | \$223.0    |
|              | Pull down perforated material sunscreen.                          |             |            |
| SD_T9553 LU  | IXURY PACK  |             |            |
| 391152       | Std Steering Wheel  |             | No Char    |
| 758483       | Leather Steering Wheel +Carpet                                    | 9000405P02  | \$526.0    |
| 1            | Includes premium Case IH leather steering wheel with silver       |             |            |
|              | spokes and carpet with Case IH logo.                              |             |            |
| TEERING COLU | MN  |             |            |
|              |   |             |            |
|              | TEERING OR AUTOGUIDANCE READY                                     |             | No Char    |
| 391630       | Standard Steering   | 1 1         | NO CHAD    |

SD T7632 PRECISION AND COMMUN 393190 LESS P&CM MODULE & H Grounds Equipment - Bid #ESCNJ 18/19-25
-T1TF 01



### MAXXUM CVXDRIVE SERIES TRACTOR US PRICE LIST

| 759186   | Variable Ratio Steer   | 9002268P42                | \$2,946.00                        |
|--|--|---------------------------|-----------------------------------|
|  | ASC (Adaptive Steering Control) adjusts steering ratio based on  | 00022001 42               | Ψ2,010.00                         |
|  | vehicle speed for increased steering control   |                           |                                   |
| J.   | - Reduces number of steering wheel turns from lock to lock   |                           |                                   |
|  | - Great feature for loader operations  |                           |                                   |
|  | Functions via VRS rocker switch or via display (if tractor is fitted   |                           |                                   |
|  | with Pro 700 display)  |                           |                                   |
| 759185   | Autoguidance Ready   | 9004007P08                | \$5,204.00                        |
|  | Includes steering valve and manifold, hoses, wiring harness, and   | 350.550.755               | ψο,Ξο                             |
|  | roof mounting bracket for receiver   | 1 1                       |                                   |
|  | Does not include display mount   |                           |                                   |
| 759187   | Va.Ratio + Autoguidance  | 9004429P04                | \$5,752.00                        |
| 1  | Includes Variable Ratio Steer 759186 and Autoguidance Ready  |                           |                                   |
|  | 759185   |                           |                                   |
|  |  |                           |                                   |
| SD T9180 A   | UDIBLE WARNING TURN INDICATOR  |                           |                                   |
| 393177   | SMART SLF CANC STALK   |                           | No Charge                         |
|  | Cancels automatically with the turn of the steering wheel  |                           |                                   |
|  |  |                           |                                   |
| SERVICE CONTROL OF THE SERVICE OF TH | Sound and dash light indicates turn signal active  |                           |                                   |
| SD T9360 F   | Sound and dash light indicates turn signal active  R MIRRORS   |                           | No Charg                          |
| SD_T9360 F   | R MIRRORS 2 Telescopic Mirrors 759153  |                           | No Charg                          |
| SD_T9360 F   | R MIRRORS  2 Telescopic Mirrors 759153 2 telescopic mirrors shatter proof with large head. 8.5" x 12"  |                           | No Charg                          |
| SD_T9360 F   | R MIRRORS 2 Telescopic Mirrors 759153  | (900231P77)               |                                   |
| SD_T9360 F<br>759153   | R MIRRORS  2 Telescopic Mirrors 759153 2 telescopic mirrors shatter proof with large head. 8.5" x 12" ( 215 x 304 mm) 2 Std Mirrors  | (900231P77)<br>9000055P44 | (\$301.00                         |
| SD T9360 F<br>759153<br>759453   | R MIRRORS  2 Telescopic Mirrors 759153  2 telescopic mirrors shatter proof with large head. 8.5" x 12" (215 x 304 mm)  2 Std Mirrors  2 Tele/Heat/Rem Adj Mirror   | (900231P77)<br>9000055P44 | (\$301.00                         |
| SD_T9360 F<br>759153<br>759453   | R MIRRORS  2 Telescopic Mirrors 759153  2 telescopic mirrors shatter proof with large head. 8.5" x 12" (215 x 304 mm)  2 Std Mirrors  2 Tele/Heat/Rem Adj Mirror  2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof   |                           | (\$301.00                         |
| SD_T9360 F<br>759153<br>759453   | R MIRRORS  2 Telescopic Mirrors 759153  2 telescopic mirrors shatter proof with large head. 8.5" x 12" (215 x 304 mm)  2 Std Mirrors  2 Tele/Heat/Rem Adj Mirror   |                           | (\$301.00                         |
| SD_T9360 F<br>759153<br>759453<br>759154   | R MIRRORS  2 Telescopic Mirrors 759153 2 telescopic mirrors shatter proof with large head. 8.5" x 12" ( 215 x 304 mm) 2 Std Mirrors 2 Tele/Heat/Rem Adj Mirror 2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)  |                           | (\$301.00                         |
| SD_T9360 F<br>759153<br>759453<br>759154   | R MIRRORS  2 Telescopic Mirrors 759153 2 telescopic mirrors shatter proof with large head. 8.5" x 12" ( 215 x 304 mm) 2 Std Mirrors 2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)   |                           | (\$301.00                         |
| SD T9360 F<br>759153<br>759453<br>759154<br>ORK LIGHTING   | R MIRRORS  2 Telescopic Mirrors 759153 2 telescopic mirrors shatter proof with large head. 8.5" x 12" ( 215 x 304 mm) 2 Std Mirrors 2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)   |                           | (\$301.00<br>\$72.0               |
| SD_T9360 F<br>759153<br>759453<br>759154   | R MIRRORS  2 Telescopic Mirrors 759153 2 telescopic mirrors shatter proof with large head. 8.5" x 12" ( 215 x 304 mm) 2 Std Mirrors 2 Tele/Heat/Rem Adj Mirror 2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)  |                           | (\$301.00<br>\$72.0               |
| SD T9360 F<br>759153<br>759453<br>759154<br>ORK LIGHTING   | R MIRRORS  2 Telescopic Mirrors 759153 2 telescopic mirrors shatter proof with large head. 8.5" x 12" ( 215 x 304 mm) 2 Std Mirrors 2 Tele/Heat/Rem Adj Mirror 2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)  OOD LIGHTS  BASIC HOOD LIGHTS  New Grill Styling with updated hoodlights  |                           | (\$301.00<br>\$72.0               |
| SD_T9360 F<br>759153<br>759453<br>759154<br>ORK LIGHTING<br>SD_T9110 H<br>759446   | R MIRRORS  2 Telescopic Mirrors 759153 2 telescopic mirrors shatter proof with large head. 8.5" x 12" ( 215 x 304 mm) 2 Std Mirrors 2 Tele/Heat/Rem Adj Mirror 2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)  OOD LIGHTS BASIC HOOD LIGHTS New Grill Styling with updated hoodlights 2 halogen roadlights 2 halogen worklights                            | 9000055P44                | (\$301.00<br>\$72.00<br>No Charge |
| SD T9360 F<br>759153<br>759453<br>759154<br>ORK LIGHTING   | R MIRRORS  2 Telescopic Mirrors 759153  2 telescopic mirrors shatter proof with large head. 8.5" x 12" ( 215 x 304 mm)  2 Std Mirrors  2 Tele/Heat/Rem Adj Mirror  2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)  OOD LIGHTS  BASIC HOOD LIGHTS  New Grill Styling with updated hoodlights 2 halogen roadlights 2 halogen worklights HIGH SPEC HOOD LIGHT |                           | (\$301.00<br>\$72.0               |
| 759153<br>759153<br>759453<br>759154<br>ORK LIGHTING<br>SD T9110 H<br>759446   | R MIRRORS  2 Telescopic Mirrors 759153 2 telescopic mirrors shatter proof with large head. 8.5" x 12" ( 215 x 304 mm) 2 Std Mirrors 2 Tele/Heat/Rem Adj Mirror 2 Telescopic, Heated, Remote Adjustable Mirrors: Shatter proof with Large Head and Spotter 7.9" x 11.8" (200 x 300 mm)  OOD LIGHTS BASIC HOOD LIGHTS New Grill Styling with updated hoodlights 2 halogen roadlights 2 halogen worklights                            | 9000055P44                | (\$301.00<br>\$72.0<br>No Charg   |

No Charge

| 762621 | PCM4G USA  |  | No Charge |
|--------|--|--|-----------|
|        | PCM 4G USA 4G P&CM controller for USA Market Verizon   |  |           |
|        | SIM This device provides optimal coverage in a large   |  |           |
|        | majority of the USA, however for areas with poor or no |  |           |
|        | Verizon cellular coverage order 762622.                |  |           |
|        | NOT FOR CANADIAN MARKETS                               |  |           |
| 762622 | PCM4G CANADA   |  | No Charge |
|        | PCM 4G Canada 4G P&CM controller for Canadian or       |  |           |
|        | LIMITED USA Market AT&T SIM This device is the         |  |           |
|        | only option for Canadian markets, and should also      |  |           |
|        | be ordered for USA markets that have poor or no V      |  |           |
|        | erizon cellular coverage                               |  |           |

### AUTOGUIDANCE

SD T4820 HEADLAND SYSTEM

|     | 1 - 1 - 1 - 1 - 1 - 1 |   |            |            |
|-----|-----------------------|---|------------|------------|
|     | 392211                | Headland Control System                                       |            | No Charge  |
| 1 1 |                       | End of Row functionality programmed through the tractor's     |            |            |
| 1 1 |                       | A-Post display  |            |            |
|     |                       | If equipped, sequences may be stored in the AFS Pro 700       |            |            |
|     | 758592                | Adv. Headland Ctrl Confg EHR                                  | 9000815P43 | \$1,059.00 |
|     |                       | Allows End of Row functions to be precisely programmed within |            |            |
|     |                       | AFS Pro 700 monitor   |            |            |
| 11  |                       | More user-friendly than basic End of Row controls             |            |            |
|     |                       | Allows operator to choose within the display which remote is  |            | ļ.         |
|     |                       | operated on the MultiFunction handle                          |            |            |
|     |                       | Requires an AFS Pro 700 display                               |            |            |

SD T7630 AUTOGUIDANCE

| 392484 | Less Autoguidance   |            | No Charge   |
|--------|---|------------|-------------|
| 758803 | Full AG Nav GPS L1  | 9007244P16 | \$9,408.00  |
|        | Includes WAAS with accuracy to +/- 3 Ft                     |            |             |
| 758804 | Full AG Nav GPS L2  | 9009337P79 | \$12,127.00 |
|        | Includes Omnistar activation with accuracy to +/- 1.5 ln.   |            |             |
|        | Requires subscription                                       |            |             |
| 758871 | Autoguidance Lvl 3 RTK Modem                                | 9011430P65 | \$14,845.00 |
|        | Full AG NAV GPS Level 3                                     |            |             |
|        | Includes Omnistar and RTK receiver activation with accuracy |            |             |
|        | to +/- 1 In.  |            |             |
|        | Requires an RTK radio or modem                              |            |             |
|        | Requires subscription                                       |            |             |

#### TELEMATICS

| SD T7625 | 5 TEI | LEMATICS        |  |  |           |
|----------|-------|-----------------|--|--|-----------|
| 301      | 2/10  | Less Telematics |  |  | No Charge |



| 763262 | 1 Year Telematics Subs                                   | 9001184P26 | \$1,538.00 |
|--------|--|------------|------------|
|        | P&CM Advanced 1 year Telematics (Includes File Transfer) |            |            |
| 763263 | 3 Year Telematics Subs                                   | 9001598P52 | \$2,076.00 |
|        | P&CM Advanced 3 year Telematics (Includes File Transfer) |            |            |
| 763265 | 5 Year Telematics Subs                                   | 9002012P78 | \$2,614.00 |
|        | P&CM Advanced 5 year Telematics (Includes File Transfer) |            |            |

#### **ENGINE**

SD T1000 ENGINE

|   |     | CT TRINGING ONCE THE CASE | Seat 15 miles   |            |            |
|---|-----|---------------------------|---|------------|------------|
|   |     | 393110                    | ENG STG V W/BOOST   |            | No Charge  |
|   |     | 762186                    | ENG STG V W/BST W/BR  | 9001597P75 | \$2,075.00 |
|   | 1 1 |                           | Elect. Fuel pump - 4 valves with Power Boost and Engine Exhaust |            |            |
| 1 |     |                           | Brake - Activated by depressing a pedal on left side in the cab |            |            |
|   | Ш   |                           | Closes the exhaust flap to act as an exhaust brake to reduce    |            |            |
|   |     |                           | braking when hauling heavy loads on steep terrain.              |            |            |

SD\_T1010 ENGINE OPTIONS

|   |   | 392300 | STD ENG COOLING FAN                                      |            | No Charge |
|---|---|--------|--|------------|-----------|
|   |   | 758700 | VISTRONIC FAN  | 9000140P14 | \$182.00  |
| 1 | 1 |        | Can vary speed independent of engine speed, based on the |            |           |
|   | _ |        | demand for cooling                                       |            |           |

SD\_T1040 CHARGING SYSTEMS

|   | 758557 | 150 AMP_Alternator                              |            | No Charge |
|---|--------|---|------------|-----------|
| 1 | 758558 | 200 AMP_Alternator                              | 9000200P97 | \$261.00  |
|   |        | Required for Suspended Cab w/htd screens 758480 | 11         |           |

#### STARTING AID

SD T1938 WEATHER PACK

|        | 758401 | Grid_Heater   |   |            | No Charge |
|--------|--------|---|---|------------|-----------|
|        |        | -18F (-10C) to -32.4F (-18C)                                      |   |            |           |
|        | 758402 | Grid_Heater + 110V Pack   |   | 9000339P57 | \$441.00  |
| 1 1    | 1      | Improves cold weather starting abilities; transmission heat       |   |            |           |
|        |        | maintainer  |   |            |           |
|        |        | 110V Electrical Plug in   |   |            |           |
| 11     |        | Engine block heater includes 2 heaters: 1 for engine block heater | 1 |            |           |
|        |        | and 1 for transmission and hydraulic heat maintainer              |   |            |           |
| $\Box$ |        | Plugs located side by side, below door opening                    |   |            |           |

#### **MAXXUM CVXDRIVE SERIES TRACTOR US PRICE LIST**

| SD_T7420 BA       |  |            |                       |
|-------------------|--|------------|-----------------------|
| 758407            | HD Battery 176AH   |            | No Charge             |
|                   | Heavy Duty Battery (176Ah 1300 EN cca)   |            |                       |
|                   | Does not include battery isolator  |            |                       |
| 759140            | Hvy Dty Bty Mech ISO   | 9000275P66 | \$358.00              |
|                   | Includes mechanical battery isolator switch  |            |                       |
|                   | Mechanical switch disconnects battery to prevent battery drainage.   |            |                       |
| 758409            | HD Battery W/Isolator 176AH  | 9000367P29 | \$477.00              |
|                   | Includes electronic battery isolator switch on right hand rear   | 1          |                       |
|                   | c-pillar in cab.   | 1          |                       |
|                   | In-cab switch disconnects battery to prevent battery drainage.   |            |                       |
| FUEL TANK         |  |            |                       |
| V 1/3/43          |  |            |                       |
| SD_T1400_FU       |  |            | N. O                  |
| 759128            | Std Fuel Tank+Guard  |            | No Charg              |
|                   | Includes fuel tank guards  |            |                       |
|                   | Capacity - 210L (55.4 Gal)   |            |                       |
| 759130            | Large Fuel Tank+Guard  | 9000475P86 | \$618.0               |
|                   | Includes fuel tank guards  |            |                       |
|                   | Incompatible with 34" rear tires (8365401)   |            |                       |
|                   | Capacity - 250L (66 Gal)   |            |                       |
| RANSMISSION       |  |            |                       |
| TD 11101 11001011 |  |            |                       |
| TRANSMISSION      |  |            |                       |
| SD T2800 S        | PEED   |            |                       |
|                   | 40 KPH Economy   |            | No Charg              |
| 396247            | 25 mph (40 KPH)  |            |                       |
| 396247            |  | I I        |                       |
| 396247            |  |            |                       |
| 396247<br>758549  | Max ground speed possible as low as 1550 engine RPM  50KPH ECO CVT   | 9001180P41 | \$1,533.0             |
|                   | Max ground speed possible as low as 1550 engine RPM  50KPH ECO CVT   | 9001180P41 | \$1,533.0             |
|                   | Max ground speed possible as low as 1550 engine RPM  50KPH ECO CVT  31 mph (50 KPH)  | 9001180P41 | \$1,533.0             |
|                   | Max ground speed possible as low as 1550 engine RPM  50KPH ECO CVT  31 mph (50 KPH)  Max ground speed possible as low as 1700 engine RPM   | 9001180P41 | \$1,533.0             |
|                   | Max ground speed possible as low as 1550 engine RPM  50KPH ECO CVT  31 mph (50 KPH)  | 9001180P41 | \$1,533.0             |
| 758549            | Max ground speed possible as low as 1550 engine RPM  50KPH ECO CVT  31 mph (50 KPH)  Max ground speed possible as low as 1700 engine RPM  Requires Class 3 Susp + Brake Hyd Lock (758423)  | 9001180P41 | \$1,533.0             |
|                   | Max ground speed possible as low as 1550 engine RPM  50KPH ECO CVT  31 mph (50 KPH)  Max ground speed possible as low as 1700 engine RPM  Requires Class 3 Susp + Brake Hyd Lock (758423)  | 9001180P41 | \$1,533.0             |
| 758549<br>RADAR   | Max ground speed possible as low as 1550 engine RPM  50KPH ECO CVT  31 mph (50 KPH)  Max ground speed possible as low as 1700 engine RPM  Requires Class 3 Susp + Brake Hyd Lock (758423)  | 9001180P41 |                       |
| 758549<br>RADAR   | Max ground speed possible as low as 1550 engine RPM  50KPH ECO CVT  31 mph (50 KPH)  Max ground speed possible as low as 1700 engine RPM  Requires Class 3 Susp + Brake Hyd Lock (758423)  or Class 4 Susp + Brake Hyd Lock (758428) and Front Fenders | 9001180P41 | \$1,533.0<br>No Charg |



-T1TF 01

#### **MAXXUM CVXDRIVE SERIES TRACTOR US PRICE LIST**

| 1 | 758501 | Radar NAR   | 9000684P53 | \$889.00 |
|---|--------|---|------------|----------|
|   |        | Provides more accurate speed readings and area measurements |            |          |
|   |        | Requires enhanced instrumentation                           |            |          |
|   |        | 758546 A Pillar CIH Enhanced Instru                         |            |          |

#### TRAILER BRAKES

SD\_T7150 TRAILER CTRL FEATURE

|  | 393095 | LESS TRAILER CONTROL                       |            | No Charge |
|--|--------|--|------------|-----------|
|  | 762071 | ADVANCED TRAILER                           | 9000437P36 | \$568.00  |
|  |        | Requires Pneumatic Trailer Brakes (758447) |            |           |

SD T7230 PNEUM TRAILER BRAKE

|  | 390729 | L/ Pneumatic Trailer Brakes                                       |            | No Charge  |
|--|--------|---|------------|------------|
|  | 758447 | Pneumatic Trailer Brake Univ                                      | 9006777P54 | \$8,802.00 |
|  |        | Requires hydraulic trailer brakes (744784) or brake logic valve   |            | - 1        |
|  |        | (744783)  |            |            |
|  |        | Dual air line system is used for dual cylinder truck type trailer |            |            |
|  |        | brakes.   |            |            |
|  |        | For customers with air brakes in heavy hauling applications, such |            |            |
|  |        | as with manure tankers.   |            |            |

#### TRAILER BRAKES

SD\_T7130 TRLR BRK VLV

|   | 390711 | Less trailer brakes  |            | No Charge  |
|---|--------|----------------------|------------|------------|
| _ | 759472 | HYD TRLBRK - NOT ISO | 9000947P10 | \$1,230.00 |

#### HITCH

#### FRONT HITCH

SD\_T8100 FRONT THREE POINT HITCH

| 390811 | Less Front Linkage  |            | No Charge   |
|--------|---|------------|-------------|
| 759144 | Integrated FHPL 759144  | 9006511P12 | \$8,456.00  |
|        | Integrated Front Hitch  |            |             |
| 759147 | Int FHPL+FPTO   | 9013734P49 | \$17,837.00 |
|        | Integrated Front Hitch with PTO                                   |            |             |
|        | The front PTO is a 6 spline, 1 3/8" 1000 RPM shaft, which rotates |            |             |
|        | counter-clockwise when looking from the front of the tractor.     |            |             |

SD\_T8106 7P PLUG ON FHPL SUP

|         | XT8106X | Std L/ 7P Plug On F   |            | No Charge |
|---------|---------|---|------------|-----------|
| $\perp$ |         | Front Implement Lighting Connector                            |            |           |
|         | 758713  | 7PIN + 3 PIN 40AMP  | 9000138P60 | \$180.00  |
| $\Box$  |         | Front Implement Lighting Connector with 3 Pin Power Connector |            |           |

SD T8300 HOSES FOR FHPL

| 390926 | Less Tubes for FHPL   |            | No Charge |
|--------|---|------------|-----------|
| 758473 | Tubes FHPL Connect Mech RR                                    |            | No Charge |
|        | Connects front hitch to mechanical rear remote                |            |           |
| 758474 | Hose pkg for frt hitch w/ ERV                                 |            | No Charge |
|        | Front hitch to electronic rear remote                         |            |           |
| 758475 | Hose pkg for frt hitch w/ MMV                                 |            | No Charge |
|        | Hose package to connect front hitch to                        |            |           |
|        | electronic mid-mount valves                                   |            |           |
| 758544 | Hse pkg frt hit w/MMV/frt coup                                | 9000161P70 | \$210.00  |
|        | Front hitch and 1 front remote to electronic mid-mount valves |            |           |
| 758582 | Tubes + Coupler Mech Rear Rem.                                | 9000161P70 | \$210.00  |
|        | Front hitch and 1 front remote to mechanical rear remotes     |            |           |

#### **REAR 3-POINT**

SD T8950 AUX RAMS

| П   | 390911 | EDC Base Hydraulic Lift Cyl.                        |            | No Charge |
|-----|--------|---|------------|-----------|
| 1   |        | 3-Point Hitch Capacity with two 80mm lift cylinders | 1          |           |
| 1 1 |        | 6,990 lbs. (3,170 kg) OECD rated lift capacity      |            |           |
|     |        | through the whole range per Nebraska Tractor Test   |            |           |
|     | 743811 | 2 External 90mm Cylinders -EDC                      | 9000443P52 | \$576.00  |
| 1 [ |        | 3-Point Hitch Capacity with two 90mm lift cylinders |            |           |
|     |        | 8945 lbs. (4057 kg) OECD rated lift capacity        |            |           |
|     |        | through the whole range per Nebraska Tractor Test   |            |           |

SD\_T8960 DRAWBAR AND 3 POINT HITCH

|     | 758451 | Cat II Flex Links  |            | No Charge |
|-----|--------|--|------------|-----------|
|     |        | Telescopic link ends   |            |           |
|     | 758452 | Cat II/III Flex Links  | 9000105P49 | \$137.00  |
|     |        | Telescopic link ends   |            |           |
|     | 758454 | C2/3 QA Hyd Top Link   | 9000308P77 | \$401.00  |
|     | 759922 | HYDTOPLINK+FLEX LINK   | 9000308P77 | \$401.00  |
| 1 1 |        | Includes hydraulic top link, which uses 1 pair of rear remote valves |            |           |
|     |        | Telescopic Cat 2/3 Flex Links  |            |           |

Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS Grounds



Grounds Equipment - Bid #ESCNJ 18/19-25
-T1TF 01

## MAXXUM CVXDRIVE SERIES TRACTOR US PRICE LIST

| YDRAULICS     |  |             |            |
|---------------|--|-------------|------------|
|               |  |             |            |
| SD T8230 H)   | /D PLIMP   |             |            |
| 390244        | 125L/MIN CCI S PUMP  |             | No Charc   |
|               | Pressure Flow Compensating (PFC) Closed Center Load Sensing  | 1 1         | No onarg   |
|               | Required for electronic rear remote valves and optional for  |             |            |
|               | mechanical rear remote valves  | 1           |            |
|               | The state of the s |             |            |
|               | Max flow available @ remotes (combined flow) or power beyond   | 1 1         |            |
|               | (l/min) considering 90% efficiency- 35.1 gpm (133 l/m)   | 1 1         |            |
|               | (smill) constacting contacting contacting  |             |            |
| REAR REMOTE V | ALVES  |             |            |
|               |  |             |            |
| SD T8270 RE   | EAR REMOTES  |             |            |
| 743686        | 3 Elect Hyd. Rear Remote Valve   |             | No Charg   |
|               | 3 electronic rear remotes  |             |            |
| 758358        | 4-Mech Rear Remotes F/ Pwr Byd   | (900378P07) | (\$491.0   |
| 396844        | 3 Mech Rear Remotes (1NC+2C)   | (902038P96) | (\$2,648.0 |
|               | 3 Mechanical Rear Remotes with 2 Configurable  |             |            |
| 743733        | 4 Elect Hyd. Rear Remote Valve   | 9001031P03  | \$1,339.0  |
|               | 4 electronic rear remotes  |             |            |
| 758359        | 4-Elec Rear Remotes W/ Pwr Byd   | 9001678P60  | \$2,180.0  |
|               | 4 electronic rear remotes, power beyond ready  |             |            |
|               |  |             |            |
| POWER BEYOND  |  |             |            |
|               |  |             |            |
| SD_T8275 PC   | OWER BEYOND COUPLE   |             |            |
| 758540        | Low-Pressure Return  |             | No Charg   |
|               | Low pressure return line with 1/2" hydraulic quick coupler.  |             |            |
|               | ISO 7241 Series A hydraulic quick coupler, non-flat face design.   |             |            |
|               | Does not include load sense line   |             |            |
|               | Requires male end on implement 83972881 (CNH Industrial Parts)   |             |            |
| 390710        | Hyd Power Beyond Capped  | (900150P92) | (\$196.0   |
|               | Hydraulic power beyond capped off.   |             |            |
|               | This option is less power beyond and less low-pressure return line.  |             |            |



| CD | ONIT | · AYI |  |
|----|------|-------|--|
|    |      |       |  |

| SD T4010 FRONT AX | SU |  |
|-------------------|----|--|
|-------------------|----|--|

| SD_T4010_FR | UNI AXLE  |   |             |              |
|-------------|---|---|-------------|--------------|
| 758425      | Class 4 Hydraulic Lock  |   |             | No Charge    |
|             | Class 4 MFD axle with multi-plate fully locking, front differential       |   |             |              |
|             | with steering sensors   |   |             |              |
|             | 10,803 maximum carrying capacity  |   |             |              |
|             | Hydraulic Differential Lock: Multiplate differential lock, engages        |   |             |              |
|             | when operator engages the rear differential lock                          |   |             |              |
|             | Incompatible with 34 inch rear wheels                                     |   |             |              |
| 758420      | Class 3 Hydraulic Lock  |   | (901054P13) | (\$1,369.00) |
|             | 9,039 lbs. maximum carrying capacity                                      |   |             |              |
|             | Hydraulic Differential Lock: Multiplate differential lock, engages        |   |             |              |
|             | when operator engages the rear differential lock                          |   |             |              |
| 759109      | Class 4 HD Std Axle   |   | 9000210P98  | \$274.00     |
|             | Class 4 Heavy Duty Axle   |   |             |              |
|             | Includes multi-plate, fully locking front differential for extra traction |   |             |              |
|             | in slippery conditions  |   |             |              |
|             | Non-suspended   |   |             |              |
| 758427      | Class 4 Suspension Lock   |   | 9004837P14  | \$6,282.00   |
|             | 10,803 maximum carrying capacity  |   |             |              |
|             | Suspension: Cushions and dampens the movement of the front                |   |             |              |
|             | axle, Smoother ride for increased operator comfort and decreased          |   |             |              |
|             | fatigue, improved traction. Suspenson can be locked solid by the          |   |             |              |
|             | operator using an in-cab switch, locatedon the RH console.                |   |             |              |
| 758428      | Class 4 Susp + Brake Hyd Lock   |   | 9005704P16  | \$7,408.00   |
|             | 10,803 maximum carrying capacity  |   |             |              |
|             | Suspension: Cushions and dampens the movement of the front                |   |             |              |
|             | axle. Smoother ride for increased operator comfort and decreased          |   |             |              |
|             | fatigue. Improved traction, Suspenson can be locked solid by the          |   |             |              |
|             | operator using an in-cab switch, locatedon the RH console                 |   |             |              |
|             | Brakes: Front wheel brakes allow for additional braking power for a       |   |             |              |
|             | shorter braking distance, Recommended for hauling applications,           | , |             |              |
|             | Required for high-speed applications (31 mph/50 KPH)                      |   |             |              |

#### FRONT WHEELS AND TIRES

SD T4940 FRONT WHEELS AND TIRES

|  | For Class 3 I | Front Axle                                     |           |
|--|---------------|--|-----------|
|  | 8241401       | 380/85(14,9)R28 A8                             | No Charge |
|  |               | Brands: Michelin, Firestone, Mitas, Trelleborg |           |
|  |               | Requires 460(18.4)R38                          |           |

-T1TF 01



## MAXXUM CVXDRIVE SERIES TRACTOR US PRICE LIST

| 8240402     | 380/85(14.9)R24 A8  | (900265P65)  | (\$345.00)   |
|-------------|---|--------------|--------------|
|             | Brands: Firestone, Michelin                                   | (0002001.00) | (\$6.00)     |
|             | Requires 460/85(18.4)R34 R1W                                  |              |              |
| 8250401     | 340/85(13.6)R28 R1W   | (900265P65)  | (\$345.00)   |
|             | Brands: Firestone, Mitas, Trelleborg                          | (000200100)  | (40-10:00)   |
|             | Requires 16.9R38 R1W  |              |              |
| 8299905     | Front Shipping Wheels-4WD                                     | (901018P71)  | (\$1,323.00) |
|             | Requires rear shipping wheels                                 |              | (\$1,020.00) |
| 8825401     | 480/65R28(R1W) Fixed Rims F/CL                                | 9000303P38   | \$394.00     |
|             | Michelin, Firestone, Mitas                                    |              | ψοσ 1.00     |
| 8258404     | 380/85(14.9)R30R1W MI,F,T,C,A                                 | 9000470P47   | \$611.00     |
|             | Brands: Michelin, Firestone                                   | 3000470147   | φοτισο       |
|             | Requires 18.4R42 R1W  |              |              |
| 8859604     | 320/85R34 R1W MI,FI   | 9000613P69   | \$797.00     |
|             | Brands: Michelin  | 90000131 03  | Ψ131.00      |
|             | Requires 320/90R50 R1W  |              |              |
| 8255404     | 420/85(16.9) R28 R1W MI-FI-TR                                 | 9000620P62   | \$806.00     |
| 0200101     | Brands: Michelin, Firestone                                   | 9000020102   | φουο.υο      |
|             | Requires 20.8R38 R1W  |              |              |
| 8201201     | 400/80R28 Fixed Cls 3 Alliance                                | 9000869P33   | \$1,129.00   |
| 0201201     | Brand: Alliance   | 9000809F33   | \$1,129.00   |
| 8801301     | 520/60R28 MAVT Rims - MI                                      | 9001930P39   | \$2,507.00   |
|             | Brand: Michelin   | 9001930F39   | φ2,507.00    |
| For Class 4 |   |              |              |
| 8241901     | 380/85(14.9)R28R1W HD-MIFITRCO                                | Ĭ I I        | No Charge    |
| 0211001     | Brands: Trelleborg, Michelin, Firestone, Mitas                |              | No Charge    |
|             | Requires: 460(18.4)R38 R1W                                    |              |              |
| 8299906     | Front Shipping Wheels   | (901018P71)  | (\$1,323.00) |
| 020000      | Requires rear shipping wheels                                 | (301018F71)  | (\$1,525.00) |
| 8815601     | 480/65R28 R1W HD  | 9000303P38   | \$394.00     |
|             | Brands: Firestone, Michelin, Trelleborg                       | 9000303F36   | \$394.00     |
|             | Requires 600/65R38 R1W  |              |              |
|             | l ·   |              |              |
| 8258704     | Requires Full Cover Rear Fenders 380/85(14.9)R30 R1W MI-FI-CM | 0000470547   | C011 00      |
| 0230704     | 1 ' '   | 9000470P47   | \$611.00     |
|             | Brands: Michelin, Firestone, Mitas, Alliance                  |              |              |
| 8801604     | Requires 18.4R42 R1W or 14.9R46 R1W 320/85R34 R1W Brands - MI | 0000040000   | A707.00      |
| 0001004     |   | 9000613P69   | \$797.00     |
|             | Brands: Michelin, Firestone                                   | 1 1 1        |              |
| 2055004     | Requires 320/90R50 R1W  |              |              |
| 8255904     | 420/85(16.9)R28 R1W MI-FI                                     | 9000620P62   | \$806.00     |
|             | Brands: Michelin, Firestone                                   |              |              |
| 2000521     | Requires 20.8R38 R1W or 18.4R42 R1W                           |              | 1            |
| 8866501     | 400/80R28 Fixed Cls 4 Alliance                                | 9000869P33   | \$1,129.00   |
|             | Brand: Alliance   |              |              |
| 8801601     | 520/60R28 R1W Fixed HD  | 9002754P29   | \$3,577.00   |
|             | Brand: Michelin   |              |              |
|             | Requires 650/60R38  |              |              |



| 8815401 480/65R28 R1W | 9000294P14 | \$382.00 |
|-----------------------|------------|----------|
|                       |            |          |
| REAR AXLE             |            |          |

SD\_T3200 REAR AXLE

| Г | 391223 | Heavy-duty Rear Flange                          |                | No Charge  |
|---|--------|---|----------------|------------|
|   |        | Heavy Duty Rear Flange Axle (275MM Wheel Studs) |                |            |
|   | 758432 | HD Bar Steel Multi-Diff                         | 9001247P40     | \$1,620.00 |
|   | 759136 | HD 98"BAR STEEL MULT                            | <br>9001247P40 | \$1,620.00 |

#### **REAR WHEELS AND TIRES**

SD T4950 REAR WHEELS AND TIRES

| SD_T4950 | REAR WHEELS AND TIRES                               |             |              |
|----------|---|-------------|--------------|
|          | r Bar Axle Steel Disc                               |             |              |
| 83284    | 01 460/85(18.4)R38 R1W-MIFITRCO                     |             | No Charge    |
|          | Brands: Trelleborg, Michelin, Firestone, Mitas      |             |              |
| 83999    | 06 Rear Shipping Wheels                             | (903013P78) | (\$3,914.00) |
|          | Requires front shipping wheels                      |             |              |
| 83654    | 01 460/85(18.4)R34 A8 FI,MI,CO,TR                   | (901189P65) | (\$1,545.00) |
|          | Brands: Trelleborg, Michelin, Firestone, Mitas      |             |              |
| 8375     | 501 420/85(16.9)R38 R1W FI,CM                       | (900048P51) | (\$63.00     |
|          | Brands: Firestone, Mitas                            |             |              |
| 8963     | 04 320/90R50 R1W MI                                 | 9000519P75  | \$675.0      |
|          | Brands: Michelin                                    |             |              |
| 89694    | 01 600/65R38 R1W-FI,MI,CO,TR                        | 9000887P04  | \$1,152.00   |
|          | Brands: Trelleborg, Michelin, Firestone, Mitas      |             |              |
| 83704    | 104 380/90(14.9)R46R1WAdj Rim-C,MI                  | 9000322P63  | \$419.00     |
|          | Brands: Mitas                                       |             |              |
| 89070    | 601 650/60R38 R1W F/Bar AXL                         | 9001154P23  | \$1,499.00   |
|          | Brands: Michelin                                    |             |              |
| 89194    | 101 480/80R38 Alliance                              | 9001185P03  | \$1,539.00   |
| 11       | Alliance 550 Multi-Use                              |             |              |
| 83804    | 104 520/85 (20.8) R38 R1W MI, TR                    | 9001797P95  | \$2,335.00   |
|          | Brands: Michelin                                    |             |              |
|          | Requires full cover rear fenders (743707 or 743708) |             |              |
| 8440     |   | 9005430P81  | \$7,053.00   |
| 8470     | 104 DUAL 380/90R46 (14.9) R1W MICO                  | 9005231P38  | \$6,794.00   |

### **FENDERS**

SD\_T8710 FENDERS PTO CONTROL

|  | 743680 | Fender EDC/PTO/Rem Valv Contrl                                    |  | No Charge |
|--|--------|---|--|-----------|
|  |        | Fender mounted switches for rear PTO, rear three-point hitch, and |  |           |
|  |        | third electronic rear remote.                                     |  |           |

|  | 392803 | Fender Mounted Controls   | (900243P32) | (\$316.00) |
|--|--------|---|-------------|------------|
|  |        | Fender mounted switches for rear PTO and rear three-point hitch |             |            |

#### FRONT FENDERS

#### SD\_T8740 FRONT FENDERS

| 390 | 0875 L | _ess front fender  |      |        | No Charge  |
|-----|--------|--|------|--------|------------|
| 758 | 8505 F | Front Fender 420mm Dynamic                                     | 9000 | 658P35 | \$855.00   |
|     | F      | Recommended for tire sizes less than 420/16.9"                 |      |        |            |
|     |        | Dynamic front fenders allow the fenders to turn with the tires |      |        |            |
| 758 | 8506 F | Front Fender 480mm Dynamic                                     | 9000 | 764P61 | \$993.00   |
|     | F      | Recommended for tire sizes less than 480/18.4"                 |      |        |            |
|     |        | Dynamic front fenders allow the fenders to turn with the tires |      |        |            |
| 758 | 3507 F | Front Fender 540mm Dynamic                                     | 9000 | 859P32 | \$1,116.00 |
|     | F      | Recommended for tire sizes larger than 520/20.8"               |      |        |            |
|     |        | Dynamic front fenders allow the fenders to turn with the tires |      |        |            |

#### REAR FENDERS

#### SD\_T8700 FENDERS

| 391153 | Standard Fenders  |            | No Charge  |
|--------|---|------------|------------|
| 743777 | Standard fenders with extensn                                   | 9000324P94 | \$422.00   |
|        | 3" (75 mm) fender extensions added on to the full cover fenders |            |            |
| 743707 | Full Cover  | 9000607P53 | \$789.00   |
|        | 92.1 in./2340 mm rear fenders.                                  |            |            |
| 743708 | Full Cover with extension                                       | 9000928P62 | \$1,206.00 |
|        | Full cover with 3 in./ 75 mm wide extensions.                   |            |            |

#### LOADER

#### SD T7780 JOYSTICK

| <br>00 11100 00 | TOTION  |            |            |
|-----------------|---|------------|------------|
| 394782          | Less Joystick   |            | No Charge  |
| 763174          | EH JOYSTICK 763174                                    |            |            |
|                 | Advanced EH joystick with "live" 3rd function switch. |            |            |
|                 | Included gear shift w/F-R shuttle.                    |            |            |
|                 | if LOADER BRACKETS is NA LDR RDY+3MMV+ADV             |            | No Charge  |
|                 | if LOADER BRACKETS is NA LDR RDY+2MMV+ADV             |            | No Charge  |
|                 | if LOADER BRACKETS is Engine Side Rails               | 9001343P65 | \$1,745.00 |
|                 | if LOADER BRACKETS is Less Loader Ready               | 9001343P65 | \$1,745.00 |

#### SD\_T7790 MID-MOUNT VALVES

|     | 390560 | Less Mid-Mount Valves                     | No Charge |
|-----|--------|---|-----------|
|     | 743689 | 2 Electronic MMV                          |           |
| 1 1 |        | 2 Electronic Mid-Mount Valves             |           |
| Ш   |        | Requires Electronic Joystick              |           |
|     |        | if LOADER BRACKETS is NA LDR RDY+2MMV+ADV | No Charge |

|        | if LOADER BRACKETS is Engine Side Rails   | 9002092P09 | \$2,717.00 |
|--------|---|------------|------------|
|        | if LOADER BRACKETS is Less Loader Ready   | 9002092P09 | \$2,717.00 |
| 743690 | 3 Electronic MMV                          |            |            |
|        | 3 Electronic Mid-Mount Valves             |            |            |
|        | Requires Electronic Joystick              |            |            |
|        | if LOADER BRACKETS is NA LDR RDY+3MMV+ADV |            | No Charge  |
|        | if LOADER BRACKETS is Less Loader Ready   | 9003207P05 | \$4,165.00 |
|        | if LOADER BRACKETS is Engine Side Rails   | 9003207P05 | \$4,165.00 |

#### MOUNTING BRACKETS

SD T8110 LOADER BRACKETS

| 2D 1011 | LUADER BRACKETS                                |                |             |
|---------|--|----------------|-------------|
| Side F  | tails  |                |             |
| 758     | 478 Engine Side Rails                          | 9000814P66     | \$1,058.00  |
|         | Recommended for side-mounted attachments       | s e.g. sprayer |             |
|         | tanks  |                |             |
|         | No Loader Brackets                             |                |             |
|         | Not compatible with loader equipment           |                |             |
| Loade   | r Brackets                                     |                |             |
| 390     | 819 Less Loader Ready                          |                | No Charge   |
| 759     | 470 NA LDR RDY+2MMV+ADV                        | 9008203P58     | \$10,654.00 |
|         | Complete Loader Ready includes:                |                |             |
|         | Advanced Joystick 763174: EHSTICK ADV +/-      | PROP           |             |
|         | 2 Electronic MMV 743689                        |                |             |
|         | TPS Mount Bracket Set (with Grill Guard) and   |                |             |
|         | (Includes valve, joystick, cables, & hose kit) |                |             |
| 759     | 471 NA LDR RDY+3MMV+ADV                        | 9009465P61     | \$12,293.00 |
|         | Complete Loader Ready includes                 |                |             |
|         | Advanced Joystick 763174: EHSTICK ADV +/-      | PROP           |             |
|         | 3 Electronic MMV 743690                        |                |             |
|         | TPS Mount Bracket Set (with Grill Guard) and   |                |             |
|         | (Includes valve, Proportional joystick, cables | , & hose kit)  |             |

#### OTHER EQUIPMENT

| SD 17620 | EXTERNAL | AIR LINE |  |
|----------|----------|----------|--|

|  | 393161 | NO EXTERNAL AIR LINE 393161 |  | No Charge |
|--|--------|-----------------------------|--|-----------|
|--|--------|-----------------------------|--|-----------|

FRONT BALLAST

#### SD\_T2150 FRONT BALLAST

|     | 390444 | Tow Hook-Only                                   |  | No Charge |
|-----|--------|---|--|-----------|
| 1 1 |        | Tow Hook 251 lbs/114 kg                         |  |           |
|     |        | Not allowed with Front hitch (743699 or 743700) |  |           |



| 758562 | Weight Carrier w/Hook                              | 9000218P68 | \$284.00   |
|--------|--|------------|------------|
|        | Weight Carrier                                     |            |            |
|        | Narrow Weight Carrier 253 lbs/115 kg               | 1 1        |            |
|        | Holds up to 8 weights                              | 1 1        |            |
|        | Not compatible with Front hitch (743699 or 743700) |            |            |
| 758563 | Wide carrier CIH                                   | 9000367P29 | \$477.00   |
|        | Wide front weight carrier                          |            |            |
|        | Wide Weight Carrier 361 lbs/164 kg,                |            |            |
|        | holds up to 16 weights.                            | 1 1        |            |
|        | Not compatible with front loader.                  |            |            |
| 758515 | Weight Pack A_CIH                                  | 9000803P88 | \$1,044.00 |
|        | 4 weights plus narrow carrier                      |            |            |
|        | Narrow Weight Carrier 253 lbs/115 kg,              | 1 1        |            |
|        | plus 4 Weights 396 lbs/180 kg.                     |            |            |
|        | Total weight 650 lbs/295 kg.                       |            |            |
|        | Not compatible with Front hitch (743699 or 743700) |            |            |
| 758518 | Weight Pack A w/Hook                               | 9000945P56 | \$1,228.00 |
|        | Weight Pack A                                      |            | 74         |
|        | Narrow Weight Carrier 253 lbs/115 kg.              |            |            |
|        | Plus Center Tow Hook Weight 251 lbs/114 kg.        |            |            |
|        | Plus 2 Weights 198 lbs/90 kg.                      |            |            |
|        | Total weight 702 lbs/319 kg.                       |            |            |
|        | Not compatible with Front hitch (743699 or 743700) |            |            |
| 758516 | Weight Pack B_CIH                                  | 9001390P62 | \$1,806.00 |
|        | 8 weights plus narrow carrier                      |            |            |
|        | Narrow Weight Carrier 253 lbs/115 kg,              |            |            |
|        | plus 8 Weights 800 lbs/360 kg.                     |            |            |
|        | Total weight 1050 lbs/475 kg.                      |            |            |
|        | Not compatible with Front hitch (743699 or 743700) |            |            |
| 758519 | Weight Pack B w/Hook                               | 9001472P24 | \$1,912.00 |
|        | Weight Pack B                                      |            |            |
|        | Narrow Weight Carrier 253 lbs/115 kg.              |            |            |
|        | Plus Center Tow Hook Weight 251 lbs/114 kg.        |            |            |
|        | Plus 6 Weights 1099 lbs/499 kg.                    |            |            |
|        | Total weight 1603 lbs/728 kg.                      |            |            |
|        | Not compatible with Front hitch (743699 or 743700) |            |            |
| 758520 | Weight Pack C w/Hook                               | 9002398P55 | \$3,115.00 |
|        | Weight Pack C                                      |            |            |
|        | Wide Weight Carrier 361 lbs/164 kg.                |            |            |
|        | Plus Center Tow Hook Weight 251 lbs/114 kg.        |            |            |
|        | Plus 12 Weights 1189 lbs/540 kg.                   |            |            |
|        | Total weight 1801 lbs/818 kg.                      |            |            |
|        | Not compatible with Front hitch (743699 or 743700) |            |            |

| Γ | T | 758517 | Weight Pack C_CIH                                  | 9002711P94 | \$3,522.00 |
|---|---|--------|--|------------|------------|
|   |   |        | 16 weights plus wide carrier                       |            |            |
|   |   | 1      | Wide Weight Carrier 361 lbs/164 kg,                |            |            |
|   |   |        | Plus 16 Weights 1585 lbs/720 kg.                   |            |            |
| ı |   |        | Total weight 1947 lbs/884 kg.                      |            |            |
|   |   |        | Not compatible with Front hitch (743699 or 743700) |            |            |

#### REAR BALLAST

SD T4960 WHEEL WEIGHTS

| X49601X | L/Wheel Weights                                    |            | No Charge  |
|---------|--|------------|------------|
| 758564  | 6X65KG Wheel Weight                                | 9001003P31 | \$1,303.00 |
|         | Each weight weighs 143 lbs. (65 kg)                |            |            |
|         | 3 weights are on each side on the rear             |            |            |
| 1       | Total weight = 806 lbs. (390 kg)                   |            |            |
|         | Not Compatible with 650/60R38 (8907501 or 8907601) |            |            |
| 762228  | R WHL WEIGHTS 4X200                                | 9001308P23 | \$1,699.00 |
| 762229  | R WHL WEIGHTS 6X200                                | 9002245P32 | \$2,916.00 |

#### ADDITIONAL EQUIPMENT

SD T3600 BRAKE PACK

| 3D 13000 B | RANE FACK   |            |           |
|------------|---|------------|-----------|
| 390166     | Std. Heavy Duty Brake Discs   |            | No Charge |
| 758435     | Extended-Life Brake Discs   | 9000286P44 | \$372.00  |
|            | Made of a carbon mesh material for a significantly longer life than |            |           |
|            | the standard brake packs  |            |           |
|            | Recommended for haulage applications                                |            |           |

| SD T7642 ISC | D BUS              |            |          |
|--------------|--------------------|------------|----------|
| 758710       | ISO CL3+9PIN+SPEED | 9000328P02 | \$426.00 |

SD T9560 FRONT TOOLBOX

|  | 390996 | Standard Toolbox   |            | No Charge |
|--|--------|--|------------|-----------|
|  |        | 5.5 in. x 12.5 in. (140 mm x 315 mm)                     |            |           |
|  | 743848 | Large Toolbox  | 9000079P31 | \$103.00  |
|  |        | 5.5 in. x 16.5 in. (140 mm x 420 mm)                     |            |           |
|  |        | Great for larger tools, like hammers and larger wrenches |            |           |

#### OTHER OPTIONS

SD\_T9850 SPECIAL COLORS/PANELS

|  | 392209 | Base Color ISO                                |             | No Charge  |
|--|--------|---|-------------|------------|
|  | 743729 | Std Color- No Visibility Panel                | (900490P49) | (\$637.00) |
|  |        | Base Color High Roof with no visibility panel |             |            |
|  |        | Not recommended for loader operations         |             |            |

743726

NAR Configuration



## MAXXUM CVXDRIVE SERIES TRACTOR US PRICE LIST

|   | 330438                                | No tire brand preference  |            | No Charge    |
|---|---------------------------------------|---|------------|--------------|
|   |                                       | Tire brands are subject to availability.                            |            | 9            |
|   |                                       | If the Tire Brand Preference Code is ordered, the plant will        |            |              |
|   |                                       | install the brand selected.   |            |              |
|   |                                       | If no Tire Brand Preference is selected, a tire from existing       |            |              |
|   |                                       | inventory will be installed. This will include one of the following |            |              |
|   |                                       | brands in the chosen tire size: Michelin, Firestone, Trelleborg,    |            |              |
|   |                                       | Alliance, or Mitas.   |            |              |
|   |                                       | Availability of brands vary by size.                                |            |              |
|   | 330447                                | Alliance  | 9000468P93 | \$609.0      |
|   | 330439                                | Mitas   | 9000468P93 | \$609.0      |
|   | 330446                                | Firestone   | 9000468P93 | \$609.0      |
|   | 330442                                | Michelin  | 9001420P65 | \$1,845.0    |
|   | 330418                                | Trelleborg  | 9000468P93 | \$609.0      |
| E | RATOR'S MA                            | PERATORS MANUAL   |            |              |
| S |                                       |   |            | No Charg     |
| 8 | 758534                                | English USA   |            | No Charg     |
| 5 |                                       | English USA Spanish NAR   |            | 110 Official |
| 5 | 758534<br>758535<br>759101            | Spanish NAR French NAR  |            | No Charg     |
| S | 758534<br>758535<br>759101            | Spanish NAR   |            | No Charg     |
|   | 758534<br>758535<br>759101<br>X98021X | Spanish NAR French NAR  |            |              |

No Charge

Case 2021 Price List



# Maxxum Tire Chart ACTIVEDRIVE 4, ACTIVEDRIVE 8, CVXDRIVE

| Front/<br>Rear | DESCRIPTION                                    | max.<br>Speed<br>(kph) | Rim<br>Type  | Option<br>Code     | CL 3<br>front<br>axle | CL 4<br>front<br>axle | No Brand<br>330438 | Trelleborg<br>330418 | Michelin<br>330442 | Firestone<br>330446 | MITAS<br>330439 | Nokian<br>330444 | Alliance<br>330447 |
|----------------|--|------------------------|--------------|--------------------|-----------------------|-----------------------|--------------------|----------------------|--------------------|---------------------|-----------------|------------------|--------------------|
| Shipping       | wheels   | J.                     |              |                    |                       | _                     |                    |                      |                    |                     |                 | -                |                    |
| FR             | 11.2 24R-Shipping                              | - 6                    | SHIPPING     | 8299905            | Х                     |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 11.2 24R Shipping                              |                        | SHIPPING     | 8299906            |                       | X                     | l x                |                      |                    |                     |                 |                  |                    |
| RR             | 12 4 32R Shipping                              |                        | SHIPPING     | 8399906            | 1 -                   | - 4                   |                    |                      |                    |                     |                 |                  |                    |
| STANDAR        | RD TIRES                                       |                        |              |                    |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 14.9 R24 (380/85 R24)                          | 1 40                   | MAVT         | 8240402            | X                     |                       |                    |                      |                    |                     |                 |                  |                    |
| RR             | 18 4 R34 (460/85 R34)                          | 40                     | MAVT         | 8365401            |                       |                       | X                  |                      | AB                 | Performer85         |                 |                  |                    |
| FR             | 380/70 R28                                     |                        | LWWE         | 0050404            | 1 0                   |                       |                    |                      |                    |                     |                 |                  |                    |
| RR             | 16.9 R38 (420/85 R38)                          | 40                     | MAVT         | 8850401            | X                     |                       | X                  | TM6/TM7              | AB                 | Performer85/70      | AC8/7 HC70      |                  | II                 |
| RR             | 16,9 R38 (420/85 R38)                          |                        | MAVT         | 8375501            | *                     |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 13.6 R28 (340/85 R28)                          | 1 40                   | MAVT         | 8250401            | X                     |                       | i                  |                      |                    |                     |                 |                  |                    |
| RR             | 16.9 R38 (420/85 R38)                          | 40                     | MAXT         | 8375501            |                       |                       | ×                  | TM 6                 | AB                 | Performer85         | AC8             |                  |                    |
| FR             | 144 0 Doo (000/05 Doo)                         |                        | Lung         |                    | T V                   |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 14.9 R28 (380/85 R28)<br>14.9 R28 (380/85 R28) | 50                     | MAVT         | 8241401            | X                     |                       |                    | =11.0                |                    |                     |                 |                  |                    |
| RR             | 18,4 R38 (460/85 R38)                          | 1 50                   | MAVT<br>MAVT | 8241901<br>8328401 | -                     | X                     | X                  | TM 6                 | AB                 | Performer85         | AC8             |                  |                    |
| KK             | 10,4 K30 (400/03 K30)                          |                        | IVIAVI       | 8328401            |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 14.9 R28 (380/85 R28)                          | T                      | Fixed        | 8241501            | Ιx                    |                       |                    |                      |                    |                     |                 |                  |                    |
| RR             | 18,4 R38 (460/85 R38)                          | 50                     | Fixed        | 8377501            |                       |                       | X                  | TM 6                 | AB                 | Performer85         | ACB             |                  |                    |
|                | Lucatio Do I                                   |                        |              |                    |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 420/70 R24                                     | 40                     | MAVT         | 8840402            | ×                     |                       | ×                  |                      | AB                 |                     |                 |                  |                    |
| RR             | 520/70 R34                                     |                        | MAVT         | 8966401            |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 380/70 R28                                     | 1                      | MAVT         | 8850401            | X                     |                       |                    |                      |                    | <u> </u>            | r               |                  |                    |
| RR             | 480/70 R38                                     | 50                     | MAVT         | 8976401            |                       |                       | X                  | TM 7                 | AB                 | Performer70         | AC7/HC70        |                  |                    |
|                | 440/65 R28                                     |                        | T            |                    | r                     |                       |                    |                      |                    |                     |                 |                  |                    |
| FR<br>RR       | 540/65 R38                                     | 50                     | MAVT<br>MAVT | 8843801<br>8982801 | X                     |                       | ×                  | TM 8                 | MB                 | R9R9                | AC6             |                  |                    |
| KK             | 1540/65 K36                                    |                        | WAVI         | 8982801            |                       |                       | L                  |                      |                    |                     | L               |                  |                    |
| FR             | 440/65 R28                                     | 50                     | - ·          | 8843501            | X                     |                       |                    |                      |                    | r                   | ľ               |                  |                    |
| RR             | 540/65 R38                                     | 50                     | Fixed        | 8982501            |                       |                       | X                  | TM 8                 | MB                 | R9R9                | AC6             |                  |                    |
| FR             | 420/70 R28                                     |                        |              | 0054404            | T V                   |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 420/70 R28                                     |                        | MANT         | 8851401            | X                     | - 1/                  |                    | T14.7                | 0.0                | D. 6                | 4.07#10==       |                  | _                  |
| RR             | 520/70 R28                                     |                        | MAVT         | 8851501            |                       | X                     | Х                  | TM 7                 | OB                 | Performer70         | AC7/HC70        |                  | Farmpro70          |
| אא             | 520// U R38                                    |                        |              | 8978401            |                       |                       |                    |                      |                    |                     |                 |                  |                    |



### Maxxum Tire Chart

### **ACTIVEDRIVE 4, ACTIVEDRIVE 8, CVXDRIVE**

| Front/<br>Rear | DESCRIPTION | max.<br>Speed<br>(kph) | Rim<br>Type | Option<br>Code | CL 3<br>front<br>axle | CL 4<br>front<br>axle | No Brand<br>330438 | Trelleborg<br>330418 | Michelin<br>330442 | Firestone<br>330446 | MITAS<br>330439 | Nokian<br>330444 | Alliance<br>330447 |
|----------------|-------------|------------------------|-------------|----------------|-----------------------|-----------------------|--------------------|----------------------|--------------------|---------------------|-----------------|------------------|--------------------|
| FR             | 480/70 R28  |                        | MAVT        | 8813401        |                       | Х                     |                    | TM7                  | ОВ                 | PERFORMER70         | HC70            |                  |                    |
| RR             | 580/70 R38  |                        | IVIAVI      | 8984401        |                       |                       |                    | 1 1047               | 08                 | TENTONINENTO        | 11070           |                  |                    |
| FR             | 480/70 R28  |                        |             | 8813408        | 1                     | X                     |                    |                      | 0.0                | DEDEGRAFOZO         | 11070           |                  |                    |
| RR             | 520/70 R38  |                        | MAVT        | 8984407        |                       |                       |                    | TM7                  | ОВ                 | PERFORMER70         | HC70            |                  |                    |
|                |             |                        |             |                |                       |                       |                    | ,                    |                    |                     |                 |                  |                    |
| FR             | 480/70 R28  |                        | FIXED       | 8833405        |                       | X                     |                    | TM7                  | OB                 | PERFORMER70         | HC70            |                  |                    |
| RR             | 580/70 R38  |                        | MAVT        | 8984401        |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 480/70 R28  |                        | FIXED       | 8833407        | ľ                     | ×                     | -                  | TM7                  | ОВ                 | PERFORMER70         | HC70            |                  |                    |
| RR             | 520/70 R38  |                        | MAVT        | 8984407        |                       |                       |                    | 1 1017               | OB                 | PERFORMER/U         | HC/U            |                  |                    |
|                |             |                        |             |                |                       | _                     |                    |                      | -                  |                     |                 |                  |                    |
| FR             | 420/70 R28  |                        |             | 8852401        | X                     |                       | · ·                |                      | 0.0                | D. (70              | AC7/HC70        |                  | Farmpro70          |
| FR             | 420/70 R28  |                        | Fixed       | 8852501        |                       | X                     | X                  | TM 7                 | ОВ                 | Performer 70        | AC//HC/U        |                  | rampio/0           |
| RR             | 520/70 R38  |                        |             | 8975401        |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 480/65 R28  | 1                      |             | 8815401        | X                     | r——                   | r                  | ľ                    |                    |                     |                 |                  |                    |
| FR             | 480/65 R28  |                        | MAVT        | 8815601        |                       | X                     | ×                  | TM 8                 | МВ                 | Performer 65        | AC6             |                  |                    |
| RR             | 600/65 R38  |                        |             | 8969401        |                       |                       |                    |                      |                    |                     |                 |                  |                    |
|                |             |                        |             |                |                       | \                     |                    |                      |                    |                     |                 |                  |                    |
| FR             | 480/65 R28  |                        |             | 8825401        | ×                     |                       |                    | 714.0                | МВ                 | D-4                 | 106             |                  |                    |
| FR             | 480/65 R28  |                        | Fixed       | 8825501        | -                     | X                     | X                  | TM 8                 | MB                 | Performer 65        | AC6             |                  |                    |
| RR             | 600/65 R38  |                        |             | 8949401        |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 520/60 R28  | 1                      |             | 8801301        | I x                   | 1                     | I                  |                      | L                  |                     |                 |                  |                    |
| RR             | 650/60 R38  |                        | MAVT        | 8907601        |                       |                       | X                  |                      | XB                 |                     |                 |                  |                    |
|                |             | 7                      |             |                |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 520/60 R28  |                        | Fixed       | 8801401        | X                     |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 520/60 R28  | 50                     | Fixed       | 8801601        | _                     | X                     | ×                  |                      | ХВ                 |                     |                 |                  |                    |
| RR             | 650/60 R38  |                        | MAVT        | 8907601        |                       | l                     |                    |                      | <u> </u>           |                     |                 |                  | _                  |
| FR             | 520/60 R28  | 1                      | MAVT        | 8801301        | X                     | T                     | T                  |                      | 1                  |                     |                 |                  |                    |
| RR             | 650/60 R38  | 50                     | Fixed       | 8907501        | † ^`                  |                       | X                  |                      | XB                 |                     |                 |                  |                    |
|                | 1           |                        |             | -              | -fit                  | de<br>ac              |                    | ***                  |                    |                     |                 |                  |                    |
| FR             | 520/60 R28  |                        | Fixed       | 8801401        | X                     |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 520/60 R28  | 50                     | Fixed       | 8801601        |                       | X                     |                    |                      | XB                 |                     |                 |                  |                    |
| RR             | 650/60 R38  |                        | Fixed       | 8907501        |                       |                       |                    |                      |                    |                     |                 |                  |                    |



# Maxxum Tire Chart ACTIVEDRIVE 4, ACTIVEDRIVE 8, CVXDRIVE

| Front/<br>Rear | DESCRIPTION             | max.<br>Speed<br>(kph) | Rim<br>Type | Option<br>Code | CL 3<br>front<br>axle | CL 4<br>front<br>axle | No Brand<br>330438 | Trelleborg<br>330418 | Michelin<br>330442 | Firestone<br>330446 | MITAS<br>330439 | Nokian<br>330444 | Alliance<br>330447 |
|----------------|-------------------------|------------------------|-------------|----------------|-----------------------|-----------------------|--------------------|----------------------|--------------------|---------------------|-----------------|------------------|--------------------|
| FR             | 540/65 R28              | _                      | MAVT        | 8868401        | ×                     |                       |                    |                      |                    | -                   |                 |                  |                    |
| FR             | 540/65 R28              | 50                     | MAVT        | 8868901        |                       | Х                     | ×                  | TM 8                 | мв                 | R9                  | AC6             |                  |                    |
| RR             | 650/65 R38              |                        | MAVT        | 8986401        |                       |                       |                    |                      | <u> </u>           |                     |                 |                  |                    |
|                | Is to los Doo           |                        |             |                |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 540/65 R28              |                        | Fixed       | 8858401        | X                     |                       |                    |                      | l                  |                     |                 |                  |                    |
| FR             | 540/65 R28              | 50                     | Fixed       | 8858501        |                       | X                     | ×                  | TM 8                 | MB                 | R9                  | AC6             |                  |                    |
| RR             | 650/65 R38              |                        | Fixed       | 8998401        |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 16,9 R28                |                        | MAVT        | 8255404        | I x                   | r —                   |                    |                      |                    |                     |                 |                  |                    |
| FR             | 16.9 R28                | 50                     | MAVT        | 8255904        | <del>  ^-</del>       | X                     | Х                  |                      | AB                 | D-f 05              | AC85            |                  |                    |
| RR             | 20.8 R38                | - "                    | MAVT        | 8380404        | _                     | _^                    | ^                  |                      | AD                 | Performer 65        | AC85            |                  |                    |
| IXIX           | 20,0100                 |                        | IVIAVI      | 0300404        |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 14.9 R30                |                        |             | 8258404        | X                     |                       |                    |                      |                    |                     |                 | I                |                    |
| FR             | 14,9 R30                | 50                     | MAVT        | 8258704        |                       | X                     | ×                  |                      | AB                 | Performer 85        | AC85            |                  | Farm Pro 8         |
| RR             | 18 4 R42                | 11                     |             | 8388404        |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 14,9 R30                |                        |             | 8258404        | I x                   |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 14.9 R30                | 50                     | MAVT        | 8258704        | <del>  ^</del>        | ×                     | ×                  |                      | AB                 |                     | AC85            |                  |                    |
| RR             | 14.9 R46                | 1 " 1                  | 1017 ( 0 1  | 8370404        | -                     | _^_                   | ^                  |                      | l ~ l              |                     | AC65            |                  |                    |
| - 1414         | 11.01110                |                        |             | 0010404        |                       |                       |                    |                      |                    |                     |                 | 1                |                    |
| FR             | 320/85 R34              |                        |             | 8859604        | Х                     |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 320/85 R34              | 50                     | MAVT        | 8801604        |                       | Х                     | ×                  |                      | AB I               |                     |                 |                  |                    |
| RR             | 320/90 R50              |                        |             | 8963504        |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| ORESTR         | Y/MUNICIPALITY          |                        |             |                |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 400/80 R28 Municipality |                        |             | 8201201        | X                     |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 400/80 R28 Municipality | 50                     | FIX         | 8866501        |                       | X                     | ×                  |                      |                    |                     |                 | Tri2             | Multiuse 550       |
| RR             | 480/80 R38 Municipality |                        |             | 8919401        |                       |                       |                    |                      |                    |                     |                 | Tri2             | Multiuse 55        |
| AST WH         | EELS for BAR AXLE       |                        |             | ,              |                       |                       |                    | ·                    |                    | -                   |                 | 1112             | Widitase of        |
| FR             | 14.9 R28                |                        |             | 8241401        | X                     |                       |                    |                      |                    |                     |                 | r                |                    |
| FR             | 14.9 R28                | 50                     | FIX         | 8241901        | <u> </u>              | X                     | ×                  |                      | AB                 | Performer 85        | AC85            | -                |                    |
| RR             | 18.4 R38                |                        |             | 8334406        |                       |                       |                    |                      | /.5                | . Chomici do        | 7,000           |                  |                    |
|                | TAX-MILES 2             |                        |             |                |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 380/85 R30              |                        |             | 8258404        | ×                     |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 380/85 R30              | 50                     | FIX         | 8258704        |                       | X                     | X                  |                      | AB                 | Performer 85        | AC85            |                  | Farm Pro 8         |



## Maxxum

## Tire Chart ACTIVEDRIVE 4, ACTIVEDRIVE 8, CVXDRIVE

| Front/<br>Rear | DESCRIPTION | max.<br>Speed<br>(kph) | Rim<br>Type | Option<br>Code | CL 3<br>front<br>axle | CL 4<br>front<br>axle | No Brand<br>330438 | Trelleborg<br>330418 | Michelin<br>330442 | Firestone<br>330446 | MITAS<br>330439 | Nokian<br>330444 | Alliance<br>330447 |
|----------------|-------------|------------------------|-------------|----------------|-----------------------|-----------------------|--------------------|----------------------|--------------------|---------------------|-----------------|------------------|--------------------|
| RR             | 18.4 R42    |                        |             | 8384406        |                       |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 420/85 R28  |                        |             | 8255404        | Х                     |                       |                    |                      |                    |                     |                 |                  |                    |
| FR             | 420/85 R28  | 50                     | FIX         | 8255904        |                       | X                     | ×                  |                      | AB                 | Performer 85        | AC85            |                  | Farm Pro 85        |
| RR             | 18.4 R42    |                        |             | 8384406        |                       |                       |                    |                      |                    |                     |                 |                  |                    |

#### DUAL TIRES FOR BAR AXLE - ALL STEEL WHEELS

| - 0.6 |    | TO TOTAL TOT | and a land of the |         | <br> | <br> | <br>  | <br> |
|-------|----|--|---|---------|------|------|-------|------|
| Γ     | FR | 380/85R 30   |   | 8258404 |      | AB   | AC85  |      |
| -     | DD | 380/00P //6  |   | 8370404 |      | AD   | 7,000 |      |

#### HEAVY DUTY 2WD

| FR | 11 16 10PR  |          | 8138401 |  |     |   |  |  |
|----|-------------|----------|---------|--|-----|---|--|--|
| RR | 12.4 32 8PR | SHIPPING | 8399906 |  | X   | 1 |  |  |
| RR | 320/90 50   |          | 8963504 |  | l l |   |  |  |



#### **PURCHASED PROTECTION**

Pricing and program details can be found on the Dealer Portal or by contacting the CPP hotline @ 1-866-606-1802. Not all models are eligible for CPP.

Case 2021 Price List