



May 22, 2019

PRODUCT AND PRICING BULLETIN

NEW HOLLAND BRAND PRODUCTS, U.S. NO. 19-12A

NEW HOLLAND DEALERS WITH CTL AGREEMENT

SUBJECT: COMPACT TRACK LOADER PRICING AND PRODUCT OFFERING CHANGES EFFECTIVE MAY 22, 2019

When it comes to the ordering process, simplicity is key for you and your customers. That's why New Holland introduced Packages for skid steer loaders (SSL) and compact track loaders (CTL) to deliver:



- Common configurations that make transfers between dealers easier
- Efficient configuration selection for easier ordering in eQuipment
- More package options to cover most units sold
- Improvements in manufacturing to provide a higher quality product

We are continuing the evolution of this popular ordering option, with a few additional changes to the SSL and CTL packages, pricing and standard packages. Orders placed before May 22, 2019 will be slotted, built and shipped according to the original order, configuration and pricing. Any changes to these orders will need to follow the new product configurations. Orders placed May 22, 2019 and forward will include the following:

Package Updates & Option Changes:

- New Package Pricing Effective for May 22, 2019 orders and forward
 - Packages discounts will be increased to 7%-10% to hold price equal to today. A-la-carte orders outside of packages will increase in price.
- For model: L228
 - Added new package to include manual coupler (726003).
- For models: L234, C234, C245
 - Added a new package including Multi-function Electric High Flow (761036)
- For models: C232, C234, C237
 - Modified EH2 Limited Package to include High Flow with Front Electric option (761036) & delete High Flow Plus option (761037)
- For all Models:
 - Removed from offering:
 - 761050 Non-Suspension Seat
 - 761176, 761177, 761178, 761179 Spill Guards
 - Packages that included Demo Cab





- For All Models (Continued):
 - Options made standard:
 - 761048 Block Heater 120V standard on ALL SSL/CTL
 - 761034 Front Electric/Multi-Function standard on ALL SSL/CTL
 - (Except L213/L216- not available)
- For all Skid Steer Loaders
 - Tire offering has been reduced to:
 - 10x16.5 Heavy Duty (59 OTW)
 - 10x16.5 Heavy Duty (64 OTW)
 - 10x16.5 Tweels (64 OTW)
 - 12x16.5 Heavy Duty (70 OTW)
 - 12x16.5 Severe Duty (70 OTW)
 - 12x16.5 Tweels (70 OTW)
 - 14x17.5 Heavy Duty (76 OTW)
 - 14x17.5 Sever Duty (76 OTW)
- Updated Track Offering

NEW Standard Track

- o 8500117 320 mm (12.6 inch)
- o 8500147 450 mm (17.7 inch)



Current HD Track

2

- o 8500167 320 mm (12.6 inch)
- o 8500187 450 mm (17.7 inch)



This bulletin and the price pages may be accessed via the Dealer Portal if you have the CTL agreement with New Holland. Log on to the Dealer Portal. With the "Wholegoods" button displayed, click on "Pricing," click on "Compact Track Loader." The latest published items will appear at the top of the list.

Christine Chleboun Director, Commercial Marketing New Holland, North America Dan Valen Director, Product Marketing New Holland, North America

Attachment

e Educational Services Commission of New Jerstrounds Equipment Bid #ESCNJ 18/19-29
NJ State Approved Co-op #65MCESCCPS



Sales Information Camso Tracks Update for Compact Track Loaders



Category: Light Construction

Series/Model: 200 Series Compact Track

Loaders

Document: CON-10088-19

Date: May 2019

Light Construction



Introduction

As a result of testing, New Holland 200 series compact track loaders will begin to receive new Camso tracks, effective immediately as a phase-in by model through Q2. This improved track offering will provide extended wear life to customers. Be aware that these two new tread patterns give these machines a new "look".

For additional details, please see refer to the announcement in P&D Bulletin US 18-52A or Canada 18-51A (9/10/18).

Options:

- C227
 - Standard Duty
 - 8500117 320 mm (12.6 inch) 67" OTW
 - Heavy Duty
 - 8500167 320 BELT HD
- C232, C234, C237, C245
 - Standard Duty
 - 8500147 450 mm (17.7 inch) 78" OTW
 - Heavy Duty
 - 8500187 450 BELT HD

Camso Standard Duty Track Option

- Longer track life
 - Less cost to your customer
- **Trackguard Iron Core**
 - · More high-tensile steel cables for improved resistance to damage.
- **Superior snow performance**



SINGLE-CURE TECHNOLOGY

Promotes even tread wearing for long, predictable life

TRACKGUARD IRON CORE

Improves rolling path life for reduced failures and enhanced durability

VERSATILE ALL SEASON TREAD PATTERN

Maintains excellent traction throughout tread life

ENDLESS HIGH-TENSILE STEEL CABLES

Eliminates unexpected downtime due to cable/track breakage

Camso Heavy Duty Track Option

- Longer track life
 - Less cost to your customer
- **Heavy to Severe Duty Applications**
- **Durable HH-Block Pattern Tread**
- Optimal for mixed and hard surfaces like demo sites, concrete, and gravel.
- **Trackguard Iron Core**
 - · More high-tensile steel cables for improved resistance to damage.



SINGLE-CURE TECHNOLOGY WITH NEXT GENERATION RUBBER COMPOUND

Promotes even tread wearing for long, predictable life

TRACKGUARD IRON CORE WITH HEAVY **DUTY CARCASS**

Improves rolling path life for reduced failures and enhanced durability

OPTIMIZED H TREAD PATTERN WITH NEXT GENERATION RUBBER COMPOUND

 Maintains excellent traction throughout tread life

ENDLESS HIGH-TENSILE STEEL CABLES

Eliminates unexpected downtime due to cable/track breakage

Sales Information Camso Tracks Update for Compact Track Loaders

The information presented herein is intended for sales education purposes and is intended for the use of CNH Industrial America LLC, its affiliates, and its independent dealers only. This information is to be treated as CONFIDENTIAL and is not to be used for advertising purposes. Competitive comparisons are based on competitive information known at time of printing. Sources of information include published industry specifications and data. General statements made herein are the opinions of the authors concluded from supporting data.

Note: Specifications are stated in accordance with industry standards or recommended practices, where applicable.

This Sales Education Document has been published for worldwide circulation. The availability of some models and equipment builds vary according to the country in which the equipment is used and sold. The illustrations and text may include optional equipment and accessories and may not include all standard equipment. For more information about the current standard and optional equipment offered for your sales area, consult the published price listings.

Important: CNH Industrial America LLC reserves the right to change product specification without notice and without incurring any obligation relating to such changes.

Any trademarks referred to herein in association with the goods and/or services of companies other than CNH Industrial America LLC are the property of those respective companies.





CNH ORIGINAL PARTS ENGINEERED FOR NEW HOLLAND EQUIPMENT. SUPERIOR QUALITY, GLOBAL SUPPORT.

© Copyright CNH Industrial America LLC 2019. All Rights Reserved.

7

www.newholland.com/na



U.S. PRICE LIST

COMPACT TRACK LOADER

EFFECTIVE May 22, 2019

THIS IS AN ELECTRONIC COPY ONLY - HARD COPIES WILL NOT BE DISTRIBUTED.

The prices included in this revision supersede any prices established prior to the effective date shown unless specifically identified in a price bulletin as superseding this price list.

Below is a list of Family(s) and Model(s) that are included in this price list.

Compact Track Loader

C227

C232

C234

C237

C245

PLEASE NOTE: Retain the price book pages of the discontinued series for your records.

Copyright 2019 By

CNH Industrial America LLC



INDEX

Compact Track Loader Line Price & Data Pages

EQUIPMENT DESCRIPTION	PAGE
C227	3
C232	17
C234	32
C237	45
C245	59

ENGINE:



C227 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

(Ex Works Wichita, KS) Standard Equipment

```
FPT F5H FL463A water cooled diesel
    engine
  207 CID (3.4 L) Turbo
  Tier 4 Final Certified
 High Pressure Common Rail (HPCR)
   Fuel Injection
 Horsepower:
    - Gross 74
    - Net 68
 120 amp alternator
 Air cleaner - dual element
 Anti-freeze solution to -34° F
 Fuel tank - 19.5 gal. (U.S.)
 Particulate Matter Catalyst (PMCat)
 Single Plane, Top and Bottom Oil
    Cooler/Radiator Configuration
 No maintenance belt
 Glow Plugs
 Maintenance free 1000 CCA battery
OPERATOR'S PROTECTIVE
STRUCTURE:
 ROPS/FOPS Level 1 canopy with side
    screens
 Control lockout system
 Tilt forward ROPS/FOPS
 Electric parking brake control
 Hand throttle
 Foot throttle
 Switchable (ISO - H) Electro Hydraulic
    Controls
 Operator's compartment floor cleanout
 Rear window with emergency escape
 Padded Arm Rests (EH Controls ONLY)
 Suspension Seat, vinyl with
    2" retractable lap seat belt
 Foot rest
 Dome Light
  12V Power plug socket
 Cup holder
 Tool Pocket
 Top window
 Headliner
 Alarm package (backup and horn)
```

```
HYDRAULICS:
  6 micron oil filtration system
  3 spool loader control valve
  Auxiliary hydraulics, Proportional thumb
    wheel activated: loader arm mounted
   with ISO specification flat face
    "connect-under-pressure"
   disconnects
    Including case drain
 Heavy duty hydraulic oil cooler
 Loader arm float position
 Auxiliary hydraulic function lockout
    override
 Loader arm circuit lockout override
LOADER:
 Mechanical attachment coupler
 Radial arm geometry
 Loader lift arm support strut
 SAE operating load:
    2700 lbs. at 50%
    1890 lbs. at 35%
 Tipping load: 5400 lbs.
INSTRUMENTATION:
 Advanced Instrument Cluster with
   hour meter, tachometer, fuel
    gauge, hydraulic oil temperature
    gauge, engine coolant temperature
    gauge, diagnostic features and
    security lock-out
  Warning lights with alarms:
   Critical system stop
```



(Ex Works Wichita, KS) Standard Equipment

TRACK SYSTEM:

Electro Hydraulic Controlled Hydrostatic
2-speed planetary final drive
Positive drive imbedded steel rubber
track belt
Spring applied hydraulic release
(SAHR) disc parking brake
Dynamic braking

UNDERCARRIAGE:

Rigid track frame mounting
Permanently sealed (duo cone face
 seal) & lubricated idlers and rollers
Triple flange lower rollers
Single flange front and rear idlers
Hydraulic track adjustment
Track recoil spring
Undercarriage Hose Covers

OTHER STANDARD FEATURES:

Lights - 2 front, 2 rear (halogen)
Pre-wired for rotating beacon
Service access hood, lockable
Steel Hoods & Covers
Single point daily service
Tail lights
Options harness
Remote Oil and Fuel Filters

The Educational Services Commission of New Jersey

NJ State Approved Co-op #65MCESCCPS

Grounds Equipment Bid #ESCNJ 18/19-25

-CT4A 01



C227 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

(Ex Works Wichita, KS) **Models**

COMMERCIAL MODEL	VERSION	MODEL	Weight	Factory Data	List Price
C227-T4B	Tier 4 B Regulated	C227	7,970 LB		\$66,430.00



(Ex Works Wichita, KS)

Factory Supplied Options

Order Code Description Weight Factor	tory Data List Price
--------------------------------------	----------------------

PACKAGE

SD_T9999 NE	W HOLLAND CTL/SSL PACKAGES		
761609	761609 EH2-Basic-ROPS		(\$5,500.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	REAR DOOR#		
	MANUAL COUPLER#		
	OPEN NO HEAT OR HVAC#		
	SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761611	761611 EH2-Plus-Cab		(\$5,500.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	REAR DOOR#		
	HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761614	761614 EH2-Deluxe-Air Cab		(\$5,500.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	REAR DOOR#		
	HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		



(Ex Works Wichita, KS)

		(Ex Works Wichita,	, NO)	
	761617	761617 FC2-Basic-ROPS		(\$5,500.00)
		FOOT CONTROLS		
		MECH CONTROL 2SPD		
		FRONT ELEC/MULTI-FUNC		
		REAR DOOR		
		MANUAL COUPLER		
		OPEN NO HEAT OR HVAC		
		SUSPENSION SEAT		
		STEEL LIGHTS W/ TS		
		BLOCK HEATER 120V-USA		
		LAP BAR		
	761619	761619 FC2-Plus-Cab		(\$5,500.00)
	101010	FOOT CONTROLS#		(ψο,σσο.σσ)
		MECH CONTROL 2SPD#		
		FRONT ELEC/MULTI-FUNC#		
		REAR DOOR#		
		HYDRAULIC COUPLER#		
		HVAC-GLASS DOOR#		
		SUSPENSION SEAT#		
		STEEL LIGHTS W/ TS#		
		BLOCK HEATER 120V-USA#		
		LAP BAR#		
	761625	761625 FC2-Elite-Air Cab		(\$5,500.00)
	701023	FOOT CONTROLS#		(\$3,500.00)
		MECH CONTROL 2SPD#		
		PERF w/FRONT ELEC#		
		REAR DOOR#		
		HYDRAULIC COUPLER#		
		HVAC-GLASS DOOR#		
		AIR SUSPENSION SEAT#		
		STEEL LIGHTS W/ TS#		
		BLOCK HEATER 120V-USA#		
		LAP BAR#		
+	761627	761627 EH2-Limited-Air Cab		(\$5.500.00)
	101021	E-H CONTROLS#		(\$5,500.00)
		E-H CONTROL 2SPD#		
'		HIGH FLOW PLUS PACK#		
		HEAVY DUTY REAR DOOR#		
'		HYDRAULIC COUPLER#		
		HVAC-GLASS DOOR#		
		AIR SUSPENSION SEAT#		
		STEEL LIGHTS W/ TS#		
		BLOCK HEATER 120V-USA#		
		LAP BAR#		



(Ex Works Wichita, KS)

	(
761632	761632 EH2-Elite-Air Cab		(\$5,500.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	PERF w/FRONT ELEC#		
	REAR DOOR#		
	HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761640	YGR ORDER		(\$5,500.00)
	For Government retails only		

CONTROLS AND TRANSMISSION

SD_01100 CONTROLS LEVEL

	761029	2 Speed Mechanical Controls		(\$2,095.00)
		Available in "H Pattern" Hand Controls or Hand and Foot Controls		
	761031	2 Speed E-H Controls		No Charge
		Electro-Hydraulic Switchable (ISO-H Pattern) Controls with		
		Two Speed		

SD_01401 DRIVE CONTROL TYPE

	761040	Hand Controls		No Charge
		H Pattern, ONLY Select with Mechanical Controls (761029)		
	761041	Hand and Foot Controls		No Charge
		ONLY Select with Mechanical Controls (761029)		
	761042	E-H Controls		No Charge
		ONLY Select with E-H Controls (761031)		

ROPS/CAB

SD_05009 CAB

	761043	Open Cab (No Heat or HVAC)		No Charge
		with top window and keyed start		
	761045	Enclosed Cab with HVAC		\$5,664.00
		Includes side windows, front glass door with wiper,		
		shoulder belt, radio with speakers and keyless start		
	761183	Enclosed Cab w/HVAC -Demo Door		\$7,445.00
		Includes side windows, 1/2" polycarbonate (will not shatter like		
		glass), front door with wiper, shoulder belt, radio with		
		speakers, and keyless start		

(Ex Works Wichita, KS)

	(Ex Works Wichita, KS)		
SD 05016 OP	EN CAB TRIM		
	No Open Cab Interior Trim Pkg		No Charge
761186	Open Cab Interior Trim Package		\$310.00
	For use with Open Cab. Covers interior sides and rear.		· ·
SD_05185 CA			1
761052	Suspension Seat (Vinyl)		No Charge
761062	Air Ride Suspension Seat		\$582.00
	(Fabric) with temperature control		
	(may not be ordered with Open Cab option 761043)		
SD_K5104 LA	P BAR-NH		
	NO LAP BAR NEW HOLLA		(\$265.00)
	Comes with seat belt only. Seat belt must be engaged		,
	for machine operation.		
761224	LAP BAR NEW HOLLAND		No Charge
	Lap Bar Installed from Factory.		
	Seat belt included. Sensor moved from seat belt to the		
	lap bar for machine operation (lap bar must be down to		
	operate).		
	UPLERS		
726003	Manual Coupler		No Charge
726004	Hydraulic Coupler		\$1,027.00
BLOCK HEATER			
BLOCK HEATER			
SD_02086 BL	OCK HEATER		
761048	Block Heater (120V)		No Charge
TURN SIGNALS			
SD 06056 EX	TERIOR LIGHTS		
463739	STEEL LIGHTS WITH TURN SIGNALS		No Charge
, ,	_		1
OPERATORS MAI	NUAL		
	NGUAGE OPTIONS	1	
761085	English		No Charge
761088	French		No Charge

(Ex Works Wichita, KS)

		761097	Spanish			No Charge
--	--	--------	---------	--	--	-----------

OPTIONAL PACKAGES

SD 01201 OPTION PACKAGES

761034	Front Electric/Multi-Function	No Charge
	Contain Front Electric (Multi-function) for Standard Auxiliaries	
761035	Performance w/Front Electric	\$1,172.00
	Contains ON/OFF One-Way Self Leveling, Ride Control,	
	and Multi-Function Electric Control	
761036	High Flow Package	\$1,874.00
	Contains High Flow Hydraulics with Multi-Function Electric Control	
761037	High Flow Plus Package	\$3,047.00
	Contains Multi-Function, High Flow Hydraulics, ON/OFF One-way	
	Self Leveling and Glide Ride	

TRACK BELT OPTIONS

SD_10015 TRACK OPTIONS

	8500117	320 mm (12.6 inch)		No Charge
		Standard Duty rail type track with zig zag tread pattern		
		86 Pitch, 67" OTW		
	8500167	320 BELT HD		\$398.00
		Heavy Duty rail type track with HH tread pattern		
		12.6", 67" OTW		
		86 Pitch		

FRONT ATTACHMENTS

BUCKETS

SD_K5231 BUCKETS

XK5231X	No Bucket	No Charge
Dirt & Foun	dry Bucket	
761125	72" Dirt & Foundry Bucket	\$1,000.00
	(1829 mm), 16.7 cu. ft. Heaped Capacity	
761126	78" Dirt & Foundry Bucket	\$1,038.00
	(1981 mm), 18.4 cu. ft. Heaped Capacity	
Heavy Duty	Dirt Bucket	
761142	72" Heavy Duty Dirt Bucket	\$1,409.00
	(1829 mm), 14.6 cu. ft. Heaped Capacity	
761143	78" Heavy Duty Dirt Bucket	\$1,538.00
	(1981 mm), 15.9 cu. ft. Heaped Capacity	



(Ex Works Wichita, KS)

	(Ex Works Wichita, K3)	
Light Mater	rial Bucket	
761136	72" Light Material Bucket	\$897.00
	(1829 mm), 23.7 cu. ft. Heaped Capacity	
761137	84" Light Material Bucket	\$1,047.00
	(2134 mm), 27.9 cu. ft. Heaped Capacity	
Low Profile	Extended Bucket	
761132	72" Low Profile Extended	\$1,004.00
	(1829 mm), 17.1 cu. ft. Heaped Capacity	
761133	78" Low Profile Extended	\$1,086.00
	(1981 mm), 18.6 cu. ft. Heaped Capacity	
761134	84" Low Profile Extended	\$1,173.00
	(2134 mm), 20.2 cu. ft. Heaped Capacity	
Manure & S	Slurry Bucket	
761139	72" Manure-Slurry Bucket	\$856.00
	(1829 mm), 19.1 cu. ft. Heaped Capacity	
761140	84" Manure-Slurry Bucket	\$995.00
	(2134 mm), 22.5 cu. ft. Heaped Capacity	
Low Profile	Bucket	
761129	72" Low Profile Bucket	\$903.00
	(1829 mm), 14.5 cu. ft. Heaped Capacity	
SmartFit To	eeth	
761254	72" HD Ext. w/ SmartFit Teeth	\$1,692.00
	(1829 mm) 17.4 cu. ft. Heaped Capacity	
761255	78" HD Ext. w/ SmartFit Teeth	\$1,898.00
	(1981 mm) 18.9 cu. ft. Heaped Capacity	
761256	84" HD Ext. w/ SmartFit Teeth	\$2,032.00
	(2134 mm) 20.5 cu. ft.	

BOLT ON CUTTING EDGE

SD_K6399 BOLT ON CUTTING EDGE

	XK6399X	No Bolt on Cutting Edge		No Charge
	761147	72" Bolt on Cutting Edge		\$241.00
	761148	78" Bolt on Cutting Edge		\$259.00

MOVE TO BIC

SD_K6440 OFF-SITE SERVICE

Ι	XK6440X	No Offsite Service Arrangement		No Charge
	761175	Offsite Service Arrangement		No Charge
		Pricing is dealer negociated with offsite contractor.		
		When ordering, select "Move to BIC" and contact BIC for info.		
		BIC Phone: (316) 943-2515 Email:		
		jrmuzzy@burlinst.com		



(Ex Works Wichita, KS)

SPECIAL PAINT

SD_50103 SPECIAL PAINT

		No Special Paint	No Charge
	726029	Special Paint	\$2,999.00
		The price listed is for a color change only from the standard	
		factory color: CNH #86572648 (NH-Yellow). All Special Color	
		formulations will be applied using approved factory processes	
		and materials. Metallic or other special formulations and/or	
		materials are not available. A color chip must be provided to	
		CNH for non CNH colors. A minimum lead time of 8 business	
		weeks will be required prior to production. Unless specified,	
		regular production decals will be applied. Requests can be	
		made that decals not be applied. However, SAFETY decals	
		MUST BE APPLIED in all cases. The following components	
		remain CNH grey: lift & bucket cylinders, front coupler and	
		attachments, ROPS, side screens, upper chassis and control	
		links, undercarriages and brackets, and rear door.	

TELEMATICS

SD_39021 REAR DOOR

<u> </u>					
	761075	Rear Door			No Charge
	761205	Heavy Duty Rear Door			\$440.00

SD_K6450 TELEMATICS

	XK6450X	No Telematics		No Charge
	761198	NH FleetForce On-board		\$816.00
		To order the Service Subscription contact Service Parts.		

-CT4A 01

C227 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

(Ex Works Wichita, KS)

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Basic Attachments				
735030006	Heavy Duty Rear Door Kit Install Time = 0.5 hours	32 LB		\$308.00
735006006	Beacon Kit Install Time = 0.2 hours	1 LB		\$154.00
735007006	4-Corner LED Strobe Kit Install Time = 0.5 hours Reference dependency matrix.	24 LB		\$500.00
735159046	Heater Complete Kit Install Time = 11.0 hours For use with TIER 4 ONLY Reference dependency matrix.	141 LB		\$1,374.00
735158106	HVAC Complete Kit Install Time = 28.0 hours For use with TIER 4 ONLY Reference dependency matrix.	332 LB		\$2,951.00
735146016	Three Point Seat Belt Install Time = 1.0 hours	4 LB		\$233.00
735011006	Glass Front Door Kit Install Time = 2.0 hours Center mounted wiper. Requires three point seat belt. Must order applicable harness. Reference dependency matrix.	182 LB		\$1,543.00
735012006	Demo Front Door Kit Install Time = 2.0 hours 1/2" polycarbonate door (will not shatter like glass) Center Mounted wiper Requires three point seat belt. Must order applicable harness. Reference dependency matrix.	182 LB		\$2,711.00
735013006	Cab Side Windows Kit Install Time = 1.0 hours	139 LB		\$865.00
735016006	Radio Kit Install Time = 4.0 hours Reference dependency matrix.	16 LB		\$413.00
735150006	Open Cab Interior Trim Kit Install Time = 1.0 hours	25 LB		\$372.00
735020046	Road Light Kit Install Time = 2.5 hours Added front lights with turn signals that mount on the loader booms. Added rear lights with signals. (Reference image in SSL/CTL Brochure)	22 LB		\$608.00
735021006	Multi-Function Front Electrical Mech Kit Install Time = 2.0 hours For Mech machines. Reference Dependency Matrix for additional component requirements.	11 LB		\$274.00
735125006	Multi-Function Front Electrical E-H Kit Install Time = 2.0 hours For EH Control machines.	11 LB		\$274.00

(Ex Works Wichita, KS)

	(Ex Works Wienita, IX	•,	
735022046	One Way Self Level Kit Install Time = 4.0 hours	15 LB	\$485.00
735023006	Ride Control Kit Install Time = 4.0 hours	33 LB	\$481.00
735024006	Hydraulic Coupler Kit Install Time = 8.0 hours Reference dependency matrix. For converting mechanical coupler to hydraulic coupler.	50 LB	\$1,236.00
735025076	High Flow Auxiliary Kit Install Time = 5.0 hours For use with TIER 4 models ONLY. Reference dependency matrix.	191 LB	\$2,519.00
735027016	Second Hydraulic Front Auxiliary Kit Install Time = 8.0 hours	81 LB	\$1,029.00
735029036	Battery Disconnect Kit Install Time = 2.0 hours	2 LB	\$151.00
735037016	Single Point Lift Hook Kit Install Time = 4.0 hours	284 LB	\$1,029.00
735038006	FOPS Level 2 Modification Kit Install Time = 1.0 hours	61 LB	\$343.00
735039056	Extra Counterweight Kit Install Time = 0.5 hours	202 LB	\$412.00
735040146	Aspirator (Precleaner) Kit Install Time = 2.0 hours For use with Tier 4	14 LB	\$319.00
735042006	Interior Mirror Kit Install Time = 0.5 hours	4 LB	\$58.00
735045046	Foot Control Conversion Kit Install Time = 8.0 hours For use with TIER 4 ONLY. Converting to Hand&Foot from Hand (H-Pattern).	52 LB	\$615.00
735046046	Hand Control Conversion Kit Install Time = 6.0 hours For use with TIER 4 ONLY. Converting to Hand (H-Pattern) from Hand&Foot.	76 LB	\$824.00
735047006	120V Block Heater Kit Install Time = 0.5 hours	6 LB	\$206.00
735048006	220V Block Heater Kit Install Time = 0.5 hours	6 LB	\$206.00
735142006	Cylinder Guard Kit Install Time = 0.5 hours Provides protection to the loader bucket dump/curl cylinders in severe operating conditions.	21 LB	\$739.00
735153006	High Beam Light Kit Install Time = 1.0 hours Two added front lights; mounted inward of the standard front lights. Adding this kit would yield: four front lights along with turn signals (if already equipped with signals). Reference image in SSL/CTL Brochure.	11 LB	\$199.00
735022136	Kit Self-Level	30 LB	\$286.00

-CT4A 01



C227 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

	(Ex Works Wichita	a, KS)	
735161016	Must order supporting bracket (84338448) and two (2) harnesses	26 LB	\$372.00
	(84306340) from service parts to complete kit.		
735163036		141 LB	\$308.00
735178026	Rediator Debris Kit Install Time = 4.0 hours To prevent large foreign material from damaging the radiator.	10 LB	\$333.00
735179000		40 LB	\$600.00
allat Farks			
735075006	Pallet Fork Frame w/48" Tines	540 LB	\$1,265.00
		040 LB	ψ1,203.00
irt & Foundry E	Bucket		
735055016	72" Dirt & Foundry Bucket (1829 mm), 16.2 cu. ft. Heaped Capacity	407 LB	\$1,000.00
735056016	78" Dirt & Foundry Bucket (1981 mm), 17.7 cu. ft. Heaped Capacity	429 LB	\$1,038.00
ow Profile Buc	ket		
735059016		471 LB	\$903.00
ow Profile Exte	•	-	•
735062016		504 LB	\$1,004.00
7 00002010	(1829 mm), 17.7 cu. ft. Heaped Capacity	36 / 25	ψ1,001.00
735063016	78" Low Profile Extended Bucket (1981 mm), 19.1 cu. ft. Heaped Capacity	531 LB	\$1,086.00
735064016	84" Low Profile Extended Bucket (2134 mm), 20.5 cu. ft. Heaped Capacity	607 LB	\$1,173.00
ight Material B	icket		
735066016		466 LB	\$841.00
735067016		532 LB	\$981.00
		!	ļ.
lanure & Slurry	Bucket		
735069016	72" Manure-Slurry Bucket (1829 mm), 19.1 cu. ft. Heaped Capacity	469 LB	\$856.00
735070016	84" Manure-Slurry Bucket (2134 mm), 22.6 cu. ft. Heaped Capacity	535 LB	\$995.00
eavy Duty Dirt	Bucket		
735072016		501 LB	\$1,409.00
1 1			
735073016	78" Heavy Duty Dirt Bucket (1981 mm), 15.5 cu. ft. Heaped Capacity	526 LB	\$1,538.00



(Ex Works Wichita, KS)

SmartFit Teeth

73518400	72" HDE Bucket w/ Teeth (1829 mm) 17.4 cu. ft. Heaped Capacity	624 LB	\$1,692.00
73518500	78" HDE Bucket w/ Teeth (1981 mm) 18.9 cu. ft. Heaped Capacity	697 LB	\$1,898.00
73518600	84" HDE Bucket w/ Teeth (2134 mm) 20.5 cu. ft. Heaped Capacity	728 LB	\$2,032.00

-CT4B 01

C232 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

Standard Equipment

```
ENGINE:
                                                    OPERATOR'S PROTECTIVE
 FPT F5H FL463H water cooled
                                                    STRUCTURE (Continued):
   diesel engine
                                                      Tool Pocket
  207 CID (3.4 L) Turbo
                                                      Top window
 Tier 4 Final Certified
                                                     Headliner
 High Pressure Common Rail (HPCR)
                                                     Alarm package (backup and horn)
    Fuel Injection
 Charged Air Cooler (CAC)
                                                   HYDRAULICS:
 Horsepower:
                                                      6 micron oil filtration system
   - Gross 74
                                                      3 spool loader control valve
    - Net 68
                                                     Auxiliary hydraulics, Proportional thumb
    - Peak torque 232 lb*ft (314 Nm)
                                                        wheel activated: loader arm mounted
 120 amp alternator
                                                        with ISO specification flat face
 Air cleaner - dual element
                                                        "connect-under-pressure"
 Organic Acid Technology (OAT)
                                                        disconnects
 Diesel Oxidation Catalyst
                                                        Including case drain
 Anti-freeze solution to -34° F
                                                     Heavy duty hydraulic oil cooler
 Fuel tank - 25.5 gal. (U.S.)
                                                     Loader arm float position
  3-stack after cooler / radiator /
                                                     Auxiliary hydraulic function lockout
   Oil cooler configuration
                                                        override
                                                     Loader arm circuit lockout override
 Maintenance-Free Belt
 Glow Plugs
 Maintenance free 1000 CCA battery
                                                   LOADER:
                                                      Mechanical attachment coupler
OPERATOR'S PROTECTIVE
                                                      Vertical Lift SUPERBOOM Geometry
STRUCTURE:
                                                      In-Cab Boom Locks
 ROPS/FOPS Level 1 canopy with side
                                                     SAE operating load:
                                                        For C232:
    screens
                                                          3200 lbs. at 50%
 Control lockout system
 Tilt forward ROPS/FOPS
                                                          2240 lbs. at 35%
 Electric parking brake control
                                                          Tipping load: 6400 lbs.
 Hand throttle and Foot throttle
 Switchable (ISO - H) Electro Hydraulic
    Controls (only on EH models)
 Operator's compartment floor cleanout
 Rear window with emergency escape
 Padded Arm Rests (EH Controls ONLY)
 Suspension Seat, vinyl with
    2" retractable lap seat belt
 Foot rest
 Dome Light
  12V Power plug socket
  Cup holder
```

-CT4B 01

C232 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

Standard Equipment

INSTRUMENTATION:

Advanced Instrument Cluster with hour meter, tachometer, fuel gauge, hydraulic oil temperature gauge, engine coolant temperature gauge, diagnostic features and security lock-out Warning lights with alarms: Critical system stop Engine system Hydraulic system Electrical and diagnostic system Warning alarms: Battery voltage (plus display) DPF Oil Service Indicator Light: Engine preheat, Parking brake, Seat belt reminder

TRACK SYSTEM:

Electro Hydraulic Controlled Hydrostatic
2-speed planetary final drive
Positive drive imbedded steel rubber
track belt
Spring applied hydraulic release
(SAHR) disc parking brake
Dynamic braking

UNDERCARRIAGE:

Rigid track frame mounting
Permanently sealed (duo cone face
seal) & lubricated idlers and rollers
Triple flange lower rollers
Single flange front and rear idlers
Hydraulic track adjustment
Track recoil spring
Undercarriage Hose Covers

OTHER STANDARD FEATURES:

Lights - 2 front, 2 rear (halogen)
Pre-wired for rotating beacon
Service access hood, lockable
Steel Hoods & Covers
Single point daily service
Tail lights
Options harness (only on EH models)
Remote Oil and Fuel Filters
Debris Ingression Prevention Sealing



Models

COMMERCIAL MODEL	VERSION	MODEL	Weight	Factory Data	List Price
C232 T4 FINAL	Tier 4 B Regulated	C232	9,630 LB		\$76,706.00

Page 19 of 72

-CT4B 01



Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE

SD_T9999 NE	W HOLLAND CTL/SSL PACKAGES		
761609	761609 EH2-Basic-ROPS		(\$6,000.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	REAR DOOR#		
	MANUAL COUPLER#		
	OPEN NO HEAT OR HVAC#		
	SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761612	761612 EH2-Plus-Cab		(\$6,000.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761615	761615 EH2-Deluxe-Air Cab		(\$6,000.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		

-CT4B 01

C232 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

761617	761617 FC2-Basic-ROPS		(\$6,000.00)
	Package Includes: Foot Controls, Mach Control 2 Speed		[
	Transmission,		
	LEvel 0 Option Pack, Standard Rear Door, Manual Coupler, Open		
	ROPS,		
	Susp. Seat, Steel Lights w/ Turn Signals, Block Heater 120v, LAP		
	BAR		
761620	761620 FC2-Plus-Cab		(\$6,000.00)
	FOOT CONTROLS#		
	MECH CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761623	761623 FC2-Deluxe-Air Cab		(\$6,000.00)
	FOOT CONTROLS#		
	MECH CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761628	761628 EH2-Limited-Air Cab		(\$6,000.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	HIGH FLOW PLUS PACK#		
	HEAVY DUTY REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		

Page 21 of 72

-CT4B 01



C232 T4 FINAL COMPACT TRACK LOADER **US PRICE LIST**

	T	Ī	, <u>, , , , , , , , , , , , , , , , , , ,</u>
761631	761631 FC2-Limited-Air Cab		(\$6,000.00)
	FOOT CONTROLS#		
	MECH CONTROL 2SPD#		
	HIGH FLOW PLUS PACK#		
	HEAVY DUTY REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761633	761633 EH2-Elite-Air Cab		(\$6,000.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	PERF w/FRONT ELEC#		
	REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761636	761636 EH2-Limited HF Air Cab		(\$6,000.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	HIGH FLOW with FRNT ELEC.#		
	HEAVY DUTY REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761640	YGR ORDER		(\$6,000.00)
	For Government retails ONLY.		

CONTROLS AND TRANSMISSION

SD_01100 CONTROLS LEVEL

	761029	2 Speed Mechanical Controls		(\$2,095.00)
		Available in "H Pattern" Hand Controls or Hand and Foot Controls		
	761031	2 Speed E-H Controls		No Charge
		Electro-Hydraulic Switchable (ISO-H Pattern) Controls with		
		Two Speed		

SD_01401 DRIVE CONTROL TYPE

	761040	Hand Controls		No Charge
		H Pattern, ONLY Select with Mechanical Controls (761029).		
	761041	Hand and Foot Controls		No Charge
		ONLY Select with Mechanical Controls (761029).		
	761042	E-H Controls		No Charge
		ONLY Select with E-H Control Package (761031).		

ROPS/CAB

SD_05009 CAB

	761043	Open Cab (No Heat or HVAC)		No Charge
		with top window and keyed start		
	761045	Enclosed Cab with HVAC		\$5,664.00
		Includes side windows, front glass door with wiper,		
		shoulder belt, radio with speakers and keyless start		
	761183	Enclosed Cab w/HVAC -Demo Door		\$7,445.00
		Includes side windows, 1/2" polycarbonate (will not shatter like		
		glass), front door with wiper, shoulder belt, radio with		
		speakers, and keyless start		

SD_05016 OPEN CAB TRIM

	X05016X	No Open Cab Interior Trim Pkg		No Charge
	761186	Open Cab Interior Trim Package		\$310.00
		For use with Open Cab. Covers interior sides and rear.		

SD_05185 CAB SEAT

	761052	Suspension Seat (Vinyl)		No Charge
	761062	Air Ride Suspension Seat		\$582.00
		(Fabric) with temperature control		
		(may not be ordered with Open Cab option 761043		

SD_K5104 LAP BAR-NH

	XK5104X	NO LAP BAR NEW HOLLA		(\$265.00)
		Comes with seat belt only. Seat belt must be engaged		
		for machine operation.		
	761224	LAP BAR NEW HOLLAND		No Charge
		Lap Bar Installed from Factory.		
		Seat belt included. Sensor moved from seat belt to the		
		lap bar for machine operation (lap bar must be down to		
		operate).		



COUPLER			
-			
SD_K5101 C0		1	1
726003	Manual Coupler		(\$1,094.00)
761206	Heavy Duty Hydraulic Coupler		No Charge
BLOCK HEATER			
SD_02086 BL	OCK HEATER		
761048	Block Heater (120V)		No Charge
101010	Block House (1207)		110 Ghargo
TURN SIGNALS			
. OTTIT CIGITALO			
SD_06056 EX	TERIOR LIGHTS		
463739	STEEL LIGHTS WITH TURN SIGNALS		No Charge
OPERATORS MA	NUAL		
SD_32035 LA	NGUAGE OPTIONS		
761085	English		No Charge
761088	French		No Charge
761097	Spanish		No Charge
OPTIONAL PACK	AGES		
	PTION PACKAGES	1	
761034	Front Electric/Multi-Function		No Charge
	Contain Front Electric (Multi-function) for Standard Auxiliaries		
761035	Performance w/Front Electric		\$1,172.00
	Contains ON/OFF One-Way Self Leveling, Ride Control,		
	and Multi-Function Electric Control		.
761036	High Flow Package		\$1,874.00
	Contains High Flow Hydraulics with Multi-Function Electric Control		.
761037	High Flow Plus Package		\$3,047.00
	Contains Multi-Function, High Flow Hydraulics, ON/OFF One-way		
	Self Leveling and Glide Ride		



TRACK BELT OPTIONS

SD_10015 TRACK OPTIONS

	8500147	450 mm (17.7 inch)		No Charge
		Standard Duty rail type track with zig zag tread pattern		
		78" OTW		
		100 Pitch		
	8500187	450 BELT HD		\$398.00
		Heavy Duty rail type track with HH tread pattern		
		78" OTW		
		100 Pitch		

FRONT ATTACHMENTS

BUCKETS

SD_K5231 BUCKETS

XK5231)	X No Bucket	No Charge
Dirt & Four	ndry Bucket	
761126	78" Dirt & Foundry Bucket	\$1,038.00
	(1981 mm), 18.4 cu. ft. Heaped Capacity	
Low Profile	Extended	
761133	78" Low Profile Extended	\$1,086.00
	(1981 mm), 18.6 cu. ft. Heaped Capacity	
761134	84" Low Profile Extended	\$1,173.00
	(2134 mm), 20.2 cu. ft. Heaped Capacity	
Light Mater	rial Bucket	
761137	84" Light Material Bucket	\$1,047.00
	(2134 mm), 27.9 cu. ft. Heaped Capacity	
Manure-Slu	urry Bucket	
761140	84" Manure-Slurry Bucket	\$995.00
	(2134 mm), 22.5 cu. ft. Heaped Capacity	
Heavy Duty	y Dirt Bucket	
761143	78" Heavy Duty Dirt Bucket	\$1,538.00
	(1981 mm), 15.9 cu. ft. Heaped Capacity	
761144	84" Heavy Duty Dirt Bucket	\$1,589.00
	(2134 mm), 19.4 cu. ft. Heaped Capacity	
SmartFit Te	eeth	
761255	78" HD Ext. w/ SmartFit Teeth	\$1,898.00
	(1981 mm) 18.9 cu. ft. Heaped Capacity	
761256	84" HD Ext. w/ SmartFit Teeth	\$2,032.00
	(2134 mm) 20.5 cu. ft. Heaped Capacity	

SD_50103 SPECIAL PAINT

X50103X No Special Paint



C232 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

BOLT ON CUTTING EDGE SD_K6399 BOLT ON CUTTING EDGE XK6399X No Bolt on Cutting Edge No Charge 78" Bolt on Cutting Edge \$259.00 761148 761149 84" Bolt on Cutting Edge \$279.00 **ADDITIONAL EQUIPMENT** SD_39021 REAR DOOR 761075 Rear Door No Charge 761205 Heavy Duty Rear Door \$440.00 **MOVE TO BIC** SD_K6440 OFF-SITE SERVICE XK6440X No Offsite Service Arrangement No Charge 761175 Offsite Service Arrangement No Charge Pricing is dealer negociated with offsite contractor. When ordering, select "Move to BIC" and contact BIC for info. BIC Phone: (316) 943-2515 Email: jrmuzzy@burlinst.com **SPECIAL PAINT**

No Charge

The Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS
Grounds Equipment Bid #ESCNJ 18/19-25
-CT4B 01



C232 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

726029	Special Paint		\$2,999.00
	The price listed is for a color change only from the standard		
	factory color: CNH #86572648 (NH-Yellow). All Special Color		
	formulations will be applied using approved factory processes		
	and materials. Metallic or other special formulations and/or		
	materials are not available. A color chip must be provided to		
	CNH for non CNH colors. A minimum lead time of 8 business		
	weeks will be required prior to production. Unless specified,		
	regular production decals will be applied. Requests can be		
	made that decals not be applied. However, SAFETY decals		
	MUST BE APPLIED in all cases. The following components		
	remain CNH grey: lift & bucket cylinders, front coupler and		
	attachments, ROPS, side screens, upper chassis and control		
	links, undercarriages and brackets, and rear door.		

TELEMATICS

SD_K6450 TELEMATICS

	XK6450X	No Telematics		No Charge
	761198	NH FleetForce On-board		\$816.00
		To order the Service Subscription contact Service Parts.		

-CT4B 01

C232 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Basic Attachments				
735006006	Beacon Kit Install Time = 0.2 hours	1 LB		\$154.00
735007006	4-Corner LED Strobe Kit Install Time = 0.5 hours Reference dependency matrix.	24 LB		\$500.00
735011006	Glass Front Door Kit Install Time = 2.0 hours Center mounted wiper Required three point seat belt Must order applicable harness. Reference dependency matrix.	182 LB		\$1,543.00
735012006	Demo Front Door Kit Install Time = 2.0 hours 1/2" polycarbonate door (will not shatter like glass) Center Mounted wiper Requires three point seat belt. Must order applicable harness. Reference dependency matrix.	182 LB		\$2,711.00
735013006	Cab Side Windows Kit Install Time = 1.0 hours	139 LB		\$865.00
735016006	Radio Kit Install Time = 4.0 hours Reference dependency matrix.	16 LB		\$413.00
735019106	KIT, TURN SIGNAL Plastic lights	7 LB		\$247.00
735020166	KIT ROAD LIGHTS	32 LB		\$606.00
735021016	Multi-Function Front Electrical Mech Kit Install Time = 2.0 hours C232: NR, Tier 4A and Tier 4B - Mechanical control machines only. C237: Tier 4B - Mechanical and EH control machines. Reference Dependency Matrix for additional component requirements.	11 LB		\$274.00
735022106	Kit Self-Level	30 LB		\$451.00
735023006	Ride Control Kit Install Time = 4.0 hours	33 LB		\$481.00
735024046	Hydraulic Coupler Kit Install Time = 8.0 hours For use with C232 units built AFTER S/N 470977 and C238 units built AFTER S/N 450583 Reference dependency matrix. For converting mechanical coupler to hydraulic coupler.	152 LB		\$1,236.00
735025066	High Flow Auxiliary Kit Install Time = 5.0 hours For use with TIER 4 models ONLY. Reference dependency matrix.	191 LB		\$2,519.00
735027056	Second Hydraulic Front Auxiliary Kit Install Time = 8.0 hours	99 LB		\$1,029.00
735029026	Battery Disconnect Kit Install Time = 2.0 hours	2 LB		\$151.00



735030006	Heavy Duty Rear Door Kit Install Time = 0.5 hours Rear door insert	32 LB	\$308.00
735036026	4-Point Lift Hook Kit Install Time = 1.0 hours For use on C232 NR, Tier 4A and Tier 4B machines and C238 NR and Tier4A machines. C238 Tier 4B machines must order kit 735036036	11 LB	\$238.00
735037046	Single Point Lift Hook Kit Install Time = 4.0 hours	269 LB	\$1,029.00
735038006	FOPS Level 2 Modification Kit Install Time = 1.0 hours	61 LB	\$343.00
735039076	Extra Counterweight Kit Install Time = 0.5 hours	659 LB	\$1,168.00
735040136	Aspirator Kit Install Time = 2.0 hours Tier 4 ONLY.	14 LB	\$317.00
735042006	Interior Mirror Kit Install Time = 0.5 hours	4 LB	\$58.00
735045046	Foot Control Conversion Kit Install Time = 8.0 hours For use with TIER 4 ONLY. Converting to Hand&Foot from Hand (H-Pattern).	52 LB	\$615.00
735045086	Foot Control Conversion Kit Install Time = 8.0 hours For use with Tier 4 models ONLY. Effective on units built prior to S/N NFM419274. Converting to Hand&Foot from Hand (H-Pattern). Not available for units equipped with Electro Hydraulic (EH) controls.	55 LB	\$700.00
735046016	Hand Control Conversion Kit Install Time = 6.0 hours For use with TIER 3 ONLY. Converting to Hand (H-Pattern) from Hand&Foot.	76 LB	\$824.00
735046066	Hand Control Conversion Kit Install Time = 6.0 hours For use with Tier 4A units AFTER S/N NDM471007 (C232) and NDM470304 (C238). Converting to Hand (H-Pattern) from Hand&Foot.	76 LB	\$824.00
735046076	Hand Control Conversion Kit Install Time = 6.0 hours Converting to Hand (H-Pattern) from Hand&Foot. Not available for units equipped with Electro Hydraulic (EH) controls.	76 LB	\$750.00
735047006	120V Block Heater Kit Install Time = 0.5 hours	6 LB	\$206.00
735048006	220V Block Heater Kit Install Time = 0.5 hours	6 LB	\$206.00
735125016	Multi-Function Front Electrical E-H Kit Install Time = 2.0 hours For Use in EH control machines C232: NR, Tier 4A and Tier 4B	11 LB	\$274.00

Page 29 of 72

-CT4B 01 0055 000 23-MAY-19

-CT4B 01



	735142006	Cylinder Guard Kit Install Time = 0.5 hours Provides protection to the loader bucket dump/curl cylinders in	21 LB	\$739.00
		severe operating conditions.		
	735146016	Three Point Seat Belt Install Time = 1.0 hours	4 LB	\$233.00
	735150006	Open Cab Interior Trim Kit Install Time = 1.0 hours	25 LB	\$372.00
	735153006	High Beam Light Kit Install Time = 1.0 hours Two added front lights; mounted inward of the standard front lights. Adding this kit would yield: four front lights along with turn signals (if already equipped with signals). Reference image in SSL/CTL Brochure.	11 LB	\$199.00
	735158136	HVAC Complete Install Time = 28.0 hours	382 LB	\$2,951.00
	735159046	Heater Complete Kit Install Time = 11.0 hours For use with TIER 4 ONLY Must order applicable harness. Reference dependency matrix.	141 LB	\$1,374.00
	735160016	Fender Extensions - Large Frame Install Time = 1.5 hours	45 LB	\$334.00
	735161016	Heavy Duty Front Lights - Vertical Model For use with vertical models. Must order supporting bracket (84338448) and two (2) harnesses (84306340) from service parts to complete kit. Does not include interated turn signals.	26 LB	\$372.00
	735178036	Radiator Debris Kit Install Time = 1.0 hours To prevent large foreign material from damaging the radiator.	10 LB	\$333.00
	735179006	Lap Bar Kit Install Time = 2.0 hours	40 LB	\$600.00
Dirt &	Foundry Buc	ket		
	735056016	78" Dirt & Foundry Bucket (1981 mm), 17.7 cu. ft. Heaped Capacity	429 LB	\$1,038.00
Heavy	y Duty Dirt Bud	cket		
	735073016	78" Heavy Duty Dirt Bucket (1981 mm), 15.5 cu. ft. Heaped Capacity	526 LB	\$1,538.00
	735074016	84" Heavy Duty Dirt Bucket (2134 mm), 17.0 cu. ft. Heaped Capacity	550 LB	\$1,589.00
Light	Material Buck	et		
	735067016	84" Light Material Bucket (2134 mm), 27.5 cu. ft. Heaped Capacity	532 LB	\$981.00
<u>Low</u> F	Profile Extende	ed Bucket		
	735063016	78" Low Profile Extended Bucket (1981 mm), 19.1 cu. ft. Heaped Capacity	531 LB	\$1,086.00



	705004040	0.411 Lavy Drafile Entereded Divolvet	607 LB	¢4.470.00
	735064016	84" Low Profile Extended Bucket (2134 mm), 20.5 cu. ft. Heaped Capacity	607 LB	\$1,173.00
Vlan	nure-Slurry Bucl	ket		
	735070016	84" Manure-Slurry Bucket (2134 mm), 22.6 cu. ft. Heaped Capacity	535 LB	\$995.00
Pall	et Fork			
	735075006	Pallet Fork Frame w/48" Tines	540 LB	\$1,265.00
Sma	artFit Teeth	70. LIDE Duglet w/ Teeth	62418	\$4.602.00
	735184006	72" HDE Bucket w/ Teeth (1829 mm) 17.4 cu. ft. Heaped Capacity	624 LB	\$1,692.00
	735185006	78- HDE Bucket w/ Teeth (1981 mm) 18.9 cu. ft. Heaped Capacity	697 LB	\$1,898.00
	735186006	84" HDE Bucket w/ Teeth (2134 mm) 20.5 cu. ft. Heaped Capacity	728 LB	\$2,032.00
	735024016	Hydraulic Coupler Kit Install Time = 8.0 hours Reference dependency matrix. For converting mechanical coupler to hydraulic coupler.	159 LB	\$1,236.00



Standard Equipment

```
ENGINE:
                                                    OPERATOR'S PROTECTIVE
 FPT F5B FL413E water cooled diesel
                                                    STRUCTURE (Continued):
                                                     Dome Light
   engine
  207 CID (3.4 L) Turbo
                                                      12V Power plug socket
  Tier 4 Final Certified
                                                      Cup holder
 High Pressure Common Rail (HPCR)
                                                     Tool Pocket
    Fuel Injection
                                                     Top window
 Charged Air Cooler (CAC)
                                                     Headliner
 Horsepower:
                                                     Alarm package (backup and horn)
   - Gross 90
    - Net 84
                                                   HYDRAULICS:

    Peak torque 282 lb*ft (383 Nm)

                                                      6 micron oil filtration system
  120 amp alternator
                                                      3 spool loader control valve
 Air cleaner - dual element
                                                     Auxiliary hydraulics, Proportional thumb
 Organic Acid Technology (OAT)
                                                        wheel activated: loader arm mounted
 Anti-freeze solution to -34° F
                                                        with ISO specification flat face
 Fuel tank - 25.5 gal. (U.S.)
                                                        "connect-under-pressure"
 Selective Catalytic Reduction (SCR)
                                                        disconnects
   Muffler
                                                        Including case drain
                                                     Heavy duty hydraulic oil cooler
 Diesel Exhaust Fluid (DEF) Tank -
    2.8 gal. (U.S.)
                                                     Loader arm float position
  3-stack after cooler / radiator /
                                                     Auxiliary hydraulic function lockout
   Oil cooler configuration
 Maintenance Free Belt
                                                      Loader arm circuit lockout override
 Glow Plugs
                                                   LOADER:
 Maintenance free 1000 CCA battery
     with master electrical disconnect
                                                     Mechanical attachment coupler
                                                     Radial Lift Geometry
OPERATOR'S PROTECTIVE
                                                      Mechanical Boom Locks (on loader arm)
STRUCTURE:
                                                     SAE operating load:
 ROPS/FOPS Level 1 canopy with side
                                                        For C234:
                                                          3400 lbs. at 50%
    screens
 Control lockout system
                                                          2380 lbs. at 35%
 Tilt forward ROPS/FOPS
                                                          Tipping load: 6800 lbs.
 Electric parking brake control
 Hand throttle and Foot throttle
 Switchable (ISO - H) Electro Hydraulic
   Controls (only on EH models)
 Operator's compartment floor cleanout
                                                    INSTRUMENTATION:
                                                     Advanced Instrument Cluster with
 Rear window with emergency escape
 Padded Arm Rests (EH Controls ONLY)
                                                        hour meter, tachometer, fuel
 Suspension Seat, vinyl with
                                                        gauge, Diesel Exhaust Fluid gauge,
    2" retractable lap seat belt
                                                       engine coolant temperature
 Foot rest
                                                        gauge, diagnostic features and
                                                        security lock-out
```



Standard Equipment

Warning lights with alarms:
 Critical system stop
 Engine system
 Hydraulic system
 Electrical and diagnostic system
Warning alarms:
 Battery voltage (plus display)
 Diesel Exhaust Fluid (DEF)
Oil Service
Indicator Light:
 Engine preheat, Parking brake,

TRACK SYSTEM:

Seat belt reminder

Electro Hydraulic Controlled Hydrostatic
2-speed planetary final drive
Positive drive imbedded steel rubber
track belt
Spring applied hydraulic release
(SAHR) disc parking brake
Dynamic braking

UNDERCARRIAGE:

Rigid track frame mounting
Permanently sealed (duo cone face
seal) & lubricated idlers and rollers
Triple flange lower rollers
Single flange front and rear idlers
Hydraulic track adjustment
Track recoil spring
Undercarriage Hose Covers

OTHER STANDARD FEATURES:

Lights - 4 front (2 forward, 2 @ 45 deg), 2 rear (halogen)
Pre-wired for rotating beacon
Service access hood, lockable
Steel Hoods & Covers
Single point daily service
Tail lights
Options harness (only on EH models)
Remote Oil and Fuel Filters
Debris Ingression Prevention Sealing
Heavy Duty Rear Door
Block Heater 120V - USA



Models

COMMERCIAL MODEL	VERSION	MODEL	Weight	Factory Data	List Price
C234 T4B-C	T4B-C	C234	10,000 LB		\$88,229.00
Includes the following E Heavy Duty Hydraulic C					

Bid Term: 2/20/19 - 2/19/21



Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price

PACKAGE

SD_T9999 NI	W HOLLAND CTL/SSL PACKAGES	 _	
761610	761610 EH2-Basic-ROPS		(\$6,500.00)
	E-H CONTROLS		
	E-H CONTROL 2SPD		
	FRONT ELEC/MULTI-FUNC		
	HEAVY DUTY REAR DOOR		
	MANUAL COUPLER		
	OPEN NO HEAT OR HVAC		
	SUSPENSION SEAT		
	STEEL LIGHTS W/ TS		
	BLOCK HEATER 120V-USA		
	NO TELEMATICS-PARTS		
	LAP BAR		
761618	761618 FC2-Basic-ROPS		(\$6,500.00)
	FOOT CONTROLS		
	MECH CONTROL 2SPD		
	FRONT ELEC/MULTI-FUNC		
	HEAVY DUTY REAR DOOR		
	MANUAL COUPLER		
	OPEN NO HEAT OR HVAC		
	SUSPENSION SEAT		
	STEEL LIGHTS W/ TS		
	BLOCK HEATER 120V-USA		
	NO TELEMATICS-PARTS		
	LAP BAR		
761621	761621 FC2-Plus-Cab		(\$6,500.00)
	FOOT CONTROLS#		
	MECH CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	HEAVY DUTY REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		

761624	761624 FC2-Elite-Air Cab	(\$6,500.00)
701024	FOOT CONTROLS#	(\$0,500.00)
	MECH CONTROL 2SPD#	
	PERF w/FRONT ELEC# HEAVY DUTY REAR DOOR#	
	REINFORCED HYDRAULIC COUPLER#	
	HVAC-GLASS DOOR#	
	AIR SUSPENSION SEAT#	
	STEEL LIGHTS W/ TS#	
	BLOCK HEATER 120V-USA#	
	LAP BAR#	
761628	761628 EH2-Limited-Air Cab	(\$6,500.00)
	E-H CONTROLS#	
	E-H CONTROL 2SPD#	
	HIGH FLOW PLUS PACK#	
	HEAVY DUTY REAR DOOR#	
	REINFORCED HYDRAULIC COUPLER#	
	HVAC-GLASS DOOR#	
	AIR SUSPENSION SEAT#	
	STEEL LIGHTS W/ TS#	
	BLOCK HEATER 120V-USA#	
	LAP BAR#	
761635	761635 EH2-Limited HF Air Cab	(\$6,500.00)
	E-H CONTROLS#	
	E-H CONTROL 2SPD#	
	Enhanced High Flow#	
	HEAVY DUTY REAR DOOR#	
	REINFORCED HYDRAULIC COUPLER#	
	HVAC-GLASS DOOR#	
	AIR SUSPENSION SEAT#	
	STEEL LIGHTS W/ TS#	
	BLOCK HEATER 120V-USA#	
	LAP BAR#	
761637	EH2-ELITE HF-AIR CAB	(\$6,500.00)
	E-H CONTROLS#	,
	E-H CONTROL 2SPD#	
	Enhanced High Flow#	
	HEAVY DUTY REAR DOOR#	
	REINFORCED HYDRAULIC COUPLER#	
	HVAC-GLASS DOOR#	
	AIR SUSPENSION SEAT#	
	STEEL LIGHTS W/ TS#	
	BLOCK HEATER 120V-USA#	
	LAP BAR#	
761640	YGR ORDER	(\$6,500.00)
701040	For Government Retails ONLY.	(\$0,300.00)
	I O COVERNICII NEIANS UNLI.	

Page 36 of 72

-CT4C 01 0055 000 23-MAY-19

43

-CT4C 01

761062

Air Ride Suspension Seat

Fabric with temperature control

may not be ordered with Open Cab option 761043

C234 TIER 4 FINAL COMPACT TRACK LOADER US PRICE LIST

CONTROLS AND TRANSMISSION SD_01100 CONTROLS LEVEL 761029 2 Speed Mechanical Controls (\$2,095.00)Available in "H Pattern" Hand Controls or Hand and Foot Controls. 761031 2 Speed E-H Controls No Charge Electro-Hydraulic Switchable (ISO-H Pattern) Controls with Two Speed SD_01401 DRIVE CONTROL TYPE 761040 **Hand Controls** No Charge H Pattern, ONLY. Select Mechanical Controls (761029) Hand and Foot Controls 761041 No Charge **ONLY Select with Mechanical Controls (761029)** 761042 E-H Controls No Charge **ONLY Select with E-H Controls (761031)** ROPS/CAB SD_05009 CAB 761043 Open Cab (No Heat or HVAC) No Charge with top window and keyed start 761045 Enclosed Cab with HVAC \$5,664.00 Includes side windows, front glass door with wiper, shoulder belt, radio with speakers and keyless start 761183 Enclosed Cab w/HVAC -Demo Door \$7,445.00 Includes side windows, 1/2" polycarbonate (will not shatter like glass), front door with wiper, shoulder belt, radio wiith speakers, and keyless start SD_05016 OPEN CAB TRIM X05016X No Open Cab Interior Trim Pkg No Charge 761186 \$310.00 Open Cab Interior Trim Package For use with Open Cab. Covers interior sides and rear. SD_05185 CAB SEAT 761052 Suspension Seat (Vinyl) No Charge

\$582.00

SD_01201 OPTION PACKAGES

Front Electric/Multi-Function

Contains Front Electric (Multi-function) for Standard Auxiliaries

761034

C234 TIER 4 FINAL COMPACT TRACK LOADER US PRICE LIST

761224	LAP BAR NEW HOLLAND	No Char
	Lap Bar Installed from Factory.	
	Seat belt included. Sensor moved from seat belt to the	
	lap bar for machine operation (lap bar must be down to	
	operate).	
XK5104X	NO LAP BAR NEW HOLLA	(\$265.0
	Comes with seat belt only. Seat belt must be engaged	
	for machine operation.	
OUPLER		
SD_K5101 C	DUPLERS	
726003	Manual Coupler	No Char
761206	Heavy Duty Hydraulic Coupler	\$1,027.
LOCK HEATER		
SD_02086 BL 761048		No Char
	OCK HEATER Block Heater (120V)	No Char
		No Char
761048 URN SIGNALS	Block Heater (120V)	No Char
761048 URN SIGNALS		
761048 JRN SIGNALS SD_06056 E)	Block Heater (120V) (TERIOR LIGHTS	
761048 JRN SIGNALS SD_06056 E)	TERIOR LIGHTS STEEL LIGHTS WITH TURN SIGNALS	
761048 JRN SIGNALS SD_06056 E) 463739	TERIOR LIGHTS STEEL LIGHTS WITH TURN SIGNALS	
761048 JRN SIGNALS SD_06056 EX	TERIOR LIGHTS STEEL LIGHTS WITH TURN SIGNALS NUAL	
761048 JRN SIGNALS SD_06056 E)	TERIOR LIGHTS STEEL LIGHTS WITH TURN SIGNALS NUAL NGUAGE OPTIONS	No Char
761048 JRN SIGNALS SD_06056 E)	STEEL LIGHTS STEEL LIGHTS WITH TURN SIGNALS NUAL NGUAGE OPTIONS English	No Char
761048 JRN SIGNALS SD_06056 E)	TERIOR LIGHTS STEEL LIGHTS WITH TURN SIGNALS NUAL NGUAGE OPTIONS English French	No Char No Char No Char No Char
761048 JRN SIGNALS SD_06056 E)	STEEL LIGHTS STEEL LIGHTS WITH TURN SIGNALS NUAL NGUAGE OPTIONS English	No Chai
761048 JRN SIGNALS SD_06056 E)	STEEL LIGHTS STEEL LIGHTS WITH TURN SIGNALS NUAL NGUAGE OPTIONS English French Spanish	No Chai

No Charge

761035	Performance w/Front Electric	\$1,172.00
	Contains ON/OFF one-way self leveling, ride control,	
	and multi-function electric control	
761036	High Flow Package	\$1,874.00
	Contains High Flow hydraulics with multi-function electric control	
761037	High Flow Plus Package	\$3,047.00
	Contains multi-function, high flow hydraulics, on/off one-way	
	self-leveling and glide ride	
761039	Enhanced High Flow Package	\$6,317.00
	Only available with units equipped with EH Controls	
	Contains 4000 PSI High Flow Hydraulics, Second Auxiliaries,	
	Multi-Function Electric Control, High Flow Hydraulics,	
	ON/OFF One-way Self Leveling and Glide Ride	

TRACK BELT OPTIONS

SD_10015 TRACK OPTIONS

_				
	8500147	450 mm (17.7 inch)		No Charge
		Standard Duty rail type track with zig zag tread pattern.		
		78" OTW		
		100 Pitch		
	8500187	450 BELT HD		\$398.00
		Heavy Duty rail type track with HH tread pattern.		
		78" OTW		
		100 pitch		

FRONT ATTACHMENTS

BUCKETS

SD_K5231 BUCKETS

761126	78" Dirt & Foundry Bucket		\$1,038.00
	(1981 mm), 18.4 cu. ft. heaped capacity		
761133	78" Low Profile Extended		\$1,086.00
	(1981 mm), 18.6 cu. ft. Heaped Capacity		
761134	84" Low Profile Extended		\$1,173.00
	(2134 mm), 20.2 cu. ft. Heaped Capacity		
761137	84" Light Material Bucket		\$1,047.00
	(2134 mm), 27.9 cu. ft. Heaped Capacity		
761140	84" Manure-Slurry Bucket		\$995.00
	(2134 mm), 22.5 cu. ft. Heaped Capacity		
761143	78" Heavy Duty Dirt Bucket		\$1,538.00
	(1981 mm), 15.9 cu. ft. Heaped Capacity		
761144	84" Heavy Duty Dirt Bucket		\$1,589.00
	(2134 mm), 19.4 cu. ft. Heaped Capacity		
XK5231X	No Bucket		No Charge

Page 39 of 72

-CT4C 01 0055 000 23-MAY-19

SmartFit T	eeth		
761255	78" HD Ext. w/ SmartFit Teeth		\$1,898.00
	(1981 mm) 18.9 cu ft. Heaped Capacity		
761256	84" HD Ext. w/ SmartFit Teeth		\$2,032.00
	(2134 mm) 20.5 cu. ft. Heaped Capacity		
BOLT ON CUTT	NG EDGE		
	OLT ON CUTTING EDGE	 	
761148	78" Bolt on Cutting Edge		\$259.00
761149	84" Bolt on Cutting Edge		\$279.00
XK6399	X No Bolt on Cutting Edge		No Charge
ADDITIONAL EC	UIPMENT		
	ATTERY DISCONNECT		1
761074	Battery Disconnect		No Charge
ADDITIONAL EC	UIPMENT		
SD_39021 R	EAR DOOR		
761211	Heavy Duty Rear Door - NH		\$440.00
701211	Theavy Duty Real Door - Ni i		ψ440.00
MOVE TO BIC			
MOVE TO BIC			
SD K8440 (PFF-SITE SERVICE		
761175	Offsite Service Arrangement		No Charge
	Make sure to contact BIC if you select.		140 Charge
	Pricing is dealer negociated with offsite contractor.		
	When ordering, select "Move to BIC" and contact BIC for info.		
	which ordering, select inlove to BIC" and contact BIC for Into.	1	

BIC Phone: (316) 943-2515 Email: jrmuzzy@burlinst.com

XK6440X No Offsite Service Arrangement

Page 40 of 72

-CT4C 01 0055 000 23-MAY-19 Bid Term: 2/20/19 - 2/19/21

No Charge

47

SPECIAL PAINT

SD_50103 SPECIAL PAINT

3D_30103 3F	ECIAL FAINT	
726029	Special Paint	\$2,999.00
	The price listed is for a color change only from the standard	
	factory color: CNH #86572648 (NH-Yellow). All Special Color	
	formulations will be applied using approved factory processes	
	and materials. Metallic or other special formulations and/or	
	materials are not available. A color chip must be provided to	
	CNH for non CNH colors. A minimum lead time of 8 business	
	weeks will be required prior to production. Unless specified,	
	regular production decals will be applied. Requests can be	
	made that decals not be applied. However, SAFETY decals	
	MUST BE APPLIED in all cases. The following components	
	remain CNH grey: lift & bucket cylinders, front coupler and	
	attachments, ROPS, side screens, upper chassis and control	
	links, undercarriages and brackets, and rear door.	
X50103X	No Special Paint	No Charge

TELEMATICS

SD_K6450 TELEMATICS

	761198	NH FleetForce On-board		\$816.00
		To order the Service Subscription contact Service Parts.		
	XK6450X	No Telematics		No Charge

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
BASIC ATTACHME	NTS			
735006006	Beacon Kit Install Time = 0.2 hours	1 LB		\$154.00
735007006	4-Corner LED Strobe Kit Install Time = 0.5 hours Must order connector. Reference dependency matrix.	24 LB		\$500.00
735011006	Glass Front Door Kit Install Time = 2.0 hours Center mounted wiper Requires three point seat belt. Must order applicable harness. Reference dependency matrix.	182 LB		\$1,543.00
735012006	Demo Front Door Kit Install Time = 2.0 hours 1/2" polycarbonate door (will not shatter like glass) Center mounted wiper Requires three point seat belt. Must order applicable harness. Reference dependency matrix.	182 LB		\$2,711.00
735013006	Cab Side Windows Kit Install Time = 1.0 hours	139 LB		\$865.00
735016006	Radio Kit Install Time = 2.0 hours Must order applicable harness. Reference dependency matrix.	16 LB		\$413.00
735020176	KIT ROAD LIGHTS Install Time = 2.5 hours Added front lights with turn signals that mount on the loader booms. Added rear lights with signals. (Reference image in SSL/CTL Brochure)	32 LB		\$606.00
735021036	Multi-Function Front Electrical Mech Kit Install Time = 2.0 hours For use in C234 mechanical and EH control machines. Reference Dependency Matrix for additional component requirements.	62 LB		\$274.00
735022026	One Way Self Level Kit Install Time = 4.0 hours	14 LB		\$485.00
735023006	Ride Control Kit Install Time = 4.0 hours Must order applicable handle. Reference dependency matrix.	33 LB		\$481.00
735024006	Hydraulic Coupler Kit Must order applicable harness. Reference dependency matrix.	50 LB		\$1,236.00
735025116	High Flow Auxiliary Kit	210 LB		\$2,519.00
735027066	Second Hydraulic Front Auxiliary Kit Install Time = 8.0 hours	99 LB		\$1,029.00
735036036	4-Point Lift Hook Kit Install Time = 2.0 hours	20 LB		\$222.00
735037006	Single Point Lift Hook Kit Install Time = 4.0 hours	289 LB		\$1,029.00
735038006	FOPS Level 2 Modification Kit Install Time = 1.0 hours	61 LB		\$343.00



735	5039076	Extra Counterweight Kit Install Time = 0.5 hours	659 LB	\$1,168.00
735	5042006	Interior Mirror Kit Install Time = 0.5 hours	4 LB	\$58.00
735	5045046	Foot Control Conversion Kit Install Time = 8.0 hours Converting to Hand&Foot control from Hand (H-Pattern) Mechanical control units only.	52 LB	\$615.00
735	5046046	Hand Control Conversion Kit Install Time = 6.0 hours Convert to Hand (H-Pattern) from Hand&Foot Mechanical control only. For units built after S/N NFM418327.	76 LB	\$824.00
735	5047006	120V Block Heater Kit Install Time = 0.5 hours	6 LB	\$206.00
735	5048006	220V Block Heater Kit Install Time = 0.5 hours	6 LB	\$206.00
735	5056016	78" Dirt & Foundry Bucket (1981 mm), 17.7 cu. ft. Heaped Capacity	429 LB	\$1,038.00
735	5142006	Cylinder Guard Kit Install Time = 0.5 hours Provides protection to the loader bucket dump/curl cylinders in severe operating conditions.	21 LB	\$739.00
735	5146016	Three Point Seat Belt	4 LB	\$233.00
735	5150006	Open Cab Interior Trim Kit Install Time = 1.0 hours	25 LB	\$372.00
735	5153006	High Beam Light Kit 2 additional work lights	11 LB	\$199.00
735	5158196	HVAC Complete Install Time = 27.7 hours Must order applicable harness. Reference dependency matrix.	394 LB	\$2,951.00
735	5160006	Fender Extensions - Medium Frame Install Time = 1.5 hours	37 LB	\$334.00
735	5161006	Heavy Duty Front Lights - Radial Model Must order supporting bracket (84338448) and two (2) harnesses (84306340) from service parts to complete kit.	26 LB	\$372.00
735	5168006	Aspirator (Precleaner) Kit Install Time = 2.0 hours	39 LB	\$683.00
735	5179006	Lap Bar Kit Install Time = 2.0 hours	40 LB	\$600.00
eavy Dut	ty Dirt Bud	cket		
	5073016	78" Heavy Duty Dirt Bucket (1981 mm), 15.5 cu. ft. Heaped Capacity	526 LB	\$1,538.00
735	5074016	84" Heavy Duty Dirt Bucket (2134 mm), 17.0 cu. ft. Heaped Capacity	550 LB	\$1,589.00
ight Mate	erial Buck	et		
	5067016	84" Light Material Bucket (2134 mm), 27.5 cu. ft. Heaped Capacity	532 LB	\$981.00

Page 43 of 72

-CT4C 01 0055 000 23-MAY-19 Bid Term: 2/20/19 - 2/19/21



	735063016	78" Low Profile Extended Bucket (1981 mm), 19.1 cu. ft. Heaped Capacity	531 LB	\$1,086.00
	735064016	84" Low Profile Extended Bucket (2134 mm), 20.5 cu. ft. Heaped Capacity	607 LB	\$1,173.00
Man	ure-Slurry Bucl	ket		
	735070016	84" Manure-Slurry Bucket (2134 mm), 22.6 cu. ft. Heaped Capacity	535 LB	\$995.00
Palle	et Fork			
	735075006	Pallet Fork Frame w/48" Tines	540 LB	\$1,265.00
Sma	artFit Teeth			
	735184006	72" HDE Bucket w/ Teeth (1829 mm) 16.2 cu. ft. Heaped Capacity	624 LB	\$1,692.00
	735185006	78" HDE Bucket w/ Teeth (1981 mm) 18.9 cu. ft. Heaped Capacity	697 LB	\$1,898.00
	735186006	84" HDE Bucket w/ Teeth (2134 mm) 20.5 cu. ft. Heaped Capacity	728 LB	\$2,032.00

Bid Term: 2/20/19 - 2/19/21

C237 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

Standard Equipment

```
ENGINE:
                                                    OPERATOR'S PROTECTIVE
 FPT F5H FL463H water cooled
                                                    STRUCTURE (Continued):
   diesel engine
                                                      Tool Pocket
  207 CID (3.4 L) Turbo
                                                      Top window
 Tier 4 Final Certified
                                                     Headliner
 High Pressure Common Rail (HPCR)
                                                     Alarm package (backup and horn)
    Fuel Injection
 Charged Air Cooler (CAC)
                                                   HYDRAULICS:
 Horsepower:
                                                      6 micron oil filtration system
   - Gross 74
                                                      3 spool loader control valve
    - Net 68
                                                     Auxiliary hydraulics, Proportional thumb
    - Peak torque 232 lb*ft (314 Nm)
                                                        wheel activated: loader arm mounted
 120 amp alternator
                                                        with ISO specification flat face
 Air cleaner - dual element
                                                        "connect-under-pressure"
 Organic Acid Technology (OAT)
                                                        disconnects
 Anti-freeze solution to -34° F
                                                        Including case drain
 Fuel tank - 25.5 gal. (U.S.)
                                                      Heavy duty hydraulic oil cooler
 Diesel Oxidation Catalyst
                                                     Loader arm float position
  3-stack after cooler / radiator /
                                                     Auxiliary hydraulic function lockout
   Oil cooler configuration
                                                        override
                                                     Loader arm circuit lockout override
 Maintenance-Free Belt
 Glow Plugs
 Maintenance free 1000 CCA battery
                                                   LOADER:
                                                      Mechanical attachment coupler
OPERATOR'S PROTECTIVE
                                                      Vertical Lift SUPERBOOM Geometry
STRUCTURE:
                                                      In-Cab Boom Locks
 ROPS/FOPS Level 1 canopy with side
                                                     SAE operating load:
                                                        For C237:
    screens
                                                          3700 lbs. at 50%
 Control lockout system
 Tilt forward ROPS/FOPS
                                                          2590 lbs. at 35%
 Electric parking brake control
                                                          Tipping load: 7400 lbs.
 Hand throttle and Foot throttle
 Switchable (ISO - H) Electro Hydraulic
    Controls (only on EH models)
 Operator's compartment floor cleanout
 Rear window with emergency escape
 Padded Arm Rests (EH Controls ONLY)
 Suspension Seat, vinyl with
    2" retractable lap seat belt
 Foot rest
 Dome Light
  12V Power plug socket
  Cup holder
```



C237 T4 FINAL COMPACT TRACK LOADER **US PRICE LIST**

Standard Equipment

INSTRUMENTATION:

Advanced Instrument Cluster with hour meter, tachometer, fuel gauge, hydraulic oil temperature gauge, engine coolant temperature gauge, diagnostic features and security lock-out Warning lights with alarms: Critical system stop Engine system Hydraulic system Electrical and diagnostic system Warning alarms: Battery voltage (plus display) DPF Oil Service Indicator Light: Engine preheat, Parking brake, Seat belt reminder

TRACK SYSTEM:

Electro Hydraulic Controlled Hydrostatic 2-speed planetary final drive Positive drive imbedded steel rubber track belt Spring applied hydraulic release (SAHR) disc parking brake Dynamic braking

UNDERCARRIAGE:

Rigid track frame mounting Permanently sealed (duo cone face seal) & lubricated idlers and rollers Triple flange lower rollers Single flange front and rear idlers Hydraulic track adjustment Track recoil spring Undercarriage Hose Covers

OTHER STANDARD FEATURES:

Lights - 2 front, 2 rear (halogen) Pre-wired for rotating beacon Service access hood, lockable Steel Hoods & Covers Single point daily service Tail lights Options harness (only on EH models) Remote Oil and Fuel Filters Debris Ingression Prevention Sealing



C237 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

Models

COMMERCIAL MODEL	VERSION	MODEL	Weight	Factory Data	List Price
C237 T4 FINAL	Tier 4 B Regulated	C237	9,630 LB		\$79,947.00



Factory Supplied Options

Order Code	Description	Weight	Factory Data	List Price
------------	-------------	--------	--------------	------------

PACKAGE

SD_T9999 NEW HOLLAND CTL/SSL PACKAGES

 SD_T9999 NE	W HOLLAND CTL/SSL PACKAGES		
761609	761609 EH2-Basic-ROPS		(\$6,500.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	REAR DOOR#		
	MANUAL COUPLER#		
	OPEN NO HEAT OR HVAC#		
	SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761615	761615 EH2-Deluxe-Air Cab		(\$6,500.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761617	761617 FC2-Basic-ROPS		(\$6,500.00)
	Package Includes: Foot Controls, Mach Control 2 Speed		
	Transmission,		
	LEvel 0 Option Pack, Standard Rear Door, Manual Coupler, Open		
	ROPS,		
	Susp. Seat, Steel Lights w/ Turn Signals, Block Heater 120v, LAP		
	BAR		

C237 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

761620	761620 FC2-Plus-Cab		(\$6,500.00)
/01020	FOOT CONTROLS#		(ψυ,υυυ.υυ)
	MECH CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761623	761623 FC2-Deluxe-Air Cab		(\$6,500.00)
701023	FOOT CONTROLS#		(ψ0,300.00)
	MECH CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS# BLOCK HEATER 120V-USA#		
761628	LAP BAR# 761628 EH2-Limited-Air Cab		(\$6 F00 00)
701020	E-H CONTROLS#		(\$6,500.00)
	E-H CONTROLS#		
	HIGH FLOW PLUS PACK#		
	HEAVY DUTY REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
704000	LAP BAR#		(fc 500 00)
761633	761633 EH2-Elite-Air Cab		(\$6,500.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	PERF W/FRONT ELEC#		
	REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		

Page 49 of 72

-CT4B 03 0055 000 23-MAY-19 Bid Term: 2/20/19 - 2/19/21

761	636 761636 EH2-Limited HF Air Cab	(\$6,500.00)
	E-H CONTROLS#	
	E-H CONTROL 2SPD#	
	HIGH FLOW with FRNT ELEC.#	
	HEAVY DUTY REAR DOOR#	
	REINFORCED HYDRAULIC COUPLER#	
	HVAC-GLASS DOOR#	
	AIR SUSPENSION SEAT#	
	STEEL LIGHTS W/ TS#	
	BLOCK HEATER 120V-USA#	
	LAP BAR#	
761	640 YGR ORDER	(\$6,500.00)
	For Government retails ONLY.	

CONTROLS AND TRANSMISSION

SD_01100 CONTROLS LEVEL

	761029	2 Speed Mechanical Controls		(\$2,095.00)
		Available in "H Pattern" Hand Controls or Hand and Foot Controls		
	761031	2 Speed E-H Controls		No Charge
		Electro-Hydraulic Switchable (ISO-H Pattern) Controls with		
		Two Speed		

SD_01401 DRIVE CONTROL TYPE

	761040	Hand Controls		No Charge
		H Pattern, ONLY Select with Mechanical Controls (761029).		
	761041	Hand and Foot Controls		No Charge
		ONLY Select with Mechanical Controls (761029).		
ı	761042	E-H Controls		No Charge
		ONLY Select with E-H Control Package (761031).		

ROPS/CAB

SD_05009 CAB

	761043	Open Cab (No Heat or HVAC)		No Charge
		with top window and keyed start		
	761045	Enclosed Cab with HVAC		\$5,664.00
		Includes side windows, front glass door with wiper,		
		shoulder belt, radio with speakers and keyless start		
	761183	Enclosed Cab w/HVAC -Demo Door		\$7,445.00
		Includes side windows, 1/2" polycarbonate (will not shatter like		
		glass), front door with wiper, shoulder belt, radio with		
		speakers, and keyless start		

SD_05016 OF	PEN CAR TRIM			
	No Open Cab Interior Trim Pkg			No Charge
761186	Open Cab Interior Trim Package			\$310.00
	For use with Open Cab. Covers interior sides and rear.			• • • • • • • • • • • • • • • • • • • •
<u> </u>		· · · · · · · · · · · · · · · · · · ·		
SD_05185 CA	AB SEAT			
761052	Suspension Seat (Vinyl)			No Charge
761062	Air Ride Suspension Seat			\$582.00
	(Fabric) with temperature control			
	(may not be ordered with Open Cab option 761043			
SD_K5104 LA	P BAR-NH			
XK5104X	NO LAP BAR NEW HOLLA			(\$265.00)
	Comes with seat belt only. Seat belt must be engaged			
	for machine operation.			
761224	LAP BAR NEW HOLLAND			No Charge
	Lap Bar Installed from Factory.			
	Seat belt included. Sensor moved from seat belt to the			
	lap bar for machine operation (lap bar must be down to			
	operate).			
		•		
COUPLER				
	DUPLERS		T	(04.004.00)
726003	Manual Coupler			(\$1,094.00)
761206	Heavy Duty Hydraulic Coupler			No Charge
DI COLLUE ATED				
BLOCK HEATER				
CD 0000C DI	OCKLIFATED			
SD_02086 BL 761048				No Chargo
761046	Block Heater (120V)			No Charge
TUDNI GIGNIAI G				
TURN SIGNALS				
05 5 \	TTT 100 1101T0			
	TERIOR LIGHTS	<u> </u>		
463739	STEEL LIGHTS WITH TURN SIGNALS			No Charge
OPERATORS MA	NUAL			
	NO. 40 - 00 - 00 - 00 - 00 - 00 - 00 - 00			
	NGUAGE OPTIONS		 	
761085	English		 	No Charge
761088	French			No Charge

The Educational Services Commission of New Jersey Grounds Equipment Bid #ESCNJ 18/19-25 ate Approved Co-op #65MCESCCPS



C237 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

	761097	Spanish			No Charge
--	--------	---------	--	--	-----------

OPTIONAL PACKAGES

SD_01201 OPTION PACKAGES

761034	Front Electric/Multi-Function		No Charge
	Contain Front Electric (Multi-function) for Standard Auxiliaries		
761035	Performance w/Front Electric		\$1,172.00
	Contains ON/OFF One-Way Self Leveling, Ride Control,		
	and Multi-Function Electric Control		
761036	High Flow Package		\$1,874.00
	Contains High Flow Hydraulics with Multi-Function Electric Control		
761037	High Flow Plus Package		\$3,047.00
	Contains Multi-Function, High Flow Hydraulics, ON/OFF One-way		
	Self Leveling and Glide Ride		

TRACK BELT OPTIONS

SD_10015 TRACK OPTIONS

	8500147	450 mm (17.7 inch)		No Charge
		Standard Duty rail type track with zig zag tread pattern		
		78" OTW		
		100 Pitch		
	8500187	450 BELT HD		\$398.00
		Heavy Duty rail type track with HH tread pattern		
		78" OTW		
		100 Pitch		

FRONT ATTACHMENTS

BUCKETS

SD_K5231 BUCKETS

XK5231X	No Bucket		No Charge
Dirt & Found	ry Bucket		
761126	78" Dirt & Foundry Bucket		\$1,038.00
	(1981 mm), 18.4 cu. ft. Heaped Capacity		
Low Profile E	Extended		
761133	78" Low Profile Extended		\$1,086.00
	(1981 mm), 18.6 cu. ft. Heaped Capacity		
761134	84" Low Profile Extended		\$1,173.00
	(2134 mm), 20.2 cu. ft. Heaped Capacity		
Light Materia	al Bucket		
761137	84" Light Material Bucket		\$1,047.00
	(2134 mm), 27.9 cu. ft. Heaped Capacity		

-CT4B 03

Manure-Slui	ry Bucket	
761140	84" Manure-Slurry Bucket	\$995.00
	(2134 mm), 22.5 cu. ft. Heaped Capacity	
Heavy Duty	Dirt Bucket	
761143	78" Heavy Duty Dirt Bucket	\$1,538.00
	(1981 mm), 15.9 cu. ft. Heaped Capacity	
761144	84" Heavy Duty Dirt Bucket	\$1,589.00
	(2134 mm), 19.4 cu. ft. Heaped Capacity	
SmartFit Tee	eth	
761255	78" HD Ext. w/ SmartFit Teeth	\$1,898.00
	(1981 mm) 18.9 cu. ft. Heaped Capacity	
761256	84" HD Ext. w/ SmartFit Teeth	\$2,032.00
	(2134 mm) 20.5 cu. ft. Heaped Capacity	

BOLT ON CUTTING EDGE

SD_K6399 BOLT ON CUTTING EDGE

	XK6399X	No Bolt on Cutting Edge		No Charge
	761148	78" Bolt on Cutting Edge		\$259.00
	761149	84" Bolt on Cutting Edge		\$279.00

ADDITIONAL EQUIPMENT

SD 39021 REAR DOOR

	OD_00021 INL	AR BOOK		
	761075	Rear Door		No Charge
Ī	761205	Heavy Duty Rear Door		\$440.00

MOVE TO BIC

SD_K6440 OFF-SITE SERVICE

	XK6440X	No Offsite Service Arrangement		No Charge
	761175	Offsite Service Arrangement		No Charge
		Pricing is dealer negociated with offsite contractor.		
		When ordering, select "Move to BIC" and contact BIC for info.		
		BIC Phone: (316) 943-2515 Email:		
		jrmuzzy@burlinst.com		

SPECIAL PAINT

SD	50103	SPECIAL	PAINT

X50103X No Special Paint No Charge

The Educational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS

Grounds Equipment Bid #ESCNJ 18/19-25

-CT4B 03



C237 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

726029	Special Paint	\$2,999.00
	The price listed is for a color change only from the standard	
	factory color: CNH #86572648 (NH-Yellow). All Special Color	
	formulations will be applied using approved factory processes	
	and materials. Metallic or other special formulations and/or	
	materials are not available. A color chip must be provided to	
	CNH for non CNH colors. A minimum lead time of 8 business	
	weeks will be required prior to production. Unless specified,	
	regular production decals will be applied. Requests can be	
	made that decals not be applied. However, SAFETY decals	
	MUST BE APPLIED in all cases. The following components	
	remain CNH grey: lift & bucket cylinders, front coupler and	
	attachments, ROPS, side screens, upper chassis and control	
	links, undercarriages and brackets, and rear door.	

TELEMATICS

SD_K6450 TELEMATICS

	XK6450X	No Telematics		No Charge
	761198	NH FleetForce On-board		\$816.00
		To order the Service Subscription contact Service Parts.		

C237 T4 FINAL COMPACT TRACK LOADER US PRICE LIST

Factory Supplied Attachments

Order Code	Description	Weight	Factory Data	List Price
Basic Attachments				
735006006	Beacon Kit Install Time = 0.2 hours	1 LB		\$154.00
735007006	4-Corner LED Strobe Kit Install Time = 0.5 hours Reference dependency matrix.	24 LB		\$500.00
735011006	Glass Front Door Kit Install Time = 2.0 hours Center mounted wiper Required three point seat belt Must order applicable harness. Reference dependency matrix.	182 LB		\$1,543.00
735012006	Demo Front Door Kit Install Time = 2.0 hours 1/2" polycarbonate door (will not shatter like glass) Center Mounted wiper Requires three point seat belt. Must order applicable harness. Reference dependency matrix.	182 LB		\$2,711.00
735013006	Cab Side Windows Kit Install Time = 1.0 hours	139 LB		\$865.00
735016006	Radio Kit Install Time = 4.0 hours Reference dependency matrix.	16 LB		\$413.00
735019106	KIT, TURN SIGNAL Plastic lights	7 LB		\$247.00
735020166	KIT ROAD LIGHTS	32 LB		\$606.00
735021016	Multi-Function Front Electrical Mech Kit Install Time = 2.0 hours C232: NR, Tier 4A and Tier 4B - Mechanical control machines only. C237: Tier 4B - Mechanical and EH control machines. Reference Dependency Matrix for additional component requirements.	11 LB		\$274.00
735022106	Kit Self-Level	30 LB		\$451.00
735023006	Ride Control Kit Install Time = 4.0 hours	33 LB		\$481.00
735024046	Hydraulic Coupler Kit Install Time = 8.0 hours For use with C232 units built AFTER S/N 470977 and C238 units built AFTER S/N 450583 Reference dependency matrix. For converting mechanical coupler to hydraulic coupler.	152 LB		\$1,236.00
735025066	High Flow Auxiliary Kit Install Time = 5.0 hours For use with TIER 4 models ONLY. Reference dependency matrix.	191 LB		\$2,519.00
735027056	Second Hydraulic Front Auxiliary Kit Install Time = 8.0 hours	99 LB		\$1,029.00
735029026	Battery Disconnect Kit Install Time = 2.0 hours	2 LB		\$151.00



735030006	Heavy Duty Rear Door Kit Install Time = 0.5 hours Rear door insert	32 LB	\$308.00
735036026	4-Point Lift Hook Kit Install Time = 1.0 hours For use on C232 NR, Tier 4A and Tier 4B machines and C238 NR and Tier4A machines. C238 Tier 4B machines must order kit 735036036	11 LB	\$238.00
735037046	Single Point Lift Hook Kit Install Time = 4.0 hours	269 LB	\$1,029.00
735038006	FOPS Level 2 Modification Kit Install Time = 1.0 hours	61 LB	\$343.00
735039076	Extra Counterweight Kit Install Time = 0.5 hours	659 LB	\$1,168.00
735040136	Aspirator Kit Install Time = 2.0 hours Tier 4 ONLY.	14 LB	\$317.00
735042006	Interior Mirror Kit Install Time = 0.5 hours	4 LB	\$58.00
735045046	Foot Control Conversion Kit Install Time = 8.0 hours For use with TIER 4 ONLY. Converting to Hand&Foot from Hand (H-Pattern).	52 LB	\$615.00
735045086	Foot Control Conversion Kit Install Time = 8.0 hours For use with Tier 4 models ONLY. Effective on units built prior to S/N NFM419274. Converting to Hand&Foot from Hand (H-Pattern). Not available for units equipped with Electro Hydraulic (EH) controls.	55 LB	\$700.00
735046016	Hand Control Conversion Kit Install Time = 6.0 hours For use with TIER 3 ONLY. Converting to Hand (H-Pattern) from Hand&Foot.	76 LB	\$824.00
735046046	Hand Control Conversion Kit Install Time = 6.0 hours Converting to Hand (H-Pattern) from Hand&Foot.	76 LB	\$824.00
735046066	Hand Control Conversion Kit Install Time = 6.0 hours For use with Tier 4A units AFTER S/N NDM471007 (C232) and NDM470304 (C238). Converting to Hand (H-Pattern) from Hand&Foot.	76 LB	\$824.00
735047006	120V Block Heater Kit Install Time = 0.5 hours	6 LB	\$206.00
735048006	220V Block Heater Kit Install Time = 0.5 hours	6 LB	\$206.00
735142006	Cylinder Guard Kit Install Time = 0.5 hours Provides protection to the loader bucket dump/curl cylinders in severe operating conditions.	21 LB	\$739.00
735146016	Three Point Seat Belt Install Time = 1.0 hours	4 LB	\$233.00



	735150006	Open Cab Interior Trim Kit Install Time = 1.0 hours	25 LB	\$372.00
	735153006	High Beam Light Kit Install Time = 1.0 hours Two added front lights; mounted inward of the standard front lights. Adding this kit would yield: four front lights along with turn signals (if already equipped with signals). Reference image in SSL/CTL	11 LB	\$199.00
		Brochure.		
	735158136	HVAC Complete Install Time = 28.0 hours	382 LB	\$2,951.00
	735159046	Heater Complete Kit Install Time = 11.0 hours For use with TIER 4 ONLY Must order applicable harness. Reference dependency matrix.	141 LB	\$1,374.00
	735160016	Fender Extensions - Large Frame Install Time = 1.5 hours	45 LB	\$334.00
	735161016	Heavy Duty Front Lights - Vertical Model For use with vertical models. Must order supporting bracket (84338448) and two (2) harnesses (84306340) from service parts to complete kit. Does not include interated turn signals.	26 LB	\$372.00
	735178036	Radiator Debris Kit Install Time = 1.0 hours To prevent large foreign material from damaging the radiator.	10 LB	\$333.00
	735179006	Lap Bar Kit Install Time = 2.0 hours	40 LB	\$600.00
Dirt &	Foundry Buck	ket		
	735056016	78" Dirt & Foundry Bucket (1981 mm), 17.7 cu. ft. Heaped Capacity	429 LB	\$1,038.00
Heavy	Duty Dirt Bud	:ket		
	735073016	78" Heavy Duty Dirt Bucket (1981 mm), 15.5 cu. ft. Heaped Capacity	526 LB	\$1,538.00
	735074016	84" Heavy Duty Dirt Bucket (2134 mm), 17.0 cu. ft. Heaped Capacity	550 LB	\$1,589.00
l iaht l	Material Bucke	et		
	735067016	84" Light Material Bucket (2134 mm), 27.5 cu. ft. Heaped Capacity	532 LB	\$981.00
Low P	rofile Extende			
	735063016	78" Low Profile Extended Bucket (1981 mm), 19.1 cu. ft. Heaped Capacity	531 LB	\$1,086.00
	735064016	84" Low Profile Extended Bucket (2134 mm), 20.5 cu. ft. Heaped Capacity	607 LB	\$1,173.00
Manur	e-Slurry Buck	et		
	735070016	84" Manure-Slurry Bucket (2134 mm), 22.6 cu. ft. Heaped Capacity	535 LB	\$995.00

The Educational Services Commission of New Jersey

NJ State Approved Co-op #65MCESCCPS

Grounds Equipment Bid #ESCNJ 18/19-25

OTAB 03



-CT4B 03

	_		
อกเ	Int	Fork	

	735075006	Pallet Fork Frame w/48" Tines	540 LB	\$1,265.00
Sm	artFit Teeth			
	735185006	78" HDE Bucket w/ Teeth (1981 mm) 18.9 cu. ft. Heaped Capacity	697 LB	\$1,898.00
	735186006	84" HDE Bucket w/ Teeth (2134 mm) 20.5 cu. ft. Heaped Capacity	728 LB	\$2,032.00
	725024046	The deposition Course of the	159 LB	¢4.226.00
	735024016	Hydraulic Coupler Kit Install Time = 8.0 hours Reference dependency matrix. For converting mechanical coupler to hydraulic coupler.	199 LB	\$1,236.00



CONSTRUCTION

Standard Equipment

```
OPERATOR'S PROTECTIVE
ENGINE:
 FPT F5B FL413E water cooled diesel
                                                    STRUCTURE (Continued):
                                                      Dome Light
   engine
  207 CID (3.4 L) Turbo
                                                      12V Power plug socket
  Tier 4 Final Certified
                                                      Cup holder
 High Pressure Common Rail (HPCR)
                                                      Tool Pocket
    Fuel Injection
                                                      Top window
                                                      Headliner
 Charged Air Cooler (CAC)
 Horsepower:
                                                      Alarm package (backup and horn)
   - Gross 90
    - Net 84
                                                    HYDRAULICS:

    Peak torque 282 lb*ft (383 Nm)

                                                      6 micron oil filtration system
  160am alternator
                                                      3 spool loader control valve
 Air cleaner - dual element
                                                      Auxiliary hydraulics, Proportional thumb
 Organic Acid Technology (OAT)
                                                        wheel activated: loader arm mounted
 Anti-freeze solution to -34° F
                                                        with ISO specification flat face
 Fuel tank - 25.5 gal. (U.S.)
                                                        "connect-under-pressure"
 Diesel Oxidation Catalyst (DOC) with
                                                        disconnects
 Selective Catalytic Reduction (SCR)
                                                        Including case drain
   Muffler
                                                      Heavy duty hydraulic oil cooler
 Diesel Exhaust Fluid (DEF) Tank -
                                                      Loader arm float position
                                                      Auxiliary hydraulic function lockout
    2.8 gal. (U.S.)
  3-stack after cooler / radiator /
   Oil cooler configuration
                                                      Loader arm circuit lockout override
 Maintenance Free Belt
 Glow Plugs
                                                    LOADER:
 Maintenance free 1000 CCA battery
                                                      Mechanical attachment coupler
     with master electrical disconnect
                                                      Vertical Lift SUPERBOOM Geometry
                                                      In-Cab Boom Locks
OPERATOR'S PROTECTIVE
                                                      SAE operating load:
STRUCTURE:
                                                        For C245
                                                          4500 lbs. at 50%
 ROPS/FOPS Level 1 canopy with side
    screens
                                                          3150 lbs. at 35%
 Control lockout system
                                                          Tipping load: 9000 lbs.
 Tilt forward ROPS/FOPS
 Electric parking brake control
 Hand throttle and Foot throttle
 Switchable (ISO - H) Electro Hydraulic
   Controls (only on EH models)
 Operator's compartment floor cleanout
 Rear window with emergency escape
 Padded Arm Rests (EH Controls ONLY)
 Suspension Seat, vinyl with
    2" retractable lap seat belt
 Foot rest
```



Standard Equipment

INSTRUMENTATION:

Advanced Instrument Cluster with hour meter, tachometer, fuel gauge, Diesel Exhaust Fluid gauge, engine coolant temperature gauge, diagnostic features and security lock-out Warning lights with alarms: Critical system stop Engine system Hydraulic system Electrical and diagnostic system Warning alarms: Battery voltage (plus display) Diesel Exhaust Fluid (DEF) Oil Service Indicator Light: Engine preheat, Parking brake,

TRACK SYSTEM:

Seat belt reminder

Electro Hydraulic Controlled Hydrostatic 2-speed planetary final drive Positive drive imbedded steel rubber track belt Spring applied hydraulic release (SAHR) disc parking brake Dynamic braking

UNDERCARRIAGE:

Rigid track frame mounting
Permanently sealed (duo cone face
seal) & lubricated idlers and rollers
Triple flange lower rollers
Single flange front and rear idlers
Hydraulic track adjustment
Track recoil spring
Tapered track frame cover

OTHER STANDARD FEATURES:

Lights - 2 front, 2 rear (halogen)
Pre-wired for rotating beacon
Service access hood, lockable
Single point daily service
Tail lights
Options harness (only on EH models)
Remote Oil and Fuel Filters
Debris Ingression Prevention Sealing
Heavy Duty Rear Door
Bucket Cylinder Guards
Block Heater 120V - USA

-CT4C 03

Grounds Equipment Bid #ESCNJ 18/19-25



C245 TIER 4 FINAL COMPACT TRACK LOADER **US PRICE LIST**

Models

COMMERCIAL MODEL	VERSION	MODEL	Weight	Factory Data	List Price
C245 T4B-C	T4B-C	C245	10,000 LB		\$91,598.00



Factory Supplied Options

	Order Code	Description	Weight	Factory Data	List Price
--	------------	-------------	--------	--------------	------------

PACKAGE

SD_T9999 NE	W HOLLAND CTL/SSL PACKAGES		
761610	761610 EH2-Basic-ROPS		(\$8,000.00)
	E-H CONTROLS		
	E-H CONTROL 2SPD		
	FRONT ELEC/MULTI-FUNC		
	HEAVY DUTY REAR DOOR		
	MANUAL COUPLER		
	OPEN NO HEAT OR HVAC		
	SUSPENSION SEAT		
	STEEL LIGHTS W/ TS		
	BLOCK HEATER 120V-USA		
	NO TELEMATICS-PARTS		
	LAP BAR		
761616	761616 EH2-Deluxe-Air Cab		(\$8,000.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	HEAVY DUTY REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761618	761618 FC2-Basic-ROPS		(\$8,000.00)
	FOOT CONTROLS		
	MECH CONTROL 2SPD		
	FRONT ELEC/MULTI-FUNC		
	HEAVY DUTY REAR DOOR		
	MANUAL COUPLER		
	OPEN NO HEAT OR HVAC		
	SUSPENSION SEAT		
	STEEL LIGHTS W/ TS		
	BLOCK HEATER 120V-USA		
	NO TELEMATICS-PARTS		
	LAP BAR		

Bid Term: 2/20/19 - 2/19/21

761621	761621 FC2-Plus-Cab		(\$8,000.00)
	FOOT CONTROLS#		(40,000,00)
	MECH CONTROL 2SPD#		
	FRONT ELEC/MULTI-FUNC#		
	HEAVY DUTY REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761624	761624 FC2-Elite-Air Cab		(\$8,000.00)
	FOOT CONTROLS#		(ψο,σσσ.σσ)
	MECH CONTROL 2SPD#		
	PERF w/FRONT ELEC#		
	HEAVY DUTY REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761628	761628 EH2-Limited-Air Cab		(\$8,000.00)
	E-H CONTROLS#		(, , , ,
	E-H CONTROL 2SPD#		
	HIGH FLOW PLUS PACK#		
	HEAVY DUTY REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761634	761634 EH2-Elite-Air Cab		(\$8,000.00)
	E-H CONTROLS#		, , ,
	E-H CONTROL 2SPD#		
	PERF w/FRONT ELEC#		
	HEAVY DUTY REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		

Page 63 of 72

-CT4C 03 0055 000 23-MAY-19

70

Grounds Equipment Bid #ESCNJ 18/19-25



C245 TIER 4 FINAL COMPACT TRACK LOADER **US PRICE LIST**

761635	761635 EH2-Limited HF Air Cab		(\$8,000.00)
701033	E-H CONTROLS#		(ψο,οσο.σο)
	E-H CONTROL 2SPD#		
	Enhanced High Flow#		
	HEAVY DUTY REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#	+	
761637	EH2-ELITE HF-AIR CAB		(\$8,000.00)
	E-H CONTROLS#		
	E-H CONTROL 2SPD#		
	Enhanced High Flow#		
	HEAVY DUTY REAR DOOR#		
	REINFORCED HYDRAULIC COUPLER#		
	HVAC-GLASS DOOR#		
	AIR SUSPENSION SEAT#		
	STEEL LIGHTS W/ TS#		
	BLOCK HEATER 120V-USA#		
	LAP BAR#		
761640	YGR ORDER		(\$8,000.00)
	For Government Retails ONLY.		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

CONTROLS AND TRANSMISSION

SD_01100 CONTROLS LEVEL

	_			
	761029	2 Speed Mechanical Controls		(\$2,095.00)
		Available in "H Pattern" Hand Controls or Hand and Foot Controls.		
	761031	2 Speed E-H Controls		No Charge
		Electro-Hydraulic Switchable (ISO-H Pattern) Controls with Two		
		Speed		

SD_01401 DRIVE CONTROL TYPE

	761040	Hand Controls		No Charge
		H Pattern, ONLY. Select Mechanical Controls (761029)		
	761041	Hand and Foot Controls		No Charge
		ONLY Select with Mechanical Controls (761029)		
	761042	E-H Controls		No Charge
		ONLY Select with E-H Controls (761031)		

ROPS/CAB



C245 TIER 4 FINAL COMPACT TRACK LOADER US PRICE LIST

SD_05009 CAB 761043 Open Cab (No Heat or HVAC) No Charge with top window and keyed start 761045 Enclosed Cab with HVAC \$5,664.00 Includes side windows, front glass door with wiper, shoulder belt, radio with speakers and keyless start 761183 Enclosed Cab w/HVAC -Demo Door \$7,445.00 Includes side windows, 1/2" polycarbonate (will not shatter like glass), front door with wiper, shoulder belt, radio wiith speakers, and keyless start SD_05016 OPEN CAB TRIM X05016X No Open Cab Interior Trim Pkg No Charge 761186 Open Cab Interior Trim Package \$310.00 For use with Open Cab. Covers interior sides and rear. SD_05185 CAB SEAT 761052 Suspension Seat (Vinyl) No Charge 761062 Air Ride Suspension Seat \$582.00 Fabric with temperature control may not be ordered with Open Cab option 761043 SD_K5104 LAP BAR-NH LAP BAR NEW HOLLAND 761224 No Charge Lap Bar Installed from Factory. Seat belt included. Sensor moved from seat belt to the lap bar for machine operation (lap bar must be down to operate).

COUPLER

SD_K5101 COUPLERS

XK5104X

NO LAP BAR NEW HOLLA

for machine operation.

Comes with seat belt only. Seat belt must be engaged

Γ	726003	Manual Coupler		No Charge
Γ	761206	Heavy Duty Hydraulic Coupler		\$1,027.00

Page 65 of 72

-CT4C 03 0055 000 23-MAY-19

72

(\$265.00)

BLOCK HEATER						
SD_02086 BLOCK HEATER						
761048 Block Heater (120V)	No Charge					
TURN SIGNALS						
SD_06056 EXTERIOR LIGHTS						
463739 STEEL LIGHTS WITH TURN SIGNALS	No Charge					
OPERATORS MANUAL						
SD_32035 LANGUAGE OPTIONS						
761085 English	No Charge					
761088 French	No Charge					
761097 Spanish	No Charge					

OPTIONAL PACKAGES

SD_01201 OPTION PACKAGES

761034	Front Electric/Multi-Function	No Charge
	Contains Front Electric (Multi-function) for Standard Auxiliaries	
761035	Performance w/Front Electric	\$1,172.00
	Contains ON/OFF one-way self leveling, ride control,	
	and multi-function electric control	
761036	High Flow Package	\$1,874.00
	Contains High Flow hydraulics with multi-function electric control	
761037	High Flow Plus Package	\$3,047.00
	Contains multi-function, high flow hydraulics, on/off one-way	
	self-leveling and glide ride	
761039	Enhanced High Flow Package	\$6,317.00
	Only available with units equipped with EH Controls	
	Contains 4000 PSI High Flow Hydraulics, Second Auxiliaries,	
	Multi-Function Electric Control, High Flow Hydraulics,	
	ON/OFF One-way Self Leveling and Glide Ride	

Page 66 of 72 -CT4C 03 0055 000 23-MAY-19 73

Bid Term: 2/20/19 - 2/19/21



TRACK BELT OPTIONS

SD_10015 TRACK OPTIONS

	8500147	450 mm (17.7 inch)		No Charge
		Standard Duty rail type track with zig zag tread pattern.		
		78" OTW		
		100 Pitch		
	8500187	450 BELT HD		\$398.00
		Heavy Duty rail type track with HH tread pattern.		
		78" OTW		
		100 pitch		

FRONT ATTACHMENTS

BUCKETS

SD_K5231 BUCKETS

	_110201	OKETO	
	761126	78" Dirt & Foundry Bucket	\$1,038.00
		(1981 mm), 18.4 cu. ft. heaped capacity	
	761133	78" Low Profile Extended	\$1,086.00
		(1981 mm), 18.6 cu. ft. Heaped Capacity	
	761134	84" Low Profile Extended	\$1,173.00
\perp		(2134 mm), 20.2 cu. ft. Heaped Capacity	
	761137	84" Light Material Bucket	\$1,047.00
		(2134 mm), 27.9 cu. ft. Heaped Capacity	
	761140	84" Manure-Slurry Bucket	\$995.00
		(2134 mm), 22.5 cu. ft. Heaped Capacity	
	761143	78" Heavy Duty Dirt Bucket	\$1,538.00
		(1981 mm), 15.9 cu. ft. Heaped Capacity	
	761144	84" Heavy Duty Dirt Bucket	\$1,589.00
		(2134 mm), 19.4 cu. ft. Heaped Capacity	
	XK5231X	No Bucket	No Charge
	761255	78" HD Ext. w/ SmartFit Teeth	\$1,898.00
		(1981 mm) 18.9 cu ft. Heaped Capacity	
	761256	84" HD Ext. w/ SmartFit Teeth	\$2,032.00
		(2134 mm) 20.5 cu. ft. Heaped Capacity	

BOLT ON CUTTING EDGE

SD_K6399 BOLT ON CUTTING EDGE

	761148	78" Bolt on Cutting Edge		\$259.00
	761149	84" Bolt on Cutting Edge		\$279.00
	XK6399X	No Bolt on Cutting Edge		No Charge



ADDITIONAL I	EQUIPMENT	
SD_34008	BATTERY DISCONNECT	
76107	74 Battery Disconnect	No Charge
ADDITIONAL I	EQUIPMENT	
_		
SD 39021	REAR DOOR	
76121	11 Heavy Duty Rear Door - NH	\$440.00
MOVE TO BIC		
SD K6440	OFF-SITE SERVICE	
76117	75 Offsite Service Arrangement	No Charge
	Make sure to contact BIC if you select.	
	Pricing is dealer negociated with offsite contractor.	
	When ordering, select "Move to BIC" and contact BIC for info.	
	BIC Phone: (316) 943-2515 Email: irmuzzy@burlinst.com	
	Dio Filono. (010) 540 2010 Elitain Jimazzy @barimot.com	
XK64	40X No Offsite Service Arrangement	No Charge
	- 1	, , , , , , , , , , , , , , , , , , , ,
SPECIAL PAIN		
01 2011 17 111	••	
SD_50103	SPECIAL PAINT	
72602		\$2,999.00
	The price listed is for a color change only from the standard	1 7-,555.55
	factory color: CNH #86572648 (NH-Yellow). All Special Color	
	formulations will be applied using approved factory processes	
	and materials. Metallic or other special formulations and/or	
	materials are not available. A color chip must be provided to	
	CNH for non CNH colors. A minimum lead time of 8 business	
	weeks will be required prior to production. Unless specified,	
	regular production decals will be applied. Requests can be	
	made that decals not be applied. However, SAFETY decals	
	MUST BE APPLIED in all cases. The following components	
	remain CNH grey: lift & bucket cylinders, front coupler and	
	attachments, ROPS, side screens, upper chassis and control	
	links, undercarriages and brackets, and rear door.	
X5010	03X No Special Paint	No Charge

Page 68 of 72

-CT4C 03 0055 000 23-MAY-19

75

The Educational Services Commission of New Jersey

NJ State Approved Co-op #65MCESCCPS

Grounds Equipment Bid #ESCNJ 18/19-25

-CT4C 03



C245 TIER 4 FINAL COMPACT TRACK LOADER US PRICE LIST

TELEMATICS

SD_K6450 TELEMATICS

	761198	NH FleetForce On-board		\$816.00
L		To order the Service Subscription contact Service Parts.		
Γ	XK6450X	No Telematics		No Charge

Bid Term: 2/20/19 - 2/19/21

-CT4C 03

C245 TIER 4 FINAL COMPACT TRACK LOADER US PRICE LIST

Factory Supplied Attachments

Orde	er Code	Description	Weight	Factory Data	List Price
BASIC A	TTACHMEN	NTS			
	35006006	Beacon Kit Install Time = 0.2 hours	1 LB		\$154.00
73	35007006	4-Corner LED Strobe Kit Install Time = 0.5 hours Must order connector. Reference dependency matrix.	24 LB		\$500.00
73	35011006	Glass Front Door Kit Install Time = 2.0 hours Center mounted wiper Requires three point seat belt. Must order applicable harness. Reference dependency matrix.	182 LB		\$1,543.00
73	35012006	Demo Front Door Kit Install Time = 2.0 hours 1/2" polycarbonate door (will not shatter like glass) Center mounted wiper Requires three point seat belt. Must order applicable harness. Reference dependency matrix.	182 LB		\$2,711.00
73	35013006	Cab Side Windows Kit Install Time = 1.0 hours	139 LB		\$865.00
73	35016006	Radio Kit Install Time = 2.0 hours Must order applicable harness. Reference dependency matrix.	16 LB		\$413.00
73	35019106	KIT, TURN SIGNAL For vertical lift machines. Plastic lights	7 LB		\$247.00
73	35020186	KIT ROAD LIGHTS Install Time = 2.5 hours Added front lights with turn signals that mount on the loader booms. Added rear lights with signals. (Reference image in SSL/CTL Brochure)	32 LB		\$608.00
73	35021046	Multi-Function Front Electrical Mech Kit Install Time = 2.0 hours For use in mechanical & EH control machines Reference Dependency Matrix for additional component requirements.	8 LB		\$274.00
73	35023006	Ride Control Kit Install Time = 4.0 hours Must order applicable handle. Reference dependency matrix.	33 LB		\$481.00
73	35024046	Hydraulic Coupler Kit Install Time = 8.0 hours Must order applicable harness. Reference dependency matrix. For converting manual coupler to hydraulic coupler.	152 LB		\$1,236.00
73	35025056	High Flow Auxiliary Kit Must order applicable harness. Reference dependency matrix.	192 LB		\$2,519.00
73	35027056	Second Hydraulic Front Auxiliary Kit Install Time = 8.0 hours	99 LB		\$1,029.00
73	35036036	4-Point Lift Hook Kit Install Time = 2.0 hours	20 LB		\$222.00
73	35037046	Single Point Lift Hook Kit Install Time = 4.0 hours	269 LB		\$1,029.00

Page 70 of 72

-CT4C 03 0055 000 23-MAY-19 Bid Term: 2/20/19 - 2/19/21



	735038006	FOPS Level 2 Modification Kit Install Time = 1.0 hours	61 LB	\$343.00
	735039076	Extra Counterweight Kit Install Time = 0.5 hours	659 LB	\$1,168.00
	735042006	Interior Mirror Kit Install Time = 0.5 hours	4 LB	\$58.00
	735045046	Foot Control Conversion Kit Install Time = 8.0 hours Converting to Hand&Foot control from Hand (H-Pattern) Mechanical control units only.	52 LB	\$615.00
	735046046	Hand Control Conversion Kit Install Time = 6.0 hours Convert to Hand (H-Pattern) from Hand&Foot Mechanical control only. For units built after S/N NFM418327.	76 LB	\$824.00
	735047006	120V Block Heater Kit Install Time = 0.5 hours	6 LB	\$206.00
	735048006	220V Block Heater Kit Install Time = 0.5 hours	6 LB	\$206.00
	735056016	78" Dirt & Foundry Bucket (1981 mm), 17.7 cu. ft. Heaped Capacity	429 LB	\$1,038.00
	735142006	Cylinder Guard Kit Install Time = 0.5 hours Provides protection to the loader bucket dump/curl cylinders in severe operating conditions.	21 LB	\$739.00
	735146016	Three Point Seat Belt	4 LB	\$233.00
	735150006	Open Cab Interior Trim Kit Install Time = 1.0 hours	25 LB	\$372.00
	735153006	High Beam Light Kit 2 additional work lights	11 LB	\$199.00
	735158206	HVAC Complete Install Time = 27.7 hours Must order applicable harness. Reference dependency matrix.	396 LB	\$2,951.00
	735160016	Fender Extensions - Large Frame Install Time = 1.5 hours	45 LB	\$334.00
	735168016	Aspirator (Precleaner) Kit Install Time = 2.0 hours	39 LB	\$683.00
	735179006	Lap Bar Kit Install Time = 2.0 hours	40 LB	\$600.00
Heavy	Duty Dirt Bud	cket		
	735073016	78" Heavy Duty Dirt Bucket (1981 mm), 15.5 cu. ft. Heaped Capacity	526 LB	\$1,538.00
	735074016	84" Heavy Duty Dirt Bucket (2134 mm), 17.0 cu. ft. Heaped Capacity	550 LB	\$1,589.00
Light I	Material Buck	et		
	735067016	84" Light Material Bucket (2134 mm), 27.5 cu. ft. Heaped Capacity	532 LB	\$981.00
Low P	rofile Extende	ed Bucket		
	735063016	78" Low Profile Extended Bucket (1981 mm), 19.1 cu. ft. Heaped Capacity	531 LB	\$1,086.00

	735064016	84" Low Profile Extended Bucket	607 LB	\$1,173.00
		(2134 mm), 20.5 cu. ft. Heaped Capacity		
Manure-Slurry Bucket				
	735070016	84" Manure-Slurry Bucket (2134 mm), 22.6 cu. ft. Heaped Capacity	535 LB	\$995.00
Pal	let Fork			
	735075006	Pallet Fork Frame w/48" Tines	540 LB	\$1,265.00
Sm	artFit Teeth			
	735185006	78" HDE Bucket w/ Teeth (1981 mm) 18.9 cu. ft. Heaped Capacity	697 LB	\$1,898.00
	735186006	84" HDE Bucket w/ Teeth (2134 mm) 20.5 cu. ft. Heaped Capacity	728 LB	\$2,032.00
	735022116	Kit Self-Level Install Time = 4.0 hours	30 LB	\$485.00

Bid Term: 2/20/19 - 2/19/21