BX SERIES

WHOLEGOODS PRICE LIST EFFECTIVE MARCH 1, 2021

Please replace all pages of this section of the current price book. These pages are a complete revision of this section. All prices are effective as of March 1, 2021.

1/13/2021 Added BX80-1 Models

| PAGE NUMBER | MODEL | PTO H.P. | FACTORY NUMBER | SUGGESTED LIST PRICE | | |
|----------------|---|---------------------------------|----------------------|-------------------------|--|--|
| 5-4 | BX1880 | 13.7 | K7B650B40 | \$9,563.00 | | |
| 5-5 | BX1880-1 | 13.7 | K7B868B00 | \$9,835.00 | | |
| 5-7 | BX2380 | 17.7 | K9B456B00 | \$11,820.00 | | |
| 5-8 | BX2380-1 | 17.7 | K10B276B00 | \$12,845.00 | | |
| 5-10 | BX2680 | 19.5 | K10B615B20 | \$13,269.00 | | |
| 5-11 | BX2680-1 | 19.5 | K11B668B00 | \$14,585.00 | | |
| 5-13 | BX23S | 17.7 | K16B587B20 | \$20,734.00 | | |
| 5-14 | BX23S-1 | 17.7 | K17B064B00 | \$21,330.00 | | |
| 5-15 | BX80 Series Dealer In | stalled Accessorie | es | | | |
| 5-17 | BX80 Series Front Loa | aders | | | | |
| 5-18 | BX80 Series Front qui | ck Hitch & Front C | Quick Hitch Impleme | nts | | |
| 5-19 | BX80 Series Front QH | Mounted Snow B | Blowers & Accessorie | es | | |
| 5-20 | BX80 Series Mid Mour | nt Mower Decks & | Accessories | | | |
| 5-21 | BX80 Series Backhoe | BX80 Series Backhoe Accessories | | | | |
| 5-21 | BX80 Series 3-Point Rear Mounted Implements & Accessories | | | | | |
| 5-22 | BX80 Series Cab & Ac | ccessories | | | | |

ASSEMBLY CHARGES (Added to Invoice)

| BX23S | \$260.00 |
|-------|----------|

KUBOTA

BX Series

BX1880 / BX1880-1

* * * EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS * * *

DIESEL ENGINE

Kubota Indirect Injection 3 Cylinder Engine EPA Tier 4 Compliant Charging Output 40 Amps 12V – 560 CCA

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center Tandem Pumps Gear Type 6.2 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch At Lift Point 1210 lbs. 24" Behind 680 lbs. Quarter Inching 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch Rear PTO – 1 Speed SAE Std 1 3/8" Six Spline 540 rpm @ 3200 Eng. rpm Mid PTO – 1 Speed 2500 rpm @ 3050 Eng. rpm

TRANSMISSION

Hydrostatic Drive Rear Differential Lock 2 Forward Ranges 2 Reverse Ranges Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering Cast Iron Bevel Gear 4WD

Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 6.6 gal.
Cooling System 2.6 qts.
Crankcase 2.85 qts.
Transmission and 3.0 gal.
Hydraulics

Front Axle 3.8 qts.

INSTRUMENTS
Tachometer/Hour meter
Oil Pressure
Fuel Gauge
Coolant Temperature

FEATURES

Deluxe Floor Mat Lighted Dash Panel Fender Mounted FEL Joystick ("V" Models) Metal Hood and Fenders One Piece Tilt Forward Hood Covered Bin with 12V Plug ROPS Height less than 7' Cup Holder

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable Seat Belt Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake SMV Sign

| Model Specifica | tions | | |
|-----------------|------------|---------------|------------|
| mousi opesiiisa | | | |
| BX1880 | | BX1880-1 | |
| SAE Gross HP: | 16.6 | SAE Gross HP: | 16.6 |
| PTO HP: | 13.7 | PTO HP: | 13.7 |
| Engine Model: | D722 | Engine Model: | D722 |
| Displacement: | 43.9 Cu In | Displacement: | 43.9 Cu In |



| BX Series | BX1880 | | | |
|------------|---|-------------------|---------------------|-------------------------|
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| | * * * STANDARD MACHINE* * * | | | |
| BX1880 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS Must Order Tires Separately | K7B650B40 | 1458 lbs | \$9,563.00 |
| BX1880V | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve Must Order Tires Separately | K8B168B00 | 1479 lbs | \$10,210.00 |
| BX1880T54 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Turf Tires, RCK54-23BX Mower Deck | K9B229B60 | 1792 lbs | \$11,537.00 |
| BX1880TV54 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Turf Tires, RCK54-23BX Mower Deck | K9B747B20 | 1526 lbs | \$12,184.00 |

| BX ² | 1880 | | | | | |
|---|-----------------|--------------------------|-------------------|---------------------|-------|----------|
| TIRES AND WHEELS [†] Additional Price With Til | | | | ire O | ption | |
| ORDER CODE | DESCRIPTION | | FACTORY NUMBER | APPROX. SHIP WT. | SU | GG. LIST |
| ABXR8674 | F-TIRE 16X7.50 | -8 6-PLY RS TURF TIRE | K44B80 | 14 lbs | \$ | 56.00 |
| ABXR8782 | R-TIRE 24x12.00 | 0-12 R3 OTR Grass Master | K91B20 | 36 lbs | \$ | 114.00 |
| ABXR8675 | F-TIRE 16X7.50 | -8 6-PLY RS BAR TIRE | K48B00 | 15 lbs | \$ | 60.00 |
| ABXR8784 | R-TIRE 24x12.00 | 0-12 R1 OTR Trac Master | K99B20 | 41 lbs | \$ | 124.00 |

[†] See Tire Section for Individual Tire Pricing and Information



| BX Series | BX1880-1 | | | |
|--------------|--|-------------------|---------------------|-------------------------|
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| | *** STANDARD MACHINE*** | | | |
| BX1880-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS Must Order Tires Separately | K7B868B00 | 1429 lbs | \$9,835.00 |
| BX1880V-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve Must Order Tires Separately | K8B404B00 | 1479 lbs | \$10,505.00 |
| BX1880T54-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Turf Tires, RCK54-23BX Mower Deck | K9B480B00 | 1792 lbs | \$11,850.00 |
| BX1880TV54-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Turf Tires, RCK54-23BX Mower Deck | K10B016B00 | 1842 lbs | \$12,520.00 |

| BX1 | 880-1 | | | | |
|------------------|--|-------------------|---------------------|--------|----------|
| TIRES AND WHEELS | t | Addition | al Price With 1 | Tire O | ption |
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SU | GG. LIST |
| ABXR8674 | F-TIRE 16X7.50-8 6-PLY RS TURF TIRE | K44B80 | 14 lbs | \$ | 56.00 |
| ABXR8782 | R-TIRE 24x12.00-12 R3 OTR Grass Master | K91B20 | 36 lbs | \$ | 114.00 |
| ABXR8675 | F-TIRE 16X7.50-8 6-PLY RS BAR TIRE | K48B00 | 15 lbs | \$ | 60.00 |
| ABXR8784 | R-TIRE 24x12.00-12 R1 OTR Trac Master | K99B20 | 41 lbs | \$ | 124.00 |

[†] See Tire Section for Individual Tire Pricing and Information

BX Series

BX2380 / BX2380-1

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota Indirect Injection 3 Cylinder Engine EPA Tier 4 Compliant Charging Output 40 Amps 12V – 560 CCA

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Type

6.2 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch At lift Point 1210 lbs. 24" Behind 680 lbs. Quarter Inching 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch Rear PTO – 1 Speed SAE Std 1 3/8" Six Spline 540 rpm @ 3200 Eng. rpm Mid PTO – 1 Speed 2500 rpm @ 3050 Eng. rpm

TRANSMISSION

Hydrostatic Drive Rear Differential Lock 2 Forward Ranges 2 Reverse Ranges Cruise Control Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering Cast Iron Bevel Gear 4WD Tread Spacing - Nonadjustable

FLUID CAPACITY

6.6 gal. Fuel Tank Cooling System BX2380 3.3 qts. BX2680 3.5 qts. Crankcase BX2380 3.5 qts. BX2680 3.7 qts. Transmission and 3.0 gal. Hydraulics Front Axle 3.8 qts.

INSTRUMENTS

Tachometer/Hour meter Oil Pressure Light Fuel Gauge Coolant Temperature

FEATURES

Deluxe Reclining High-back Seat with Arm Rests Deluxe Floor Mat Tilt Steering Lighted Dash Panel Fender Mounted FEL Joystick ("V" Models) Metal Hood and Fenders One Piece Tilt Forward Hood Covered Bin with 12V Plug ROPS Height less than 7' Cup Holder

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable Seat Belt Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake SMV Sign

| Model Specifica | tions | | |
|-----------------|------------|---------------|------------|
| BX2380 | | BX2380-1 | |
| SAE Gross HP: | 21.6 | SAE Gross HP: | 21.6 |
| PTO HP: | 17.7 | PTO HP: | 17.7 |
| Engine Model: | D902 | Engine Model: | D902 |
| Displacement: | 54.8 Cu In | Displacement: | 54.8 Cu In |



| BX Series | BX2380 | | | |
|-------------|---|-------------------|---------------------|-------------------------|
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| | *** STANDARD MACHINE *** | | | |
| BX2380 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS Must Order Tires Separately | K9B456B00 | 1506 lbs | \$11,820.00 |
| BX2380V | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve Must Order Tires Separately | K9B991B20 | 1506 lbs | \$12,489.00 |
| BX2380RV | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R4 Industrial Tires | K10B220B00 | 1692 lbs | \$12,775.00 |
| BX2380T60 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Turf Tires, RCK60B23BX Mower Deck | K11B317B60 | 1863 lbs | \$14,147.00 |
| BX2380TV60 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Turf Tires, and RCK60B23BX Mower Deck | K11B852B80 | 1839 lbs | \$14,816.00 |
| BX2380RV60 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R4 Industrial Tires, and RCK60B23BX Mower Deck | K11B893B60 | 1911 lbs | \$14,867.00 |
| BX2380TV54D | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Turf Tires, RCK54D-26BX-1 Drive-Over Mower Deck | K12B112B80 | 1860 lbs | \$15,141.00 |
| BX2380TV60D | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Turf Tires, RCK60D-26BX-1 Drive-Over Mower Deck | K12B298B40 | 1911 lbs | \$15,373.00 |
| BX2380RV60D | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R4 Industrial Tires, RCK60D-26BX-1 Drive-Over Mower Deck | K12B339B20 | 1883 lbs | \$15,424.00 |

| BX2 | 2380 | | | | |
|-------------------|--|-------------------|---------------------|-------|----------|
| TIRES AND WHEELS1 | | Addition | al Price With 1 | ire O | ption |
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SU | GG. LIST |
| ABXR8676 | F-TIRE 18x8.50-10 R3 OTR Grass Master | K51B20 | 19 lbs | \$ | 64.00 |
| ABXR8712 | R-TIRE 26x12.00-12 R3 Titan Multi Trac | K95B20 | 40 lbs | \$ | 119.00 |
| ABXR8677 | F-TIRE 18x8.50-10 OTR Trac Master | K56B80 | 21 lbs | \$ | 71.00 |
| ABXR8714 | R-TIRE 26x12.00-12 R1Maxxis Power Lug | K108B80 | 45 lbs | \$ | 136.00 |
| ABXR8678 | F-TIRE 18x8.50-10 R4 Traction Master | K59B20 | 22 lbs | \$ | 74.00 |
| ABXR8718 | R-TIRE 26x12.00-12 R4 OTR Trac Master | K112B80 | 49 lbs | \$ | 141.00 |
| ABXR8663 | F-TIRE 18x8.50-10 R14T Goodyear SST | K80B80 | 21 lbs | \$ | 101.00 |
| ABXR8664 | R-TIRE 26x12.00-12 R14T Goodyear SST | K118B40 | 52 lbs | \$ | 148.00 |

[†] See Tire Section for Individual Tire Pricing and Information

| | SCNJ 18/19 | |
|----|------------|----|
| KI | JBO | TΛ |
| N | | |
| | | |

| BX Series | BX2380-1 | | | |
|-----------------|--|-------------------|---------------------|-------------------------|
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| | *** STANDARD MACHINE *** | | | |
| BX2380V-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve Must Order Tires Separately | K10B276B00 | 1623 lbs | \$12,845.00 |
| BX2380RV-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R4 Industrial Tires | K10B524B00 | 1751 lbs | \$13,155.00 |
| BX2380R14V-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R14 Ag/Industrial Hybrid Tires | K10B584B00 | 1751 lbs | \$13,230.00 |
| BX2380TV60-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Turf Tires, and RCK60B23BX Mower Deck | K12B180B00 | 2001 lbs | \$15,225.00 |
| BX2380RV60-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R4 Industrial Tires, and RCK60B23BX Mower Deck | K12B228B00 | 2001 lbs | \$15,285.00 |
| BX2380R14V60-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R14 Ag/Industrial Hybrid Tires and RCK60B23BX Mower Deck | K12B288B00 | 2001 lbs | \$15,360.00 |
| BX2380TV60D-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Turf Tires, RCK60D-26BX-1 Drive-Over Mower Deck | K12B636B00 | 2001 lbs | \$15,795.00 |
| BX2380RV60D-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R4 Industrial Tires, RCK60D-26BX-1 Drive-Over Mower Deck | K12B684B00 | 2001 lbs | \$15,855.00 |
| BX2380R14V60D-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R14 Ag/Industrial Hybrid Tires RCK60D-26BX-1 Drive-Over Mower Deck | K12B744B00 | 2001 lbs | \$15,930.00 |

| BX23 | Addition | al Price With 1 | O | ntion | |
|---------------------------------|--|-------------------|---------------------|-------|----------|
| TIRES AND WHEELST ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | | GG. LIST |
| ABXR8676 | F-TIRE 18x8.50-10 R3 OTR Grass Master | K51B20 | 19 lbs | \$ | 64.00 |
| ABXR8712 | R-TIRE 26x12.00-12 R3 Titan Multi Trac | K95B20 | 40 lbs | \$ | 119.00 |
| ABXR8677 | F-TIRE 18x8.50-10 OTR Trac Master | K56B80 | 21 lbs | \$ | 71.00 |
| ABXR8714 | R-TIRE 26x12.00-12 R1Maxxis Power Lug | K108B80 | 45 lbs | \$ | 136.00 |
| ABXR8678 | F-TIRE 18x8.50-10 R4 Traction Master | K59B20 | 22 lbs | \$ | 74.00 |
| ABXR8718 | R-TIRE 26x12.00-12 R4 OTR Trac Master | K112B80 | 49 lbs | \$ | 141.00 |
| ABXR8663 | F-TIRE 18x8.50-10 R14T Goodyear SST | K80B80 | 21 lbs | \$ | 101.00 |
| ABXR8664 | R-TIRE 26x12.00-12 R14T Goodyear SST | K118B40 | 52 lbs | \$ | 148.00 |

[†] See Tire Section for Individual Tire Pricing and Information

BX Series

BX2680 / BX2680-1

* * * EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS * * *

DIESEL ENGINE

Kubota Indirect Injection 3 Cylinder Engine EPA Tier 4 Compliant Charging Output 40 Amps 12V – 560 CCA

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Type

6.2 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch At lift Point 1210 lbs. 24" Behind 680 lbs. Quarter Inching 3-Point Valve

POWER TAKE OFF

Engine Model:

Displacement:

Live Independent with Hydraulic Clutch Rear PTO – 1 Speed SAE Std 1 3/8" Six Spline 540 rpm @ 3200 Eng. rpm Mid PTO – 1 Speed 2500 rpm @ 3050 Eng. rpm

D1005

61.1 Cu In

TRANSMISSION

Hydrostatic Drive Rear Differential Lock 2 Forward Ranges 2 Reverse Ranges Cruise Control Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering Cast Iron Bevel Gear 4WD Tread Spacing - Nonadjustable

FLUID CAPACITY

Fuel Tank 6.6 gal. Cooling System BX2380 3.3 qts. BX2680 3.5 qts. Crankcase BX2380 3.5 qts. BX2680 3.7 qts. Transmission and 3.0 gal. Hydraulics Front Axle 3.8 ats.

INSTRUMENTS

Engine Model:

D1005

61.1 Cu li

Tachometer/Hour meter Oil Pressure Light Fuel Gauge Coolant Temperature

FEATURES

Deluxe Reclining High-back Seat with Arm Rests Deluxe Floor Mat Tilt Steering Lighted Dash Panel Fender Mounted FEL Joystick ("V" Models) Metal Hood and Fenders One Piece Tilt Forward Hood Covered Bin with 12V Plug ROPS Height less than 7' Cup Holder

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable Seat Belt Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake SMV Sign

Model Specifications BX2680 BX2680-1 SAE Gross HP: 24.8 SAE Gross HP: 24.8 PTO HP: 19.5 PTO HP: 19.5

| BX Series | BX2680 | | | |
|-------------|---|-------------------|---------------------|-------------------------|
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| | *** STANDARD MACHINE *** | | | |
| BX2680 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS Must Order Tires Separately | K10B615B20 | 1715 lbs | \$13,269.00 |
| BX2680TV | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Turf Tires | K11B338B40 | 1715 lbs | \$14,173.00 |
| BX2680BV | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Bar Tires | K11B368B00 | 1734 lbs | \$14,210.00 |
| BX2680RV | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R4 Industrial Tires | K11B379B20 | 1673 lbs | \$14,224.00 |
| BX2680TV60 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Turf Tires, RCK60B23BX Mower Deck | K13B012B00 | 1964 lbs | \$16,265.00 |
| BX2680RV60 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R4 Tires, RCK60B23BX Mower Deck | K13B052B80 | 1937 lbs | \$16,316.00 |
| BX2680TV60D | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Turf Tires, and RCK60D-26BX-1 Drive-Over Mower Deck | K13B457B60 | 1964 lbs | \$16,822.00 |
| BX2680RV60D | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R4 Industrial Tires, and RCK60D-26BX-1 Drive-Over Mower Deck | K13B498B40 | 1937 lbs | \$16,873.00 |

| BX26 | 80 | | | |
|-------------------------------|--|----------------|-------------------|------------------|
| TIRES AND WHEELS [†] | | | Additional Price | With Tire Option |
| ORDER CODE | DESCRIPTION | Weight Each | FACTORY NUMBER | SUGG. LIST |
| ABXR8676 | F-TIRE 18x8.50-10 R3 OTR Grass Master | 19 lbs | K51B20 | \$ 64.00 |
| ABXR8712 | R-TIRE 26x12.00-12 R3 Titan Multi Trac | 40 lbs | K95B20 | \$ 119.00 |
| ABXR8677 | F-TIRE 18x8.50-10 OTR Trac Master | 21 lbs | K56B80 | \$ 71.00 |
| ABXR8714 | R-TIRE 26x12.00-12 R1Maxxis Power Lug | 45 lbs | K108B80 | \$ 136.00 |
| ABXR8678 | F-TIRE 18x8.50-10 R4 Traction Master | 22 lbs | K59B20 | \$ 74.00 |
| ABXR8718 | R-TIRE 26x12.00-12 R4 OTR Trac Master | 49 lbs | K112B80 | \$ 141.00 |
| ABXR8663 | F-TIRE 18x8.50-10 R14T Goodyear SST | 21 lbs | K80B80 | \$ 101.00 |
| ABXR8664 | R-TIRE 26x12.00-12 R14T Goodyear SST | 52 lbs | K118B40 | \$ 148.00 |

 $^{^{\}dagger}$ See Tire Section for Individual Tire Pricing and Information

| BX Series | BX2680-1 | | | |
|------------------|---|-------------------|---------------------|-------------------------|
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| | * * * STANDARD MACHINE * * * | | | |
| BX2680TV-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Turf Tires | K11B668B00 | 1751 lbs | \$14,585.00 |
| BX2680RV-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R4 Industrial Tires | K11B716B00 | 1751 lbs | \$14,645.00 |
| BX2680R14V-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R14 Ag/Industrial Hybrid Tires | K11B776B00 | 1751 lbs | \$14,720.00 |
| BX2680TV60-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Turf Tires and RCK60B23BX Mower Deck | K13B372B00 | 2112 lbs | \$16,715.00 |
| BX2680RV60-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R4 Tires and RCK60B23BX Mower Deck | K13B420B00 | 2112 lbs | \$16,775.00 |
| BX2680R14V60-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R14 Ag/Industrial Hybrid Tires RCK60B23BX Mower Deck | K13B480B00 | 2112 lbs | \$16,850.00 |
| BX2680TV60D-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, Turf Tires, and RCK60D-26BX-1 Drive-Over Mower Deck | K13B828B00 | 2112 lbs | \$17,285.00 |
| BX2680RV60D-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R4 Industrial Tires, and RCK60D-26BX-1 Drive-Over Mower Deck | K13B876B00 | 2112 lbs | \$17,345.00 |
| BX2680R14V60D-1 | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS PLUS: Loader Valve, R14 Ag/Industrial Hybrid Tires and RCK60D-26BX-1 Drive-Over Mower Deck | K13B936B00 | 2112 lbs | \$17,420.00 |

| BX2 | 680-1 | | | |
|------------------|--|----------------|-----------------------|---------------|
| TIRES AND WHEELS | † | | Additional Price With | n Tire Option |
| ORDER CODE | DESCRIPTION | Weight Each | FACTORY NUMBER | SUGG. LIST |
| ABXR8676 | F-TIRE 18x8.50-10 R3 OTR Grass Master | 19 lbs | K51B20 | \$ 64.00 |
| ABXR8712 | R-TIRE 26x12.00-12 R3 Titan Multi Trac | 40 lbs | K95B20 | \$ 119.00 |
| ABXR8677 | F-TIRE 18x8.50-10 OTR Trac Master | 21 lbs | K56B80 | \$ 71.00 |
| ABXR8714 | R-TIRE 26x12.00-12 R1Maxxis Power Lug | 45 lbs | K108B80 | \$ 136.00 |
| ABXR8678 | F-TIRE 18x8.50-10 R4 Traction Master | 22 lbs | K59B20 | \$ 74.00 |
| ABXR8718 | R-TIRE 26x12.00-12 R4 OTR Trac Master | 49 lbs | K112B80 | \$ 141.00 |
| ABXR8663 | F-TIRE 18x8.50-10 R14T Goodyear SST | 21 lbs | K80B80 | \$ 101.00 |
| ABXR8664 | R-TIRE 26x12.00-12 R14T Goodyear SST | 52 lbs | K118B40 | \$ 148.00 |

[†] See Tire Section for Individual Tire Pricing and Information



BX Series

BX23S / BX23S-1

* * * EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS * * *

DIESEL ENGINE

Kubota Indirect Injection 3 Cylinder Engine EPA Tier 4 Compliant Charging Output 40 Amps 12V - 560 CCA

EXHAUST EMISSION CONTROL TYPE

No Exhaust After Treatment Required

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Type 6.2 gpm Total Hyd. Flow

3-POINT HITCH & DRAWBAR

Cat I 3-Point Hitch At lift Point 1210 lbs. 24" Behind 680 lbs. Quarter Inching 3-Point Valve

POWER TAKE OFF

Live Independent with Hydraulic Clutch Rear PTO - 1 Speed SAE Std 1 3/8" Six Spline 540 rpm @ 3200 Eng. rpm Mid PTO – 1 Speed 2500 rpm @ 3050 Eng. rpm

TRANSMISSION Hydrostatic Drive Rear Differential Lock 2 Forward Ranges 2 Reverse Ranges Cruise Control Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering Cast Iron Bevel Gear 4WD Tread Spacing - Nonadjustable

FLUID CAPACITY

6.6 gal. Fuel Tank Cooling System 3.3 qts. Crankcase 3.5 ats. Transmission and 3.0 gal. Hydraulics 3.8 ats. Front Axle

INSTRUMENTS

Tachometer/Hour meter Oil Pressure Light Fuel Gauge Coolant Temperature

FEATURES

Reclining High-back Seat with Arm Rests Deluxe Floor Mat Tilt Steering Lighted Dash Panel Fender Mounted FEL Joystick Metal Hood and Fenders One Piece Tilt Forward Hood Covered Bin with 12V Plug Cup Holder

SAFETY EQUIPMENT

2-Post Foldable ROPS w/Retractable Seat Belt Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake SMV Sign

| BX23S | | BX23S-1 | |
|---------------|------------|---------------|------------|
| SAE Gross HP: | 21.6 | SAE Gross HP: | 21.6 |
| PTO HP: | 17.7 | PTO HP: | 17.7 |
| Engine Model: | D902 | Engine Model: | D902 |
| Displacement: | 54.8 Cu In | Displacement: | 54.8 Cu In |



| BX Series | BX23S | | | | |
|-----------------------------------|--|----------------|-------------------|---------------------|-------------------------|
| ORDER CODE | DESCRIPTION | | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| MACHINE * * * | | | | | |
| BX23SLB-R | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS LA340 Loader, BT603 Backhoe PLUS: R4 Industrial Tires Includes Loader Bucket | S | K16B587B20 | 2475 lbs | \$20,734.00 |
| BX23SLB-T | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS LA340 Loader, BT603 Backhoe PLUS: Turf Tires Includes Loader Bucket | S | K16B546B40 | 2475 lbs | \$20,683.00 |
| BX23SLSB-R | 4WD Sub-Compact Tractor - 2 Post Foldable ROP: LA340S Loader (with 2-Lever Quick Coupler), BT603 PLUS: R4 Industrial Tires Includes Loader Bucket | | K17B000B80 | 2475 lbs | \$21,251.00 |
| BX23SLSB-T | 4WD Sub-Compact Tractor - 2 Post Foldable ROPS LA340S Loader (with 2-Lever Quick Coupler), BT603 PLUS: Turf Tires Includes Loader Bucket | | K16B960B00 | 2475 lbs | \$21,200.00 |
| 3-POINT HITCH (CAT. I) | | | | | |
| BX2506 | 3-Point Hitch Kit | | K175B20 | 49 lbs | \$219.00 |
| *** MANDATORY - MUST (BUCKETS | ORDER ONE *** | | | | |
| BT2930A | 8" Bucket | | K303B20 | 32 lbs | \$379.00 |
| BT2931A | 12" Bucket | | K410B40 | 41 lbs | \$513.00 |
| BT2416 | 16" Bucket | | K432B80 | 47 lbs | \$541.00 |
| BX23S | | | | | |
| DEALER INSTALLED TIRI | | | | | |
| ORDER CODE | | Veight Each | FACTORY NUMBER | | SUGG. LIST |
| ABXR8663 | = | 21 lbs | K80B80 | | \$ 101.00 |
| ABXR8664 | R-TIRE 26x12.00-12 R14T Goodyear SST | 52 lbs | K118B40 | | \$ 148.00 |

| BX Series | BX23S-1 | | | | |
|-----------------------|--|----------|-------------------|---------------------|-------------------------|
| ORDER CODE | DESCRIPTION | | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| | * * * STANDARD MACHIN | IE * * * | | | |
| BX23SLB-R-1 | 4WD Sub-Compact Tractor - 2 Post Foldable R LA340 Loader, BT603 Backhoe PLUS: R4 Industrial Tires Includes Loader Bucket | OPS | K17B064B00 | 2475 lbs | \$21,330.00 |
| BX23SLB-R14-1 | 4WD Sub-Compact Tractor - 2 Post Foldable R LA340 Loader, BT603 Backhoe PLUS: R14 Ag/Industrial Hybrid Tires Includes Loader Bucket | OPS | K17B124B00 | 2475 lbs | \$21,405.00 |
| BX23SLSB-R-1 | 4WD Sub-Compact Tractor - 2 Post Foldable R LA340S Loader (with 2-Lever Quick Coupler), BT6 PLUS: R4 Industrial Tires Includes Loader Bucket | | K17B488B00 | 2475 lbs | \$21,860.00 |
| BX23SLSB-T-1 | 4WD Sub-Compact Tractor - 2 Post Foldable R LA340S Loader (with 2-Lever Quick Coupler), BT6 PLUS: Turf Tires Includes Loader Bucket | | K17B440B00 | 2475 lbs | \$21,800.00 |
| BX23SLSB-R14-1 | 4WD Sub-Compact Tractor - 2 Post Foldable R LA340S Loader (with 2-Lever Quick Coupler), BT6 PLUS: R14 Ag/Industrial Hybrid Tires Includes Loader Bucket | | K17B548B00 | 2475 lbs | \$21,935.00 |
| 3-POINT HITCH (CAT. I |) | | | | |
| BX2506 | 3-Point Hitch Kit | | K175B20 | 49 lbs | \$219.00 |
| *** MANDATORY - MUS | ST ORDER ONE *** | | | | |
| BUCKETS BT2930A | 8" Bucket | | K303B20 | 32 lbs | \$379.00 |
| B12930A | o bucket | | K303B20 | 32 lb3 | \$379.00 |
| BT2931A | 12" Bucket | | K410B40 | 41 lbs | \$513.00 |
| BT2416 | 16" Bucket | | K432B80 | 47 lbs | \$541.00 |
| BX23 | | | | | |
| DEALER INSTALLED T | IRE OPTION | Weight | FACTORY | | |
| ORDER CODE | DESCRIPTION | Each | NUMBER | | SUGG. LIST |
| ABXR8663 | F-TIRE 18x8.50-10 R14T Goodyear SST | 21 lbs | K80B80 | | \$ 101.00 |
| ABXR8664 | R-TIRE 26x12.00-12 R14T Goodyear SST | 52 lbs | K118B40 | | \$ 148.00 |



| BX Series | BX80 / BX80-1 | | | |
|----------------------|--|-------------------|---------------------|-------------------------|
| DEALER INS | STALLED ACCESSORIES | | | |
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| HYDRAULICS/HIT | TCH/DRAWBAR | NOMBER | Orini Wii. | LIGITIKICE |
| HYDRAULIC REAR REM | | | | |
| BX2419 | Dual Rear Remote Valve Kit for BX80 / BX80-1 Not compatible with BX23S / BX23S-1 | K269B60 | 17 lbs | \$337.00 |
| ROPS ACCESSO | RIES | | | |
| CANOPY | | | | |
| E1175 | Universal Lightweight Quick Attach Canopy Kit Includes Mounting Bracket and Canopy | K416Z00 | 90 lbs | \$520.00 |
| E1123 | Fiberglass Canopy - BX80 / BX80-1 Requires E1124 Mounting Kit Not compatible with BX23S / BX23S-1 | K264Z42 | 90 lbs | \$339.00 |
| E1124 | Fiberglass Canopy Mounting Kit | K147Z42 | 28 lbs | \$189.00 |
| E1134 | Fiberglass Canopy - BX23S / BX23S-1 Requires E1136 Mounting Kit BX23S / BX23S-1 only | K327M20 | 63 lbs | \$409.00 |
| E1136 | Fiberglass Canopy Mounting Kit | K161M60 | 29 lbs | \$202.00 |
| E1133 | Plastic Canopy | K367B20 | 63 lbs | \$459.00 |
| WORK LIGHTS | | | | |
| E1176 | Universal LED Light Kit (2 Lights w/ Shields) Mounts to Holes in ROPS | K207A20 | 6 lbs | \$259.00 |
| BX7356A | ROPS-Mount Lights (2), 4-LED Front/Rear Adjustable, 700 Lumen | K167B20 | 4 lbs | \$209.00 |
| BX7336 | ROPS-Mount Lights (2), Non-LED | K78B40 | 4 lbs | \$98.00 |
| BALLAST | | | | |
| BALLAST BOX B8160 | Ballast Box - 3-Point Mount | K205B60 | 101 lbs | \$257.00 |
| 50100 | Recommended when Front Loader is installed | NZ00B00 | 101103 | Ψ201.00 |
| WB10 | Quick Hitch Compatible Weight Box | (Ord | ler From Land | Pride) |
| FRONT WEIGHT BRAC | | | | |
| BX8064A | Weight Bracket Able to hold up to 5 Weights Not Compatible with Grill Guard | K83B20 | 23 lbs | \$104.00 |
| FRONT SUITCASE WEI | GHTS | | | |
| BL8069 | Suitcase Weight (55 lbs. Each) Requires BX8064A Requires One BL8049 per Weight Requires One BL8013 for all weight stacks | K59B20 | 55 lbs | \$74.00 |
| FRONT WEIGHT BOLT | | | 4.0 | |
| BL8049 | Weight Bolt Kits - 1 Kit per BL8049 | K6B40 | 1 lbs | \$8.00 |
| BL8013 | Thread Bolt Kit for All Weight Stacks *Cut Bolt to Length for Stacks Less than 5 | K9B60 | 3 lbs | \$12.00 |
| REAR WHEEL WEIGHT | | | | |
| BX8113 | BX Series Rear Wheel Weight (50 lbs. each) Set of 1 weight, Two Required (One Per Side) Hardware included | K84B80 | 52 lbs | \$106.00 |
| | | | | |



SUGGESTED

\$487.00

125 lbs

K389B60

BX Series BX80 / BX80-1

DEALER INSTALLED ACCESSORIES APPROX. FACTORY ORDER CODE DESCRIPTION

NUMBER SHIP WT. LIST PRICE ADDITIONAL ACCESSORIES **BLOCK HEATER** 70000-00298 Block Heater for BX1880 / BX1880-1 (Order from the Parts Department) Not compatible with BX4071 Cab Heater Kit. 77700-09703 Block Heater for BX1880 / BX1880-1 (Order from the Parts Department) Compatible with BX4071 Cab Heater Kit. 70000-00776 Block Heater for BX2380 / BX2380-1 / BX23S / BX23S-1 (Order from the Parts Department) 70000-73274 Block Heater for BX2680 / BX2680-1 (Order from the Parts Department) TOOL BOX K52B00 \$65.00 **GRILL GUARD - NON-LOADER APPLICATION** Grill Guard for Non-Loader Application K132B00 28 lbs \$165.00

CRUISE CONTROL Cruise Control option for BX1880 / BX1880-1

K71B20 3 lbs \$89.00 REPLACEMENT ROPS SFBX-F268 Replacement Foldable ROPS K389B60 125 lbs \$487.00 for BX1880 / BX2380 / BX2680 for BX1880-1 / BX2380-1 / BX2680-1

SFBX-F23S Replacement Foldable ROPS for BX23S / BX23S-1

SPARK ARRESTING MUFFLER 70000-01604 Spark Arresting Muffler (Order from the Parts Department)

| BX Series | BX80 / BX80-1 | | | |
|----------------|---|-------------------|---------------------|-------------------------|
| Front End L | oaders | | | |
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| FRONT END LOA | DERS | | | |
| LA344 | Front End Loader for BX1880 / BX2380 / BX2680 Front End Loader for BX1880-1 / BX2380-1 / BX2680-1 Includes Loader Frame, Grille Guard, 48" Rigid Bucket Requires Loader Control Valve | K2B244X80 | 575 lbs | \$2,806.00 |
| LA344S | Front End Loader for BX1880 / BX2380 / BX2680 Front End Loader for BX1880-1 / BX2380-1 / BX2680-1 Includes Loader Frame, Grille Guard, 2-Lever QC, and 48" QC Bucket Does not include Bucket Level Indicator Rod Requires Loader Control Valve | K2B659X20 | 700 lbs | \$3,324.00 |
| OPTIONAL FROM | IT LOADER KITS | | | |
| BX2412 | 3rd Function Valve Kit Must order hydrualic line quick couplers. | K544B00 | 19 lbs | \$680.00 |
| 380-289A | 3rd Function Valve Kit from Land Pride | (Ord | er from Land | Pride) |
| BX2411 | Bucket Level Indicator Rod | K53B60 | 7 lbs | \$67.00 |
| LOADER CONTR | OL VALVES | | | |
| BX2417 | 3-Position Loader Control Valve for LA344 / LA344S | K548B80 | 44 lbs | \$686.00 |
| REPLACEMENT I | BUCKETS | | | |
| BX2348 | 48" Pin-On Replacement Bucket | K301B60 | 125 lbs | \$377.00 |
| BX2448 | 48" Quick Coupler Bucket Requires Quick Coupler | K343B20 | 125 lbs | \$429.00 |
| BX2414 | Bolt on Cutting Edge for 48" Bucket | K95B20 | 23 lbs | \$119.00 |
| QUICK ATTACH | | | | |
| BX2410 | Standard 2-Lever Quick Attach Attach Coupler | K362B40 | 98 lbs | \$453.00 |
| QUICK ATTACH I | PALLET FORK FRAME / PALLET FORKS | | | |
| BX2415 | 2-Lever QA Pallet Fork Frame Requires Quick Coupler and Pallet Forks | K516B80 | 94 lbs | \$646.00 |
| K9184 | 32" Pallet Forks | K274B40 | 218 lbs | \$343.00 |
| QUICK ATTACH I | FRONT LOADER BLADES & ACCESSORIES | | | |
| B2672 | 60" Straight Blade w/ Man. Angle Requires Quick Coupler | K1B444B80 | 475 lbs | \$1,806.00 |
| B2671 | Hydraulic Angulation Kit for B2672 Requires 3rd Function Valve Kit | K418B40 | 14 lbs | \$523.00 |
| B2766 | 60" Rubber Cutting Edge | K180B00 | 49 lbs | \$225.00 |
| | | | | |



| BX Series | BX80 / BX80-1 | | | |
|---------------|--|----------------------------|---------------------|-------------------------|
| Front Quick | Hitch & Front Quick Hitch Imp | lements | | |
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| FRONT QUICK H | ITCH FRAME& COUPLER | | | |
| BX2810 | 4-Point Front Quick Hitch Mid Mount Mower Decks and Bracing must be removed to | K600B80 o install Hitch | 90 lbs | \$751.00 |
| FRONT QH DRIV | ELINE KITS | | | |
| BX2811 | Mid PTO Driveline Kit for BX2810 Required for PTO Powered Front Implements | K584B80 | 34 lbs | \$731.00 |
| FRONT QH MOU | NTED ROTARY SWEEPERS & ACCESSORIE | S | | |
| BX2814A | 60" Heavy Duty Rotary Sweeper with Hyd. Angle Includes Dethatching Wheels Requires Quick Hitch, Mid PTO Driveline Kit, and Loader Control Valve | K1B968X00 | 480 lbs | \$2,460.00 |
| BX2815 | Dust Deflector Kit for BX2814 | K130B40 | 60 lbs | \$163.00 |
| FRONT QH MOU | NTED BLADES AND ACCESSORIES | | | |
| BX2812A | 60" Blade - Hyd. Angle Requires Quick Hitch and Loader Control Valve | K1B153X60 | 290 lbs | \$1,442.00 |
| BX2825 | Skid Shoes for BX2812 | K116B80 | 17 lbs | \$146.00 |
| BX2813 | Rubber Edge for BX2812 | K179B20 | 50 lbs | \$224.00 |



| BX Series | BX80 / BX80-1 | | | |
|-----------------------|---|-------------------|---------------------|-------------------------|
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| FRONT QH MOU | NTED SNOW BLOWERS & ACCESSORIES | | | |
| BX2830 | 48" Two Stage Commercial Snow Blower Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Loader Control Valve | K2B764X00 | 370 lbs | \$3,455.00 |
| BX2816 | 50" Two Stage Residential Snow blower Manual Rotator and Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Loader Control Valve | K1B733X60 | 313 lbs | \$2,167.00 |
| BX2822A | 55" Two Stage Commercial Snow blower Hydraulic Rotator and Manual Deflector Requires Quick Hitch, Mid PTO Driveline Kits, and Loader Control Valve Not Compatible with BX1880 | K2B947X20 | 370 lbs | \$3,684.00 |
| BX2818A | Hydraulic Chute Rotation for BX2816 | K692B00 | 11 lbs | \$865.00 |
| BX2819A | Electric Chute Rotation Kit for BX2816 | K328B00 | 5 lbs | \$410.00 |
| BX2820A | Electric Chute Deflector Kit for BX2816 / BX2822A / BX2830 | K432B80 | 6 lbs | \$541.00 |
| BX2821 <mark>A</mark> | Hydraulic Chute Deflector Kit for BX2816 / BX2822A / BX2830 | K863B20 | 21 lbs | \$1,079.00 |
| BX2817 | Hard Plastic Shoes and Cutting Edge for BX2816 | K203B20 | 2 lbs | \$254.00 |
| BX2823 | Hard Plastic Shoes and Cutting Edge for BX2822A | K212B00 | 7 lbs | \$265.00 |
| BX2831 | Hard Plastic Shoes and Cutting Edge for BX2830 | K244B80 | 20 lbs | \$306.00 |
| GR2714 | Drift Cutters for BX2816 | K48G80 | 4 lbs | \$61.00 |
| BX5447 | Drift Cutters for BX2822A / BX2830 | K68B00 | 9 lbs | \$85.00 |



| BX Series | BX80 / BX80-1 | | | | |
|---------------|---|-----------------------------------|---------------------|-------------------------|--|
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE | |
| MID MOUNT MOV | VER DECKS & ACCESSORIES | | | | |
| RCK48-18BX | 48" Cutting Width - 3 Blade Finish Mower RH Discharge, for BX1880 / BX1880-1 | K1B289X60 | 250 lbs | \$1,612.00 | |
| RCK54-23BX | 54" Cutting Width - 3 Blade Finish Mower RH Discharge, for all BX80 / BX80-1 Series | K1B495X20 | 282 lbs | \$1,869.00 | |
| RCK60B23BX | 60" Cutting Width - 3 Blade Finish Mower RH Discharge, for BX2380 / BX2680 / BX23S RH Discharge, for BX2380-1 / BX2680-1 / BX23S-1 | K1B680X80 | 317 lbs | \$2,101.00 | |
| RCK54D-26BX-1 | 54" Cutting Width - 3 Blade Finish Mower RH Discharge, for BX2380 / BX2680 / BX23S RH Discharge, for BX2380-1 / BX2680-1 / BX23S-1 BX23S / BX23S-1 Requires Drive-Over Deck Ramp Kit For Mowers with SN 40000 or Prior Easy-Over Mower Deck Not Compatible with Bar-type tires Must remove Lift Linkage to install Front Hitch, if equipped | K1B942X40 | 318 lbs | \$2,428.00 | |
| RCK60D-26BX-1 | 60" Cutting Width - 3 Blade Finish Mower RH Discharge, for BX2380 / BX2680 / BX23S RH Discharge, for BX2380-1 / BX2680-1 / BX23S-1 BX23S / BX23S-1 Requires Drive-Over Deck Ramp Kit For Mowers with SN 40000 or Prior Easy-Over Mower Deck Not Compatible with Bar-type tires Must remove Lift Linkage to install Front Hitch, if equipped | K2B127X20 | 320 lbs | \$2,659.00 | |
| BX2420 | Drive-Over Deck Ramp Kit for BX23S / BX23S-1 (For Mowers with SN 40000 or Prior) | K208B80 | 26 lbs | \$261.00 | |
| GCK60-26BX | Grass Catcher 3 Bag (9.5 Bushels) 3-Pt Mount, Rear PTO Driven Requires Boot Kit | K1B572X00 | 240 lbs | \$1,965.00 | |
| BX3025 | Boot Kit for RCK48-18BX | K228B00 | 26 lbs | \$285.00 | |
| BX3026 | Boot Kit for RCK54-23BX | K228B00 | 26 lbs | \$285.00 | |
| BX3027 | Boot Kit for RCK60B23BX | K228B00 | 28 lbs | \$285.00 | |
| BX3015 | Boot Kit for RCK60D-26BX-1 | K228B00 | 27 lbs | \$285.00 | |
| BX3016 | Boot Kit for RCK54D-26BX-1 | K228B00 | 33 lbs | \$285.00 | |
| 70000-72900 | Mulching Kit for RCK48-18BX Includes 3 Blades | (Order from the Parts Department) | | | |
| 70000-70467 | Mulching Kit for RCK54-23BX and RCK54D-26BX-1 Requires 70000-77037 Mulching Blades (3) | (Order from the Parts Department) | | | |
| 70000-02505 | Mulching Kit for RCK60B23BX and RCK60D-26BX-1 Requires 70000-70038 Mulching Blades (3), 70000-02507 Left Baffle Kit (1) | (Order from the Parts Department) | | | |



| BX Series | BX80 / BX80-1 | | | |
|---------------------|---|-------------------|---------------------|-------------------------|
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| BACKHOE ACCE | SSORIES | | | |
| BT2930A | 8" Backhoe Bucket | K303B20 | 32 lbs | \$379.00 |
| BT2931A | 12" Backhoe Bucket | K410B40 | 41 lbs | \$513.00 |
| BT2416 | 16" Backhoe Bucket | K432B80 | 47 lbs | \$541.00 |
| BX6316 | Mechanical Thumb | K314B40 | 41 lbs | \$393.00 |
| BX9468 | Rubber Flip Pad Requires 2 per Backhoe | K104B00 | 19 lbs | \$130.00 |

3-POINT REAR MOUNTED IMPLEMENTS & ACCESSORIES

| B2789 | 51" Two Stage Snow Blower (3-Pt Mount) Requires either Manual or Hydraulic Chute Rotation Kit Requires 3 Front Suitcase Weights, if no Loader | K2B222B40 | 390 lbs | \$2,778.00 |
|---------|---|-----------|---------|------------|
| BL2665 | Manual Chute Rotation Kit Not compatible with Cab. | K140B00 | 11 lbs | \$175.00 |
| B2784A | Hydraulic Chute Rotation Kit Requires a Minimum of 1 Rear Remote | K681B60 | 14 lbs | \$852.00 |
| BL2666A | Hydraulic Chute Deflector Kit Requires Hydraulic Chute Rotation Kit | K780B80 | 22 lbs | \$976.00 |
| B2516A | Electric Chute Deflector Kit | K516B80 | 9 lbs | \$646.00 |
| L2177 | Side Extension Kit - 5" | K92L80 | 27 lbs | \$116.00 |

| BX Series | BX80 / BX80-1 | | | |
|---------------|---|-------------------|---------------------|-------------------------|
| ORDER CODE | DESCRIPTION | FACTORY NUMBER | APPROX. SHIP WT. | SUGGESTED LIST PRICE |
| CAB & CAB ACC | ESSORIES | | | |
| BX4070A | Drop On Cab for BX80 / BX80-1 Series Installation of Rear Wheel Weights is advised. Standard features include Cab Heater, Front Wiper Kit, & Front LED Light Kit | K4B776X00 | 390 lbs | \$5,970.00 |
| BX4090A | Drop On Cab for BX23S / BX23S-1 Standard features include Cab Heater, Front Wiper Kit, & Front LED Light Kit | K5B072X00 | 390 lbs | \$6,340.00 |
| BX4073 | Rear Wiper Kit for CAB | K203B20 | 5 lbs | \$254.00 |
| BX4075 | Rear LED Light Kit | K160B80 | 4 lbs | \$201.00 |
| BX4077 | CAB Seal Kit | K182B40 | 16 lbs | \$228.00 |