M SERIES

WHOLEGOODS PRICE LIST

Effective Jun 09, 2021

Please replace all pages of this section of the current price book. These pages are a complete revision of this section. All prices are effective as of June 9th, 2021.

3/12/2021 Added R14 Tires to MX Series 6/9/2021 Added Beacon Light Kit to M5 and M6 models 6/9/2021 Changed Description for M4509(V)

6/9/2021 Added Field Installation Note to AMR8640

M SERIES

PAGE	MODEL	РТО Н.Р.	FACTORY NUMBER	SUGGESTED LIST PRICE
9-4	MX4800F*	41	K17M623M20	\$22.029.00
9-4	MX4800DT*	41	K21M861M60	\$27,327.00
9-4	MX4800HST*	39	K23M144M00	\$28,930.00
9-4	MX5200F*	46	K18M492M00	\$23,115.00
9-4	MX5200DT*	46	K22M841M60	\$28,552.00
9-4	MX5200HST*	44	K24M124M00	\$30,155.00
9-4	MX5800HST*	50	K25M382M40	\$31,728.00
9-12	MX5400F	47	K18M856M80	\$23,571.00
9-12	MX5400DT	47	K23M206M40	\$29,008.00
9-12	MX5400DTC	47	K29M642M40	\$37,053.00
9-12	MX5400HST	47	K24M488M80	\$30,611.00
9-12	MX5400HSTC	47	K30M924M00	\$38,655.00
9-12	MX6000HST	52	K25M747M20	\$32,184.00
9-12	MX6000HSTC	52	K32M182M40	\$40,228.00
9-21	M5660SUH	50	K21M920M80	\$27,401.00
9-21	M5660SUHD	50	K25M687M20	\$32,109.00
9-32	M6060HFC	56	K31M595M20	\$39,494.00
9-32	M6060HD	56	K27M648M00	\$34,560.00
9-32	M6060HDC	56	K34M634M40	\$43,293.00
9-32	M7060HFC	64	K33M564M00	\$41,955.00
9-32	M7060HD	64	K29M624M80	\$37,031.00
9-32	M7060HDC	64	K36M611M20	\$45,764.00
9-32	M7060HD12	64	K31M442M40	\$39,303.00
9-32	M7060HDC12	64	K38M428M80	\$48,036.00
9-44	M4D-061HDC12	52	K41M828M00	\$52,285.00
9-44	M4-071HDC12	60	K40M860M00	\$51,075.00
9-44	M4D-071HDC12	60	K43M369M60	\$54,212.00
9-52	M5-091HF-1	76	K35M740M80	\$44,676.00
9-52	M5-091HFC-1	76	K45M084M80	\$56,356.00
9-52	M5-111HF-1	89	K37M859M20	\$49,133.00
9-52	M5-111HFC-1	89	K47M551M20	\$59,439.00
9-52	M5-091HD-1	76	K40M859M20	\$51,074.00
9-52	M5-091HD12-1	76	K41M890M40	\$52,363.00
9-52	M5-091HDC-1	76	K49M104M00	\$61,380.00
9-52	M5-091HDC12-1	76	K50M136M00	\$62,670.00
9-52	M5-111HD-1	89	K43M322M40	\$54,153.00
9-52	M5-111HD12-1	89	K43M322M40	\$55,445.00
9-52	M5-111HDC-1	89	K51M567M20	\$64,459.00
9-52	M5-111HDC12-1	89	K52M601M60	\$65,752.00
9-52	M5-111HDC24-1	89	K55M288M00	\$69,110.00
9-65	M5L-111SN	89	K48M575M60	\$60,762.00
9-72	M4N-071HD12	61	K38M893M60	\$48,617.00
9-72	M5N-091HD12	78	K46M219M20	\$56,086.00
9-72	M5N-091HD24	75	K47M942M40	\$65,227.00
9-72	M5N-111HD12	91	K52M181M60	\$63,539.00
9-72	M5N-111HD24	88	K53M904M80	\$67,381.00

M SERIES

PAGE	MODEL	РТО Н.Р.	FACTORY NUMBER	SUGGESTED LIST PRICE
9-72	M4N-071HDC12	61	K48M412M00	\$60,515.00
9-72	M5N-091HDC12	78	K53M665M60	\$67,082.00
9-72	M5N-091HDC24	75	K55M388M80	\$69,236.00
9-72	M5N-111HDC12	91	K59M628M80	\$74,536.00
9-72	M5N-111HDC24	88	K61M352M80	\$76,691.00
9-72	M5N-091HDC12PC	88	K62M369M60	\$77,962.00
9-82	M6-101DTC-F	82	K68M260M00	\$85,325.00
9-82	M6-111DTC-F	92	K71M267M20	\$89,084.00
9-90	M6S-111SHF	95	K46M557M60	\$58,197.00
9-90	M6S-111SHC	95	K52M875M20	\$66,094.00
9-90	M6S-111SHD	95	K51M558M40	\$64,448.00
9-90	M6S-111SDS2	95	K53M965M60	\$67,457.00
9-90	M6S-111SHDC	95	K57M691M20	\$72,114.00
9-90	M6S-111SHDC2	95	K58M140M00	\$72,675.00
9-90	M6S-111SDSC	95	K59M649M60	\$74,562.00
9-90	M6S-111SDSC2	95	K60M098M40	\$75,123.00
9-98	M6-131DTC-F	104	K76M968M00	\$96,210.00
9-98	M6-141DTC-F	114	K81M825M60	\$102,282.00
9-98	M6-141DTSC-F	114	K90M352M00	\$112,940.00
9-106	M6H-101SHD	84	K55M500M00	\$69,375.00
9-110	M6L-111SDS	95	K51M194M40	\$63,993.00
9-110	M6L-111SDS2	95	K51M793M60	\$64,742.00
9-115	M Series Snowblowers	•		

Aassembly Charges	Ass	embly Fee
All ROPS/ Cab Model Tractor	\$	260.00
Assembly Fee includes basic assembly of tractor including wheels, or cab, front and rear weights		
All optional hydraulic remote valves and/or flow control valves, order assembled on the tractor	\$	70.00
All optional hydraulic lever kits ordered and assemble on the tractor	\$	70.00
Single Cylinder 3-point Lift Assist Kit	\$	60.00
Dual Cylinder 3-point Lift Cylinder Kit	\$	110.00
Loader Assembly Charges	\$	125.00

ALL OTHER KITS ARE FIELD INSTALLED ONLY.

MX Series

MX4800/MX5200/MX5800

DIESEL ENGINE

Kubota V2403 Direct Injection 2.4L (148.5 cu. in.) 4 Cyl **EPA Tier 4 Final Compliant** Common Rail Electronic Fuel Injection 45 Amp Alternator ROPS 12V 600 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter)

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump Max. Flow @ Rated Engine Speed: 2700 RPM Power Steering: 4.9 gpm Impl. Flow: 9.5 gpm Total Flow: 14.4 gpm

REMOTE VALVES

Optional (3) valves Float Detent, Detent or Spring Center

3 POINT HITCH & DRAWBAR

Cat I/ II 3-Point Hitch

@ Lift Points: 2870 lbs (ASAE) @ 24" Behind: 2310 lbs 2WD & MX4800 4WD Model - Rigid Lower Links 4WD Model - Telescoping Lower Links 2WD & MX4800 4WD Model - Turn Buckle Stabilizers 4WD Model - Telescoping Stabilizers

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2700 Eng. RPM

TRANSMISSION - F / DT

* * * EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS * * *

4-Speed Partially Synchronized 8F/8R Two Range Clutch - Dry Mechanical Wet Disc Brakes Rear Differential Lock

TRANSMISSION - HST

3 Range Low/Med/High Cruise Control Standard Mechanical Wet Disc Brakes Left Side Brake Pedals Rear Differential Lock

FRONT AXLE

Hydrostatic Power Steering 2WD: Tubular Steel Telescopic 4WD: Cast Iron, Bevel Gear

FLUID CAPACITY

Fuel Tank Capacity: 13.5 gal. Cooling System: 6.9 qts. Crankcase: 8.7 qts. Hydraulics/Trans: 11.6 gal. Front Axle 4WD: 8.9 qts.

INSTRUMENTS

Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature

TIRES AND WHEELS

2WD: Front 7.5L x 15 R1 Rear 14.9 x 26 R1 4WD: Front 9.5L x 16 R1 Rear 14.9 x 26 R1

OPERATOR PLATFORM

Semi-Flat Deck with Hanging Pedals High Back Seat with Adjustable Suspension Color Coded Controls Cup Holder

LIGHTING

2 Headlights - Tail Lights 2 Hazard Flasher Lights w/ Turn Signals

SAFETY EQUIPMENT

2 Post, ROPS Certified Retractable Seat Belt Flip-Up PTO Shield Safety Start Switches: Shuttle Lever Neutral PTO Off Electric Key Shut Off Parking Brake Turn Signals SMV Sign

Model Specifications					
MX4800	MX5200	MX5800			
SAE Gross HP: 49.3	SAE Gross HP: 54.7	SAE Gross HP: 61.4			
Engine Net HP: 46.9	Engine Net HP: 52.1	Engine Net HP: 57.5			
Max. PTO HP F/DT: 40.5	Max. PTO HP F/DT: 45.7	Max . PTO HP: 50.2			
Max. PTO HP HST: 39.0	Max . PTO HP HST: 44.2				

pmentB	id #E	<u>SC</u> N	J <u>18</u> /	1 <u>9-2</u>	5 _
		D			Λ
\mathbf{r}	U	\Box	U	, .	H

MX Series	MX4800/MX5200/MX5800	0			
ORDER CODE	DESCRIPTION		FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	2WD MODEL *** STANDARD TRACTOR WITH STANDA	-			
MX4800F	2WD Utility 2 Post Foldable ROPS Tractor		K17M623M20	3474 lbs	\$22,029.00
MX5200F	2WD Utility 2 Post Foldable ROPS Tractor		K18M492M00	1 lbs	\$23,115.00
MX48	300F/ MX5200F 2WD				
TIRES AND WHEELS [†]				Additional Pr	ice With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
STANDARD TIRES					
ALR8852A* AMXR8861*	F-TIRE 7.5L-15 F2 Firestone Guide Grip R-TIRE 14.9-26 Titan Hi Power Lug TL	68 lbs 254 lbs	In Base Price		In Base Price
AG - BIAS REAR					
AMXR8789A AMXR8861	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB R-TIRE 14.9-26 Titan Hi Power Lug TL	75 lbs 254 lbs	K187M20	Add	\$234.00
ALR8852A AMXR8813A	F-TIRE 7.5L-15 F2 Firestone Guide Grip R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	68 lbs 242 lbs	ММО	Add	\$0.00
AMXR8789A AMXR8813A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	75 lbs 242 lbs	K187M20	Add	\$234.00
TURF					
AMXR8837 ALR6802	F-TIRE 29x12.50-15 R3 Ttn MultiTrac6stud R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	73 lbs 221 lbs	K198M40	Add	\$248.00
ALR6818A ALR6819	F-TIRE LSW305R343 R3 Titan Grizz LSW 430 R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	70 lbs 227 lbs	K340M80	Add	\$426.00

 [†] See Tire Section for Individual Tire Pricing and Information
 * Standard Tires
 ① For field installation, order (12) Spring Washers 04512-60140 from Parts.

MX4	800F/ MX5200F 2WD			
TIRES AND WHEELS (p	riced per piece)			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST
AG - BIAS REAR				-1 1-
ALR8852A*	F-TIRE 7.5L-15 F2 Firestone Guide Grip	K157L60	68 lbs	\$197.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	K696M00	254 lbs	\$870.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K251M20	75 lbs	\$314.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	K696M00	254 lbs	\$870.00
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	K157L60	68 lbs	\$197.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	K696M00	242 lbs	\$870.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K251M20	75 lbs	\$314.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	K696M00	242 lbs	\$870.00
TURF				
AMXR8837	F-TIRE 29x12.50-15 R3 Ttn MultiTrac6stud	K262M40	73 lbs	\$328.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	K690L40	221 lbs	\$863.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K294L40	70 lbs	\$368.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	K729L60	227 lbs	\$912.00

MX4800/MX5200/MX5800 **MX Series** APPROX. SUGGESTED LIST FACTORY ORDER CODE DESCRIPTION NUMBER SHIP WT. PRICE **4WD MODELS** * * * STANDARD TRACTOR WITH STANDARD TIRES * * * MX4800DT 4WD Utility 2 Post Foldable ROPS K21M861M60 3474 lbs \$27,327.00 MX4800HST 4WD Utility 2 Post Foldable ROPS, HST Transmission K23M144M00 3474 lbs \$28.930.00 MX5200DT 4WD Utility 2 Post Foldable ROPS K22M841M60 3474 lbs \$28,552.00 MX5200HST 4WD Utility 2 Post Foldable ROPS, HST Transmission K24M124M00 3474 lbs \$30.155.00 MX5800HST 4WD Utility 2 Post Foldable ROPS, HST Transmission K25M382M40 3474 lbs \$31,728.00 M4800 / MX5200 / MX5800 4WD TIRES AND WHEELS[†] Additional Price With Tire Option WEIGHT FACTORY SUGGESTED LIST DESCRIPTION ORDER CODE **EACH** NUMBER PRICE STANDARD TIRES AMXR8860A F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud 78 lbs In Base Price In Base Price R-TIRE 14.9-26 Titan Hi Power Lug TL AMXR88613 254 lbs AG - BIAS REAR F-TIRE 9.5-16 R1 Gdvr Dura Torque 6stud AMXR8860A 78 lbs MM0 AMXR8813A R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL 242 lbs INDUSTRIAL AMXR8828 F-TIRE 12-16.5 R4 Titan HD-2000 K209M60 \$262.00 Add AMXR8862A R-TIRE TITN 17.5L-24 8PLY R4 257 lbs TURF ALR8708 F-TIRE 29x12.50-15 R3 Titan Turf 83 lbs K120M00 Add \$150.00 ALR6802 R-TIRE 44x18-20 R3 Titan MultiTrac 8stud 221 lbs

ALR6818A

ALR6819

F-TIRE LSW305R343 R3 Titan Grizz LSW 430

R-TIRE LSW610R470 R3 Grizz LSW 430 8stud

M4800	/ MX5200 / MX5800 4WD			
TIRES AND WHEELS (priced per piece)			
ORDER		FACTORY	APPROX.	SUGGESTED LIST
CODE	DESCRIPTION	NUMBER	SHIP WT.	PRICE
AG - BIAS REAR				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	K231M20	78 lbs	\$289.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	K696M00	254 lbs	\$870.00
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	K231M20	78 lbs	\$289.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	K696M00	242 lbs	\$870.00
INDUSTRIAL				
AMXR8828	F-TIRE 12-16.5 R4 Titan HD-2000	K287M20	117 lbs	\$359.00
AMXR8862A	R-TIRE TITN 17.5L-24 8PLY R4	K744M80	257 lbs	\$931.00
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	K296L80	83 lbs	\$371.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	K690L40	221 lbs	\$863.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K294L40	70 lbs	\$368.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	K729L60	227 lbs	\$912.00

70 lbs

227 lbs

K193M60

Add

\$242.00

[†] See Tire Section for Individual Tire Pricing and Information

^{*} Standard Tires

① For field installation, order (12) Spring Washers 04512-60140 from Parts

MX SERIES	MX4800/MX5200/MX5800			
DEALER INSTA	LLED ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HIT	CH/DRAWBAR			
HYDRAULIC REAR RE	EMOTE VALVES			
STANDARD NON-CONTI L8303	NUOUS FLOW VALVES Double Acting Valve, no Detents Required for 1 st Position Lever Kit compatible with 2 nd and 3 rd Position Lever Kits	K200L80	4 lbs	\$251.00
L8304	Float Detent Valve, Required 2 nd Position Lever Kit Not compatible with 1 st or 3 rd Position Lever Kits	K252L80	4 lbs	\$316.00
STANDARD NON-CONTI MX8451	NUOUS FLOW VALVE LEVER KITS 1st Position Lever Kit, includes Base Kit and 1st Lever Requires Double Acting Flow Valve Not compatible with Float Detent Valve	K421M60	14 lbs	\$527.00
MX8452	2 [™] Position Lever Kit, includes Stacking Kit and 2 [™] Lever Requires Double Acting OR Float Detent Flow Valve	K208M80	7 lbs	\$261.00
MX8453	3 rd Position Lever Kit, includes Stacking Kit and 3 rd Lever Requires Double Acting Flow Valve Not compatible with Float Detent Flow Valve	K208M80	7 lbs	\$261.00
CONTINUOUS FLOW DE				
MX5141	Locking Detent Valve and Hose Kit	K397M60	8 lbs	\$497.00
MX5151	Float Detent Valve and Hose Kit Only for 2nd or 3rd Position	K435M20	8 lbs	\$544.00
MX5161	Standard 3-Way Spring Center Valve and Hose Kit	K308M00	7 lbs	\$385.00
MX5171	Lever Guide	K29M60	2 lbs	\$37.00
CONTINUOUS FLOW RE MX5111	MOTE VALVE LEVER KITS 1st Position Remote Base Kit Requires Valve and Hose Kit and Lever Guide Not Compatible with Non-Continuous Flow Valves	K404M80	8 lbs	\$506.00
MX5121	2nd Position Rear Remote Stacking Kit Requires Valve and Hose Kit Not Compatible with Non-Continuous Flow Valves	K137M60	3 lbs	\$172.00
MX5131	3rd Position Rear Remote Stacking Kit Requires Valve and Hose Kit Not Compatible with Non-Continuous Flow Valves	K137M60	4 lbs	\$172.00
HITCH/DRAWBAR				
3-POINT TELESCOPIC L MX9495	INK / STABILIZER KIT Telescopic Link Ends and Stabilizer Kit Optional for 2WD and MX4800, Standard on MX5200 and MX5800 4WD models	K324M00	81 lbs	\$405.00
DRAFT CONTROL L8311C	Draft Control Not Compatible with Detent Valves	K386L40	25 lbs	\$483.00
DRAWBAR CLEVIS		.,	a ::	A
MX9490	Drawbar Clevis	K62M40	8 lbs	\$78.00
MX6860	Drop Drawbar for MX Series	K100M80	29 lbs	\$126.00
LMX6800	Clevis Kit for L-MX Drop Drawbars	K41A60	7 lbs	\$52.00
TOP-N-TILT KIT L8388A	Top (Cylinder) and Tilt (Cylinder) Kit Not Compatible with BH92 Backhoe	K728L80	41 lbs	\$911.00

MX SERIES

MX4800/MX5200/MX5800

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ROPS ACCESSORIES		NUMBER	SHIP WI.	PRICE
CANOPY				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires E1136 Mounting Kit	K327M20	63 lbs	\$409.00
E1136	Mounting Kit Includes Brackets/Hardware/Instructions	K161M60	29 lbs	\$202.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K131A20	3 lbs	\$164.00
REAR WORK LIGHT				
M9551	Rear Working Auxilary Light (Maximum 1 Light/Tractor)	K71M20	3 lbs	\$89.00
BALLAST				
BALLAST BOX				
L8170	Ballast Box - 3-Point Mount Up to 1000 lbs of total weight with sand	K388L80	168 lbs	\$486.00
FRONT WEIGHT BRACKETS				
MX8068	Weight Bracket Able to hold up to 7 Front Suitcase Weights Standard on 2WD Model, Not compatible with Grill Guard	K80M00	29 lbs	\$100.00
FRONT SUITCASE WEIGHTS				
BL8060-1	Suitcase Weight (55 lbs.) Requires Weight Bracket and Bolt Kit	K59B20	55 lbs	\$74.00
FRONT WEIGHT BOLT/BAR KI				
BL8060B	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1 Weight	K1B60	lbs	\$2.00
ADDITIONAL ACCESSO	ORIES			
BLOCK HEATER				
70000-00297	Block Heater	(Order t	from Parts Dep	artment)
ARMREST KIT	A	1/10100	0.11	A 00.00
ZG1341	Arm rest Kit	K49A60	8 lbs	\$62.00
GRILL GUARD MX2268	Grill Guard Kit for Loader and Non-Loader (hold 4 frt. Wts) Applications with LA1065 Loader, standard with Loader	K224M80	62 lbs	\$281.00
RADIATOR HEATER 70000-82500	Radiator Heater	(Order t	from Parts Dep	artment)
REPLACEMENT ROPS SFMX-F52	Replacement ROPS - Field Installation Required	(Order t	from Parts Dep	artment)
REAR WHEEL WEIGHT	rs			
LM8124	Rear Wheel Weight (103 lbs. each) Set of 2 Weights, Maximum of 3 Sets Requires Bolt Kit Not Compatible with Turf Tires	K236M00	206 lbs	\$295.00
REAR WHEEL WEIGHT BOLT	KITS			
LM8125A	Bolt Kit for LM8124 Weight One Kit per Weight Set	K56M00	5 lbs	\$70.00
M8121A	Bolt Kit for 2nd and 3rd Set of Rear Wheel Weights One Kit per Weight Set	K24M80	8 lbs	\$31.00

MX SERIES

MX4800/MX5200/MX5800

Front End Lo	paders			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOAD	DER			
LA1065	Front End Loader Includes Mounting Kit, Loader Valve, Parking Stands, 2-Lever QA Coupler, and Grill Guard DOES NOT INCLUDE BUCKET or ROD LEVEL INDICATOR, must	K3M944M00 t be ordered separately	1120 lbs	\$4,930.00
LOADER ACCESS	ORIES			
MX2140	TOR Bucket/Attachment Level Indicator (Rod Type)	K60M00	7 lbs	\$75.00
THIRD FUNCTION 380-166A	3rd Function Valve Kit from Land Pride	(0	Order from Land	l Pride)
BUCKETS & ACCE	ESSORIES			
BUCKETS / CUTTING ED	OGES ALL 2-LEVER TYPE QA 72" Quick Attach Heavy Duty Round Back Bucket	K896L00	400 lbs	¢1 120 00
				\$1,120.00
L2236	72" Quick Attach Light Material Bucket	K543L20	323 lbs	\$679.00
L2235A	72" Quick Attach Square Back Bucket	K577L60	346 lbs	\$722.00
BUCKET ACCESSORIES TL1748	72" Bolt-on Reversible Cutting Edge for Heavy Duty Round Back Bucket	K190L40	70 lbs	\$238.00
BALE SPEARS L2237	Bale Spear 2 Lever Type QA	K537L60	165 lbs	\$672.00
PALLET FORK FR	AME / PALLET FORKS			
L2238	Pallet Fork Frame 2 Lever QA Requires Pallet Forks	K566L40	165 lbs	\$708.00
K9048	36" Pallet Forks	K340L80	176 lbs	\$426.00
K9058	42" Pallet Forks	K397L60	196 lbs	\$497.00

	APPROX. SHIP WT.	SUGGESTED LIST PRICE
IMBER	SHIP WT.	
.566L40	1696 lbs	
.566L40	1696 lbs	
		\$8,208.00
1060M00	292 lbs	\$1,325.00
46L40	141 lbs	\$933.00
.700L00	142 lbs	\$2,125.00
'36L00	23 lbs	\$920.00
552L00	55 lbs	\$690.00
04L00	15 lbs	\$130.00
548L80	109 lbs	\$686.00
S22L40	130 lbs	\$778.00
63L20	141 lbs	\$829.00
72L00	172 lbs	\$965.00
390L40	205 lbs	\$1,113.00
95L20	226 lbs	\$1,244.00
65L60	117 lbs	\$832.00
704L00	135 lbs	\$880.00
740L00	144 lbs	\$925.00
373L60	176 lbs	\$1,092.00
3	04L00 648L80 622L40 663L20 772L00 890L40 895L20 665L60 704L00	04L00 15 lbs 648L80 109 lbs 622L40 130 lbs 663L20 141 lbs 772L00 172 lbs 190L40 205 lbs 195L20 226 lbs 665L60 117 lbs 704L00 135 lbs

MX4800/MX5200/MX5800 **MX SERIES**

Approved Attachments See Website for Landpride Attachments List

MX SERIES

MX5400/MX6000

* * * EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS * * *

DIESEL ENGINE

Kubota V2403 Direct Injection 2.4L (148.6 cu. in.) 4 Cyl **EPA Tier 4 Final Compliant** Turbo Common Rail Electronic Fuel Injection Alternator- 45 Amp ROPS / 60 Amp CAB 12V 600 (ROPS) / 650 (CAB) CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter)

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump Max. Flow @ Rated Engine Speed: 2700 RPM Power Steering: 4.9 gpm Impl. Flow: 9.5 gpm Total Flow: 14.4 gpm

REMOTE VALVES

Optional (3) valves Float Detent, Double Acting

3 POINT HITCH & DRAWBAR

Cat I/ II 3-Point Hitch @ Lift Points: 2870 lbs (ASAE)@24" Behind: 2310 lbs 2WD Model - Rigid Lower Links 4WD Model - Telescoping Lower Links 2WD Modle - Turn Buckle Stabilizers 4WD Model - Telescoping Stabilizers

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2700 Eng. RPM

FRONT AXLE

Hydrostatic Power Steering 2WD: Tubular Steel Telescopic 4WD: Cast Iron, Bevel Gear

TRANSMISSION - F / DT

4-Speed Partially Synchronized 8F/8R Two Range Clutch - Dry Mechanical Wet Disc Brakes Rear Differential Lock

TRANSMISSION - HST

3 Range Low/Med/High Cruise Control Standard Mechanical Wet Disc Brakes Left Side Brake Pedals Rear Differential Lock

FLUID CAPACITY

Fuel Tank Capacity (ROPS): 13.5 gal Fuel Tank Capacity (CAB): 11.9 gal Cooling System: 6.9 qts. Crankcase w/ Filter: 7.4 qts. Hydraulics/Trans: 11.6 gal.

INSTRUMENTS

Tachometer/Hour meter Fuel Gauge meter Coolant Temperature meter Warning Symbols

TIRES AND WHEELS

2WD: Front 7.5L x 15 R1 Rear 14.9 x 26 R1 4WD: Front 9.5L x 16 R1 Rear 14.9 x 26 R1

LIGHTING

2 Headlights - Tail Lights 2 Hazard Flasher Lights w/ Turn Signals 2 Front Work Lights -CAB ONLY

ROPS OPERATOR PLATFORM

Semi-Flat Deck with Hanging Pedals Rubber Floor Mat High Back Seat with Adjustable Suspension Color Coded Controls Stationary PTO Switch Cup Holder

CAB OPERATOR PLATFORM

Semi-Flat Deck with Hanging Pedals Rubber Floor Mat High Back Seat with Adjustable Suspension Tilt-Steering
Color Coded Controls Stationary PTO Switch Cup Holder Interior Light Internal Rearview Mirror Front Wiper w/ Washer A/C & Heater Speakers & Radio Pre-Wired Left & Right-Hand Door Left Hand Step Horn

SAFETY EQUIPMENT 2 Post Foldable ROPS

ROPS Certified CAB Retractable Seat Belt Flip-Up PTO Shield Safety Start Switches: Shuttle Lever Neutral PTO Off Electric Key Shut Off Parking Brake Turn Signals SMV Sign

	Model Specifications	
MX5400 F/DT	MX5400 HST	MX6000
SAE Gross HP: 55.5	SAE Gross HP: 57.0	SAE Gross HP: 63.4
Engine Net HP: 53.0	Engine Net HP: 53.8	Engine Net HP: 59.5
Max. PTO HP: 46.5	Max. PTO HP: 46.5	Max. PTO HP: 51.7

KUBOTA	The state of the s	K	U	B	O [*]	T/	1
--------	--	---	---	---	----------------	----	---

M340M80

227 lbs

Add

\$426.00

MX5400/MX6000 **MX Series** ORDER FACTORY APPROX. SUGGESTED LIST DESCRIPTION CODE NUMBER SHIP WT. PRICE **2WD MODELS** * * * STANDARD TRACTOR WITH STANDARD TIRES * * * MX5400F 2WD Utility 2 Post Foldable ROPS Tractor K18M856M80 3474 lbs \$23,571.00 MX5400F 2WD Additional Price With Tire Option TIRES AND WHEELS[†] WEIGHT FACTORY SUGGESTED LIST ORDER CODE DESCRIPTION NUMBER PRICE **EACH** STANDARD TIRE - BIAS REAR F-TIRE 7.5L-15 F2 Firestone Guide Grip ALR8852A* 68 lbs In Base Price In Base Price R-TIRE 14.9-26 Titan Hi Power Lug TL AMXR8861 254 lbs AG - BIAS REAR F-TIRE 7.5L-15 F2 Firestone Guide Grip ALR8852A 68 lbs MM0 Add \$0.00 R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL AMXR8813A 242 lbs F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB 75 lbs AMXR8789A M187M20 Add \$234.00 AMXR8861 R-TIRE 14.9-26 Titan Hi Power Lug TL 254 lbs AMXR8789A F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB 75 lbs M187M20 Add \$234.00 AMXR8813A R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL 242 lbs TURF F-TIRE 29x12.50-15 R3 Ttn MultiTrac6stud 73 lbs AMXR8837 M198M40 Add \$248.00 R-TIRE 44x18-20 R3 Titan MultiTrac 8stud ALR6802 221 lbs ALR6818A F-TIRE LSW305R343 R3 Titan Grizz LSW 430 70 lbs

ALR6819

R-TIRE LSW610R470 R3 Grizz LSW 430 8stud

	MX5400F 2WD			
TIRES AND WHEELS (p	riced per piece)			
ORDER CODE		FACTORY	APPROX.	SUGGESTED LIST
	DESCRIPTION	NUMBER	SHIP WT.	PRICE
AG - BIAS REAR				
ALR8852A*	F-TIRE 7.5L-15 F2 Firestone Guide Grip	K157L60	68 lbs	\$197.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	K696M00	254 lbs	\$870.00
ALR8852A	F-TIRE 7.5L-15 F2 Firestone Guide Grip	K157L60	68 lbs	\$197.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	K696M00	242 lbs	\$870.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K251M20	75 lbs	\$314.00
AMXR8861	R-TIRE 14.9-26 Titan Hi Power Lug TL	K696M00	254 lbs	\$870.00
AMXR8789A	F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K251M20	75 lbs	\$314.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	K696M00	242 lbs	\$870.00
TURF	-			
AMXR8837	F-TIRE 29x12.50-15 R3 Ttn MultiTrac6stud	K262M40	73 lbs	\$328.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	K690L40	221 lbs	\$863.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K294L40	70 lbs	\$368.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	K729L60	227 lbs	\$912.00

[†] See Tire Section for Individual Tire Pricing and Information

① For field installation, order (12) Spring Washers 04512-60140 from Parts.

MX Series	MX5400/MX6000				
ORDER CODE	DESCRIPTION		FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	4WD MODE *** STANDARD TRACTOR WITH STANDARD				
MX5400DT	4WD Utility 2 Post Foldable ROPS		K23M206M40	3716 lbs	\$29,008.00
	•				
MX5400DTC	4WD Utility Cab Tractor, Gear Transmission		K29M642M40	4251 lbs	\$37,053.00
MX5400HST	4WD Utility 2 Post Foldable ROPS, HST Transmission		K24M488M80	3734 lbs	\$30,611.00
MX5400HSTC	4WD Utility Cab Tractor, HST Transmission		K30M924M00	4268 lbs	\$38,655.00
MX6000HST	4WD Utility 2 Post Foldable ROPS, HST Transmission		K25M747M20	3734 lbs	\$32,184.00
MX6000HSTC	4WD Utility Cab Tractor, HST Transmission		K32M182M40	4268 lbs	\$40,228.00
MX5400	/ MX6000 4WD				
TIRES AND WHEELS†				Additional Pr	ice With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
STANDARD TIRE - BIAS RE	AR				**
AMXR8860A* AMXR8861*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud R-TIRE 14.9-26 Titan Hi Power Lug TL	78 lbs 254 lbs	In Base Price		In Base Price
AG - BIAS REAR					·
AMXR8860A AMXR8813A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	78 lbs 242 lbs	MM0	Add	\$0.00
INDUSTRIAL					
AMXR8828 AMXR8862A	F-TIRE 12-16.5 R4 Titan HD-2000 R-TIRE TITN 17.5L-24 8PLY R4	117 lbs 257 lbs	K209M60	Add	\$262.00
TURF					
ALR8708 ALR6802	F-TIRE 29x12.50-15 R3 Titan Turf R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	83 lbs 221 lbs	K120M00	Add	\$150.00
ALR6818A ALR6819	F-TIRE LSW305R343 R3 Titan Grizz LSW 430 R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	70 lbs 227 lbs	K193M60	Add	\$242.00

 $^{^{\}dagger}$ See Tire Section for Individual Tire Pricing and Information

R14 Ag/Industrial Hybrid

F-TIRE 300/70R16.5 R14T 116A8 GDYR R-TIRE 440/80R24 R14T 135A8 GDYR

	5400 / MX6000 4WD			
TIRES AND WHEELS (p	priced per piece)			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
AG - BIAS REAR				
AMXR8860A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	K231M20	78 lbs	\$289.00
AMXR8861*	R-TIRE 14.9-26 Titan Hi Power Lug TL	K696M00	254 lbs	\$870.00
AMXR8860A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 6stud	K231M20	78 lbs	\$289.00
AMXR8813A	R-TIRE 13.6-28 R1 Titan Hi Trac Lug TL	K696M00	242 lbs	\$870.00
INDUSTRIAL				
AMXR8828	F-TIRE 12-16.5 R4 Titan HD-2000	K287M20	117 lbs	\$359.00
AMXR8862A	R-TIRE TITN 17.5L-24 8PLY R4	K744M80	257 lbs	\$931.00
TURF				
ALR8708	F-TIRE 29x12.50-15 R3 Titan Turf	K296L80	83 lbs	\$371.00
ALR6802	R-TIRE 44x18-20 R3 Titan MultiTrac 8stud	K690L40	221 lbs	\$863.00
ALR6818A	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K294L40	70 lbs	\$368.00
ALR6819	R-TIRE LSW610R470 R3 Grizz LSW 430 8stud	K729L60	227 lbs	\$912.00
R14 Ag/Industrial Hybri	id			
AMXR8896	F-TIRE 300/70R16.5 R14T 116A8 GDYR	K322M40	117 lbs	\$403.00
AMXR8897	R-TIRE 440/80R24 R14T 135A8 GDYR	K960M00	257 lbs	\$1,200.00

117 lbs

K710M40

Add

\$888.00

^{*} Standard Tires

 $[\]ensuremath{\textcircled{0}}$ For field installation, order (12) Spring Washers 04512-60140 from Parts

MX SERIES	MX5400/MX6000			
DEALER INSTALLED	D ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DE	RAWBAR			
HYDRAULIC REAR REMOTE	VALVES			
STANDARD NON-CONTINUOUS L8303	B FLOW VALVES Double Acting Valve, no Detents Required for 1 st Position Lever Kit compatible with 2 nd and 3 rd Position Lever Kits	K200L80	4 lbs	\$251.00
L8304	Float Detent Valve, Required 2 nd Position Lever Kit Not compatible with 1 st or 3 rd Position Lever Kits	K252L80	4 lbs	\$316.00
ROPS STANDARD NON-CONTIN MX6881	NUOUS FLOW VALVE LEVER KITS 1 st Position Lever Kit for ROPS, includes Base Kit and 1 st Lever Requires Double Acting Valve Not compatible with Float Detent Valve	K421M60	1 lbs	\$527.00
MX6882	2 ^{iiu} Position Lever Kit for ROPS, includes Stacking Kit and 2 ^{iiu} Lever Requires Double Acting OR Float Detent Valve	K208M80	1 lbs	\$261.00
MX6883	$3^{\rm rd}$ Position Lever Kit for ROPS, includes Stacking Kit and $3^{\rm rd}$ Lever Requires Double Acting Flow Valve Not compatible with Float Detent Flow Valve	K208M80	1 lbs	\$261.00
CAB STANDARD NON-CONTINU MX6891	UOUS FLOW VALVE LEVER KITS 1 st Position Lever Kit for Cab, includes Base Kit and 1 st Lever Requires Double Acting Valve Not compatible with Float Detent Valve	K421M60	15 lbs	\$527.00
MX6892	2 nd Position Lever Kit for Cab, includes Stacking Kit and 2 nd Lever Requires Double Acting OR Float Detent Valve	K208M80	7 lbs	\$261.00
MX6893	3 rd Position Lever Kit for Cab, includes Stacking Kit and 3 rd Lever Requires Double Acting Flow Valve Not compatible with Float Detent Flow Valve	K208M80	1 lbs	\$261.00
HITCH/DRAWBAR OPTI				
3-POINT TELESCOPIC LINK / ST MX9495	TABILIZER KIT Telescopic Link Ends and Stabilizer Kit Optional for 2WD models, Standard on 4WD models	K324M00	81 lbs	\$405.00
DRAFT CONTROL	4WD models			
MX6884	Draft Control (ROPS ONLY) Not Compatible with Detent Valves	K389M60	1 lbs	\$487.00
MX6894	Draft Control (CAB ONLY) Not Compatible with Detent Valves	K527M20	1 lbs	\$659.00
DRAWBAR CLEVIS MX9490	Drawbar Clevis	K62M40	8 lbs	\$78.00
TRAILER CONNECTOR MX6880	7PIN CONNECTOR KIT MX5400/MX6000 ROPS	K89M60	1 lbs	\$112.00
MX6890	7PIN CONNECTOR KT MX5400/MX6000 CAB	K116M00	1 lbs	\$145.00
TOP-N-TILT KIT L8388A	Top (Cylinder) and Tilt (Cylinder) Kit Not Compatible with BH92 Backhoe	K728L80	41 lbs	\$911.00

MX SERIES MX5400

MX5400/MX6000

ORDER CODE	DESCRIPTION	FACTORY	APPROX.	SUGGESTED LIST
		NUMBER	SHIP WT.	PRICE
ROPS ACCESSORIES				
CANOPY E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires E1136 Mounting Kit	K327M20	63 lbs	\$409.00
E1136	Mounting Kit Includes Brackets/Hardware/Instructions	K161M60	29 lbs	\$202.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K131A20	3 lbs	\$164.00
ARMREST KIT ZG1341	SEAT ARM REST KIT	K49A60	8 lbs	\$62.00
CCV HEATER MX6812	CCV HEATER KIT MX5400/MX6000 ROPS	K419M20	1 lbs	\$524.00
WORK LIGHT KITS E1176	Universal LED Work Light Kit (2 Lights)	K207A20	6 lbs	\$259.00
CAB ACCESSORIES				
CCV HEATER MX6813	CCV HEATER KIT MX5400/MX6000 CAB	K419M20	1 lbs	\$524.00
CAB ACCESSORIES MX6801	SIDE MIRROR KIT L60-LE /	K108M80	1 lbs	\$136.00
MX6895	REAR DEFOGGER MX5400/MX6000 CAB Requires Higher Amp Alternator Kit	K236M80	1 lbs	\$296.00
MX6802	130A ALTERNATOR KT MX5400/MX6000 CAB	K352M00	1 lbs	\$440.00
L8364	Rear Wiper Kit	K120L00	3 lbs	\$150.00
ZG1341	SEAT ARM REST KIT	K49A60	8 lbs	\$62.00
L6026	Air Ride Seat (requires wire harness)	K732L00	77 lbs	\$915.00
MX6027	Wire Harness for Air Ride Seat (required)	K26M40	3 lbs	\$33.00
L8333	Rear Work Light Kit, (2 Lights)	K109L60	3 lbs	\$137.00
BALLAST				
BALLAST BOX L8170	Ballast Box - 3-Point Mount Up to 1000 lbs of total weight with sand	K388L80	168 lbs	\$486.00
FRONT WEIGHT BRACKETS MX8068	Weight Bracket Able to hold up to 7 Front Suitcase Weights Standard on 2WD Model, Not compatible with Grill Guard	K80M00	29 lbs	\$100.00
FRONT SUITCASE WEIGHTS BL8069	Suitcase Weight (55 lbs.) Requires Weight Bracket, Bolt Kit, and All Thread Kit	K59B20	55 lbs	\$74.00
FRONT WEIGHT BOLT/BAR KI BL8049	TS Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1 Weight	K6B40	1 lbs	\$8.00
ALL THREAD BOLT KITS BL8013	All Thread Kit for Grill Guard	K9B60	3 lbs	\$12.00
BL8014	All Thread Kit for Weight Bracket	K23B20	5 lbs	\$29.00

ADDITIONAL ACCESSORIES

BLOCK HEATER 70000-00297 Block Heater (Order from Parts Department) GRILL GUARD MX2268A Grill Guard Kit for Loader and Non-Loader (hold 4 frt. Wts) K231M20 70 lbs \$289.00 Applications with LA1065A Loader, standard with Loader RADIATOR HEATER 70000-82500 Radiator Heater (Order from Parts Department) REPLACEMENT ROPS Replacement ROPS - Field Installation Required SFMX-60 (Order from Parts Department) REPLACEMENT CAB MX6889 Replacement Cab DT Model - Field Installation Required (Order from Parts Department) MX6899 Replacement Cab HST - Field Installation Required (Order from Parts Department)

REAR WHEEL WEIGHTS

LM8124	Rear Wheel Weight (103 lbs. each)	K236M00	206 lbs	\$295.00
	Set of 2 Weights, Maximum of 3 Sets			
	Requires Bolt Kit			
	Not Compatible with Turf Tires			
REAR WHEEL WEIG	HT BOLT KITS			
LM8125A	Bolt Kit for LM8124 Weight	K56M00	5 lbs	\$70.00
	One Kit per Weight Set			
M8121A	Bolt Kit for 2nd and 3rd Set of Rear Wheel Weights	K24M80	8 lbs	\$31.00
	One Kit per Weight Set			

NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25

MX SERIES

MX5400/MX6000

Front End Lo	paders				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE	
FRONT END LOAI	DER	NOMBER	OIIII WII.	LIGITIMOL	
LA1065A	Front End Loader Includes Mounting Kit, Parking Stands, 2-Lever QA Coupler, and Grill Guard DOES NOT INCLUDE VALVE, BUCKET or ROD LEVEL INDICATOR, make the control of the	K3M539M20 ust be ordered separately	1322 lbs	\$4,424.00	
LOADER VALVE MX2131	Loader Valve for ROPS	K621M60	46	\$777.00	
MX2132	Loader Valve for CAB	K621M60	72	\$777.00	
LOADER ACCESS	· · · · · · · · · · · · · · · · · · ·				
LOADER LEVEL INDICA MX2140	NTOR Bucket/Attachment Level Indicator (Rod Type)	K60M00	7 lbs	\$75.00	
THIRD FUNCTION - ROF 380-312A	PS ONLY 3rd Function Valve w/ Flat-Faced Coupler Kit from Land Pride	(0	Order from Land	Pride)	
380-331A	3rd Function Valve w/ Pioneer Coupler Kit from Land Pride	(0	Order from Land	Pride)	
THIRD FUNCTION - CAE 380-311A	3 ONLY 3rd Function Valve w/ Flat-Faced Coupler Kit from Land Pride	(0	(Order from Land Pride)		
380-330A	3rd Function Valve w/ Pioneer Coupler Kit from Land Pride	(0	Order from Land	Pride)	
BUCKETS & ACC	ESSORIES				
BUCKETS / CUTTING EI L2296	DGES ALL 2-LEVER TYPE QA 72" Quick Attach Heavy Duty Round Back Bucket	K896L00	400 lbs	\$1,120.00	
L2236	72" Quick Attach Light Material Bucket	K543L20	323 lbs	\$679.00	
L2235A	72" Quick Attach Square Back Bucket	K577L60	346 lbs	\$722.00	
BUCKET ACCESSORIES TL1748	S 72" Bolt-on Reversible Cutting Edge for Heavy Duty Round Back Bucket	K190L40	70 lbs	\$238.00	
BALE SPEARS L2237	Bale Spear 2 Lever Type QA	K537L60	165 lbs	\$672.00	
PALLET FORK FR	RAME / PALLET FORKS				
L2238	Pallet Fork Frame 2 Lever QA Requires Pallet Forks	K566L40	165 lbs	\$708.00	
K9048	36" Pallet Forks	K340L80	176 lbs	\$426.00	
K9058	42" Pallet Forks	K397L60	196 lbs	\$497.00	

MX5400/MX6000

MX SERIES

Backhoes				
ORDER CODE	DESCRIPTION	FACTORY	APPROX.	SUGGESTED
BACKHOE & ACC	FSSORIES	NUMBER	SHIP WT.	LIST PRICE
BH92	Backhoe, 9 ft. digging depth NOT COMPATIBLE WITH CAB MODELS Requires Mounting Kit and Bucket	K6L566L40	1696 lbs	\$8,208.00
BACKHOE MOUNTING K BH4978	KIT Backhoe Subframe Kit for ROPS	K1M060M00	292 lbs	\$1,325.00
BACKHOE ACCESSORIE BH4949	ES 6-Position Mechanical Thumb	K746L40	141 lbs	\$933.00
BT4598	Hydraulic Thumb Requires Valve Kit	K1L700L00	142 lbs	\$2,125.00
BH4948	Hydraulic Thumb Valve Kit	K736L00	23 lbs	\$920.00
BT4550	Quick Coupler	K552L00	55 lbs	\$690.00
RUBBER FLIP PADS L9467	Rubber Flip Pad - 2 Required per Order	K104L00	15 lbs	\$130.00
PIN-ON TYPE BUC	KETS			
BT3001	12" Bucket (1.19 cu. ft. Struck / 1.47 cu. ft. Heaped)	K548L80	109 lbs	\$686.00
BT3002A	16" Bucket (1.67 cu. ft. Struck / 2.16 cu. ft. Heaped)	K622L40	130 lbs	\$778.00
BT3003A	18" Bucket (1.91 cu. ft. Struck / 2.51 cu. ft. Heaped)	K663L20	141 lbs	\$829.00
BT3004	24" Bucket (2.63 cu. ft. Struck / 3.60 cu. ft. Heaped)	K772L00	172 lbs	\$965.00
BT3005A	30" Bucket (3.34 cu. ft. Struck / 4.69 cu. ft. Heaped)	K890L40	205 lbs	\$1,113.00
BT3006	36" Bucket (4.06 cu. ft. Struck / 5.78 cu. ft. Heaped)	K995L20	226 lbs	\$1,244.00
QUICK COUPLER	TYPE BUCKETS			
BT4552	12" Bucket (1.19 cu. ft. Struck / 1.47 cu. ft. Heaped) Requires Quick Coupler	K665L60	117 lbs	\$832.00
BT4553	16" Bucket (1.67 cu. ft. Struck / 2.16 cu. ft. Heaped) Requires Quick Coupler	K704L00	135 lbs	\$880.00
BT4554	18" Bucket (1.91 cu. ft. Struck / 2.51 cu. ft. Heaped) Requires Quick Coupler	K740L00	144 lbs	\$925.00
BT4555	24" Bucket (2.63 cu. ft. Struck / 3.60 cu. ft. Heaped) Requires Quick Coupler	K873L60	176 lbs	\$1,092.00
BT4557	36" Bucket (4.06 cu. ft. Struck / 5.78 cu. ft. Heaped) Requires Quick Coupler	K1L113L60	223 lbs	\$1,392.00

MX5400/MX6000 **MX SERIES**

Approved Attachments See Website for Landpride Attachments List

M60 SERIES

M5660SUH/M5660SUHD

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V2403 Direct Injection
2.4L (148.5 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Constant rpm Management
Turbocharged
45 Amp Alternator ROPS
12V 600 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter)

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump Max. Flow @ Rated Engine Speed: 2600 rpm Power Steering: 6.1 gpm Impl. Flow: 10.6 gpm Total Flow: 16.5 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)

3 POINT HITCH & DRAWBAR

Cat II/I 3-point Hitch
② Lift Points: 4189 lbs
(ASAE)@24" Behind: 3307 lbs
Telescoping Lower Links
Telescoping Stabilizers
Swinging Drawbar - Straight

POWER TAKE OFF (540)

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 rpm @ 2295 Eng. rpm 540/540E Economy PTO Optional Provides 540 PTO @ 1942 Eng. rpm

TRANSMISSION

Eight Speed Fully Synchronized Transmission 8F/ 8R Hydraulic-Shuttle Planetary Final Drives Rear Differential Lock

FRONT AXLE

Hydrostatic Power Steering 2WD: Tubular Steel Beam Telescoping 4WD: Cast Iron, Bevel Gear 55 Deg

FLUID CAPACITY

Fuel Tank Capacity: 17.2 gal. Cooling System: 8.5 qts. Crankcase: 7.6 qts. Hydraulics/Trans: 50.7 qts. Front Axle 4WD: 6.9 qts.

INSTRUMENTS

Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature

TIRES AND WHEELS

2WD: Front 6.50 x 16 F2 Rear 14.9 x 28 R1 4WD: Front 8.3 x 24 R1 Rear 14.9 x 28 R1

OPERATOR PLATFORM

Semi-Flat Deck with Hanging Pedals High Back Seat with Adjustable Suspension Color Coded Controls Cup Holder

LIGHTING

2 Headlights - Tail lights 2 Hazard Flasher Lights w/ Turn Signals

SAFETY EQUIPMENT 2-post, ROPS Certified

Retractable Seat belt Flip-Up PTO Shield Safety Start Switches: Shuttle Lever Neutral PTO Off Electric Key Shut Off Parking Brake Turn Signals SMV Sign

Model Specifications

 M5660SUH 2WD
 M5660SUHD 4WD

 SAE Gross HP: 57.9
 SAE Gross HP: 57.9

 Engine Net HP: 56
 Engine Net HP: 56

 Max. PTO HP: 50
 Max. PTO HP: 50

M60 Series

NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25

DESCRIPTION

M5660SUH/M5660SUHD

APPROX. SUGGESTED FACTORY ORDER CODE NUMBER SHIP WT. LIST PRICE

2WD MODELS

STANDARD TRACTOR WITH STANDARD TIRES

M5660SUH 2WD Utility 2 Post Foldable ROPS Tractor K21M920M80 \$27,401.00 4189 lbs M5660SUH 2WD TIRES AND WHEELS† **Additional Price with Tire Option** Weight FACTORY SUGGESTED LIST ORDER CODE NUMBER PRICE DESCRIPTION Each STANDARD TIRES 75 lbs AMXR8789 F-TIRE 9.5L-15 F2 BKT Pro Rib MM0 Add In Base Price AMR8901B* R-TIRE 14.9-28 R1 Firestone (SAT) II 255 lbs AG - BIAS REAR AMXR8789* F-TIRE 9.5L-15 F2 BKT Pro Rib 75 lbs MMO Add \$0.00 AMR8901B* R-TIRE 14.9-28 R1 Firestone (SAT) II 255 lbs F-TIRE 9.5L-15 F2 BKT Pro Rib AMXR8789 75 lbs K419M20 Add \$524.00 AMR8913B R-TIRE 16.9-28 R1 Firestone (SAT) II 299 lbs AMXR8789 F-TIRE 9.5L-15 F2 BKT Pro Rib 75 lbs K1K315M20 Add \$1,644.00 AMR8565 23 R-TIRE 14.9-28 R1 F-STONE SAT II/CST 600 lbs AG - RADIAL REAR AMXR8789 F-TIRE 9.5L-15 F2 BKT Pro Rib 75 lbs K1M424M00 \$1,780.00 Add AMR8570 ②③ R-TIRE 420/70R28 R1W Alliance Farm Pro70 Cast 650 lbs AMXR8789 F-TIRE 9.5L-15 F2 BKT Pro Rib 75 lbs K395M20 Add \$494.00 AMR8577 R-TIRE 420/70R28 R1W Alliance Farm Pro70 300 lbs INDUSTRIAL F-TIRE 9.5L-15 F2 BKT Pro Rib 75 lbs AMXR8789 K123M20 Add \$154.00 ALR8917 R-TIRE 16.9-24 R4 Titan Ind Tractor Lug 267 lbs TURF F-TIRE 29x12.50-15 R3 Titan Turf ALR8708 83 lbs K148M80 Add \$186.00

245 lbs

70 lbs

261 lbs

K433M60

Add

\$542.00

AMR8979

ALR6818A

AMR8541

R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld

F-TIRE LSW305R343 R3 Titan Grizz LSW 430

R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75

[†] See Tire Section for Individual Tire Pricing and Information

① Not approved for Backhoe applications.

② Recommended for loader applications, increases base weight by approx. 600 lbs.

³ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

⁴ Requires (12) - (04512-60140) spring washers

M60 Series M5660SUH/M5660SUHD

M	15660SL	JH 2WD			
TIRES AND WHEELS (pri	iced pe	r piece)			
ORDER			FACTORY	APPROX.	SUGGESTED LIST
CODE		DESCRIPTION	NUMBER	SHIP WT.	PRICE
STANDARD TIRES					•
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8901B		R-TIRE 14.9-28 R1 Firestone (SAT) II	K721M60	255 lbs	\$902.00
AG - BIAS REAR					
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8901B		R-TIRE 14.9-28 R1 Firestone (SAT) II	K721M60	255 lbs	\$902.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8913B		R-TIRE 16.9-28 R1 Firestone (SAT) II	K931M20	299 lbs	\$1,164.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8565	23	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M379M20	600 lbs	\$1,724.00
AG - RADIAL					
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8570	23	R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	K1M433M60	650 lbs	\$1,792.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8577		R-TIRE 420/70R28 R1W ALLIANCE 370	K919M20	300 lbs	\$1,149.00
TURF					
ALR8708		F-TIRE 29x12.50-15 R3 Titan Turf	K296L80	83 lbs	\$371.00
AMR8979	1	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K745M60	245 lbs	\$932.00
ALR6818A	4	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K294L40	70 lbs	\$368.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K890M40	261 lbs	\$1,113.00
INDUSTRIAL				•	<u>-</u>
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
ALR8917		R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K783L20	267 lbs	\$979.00

^{*} Standard Tires

 $^{\, \}oplus \,$ Not approved for Backhoe applications.

 $[\]ensuremath{\,\mathbb{Q}\,}$ Recommended for loader applications, increases base weight by approx. 600 lbs.

③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

④ Requires (12) - (04512-60140) spring washers

M60 Series

ducational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25 KUBOTA

DESCRIPTION

M5660SUH/M5660SUHD

FACTORY APPROX. SUGGESTED ORDER CODE NUMBER SHIP WT. LIST PRICE

4WD MODELS ***STANDARD TRACTOR WITH STANDARD TIRES***

M5660SUHD 4WD Utility 2 Post Foldable ROPS Tractor K25M687M20 4387 \$32,109.00

MISOUSSITE		4WD dtility 2 Fost I didable Nor 3 Hactor		NZJIVIOO7 IVIZO	4307	ψ32,103.00
	M5660SI	JH 4WD				
TIRES AND WHEELS	t					ce with Tire Option
ORDER			Weight	FACTORY		SUGGESTED LIST
CODE		DESCRIPTION	Each	NUMBER		PRICE
STANDARD TIRES						
AMR8553*		F-TIRE 9.50-22 R1 Alliance 324	136 lbs	MMO	Add	In Base Price
AMR8901B*		R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs			
AG - BIAS (Front may	be Radial					
AMR8553*		F-TIRE 9.50-22 R1 Alliance 324	136 lbs	MMO	Add	\$0.00
AMR8901B*		R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs	IVIIVIU	Add	φ0.00
AMR8553		F-TIRE 9.50-22 R1 Alliance 324	136 lbs	14140451400		A 4.044.00
AMR8565	23	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs	K1K315M20	Add	\$1,644.00
AMR8564		F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs		1	
AMR8901B		R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs	K252M80	Add	\$316.00
AMR8564		F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	K1K568M00	Add	\$1,960.00
AMR8565	23	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs			. ,
AG - RADIAL						
AMR8564		F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	K648M00	Add	\$810.00
AMR8577		R-TIRE 420/70R28 R1W ALLIANCE 370	300 lbs	1104011100	Add	ψ010.00
AMR8564		F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	150 lbs	1/41/0701400	A 1.1	#0.000.00
AMR8570	23	R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	650 lbs	K1K676M80	Add	\$2,096.00
INDUSTRIAL					1,0	
AMR8797		F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs		П	
ALR8917		R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs	K374M40	Add	\$468.00
TURF		Transfer Lag	201.50		J\L	
AMR8566		F-TIRE 13.50-16.1 F-STONE ANS R3 TRF	112 lbs	K1K070M40	Add	\$1,338.00
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs	K11K070WI40	Add	ψ1,330.00
AMR8576		F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	92 lbs	1/0001400		(0074.00)
AMR8979	1	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	K299M20	Less	(\$374.00)
AMR8526		F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs			
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs	K201M60	Add	\$252.00
7 11111 100 111		IN THILE ECTION ON THE CHILD CHILD CONT. O. IT O. TO	201103			

[†] See Tire Section for Individual Tire Pricing and Information

Standard Tires

① Not approved for Backhoe applications.

Recommended for loader applications, increases base weight by approx. 600 lbs.
 Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

M60 Series

M5660SUH/M5660SUHD

	M5660SU	HD 4WD			
TIRES AND WHEELS	(priced pe	r piece)			
ORDER CODE		DESCRIPTION	FACTORY	WEIGHT	SUGGESTED LIST
		DECORM HOR	NUMBER	EACH	PRICE
AG - BIAS REAR					
AMR8553*		F-TIRE 9.5-22 R1	K430M40	136 lbs	\$538.00
AMR8901B*		R-TIRE 14.9-28 R1 Firestone (SAT) II	K721M60	255 lbs	\$902.00
AMR8553		F-TIRE 9.5-22 R1	K430M40	136 lbs	\$538.00
AMR8565	23	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M379M20	600 lbs	\$1,724.00
AMR8564		F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K556M80	150 lbs	\$696.00
AMR8901B		R-TIRE 14.9-28 R1 Firestone (SAT) II	K721M60	255 lbs	\$902.00
AMR8564		F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K556M80	150 lbs	\$696.00
AMR8565	23	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M379M20	600 lbs	\$1,724.00
AG - RADIAL					
AMR8564		F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K556M80	150 lbs	\$696.00
AMR8577		R-TIRE 420/70R28 R1W ALLIANCE 370	K919M20	300 lbs	\$1,149.00
AMR8564		F-TIRE 280/85R20 R1W F-TIRE ASSEMBLY	K556M80	150 lbs	\$696.00
AMR8570	23	R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	K1M433M60	650 lbs	\$1,792.00
TURF					
AMR8566		F-TIRE 13.50-16.1 F-STONE ANS R3 TRF	K724M80	112 lbs	\$906.00
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	K962M40	310 lbs	\$1,203.00
AMR8576		F-TIRE 31X13.5-15 R3 MULTI-TRAC TURF	K256M80	92 lbs	\$321.00
AMR8979	1	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K745M60	245 lbs	\$932.00
AMR8526		F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K362M40	113 lbs	\$453.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K890M40	261 lbs	\$1,113.00
INDUSTRIAL					
AMR8797		F-TIRE 14-17.5 R4 WITH 0.55" INSET	K556M00	168 lbs	\$695.00
ALR8917		R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K783L20	267 lbs	\$979.00

^{*} Standard Tires

① Not approved for Backhoe applications.

② Recommended for loader applications, increases base weight by approx. 600 lbs.

③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

M60 Series M5660SUH/M5660SUHD

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH				
HYDRAULIC REAR REMO				
M7610	SCD (Self Canceling Detent)	K584M80	13 lbs	\$731.00
M7611	FD (Float Detent)	K577M60	11 lbs	\$722.00
REMOTE VALVE LEVER M7692	KITS 2nd Position Lever Kit	K118M40	4 lbs	\$148.00
M7693	3rd Position Lever Kit	K118M40	3 lbs	\$148.00
DRAWBAR CLEVIS				
M9534	Drawbar Clevis	K71M20	12 lbs	\$89.00
TRANSMISSION				
DUAL SPEED PTO KITS				
M7690	540/540E Economy PTO	K860M80	72 lbs	\$1,076.00
FRONT & REAR AXL				
FRONT FENDER KIT (SW	,			
M9290	Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications Not Compatible with 2WD Tractors	K659M20	68 lbs	\$824.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports Requires Fender Mounting Kit	K92M00	7 lbs	\$115.00
WIDE ROW FRONT AXLE	E KIT			
35564-62820	Tie Rod End Extension, Requires 2 Not Compatible with Loader Applications (SUH 2WD Only)	(Order	from Parts Departs	artment)
REAR AXLE SPACER KIT	г			
M9564	Rear Axle Space Kit, adds 2 inches per side Provides 72" spacing with Ag Tires	K725M60	52 lbs	\$907.00
ROPS ACCESSORIE	S			
CANOPY				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K327M20	63 lbs	\$409.00
E1136	Mounting Kit	K161M60	29 lbs	\$202.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K131A20	3 lbs	\$164.00
REAR WORK LIGHT				
M7630	Rear Working Auxilary Light (Maximum 1 Light/Tractor)	K72M00	3 lbs	\$90.00

M60 SERIES

M5660SUH/M5660SUHD

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY	APPROX.	SUGGESTED
	DESCRIPTION	NUMBER	SHIP WT.	LIST PRICE
BALLAST				
FRONT WEIGHT BRACK M8070	Weight Bumper (85 lbs.) Standard on 2WD Model Includes Mounting Bolt Kit Up to 8 Front Suitcase Weights Not Compatible with Loader	K262M40	95 lbs	\$328.00
M8075	Weight Bumper (230 lbs. each), Optional Up to 10 Front Suitcase Weights Requires Bolt Kit Requires Bolt/Bar Kit to mount weights Not Compatible with Loader	K333M60	223 lbs	\$417.00
M1875A	Front Weight Bracket (59 lbs) for Loader application Requires Bolt/Bar Kit to mount weights Up to 7 Front Suitcase Weights Loader must be detached.	K179M20	63 lbs	\$224.00
M1059	Front Weight Bracket Kit for Loader Application Requires Bolt/Bar Kit to mount weights Up to 8 Front Suitcase Weights Loader must be detached	K128M00	57 lbs	\$160.00
FRONT SUITCASE WEIG	HTS			
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K84M00	102 lbs	\$105.00
FRONT WEIGHT BOLT/B	BAR KITS			
M8076	Front Bumper Bolt Kit for M8075 Standard on 2WD Models	K48M00	4 lbs	\$60.00
M8074A	Bolt/Bar Kit for M1875A and M8070 One Kit per 8 Front Suitcase Weights	K52M00	8 lbs	\$65.00
M8073A	Bolt/Bar Kit for M8075 One Kit per 10 Front Suitcase Weights	K54M40	10 lbs	\$68.00

M60 SERIES

ducational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25 KUBOTA

M5660SUH/M5660SUHD

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BALLAST				
REAR WEIGHT WEIGHT	TS .			
LM8124	Rear Wheel Weight (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Wheels Not Compatible with Turf Tires	K236M00	206 lbs	\$295.00
M8126A	Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28" Wheels	K262M40	328 lbs	\$328.00
REAR WHEEL WEIGHT	BOLT KITS			
M8119B	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels	K22M40	6 lbs	\$28.00
LM8125A	Bolt Kit to 1st Wheel Weight Kit on Steel Dish Wheels	K56M00	5 lbs	\$70.00
M8127B	Bolt Kit use for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K20M80	6 lbs	\$26.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K24M80	8 lbs	\$31.00
BALLAST BOX				
M8180	Ballast Box - 3-Point Mount 1280 lbs Capacity with Dry Sand (13 cu. ft.)	K518M40	220 lbs	\$648.00

ADDITIONAL ACCESSORIES

BLOCK HEATER 70000-00297	Block Heater	(Order fro	(Order from Parts Department)		
FLOOR MAT 3C001-55062	Rubber Floor Mat Order (7) 67955-51340 fasteners for mounting	(Order fro	(Order from Parts Department)		
GRILL GUARD M1876A	Grill Guard Kit Compatible with M8075 Front Bumper Weight	K165M60	57 lbs	\$207.00	
ARMREST KIT ZG1341	Arm rest Kit	K49A60	8 lbs	\$62.00	
HAND GRIP T1060-29470	Hand Grip RH	(Order fro	(Order from Parts Department)		
REPLACEMENT ROPS SFM-F70SUH	Replacement ROPS - Field Installation Required	K844M00	175 lbs	\$1,055.00	

M60 SERIES	M5660SUH/M5660SUHD							
DEALER INSTALLED ACCESSORIES								
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE				
FRONT END LOADE	ER .							
LA1154SU	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Loader Valve and Joystick, Parking Stands, and 2 Lever QA Coupler DOES NOT INCLUDE BUCKET or GRILL GUARD, must be ordered separately	K4M825M60	1330 lbs	\$6,032.00				
LOADER ACCESSOR'	Y KITS							
M7949	3rd Function Valve if Backhoe is installed see Backhoe Section	K781M60	56 lbs	\$977.00				
BUCKETS / CUTTING EDG	ES ALL 2-Lever Type QA							
M1811	72" 2 Lever Quick Attach	K579M20	400 lbs	\$724.00				
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K773M60	400 lbs	\$967.00				
L2245	72" 4-in-1 Bucket Requires 3rd Function	K1L788L80	675 lbs	\$2,236.00				
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever Quick Coupler Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K2M953M60	1090 lbs	\$3,692.00				
BUCKET ACCESSORIES								
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K229M60	79 lbs	\$287.00				
BALE SPEARS								
M1804	Bale Spear 2 Lever Type QA	K629M60	195 lbs	\$787.00				
PALLET FORK FRAME / PA	ALLET FORKS							
M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K582M40	200 lbs	\$728.00				
K9058	42" Pallet Forks	K397L60	196 lbs	\$497.00				
K9059	48" Pallet Forks	K424K00	218 lbs	\$530.00				

M60 SERIES	M5660SUH/M5660SUHD			
BACKHOES				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BACKHOE & ACCESSORIES				
M4509	Backhoe, 9ft digging depth Includes Pressed Steel Grousers Requires Mounting Kit and Bucket	K8M572M00	1960 lbs	\$10,715.00
M4509V	Backhoe, 9ft digging depth Includes Auxilary Valve and Pressed Steel Grousers Requires Mounting Kit and Bucket	K9M858M40	1960 lbs	\$12,323.00
BACKHOE MOUNTING KIT M4505	Backhoe Sub frame Kit	K1M984M00	575 lbs	\$2,480.00
BACKHOE ACCESSORIES	A - The It do It Val - Kit for IMEO	1/41/10001/100	00.11	#4 700 00
M4516 M4745	Auxiliary Hydraulic Valve Kit for M4509	K1M360M00 K650M40	60 lbs 70 lbs	\$1,700.00 \$813.00
M4014	Bucket Quick Coupler Hydraulic Thumb Kit	K959M20	150 lbs	\$1,199.00
M4015	Mechanical Thumb Kit	K829M60	155 lbs	\$1,037.00
M4716	Fixed Pin Kit For use with additional buckets using M4745 Quick Coupler Requires 1 Pin Kit per Additional Bucket	K110M40	8 lbs	\$138.00
M4018	Relocation Hose and Bracket Kit ROPS models Required if tractor is equipped with a 3rd function control valve and M4011V Backhoe	K222M40	14 lbs	\$278.00
RUBBER FLIP PADS				
_9453	Rubber Flip Pads	K104L00	21 lbs	\$130.00
M4509 / M4509V BUCKETS L5415A	12" Bucket (1.43 cu. ft. Struck / 1.83 cu. ft. Heaped) Not Compatible with Thumb Kits, unless Quick Coupler is installed on Backhoe	K544L80	140 lbs	\$681.00
L5416A	16" Bucket (1.98 cu. ft. Struck / 2.56 cu. ft. Heaped) Not Compatible with Thumb Kits, unless Quick Coupler is installed on Backhoe	K584L00	154 lbs	\$730.00
_5418A	18" Bucket (2.25 cu. ft. Struck / 2.98 cu. ft. Heaped)	K595L20	162 lbs	\$744.00
-5424A	24" Bucket (3.07 cu. ft. Struck / 4.32 cu. ft. Heaped)	K664L00	185 lbs	\$830.00
M5436	36" Bucket (4.04 cu. ft. Struck / 6.14 cu. ft. Heaped) Not Compatible with Thumb Kits, unless Quick Coupler is installed on Backhoe	K884M00	257 lbs	\$1,105.00
M5438	38" Bucket (4.48 cu. ft. Struck / TBA cu. ft. Heaped) NOTE: Special order due to low sales volume	K938M40	1 lbs	\$1,173.00

M60 SERIES

M5660SUH/M5660SUHD

Approved Attachments

See Website for Landpride Attachments List

M60 SERIES

M6060/M7060

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3307 Direct Injection
3.3L (203 cu. in.) 4 Cyl
EPA Tier 4 Emission Certified
Common Rail Electronic Fuel Injection
Electronic Engine Management
Constant RPM Management
Turbocharged
45 Amp Alternator - ROPS
60 Amp Alternator - Cab
12V 700 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter)

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump
Max. Flow @ Rated Engine Speed: 2600 RPM
Power Steering: 6.1 gpm
Impl. Flow: 11.0 gpm
Impl. Flow, 12 Speed: 16.2 gpm
Total Flow: 17.1 gpm
Total Flow, 12 Speed: 22.3 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)

3 POINT HITCH & DRAWBAR

Cat I/II 3-Point Hitch @ Lift Points: 4190 lbs (ASAE)@24" Behind: 3307 lbs Telescoping Lower Links Telescoping Stabilizers Swinging Drawbar - Straight

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2295 Eng. RPM 540/540E Economy PTO Optional (12 Speed Standard) Provides 540 PTO @ 1942 Eng. RPM

TRANSMISSION

Fully Synchronized Transmission 8F/8R or 12F / 12R Hydraulic-Shuttle Planetary Final Drives Rear Differential Lock

FRONT AXLE

Hydrostatic Power Steering 2WD: Tubular Steel Beam Telescoping 4WD: Cast Iron, Bevel Gear 55 Deg

FLUID CAPACITY

Fuel Tank Capacity ROPS: 18.5 gal Fuel Tank Capacity Cab: 23.8 gal Cooling System: 8.5 qts Crankcase: 11.6 qts Hydraulics/Trans: 59.2 qts Front Axle 4WD: 5.8 qts

INSTRUMENTS

Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature

TIRES AND WHEELS

2WD: Front 9.5L x 15 F2 Rear 16.9 x 28 R1 4WD: Front 9.5 x 24 R1 Rear 16.9 x 28 R1

OPERATOR PLATFORM

Semi-Flat Deck with Hanging Pedals High Back Seat with Adjustable Suspension Color Coded Controls Cup Holder

Cab (Ultra Grand Cab)

Integral factory ROPS Certified
Flat Deck
Suspension Seat w/ Retractable
Seat Belt and Armrests
Dual Level Air Conditioning & Heater
Front Wiper w/ Washer - 2 Speed
Radio Ready, includes 2 Speakers
Antenna and Wiring Harness
2 Doors, Frameless all glass
Left & Right Side Steps
Sun Visor
Tilt Steering Wheel
Interior Dome Light
Accessory Plug 12V -15 Amp
Cup Holder
Ashtray
Horn

LIGHTING

2 Headlights - Tail lights2 Hazard Flasher Lights w/ Turn Signals

CAB LIGHTING

2 Front Work Lights 2 Rear Work Lights

SAFETY EQUIPMENT

2 Post, ROPS Certified Retractable Seat Belt Flip-Up PTO Shield Safety Start Switches: Shuttle Lever Neutral PTO - OPC Alarm 10 Sec. Electric Key Shut Off Parking Brake Turn Signals SMV Sign

 Model Specifications

 M6060
 M7060

 SAE Gross HP: 66.4
 SAE Gross HP: 74.3

 Engine Net HP: 64.1
 Engine Net HP: 71.9

 Max . PTO HP: 56
 Max . PTO HP: 64

M6060

NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25

M60 Series SUGGESTED **FACTORY** APPROX. **ORDER CODE** DESCRIPTION NUMBER SHIP WT. LIST PRICE **2WD MODELS** ***STANDARD TRACTOR WITH STANDARD TIRES*** M6060HFC **2WD Utility Cab Tractor** K31M595M20 5226 lbs \$39,494.00 M6060HFC 2WD Additional Price With Tire Option TIRES AND WHEELS WEIGHT FACTORY SUGGESTED LIST ORDER CODE DESCRIPTION **EACH** NUMBER PRICE STANDARD TIRES F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB AMXR8789A 75 lbs MM0 Add In Base Price AMR8913B* R-TIRE 16.9-28 R1 Firestone (SAT) II 299 lbs AG - BIAS REAR AMXR8789A F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB 75 lbs MMO Add \$0.00 AMR8913B* R-TIRE 16.9-28 R1 Firestone (SAT) II 299 lbs AMXR8789A F-TIRE 9.51 -15 F2 ATG GALAXY MULTIRIB 75 lbs K896M00 \$1,120.00 Add 1 AMR8565 R-TIRE 14.9-28 R1 F-STONE SAT II/CST 600 lbs AMXR8789A F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB 75 lbs K419M20 Less (\$524.00) AMR8901B R-TIRE 14.9-28 R1 Firestone (SAT) II 255 lbs

83 lbs

245 lbs

65 lbs

245 lbs

70 lbs

261 lbs

K280M00

K401M60

K4M80

Less

Less

Add

(\$350.00)

(\$502.00)

\$6.00

TIDES AND MUEEL S (priced per piece)

00000 0000		PERCURIEN	FACTORY	WEIGHT	SUGGESTED LIST
ORDER CODE		DESCRIPTION	NUMBER	EACH	PRICE
AG - BIAS REAR					
AMXR8789*		F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8913B*		R-TIRE 16.9-28 R1 Firestone (SAT) II	K931M20	299 lbs	\$1,164.00
AMXR8789A		F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K251M20	75 lbs	\$314.00
AMR8565	10	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	K1M379M20	600 lbs	\$1,724.00
AMXR8789A		F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K251M20	75 lbs	\$314.00
AMR8901B		R-TIRE 14.9-28 R1 Firestone (SAT) II	K721M60	255 lbs	\$902.00
AG - RADIAL REAR					
TURF					
ALR8708		F-TIRE 29x12.50-15 R3 Titan Turf	K296L80	83 lbs	\$371.00
AMR8979	3	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K745M60	245 lbs	\$932.00
AMR8545		F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	K236M00	65 lbs	\$295.00
AMR8979	3	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K745M60	245 lbs	\$932.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	K962M40	310 lbs	\$1,203.00
ALR6818A	4	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K294L40	70 lbs	\$368.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K890M40	261 lbs	\$1,113.00

- † See Tire Section for Individual Tire Pricing and Information
- Standard tires.

TURF ALR8708

AMR8979

AMR8545

AMR8979

ALR6818A

AMR8541

- ** Subject to Availability
- ① Recommended for loader applications, increases base weight by approx. 600 lbs.
- Requires 16 Shoulder Lug Nuts, order (16) 3A111-97810 Shoulder Lug Nuts for Field Installation from Parts Department.

F-TIRE 29x12.50-15 R3 Titan Turf

R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld

F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib

R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld

F-TIRE LSW305R343 R3 Titan Grizz LSW 430

R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75

- Not approved for Backhoe applications.
 For field installation, requires (12) 36500-49410 Spring Washers from Parts Department.

M60 Series M7060 FACTORY APPROX. SUGGESTED ORDER CODE DESCRIPTION SHIP WT. NUMBER LIST PRICE

2WD MODELS ***STANDARD TRACTOR WITH STANDARD TIRES***

M7060HFC **2WD Utility Cab Tractor** \$41,955.00 K33M564M00 5248

N	/17060HF	FC 2WD				
TIRES AND WHEELS [†]					Additional I	Price With Tire Option
ORDER CODE		DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
STANDARD TIRES						
AMXR8789*		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	MMO	Add	In Base Price
AMR8932D*		R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs	IVIIVIO	Add	III Dase I lice
AG - BIAS REAR						
AMXR8789*		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	MMO	Add	\$0.00
AMR8932D*		R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs	IVIIVIO	Add	Ψ0.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K912M00	Add	\$1.140.00
AMR8935D	10	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs	K912IVIUU	Add	\$1,140.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K43M20	A -1 -1	\$54.00
AMR8932D		R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs	K43IVIZU	Add	\$54.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K955M20	^ -1 -1	£4.404.00
AMR8935D	10	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs	K955IVIZU	Add	\$1,194.00
TURF						
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	K38M40	Add	\$48.00
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs	K36W40	Add	\$46.00
AMR8545		F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	65 lbs	K416M00	1	(\$500.00)
AMR8979	34	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	K416W00	Less	(\$520.00)
ALR8708		F-TIRE 29x12.50-15 R3 Titan Turf	83 lbs	K004M40	1	(\$200.00)
AMR8979	34	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	K294M40	Less	(\$368.00)
ALR6818A	(4)	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	70 lbs	1/01/100	1	(040.00)
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs	K9M60	Less	(\$12.00)

TIRES AND WHEELS (priced per piece)

TINES AND WHEELS	(priced pe	i piece)			
ORDER CODE		DESCRIPTION	FACTORY	WEIGHT EACH	SUGGESTED LIST
AG BIAG BEAR			NUMBER	EACH	PRICE
AG - BIAS REAR					
AMXR8789*		F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8932D*		R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K943M20	341 lbs	\$1,179.00
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8935D	12	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M399M20	618 lbs	\$1,749.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K268M00	91 lbs	\$335.00
AMR8932D		R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K943M20	341 lbs	\$1,179.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K268M00	91 lbs	\$335.00
AMR8935D	00	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M399M20	618 lbs	\$1,749.00
TURF		· · · · · · · · · · · · · · · · · · ·			
AMXR8789		F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	K962M40	310 lbs	\$1,203.00
AMR8545		F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	K236M00	65 lbs	\$295.00
AMR8979	34	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K745M60	245 lbs	\$932.00
ALR8708		F-TIRE 29x12.50-15 R3 Titan Turf	K296L80	83 lbs	\$371.00
AMR8979	34	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K745M60	245 lbs	\$932.00
ALR6818A	4	F-TIRE LSW305R343 R3 Titan Grizz LSW 430	K294L40	70 lbs	\$368.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K890M40	261 lbs	\$1,113.00

[†] See Tire Section for Individual Tire Pricing and Information

Standard tires.

① Recommended for loader applications, increases base weight by approx. 600 lbs.

② For field installation of Cast Iron Dish, requires 16 Shoulder Lug Nuts, order (16) 3A111-97810 Shoulder Lug Nuts from Parts Department.

³ Not approved for Backhoe applications.

For field installation, requires (12) 36500-49410 Spring Washers from Parts Department.

M60 Series		M6060				
ORDER CODE		DESCRIPTION		FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
		4WD MODELS ***STANDARD TRACTOR WITH STA				
M6060HD		4WD Utility 2 Post Foldable ROPS Tractor		K27M648M00	5358 lbs	\$34,560.00
M6060HDC		4WD Utility Cab Tractor		K34M634M40	5358 lbs	\$43,293.00
	M6060	4WD				
TIRES AND WHEELS [†]		·			Additional P	rice With Tire Option
ORDER CODE		DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
STANDARD TIRES			LAOII	NOWIDER		FRICE
AMR8955C*		F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs			11
AMR8901B*		R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs	MMO	Add	In Base Price
			200 100			J I
AG - BIAS REAR						11
AMR8955C*		F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	MMO	Add	\$0.00
AMR8901B*		R-TIRE 14.9-28 R1 Firestone (SAT) II	255 lbs			
AMR8955C		F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K419M20	Add	\$524.00
AMR8913B		R-TIRE 16.9-28 R1 Firestone (SAT) II	299 lbs	14191020	Add	ψ324.00
AMR8955C		F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs			1
AMR8565	03	R-TIRE 14.9-28 R1 F-STONE SAT II/CST	600 lbs	K1M315M20	Add	\$1,644.00
AG - RADIAL REAR						ł I
AMR8586		F-TIRE 320/85R20 R1W ALCE FRMPRO	166 lbs			i l
AMR8577		R-TIRE 420/70R28 R1W ALLIANCE 370	300 lbs	K633M60	Add	\$792.00
AMR8586		F-TIRE 320/85R20 R1W ALCE FRMPRO	166 lbs	K1K662M40	Add	\$2,078.00
AMR8570	03	R-TIRE 420/70R28 R1W ALLIANCE 370 Cast	650 lbs			
TURF						
AMR8526	2	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	K310M40	Add	\$388.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs	1101011110	7100	φοσο.σσ
INDUSTRIAL						
AMR8808		F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	159 lbs	K483M20	Add	\$604.00
ALR8917		R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs	K463W20	Add	\$604.00
TIRES AND WHEELS (p	riced pe	r piece)				
ORDER CODE		DESCRIPTION		FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
AG - BIAS REAR				NUMBER	EACH	PRICE
AMR8955C*		F-TIRE 9.5-24 R1 Goodyear Dura Torque		K376M00	130 lbs	\$470.00
AMR8901B*		R-TIRE 14.9-28 R1 Firestone (SAT) II		K721M60	255 lbs	\$902.00
AMR8955C		F-TIRE 9.5-24 R1 Goodyear Dura Torque		K376M00	130 lbs	\$470.00
AMR8913B		R-TIRE 16.9-28 R1 Firestone (SAT) II		K931M20	299 lbs	\$1,164.00
AMR8955C		F-TIRE 9.5-24 R1 Goodyear Dura Torque		K376M00	130 lbs	\$470.00
AMR8565	113	R-TIRE 14.9-28 R1 F-STONE SAT II/CST		K1M379M20	600 lbs	\$1,724.00
AG - RADIAL REAR		F T/DF 000/05D00 DAW ALC =		1/10-11-	100 "	II
AMR8586		F-TIRE 320/85R20 R1W ALCE FRMPRO		K495M20	166 lbs	\$619.00
AMR8577		R-TIRE 420/70R28 R1W ALLIANCE 370		K919M20	300 lbs	\$1,149.00
AMR8586	00	F-TIRE 320/85R20 R1W ALCE FRMPRO		K495M20	166 lbs	\$619.00
AMR8570 TURF	<u>U3</u>	R-TIRE 420/70R28 R1W ALLIANCE 370 Cast		K1M433M60	650 lbs	\$1,792.00
AMR8526	2	F-TIRE LSW305-521R3 Grizz LSW Soft Turf		K362M40	113 lbs	\$453.00
AMR8541	·	R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75		K890M40	261 lbs	\$1,113.00
		20 010110 0112 2011 0.11 0.10		1100011110	201 100	ψ1,110.00

INDUSTRIAL AMR8808 ALR8917 F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud R-TIRE 16.9-24 R4 Titan Ind Tractor Lug See Tire Section for Individual Tire Pricing and Information

K556M00 K783L20

159 lbs

267 lbs

\$695.00 \$979.00

Standard tires.

[©] Recommended for loader applications, increases base weight by approx. 600 lbs.
© For field installation, requires (12) 04512-60140 Spring Washers from Parts Department.
f3 Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

M60 Series		M7060				
ORDER CODE	DESCRIPTION			FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	***STAND	4WD MODELS				
M7060HD	4WD Utility 2 Post Foldable RO	OPS Tractor		K29M624M80	5027 lbs	\$37,031.00
M7060HDC	4WD Utility Cab Tractor			K36M611M20	5380 lbs	\$45,764.00
M7060HD12	4WD Utility 2 Post Foldable RO	OPS Tractor		K31M442M40	5027 lbs	\$39,303.00
M7060HDC12	4WD Utility Cab Tractor			K38M428M80	5380 lbs	\$48,036.00
M7060) 4WD					
TIRES AND WHEELS†					Additional P	rice With Tire Option
ORDER CODE	DESCRIPTION		WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
STANDARD TIRES						Ú.
AMR8955C* AMR8932D*	F-TIRE 9.5-24 R1 Goodyear Dui R-TIRE 16.9-30 R1 DuraTorq 17		130 lbs 341 lbs	MMO	Add	In Base Price
AG - BIAS REAR	·					
AMR8955C* AMR8932D*	F-TIRE 9.5-24 R1 Goodyear Dui R-TIRE 16.9-30 R1 DuraTorq 17		130 lbs 341 lbs	MMO	Add	\$0.00
AMR8955C AMR8935D ①③	F-TIRE 9.5-24 R1 Goodyear Dur R-TIRE 16.9-30 R1 Gdyr DuraTo		130 lbs 618 lbs	K912M00	Add	\$1,140.00
MR8956 MR8924B	F-TIRE 9.50-20 R1 B-Stone Fari R-TIRE 16.9-24 R1 Ttn Hi TracL	•	98 lbs 263 lbs	K545M60	Less	(\$682.00)
AG - RADIAL REAR						
AMR8605 AMR8616	F-TIRE LSW320/70R24 GDYR (R-TIRE LSW 420/75R34 GDYR		220 lbs 460 lbs	K302M40	Add	\$378.00
AMR8605 AMR8640 ①¤⑤	F-TIRE LSW320/70R24 GDYR (R-TIRE LSW 420/75R34 GDYR		220 lbs 949 lbs	K1M905M60	Add	\$2,382.00
AMR8586 AMR8588	F-TIRE 320/85R20 R1W ALCE I R-TIRE 420/85R30 RIW ALCE F		166 lbs 400 ibs	M318M40	Add	\$398.00
TURF						
AMR8536 AMR8979 ②	F-TIRE 29x12.50-15 R3 Ttn Muli R-TIRE 21.5L-16.1 R3 Firestone		77 lbs 245 lbs	K606M40	Less	(\$758.00)
AMR8566 AMR8938	F-TIRE 13.50-16.1 F-STONE AN R-TIRE 18.4-26 R3 (ANS) 17mn		112 lbs 310 lbs	K736M00	Add	\$920.00
MR8954B AMR8938	F-TIRE 9.50-24 R3 Gdyr All Wei R-TIRE 18.4-26 R3 (ANS) 17mn		113 lbs 310 lbs	K65M60	Add	\$82.00
AMR8526	F-TIRE LSW305-521R3 Grizz L R-TIRE LSW570-648 R3 Grizz L		113 lbs 261 lbs	K132M80	Less	(\$166.00)
INDUSTRIAL						
AMR8797 ALR8917 AG/INDUSTRIAL HYBRID	F-TIRE 14-17.5 R4 WITH 0.55" R-TIRE 16.9-24 R4 Titan Ind Tra		168 lbs 267 lbs	K40M00	Add	\$50.00
AMR8040 AMR8047	F-TIRE LSW320/70R24 GDYR F R-TIRE LSW420/75R34 GDYR		195 lbs 422 lbs	M470M40	Add	\$588.00

[†] See Tire Section for Individual Tire Pricing and Information

Standard tires.

① Recommended for loader applications, increases base weight by approx. 600-1100 lbs.

② Not approved for Backhoe applications.

³ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation

④ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.

⑤ For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.

M60 Series M7060

TIRES AND WHEELS	(priced pe	r piece)			
ORDER CODE	•	DESCRIPTION	FACTORY	WEIGHT	SUGGESTED LIST
		DEGGKII TION	NUMBER	EACH	PRICE
AG - BIAS REAR					
AMR8955C*		F-TIRE 9.5-24 R1 Goodyear Dura Torque	K376M00	130 lbs	\$470.00
AMR8932D*		R-TIRE 16.9-30 R1 DuraTorq 17mm holes	K943M20	341 lbs	\$1,179.00
AMR8955C		F-TIRE 9.5-24 R1 Goodyear Dura Torque	K376M00	130 lbs	\$470.00
AMR8935D	13	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M399M20	618 lbs	\$1,749.00
MR8956		F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	K280M80	98 lbs	\$351.00
MR8924B		R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.8"	K765M60	263 lbs	\$957.00
AG - RADIAL REAR					
AMR8605	(5)	F-TIRE LSW320/70R24 GDYR OPTI R1W	K487M20	220 lbs	\$609.00
AMR8616		R-TIRE LSW 420/75R34 GDYR OPTI R1W	K983M20	460 lbs	\$1,229.00
AMR8605		F-TIRE LSW320/70R24 GDYR OPTI R1W	K487M20	220 lbs	\$609.00
AMR8640	126	R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	K1M784M80	949 lbs	\$2,231.00
AMR8586		F-TIRE 320/85R20 R1W ALCE FRMPRO	K495M20	166 lbs	\$619.00
AMR8588		R-TIRE 420/85R30 RIW ALCE FRMPRO	K983M20	400 lbs	\$1,229.00
TURF					•
AMR8536		F-TIRE 29x12.50-15 R3 Ttn MultiTrac8stud	K270M40	77 lbs	\$338.00
AMR8979	2	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	K745M60	245 lbs	\$932.00
AMR8566		F-TIRE 13.50-16.1 F-STONE ANS R3 TRF	K724M80	112 lbs	\$906.00
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	K962M40	310 lbs	\$1,203.00
MR8954B		F-TIRE 9.50-24 R3 Gdyr All Weather TL	K389M60	113 lbs	\$487.00
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	K962M40	310 lbs	\$1,203.00
AMR8526	(4)	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	K362M40	113 lbs	\$453.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	K890M40	261 lbs	\$1,113.00
INDUSTRIAL					
AMR8797		F-TIRE 14-17.5 R4 WITH 0.55" INSET	K556M00	168 lbs	\$695.00
ALR8917		R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	K783L20	267 lbs	\$979.00
AG/INDUSTRIAL HYB	RID	•			••
AMR8040		F-TIRE LSW320/70R24 GDYR R14T	K520M80	195 lbs	\$651.00
AMR8047		R-TIRE LSW420/75R34 GDYR R14T	K1M033M60	422 lbs	\$1,292.00

Standard tires.

^{*} Standard tires.

① Recommended for loader applications, increases base weight by approx. 600-1100 lbs.
② Not approved for Backhoe applications.
③ Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation
④ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.
⑤ Steering Stops must be adjusted if 60" centers are required.
(6) For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.

M60 Series	M6060/M7060			
DEALER INSTALI	LED ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/D				
HYDRAULIC REAR REMOTE VA M7604	ALVES SCD (Self Canceling Detent) for ROPS	K584M80	13 lbs	\$731.00
M7605	FD (Float Detent) for ROPS	K577M60	11 lbs	\$722.00
M7610	SCD (Self Canceling Detent) for CAB	K584M80	13 lbs	\$731.00
M7611	FD (Float Detent) for CAB	K577M60	11 lbs	\$722.00
REMOTE VALVE LEVER KITS M7607	2nd Position Lever Kit for ROPS	K118M40	3 lbs	\$148.00
M7608	3rd Position Lever Kit for ROPS	K118M40	5 lbs	\$148.00
M7687	2nd Position Lever Kit for Cab	K118M40	4 lbs	\$148.00
M7688	3rd Position Lever Kit for Cab	K118M40	3 lbs	\$148.00
DRAWBAR CLEVIS M9594	Drawbar Clevis	K59M20	10 lbs	\$74.00
TRANSMISSION				
CREEP SPEED KITS M7691	Creep Speed Cassette Type for 8-Speed Transmission	K568M80	15 lbs	\$711.00
M7680	Creep Speed Cassette Type for 12-Speed Transmission	K568M80	15 lbs	\$711.00
DUAL SPEED PTO KITS M7690	540/540E Economy PTO	K860M80	72 lbs	\$1,076.00
FRONT & REAR AXLE				
FRONT FENDER KIT (SWIVEL - M9290	TYPE) Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications Not Compatible with 2WD Tractors Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports	K659M20	68 lbs	\$824.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K92M00	7 lbs	\$115.00
REAR AXLE SPACER KIT M9564	Rear Axle Space Kit, adds 2 inches per side Provides 72" spacing with Ag Tires	K725M60	52 lbs	\$907.00

M60 Series	M6060/M7060			
DEALER INSTA	LLED ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTEI LIST PRICE
ROPS ACCESSORIE	S			
CANOPY E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K327M20	63 lbs	\$409.00
≣1136	Mounting Kit	K161M60	29 lbs	\$202.00
E1138	Work Light Set for Canopy (Optional 2-lights)	K131A20	3 lbs	\$164.00
OOWN EXHAUST PIPE KIT //7956	Pipe Kit	K280M00	19 lbs	\$350.00
HIGH CAPACITY ALTERNAT M7965	FOR KIT 100 Amp High Capacity Alternator Kit	K426M40	10 lbs	\$533.00
REAR WORK LIGHT M7630	Rear Working Auxiliary Light for ROPS Maximum 1 Light per Tractor	K72M00	3 lbs	\$90.00
CAB ACCESSORIES				
M7649	Rear Window Wiper Kit	K196M80	4 lbs	\$246.00
M9270	Air Ride Seat Suspension Kit	K464M00	49 lbs	\$580.00
M9205	Air Ride Seat Wire Harness (Required if 3rd Function is installed)	K17M60	1 lbs	\$22.00
M7698	Elec-Defogger Kit and 100 Amp Alternator	K649M60	60 lbs	\$812.00
<i>Л</i> 7964	Mid Mount Work Light Kit Requires High Capacity Alternator Kit	K291M20	8 lbs	\$364.00
3C581-97010	Monitor Bracket, Universal Type	(Order from Parts Department)		
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order from Parts Department)		
HIGH CAPACITY ALTERNA 17965	FOR KIT 100 Amp High Capacity Alternator Kit	K426M40	10 lbs	\$533.00
JENSEN RADIO OPTIONS	D. J. AMATAMAN DIALINA	(O-1(D D	
77700-04753	Radio, AM/FM/WB/AUX	,	rom Parts Depa	,
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT	,	rom Parts Depa	,
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SAT/CD/Bluetooth	(Order f	rom Parts Depa	rtment)
ADDITIONAL ACCES BLOCK HEATER		(Onder 6	rana Danta Dana	
70000-73274 M3197	Block Heater CCV Heater KT M6060/7060 CAB US	(Order i K524M80	rom Parts Depa 22 lbs	\$656.00
GRILL GUARD M6872	Grill Guard Kit Compatible with M8075 front bumper weight Not Compatible with M1875A front weight bracket	K199M20	57 lbs	\$249.00
REPLACEMENT CAB	Replacement Ultra Grand Cab 8 speed - Field Installation Required	K7M466M40	1000 lbs	\$9,333.00
M7035	Replacement Ultra Grand Cab 12 speed - Field Installation Required	K7M466M40	1000 lbs	\$9,333.00
REPLACEMENT ROPS SFM-F70A	Replacement ROPS - Field Installation Required	(Order from Parts Department)		
Kubota <i>NOW</i> TELEM	ATICS	· · · · · · · · · · · · · · · · · · ·	•	
	e the DCU6700 modem and wiring harness as listed below: AT&T Telematics Modem	K300A20	1 lbs	\$395.00
M6713	M Series Telematics Harness	K72M00	1 lbs	\$90.00
VIOT 13	KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525	IV/ ZIVIOU	1 105	ψ30.00

As of November 2nd, Kubota NOW will be available for Dealer Owned and Dealer Rental Fleet Machines.

M8127B

M8121A

BALLAST BOX M8180

M60 Series M6060/M7060 **DEALER INSTALLED ACCESSORIES** FACTORY APPROX. SUGGESTED ORDER CODE DESCRIPTION NUMBER SHIP WT. LIST PRICE **BALLAST** FRONT WEIGHT BRACKETS K333M60 223 lbs \$417.00 M8075 Front Weight Bumper (230 lbs. each) Standard for 2WD models Requires Bolt Kit Up to 10 Front Suitcase Weights FRONT SUITCASE WEIGHTS Suitcase Weight K84M00 \$105.00 M8079 102 lbs Requires Front Weight Bumper and Bolt/Bar Kit Not Compatible with Loader FRONT WEIGHT BOLT/BAR KITS Front Bumper Bolt Kit for M8075 K48M00 \$60.00 M8076 4 lbs Standard on 2WD Models M8073A Bolt/Bar Kit for M8075 K54M40 10 lbs \$68.00 One Kit per 10 Front Suitcase Weights REAR WHEEL WEIGHTS LM8124 Rear Wheel Weight Kit (103 lbs. each) K236M00 206 lbs \$295.00 Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Steel Dish Wheels Not Compatible with Turf Tires M8126A Rear Wheel Weight Kit (164 lbs. each) K262M40 328 lbs \$328.00 Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28", 30", and 34" Wheels REAR WHEEL WEIGHT BOLT KITS M8119B Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels K22M40 6 lbs \$28.00 LM8125A 5 lbs \$70.00 Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels K56M00

Bolt Kit for 2nd and 3rd Set of M8126A Weights

Bolt Kit for 2nd and 3rd Set of LM8124 Weights

1280 lbs. Capacity with Dry Sand (13 cu. ft.)

One Bolt Kit per Weight Set

Ballast Box - 3-Point Mount

Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21 $^{\rm P32}$ 9-40

K20M80

K24M80

K518M40

6 lbs

8 lbs

220 lbs

\$26.00

\$31.00

\$648.00

M60 Series

M6060/M7060

FRONT END LO	ADER			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER	1			
_A1154A	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Parking Stands, Quick Coupler and Grill Guard DOES NOT INCLUDE VALVE, BUCKET must be ordered separately	K4M186M40	1543 lbs	\$5,233.00
VALVE KITS				
M7995	Standard Valve Kit for ROPS	K828M00	75 lbs	\$1,035.00
M7996	Standard Valve Kit for Cab	K828M00	81 lbs	\$1,035.00
M7998	Hydraulic Self-Leveling Valve Kit for ROPS	K1M565M60	101 lbs	\$1,957.00
M7999	Hydraulic Self-Leveling Valve Kit for Cab	K1M565M60	92 lbs	\$1,957.00
LOADER ACCESSOR	Y KITS			
M7991	3rd Function Valve Kit for ROPS If backhoe is installed requires M4018 relocation kit in backhoe section.	K781M60	61 lbs	\$977.00
M7992	3rd Function Valve Kit for Cab If backhoe is installed requires M4018 relocation kit in backhoe section.	K781M60	62 lbs	\$977.00
SHOCKLESS RIDE M7993	KSR (Kubota Shockless Ride) Accumulator	K506M40	47 lbs	\$633.00
QUICK CONNECT M1869	Hydraulic Quick Connect Single Lever	K587M20	22 lbs	\$734.00
QA BUCKETS & ACC				
M1811	72" 2 Lever QA Bucket	K579M20	400 lbs	\$724.00
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K773M60	400 lbs	\$967.00
L2245	72" 4-in-1 Bucket Requires 3rd Function Valve	K1L788L80	675 lbs	\$2,236.00
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever QA Coupler Requires 3rd Function Valve Requires 2- Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K2M953M60	1090 lbs	\$3,692.00
BUCKET ACCESSORIES M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K229M60	79 lbs	\$287.00
BALE SPEARS M1804	Bale Spear 2 Lever Type QA	K629M60	195 lbs	\$787.00
PALLET FORM FRAM	IE / PALLET FORKS			
M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K582M40	200 lbs	\$728.00
K9058	42" Pallet Forks	K397L60	196 lbs	\$497.00
K9059	48" Pallet Forks	K424K00	218 lbs	\$530.00

M60 Series	M6060/M7060			
BACKHOES				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BACKHOE & ACCESS	ORIES			
M4509	Backhoe, 9 ft. digging depth Includes Pressed Steel Grousers Requires Mounting Kit and Bucket	K8M572M00	1960 lbs	\$10,715.00
M4509V	Backhoe, 9 ft. digging depth Includes Auxiliary Valve and Pressed Steel Grousers Requires Mounting Kit and Bucket	K9M858M40	1960 lbs	\$12,323.00
M4011	Backhoe, 11.1 ft. digging depth Includes Flip-Type Grousers Requires Mounting Kit and Bucket Dipperstick includes Thumb Bracket	K10M453M60	1940 lbs	\$13,067.00
M4011V	Backhoe, 11.1 ft. digging depth Includes Auxiliary Valve and Flip-Type Grousers Requires Mounting Kit and Bucket Dipperstick includes Thumb Bracket	K11M929M60	2020 lbs	\$14,912.00
BACKHOE MOUNTING KIT				
M4021	Backhoe Sub frame Kit for ROPS	K1M939M20	575 lbs	\$2,424.00
M4022	Backhoe Sub frame Kit for Cab	K2M004M80	575 lbs	\$2,506.00
BACKHOE ACCESSORIES M4516	Auxiliary Hydraulic Valve Kit for M4509	K1M360M00	60 lbs	\$1,700.00
M4016	Auxiliary Hydraulic Valve Kit for M4511	K1M360M00	60 lbs	\$1,700.00
M4745	Bucket Quick Coupler	K650M40	70 lbs	\$813.00
M4716	Fixed Pin Kit For use with additional buckets using M4745 Quick Coupler Requires 1 Pin Kit per Additional Bucket	K110M40	8 lbs	\$138.00
M4014	Hydraulic Thumb Kit	K959M20	150 lbs	\$1,199.00
M4018	Relocation Hose and Bracket Kit Required if tractor is equipped with a 3rd function control valve and Backhoe.	K222M40	14 lbs	\$278.00
M4015	Mechanical Thumb Kit	K829M60	155 lbs	\$1,037.00
RUBBER FLIP PADS				
L9453	Rubber Flip Pads	K104L00	21 lbs	\$130.00
M4509 / M4011 BUCKETS L5415A	12" Bucket (1.43 cu. ft. Struck / 1.83 cu. ft. Heaped) Not Compatible with Thumb Kits	K544L80	140 lbs	\$681.00
L5416A	16" Bucket (1.98 cu. ft. Struck / 2.56 cu. ft. Heaped) Not Compatible with Thumb Kits	K584L00	154 lbs	\$730.00
L5418A	18" Bucket (2.25 cu. ft. Struck / 2.98 cu. ft. Heaped)	K595L20	162 lbs	\$744.00
L5424A	24" Bucket (3.07 cu. ft. Struck / 4.32 cu. ft. Heaped)	K664L00	185 lbs	\$830.00
M5436	36" Bucket (4.04 cu. ft. Struck / 6.14 cu. ft. Heaped) Not Compatible with Thumb Kits	K884M00	257 lbs	\$1,105.00
M5438	38" Bucket (4.48 cu. ft. Struck / 6.61 cu. ft. Heaped) NOTE: Special order due to low sales volume	K938M40	1 lbs	\$1,173.00

M60 Series M6060/M7060

APPROVED ATTACHMENTS

See Website for Landpride Attachments List

M4 SERIES

M4 Standard and Deluxe

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3307 Direct Injection 3.3L (203 cu. in.) 4 Cyl EPA Tier 4 Emission Certified Common Rail Electronic Fuel Injection Electronic Engine Management Constant RPM Management Turbocharged 130 Amp Alternator 12V 900 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter)

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump

Max. Flow @ Rated Engine Speed: 2400 RPM Power Steering: 6.3 gpm

Impl. Flow: 16.7 gpm **Total Flow**

REMOTE VALVES

M4 Standard (1) SCD (Self Canceling Detent)

M4 Deluxe (2) SCD (Self Canceling Detent) FD (Floating Detent)

3 POINT HITCH & DRAWBAR

Cat I/II 3-Point Hitch

@ Lift Points: 4189 (ASAE)@24" Behind: 3307 Telescoping Lower Links Telescoping Stabilizers Swinging Drawbar - Straight

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2160 Eng. RPM

540/540E Economy Optional on Standard Model Provides 540 PTO @ 1828 Eng. RPM

Model Specifications M4-071 M4-061

SAE Gross HP: 66.4 SAE Gross HP: 74.3 Engine Net HP: 60.9 Engine Net HP: 68.7 Max . PTO HP: 52 Max . PTO HP: 60

TRANSMISSION

Fully Synchronized Transmission 12F / 12R Electro Hydraulic-Shuttle Electronic De-clutch Button Planetary Final Drives Rear Differential Lock

FRONT AXLE

Hydrostatic Power Steering 4WD: Cast Iron, Bevel Gear 55 Deg

FLUID CAPACITY

Fuel Tank Capacity Cab: 23.8 gal Cooling System: 10.6 qts Crankcase: 12.7 qts Hydraulics/Trans: 50.8 qts Front Axle 4WD: 5.8 qts

INSTRUMENTS

Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature

TIRES AND WHEELS

4WD: Front 320/70R24 Rear 420/75R34

CAB (Ultra Grand Cab Category II)

Category 2 Pressurized Flat Deck

Suspension Seat w/ Retractable Seat Belt and Adjustable Armrests Adjustable backrest and headrest Dual Level Air Conditioning & Heater Front Wiper w/ Washer - 2 Speed Radio Ready, includes 2 Speakers Antenna and Wiring Harness 2 Doors, Frameless all glass Left & Right Side Steps High Visbility Roof Panel Sun Visor Tilt Steering Wheel Interior Dome Light Accessory Plug 12V -15 Amp Cup Holder

Ashtray Horn

Interior Console Light

LIGHTING

2 Headlights - Tail lights 2 Hazard Flasher Lights w/ Turn Signals

CAB LIGHTING

Standard: Halogen Deluxe: LED

2 Front Work Lights 2 Rear Work Lights

SAFETY EQUIPMENT

Backup Alarm Ready Beacan Light Ready Retractable Seat Belt Flip-Up PTO Shield Safety Start Switches: Shuttle Lever Neutral PTO - OPC Alarm 10 Sec. Electric Key Shut Off Parking Brake Turn Signals SMV Sign

M4 Series		M4 Standard and Deluxe				
ORDER CODE		DESCRIPTION		FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
		4WD MODELS ***STANDARD TRACTOR WITH STANDARD TIR	ES***			
M4D-061HDC12		4WD Deluxe Utility Cab Tractor		K41M828M00	5027 lbs	\$52,285.00
M4-071HDC12		4WD Utility Cab Tractor		K40M860M00	5380 lbs	\$51,075.00
M4D-071HDC12		4WD Deluxe Utility Cab Tractor		K43M369M60	5027 lbs	\$54,212.00
	M4 S	eries				
TIRES AND WHEELS [†]					Additional Pr	ice With Tire Optio
ORDER CODE		DESCRIPTION	VEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
STANDARD TIRES						1
AMR8605* AMR8616*	⑥ ③		220 lbs 460 lbs	MMO	Add	In Base Price
AG - BIAS REAR						
AMR8955C AMR8932D			130 lbs 341 lbs	M302M40	Less	-\$378.00
AMR8955C AMR8935D	(5)		130 lbs 618 lbs	M609M60	Add	\$762.00
MR8956 MR8924B		F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.8"	98 lbs 263 lbs	M848M00	Less	-\$1,060.00
AG - RADIAL REAR						·•
AMR8605* AMR8616*	6 3		220 lbs 460 lbs	MMO	Add	\$0.00
AMR8605 AMR8640	6 1¤4		220 lbs 949 lbs	K1M603M20	Add	\$2,004.00
TURF						·
AMR8536 AMR8979	2	F-TIRE 29x12.50-15 R3 Ttn MultiTrac8stud R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	77 lbs 245 lbs	M908M80	Less	-\$1,136.00
AMR8566 AMR8938			112 lbs 310 lbs	M433M60	Add	\$542.00
MR8954B AMR8938			113 lbs 310 lbs	M236M80	Less	-\$296.00
AMR8526 AMR8541	3		113 lbs 261 lbs	M435M20	Less	-\$544.00
INDUSTRIAL						
AMR8797 ALR8917			168 lbs 267 lbs	M262M40	Less	-\$328.00
AG/INDUSTRIAL HYBRID)					
AMR8040		F-TIRE LSW320/70R24 GDYR R14T	195 lbs	M168M00	Add	\$210.00

422 lbs

AMR8047

R-TIRE LSW420/75R34 GDYR R14T

[†] See Tire Section for Individual Tire Pricing and Information

Standard tires.

 $^{\, \}oplus \,$ Recommended for loader applications, increases base weight by approx. 1100 lbs.

② Not approved for Backhoe applications.

③ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.

④ For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.

[®] Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation ® Steering Stops must be adjusted if 60° centers are required.

M4 Standard and Deluxe

TIRES AND WHEELS (priced	per	piece)				
ORDER CODE		DESCRIPTION		FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
AG - BIAS REAR						
AMR8955C		F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K376M00	130 lbs	\$470.00
AMR8932D		R-TIRE 16.9-30 R1 DuraTorq 17mm holes	341 lbs	K943M20	341 lbs	\$1,179.00
AMR8955C		F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K376M00	130 lbs	\$470.00
AMR8935D	6	R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	618 lbs	K1M399M20	618 lbs	\$1,749.00
MR8956		F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	K280M80	98 lbs	\$351.00
MR8924B		R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.8"	263 lbs	K765M60	263 lbs	\$957.00
AG - RADIAL REAR						
AMR8605*	6	F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K487M20	220 lbs	\$609.00
AMR8616*	3	R-TIRE LSW 420/75R34 GDYR OPTI R1W	460 lbs	K983M20	460 lbs	\$1,229.00
AMR8605	6	F-TIRE LSW320/70R24 GDYR OPTI R1W	220 lbs	K487M20	220 lbs	\$609.00
AMR8640 ①)¤(4)	R-TIRE LSW 420/75R34 GDYR OPTI R1W CST	949 lbs	K1M784M80	949 lbs	\$2,231.00
TURF						
AMR8536		F-TIRE 29x12.50-15 R3 Ttn MultiTrac8stud	77 lbs	K270M40	77 lbs	\$338.00
AMR8979	2	R-TIRE 21.5L-16.1 R3 Firestone Turf&Fld	245 lbs	K745M60	245 lbs	\$932.00
AMR8566		F-TIRE 13.50-16.1 F-STONE ANS R3 TRF	112 lbs	K724M80	112 lbs	\$906.00
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs	K962M40	310 lbs	\$1,203.00
MR8954B		F-TIRE 9.50-24 R3 Gdyr All Weather TL	113 lbs	K389M60	113 lbs	\$487.00
AMR8938		R-TIRE 18.4-26 R3 (ANS) 17mm holes	310 lbs	K962M40	310 lbs	\$1,203.00
AMR8526	3	F-TIRE LSW305-521R3 Grizz LSW Soft Turf	113 lbs	K362M40	113 lbs	\$453.00
AMR8541		R-TIRE LSW570-648 R3 Grizz LSW S.TF 5.75	261 lbs	K890M40	261 lbs	\$1,113.00
INDUSTRIAL						
AMR8797		F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K556M00	168 lbs	\$695.00
ALR8917		R-TIRE 16.9-24 R4 Titan Ind Tractor Lug	267 lbs	K783L20	267 lbs	\$979.00
AG/INDUSTRIAL HYBRID						
AMR8040		F-TIRE LSW320/70R24 GDYR R14T	195 lbs	K520M80	195 lbs	\$651.00
AMR8047		R-TIRE LSW420/75R34 GDYR R14T	422 lbs	K1M033M60	422 lbs	\$1,292.00

^{*} Standard tires.

① Recommended for loader applications, increases base weight by approx. 1100 lbs.

② Not approved for Backhoe applications.

③ For field installation, requires (16) 04512-60140 Spring Washers from Parts Department.

④ For field installation, requires (16) [33251-49170] Lug Nuts from Parts Department.

[®] Requires (16) qty - 3A111-97810 Shoulder Lug Nuts for Field Installation ®Steering Stops must be adjusted if 60° centers are required.

M4 Series	M4 Standard and Deluxe					
DEALER INSTALLED ACCESSORIES						
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE		
HYDRAULICS/HITCH						
HYDRAULIC REAR REMOTE M7610	SCD (Self Canceling Detent)	K584M80	13 lbs	\$731.00		
M7611	FD (Float Detent)	K577M60	11 lbs	\$722.00		
M9585	Flow Control Valve Kit (FC)	K422M40	8 lbs	\$528.00		
M9595	Flow Control + SCD Valve (FC + SCD)	K877M60	18 lbs	\$1,097.00		
REMOTE VALVE LEVER KIT M7352	S 2nd Position Lever Kit for Standard Cab	K118M40	4 lbs	\$148.00		
M7355	3rd Position Lever Kit	K118M40	3 lbs	\$148.00		
DRAWBAR CLEVIS M9594	Drawbar Clevis	K59M20	10 lbs	\$74.00		
TRANSMISSION						
CREEP SPEED KITS M9131	Creep Speed Cassette Type	K815M20	22 lbs	\$1,019.00		
DUAL SPEED PTO KITS						
M7357	540/540E Economy PTO for Standard	K860M80	72 lbs	\$1,076.00		
M7367	PTO Change Lever Kit (in Cab) for Standard	K63M20	1 lbs	\$79.00		
FRONT & REAR AXLI						
FRONT FENDER KIT (SWIVE M9290		K659M20	68 lbs	\$824.00		
M9290	Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications	K659W2U	68 IDS	\$824.00		
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K92M00	7 lbs	\$115.00		
REAR FENDER EXTENSION M9204	KIT Rear Fender Extension Kit for M4 Series Tractors	K284M80	22 lbs	\$356.00		
REAR AXLE SPACER KIT M9564	Rear Axle Space Kit, adds 2 inches per side Provides 72" spacing with Ag Tires	K725M60	52 lbs	\$907.00		

		N	UBC	JIA
M4 Series	M4 Standard and Deluxe			
DEALER INST	ALLED ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
CAB ACCESSORIE				
M7649	Rear Window Wiper Kit	K196M80	4 lbs	\$246.00
M9129	Instructor Seat Kit for Standard Model	K468M80	23 lbs	\$586.00
M9270	Air Ride Seat Suspension Kit Requires Harness	K464M00	49 lbs	\$580.00
M9205	Air Ride Seat Wire Harness	K17M60	1 lbs	\$22.00
M7387	Elec-Defogger Kit	K417M60	60 lbs	\$522.00
M9128	Interior Rear View Mirror	K36M00	2 lbs	\$45.00
M7366	Mid Mount Halogen Work Light Kit for Standard	K291M20	7 lbs	\$364.00
M7377	Mid Mount LED Work Light for Deluxe	K422M40	7 lbs	\$528.00
3C581-97010	Monitor Bracket, Universal Type	(Order	(Order from Parts Department)	
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order	(Order from Parts Department)	
JENSEN RADIO OPTIONS 77700-04753	Radio, AM/FM/WB/AUX	(Order	(Order from Parts Department)	
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT	(Order	(Order from Parts Department)	
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SAT/CD/Bluetooth	(Order	from Parts Depa	artment)
ADDITIONAL ACCE	SSORIES			
BLOCK HEATER 70000-73274	Block Heater	(Order	from Parts Depa	artment)
CCV Heater 3B731-99660	CCV Heater	(Order	from Parts Depa	arment)
Backup Alarm 77700-10536	Backup Alarm Kit	(Order	from Parts Depa	arment)
Beacon Light 77700-10723	LED Beacon Light Kit	(Order	from Parts Depa	arment)
GRILL GUARD M6872	Grill Guard Kit (Standard with Loader) Compatible with M8075 front bumper weight Not Compatible with M1875A front weight bracket	K199M20	57 lbs	\$249.00
External 3 Point	5	1/0 /l · · · ·	4.0	0405.00
M7375	External 3 Point Bracket Kit	K84M00	1 lbs	\$105.00
M7385	External 3 Point Contoller and Wire Kit	K117M60	4 lbs	\$147.00
REPLACEMENT CAB				

1/	NOW	TEL	TICC
Kubota	NOW		いいしつ

M7077

 Each order will require the DCU6700 modem and wiring harness as listed below:

 DCU6700
 AT&T Telematics Modem
 K300A20
 1 lbs
 \$395.00

 M6712
 M Series Telematics Harness
 K107M20
 1 lbs
 \$134.00

KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525

As of November 2nd, Kubota NOW will be available for Dealer Owned and Dealer Rental Fleet Machines.

Replacement Cab

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22 e 9-48

K7M466M40

1000 lbs

\$9,333.00

M4 Standard and Deluxe

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
BALLAST				
FRONT WEIGHT BUMPER M8075	Front Weight Bumper (230 lbs. each) Requires Bolt Kit Up to 10 Front Suitcase Weights	K333M60	223 lbs	\$417.00
M1875A	Front Weight Bracket Kit Not Compatible with Loader	K179M20	63 lbs	\$224.00
FRONT SUITCASE WEIGHTS M8079	Suitcase Weight (105 lbs. Each) Requires Front Weight Bumper and Bolt/Bar Kit	K84M00	102 lbs	\$105.00
FRONT WEIGHT BOLT/BAR K M8076	ITS Front Bumper Bolt Kit for M8075	K48M00	4 lbs	\$60.00
M8073A	Bolt/Bar Kit for M8075 One Kit per 10 Front Suitcase Weights	K54M40	10 lbs	\$68.00
REAR WHEEL WEIGHTS LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Steel Dish Wheels Not Compatible with Turf Tires	K236M00	206 lbs	\$295.00
M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28", 30", and 34" Wheels	K262M40	328 lbs	\$328.00
REAR WHEEL WEIGHT BOLT	KITS			
M8119B	Bolt Kit for 1st Set of M8126A Weights on Cast	K22M40	6 lbs	\$28.00
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K56M00	5 lbs	\$70.00
M8127B	Bolt Kit for 2nd and 3rd Set of M8126A Weights Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels	K20M80	6 lbs	\$26.00
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K24M80	8 lbs	\$31.00
BALLAST BOX M8180	Ballast Box - 3-Point Mount 1280 lbs. Capacity with Dry Sand (13 cu. ft.)	K518M40	220 lbs	\$648.00

M4 Standard and Deluxe

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOAD	DER			
LA1154A	Front Loader (2 Lever Type Quick Coupler) Includes Mounting Kit, Parking Stands, Quick Coupler, and Grill Guard DOES NOT INCLUDE VALVE or BUCKET must be ordered separately	K4M186M40	1543 lbs	\$5,233.00
VALVE KITS				
M6870	Standard Valve Kit for Cab	K828M00	81 lbs	\$1,035.00
M6874	Hydraulic Self-Leveling Valve Kit for Cab	K1M565M60	92 lbs	\$1,957.00
LOADER ACCESS	ORY KITS			
3RD FUNCTION VALVE M6873	3rd Function Valve Kit for Cab If backhoe is installed requires M4018 in backhoe section.	K781M60	62 lbs	\$977.00
SHOCKLESS RIDE M6871	KSR (Kubota Shockless Ride) Accumulator	K506M40	47 lbs	\$633.00
QUICK CONNECT M1869	Hydraulic Quick Connect Single Lever	K587M20	22 lbs	\$734.00
QA BUCKETS & A	CCESSORIES			
M1811	72" 2 Lever QA Bucket	K579M20	400 lbs	\$724.00
M1815	84" Bucket High Capacity, 2 Lever QA For Light Material Use	K773M60	400 lbs	\$967.00
L2245	72" 4-in-1 Bucket Requires 3rd Function Valve	K1L788L80	675 lbs	\$2,236.00
M9247	72" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever QA Coupler Requires 3rd Function Valve Requires 2- Hyd. 1/2" QA couplers, .375 fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K2M953M60	1090 lbs	\$3,692.00
BUCKET ACCESSORIES M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K229M60	79 lbs	\$287.00
WITOOT	Ducket Tille Nit for 72 2 Level QA Ducket	NZZSWIOO	7 9 103	Ψ207.00
BALE SPEARS M1804	Bale Spear 2 Lever Type QA	K629M60	195 lbs	\$787.00
PALLET FORM FR	AME / PALLET FORKS			
M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K582M40	200 lbs	\$728.00
K9058	42" Pallet Forks	K397L60	196 lbs	\$497.00
K9059	48" Pallet Forks	K424K00	218 lbs	\$530.00

M4 Standard and Deluxe

APPROVED ATTACHMENTS

See Website for Landpride Attachments List

KUBOTA

M5 SERIES

M5-091/M5-111

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection
3.8L (230 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Turbocharged
w/Wastegate and Intercooled
60 Amp Alternator - ROPS
80 Amp Alternator - Cab
12V 900 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump
Max. Flow @ Rated Engine Speed
ROPS: 2400 rpm
Cab: 2600 rpm
Power Steering: 5.4 gpm
Impl. Flow - ROPS: 15.9 gpm
Impl. Flow - Cab: 17.0 gpm
total Flow - ROPS: 21.3 gpm
Total Flow - Cab: 23.1 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)(1) FD (Float Detent) on -1 models (2 Total Standard)

3 Point Hitch & Drawbar Cat II 3-Point Hitch

8 Speed Models
@ Lift Points: 7055 lbs
(ASAE)@ 24" Behind: 5181 lbs
12/24 Speed Models
@ Lift Points: 8600 lbs

(ASAE)@ 24" Behind: 7275 lbs 2 External Lift Cylinders Telescoping Lower Links Stabilizers

Swinging Drawbar - Straight POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2205 Eng. RPM 540 RPM @ 2035 Eng. RPM - 12/24 speed 540E* @ 1519 Eng. RPM

Transmission/PTO

8F/8R Two Range, 4-Speed 12F/12R Two Range, 6-Speed 540/540E 24F/24R Two Range, 6-Speed Hi/Lo 540/540E 24 speed on M5-111 only Electronic 4WD Function Electro-Hydraulic Shuttle Shift Clutch - Multi-Plate Wet Planetary Final Drives

Hydraulic Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering 2WD: Tubular Steel Beam Telescoping 4WD: Cast Iron, Bevel Gear 55 Deg Planetary Final Drives Adjustable (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 27.7 gal DEF Tank Capacity: 3.2 gal Cooling System: 11 qts Crankcase: 11.3 qts Hydraulics/Trans: 15.85 gal

INSTRUMENTS

LCD readout for MPH and PTO rpm RPM Memory Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature Gear Speed Digital Light Indicator Digital Light Indicator F/R Direction

TIRES AND WHEELS

Front 12.4-24 Rear 18.4-30

Ultra Grand Cab II

4-Post, ROPS Certified RH & LH Doors Tinted Glass Doors and Windows In-Roof Window Tilt Steering Wheel Dual Level Air Conditioning & Heater Front and Wiper w/ Washer Front Sun Visor Retractable Seat belt I H & RH Side Mirrors Radio Ready Cab Steps, Left and Right Side Interior Dome Light 12V - 30-Amp 2 Wire Coupler 12V - 3 Pin 30-Amp Coupler 12V - Outlet Cup Holder

LIGHTING

2 Headlights - Tail lights 4 Hazard Flasher Lights w/ Turn Signals 2 Grill Mounted Worklights 2 Front Cab Halogen Worklights 2 Rear Halogen Worklights

SAFETY EQUIPMENT

Instructor Seat Ready

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign 7-Pin Electrical Trailer Connector

* if equipped 12/24 Standard

Model Specifications						
M5-091		<u>M5-111</u>				
SAE Gross HP:	92.5	SAE Gross HP: 105.6				
Engine Net HP:	85.5	Engine Net HP: 100				
Max . PTO HP:	76	Max . PTO HP: 89				

M5 SERIES	M5-091/M5-11	1			
ORDER CODE	DESCRIPTION		FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	2WD MODELS ***STANDARD TRACTOR WITH STA				
M5-091HF	2WD Utility 2 Post Foldable ROPS Tractor		K35M740M80	6482 lbs	\$44,676.00
M5-111HF	2WD Utility 2 Post Foldable ROPS Tractor		K37M859M20	6614 lbs	\$47,324.00
M5-091HF-1	2WD Utility 2 Post Foldable ROPS Tractor		K36M839M20	6482 lbs	\$46,049.00
M5-091HFC-1	2WD Utility Ultra Grand Cab II Tractor		K45M084M80	6482 lbs	\$56,356.00
M5-111HF-1	2WD Utility 2 Post Foldable ROPS Tractor		K39M306M40	6482 lbs	\$49,133.00
M5-111HFC-1	2WD Utility Ultra Grand Cab II Tractor		K47M551M20	6482 lbs	\$59,439.00
	1/ M5-111 2WD				
TIRES AND WHEELS [†]		WEIGHT	FACTORY	Additional P	rice With Tire Option
ORDER CODE	DESCRIPTION	EACH	NUMBER		PRICE
STANDARD TIRES					1
AMR8961A* AMR8530B*	F-TIRE 7.5-18 F2 Titan Tru Trac TT R-TIRE 18.4-30 R1W GDYR OPTITRAC	68 lbs 393 lbs	MMO	Add	In Base Price
AG - BIAS REAR					-11
AMR8961A*	F-TIRE 7.5-18 F2 Titan Tru Trac TT	68 lbs	MMO	Add	\$0.00
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	393 lbs	1411410	7 laa	Ψ0.00
AMR8980B AMR8530B	F-TIRE 10.00-16 F2 Champ Guide Grip TL R-TIRE 18.4-30 R1W GDYR OPTITRAC	91 lbs 393 lbs	M153M60	Add	\$192.00
AMXR8789 AMR8522A	F-TIRE 9.5L-15 F2 BKT Pro Rib R-TIRE 18.4-26 R1 ALLIANCE 324	75 lbs 346 lbs	M137M60	Less	(\$172.00)
AG - RADIAL REAR					-1 I-
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	68 lbs	M400M00	Add	\$500.00
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	429 lbs			<u> </u>
AMR8980B AMR8531A	F-TIRE 10.00-16 F2 Champ Guide Grip TL R-TIRE 460/85R30 R1W GDYR OPTRAC	91 lbs 429 lbs	M553M60	Add	\$692.00
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	68 lbs	K1M313M60	Add	\$1,642.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs			
AMR8980B AMR8514B	F-TIRE 10.00-16 F2 Champ Guide Grip TL R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	91 lbs 1027 lbs	K1M467M20	Add	\$1,834.00
AMR8980B AMR8537A	F-TIRE 10.00-16 F2 Champ Guide Grip TL R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	91 lbs 342 lbs	M864M00	Add	\$1,080.00
AMR8980B AMR9258A	F-TIRE 10.00-16 F2 Champ Guide Grip TL R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	91 lbs 910 lbs	K1M795M20	Add	\$2,244.00
TURF	IN THIS 420/00/NOT INTIVIALLIANCE 300 CM31	310108			1
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	M8M00	Less	(\$10.00)
AMR8521	R-TIRE 18.4-26 R3 (ANS) 19mm holes	301 lbs	IVIOIVIUU	Less	(\$10.00)
AMR8545 AMR8546	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib R-TIRE 19.5L-24 R3 F-Stone Ind Turf&Fld	65 lbs 289 lbs	M158M40	Less	(\$198.00)
INDUSTRIAL					
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	75 lbs	M206M40	Less	(\$258.00)
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs			Ш ' '

[†] See Tire Section for Individual Tire Pricing and Information * Standard tires

M5 SERIES

M5-091/M5-111

TIRES AND WHEELS (pr	iced per piece)			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
AG - BIAS REAR				
AMR8961A*	F-TIRE 7.5-18 F2 Titan Tru Trac TT	K191M20	68 lbs	\$239.00
AMR8530B*	R-TIRE 18.4-30 R1W GDYR OPTITRAC	K1M064M00	393 lbs	\$1,330.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K268M00	91 lbs	\$335.00
AMR8530B	R-TIRE 18.4-30 R1W GDYR OPTITRAC	K1M064M00	393 lbs	\$1,330.00
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	K940M00	346 lbs	\$1,175.00
AG - RADIAL REAR				
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	K191M20	68 lbs	\$239.00
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M264M00	429 lbs	\$1,580.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K268M00	91 lbs	\$335.00
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M264M00	429 lbs	\$1,580.00
AMR8961A	F-TIRE 7.5-18 F2 Titan Tru Trac TT	K191M20	68 lbs	\$239.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M720M80	1027 lbs	\$2,151.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K268M00	91 lbs	\$335.00
AMR8514B	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M720M80	1027 lbs	\$2,151.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K268M00	91 lbs	\$335.00
AMR8537A	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M419M20	342 lbs	\$1,774.00
AMR8980B	F-TIRE 10.00-16 F2 Champ Guide Grip TL	K268M00	91 lbs	\$335.00
AMR9258A	R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	K1M884M80	910 lbs	\$2,356.00
TURF				
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8521	R-TIRE 18.4-26 R3 (ANS) 19mm holes	K1M004M80	301 lbs	\$1,256.00
AMR8545	F-TIRE 27x9.50-15 HF-1 Gdyr Terra Rib	K236M00	65 lbs	\$295.00
AMR8546	R-TIRE 19.5L-24 R3 F-Stone Ind Turf&Fld	K940M00	289 lbs	\$1,175.00
INDUSTRIAL		·		
AMXR8789	F-TIRE 9.5L-15 F2 BKT Pro Rib	K246M40	75 lbs	\$308.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K905M60	304 lbs	\$1,132.00

^{*} Standard tires

M5 SERIES M5-091/M5-111 FACTORY APPROX. SUGGESTED ORDER CODE DESCRIPTION NUMBER SHIP WT LIST PRICE **4WD MODELS** ***STANDARD TRACTOR WITH STANDARD TIRES*** M5-091HD-1 4WD Utility 2 Post Foldable ROPS Tractor K40M859M20 6900 lbs \$51,074.00 M5-091HD12-1 4WD Utility 2 Post Foldable ROPS, 12 Speed 540/540E K41M890M40 6900 lbs \$52,363.00 M5-091HDC-1 4WD Utility Ultra Grand Cab II K49M104M00 6900 lbs \$61,380,00 M5-091HDC12-1 4WD Utility Ultra Grand Cab II, 12 Speed 540/540E K50M136M00 6900 lbs \$62,670.00 M5-111HD-1 4WD Utility 2 Post Foldable ROPS Tractor 6900 lbs K43M322M40 \$54,153,00 M5-111HD12-1 4WD Utility 2 Post Foldable ROPS, 12 Speed 540/540E K44M356M00 6900 lbs \$55,445.00 M5-111HDC-1 4WD Utility Ultra Grand Cab II K51M567M20 6900 lbs \$64,459,00 M5-111HDC12-1 4WD Utility Ultra Grand Cab II, 12 Speed 540/540E K52M601M60 6900 lbs \$65,752,00 M5-111HDC24-1 4WD Utility Ultra Grand Cab II, 24 Speed 540/540E K55M288M00 6900 lbs \$69,110.00 M5-091/ M5-111 4WD TIRES AND WHEELS[†] **Additional Price With Tire Option** WEIGHT **FACTORY** SUGGESTED LIST ORDER CODE DESCRIPTION **EACH** NUMBER PRICE STANDARD TIRES AMR8556B3 F-TIRE 12.4-24 R1W GDYR OPTITRAC 193 lbs MMO In Base Price Add AMR8530B* R-TIRE 18.4-30 R1W GDYR OPTITRAC 393 lbs AG - BIAS REAR AMR8556B F-TIRE 12.4-24 R1W GDYR OPTITRAC 193 lbs MM0 Add \$0.00 AMR8530B3 R-TIRE 18.4-30 R1W GDYR OPTITRAC 393 lbs AMR8538 F-TIRE 12.5/80-18 Titan Trac Impl 422 147 lbs K761M60 Less (\$952.00)AMR8523A R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5" 265 lbs F-TIRE 9.50-22 R1 Farm Svc Lug M 8stud MR8957 123 lbs K937M60 Less (\$1,172.00)AMR8523A R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5 265 lbs AMR8555A F-TIRE 11.2-24 R1 Firestone (SAT) II WAF 163 lbs K208M00 Less (\$260.00)AMR8933 R-TIRE 16.9-30 R1 DuraTorg 19mm holes 348 lbs AMR8555A F-TIRE 11.2-24 R1 Firestone (SAT) II WAF 163 lbs K662M40 Add \$828.00 AMR8935D R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast 618 lbs AG - RADIAL REAR F-TIRE 320/85R24 R1W GDYR OPTRAC 220 lbs AMR8557A K718M40 \$898.00 Add AMR8531A R-TIRE 460/85R30 R1W GDYR OPTRAC 429 lbs AMR8557A F-TIRE 320/85R24 R1W GDYR OPTRAC 220 lbs K1K632M00 \$2.040.00 Add AMR8514B R-TIRE 460/85R30 R1W GDYR OPTRAC CAST 1027 lbs AMR8557A F-TIRE 320/85R24 R1W GDYR OPTRAC 220 lbs K1M028M80 Add \$1,286.00 AMR8537A R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL 342 lbs AMR8557A F-TIRE 320/85R24 R1W GDYR OPTRAC 220 lbs K1M960M00 hhA \$2,450.00 AMR9258A R-TIRE 420/85R34 R1W ALLIANCE 385 CAST 910 lbs TURF AMR8566 F-TIRE 13.50-16.1 F-STONE ANS R3 TRF 112 lbs K313M60 \$392.00 Add AMR8521 R-TIRE 18.4-26 R3 (ANS) 19mm holes 301 lbs INDUSTRIAL AMR8808 F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud 159 lbs K222M40 (\$278.00)AMR8532 R-TIRE 19.5L-24 R4 Titan Ind Trac Lug 304 lbs TERRAIN KING AMR8557A F-TIRE 320/85R24 R1W GDYR OPTRAC 220 lbs

R-TIRE 460/85R30 R1W GDYR OPTRAC CAST

AMR8514B

K1K632M00

1027 lbs

Add

\$2,040.00

[†] See Tire Section for Individual Tire Pricing and Information

Standard tires

① Not Compatible for Loader Applications

M5 SERIES

M5-091/M5-111

TIRES AND WHEELS (priced per piece)					
ORDER CODE		DESCRIPTION	FACTORY	WEIGHT	SUGGESTED LIST
OKDEK CODE		DESCRIPTION	NUMBER	EACH	PRICE
AG - BIAS REAR					
AMR8556B*		F-TIRE 12.4-24 R1W GDYR OPTITRAC	K508M80	193 lbs	\$636.00
AMR8530B*		R-TIRE 18.4-30 R1W GDYR OPTITRAC	K1M064M00	393 lbs	\$1,330.00
AMR8538		F-TIRE 12.5/80-18 Titan Trac Impl 422	K426M40	147 lbs	\$533.00
AMR8523A		R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K765M60	265 lbs	\$957.00
MR8957	1	F-TIRE 9.50-22 R1 Farm Svc Lug M 8stud	K338M40	123 lbs	\$423.00
AMR8523A		R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K765M60	265 lbs	\$957.00
AMR8555A		F-TIRE 11.2-24 R1 Firestone (SAT) II WAF	K504M80	163 lbs	\$631.00
AMR8933		R-TIRE 16.9-30 R1 DuraTorq 19mm holes	K964M00	348 lbs	\$1,205.00
AMR8555A		F-TIRE 11.2-24 R1 Firestone (SAT) II WAF	K504M80	163 lbs	\$631.00
AMR8935D		R-TIRE 16.9-30 R1 Gdyr DuraTorq Cast	K1M399M20	618 lbs	\$1,749.00
AG - RADIAL REAR					
AMR8557A		F-TIRE 320/85R24 R1W GDYR OPTRAC	K668M00	220 lbs	\$835.00
AMR8531A		R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M264M00	429 lbs	\$1,580.00
AMR8557A		F-TIRE 320/85R24 R1W GDYR OPTRAC	K668M00	220 lbs	\$835.00
AMR8514B		R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M720M80	1027 lbs	\$2,151.00
AMR8557A		F-TIRE 320/85R24 R1W GDYR OPTRAC	K668M00	220 lbs	\$835.00
AMR8537A		R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M419M20	342 lbs	\$1,774.00
AMR8557A		F-TIRE 320/85R24 R1W GDYR OPTRAC	K668M00	220 lbs	\$835.00
AMR9258A		R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	K1M884M80	910 lbs	\$2,356.00
TURF					
AMR8566		F-TIRE 13.50-16.1 F-STONE ANS R3 TRF	K724M80	112 lbs	\$906.00
AMR8521		R-TIRE 18.4-26 R3 (ANS) 19mm holes	K1M004M80	301 lbs	\$1,256.00
INDUSTRIAL					
AMR8808		F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	K556M00	159 lbs	\$695.00
AMR8532		R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K905M60	304 lbs	\$1,132.00
TERRAIN KING					
AMR8557A		F-TIRE 320/85R24 R1W GDYR OPTRAC	K668M00	220 lbs	\$835.00
AMR8514B		R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M720M80	1027 lbs	\$2,151.00

^{*} Standard tires

① Not compatible for Loader applications.

M5 SERIES	M5-091/M5-111			
DEALER INSTALLE	D ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/DI	RAWBAR			
HYDRAULIC REAR REMOTE VA	ALVES - 2ND AND 3RD POSITION SCD (Self Canceling Detent) for ROPS	K584M80	13 lbs	\$731.00
M7605	FD (Float Detent) for ROPS	K577M60	11 lbs	\$722.00
M7610	SCD (Self Canceling Detent) for Cab	K584M80	13 lbs	\$731.00
M7611	FD (Float Detent) for Cab	K577M60	11 lbs	\$722.00
REMOTE VALVE LEVER KITS	1 b (1 load bottom) for oab	Norriwoo	11100	Ψ122.00
M9112	2nd Position Lever Kit for ROPS (Standard on -1 Models)	K127M20	3 lbs	\$159.00
M9113	3rd Position Lever Kit for ROPS	K127M20	5 lbs	\$159.00
M9114	2nd Position Lever Kit for Cab (Standard on -1 Models)	K127M20	3 lbs	\$159.00
M9116	3rd Position Lever Kit for Cab	K127M20	5 lbs	\$159.00
FLOW CONTROL VALVES	5. 0	144001440	0.11	* ======
M9585	Flow Control Valve	K422M40	8 lbs	\$528.00
M9595	Flow Control Valve with SCD Valve For Valve-to-Valve Operation Requires 2nd Lever Kit for ROPS or 2nd Lever Kit for Cab models	K877M60	18 lbs	\$1,097.00
3-POINT LIFT ASSIST KIT				
M7651	High Capacity Lift Cylinders Standard on 12 and 24 speed models	K812M00	49 lbs	\$1,015.00
DRAWBAR CLEVIS M9594	Drawbar Clevis	K59M20	10 lbs	\$74.00
TRANSMISSION				
CREEP SPEED KIT M9131	Creep Speed Cassette Type	K815M20	22 lbs	\$1,019.00
DUAL SPEED PTO KITS				
M7619A	540/540E Economy PTO. Requires Lever kit for Cab models.	K860M80	123 lbs	\$1,076.00
M9132	In-Cab Economy PTO Lever for Cab Inside cab control is recommended for ease of user operation, it replaces the outside control lever.	K63M20	4 lbs	\$79.00
M7623A	540/1000 RPM PTO Kit- 1000@2389 RPM Not compatible with 540 Economy PTO	K976M80	123 lbs	\$1,221.00
FRONT & REAR AXLE				
FRONT FENDER KIT (SWIVEL 1 M9290	TYPE) Fender Mounting Kit Requires Plastic Fenders Not Compatible with Loader Applications Not Compatible with 2WD Tractors Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports	K659M20	68 lbs	\$824.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K92M00	7 lbs	\$115.00
WIDE ROW FRONT AXLE KIT M8595A	80" Wide Row Front Axle Kit Not Compatible with Loader Applications	K521M60	225 lbs	\$652.00
REAR AXLE SPACER KIT M7647	Rear Axle Space kit adds 2 inches per side	K798M40	44 lbs	\$998.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21 22 9-57

77700-04754

77700-04755

M5 SERIES M5-091/M5-111 **DEALER INSTALLED ACCESSORIES** WEIGHT SUGGESTED LIST FACTORY ORDER CODE DESCRIPTION NUMBER **EACH** PRICE **ROPS ACCESSORIES** E1134 Deluxe Fiberglass Canopy (ROPS Models) K327M20 63 lbs \$409.00 Requires Mounting Kit E1136 Mounting Kit K161M60 29 lbs \$202.00 E1138 Work Light Set for Canopy (optional 2-lights) K131A20 \$164.00 3 lbs DOWN EXHAUST PIPE KIT ROPS K471M20 30 lbs \$589.00 HIGH CAPACITY ALTERNATOR KIT 80 Amp High Capacity Alternator Kit for ROPS K404M80 \$506.00 10 lbs **REAR WORK LIGHT** Rear Working Auxilary Light (Maximum 1 Light/Tractor) K72M00 3 lbs \$90.00 M7630 **CAB ACCESSORIES** Rear Window Wiper Kit K196M80 \$246.00 M7649 4 lbs M9119 Elec-Defogger Kit and 130 Amp Alternator K664M80 66 lbs \$831.00 M9117 Mid Mount Work Light Kit K100M00 3 lbs \$125.00 Requires High Capacity Alternator Kit M9128 Interior Rear View Mirror K36M00 2 lbs \$45.00 M9270 Air Ride Seat Suspension Kit K464M00 49 lbs \$580.00 Requires Wire Harness M9205 Air Ride Seat Wire Harness K17M60 \$22.00 1 lbs M9129 Instructors Seat K468M80 23 lbs \$586.00 77700-01098 12V/3-Pin 30 Amp Coupler Pigtail, 12" Long (Order from Parts Department) HIGH CAPACITY ALTERNATOR KIT 130 Amp High Capacity Alternator Kit for Cab K657M60 10 lbs \$822.00 REAR FENDER EXTENSIONS PLASTIC REAR FENDER EXTENSION - M5 CAB K284M80 22 lbs \$356.00 JENSEN RADIO OPTIONS 77700-04753 Radio, AM/FM/WB/AUX (Order from Parts Deparment)

Radio, AM/FM/WB/AUX/USB/IPOD/SAT

Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth

(Order from Parts Deparment)

(Order from Parts Deparment)

M8121A

ducational Services Commission or New Jersey NJ State Approved Co-op #65MCESCCPS Grounds Equipment - F

M5 SERIES M5-091/M5-111 **DEALER INSTALLED ACCESSORIES** SUGGESTED LIST FACTORY WEIGHT ORDER CODE DESCRIPTION NUMBER **EACH** PRICE **BALLAST** FRONT WEIGHT BRACKETS M8075 Front Weight Bracket (230 lbs. each) K333M60 223 lbs \$417.00 Standard on 2WD Models Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights Not Compatible with Loader Compatible with Grill Guard M1875A Front Weight Bracket (59 lbs. each) K179M20 63 lbs \$224.00 Requires Bolt/Bar Kit Up to 7 Front Suitcase Weights Loader must be detached Not Compatible with Grill Guard FRONT SUITCASE WEIGHTS Suitcase Weight K84M00 102 lbs \$105.00 Requires Front Weight bracket and Bolt/Bar Kit FRONT WEIGHT BOLT/BAR KITS Front Bumper Bolt Kit for M8075 K48M00 \$60.00 M8076 4 lbs Standard on 2WD Models M8073A K54M40 \$68.00 Bolt/Bar Kit for M8075 10 lbs M8074A Bolt/Bar Kit for M1875A K52M00 8 lbs \$65.00 REAR WHEEL WEIGHTS LM8124 Rear Wheel Weight Kit (103 lbs. each) K236M00 206 lbs \$295.00 Set of 2. Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Wheels M8126A Rear Wheel Weight Kit (164 lbs. each) K262M40 328 lbs \$328.00 Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 28", 30", or 34" Wheels REAR WHEEL WEIGHT BOLT KITS M8119B Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels K22M40 6 lbs \$28.00 LM8125A Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels K56M00 5 lbs \$70.00 M8127B Bolt Kit for 2nd and 3rd Set of M8126A Weights K20M80 6 lbs \$26.00 Required for 2nd & 3rd Set on ALL Steel Dish Wheels Required for 2nd Set on Cast Dish Wheels

Bolt Kit for 2nd and 3rd Set of LM8124 Weights

One Bolt Kit per Weight Set

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21 $^{\rm P2e}$ $^{\rm 9-59}$

K24M80

8 lbs

\$31.00

ducational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25 KUBOTA

KM0

4 lbs

\$0.00

M5 SERIES M5-091/M5-111

M5 Cab Beacon Light Kit

DEALER INSTALLED ACCESSORIES

FACTORY WEIGHT SUGGESTED LIST ORDER CODE DESCRIPTION EACH NUMBER PRICE

ADDITIONAL ACCESSORIES

BLOCK HEATER 70000-73274	Block Heater	(Order fi	(Order from Parts Department)		
EXTREME COLD WEATHER KI 3B791-99660 3B291-99660	T CCV Heater Kit for Extreme Cold Weather (ROPS) CCV Heater Kit for Extreme Cold Weather (CAB)		(Order from Parts Department) (Order from Parts Department)		
GRILL GUARD M6909	Grill Guard Kit Compatible with Front Weight Bumper	K182M40	62 lbs	\$228.00	
REPLACEMENT CAB M7985	8 & 12 Speed Replacement Cab - Field Installation Required	K7M466M40	1157 lbs	\$9,333.00	
M7986	24 Speed Replacement Cab - Field Installation Required	K7M466M40	1157 lbs	\$9,333.00	
REPLACEMENT ROPS SFM-FM5111	Replacement ROPS for M5 Standard ROPS Tractors	K671M20	1 lbs	\$839.00	
BACKUP ALARM M7552	M5 Cab Backup Alarm Kit	КМО	2 lbs	\$0.00	
BEACON LIGHT					

KubotaNOW TELEMATICS

M7572

Each order will require the	DCU6700 modem and wiring harness as listed below:	
DCLIG700	ATOT Tolomotics Madem	K300 A 30

\$395.00 1 lbs M6712 M Series Telematics Harness K107M20 1 lbs \$134.00

KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525

As of November 2nd, Kubota NOW will be available for Dealer Owned and Dealer Rental Fleet Machines.

K9059

48" Pallet Forks

M5 SERIES	M5-091/M5-111			
FRONT END LOA	DER			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
FRONT END LOADER				
LA1854	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately	K4M736M80	1859 lbs	\$5,921.00
VALVE KITS				
M6901	Standard Valve Kit for ROPS	K845M60	90 lbs	\$1,057.00
M6902	Standard Valve Kit for Cab	K845M60	82 lbs	\$1,057.00
M6903	Hydraulic Self-Leveling Valve Kit for ROPS	K1M564M80	101 lbs	\$1,956.00
M6904	Hydraulic Self-Leveling Valve Kit for Cab	K1M596M80	92 lbs	\$1,996.00
LOADER ACCESSORY	KITS			
LOADER ACCESSORY KITS M6905	Standard 3rd Function Valve Kit for ROPS	K1M004M80	61 lbs	\$1,256.00
M6906	Standard 3rd Function Valve Kit for Cab	K1M004M80	62 lbs	\$1,256.00
M6907	Hydraulic Self-Leveling 3rd Function Valve Kit for ROPS	K1M033M60	61 lbs	\$1,292.00
M6908	Hydraulic Self-Leveling 3rd Function Valve Kit for Cab	K1M033M60	68 lbs	\$1,292.00
LOADER ACCESSORIES KITS				·
M6910	KSR (Kubota Shockless Ride) Accumulator	K560M80	33 lbs	\$701.00
M6911	Hydraulic Quick Connect Single Lever	K668M00	22 lbs	\$835.00
QA BUCKETS & ACCE	SSORIES			<u> </u>
M1811	72" Round Back Bucket	K579M20	400 lbs	\$724.00
M1815	84" Round Back High Capacity, Light Material Bucket	K773M60	400 lbs	\$967.00
M1816	84" Round Back Bucket	K737M60	400 lbs	\$922.00
M1285	84" Bucket Tine Kit (Includes 9 Tines and Hardware)	K368M00	90 lbs	\$460.00
M1886	96" Bucket	K818M40	610 lbs	\$1,023.00
M1287	96" Bucket Tine Kit (Includes 10 Tines and Hardware)	K408M80	200 lbs	\$511.00
M1896	96" Square Back High Capacity, Light Material Bucket	K902M40	610 lbs	\$1,128.00
M9248	84" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinder, 2-Lever QA Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M248M80	1240 lbs	\$4,061.00
M9249	90" Hay Grapple Bucket 4 Tines, 2-Hyd. Cylinder, 2-Lever QA Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M444M80	1500 lbs	\$4,306.00
BUCKET ACCESSORIES				
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K229M60	79 lbs	\$287.00
M1804	Bale Spear 2 Lever Type QA	K629M60	195 lbs	\$787.00
PALLET FORK FRAME	/ PALLET FORKS			
M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K582M40	200 lbs	\$728.00
K9058	42" Pallet Forks	K397L60	196 lbs	\$497.00

K424K00

218 lbs

\$530.00

M5 SERIES	M5-091/M5-111			
FRONT END L	OADER			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
EURO COUPLER				
M1803	Euro Type Coupler	K348M00	210 lbs	\$435.00
	EURO COUPLER TYPE			
	UCKET TINE KITS / GRAPPLE BUCKETS			
M1816E	84" Euro QA Bucket	K860M80	400 lbs	\$1,076.00
M1285	84" Bucket Tine Kit	K368M00	90 lbs	\$460.00
M1886E	96" Euro QA Bucket	K1M245M60	610 lbs	\$1,557.00
M1287	96" Bucket Tine Kit	K408M80	200 lbs	\$511.00
M1896E	96" Euro QA, Light Material Bucket	K1M349M60	610 lbs	\$1,687.00
M9243E	84" Euro QA type Bale Grapple Bucket 4 Tines, 2-Hyd. Cylinders, 2 Lever QA 2-Lever QA coupler Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M468M00	1235 lbs	\$4,335.00
M9223E	96" Euro QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires 3rd Function Valve Requires 2-Hyd. 1/2" QA couplers, .375" fittings (Obtain Locally, i.e. Pioneer, Parker, or Flat Face)	K3M738M40	1300 lbs	\$4,673.00
EURO BALE SPEA	RS			
M1817E	Bale Spear Quick Coupler, Euro QA	K707M20	200 lbs	\$884.00
EURO PALLET FO	RK FRAME / PALLET FORKS			
M1819E	Pallet Fork Frame, Euro QA Requires 42" or 48" Forks	K652M80	200 lbs	\$816.00
K9058	42" Pallet Forks	K397L60	196 lbs	\$497.00
K9059	48" Pallet Forks	K424K00	218 lbs	\$530.00

M5438

M5 Series M5-091/M5-111 **BACKHOES** FACTORY APPROX. SUGGESTED ORDER CODE DESCRIPTION NUMBER SHIP WT. LIST PRICE **BACKHOE & ACCESSORIES** K8M572M00 1960 lbs \$10,715.00 Backhoe, 9 ft. digging depth Includes Pressed Steel Grousers Requires Mounting Kit and Bucket M4509V Backhoe, 9 ft. digging depth K9M858M40 1960 lbs \$12,323.00 Includes Auxiliary Valve and Pressed Steel Grousers Requires Mounting Kit and Bucket M4011 Backhoe, 11.1 ft. digging depth \$13,067.00 K10M453M60 1940 lbs Includes Pressed Flip-Type Grousers Requires Mounting Kit and Bucket Dipperstick includes Thumb Bracket M4011V \$14,912.00 Backhoe, 11.1 ft. digging depth K11M929M60 2020 lbs Includes Auxiliary Valve and Flip-Type Grousers Requires Mounting Kit and Bucket Dipperstick includes Thumb Bracket BACKHOE MOUNTING KIT Backhoe Subframe Kit K2M195M20 575 lbs \$2,744.00 **BACKHOE ACCESSORIES** M4516 Auxiliary Hydraulic Valve Kit for M4509 K1M360M00 60 lbs \$1,700,00 M4016 Auxiliary Hydraulic Valve Kit for M4011 K1M360M00 60 lbs \$1,700.00 M4745 **Bucket Quick Coupler** K650M40 70 lbs \$813.00 M4014 Hydraulic Thumb Kit K959M20 150 lbs \$1,199.00 M4018 Relocation Hose and Bracket Kit ROPS models K222M40 14 lbs \$278.00 Required if tractor is equipped with a 3rd function control valve and M4011 Backhoe. M4015 Mechanical Thumb Kit K829M60 155 lbs \$1,037.00 RUBBER FLIP PADS Rubber Flip Pads K104L00 21 lbs \$130.00 M4509 / M4011 BUCKETS I 5415A 12" Bucket (1.43 cu. ft. Struck / 1.83 cu. ft. Heaped) K544I 80 140 lbs \$681.00 Not Compatible with Thumb Kits L5416A 16" Bucket (1.98 cu. ft. Struck / 2.56 cu. ft. Heaped) K584L00 154 lbs \$730.00 Not Compatible with Thumb Kits L5418A 18" Bucket (2.25 cu. ft. Struck / 2.98 cu. ft. Heaped) K595L20 162 lbs \$744.00 L5424A 24" Bucket (3.07 cu. ft. Struck / 4.32 cu. ft. Heaped) K664L00 185 lbs \$830.00 M5436 36" Bucket (4.04 cu. ft. Struck / 6.14 cu. ft. Heaped) K884M00 257 lbs \$1,105.00 Not Compatible with Thumb Kits

38" Bucket (4.48 cu. ft. Struck / 6.61 cu. ft. Heaped)

NOTE: Special order due to low sales volume

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21 22 9-63

K938M40

1 lbs

\$1,173.00

M5 SERIES M5-091/M5-111

Approved Attachments

See Website for Landpride Attachments List

KUBOTA

M5 SERIES

M5L-111 Low Profile

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection
3.8L (230 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Turbocharged
w/Wastegate and Intercooled
60 Amp Alternator - ROPS
12V 900 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump Max. Flow @ Rated Engine Speed ROPS: 2400 RPM Power Steering: 5.6 gpm Impl. Flow - ROPS: 15.7 gpm Total Flow - ROPS: 21.3 gpm

REMOTE VALVES

(2) SCD (Self Canceling Detent)

3 POINT HITCH & DRAWBAR

Cat II 3-Point Hitch

@ Lift Points: 7055 lbs
(ASAE)@ 24" Behind: 5181 lbs
2 External Lift Cylinders
Telescoping Lower Links
Stabilizers
Swinging Drawbar - Straight

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2035 Eng. RPM 540E @ 1519 Eng. RPM

Model Specifications

M5L-111 SAE Gross HP: 105.6 SAE Gross HP: 100 Max . PTO HP: 89

TRANSMISSION

12F/12R Two Range, 6-Speed Electro-Hydraulic Shuttle Shift Clutch - Multi-Plate Wet Planetary Final Drives Hydraulic Wet Disk Brakes

FRONT AXLE

Hydrostatic Power Steering 4WD: Cast Iron, Bevel Gear 55 Deg Limited Slip Differential Adjustable (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 24.3 gal DEF Tank Capacity: 3.2 gal Cooling System: 11 qts Crankcase: 11.3 qts Hydraulics/Trans: 15.84 gal

INSTRUMENTS

LCD readout for MPH and PTO rpm RPM Memory Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature Gear Speed Digital Light Indicator Digital Light Indicator F/R Direction

TIRES AND WHEELS

Front Rear

OPERATOR STATION

Tilt Steering Wheel Retractable Seat belt 12V - Outlet Cup Holder

LIGHTING

2 Headlights - Tail lights 4 Hazard Flasher Lights w/ Turn Signals 2 Grill Mounted Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign

7-Pin Electrical Trailer Connector

M5L-111 Low Profile **M5 SERIES**

ORDER CODE	DESCRIPTION	FACTORY	APPROX.	SUGGESTED
	DESCRIPTION	NUMBER	SHIP WT.	LIST PRICE

STANDARD TRACTOR WITH STANDARD TIRES

M5L-111-SN 4WD Low Profile Utility 2 Post Telescopic ROPS Tractor \$60,762.00 K48M575M60 6900 lbs

M5L-111-SN						
TIRES AND WHEELS†		'			Additional	Price With Tire Option
ORDER CODE		DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
STANDARD TIRES						
MR8956* AMR8523A*		F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	98 lbs 265 lbs	MMO	Add	In Base Price
AG - BIAS REAR						
MR8956* AMR8523A*		F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	98 lbs 265 lbs	ММО	Add	\$0.00
AMR8538 AMR8523A		F-TIRE 12.5/80-18 Titan Trac Impl 422 R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	147 lbs 265 lbs	K291M20	Add	\$364.00
AMR8955C AMR8522A	1	F-TIRE 9.5-24 R1 Goodyear Dura Torque R-TIRE 18.4-26 R1 ALLIANCE 324	130 lbs 346 lbs	K539M20	Add	\$674.00
AG - RADIAL REAR						
AMR8643 AMR8661		F-TIRE 340/65R18 R1W MCHLN MULTIBIB R-TIRE 480/65R24 R1W MCHLN MLTBIB	169 lbs 300 lbs	K1K342M40	Add	\$1,678.00
AMR8643 AMR8690		F-TIRE 340/65R18 R1W MCHLN MULTIBIB R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	169 lbs 660 lbs	K2K363M20	Add	\$2,954.00
TURF/FLOTATION						
AMR8567 AMR8580	2	F-TR 400/60-15.5 ALLIANCE I-2 FLOAT R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	128 lbs 367 lbs	K692M80	Add	\$866.00
INDUSTRIAL						
AMR8808 AMR8532		F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	159 lbs 304 lbs	K830M40	Add	\$1,038.00

② Only 2 weights can be mounted per side.

TIRES AND WHEELS (priced pe	r piece)			
ORDER CODE		DESCRIPTION	FACTORY	WEIGHT	SUGGESTED LIST
ONDER CODE		DESCRIPTION	NUMBER	EACH	PRICE
AG - BIAS REAR					
MR8956*		F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	K280M80	98 lbs	\$351.00
AMR8523A*		R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K765M60	265 lbs	\$957.00
AMR8538		F-TIRE 12.5/80-18 Titan Trac Impl 422	K426M40	147 lbs	\$533.00
AMR8523A		R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K765M60	265 lbs	\$957.00
AMR8955C		F-TIRE 9.5-24 R1 Goodyear Dura Torque	K376M00	130 lbs	\$470.00
AMR8522A	1	R-TIRE 18.4-26 R1 ALLIANCE 324	K940M00	346 lbs	\$1,175.00
AG - RADIAL REAR					
AMR8643		F-TIRE 340/65R18 R1W MCHLN MULTIBIB	K620M80	169 lbs	\$776.00
AMR8661		R-TIRE 480/65R24 R1W MCHLN MLTBIB	K1M096M80	300 lbs	\$1,371.00
AMR8643		F-TIRE 340/65R18 R1W MCHLN MULTIBIB	K620M80	169 lbs	\$776.00
AMR8690		R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	K1M607M20	660 lbs	\$2,009.00
TURF/FLOTATION					
AMR8567		F-TR 400/60-15.5 ALLIANCE I-2 FLOAT	K409M60	128 lbs	\$512.00
AMR8580	2	R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	K983M20	367 lbs	\$1,229.00
INDUSTRIAL					
AMR8808		F-TIRE 12.5/80-18 I3 Ttn Contrac 8stud	K556M00	159 lbs	\$695.00
AMR8532		R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K905M60	304 lbs	\$1,132.00

^{*} Standard Tires

^{*} Standard Tires ① Requires Rear Fender Kit M9469

① Requires Rear Fender Kit M9469

② Only 2 weights can be mounted per side.

M5 SERIES

NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25 M5L-111 Low Profile

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/D				
HYDRAULIC REAR REMOTE V M7610	ALVES - 2ND AND 3RD POSITION SCD (Self Canceling Detent)	K584M80	13 lbs	\$731.00
M7611	FD (Float Detent)	K577M60	11 lbs	\$722.00
REMOTE VALVE LEVER KITS M7699	3rd Position Lever Kit	K118M40	5 lbs	\$148.00
FLOW CONTROL VALVES	5. 0	1/1001110	0.11	\$
M9585	Flow Control Valve	K422M40	8 lbs	\$528.00
M9595	Flow Control Valve with SCD Valve For Simultaneous Valve Operation Replaces 1st SCD valve must be removed from tractor.	K877M60	18 lbs	\$1,097.00
3-POINT LIFT ASSIST KIT M7651	High Capacity Lift Cylinders	K812M00	49 lbs	\$1,015.00
DRAWBAR CLEVIS M9594	Drawbar Clevis	K59M20	10 lbs	\$74.00
TRANSMISSION				
CREEP SPEED KIT M9131	Creep Speed Cassette Type	K815M20	22 lbs	\$1,019.00
DUAL SPEED PTO KITS M7623	540/1000 RPM PTO Kit- 1000@2389 RPM	K947M20	133 lbs	\$1,184.00
FRONT & REAR AXLE				
FRONT FENDER KIT (SWIVEL	TYPE)			
M9290	Fender Mounting Kit Requires Plastic Fenders Requires two (2) part # 3C294-43300 Pre-Drilled Front Wheel Case Supports Not Compatible with Loader Applications Not Compatible with AMR8567 Flotation Tires	K659M20	68 lbs	\$824.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K92M00	7 lbs	\$115.00
REAR AXLE SPACER KIT M7647	Rear Axle Spacer Kit adds 2 inches per side	K798M40	44 lbs	\$998.00
	Provides 80" spacing with Ag Tires			
REAR FENDER KITS	Pools and Otral Facility (Occupies Oct)	1/41/40/41/40	400 lb -	04 700 00
M9196	Replacement Steel Fenders (Complete Set) Order individual replacement components though parts	K1M434M40	160 lbs	\$1,793.00
M9469	Raises Steel Fender up 2 inches. Required if 26" wheel is used.	K32M00	4 lbs	\$40.00
M9194	8 Inch Steel extension. For use on AMR8580 or AMR8532 when full tire coverage is needed	K264M00	39 lbs	\$330.00
ROPS ACCESSORIES				
CANOPY				
E1134	Deluxe Fiberglass Canopy (ROPS Models) Requires Mounting Kit	K327M20	63 lbs	\$409.00
E1136	Mounting Kit	K161M60	29 lbs	\$202.00
E1138	Work Light Set for Canopy (optional 2-lights)	K131A20	3 lbs	\$164.00
HIGH CAPACITY ALTERNATOR M9133	R KIT 80 Amp High Capacity Alternator Kit for ROPS	K404M80	10 lbs	\$506.00
REAR WORK LIGHT M7672	Rear Working Auxilary Light (Maximum 1 Light/Tractor)	K85M60	4 lbs	\$107.00

M5 SERIES	M5L-111 Low Profile				
DEALER INSTALLED ACCESSORIES					
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE	
BALLAST					
FRONT WEIGHT BRACKE	·····				
M8075	Front Weight Bracket (230 lbs. each) Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights Not Compatible with Loader	K333M60	223 lbs	\$417.00	
M1875A	Front Weight Bracket (59 lbs. each) Requires Bolt/Bar Kit Up to 7 Front Suitcase Weights Loader must be detached, not compatible with grill guard	K179M20	63 lbs	\$224.00	
FRONT SUITCASE WEIGH	ITS				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K84M00	102 lbs	\$105.00	
FRONT WEIGHT BOLT/BA	AR KITS				
M8076	Front Bumper Bolt Kit for M8075	K48M00	4 lbs	\$60.00	
M8073A	Bolt/Bar Kit for M8075	K54M40	10 lbs	\$68.00	
M8074A	Bolt/Bar Kit for M1875A	K52M00	8 lbs	\$65.00	
REAR WHEEL WEIGHTS LM8124	Rear Wheel Weight Kit (103 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24" or 26" Wheels	K236M00	206 lbs	\$295.00	
REAR WHEEL WEIGHT B	OLT KITS				
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K56M00	5 lbs	\$70.00	
M8121A	Bolt Kit for 2nd and 3rd Set of LM8124 Weights One Bolt Kit per Weight Set	K24M80	8 lbs	\$31.00	
ADDITIONAL ACCE	SSORIES				
BLOCK HEATER	Pleat Heater	(0.1	th . Deate D		
70000-73274	Block Heater	(Order from the Parts Department)		epartment)	
REPLACEMENT ROPS SFM-T95L	Replacement ROPS	K758M40	300 lbs	\$948.00	
GRILL GUARD M6909	Grill Guard Kit	K182M40	62 lbs	\$228.00	
KubotaNOW TELE	MATICS				
Each order will requi	re the DCU6700 modem and wiring harness as listed below: AT&T Telematics Modem	K300A20	1 lbs	\$395.00	
M6712	M Series Telematics Harness	K107M20	1 lbs	\$134.00	

KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525

As of November 2nd, Kubota NOW will be available for Dealer Owned and Dealer Rental Fleet Machines.

M5 SERIES	M5L-111 Low Profile				
FRONT END LOADER					
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE	
FRONT END LOADE	R				
LA1854	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately	K4M736M80	1859 lbs	\$5,921.00	
VALVE KITS					
M6931	Standard Valve Kit for ROPS	K884M00	75 lbs	\$1,105.00	
M6932	Hydraulic Self-Leveling Valve Kit for ROPS	K1M623M20	101 lbs	\$2,029.00	
LOADER ACCESSOI					
THIRD FUNCTION VALVES M6905	Standard 3rd Function Valve Kit for ROPS Requires Add-on Kit	K1M004M80	61 lbs	\$1,256.00	
M6907	Hydraulic Self-Leveling 3rd Function Valve Kit for ROPS Requires Add-on Kit	K1M033M60	61 lbs	\$1,292.00	
M6933	Add-on Kit for 3rd Function Valve	K163M20	4 lbs	\$204.00	
LOADER ACCESSORIES K					
M6910	KSR (Kubota Shockless Ride) Accumulator	K560M80	33 lbs	\$701.00	
M6911	Hydraulic Quick Connect Single Lever	K668M00	22 lbs	\$835.00	
QA BUCKETS & ACC	CESSORIES				
M1811	72" Round Back Bucket	K579M20	400 lbs	\$724.00	
M1815	84" Round Back High Capacity, Light Material Bucket	K773M60	400 lbs	\$967.00	
M1816	84" Round Back Bucket	K737M60	400 lbs	\$922.00	
BUCKET ACCESSORIES					
M1057	Bucket Tine Kit for 72" 2 Lever QA Bucket	K229M60	79 lbs	\$287.00	
M1285	84" Bucket Tine Kit (Includes 9 Tines and Hardware)	K368M00	90 lbs	\$460.00	
BALE SPEARS					
M1804	Bale Spear 2 Lever Type QA	K629M60	195 lbs	\$787.00	
	ME / PALLET FORKS				
M1809	Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K582M40	200 lbs	\$728.00	
K9058	42" Pallet Forks	K397L60	196 lbs	\$497.00	
K9059	48" Pallet Forks	K424K00	218 lbs	\$530.00	

M5 SERIES	M5L-111 Low Pro	ofile			
FRONT END LOADER					
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGG. LIST FACT. NO.	
EURO COUPLER					
M1803	Euro Type Coupler	K348M00	210 lbs	\$435.00	
	EURO COUPLER TYPE				
EURO BUCKET / E	BUCKET TINE KITS / GRAPPLE BUCKETS				
M1816E	84" Euro QA Bucket	K860M80	400 lbs	\$1,076.00	
M1285	84" Bucket Tine Kit	K368M00	90 lbs	\$460.00	
EURO BALE SPEA	ARS				
M1817E	Bale Spear Quick Coupler, Euro QA	K707M20	200 lbs	\$884.00	
EURO PALLET FO	ORK FRAME / PALLET FORKS				
M1819E	Pallet Fork Frame, Euro QA Requires 42" or 48" Forks	K652M80	200 lbs	\$816.00	
K9058	42" Pallet Forks	K397L60	196 lbs	\$497.00	
K9059	48" Pallet Forks	K424K00	218 lbs	\$530.00	

M5 SERIES

M5L-111 Low Profile

Approved Attachments See Website for Landpride Attachments List

KUBOTA

M4N/M5N SERIES

M4N-071/M5N-091/M5N-111 Narrow

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection
3.8L (230 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Turbocharged
w/Wastegate and Intercooled
100/80 Amp Alternator - M4N/M5N
12V 900 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System M5 only

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump

Max. Flow @ Rated Engine Speed

M4N: 2400 RPM

M5N - ROPS/Cab: 2400/2600 RPM

Power Steering:
M4N/M5N ROPS: 6.3 gpm
M5N Cab: 6.8 gpm
Impl. Flow-M4N: 16.7 gpm
M4N/M5N ROPS: 16.7 gpm
M5N Cab: 18.1 gpm
Total Flow-M4N 23.0 gpm
M4N/M5N ROPS: 23.0 gpm

REMOTE VALVES

(2) SCD (Self Canceling Detent) w/ flow control Optional FD (Float Detent) w/ flow control Max 5 valves

M5N Cab: 24.9 gpm

3 POINT HITCH & DRAWBAR

Cat II 3-Point Hitch

@ Lift Points: 5071 lbs (ASAE)@ 24" Behind: 3307 lbs 2 External Lift Cylinders Telescoping Lower Links Easy Adjust Stabilizers Drawbar - Straight

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2385 Eng. RPM 540E* @ 1735 Eng. RPM

TRANSMISSION

12F/12R Two Range, 6-Speed Electro-Hydraulic Shuttle Shift Clutch - Multi-Plate Wet Planetary Final Drives Hydraulic Wet Disk Brakes 24F/24R Two Range, 6-Speed with HiLo Declutch button on Shift knob

FRONT AXLE

Hydrostatic Power Steering 4WD: Cast Iron, Bevel Gear 55 Deg Bi Speed Turn Adjustable (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 20.1 gal DEF Tank Capacity: 3.2 gal Cooling System: 11 gal Crankcase: 11.3 qts Hydraulics/Trans: 13.7 gal Hydraulics/Front Axle 2.1 gal

INSTRUMENTS

RPM Memory
Tachometer/Hour meter
Oil Pressure
Fuel Gauge
Coolant Temperature
Gear Speed Digital Light Indicator
Digital Light Indicator F/R Direction

LCD readout for MPH and PTO rpm

TIRES AND WHEELS

Front 8.0 x 16 R1 Rear 12.4 x 24 R1

CAB FEATURES

Integral Factory ROPS Certified Flat Deck Mechanical Suspension Seat, Vinyl Retractable Seat belt Tinted Glass Dual Level Air Conditioning & Heater Front Wiper w/ Washer - 2 Speed Radio Ready, includes 2-speakers, antenna, and wiring harness. Left and Right Side Exterior Mirror 2 - Front Halogen Work Lights 2 - Rear Halogen Work Lights 2 Doors, Frameless all glass Left Side Step Tilt Steering Wheel Interior Dome Light Accessory Plug 12V - 15 Amp and 12 Volt 3-Pin 30-amp coupler 12 Volt - Outlet Hard Mount location right center post Horn Cup Holder

ROPS FEATURES

Mid Mount Foldable ROPS Mechanical Suspension Seat Retractable Seat Belt Tilt Steering

LIGHTING

2 Headlights - Tail lights 4 Hazard Flasher Lights w/ Turn Signals 2 Grill Mounted Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield
Safety Start Switches
Electric Key Shut Off
PTO OFF
Shuttle Lever Neutral
Parking Brake
Turn Signals
SMV Sign
7-Pin Electrical Trailer Connector

Model Specifications

 M4N-071
 M5N-091
 M5N-11

 SAE Gross HP: 73
 SAE Gross HP: 94
 SAE Gross HP: 107

 Engine Net HP: 70
 Engine Net HP: 87
 Engine Net HP: 100

 Max . PTO HP: 61
 Max . PTO HP: 78-12 speed 75-24 speed
 Max . PTO HP: 91-12 speed 88-24 speed

M5N Series M4N-071/M5N-091/M5N-111 ROPS							
ORDER CODE	DESCRIPTION		FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE		
	STANDARD TRACTOR WITH ST	ANDARD TIRES					
M4N-071HD12	4WD Narrow Specialty ROPS Tractor 12 Speed		K38M893M60	5038 lbs	\$48,617.00		
M5N-091HD12	4WD Narrow Specialty ROPS Tractor 12 Speed		K46M219M20	5346 lbs	\$57,774.00		
M5N-091HD24	4WD Narrow Specialty ROPS Tractor 24 Speed		K47M942M40	5346 lbs	\$59,928.00		
M5N-111HD12	4WD Narrow Specialty ROPS Tractor 12 Speed		K52M181M60	5346 lbs	\$65,227.00		
M5N-111HD24	4WD Narrow Specialty ROPS Tractor 24 Speed		K53M904M80	5346 lbs	\$67,381.00		
	5N Narrow						
TIRES AND WHEELS [†]				Additional Pr	ice With Tire Option		
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE		
STANDARD TIRES							
AMR8539A* AMR8975D*	F-TIRE 8-16 R1 Titan Hi Traction Lug R-TIRE 12.4-24 R1W GY OPTITRAC TL	60 lbs 171 lbs	MMO	Add	In Base Price		
AG - BIAS REAR							
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs			00.00		
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL	171 lbs	MM0	Add	\$0.00		
AMR8539A	F-TIRE 8-16 R1 Titan Hi Traction Lug	60 lbs	K539M20	Add	\$674.00		
MR8918	R-TIRE 18.4-16.1 R1 Goodyear TSG	189 lbs					
AG - RADIAL REAR							
AMR8539A AMR8503B	F-TIRE 8-16 R1 Titan Hi Traction Lug R-TIRE 320/85R24 R1W GDYR Optitrac	60 lbs 206 lbs	M334M40	Add	\$418.00		
	•						
AMR8534A AMR8504A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud R-TIRE 380/85R24 R1W Optitrac DT806	77 lbs 288 lbs	K1K358M40	Add	\$1,698.00		
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	77 lbs					
AMR8505A ①	, ,	621 lbs	K2M382M40	Add	\$2,978.00		
AMR8543	F-TIRE 280/70R18 R1W Gdvr Optitrac DT812	126 lbs	1/01/00/11/10		A 0.000.00		
AMR8506	R-TIRE 480/65R24 R1W Radial 9000 Cast	664 lbs	K3K094M40	Add	\$3,868.00		
INDUSTRIAL							
AMR8542A	F-TIRE 27-8.50-15 Titan Trac Loader	51 lbs	M380M80	Add	\$476.00		
AMR8584	R-TIRE 320/85R20 R1W Kleber Traker	169 lbs			—		
TIRES AND WHEELS (priced p	per piece)				Tr.		
ORDER CODE	DESCRIPTION		FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE		
AG - BIAS REAR				· ·			
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction Lug		K188M80	60 lbs	\$236.00		
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTITRAC TL		K486M40	171 lbs	\$608.00		
AMR8539A MR8918	F-TIRE 8-16 R1 Titan Hi Traction Lug		K188M80	60 lbs	\$236.00		
AG - RADIAL REAR	R-TIRE 18.4-16.1 R1 Goodyear TSG		K756M00	189 lbs	\$945.00		
AMR8539A	F-TIRE 8-16 R1 Titan Hi Traction Lug		K188M80	60 lbs	\$236.00		
AMR8503B	R-TIRE 320/85R24 R1W GDYR Optitrac		K653M60	206 lbs	\$817.00		
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud		K308M80	77 lbs	\$386.00		
AMR8504A	R-TIRE 380/85R24 R1W Optitrac DT806		K1M045M60	288 lbs	\$1,307.00		
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud		K308M80	77 lbs	\$386.00		
AMR8505A	R-TIRE 380/85R24 R1W Optitrac DT806 Cast		K1M557M60	621 lbs	\$1,947.00		
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812		K584M00	126 lbs	\$730.00		
AMR8506	R-TIRE 480/65R24 R1W Radial 9000 Cast		K1M638M40	664 lbs	\$2,048.00		

INDUSTRIAL AMR8542A AMR8584 F-TIRE 27-8.50-15 Titan Trac Loader R-TIRE 320/85R20 R1W Kleber Traker † See Tire Section for Individual Tire Pricing and Information * Standard Tires

K212M00 K653M60

51 lbs 169 lbs

\$265.00 \$817.00

① Requires 16 Lug nuts part #35707-49170 for field installation.

M4N-071/M5N-091/M5N-111 ROPS

M5N Series

NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25

FACTORY APPROX. SUGGESTED ORDER CODE DESCRIPTION NUMBER SHIP WT. LIST PRICE ***STANDARD TRACTOR WITH STANDARD TIRES***

M4N-0/1HDC12	4WD Narrow Specialty Cab Tractor 12 Speed	K48M412M00	6900 lbs	\$60,515.00
M5N-091HDC12	4WD Narrow Specialty Cab Tractor 12 Speed	K53M665M60	6900 lbs	\$67,082.00
M5N-091HDC24	4WD Narrow Specialty Cab Tractor 24 Speed	K55M388M80	7033 lbs	\$69,236.00
M5N-111HDC12	4WD Narrow Specialty Cab Tractor 12 Speed	K59M628M80	7033 lbs	\$74,536.00
M5N-111HDC24	4WD Narrow Specialty Cab Tractor 24 Speed	K61M352M80	7033 lbs	\$76,691.00

N	M4N/M5N Narrow				
TIRES AND WHEELS [†]	•			Additional Pr	ice With Tire Option
ORDER CODE	DESCRIPTION		GHT FACTORY ACH NUMBER		SUGGESTED LIST PRICE
STANDARD TIRES					
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction	9	lbs MM0	Add	In Base Price
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTIT	RAC TL 171	1 lbs		
AG - BIAS REAR					
AMR8539A*	F-TIRE 8-16 R1 Titan Hi Traction		lbs MM0	Add	\$0.00
AMR8975D*	R-TIRE 12.4-24 R1W GY OPTIT	RAC TL 171	1 lbs	7100	ψ0.00
AG - RADIAL REAR					
AMR8539A	F-TIRE 8-16 R1 Titan Hi Traction	- 3	lbs K334M40	Add	\$418.00
AMR8503B	R-TIRE 320/85R24 R1W GDYR	Optitrac 206	6 lbs		*******
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Tor		lbs K1M358M40) Add	\$1,698.00
AMR8504A	R-TIRE 380/85R24 R1W Optitra	c DT806 288	3 lbs	Add	ψ1,030.00
AMR8534A	F-TIRE 9.5-16 R1 Gdyr Dura Tor	que 8stud 77	lbs K2M382M40) Add	\$2,978.00
AMR8505A	① R-TIRE 380/85R24 R1W Optitrac	DT806 Cast 621	1 lbs (\(\text{RZIVI36ZIVI40}\)	Add	\$2,976.00
AMR8543	F-TIRE 280/70R18 R1W Gdyr O	ptitrac DT812 126	6 lbs K3M094M40) Add	\$3,868.00
AMR8506	R-TIRE 480/65R24 R1W Radial	9000 Cast 664	4 lbs K310109410140) Add	\$3,000.00
INDUSTRIAL					
AMR8542A	F-TIRE 27-8.50-15 Titan Trac Lo		lbs K380M80	Add	\$476.00
AMR8584	R-TIRE 320/85R20 R1W Kleber	Traker 169	9 lbs	Add	Ψ17 0.00

TIRES AND WHEELS (priced pe	er piece)			
ORDER CODE		DESCRIPTION	FACTORY	WEIGHT	SUGGESTED LIST
ONDER CODE		DESCRIPTION	NUMBER	EACH	PRICE
AG - BIAS REAR					
AMR8539A*		F-TIRE 8-16 R1 Titan Hi Traction Lug	K188M80	60 lbs	\$236.00
AMR8975D*		R-TIRE 12.4-24 R1W GY OPTITRAC TL	K486M40	171 lbs	\$608.00
AG - RADIAL REAR					
AMR8539A		F-TIRE 8-16 R1 Titan Hi Traction Lug	K188M80	60 lbs	\$236.00
AMR8503B		R-TIRE 320/85R24 R1W GDYR Optitrac	K653M60	206 lbs	\$817.00
AMR8534A		F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	K308M80	77 lbs	\$386.00
AMR8504A		R-TIRE 380/85R24 R1W Optitrac DT806	K1M045M60	288 lbs	\$1,307.00
AMR8534A		F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud	K308M80	77 lbs	\$386.00
AMR8505A	1	R-TIRE 380/85R24 R1W Optitrac DT806 Cast	K1M557M60	621 lbs	\$1,947.00
AMR8543		F-TIRE 280/70R18 R1W Gdyr Optitrac DT812	K584M00	126 lbs	\$730.00
AMR8506		R-TIRE 480/65R24 R1W Radial 9000 Cast	K1M638M40	664 lbs	\$2,048.00
INDUSTRIAL					-1
AMR8542A		F-TIRE 27-8.50-15 Titan Trac Loader	K212M00	51 lbs	\$265.00
AMR8584		R-TIRE 320/85R20 R1W Kleber Traker	K653M60	169 lbs	\$817.00

[†] See Tire Section for Individual Tire Pricing and Information * Standard Tires ① Requires 16 Lug nuts part #35707-49170 for field installation.

M4N/M5N SERIES M4N-071/M5N-091/M5N-111 Narrow					
DEALER INSTA	ALLED ACCESSORIES				
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE	
HYDRAULICS/HIT					
HYDRAULIC REAR REN M8136	MOTE VALVES - 3RD, 4TH, AND 5TH POSITION SCD (Self Canceling Detent) w/ Flow Control	K878M40	22 lbs	\$1,098.00	
M8137	FD (Float Detent) w/ Flow Control	K878M40	22 lbs	\$1,098.00	
M8138	Single Double Valve w/ Flow Control	K1M055M20	13 lbs	\$1,319.00	
REMOTE VALVE LEVER	•	KTWOOOWZO	10 103	ψ1,313.00	
M8139	3rd Position Lever Kit Cab	K127M20	5 lbs	\$159.00	
M8232	3rd Position Lever Kit ROPS	K127M20	5 lbs	\$159.00	
M8149	4th Position Lever Kit Cab	K127M20	5 lbs	\$159.00	
M8233	4th Position Lever Kit ROPS	K127M20	5 lbs	\$159.00	
M8150	5th Position Lever Kit Cab	K127M20	5 lbs	\$159.00	
M8234	5th Position Lever Kit ROPS	K127M20	5 lbs	\$159.00	
FRONT HYDRAULIC CO	DUPLERS				
M8151	1st Position Front Hydraulic Coupler Kit Cab	K585M60	71 lbs	\$732.00	
M8235	1st Position Front Hydraulic Coupler Kit ROPS	K585M60	9 lbs	\$732.00	
M8152	2nd Position Front Hydraulic Coupler Kit Cab	K303M20	20 lbs	\$379.00	
M8236	2nd Position Front Hydraulic Coupler Kit ROPS	K303M20	9 lbs	\$379.00	
M8153	3rd Position Front Hydraulic Coupler Kit Cab	K303M20	20 lbs	\$379.00	
M8237	3rd Position Front Hydraulic Coupler Kit ROPS	K303M20	9 lbs	\$379.00	
M8154	4th Position Front Hydraulic Coupler Kit Cab	K303M20	20 lbs	\$379.00	
M8157	5th Position Front Hydraulic Coupler Kit Cab	K303M20	20 lbs	\$379.00	
OTHER HYDRAULIC AC	CCESSORIES				
M8158	Front Case Drain Coupler Kit Cab Requires 1st Position Front Hydraulic Coupler Kit	K97M60	5 lbs	\$122.00	
M8238	Front Case Drain Coupler Kit ROPS Requires 1st Position Front Hydraulic Coupler Kit	K97M60	9 lbs	\$122.00	
M8159	Rear Case Drain Coupler Kit	K97M60	1 lbs	\$122.00	
DRAWBAR CLEVIS					
M9594	Drawbar Clevis	K59M20	10 lbs	\$74.00	
TRANSMISSION					
CREEP SPEED KIT M9131	Creep Speed Cassette Type	K815M20	22 lbs	\$1,019.00	
FRONT & REAR A	XLE				
M9564	Rear Axle Spacer Kit	K725M60	52 lbs	\$907.00	

M4N/M5N SERIES M4N-071/M5N-091/M5N-111 Narrow						
DEALER INSTA	LLED ACCESSORIES					
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE		
CAB ACCESSORII						
REAR WIPER AND DEFO M8167	DGGER Rear Window Defogger Kit	K447M20	46 lbs	\$559.00		
M6944	Rear Wiper and Washer Kit	K120M80	4 lbs	\$151.00		
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long (Cab only)	(Order f	rom Parts De	partment)		
HIGH CAPACITY ALTER M8168	NATOR KIT 130 Amp High Capacity Alternator Kit for M4N Cab Model	K658M40	10 lbs	\$823.00		
M9143	130 Amp High Capacity Alternator Kit for M5N Cab Model	K657M60	10 lbs	\$822.00		
AIR RIDE SEAT M9154	Air Ride Seat for Cab models only	K738M40	75 lbs	\$923.00		
JENSEN RADIO OPTION 77700-04753	Radio, AM/FM/WB/AUX (Also Requires 77700-05298 radio bracket)	(Order f	rom Parts Dep	partment)		
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT (Also Requires 77700-05298 radio bracket)	(Order f	rom Parts Dep	partment)		
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth (Also Requires 77700-05298 radio bracket)	(Order from Parts Department)				
77700-05298	Radio Bracket for L40 and narrow series tractor	(Order from Parts Department)				
REPLACEMENT CAB M5552	Replacement Cab for M4N/M5N 12/24 Speed- Field Installation Required	K7M572M00	1047 lbs	\$9,465.00		
ROPS ACCESSOR						
M9543	One Light (Maximum 1 Light/Tractor) - ROPS	K90M40	3 lbs	\$113.00		

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22 9-76

e Approved Co-op #65MCESCCPS Grounds Equipme	nt - B	id #E	SCNJ	18/19	-25	
e Approved Co-op #65MCESCCPS Grounds Equipme	K	U	B	O I	I F	1

M4N/M5N SERIES M4N-071/M5N-091/M5N-111 Narrow **DEALER INSTALLED ACCESSORIES** FACTORY WEIGHT SUGGESTED LIST ORDER CODE DESCRIPTION NUMBER **EACH** PRICE **BALLAST** FRONT WEIGHT BRACKETS M1839 Front Weight Bracket K355M20 92 lbs \$444.00 Standard on 2WD Models Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights FRONT SUITCASE WEIGHTS M8079 Suitcase Weight K84M00 102 lbs \$105.00 Requires Front Weight Bumper and Bolt/Bar Kit FRONT WEIGHT BOLT/BAR KITS Bolt/Bar Kit (Mounts up to 10 weights) K54M40 \$68.00 M8073A 10 lbs REAR WHEEL WEIGHTS LM8124 Rear Wheel Weight Kit (103 lbs. each) K236M00 206 lbs \$295.00 Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels Use with 24", 26", or 28" Wheels REAR WHEEL WEIGHT BOLT KITS LM8125A Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels K56M00 \$70.00 5 lbs M8121A Bolt Kit for 2nd and 3rd Set of LM8124 Weights K24M80 8 lbs \$31.00 One Bolt Kit per Weight Set **ADDITIONAL ACCESSORIES BLOCK HEATER** 70000-73274 **Block Heater** (Order from the Parts Department) Replacement ROPS SFM-FM4N071 M4N Replacement ROPS K696M80 230 lbs \$871.00 SFM-FM5N111 M5N Replacement ROPS K737M60 265 lbs \$922.00 **Grill Guard** M6909 Grill Guard Kit for M5N Cab models only K182M40 62 lbs \$228.00 M1876A Grill Guard Kit for M4N Cab Models only K165M60 57 lbs \$207.00 Both Grill Guards interfere with Foldable ROPS models. **KubotaNOW TELEMATICS**

Each order will require the	e DCU6700 modem and wiring harness as listed below:			
DCU6700	AT&T Telematics Modem	K300A20	1 lbs	\$395.00
M6712	M Series Telematics Harness	K107M20	1 lbs	\$134.00
	KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525			

M5 SERIES

M5N-091HDC12PC Narrow Power Krawler

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection 3.8L (230 cu. in.) 4 Cyl EPA Tier 4 Final Compliant Common Rail Electronic Fuel Injection Electronic Engine Management Turbocharged w/Wastegate and Intercooled 80 Amp Alternator - Cab 12V 900 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System M5 only

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump Max. Flow @ Rated Engine Speed

> M5 Cab: 2600 RPM Power Steering: M5 - 6.8 Impl. Flow: 18.1 M4N/M5N ROPS: 16.7 gpm Total Flow: 24.9

REMOTE VALVES

(2) SCD (Self Canceling Detent) w/ flow control Optional FD (Float Detent) w/ flow control Max 5 valves

3 Point Hitch & Drawbar

Cat II 3-Point Hitch

@ Lift Points: 5071 lbs (ASAE)@ 24" Behind: 3307 lbs 2 External Lift Cylinders Telescoping Lower Links Easy Adjust Stabilizers Drawbar - Straight

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2385 Eng. RPM 540E* @ 1735 Eng. RPM

Model Specifications

M5N-091HDC12PC SAE Gross HP: 94 Engine Net HP: ->88 Max . PTO HP: 78

TRANSMISSION

12F/12R Two Range, 6-Speed Electro-Hydraulic Shuttle Shift Clutch - Multi-Plate Wet Planetary Final Drives Hydraulic Wet Disk Brakes

FRONT AXLE

Hydrostatic Power Steering 4WD: Cast Iron, Bevel Gear 55 Deg Planetary Final Drives Adjustable (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 20.1 gal DEF Tank Capacity: 3.2 gal Cooling System: 11 qts Crankcase: 11.3 qts Hydraulics/Trans: 13.7 gal Hydraulics/Front Axle 2.1 gal

INSTRUMENTS

LCD readout for MPH and PTO rpm RPM Memory
Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature Gear Speed Digital Light Indicator Digital Light Indicator F/R Direction

TIRES AND WHEELS

Front 8.0 x 16 R1 Track

CAB FEATURES Integral Factory ROPS Certified Flat Deck Mechanical Suspension Seat, Vinyl Retractable Seat belt **Tinted Glass** Dual Level Air Conditioning & Heater Front Wiper w/ Washer - 2 Speed Radio Ready, includes 2-speakers, antenna, and wiring harness. Left and Right Side Exterior Mirror 2 - Front Halogen Work Lights 2 - Rear Halogen Work Lights 2 Doors, Frameless all glass Left Side Step Tilt Steering Wheel Interior Dome Light Accessory Plug 12V - 15 Amp and 12 Volt 3-Pin 30-amp coupler

12 Volt - Outlet Hard Mount location right center post Horn

Cup Holder

LIGHTING

2 Headlights - Tail lights 4 Hazard Flasher Lights w/ Turn Signals 2 Grill Mounted Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off PTO OFF Shuttle Lever Neutral Parking Brake Turn Signals SMV Sign 7-Pin Electrical Trailer Connector M5N-091HDC12PC

K62M369M60

6900 lbs

\$77,962.00

M5N-091HDC12PC Narrow Power Krawler **M5 Series** FACTORY APPROX. SUGGESTED ORDER CODE DESCRIPTION NUMBER SHIP WT. LIST PRICE ***STANDARD TRACTOR WITH STANDARD TIRES***

4WD Narrow Specialty Cab Tractor 12 Speed

M5N N	larrow Power Krawler				
TIRES AND WHEELS [†]	TIRES AND WHEELS [†]				rice With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGG. LIST PRICE
AG - BIAS REAR					
AMR8534A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud Rear Power Krawler Track System 11.8" Track	77 lbs	MM0		In Base Price
AG - RADIAL REAR					
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812 Rear Power Krawler Track System 11.8" Track	126 lbs	K550M40	Add	\$688.00

TIRES AND WHEELS (price	ced per piece)			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGG. LIST PRICE
AG - BIAS REAR				
AMR8534A*	F-TIRE 9.5-16 R1 Gdyr Dura Torque 8stud Rear Power Krawler Track System 11.8" Track	K308M80	77 lbs	\$386.00
AG - RADIAL REAR				
AMR8543	F-TIRE 280/70R18 R1W Gdyr Optitrac DT812 Rear Power Krawler Track System 11.8" Track	K584M00	126 lbs	\$730.00

^{*} Standard Tires

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22 e 9-79

M9131

Creep Speed Cassette Type

M5N-091HDC12PC Narrow Power Krawler **M5 SERIES DEALER INSTALLED ACCESSORIES** FACTORY WEIGHT SUGGESTED LIST ORDER CODE DESCRIPTION NUMBER **EACH PRICE** HYDRAULICS/HITCH/DRAWBAR HYDRAULIC REAR REMOTE VALVES - 3RD, 4TH, AND 5TH POSITION SCD (Self Canceling Detent) w/ Flow Control K878M40 22 lbs \$1,098.00 \$1,098.00 M8137 22 lbs FD (Float Detent) w/ Flow Control K878M40 M8138 Single Double Valve w/ Flow Control K1M055M20 \$1,319.00 13 lbs REMOTE VALVE LEVER KITS M8139 3rd Position Lever Kit K127M20 5 lbs \$159.00 M8149 K127M20 \$159.00 4th Position Lever Kit 5 lbs M8150 5th Position Lever Kit K127M20 5 lbs \$159.00 FRONT HYDRAULIC COUPLERS \$732.00 K585M60 71 lbs M8151 1st Position Front Hydraulic Coupler Kit M8152 2nd Position Front Hydraulic Coupler Kit K303M20 20 lbs \$379.00 M8153 3rd Position Front Hydraulic Coupler Kit K303M20 20 lbs \$379.00 M8154 4th Position Front Hydraulic Coupler Kit K303M20 20 lbs \$379.00 M8157 5th Position Front Hydraulic Coupler Kit K303M20 \$379.00 20 lbs OTHER HYDRAULIC ACCESSORIES M8158 Front Case Drain Coupler Kit K97M60 5 lbs \$122.00 Requires 1st Position Front Hydraulic Coupler Kit M8159 Rear Case Drain Coupler Kit K97M60 1 lbs \$122.00 DRAWBAR CLEVIS Drawbar Clevis K59M20 \$74.00 M9594 10 lbs **TRANSMISSION** CREEP SPEED KIT

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21 $^{\rm P2e}$ 9-80

K815M20

22 lbs

\$1,019.00

Educational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25 KUBOTA

M5 SERIES	M5N-091HDC12PC Narrow Power Krawler

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE	
CAB ACCESSORIE	:S				
REAR WIPER AND DEFO M8167	PGGER Rear Window Defogger Kit	K447M20	46 lbs	\$559.00	
M6944	Rear Wiper and Washer Kit	K120M80	4 lbs	\$151.00	
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long (Cab only)	(Order t	from Parts De	partment)	
HIGH CAPACITY ALTERN	NATOR KIT				
M9143	130 Amp High Capacity Alternator Kit for M5N Cab Model	K657M60	10 lbs	\$822.00	
AIR RIDE SEAT M9154	Air Ride Seat for Cab models only	K738M40	75 lbs	\$923.00	
JENSEN RADIO OPTION	S				
77700-04753	Radio, AM/FM/WB/AUX (Also Requires 77700-05298 radio bracket)	(Order f	rom Parts De	partment)	
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT (Also Requires 77700-05298 radio bracket)	(Order f	rom Parts De	partment)	
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth (Also Requires 77700-05298 radio bracket)	(Order f	rom Parts De	partment)	
77700-05298	Radio Bracket for L40 and narrow series tractor	(Order f	rom Parts De	partment)	
REPLACEMENT CAB					
M5553	Replacement Cab for M5N-PC	K7M572M00	1047 lbs	\$9,465.00	
BALLAST					
FRONT WEIGHT BRACK M1839	Front Weight Bracket (230 lbs. each) Standard on 2WD Models Requires Front Bumper Bolt Kit Up to 10 Front Suitcase Weights	K355M20	92 lbs	\$444.00	
FRONT SUITCASE WEIG	нтѕ				
M8079	Suitcase Weight Requires Front Weight Bumper and Bolt/Bar Kit	K84M00	102 lbs	\$105.00	
FRONT WEIGHT BOLT/B		KE ANAO	40 lb-	# C0.00	
M8073A	Bolt/Bar Kit (Mounts up to 10 weights)	K54M40	10 lbs	\$68.00	
ADDITIONAL ACCE BLOCK HEATER	ESSORIES				
70000-73274	Block Heater	(Order fro	(Order from the Parts Department)		
GRILL GUARD M6909	Grill Guard Kit	K182M40	62 lbs	\$228.00	
KubotaNOW TELE	MATICS				
Each order will requ	ire the DCU6700 modem and wiring harness as listed below: AT&T Telematics Modem	K300A20	1 lbs	\$395.00	
M6712	M Series Telematics Harness	K107M20	1 lbs	\$134.00	
	KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525				

As of November 2nd, Kubota NOW will be available for Dealer Owned and Dealer Rental Fleet Machines.

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22 9-81

NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25

M6 SERIES

M6-101/M6-111

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection 3.8L (230 cu. In.) 4 Cyl EPA Tier 4 Final Compliant Common Rail Electronic Fuel Injection Electronic Engine Management Turbocharged w/Wastegate and Intercooled Fuel Tank Capacity: 50.2 Gal 130 Amp Alternator 12V 900 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System DEF Tank Capacity: 4.2 Gal

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump Max. Flow @ Rated Engine Speed Power Steering: 16.1 gpm Implement Flow: 18.7 gpm Total Flow: 34.8 gpm

REMOTE VALVES

Remote Valves w/Individual Flow Control (1) SCD (Self Canceling Detent) (1) FD (Float Detent) In-Cab Flow Control Adjustment

3 POINT HITCH & DRAWBAR

Cat II 3-point Hitch

@ Lift Points: 8598 lbs @ 24" Behind: 6834 lbs 2 External Lift Cylinders Electronic Position and Draft Control Telescoping Lower Links Stabilizers Swinging Drawbar - Straight

POWER TAKE OFF (540/1000)

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 rpm @ 2405 Eng. rpm SAE 1 3/8" Twenty-One Spline 1000 rpm @ 2389 Eng. rpm

TRANSMISSION

24F/24R Intelli-Shift Three Range, 8-Speed Semi-Powershift Auto Shift Mode - Field & Road Auto 4WD Function Electro-Hydraulic Shuttle Shift Electro-Hydraulic Front & Rear Diff. Lock Clutch - Multi Plate Wet Planetary Final Drives Hydraulic Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering 4WD: Cast Iron, Bevel Gear Type Bi-Speed Turn Feature Planetary Final Drives Adj. (Rim) Tread Spacing

FLUID CAPACITY

Cooling System: 11.3 qts Crankcase: 10.5 qts Hydraulics/Trans: 17.2 gal

INSTRUMENTS

LCD readout for MPH and PTO rpm 26 Mode LCD Readout Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature Gear Speed Digital Light Indicator Digital Light Indicator F/R Direction

TIRES AND WHEELS

Front 12.4R24 Radial / Steel Waffle Rear 18.4R30 Radial/Cast Iron

GRAND-X CAB

4-post, ROPS Certified RH & LH Doors Tinted Glass Doors and Windows In-roof window/vent Tilt and Telescoping Steering Wheel Deluxe Air Ride Seat Dual Level Air Conditioning & Heater Front and Rear Wiper/Washer Front Sun Visor Rear View Mirror LH & RH Telescoping Side Mirrors Radio Ready Cab Steps, Left and Right Side Interior Dome Light 12V - 30-Amp 2 Wire Coupler 12V – 3 Pin 30-Amp Coupler 12V - Outlet Cup Holder Instructor Seat Ready

LIGHTING

Horn

2 Headlights - Tail lights 4 Hazard Flasher Lights w/ Turn Signals 2 Grille Mounted Worklights 2 Front Cab Halogen Worklights 2 Rear Halogen Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign 7-Pin Electrical Trailer Connector

Model Specifications

M6-101 M6-111 SAE Gross HP: 104.5 HP SAE Gross HP: 114.1 HP Engine Net HP: 97.1 HP Engine Net HP: 106.8 HP Max . PTO HP: 82.0 HP Max . PTO HP: 92.0 HP @ 2600 Engine RPM @ 2600 Engine RPM

M6 Series	M6-101/M6-111			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	STANDARD TRACTOR WITH STANDARD TIRES			
M6-101DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K68M260M00	9601 lbs	\$85,325.00
M6-111DTC-F	4WD Farm Tractor w/Factory Cab (A/C)	K71M267M20	9789 lbs	\$89,084.00

M6-101E	DTC-F/M6-111DTC-F				
TIRES AND WHEELS [†]				Additional Pr	ice With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
STANDARD TIRES					
AMR8557A** AMR8514B**	F-TIRE 320/85R24 R1W GDYR OPTRAC R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	220 lbs 1027 lbs	ММО	Add	In Base Price
AG - BIAS REAR					
AMR8558C AMR9246C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	206 lbs 1000 lbs	M67M20	Less	(\$84.00)
AMR8558C AMR9244D	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	206 lbs 441 lbs	K1M220M80	Less	(\$1,526.00)
AG - RADIAL REAR				·	•
AMR8557A AMR8531A	F-TIRE 320/85R24 R1W GDYR OPTRAC R-TIRE 460/85R30 R1W GDYR OPTRAC	220 lbs 429 lbs	M913M60	Less	(\$1,142.00)
AMR8557A** AMR8514B**	F-TIRE 320/85R24 R1W GDYR OPTRAC R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	220 lbs 1027 lbs	ММО	Add	\$0.00
AMR8559A AMR9256C	F-TIRE 340/85R24 R1W GY OPTITRAC R-TIRE 460/85R34 R1W GY OPTITRAC CAST	290 lbs 1020 lbs	M632M00	Add	\$790.00
AMR8559A AMR9254D	F-TIRE 340/85R24 R1W GY OPTITRAC R-TIRE 460/85R34 R1W GY OPTITRAC	290 lbs 540 lbs	M283M20	Less	(\$354.00)
AMR8556B AMR9257B	F-TIRE 12.4-24 R1W GDYR OPTITRAC R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	193 lbs 380 lbs	M729M60	Less	(\$912.00)
AMR8556B AMR9258A	F-TIRE 12.4-24 R1W GDYR OPTITRAC R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	193 lbs 910 lbs	M9M60	Add	\$12.00
AG/INDUSTRIAL HYBRID					
AMR9304 AMR9308	F-TIRE LSW 340/70R28 GY R14 R-TIRE LSW 460/75R38 GY R14 CAST	290 lbs 1072 lbs	K2M334M40	Add	\$2,918.00
TERRAIN KING					
AMR9304 AMR9284TK	F-TIRE LSW 340/70R28 GY R14 R-TIRE LSW 460/75R38 GY R14 CAST TK	290 lbs 1080 lbs	K2M697M60	Add	\$3,372.00
AMR8559A AMR9282TKA	F-TIRE 340/85R24 R1W GY OPTITRAC R-TIRE 460/85R38 R1W GY OPT CAST TK	290 lbs 1100 lbs	K1M164M80	Add	\$1,456.00

[†] See Tire Section for Individual Tire Pricing and Information
** Standard Tires for M6-101DTC-F & M6-111DTC-F
* Available only on M6-101DTC-F

M6 Series

M6-101/M6-111

Individual Tire Pricing

M6-10 ⁻	1DTC-F/M6-111DTC-F		
TIRES AND WHEELS (pr	riced per piece)		
ORDER CODE	DESCRIPTION	FACTORY WEIGH	
	DESCRIPTION	NUMBER EACH	H PRICE
AG - BIAS REAR			
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K572M80 206 lb	s \$716.00
AMR9246C	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	K1M782M40 1000 II	bs \$2,228.00
AMR8558C	F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K572M80 206 lb	s \$716.00
AMR9244D	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	K1M205M60 441 lb	s \$1,507.00
AG - RADIAL REAR			
AMR8557A	F-TIRE 320/85R24 R1W GDYR OPTRAC	K668M00 220 lb	s \$835.00
AMR8531A	R-TIRE 460/85R30 R1W GDYR OPTRAC	K1M264M00 429 lb	s \$1,580.00
AMR8557A**	F-TIRE 320/85R24 R1W GDYR OPTRAC	K668M00 220 lb	s \$835.00
AMR8514B**	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M720M80 1027 II	bs \$2,151.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K800M00 290 lb	s \$1,000.00
AMR9256C	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	K1M904M80 1020 II	bs \$2,381.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K800M00 290 lb	s \$1,000.00
AMR9254D	R-TIRE 460/85R34 R1W GY OPTITRAC	K1M447M20 540 lb	s \$1,809.00
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	K508M80 193 lb	s \$636.00
AMR9257B	R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M515M20 380 lb	s \$1,894.00
AMR8556B	F-TIRE 12.4-24 R1W GDYR OPTITRAC	K508M80 193 lb	s \$636.00
AMR9258A	R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	K1M884M80 910 lb	s \$2,356.00
AG/INDUSTRIAL HYBRII	D		
AMR9304	F-TIRE LSW 340/70R28 GY R14	K1M139M20 290 lb	s \$1,424.00
AMR9308	R-TIRE LSW 460/75R38 GY R14 CAST	K2M416M80 1072 II	bs \$3,021.00
TERRAIN KING			
AMR9304	F-TIRE LSW 340/70R28 GY R14	K1M139M20 290 lb	s \$1,424.00
AMR9284TK	R-TIRE LSW 460/75R38 GY R14 CAST TK	K2M598M40 1080 II	bs \$3,248.00
AMR8559A	F-TIRE 340/85R24 R1W GY OPTITRAC	K800M00 290 lb	s \$1,000.00
AMR9282TKA	R-TIRE 460/85R38 R1W GY OPT CAST TK	K2M171M20 1100 II	bs \$2,714.00

[†] See Tire Section for Individual Tire Pricing and Information
** Standard Tires for M6-101DTC-F & M6-111DTC-F
* Available only on M6-101DTC-F

M6 SERIES	M6-101/M6-111			
DEALER INSTAL	LED ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
HYDRAULICS/HITCI				
M7683A	TE VALVES - 3RD POSITION SCD Valve with Built-In Flow Control	K688M80	22 lbs	\$861.00
M7684A	FD Valve with Built-In Flow Control	K696M80	20 lbs	\$871.00
	ITS FOR DELUXE VALVES	ROCOMOC	20 100	ψο/ 1.00
M7629	3rd Position Lever Kit	K184M00	5 lbs	\$230.00
M7686	4th Position Lever Kit	K184M00	3 lbs	\$230.00
3-POINT LIFT ASSIST KIT				
M9122	High Capacity Lift Cylinders Provides 9,447 Lbs. lift capacity	K844M00	55 lbs	\$1,055.00
3-POINT FENDER SWITCH M9237	Right hand fender switch for 3-point hitch	K36M80	1 lbs	\$46.00
DROP DRAWBAR				
M9227	Drop Drawbar - 4.5" Drop	K168M80	55 lbs	\$211.00
DRAWBAR CLEVIS M9289	Drawbar Clevis for standard Flat Drawbar	K186M40	13 lbs	\$233.00
M9217	Drawbar Clevis for M9227 Drop Drawbar	K186M40	20 lbs	\$233.00
	Blawbar Cicvis for Midzzi Blop Blawbar	TCTOOM+0	20 103	Ψ233.00
TRANSMISSION CREEP SPEED KIT				
M9127	One kit, Cassette type Requires dealer installation.	K815M20	39 lbs	\$1,019.00
FRONT AXLE				
FRONT FENDER KIT (Swiv	•• •			
M9290	Fender Mounting Kit, (Requires M9208) Not compatible with Loader Applications	K659M20	68 lbs	\$824.00
M9208	Plastic Fenders (Includes 2 Fenders) 14.9" wide Requires Fender Mounting Kit	K92M00	7 lbs	\$115.00
WIDE ROW FRONT AXLE I	КІТ			
M9282	80" Wide Row Front Axle Kit Not compatible with Loader Applications	K1M032M80	76 lbs	\$1,291.00
AUDIO ACCESSORI Jensen Radio options	ES			
777700-04753 77700-04754 77700-04755	RADIO, AM/FM/WB/AUX RADIO, AM/FM/WB/AUX/USB/IPOD/SAT RADIO, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth	(Order f	rom Parts De rom Parts De rom Parts De	partment)

*Mounting bracket is shipped with the tractor in the cab, black pouch. The plastic cover plate that is removed becomes the radio cover ring, remove the plastic center cover piece, and reinstall the cover ring.

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22 $^{9-85}$

		'		
M6 SERIES	M6-101/M6-111			
DEALER INSTA	LLED ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
CAB ACCESSORI	ES			
M1145	Retractable Rear Sunshade	K190M40	5 lbs	\$238.00
M9118	Rear Defogger Kit	K328M00	46 lbs	\$410.00
M9121A	Instructor Seat w/Seat belt Dealer installed or installed by KTC with tractor order	K391M20	14 lbs	\$489.00
M9144	Monitor Bracket	K101M60	4 lbs	\$127.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order f	rom Parts De	partment)
M9229	Mid Mount Work Light Kit (Two Lights) Each light mounts to Cab grab handle.	K121M60	4 lbs	\$152.00
M1352	Rear Mount Work Light Kit (Two Lights)	K135M20	5 lbs	\$169.00
M9206 REPLACEMENT CAB	PLASTIC REAR FENDER EXTENSION - M6	K272M80	1 lbs	\$341.00
M6937	Replacement Cab - Field installation required. Attachment system, lights, electrical harness,	K13M881M60	1000 lbs	\$17,352.00

glass, control levers, roof and headliner, dash tower, steering column, and pedals are included. Note: Transfer components as needed.

BALLA	۱S۲
-------	-----

FRONT SUITCASE WEIGHTS M9126	Weight Bracket	K354M40	96 lbs	\$443.00
M8079	One Weight Requires M9126 Bracket and M9275 Bolt Kit. Maximum 12 Weights.	K84M00	102 lbs	\$105.00
M9275A	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1-12 M8079 Weights	K51M20	14 lbs	\$64.00
REAR WHEEL WEIGHTS				
M8126A	Rear Wheel Weights, set of 2 (164 lbs. each) *Requires M8119B or LM8125A *Limit 3 sets on Steel Dish Wheels *Limit 2 sets on Cast Dish Wheels	K262M40	328 lbs	\$328.00
M8119B	Bolt Kit for 1st set M8126A on Cast Dish Wheels.	K22M40	6 lbs	\$28.00
LM8125A	Bolt Kit for 1st set M8126A on Steel Dish Wheels	K56M00	5 lbs	\$70.00
M8127B	Bolt Kit for 2nd and 3rd Wheel Weight Sets *Required for 2nd & 3rd set on ALL Steel Dish *Required for 2nd set on Cast Dish Wheels	K20M80	6 lbs	\$26.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21 22 9-86

K107M20

1 lbs

\$134.00

M6-101/M6-111 M6 SERIES

DEALER INSTALLED ACCESSORIES FACTORY WEIGHT SUGGESTED LIST ORDER CODE **DESCRIPTION** NUMBER **EACH** PRICE **ADDITIONAL ACCESSORIES FUEL TANK GUARD KIT** Heavy Duty Metal Fuel Tank Guard Kit K255M20 \$319.00 M6913 14 lbs **BACKUP ALARM** M7562 M6 Backup Alarm Kit KM0 2 lbs \$0.00 **BEACON LIGHT** M7582 M6 Beacon Light Kit KM0 4 lbs \$0.00 **BLOCK HEATER Block Heater** (Order from the Parts Department) 70000-73274 **FUEL CAP** 77700-06358 Locking Fuel Cap (Order from the Parts Department) Only Fits M6-101 Prior to SN 10627 Only Fits M6-111 Prior to SN 11656

KubotaNOW TELEMATICS

M6712

Each order will require the DCU6700 modem and wiring harness as listed below: K300A20 \$395.00 DCU6700 AT&T Telematics Modem 1 lbs

> KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525

As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.

M Series Telematics Harness

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22 9-87

FRONT END LOADER

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
LA1955 LOADER	- For M6-101/M6-111			
LA1955	FRONT LOADER (QA) 2-Lever Quick Attach Loader Includes Mounting Kit and Stand Does not include valve, grille guard, or bucket.	K5M291M20	1859 lbs	\$6,614.00
VALVE KITS				
M6916	Loader Valve Kit (Standard)	K995M20	75 lbs	\$1,244.00
M6928	Loader Valve Kit (Hydraulic Self Leveling)	K1M700M80	101 lbs	\$2,126.00
M6921	3rd Function Valve Kit for Standard Loader Valve	K1M080M00	61 lbs	\$1,350.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve	K1M080M00	61 lbs	\$1,350.00
LOADER ACCESS	SORIES KITS			
M6919	KSR Accumulator	K589M60	36 lbs	\$737.00
M6927	Hydraulic Quick Connect Single Lever	K692M80	22 lbs	\$866.00
GRILLE GUARD				
M6934	Grill Guard	K235M20	108 lbs	\$294.00
	(ET TINE KITS / GRAPPLE BUCKETS (All 2-Lever Type QA)			
M1815	84" Rd Back High Capacity, Light Material Bucket	K773M60	400 lbs	\$967.00
M1816	84" Rd Back Bucket	K737M60	400 lbs	\$922.00
M1285	84" Bucket Tine Kit (includes 9 Tines and hardware)	K368M00	90 lbs	\$460.00
M1886	96" Bucket	K818M40	610 lbs	\$1,023.00
M1287	96" Bucket Tine Kit (includes 10 Tines and hardware)	K408M80	200 lbs	\$511.00
M1896	96" Sq Back, High Capacity, Light Material Bucket	K902M40	610 lbs	\$1,128.00
M9248	84" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M248M80	1240 lbs	\$4,061.00
M9249	90" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M444M80	1500 lbs	\$4,306.00
BALE SPEARS				
M1804	Bale Spear 2-Lever Type QA	K629M60	195 lbs	\$787.00
	RAME / PALLET FORKS			
M1809	Pallet Fork Frame 2-Lever Type QA (Requires 42" or 48" Forks)	K582M40	200 lbs	\$728.00
K9058	42" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K397L60	196 lbs	\$497.00
K9059	48" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K424K00	218 lbs	\$530.00

M6 SERIES	M6-101/M6-111			
FRONT END LO	DADER			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
LA1955E EURO LOA	NDER - For M6-101/M6-111			
LA1955E	FRONT LOADER (EURO TYPE QA COUPLER) Euro Quick Attach Loader Includes Mounting Kit and Stand Does not include valve, grill guard, or bucket.	K5M291M20	1859 lbs	\$6,614.00
VALVE KITS				
M6916	Loader Valve kit (Standard)	K995M20	75 lbs	\$1,244.00
M6928	Loader Valve kit (Hydraulic Self Leveling)	K1M700M80	101 lbs	\$2,126.00
M6921	3rd Function Valve Kit for Standard Loader Valve Requires M1967E	K1M080M00	61 lbs	\$1,350.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve Requires M1967E	K1M080M00	61 lbs	\$1,350.00
M1967E	Hose Extension Kit, required for M6921 or M6923	K193M60	13 lbs	\$242.00
LOADER ACCESSOI	RIES KITS			
M6919	KSR (Kubota Shockless Ride) Accumulator	K589M60	36 lbs	\$737.00
M6927	Hydraulic Quick Connect Single Lever	K692M80	22 lbs	\$866.00
GRILL GUARD KITS				
M6934	Grill Guard	K235M20	108 lbs	\$294.00
	TINE KITS / GRAPPLE BUCKETS			
M1816E	84" EURO QA Bucket	K860M80	400 lbs	\$1,076.00
M1285	84" Bucket Tine Kit	K368M00	90 lbs	\$460.00
M1886E	96" EURO QA Bucket	K1M245M60	610 lbs	\$1,557.00
M1287	96" Bucket Tine Kit	K408M80	200 lbs	\$511.00
M1896E	96" EURO QA Light Material Bucket	K1M349M60	610 lbs	\$1,687.00
M9243E	84" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M468M00	1235 lbs	\$4,335.00
M9223E	96" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M738M40	1300 lbs	\$4,673.00
BALE SPEARS				
M1817E	Bale Spear Quick Coupler, Euro QA	K707M20	200 lbs	\$884.00
	ME / PALLET FORKS			42 · · · · ·
M1819E	Pallet Fork Frame, Euro QA (Requires 42" or 48" Forks)	K652M80	200 lbs	\$816.00
K9058	42" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K397L60	196 lbs	\$497.00
K9059	48" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K424K00	218 lbs	\$530.00

M6 SERIES M6-101/M6-111

Approved Attachments

See Website for Landpride Attachments List

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22 9-90

M6S SERIES

M6S-111 Midsize Utility Tractors

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection
3.8L (230 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Turbocharged
w/Wastegate and Intercooled
12V 900 CCA Battery
Charging Output 80 amps Cab

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump
Max. Flow @ Rated Engine Speed
Cab: 2600 RPM
Power Steering: 12.9 gpm
Impl. Flow - Cab: 17.6 gpm

Total Flow - Cab: 30.5 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)

(1) FD (Float Detent)

3 Point Hitch & Drawbar

Cat II 3-Point Hitch

@ Lift Points: 4960 lbs
(ASAE)@ 24" Behind: 3858 lbs
Telescoping Lower Links
Telescoping Stabilizers
Swinging Drawbar

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 RPM @ 2405 Eng. RPM SAE 1-38" Twenty-One Spline 1000 RPM @ 2389 Eng. RPM Optional 540/1000 standard on 2 speed PTO Model

Model Specifications

M6S-111

SAE Gross HP: 114 Engine Net HP: 105 Max . PTO HP: 95

Transmission

16F/16R or 32F/32R Swing Shift Plus Shuttle Shift: Electric Hydraulic Main Shift: 8-Speed synchronized

w/swing shift

Range Shift: 2-Speed Constant Mesh
Dual Speed: 2-Speed power shift

Clutch - Multi-Plate Wet Planetary Final Drives Hydraulic Wet Dish Brakes

FRONT AXLE

Hydrostatic Power Steering 2WD: Steel Adjustable 4WD: Cast Iron, Bevel Gear 55 Deg Mechanical Differential Lock Adjustable (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 46.2 gal DEF Tank Capacity: 3.2 gal Cooling System: 2.5 gal Crankcase: 2.8 gal Hydraulics/Trans: 15.8 gal Front Axle case: 1.9 gal

Bevel Gear case: 0.9 gal

INSTRUMENTS

LCD Display:
Shuttle position, DEF gauge,
Clock, Travel Speed, PTO RPM,
Hour Meter, Trip Meter,
Fuel Consumption, PM Level, RPM Memory
Oil Pressure
Fuel Gauge
Coolant Temperature
Swing Shift H/L Digital Light Indicator
4WD Indicator
Water Separator Light

Cab Features

Tilt Steering Wheel Retractable Seat belt 12V - Outlet Cup Holder Cloth Suspension Seat Side view mirrors Front wiper and washer

LIGHTING

2 Headlights - Tail lights
4 Hazard Flasher Lights w/ Turn Signals
2 Grill Mounted Worklights
2 Cab Mounted Worklights
2 Rear Cab Mounted Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign 7-Pin Electrical Trailer Connector

TIRES AND WHEELS

Front: See following pages for combinations noted as standard Rear: See following pages for combinations noted as standard

M6S Series

M6S-111 Midsize Utility Tractors

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
	STANDARD TRACTOR WITH STANDARD TIRES			
M6S-111SHF	2WD Farm Tractor ROPS	K46M557M60	6834 lbs	\$58,197.00
M6S-111SHC	2WD Farm Tractor w/Factory Cab (A/C)	K52M875M20	9789 lbs	\$66,094.00

M6S-111 2WD						
TIRES AND WHEELS [†]					Additional Pr	ice With Tire Option
ORDER CODE		DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
STANDARD TIRES					•	
AMR8980B*		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	MMO	Add	In Base Price
AMR9244D*		R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	441 lbs	IVIIVIO	Add	III base Filce
AG - BIAS REAR						
AMR8980B*		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	MMO	Add	\$0.00
AMR9244D*		R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	441 lbs	IVIIVIO	Add	Ψ0.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K1M153M60	Add	\$1,442.00
AMR9246C	1	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	1000 lbs	KTWT55W00	Auu	\$1,442.00
AG - RADIAL REAR						
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K483M20	Add	\$604.00
AMR9254D		R-TIRE 460/85R34 R1W GY OPTITRAC	540 lbs	140310120	Add	\$004.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K1M398M40	Add	\$1,748.00
AMR9256C	1	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	1020 lbs	K 110139610140	Add	\$1,740.00
AMXR8789A		F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K585M60	Add	\$732.00
AMR9257B		R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	380 lbs	DOIVICOCA	Add	\$732.00
AMXR8789A		F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	75 lbs	K1M324M80	۸ ـا ـا	\$1.6F6.00
AMR9258A	1	R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	910 lbs	K 11VI324IVI8U	Add	\$1,656.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	91 lbs	K1K030M40	Add	\$1,288.00
AMR8514B	1	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	1027 lbs	K1K030W40	Add	φ1,200.00

TIRES AND WHEELS	RES AND WHEELS (priced per piece)				
ORDER CODE		DESCRIPTION	FACTORY	WEIGHT	SUGGESTED LIST
OKDEK CODE		DESCRIPTION	NUMBER	EACH	PRICE
AG - BIAS REAR					
AMR8980B*		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K268M00	91 lbs	\$335.00
AMR9244D*		R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	K1M205M60	441 lbs	\$1,507.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K268M00	91 lbs	\$335.00
AMR9246C	1	R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	K1M782M40	1000 lbs	\$2,228.00
AG - RADIAL REAR					
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K268M00	91 lbs	\$335.00
AMR9254D		R-TIRE 460/85R34 R1W GY OPTITRAC	K1M447M20	540 lbs	\$1,809.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K268M00	91 lbs	\$335.00
AMR9256C	1	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	K1M904M80	1020 lbs	\$2,381.00
AMXR8789A		F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K251M20	75 lbs	\$314.00
AMR9257B		R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M515M20	380 lbs	\$1,894.00
AMXR8789A		F-TIRE 9.5L-15 F2 ATG GALAXY MULTIRIB	K251M20	75 lbs	\$314.00
AMR9258A	1	R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	K1M884M80	910 lbs	\$2,356.00
AMR8980B		F-TIRE 10.00-16 F2 Champ Guide Grip TL	K268M00	91 lbs	\$335.00
AMR8514B	1	R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M720M80	1027 lbs	\$2,151.00

^{*} Standard Tires

① Recommended for loader applications, increases base weight by approximately 600 lbs.

M6S Series M6S-111 Midsize Utility Tractors ORDER FACTORY APPROX. SUGGESTED DESCRIPTION CODE NUMBER SHIP WT. LIST PRICE ***STANDARD TRACTOR WITH STANDARD TIRES*** M6S-111SHD 4WD Farm Tractor ROPS 540 PTO K51M558M40 8466 lbs \$64,448.00 M6S-111SDS2 4WD Farm Tractor ROPS 540/1000 PTO K53M965M60 8466 lbs \$67.457.00 With Swing Shft Plus M6S-111SHDC \$72,114.00 4WD Farm Tractor w/Factory Cab (A/C) K57M691M20 9789 lbs 4WD Farm Tractor w/Factory Cab (A/C) M6S-111SHDC2 \$72,675,00 K58M140M00 9789 lbs 540/1000 rpm PTO M6S-111SDSC 4WD Farm Tractor w/Factory Cab (A/C) K59M649M60 9789 lbs \$74,562.00 With Swing Shift Plus M6S-111SDSC2 4WD Farm Tractor w/Factory Cab (A/C) K60M098M40 9789 lbs \$75,123.00 540/1000 rpm PTO with Swing Shift Plus M6S-111 4WD **Additional Price With Tire Option** TIRES AND WHEELS[†] WEIGHT FACTORY SUGGESTED LIST ORDER CODE DESCRIPTION **EACH** NUMBER PRICE STANDARD TIRES F-TIRE 340/85R24 R1W GY OPTITRAC AMR8559A 290 lbs In Base Price In Base Price Add AMR9254D R-TIRE 460/85R34 R1W GY OPTITRAC 540 lbs AG - BIAS REAR AMR8558C F-TIRE 13.6-24 R1 Dyna Torque II TL WAF 206 lbs M216M00 \$270.00 Add AMR9246C R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst 1000 lbs AMR8558C F-TIRE 13.6-24 R1 Dyna Torque II TL WAF 206 lbs M937M60 Less (\$1,172.00) R-TIRE 18.4-34 R1 8-PLY BIAS SAT II AMR9244D 441 lbs AMR8556B F-TIRE 12.4-24 R1W GDYR OPTITRAC 193 lbs K1M348M80 Less (\$1,686.00)AMR8530B R-TIRE 18.4-30 R1W GDYR OPTITRAC 393 lbs AG - RADIAL REAR F-TIRE 340/85R24 R1W GY OPTITRAC 290 lbs AMR8559A MM0 Add \$0.00 AMR9254D R-TIRE 460/85R34 R1W GY OPTITRAC 540 lbs AMR8559A F-TIRE 340/85R24 R1W GY OPTITRAC 290 lbs M915M20 Add \$1,144.00 AMR9256C R-TIRE 460/85R34 R1W GY OPTITRAC CAST 1020 lbs AMR8557A F-TIRE 320/85R24 R1W GDYR OPTRAC 220 lbs M283M20 Add \$354.00 AMR8514B R-TIRE 460/85R30 R1W GDYR OPTRAC CAST AMR8557A F-TIRE 320/85R24 R1W GDYR OPTRAC 220 lbs M128M00 Less (\$160.00) AMR9257B R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL 380 lbs AMR8557A F-TIRE 320/85R24 R1W GDYR OPTRAC 220 lbs M611M20 Add \$764.00 AMR9258A R-TIRE 420/85R34 R1W ALLIANCE 385 CAST 910 lbs AG - RADIAL R14 Tires AMR9304 F-TIRE LSW 340/70R28 GY R14 290 lbs K2M617M60 Add \$3,272.00 AMR9308 R-TIRE LSW 460/75R38 GY R14 CAST 1072 lbs INDUSTRIAL TIRES F-TIRE 14-17.5 R4 WITH 0.55" INSET 168 lbs AMR8797 K830M40 Add \$1,038.00 AMR8532 R-TIRE 19.5L-24 R4 Titan Ind Trac Lug 304 lbs TERRAIN KING F-TIRE LSW 340/70R28 GY R14 290 lbs AMR9304 K2M697M60 Add \$3,726.00 R-TIRE LSW 460/75R38 GY R14 CAST TK 1080 lbs AMR9284TK AMR8559A F-TIRE 340/85R24 R1W GY OPTITRAC 290 lbs

R-TIRE 460/85R34 R1W GY OPT CAST TK

M344M00

1010 lbs

Add

\$784.00

AMR9280TKA * Standard Tires

① Recommended for loader applications, increases base weight by approximately 600 lbs.

M6S Series

M6S-111 Midsize Utility Tractors

ı	VI6S-11	11 4WD			
TIRES AND WHEELS (pri	ced pe	er piece)			
ORDER CODE		DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGG. LIST PRICE
AG - BIAS REAR					1
AMR8558C*		F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K572M80	206 lbs	\$716.00
AMR9246C*		R-TIRE 18.4-34 R1 F-Stone(SAT)II CRC Cst	K1M782M40	1000 lbs	\$2,228.00
AMR8558C		F-TIRE 13.6-24 R1 Dyna Torque II TL WAF	K572M80	206 lbs	\$716.00
AMR9244D	1	R-TIRE 18.4-34 R1 8-PLY BIAS SAT II	K1M205M60	441 lbs	\$1,507.00
AMR8556B		F-TIRE 12.4-24 R1W GDYR OPTITRAC	K508M80	193 lbs	\$636.00
AMR8530B		R-TIRE 18.4-30 R1W GDYR OPTITRAC	K1M064M00	393 lbs	\$1,330.00
AG - RADIAL REAR					**
AMR8559A		F-TIRE 340/85R24 R1W GY OPTITRAC	K800M00	290 lbs	\$1,000.00
AMR9254D		R-TIRE 460/85R34 R1W GY OPTITRAC	K1M447M20	540 lbs	\$1,809.00
AMR8559A		F-TIRE 340/85R24 R1W GY OPTITRAC	K800M00	290 lbs	\$1,000.00
AMR9256C	1	R-TIRE 460/85R34 R1W GY OPTITRAC CAST	K1M904M80	1020 lbs	\$2,381.00
AMR8557A		F-TIRE 320/85R24 R1W GDYR OPTRAC	K668M00	220 lbs	\$835.00
AMR8514B		R-TIRE 460/85R30 R1W GDYR OPTRAC CAST	K1M720M80	1027 lbs	\$2,151.00
AMR8557A		F-TIRE 320/85R24 R1W GDYR OPTRAC	K668M00	220 lbs	\$835.00
AMR9257B		R-TIRE 420/85R34 R1W ALLIANCE 385 RADIAL	K1M515M20	380 lbs	\$1,894.00
AMR8557A		F-TIRE 320/85R24 R1W GDYR OPTRAC	K668M00	220 lbs	\$835.00
AMR9258A	1	R-TIRE 420/85R34 R1W ALLIANCE 385 CAST	K1M884M80	910 lbs	\$2,356.00
AG - RADIAL R4 Tires					**
AMR8797		F-TIRE 14-17.5 R4 WITH 0.55" INSET	K556M00	168 lbs	\$695.00
AMR8532		R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K905M60	304 lbs	\$1,132.00
AG - RADIAL R14 Tires					•
AMR9304		F-TIRE LSW 340/70R28 GY R14	K1M139M20	290 lbs	\$1,424.00
AMR9308		R-TIRE LSW 460/75R38 GY R14 CAST	K2M416M80	1072 lbs	\$3,021.00
TERRAIN KING					
AMR9304		F-TIRE LSW 340/70R28 GY R14	K1M139M20	290 lbs	\$1,424.00
AMR9284TK		R-TIRE LSW 460/75R38 GY R14 CAST TK	K2M598M40	1080 lbs	\$3,248.00
AMR8559A		F-TIRE 340/85R24 R1W GY OPTITRAC	K800M00	290 lbs	\$1,000.00
AMR9280TKA		R-TIRE 460/85R34 R1W GY OPT CAST TK	K1M760M80	1010 lbs	\$2,201.00

 $^{^\}star$ Standard Tires $^\odot$ Recommended for loader applications, increases base weight by approximately 600 lbs.

M6S SERIES	ERIES M6S-111 Midsize Utility Tractors			
DEALER INSTALLE	D ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
HYDRAULICS/HITCH/D				
M9517A	SCD (Self Canceling Detent)	K584M00	14 lbs	\$730.00
M9669A	FD (Float Detent)	K576M80	12 lbs	\$721.00
REMOTE VALVE LEVER KITS M7653A	3rd Position Lever Kit - ROPS Only	K118M40	5 lbs	\$148.00
M7659A	3rd Position Lever Kit - Cab Only	K118M40	3 lbs	\$148.00
FLOW CONTROL VALVES M9585	Flow Control Valve	K422M40	8 lbs	\$528.00
M9587	Flow Control Valve with SCD Valve For Simultaneous Valve Operation Replaces 1st SCD valve must be removed from tractor.	K877M60	20 lbs	\$1,097.00
3-POINT LIFT ASSIST KIT M9269B	High Capacity Lift Cylinders	K785M60	194 lbs	\$982.00
DROP DRAWBAR M9227	Drop Drawbar 4" drop	K168M80	55 lbs	\$211.00
DRAWBAR CLEVIS M9289 M9217	Drawbar Clevis for Flat Drawbar Drawbar Clevis for Drop Drawbar	K186M40 K186M40	13 lbs 20 lbs	\$233.00 \$233.00
TRANSMISSION				
CREEP SPEED KIT M9293B	Creep Speed Cassette Type	K626M40	43 lbs	\$783.00
DUAL SPEED PTO KITS M6951	540/1000 RPM PTO Kit- 1000@2389 RPM 1-3/8" 21 Spline Shaft included *Not applicable for M6S-111SDS2 Models	K844M00	103 lbs	\$1,055.00
FRONT & REAR AXLE				
FRONT FENDER KIT (SWIVEL 1 M9290	FOR FOR THE STATE OF THE STATE	K659M20	68 lbs	\$824.00
M9208	Plastic Fenders Includes two 14.9" wide Fenders Requires Fender Mounting Kit	K92M00	7 lbs	\$115.00
Wide Axle Kit M9282	80" 4WD Wide Front Axle Kit Not approved for loader applications	K1M032M80	76 lbs	\$1,291.00

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22 9-95

M6S SERIES	M6S-111 Midsize Utili	ty Tractors		
DEALER INSTALLED	ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
ROPS ACCESSORIES E1134	Deluxe Fibertglass Canopy for ROPS	K327M20	63 lbs	\$409.00
E1136	Mounting Bracket Kit for E1134	K161M60	29 lbs	\$202.00
	·			
E1138	Work Light Kit (set of 2 lights) For E1134 Canopy	K131A20	3 lbs	\$164.00
M9551	Rear Work Light Kit (1 light, Max 1 per tractor)	K71M20	3 lbs	\$89.00
Replacement ROPS SFM-FM6S111	Replacement ROPS for M6S-111/M6H-111	K1M233M60	N/A	\$1,542.00
CAB ACCESSORIES	Topicomon No. C. C. M. C. T. M. C. T. T. M. C. T.	<u></u>	,,, .	ψ1,0 12.00
M7661	Rear Window Wiper Kit	K196M80	4 lbs	\$246.00
M1476	Elec-Defogger Kit	K481M60	63 lbs	\$602.00
M9270	Air Ride Seat Suspension Kit Requires Wire Harness	K464M00	49 lbs	\$580.00
M9205	Air Ride Seat Wire Harness	K17M60	1 lbs	\$22.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order f	rom Parts Depa	artment)
HIGH CAPACITY ALTERNATOR M6950	KIT 100 Amp High Capacity Alternator Kit for Cab	K366M40	10 lbs	\$458.00
JENSEN RADIO OPTIONS	D. II. AMEMANDANIA	(0.1.4		
77700-04753	Radio, AM/FM/WB/AUX	,	rom Parts Depa	,
77700-04754	Radio, AM/FM/WB/AUX/USB/IPOD/SAT	,	rom Parts Depa	,
77700-04755	Radio, AM/FM/WB/AUX/USB/IPOD/SATCD/Bluetooth	(Order f	rom Parts Depa	artment)
BALLAST FRONT SUITCASE WEIGHTS				
M8079	Suitcase Weight 12 Max	K84M00	102 lbs	\$105.00
FRONT WEIGHT BOLT/BAR KIT M9275A	S Bolt/Bar Kit	K51M20	14 lbs	\$64.00
REAR WHEEL WEIGHTS M8126A	Rear Wheel Weight Kit (164 lbs. each) Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels	K262M40	328 lbs	\$328.00
REAR WHEEL WEIGHT BOLT KI				
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K56M00	5 lbs	\$70.00
M8119B M8127A	Bolt Kit for 1st Wheel Weight Kit on Cast Dish Wheels Bolt Kit for 2nd and 3rd Set of Weights	K22M40 K16M80	6 lbs 1 lbs	\$28.00 \$21.00
WIO 127A	One Bolt Kit per Weight Set	KTOWOO	1 103	Ψ21.00
REAR 3-POINT BALLAST M8180	Ballast Box	K518M40	220 lbs	\$648.00
ADDITIONAL ACCESSO	RIES			
BLOCK HEATER 70000-73274	Block Heater	(Order fi	rom Parts Depa	artment)
FUEL TANK GUARD M6942	Heavy Duty Fuel Tank Guard Kit for ROPS	K236M00	18 lbs	\$295.00
M6952	Heavy Duty Fuel Tank Guard Kit for Cab	K236M00	18 lbs	\$295.00
GRILL GUARD		. 20011100		4 200.00
M8147	Grill Guard Kit	K202M40	61 lbs	\$253.00
Kubota <i>NOW</i> TELEMATI	CS			
Each order will require the DCU6700	DCU6700 modem and wiring harness as listed below: AT&T Telematics Modem	K300A20	1 lbs	\$395.00
M6712	M Series Telematics Harness	K107M20	1 lbs	\$134.00
	KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525			

As of November 2nd, KubotaNOW will be available for Dealer Owned and Dealer Rental Fleet Machines.

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22 e 9-96

M6S SERIES

M6S-111 Midsize Utility Tractors

ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
FRONT END LOA	DER			
LA1944A	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately	K4M891M20	1859 lbs	\$6,114.00
VALVE KITS				
M6955	Standard Valve Kit - ROPS	K873M60	75 lbs	\$1,092.00
M6953	Hydraulic Self-Leveling Valve Kit - ROPS	K1M772M80	111 lbs	\$2,216.00
M8143	Standard Valve Kit - Cab	K1M021M60	75 lbs	\$1,277.00
M8144	Hydraulic Self-Leveling Valve Kit - Cab	K1M772M80	101 lbs	\$2,216.00
LOADER ACCESS				
THIRD FUNCTION VALV M6954	/ES Standard 3rd Function Valve Kit - ROPS	K1M056M80	56 lbs	\$1,321.00
M8146	Standard 3rd Function Valve Kit - Cab	K1M056M80	96 lbs	\$1,321.00
LOADER ACCESSORIE	S KITS			
M8145	KSR (Kubota Shockless Ride) Accumulator	K568M00	38 lbs	\$710.00
M1553A	Hydraulic Quick Connect Single Lever	K692M80	21 lbs	\$866.00
QA BUCKETS & A				
M1811	72" Round Back Bucket	K579M20	400 lbs	\$724.00
M1815	84" Round Back High Capacity, Light Material Bucket	K773M60	400 lbs	\$967.00
M1816	84" Round Back Bucket	K737M60	400 lbs	\$922.00
M1886	96" Square Back Bucket	K818M40	610 lbs	\$1,023.00
M1896	96" Square Back High Capacity Bucket	K902M40	610 lbs	\$1,128.00
BUCKET ACCESSORIE				
M1057	Bucket Tine Kit for 72" Bucket	K229M60	79 lbs	\$287.00
M1285	Bucket Tine Kit for 84" Bucket	K368M00	90 lbs	\$460.00
M1287	Bucket Tine Kit for 96" Bucket	K408M80	200 lbs	\$511.00
BALE SPEARS	Dela Occasio Legar Terra OA	1/0001100	405 11 -	#707.00
M1804	Bale Spear 2 Lever Type QA	K629M60	195 lbs	\$787.00
PALLET FORK FR M1809	RAME / PALLET FORKS Pallet Fork Frame 2 Lever QA	K582M40	200 lbs	\$728.00
WI I UU J	Requires 42" or 48" Forks	N3021VI4U	200 105	φι 20.00
K9058	42" Pallet Forks	K397L60	196 lbs	\$497.00
K9059	48" Pallet Forks	K424K00	218 lbs	\$530.00

M6S SERIES

M6S-111 Midsize Utility Tractors

Approved Attachments

See Website for Landpride Attachments List

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22 9-98

NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25

M6 SERIES

M6-131/M6-141

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V6108 Direct Injection 6.1L (374 cu. ln.) 4 Cyl EPA Tier 4 Final Compliant Common Rail Electronic Fuel Injection Electronic Engine Management Turbocharged w/Wastegate and Intercooled Fuel Tank Capacity: 50.2 Gal 130 Amp Alternator 12V 1090 CCA Battery

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System DEF Tank Capacity: 4.2 Gal

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump Max. Flow @ Rated Engine Speed Power Steering: 14.6 gpm Implement Flow: 20.4 gpm Total Flow: 35.0 gpm

REMOTE VALVES

Remote Valves w/Individual Flow Control (1) SCD (Self Canceling Detent) (1) FD (Float Detent) In-Cab Flow Control Adjustment

3 POINT HITCH & DRAWBAR

Cat II 3-point Hitch

@ Lift Points: 8598 lbs @ 24" Behind: 6834 lbs 2 External Lift Cylinders Electronic Position and Draft Control Telescoping Lower Links Stabilizers Swinging Drawbar - 4.5" Drop

POWER TAKE OFF (540/1000)

Live-Independent Hyd. PTO SAE 1 3/8" Six Spline 540 rpm @ 1994 Eng. rpm SAE 1 3/8" Twenty-One Spline 1000 rpm @ 2050 Eng. rpm

TRANSMISSION

24F/24R Intelli-Shift Three Range, 8-Speed Semi-Powershift Auto Shift Mode - Field & Road Auto 4WD Function Electro-Hydraulic Shuttle Shift Electro-Hydraulic Front & Rear Diff. Lock Clutch - Multi Plate Wet Planetary Final Drives Hydraulic Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering 4WD: Cast Iron, Bevel Gear Type Bi-Speed Turn Feature Planetary Final Drives Adj. (Rim) Tread Spacing

M6-141DTSC-F

Electronic Controlled Hydraulic Front Axle Suspension System

FLUID CAPACITY

Cooling System: 15.4 qts Crankcase: 14.6 qts Hydraulics/Trans: 17.2 gal

INSTRUMENTS

LCD readout for MPH and PTO rpm 26 Mode LCD Readout Tachometer/Hour meter Oil Pressure Fuel Gauge Coolant Temperature Gear Speed Digital Light Indicator Digital Light Indicator F/R Direction

TIRES AND WHEELS

Front 14.9R24 Radial / Steel Waffle Rear 480/80R38 Radial/Cast Iron

GRAND-X CAB

4-post, ROPS Certified

RH & LH Doors Tinted Glass Doors and Windows In-roof window/vent Tilt and Telescoping Steering Wheel Deluxe Air Ride Seat Dual Level Air Conditioning & Heater Front and Rear Wiper/Washer Front Sun Visor Rear View Mirror LH & RH Telescoping Side Mirrors Radio Ready Cab Steps, Left and Right Side Interior Dome Light 12V - 30-Amp 2 Wire Coupler 12V – 3 Pin 30-Amp Coupler 12V - Outlet Cup Holder Instructor Seat Ready

LIGHTING

Horn

2 Headlights - Tail lights 4 Hazard Flasher Lights w/ Turn Signals 2 Grill Mounted Worklights 2 Front Cab Halogen Worklights 2 Rear Halogen Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign 7-Pin Electrical Trailer Connector

Model Specifications M6-131 M6-141 SAE Gross HP: 131.6 HP SAE Gross HP: 141.4 HP Engine Net HP: 123.2 HP Engine Net HP: 133.0 HP Max . PTO HP: 104.0 HP Max . PTO HP: 114.0 HP @ 2200 Engine RPM @ 2200 Engine RPM

ınds Equipment	Bid #I	E <u>SC</u> N.	J <u> 18</u> /1	<u>9-25</u>
		D	\bigcap	ТЛ
$\mathbf{\Gamma}$	U	\mathbf{D}	U	IA

K1M63M20

M129M60

M115M20

MM0

965 lbs

300 lbs

1080 lbs

280 lbs

1060 lbs

300 lbs

1100 lbs

Add

Add

Add

Add

\$1,114.00

\$162.00

\$144.00

M6-131/M6-141 M6 Series FACTORY APPROX. SUGGESTED ORDER CODE DESCRIPTION NUMBER SHIP WT. LIST PRICE ***STANDARD TRACTOR WITH STANDARD TIRES*** M6-131DTC-F 4WD Farm Tractor w/Factory Cab (A/C) K76M968M00 10945 lbs \$96.210.00 M6-141DTC-F 4WD Farm Tractor w/Factory Cab (A/C) K81M825M60 10945 lbs \$102,282.00 K90M352M00 M6-141DTSC-F 4WD Farm Tractor w/Factory Cab (A/C) 11387 lbs \$112,940.00 With Suspended Front Axle M6-131DTC-F/M6-141DTC-F TIRES AND WHEELS[†] **Additional Price With Tire Option** WEIGHT FACTORY SUGGESTED LIST ORDER CODE DESCRIPTION PRICE **EACH** NUMBER STANDARD TIRES F-TIRE 380/85R24 R1W GY OPTITRAC WAF 300 lbs AMR8560A3 MM0 Add In Base Price R-TIRE 460/85R38 R1W GY OPTITRAC CAST AMR8571A* 10<u>80 lbs</u> AG - RADIAL REAR AMR8560A F-TIRE 380/85R24 R1W GY OPTITRAC WAF 300 lbs MM0 Add \$0.00 AMR8571A* R-TIRE 460/85R38 R1W GY OPTITRAC CAST 1080 lbs AMR8547 F-TIRE 420/70R24 Gdyr R1W Optitrac DT812 220 lbs

R-TIRE 520/70R38 R1W OptracDT812 CastRC

F-TIRE 380/85R24 R1W GY OPTITRAC WAF

R-TIRE 460/85R38 R1W GY OPT PAVT CAST

R-TIRE 18.4R38 R1W MICHELIN AGRIBIB CAST

F-TIRE 14.9R24 R1W MICHELIN AGRIBIB

F-TIRE 380/85R24 R1W GY OPTITRAC WAF

R-TIRE 460/85R38 R1W GY OPT CAST TK

Individual Tire Pricing

AMR9225

AMR8560A

AMR8989A MICHELIN TIRES

AMR8581

AMR8560A

AMR9282TKA

TERRAIN KING

	M6-131/M6-141			
TIRES AND WHEELS (p	, , ,	FACTORY	WEIGHT	SUGGESTED LIST
ORDER CODE	DESCRIPTION	NUMBER	EACH	PRICE
AG - RADIAL REAR				
AMR8560A*	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	K823M20	300 lbs	\$1,029.00
AMR8571A*	R-TIRE 460/85R38 R1W GY OPTITRAC CAST	K2M171M20	1080 lbs	\$2,714.00
AMR8547	F-TIRE 420/70R24 Gdyr R1W Optitrac DT812	K1M063M2	220 lbs	\$1,329.00
AMR9225	R-TIRE 520/70R38 R1W OptracDT812 CastRC	K2M376M80	965 lbs	\$2,971.00
AMR8560A	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	K823M20	300 lbs	\$1,029.00
AMR8989A	R-TIRE 460/85R38 R1W GY OPT PAVT CAST	K2M236M00	1080 lbs	\$2,795.00
Michelin Tires				- 1
AMR8517	F-TIRE 14.9R24 R1W MICHELIN AGRIBIB	K802M40	280 lbs	\$1,003.00
AMR8581	R-TIRE 18.4R38 R1W MICHELIN AGRIBIB CAST	K2M249M60	1060 lbs	\$2,812.00
TERRAIN KING				
AMR8560A	F-TIRE 380/85R24 R1W GY OPTITRAC WAF	K823M20	300 lbs	\$1,029.00
AMR9282TKA	R-TIRE 460/85R38 R1W GY OPT CAST TK	K2M171M20	1100 lbs	\$2,714.00

^{*} Standard Tires

ACESCCPS Grounds Equipmen	ıtI	3id #	ESC	NJ 18/	1 <u>9-25</u>	_
ICESCCPS Grounds Equipmer	K				T	Λ
	r 🖜					_

М6	Series	M6-131/M6-141
MP	Series	M6-131/M6-141

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE	
HYDRAULICS/HITCH	I/DRAWBAR				
HYDRAULIC REAR REMOT M7683A	E VALVES - 3RD and 4th Position SCD Valve with Built-In Flow Control	K688M80	22 lbs	\$861.00	
M7684A	FD Valve with Built-In Flow Control	K696M80	20 lbs	\$871.00	
<mark>REMOTE VALVE LEVER KI'</mark> M7629	TS FOR DELUXE VALVES 3rd Position Lever Kit	K184M00	5 lbs	\$230.00	
M7686	4th Position Lever Kit	K184M00	3 lbs	\$230.00	
3-POINT LIFT ASSIST KIT M9122	High Capacity Lift Cylinder Kit Provides 9,447 Lbs. lift capacity	K844M00	55 lbs	\$1,055.00	
3-POINT FENDER SWITCH M9237	Right hand fender switch for 3-point hitch	K36M80	1 lbs	\$46.00	
DROP DRAWBAR 3F440-89120	Flat Drawbar	(Order f	rom Parts Depa	artment)	
DRAWBAR CLEVIS M9289	Drawbar Clevis for Flat Drawbar	K186M40	13 lbs	\$233.00	
M9217	Drawbar Clevis for Drop Drawbar	K186M40	20 lbs	\$233.00	
TRANSMISSION					
CREEP SPEED KIT M9127	One kit, Cassette type Requires dealer installation.	K815M20	39 lbs	\$1,019.00	
FRONT AXLE					
FRONT FENDER KIT (Swive M9290	el Type) Fender Mounting Kit, (Requires M9208 or M9209)	K659M20	68 lbs	\$824.00	
M9208	Plastic Fenders (Includes 2 Fenders) 14.9" wide For 13.6" or 14.9" Width Front Tires Requires Fender Mounting Kit	K92M00	7 lbs	\$115.00	
M9209	Plastic Fenders (Includes 2 Fenders) 17.3" wide For 420mm Width Front Tires Requires Fender Mounting Kit	K109M60	9 lbs	\$137.00	
FRONT FENDER KIT (Rigid M9298A	type) Fender Mounting Kit	K347M20	92 lbs	\$434.00	
M9297A	Plastic Fender Kit (Includes 2 Fenders) Requires M9298A Bracket Kit	K88M80	11 lbs	\$111.00	
60" FRONT AXLE KIT M6930	60" Tread Front Axle Conversion Kit	K383M20	102 lbs	\$479.00	
WIDE ROW FRONT AXLE K M9783	80" Wide Row Front Axle Kit Not compatible with Loader Applications	K1M068M80	102 lbs	\$1,336.00	
Jensen Radio option	ns		•		
77700-04753	RADIO, AM/FM/WB/AUX	(Order f	(Order from Parts Department)		
77700-04754	RADIO, AM/FM/WB/AUX/USB/IPOD/SAT	(Order f	(Order from Parts Department)		
77700-04755	RADIO, AM/FM/WB/AUX/USB/IPOD/SAT/CD/Bluetooth	(Order from Parts Department)			

M6-131/M6-141 **M6 Series**

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED
CAB ACCESSORIES	<u> </u>	NOMBER	SHIP WI.	LIST PRICE
M1145	Retractable Rear Sunshade	K190M40	5 lbs	\$238.00
M9118	Rear Defogger Kit	K328M00	46 lbs	\$410.00
M9121A	Instructor Seat w/Seat belt Dealer installed or installed by KTC with tractor order	K391M20	14 lbs	\$489.00
M9144	Monitor Bracket	K101M60	4 lbs	\$127.00
77700-01098	12V/3-Pin 30 Amp Coupler Pigtail, 12" Long	(Order f	rom Parts Depa	artment)
M9229	Mid Mount Work Light Kit (Two Lights) Each light mounts to Cab grab handle	K121M60	4 lbs	\$152.00
M1352	Rear Mount Work Light Kit (Two Lights)	K135M20	5 lbs	\$169.00
M9206	PLASTIC REAR FENDER EXTENSION - M6	K272M80	1 lbs	\$341.00
REPLACEMENT CAB M6935	Standard Replacement Cab - Field installation required. Attachment system, lights, electrical harness, glass, control levers, roof and headliner, dash tower, steering column, and pedals are included. Note: Transfer components as needed.	K13M477M60	1000 lbs	\$16,847.00
M6936	Front Suspension Model Replacement Cab - Field installation required. Attachment system, lights, electrical harness, glass, control levers, roof and headliner, dash tower, steering column, and pedals are included. Note: Transfer components as needed.	K13M881M60	1000 lbs	\$17,352.00
BALLAST				
FRONT WEIGHT BRACKE M9126	TS Weight Bracket - 12 Weight Bracket Requires M9275 Bolt/Bar Kit	K354M40	96 lbs	\$443.00
M6914	Weight Bracket - 16 Weight Bracket Requires M6915 Bolt/Bar kit	K456M00	95 lbs	\$570.00
FRONT SUITCASE WEIGH	ITS			
M8079	One Weight	K84M00	102 lbs	\$105.00
FRONT WEIGHT BOLT/BA M9275A	R KITS Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1-12 M8079 Weights	K51M20	14 lbs	\$64.00
M6915A	Bolt/Bar Kit - Weight(s) One Bolt/Bar Kit per 1-16 M8079 Weights	K67M20	12 lbs	\$84.00
REAR WHEEL WEIGHTS	22 po			
M8126A	Rear Wheel Weights, set of 2 (164 lbs. each) *Requires M8119B or LM8125A *Limit 3 sets on Steel Dish Wheels *Limit 2 sets on Cast Iron Wheels ** Not Compatible with AMR8989 PAVT wheels	K262M40	328 lbs	\$328.00
REAR WHEEL WEIGHT BO				*
M8119B	Bolt Kit for 1st set M8126A on Cast Dish Wheels.	K22M40	6 lbs	\$28.00
LM8125A	Bolt Kit for 1st set M8126A on Steel Dish Wheels	K56M00	5 lbs	\$70.00
M8127B	Bolt Kit for 2nd and 3rd Wheel Weight Sets *Required for 2nd & 3rd set on ALL Steel Dish *Required for 2nd set on Cast Dish Wheels	K20M80	6 lbs	\$26.00

ducational Services Commission of New Jersey
NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25
KUBOTA

M6-131/M6-141 M6 Series

DEALER INSTALLED ACCESSORIES

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ADDITIONAL ACC	ESSORIES			
GRILL GUARD				
M6934	Grill Guard - Compatible with M9126 Weight Bracket	K235M20	108 lbs	\$294.00
M6912	Grill Guard - Compatible with M6914 Weight Bracket	K303M20	61 lbs	\$379.00
FUEL TANK GUARD KIT				
M6913	Heavy Duty Metal Fuel Tank Guard Kit	K255M20	14 lbs	\$319.00
BACKUP ALARM				
M7562	M6 Backup Alarm Kit	KM0	2 lbs	\$0.00
BEACON LIGHT				
M7582	M6 Beacon Light Kit	KM0	4 lbs	\$0.00
BLOCK HEATER				
70000-73274	Block Heater	(Order fro	om the Parts De	partment)
FUEL CAP				
77700-06358	Locking Fuel Cap	(Order fro	om the Parts De	partment)
	Approved only for M6-131 Previous of SN 11361			
	Approved only for M6-141 Previous of SN 12496			

KubotaNOW TELEMATICS

Each order will require the DCU6700 modem and wiring harness as listed below: DCU6700 AT&T Telematics Modem \$395.00 K300A20 1 lbs M6712 M Series Telematics Harness K107M20 1 lbs \$134.00

> KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525

As of November 2nd, Kubota NOW will be available for Dealer Owned and Dealer Rental Fleet Machines.

K9059

48" Pallet Forks, 2750 lb @ 24"

M6 Series	M6-131/M6-141			
Front End Lo	paders			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA2255 LOADER -	For M6-131/M6-141			
LA2255	FRONT LOADER (QA) 2-Lever Quick Attach Loader Includes Mounting Kit and Stand Does not include valve, grill guard, or bucket.	K6M436M80	1859 lbs	\$8,046.00
VALVE KITS				
M6917	Loader Valve Kit (Standard)	K995M20	75 lbs	\$1,244.00
M6929	Loader Valve Kit (Hydraulic Self Leveling)	K1M746M40	117 lbs	\$2,183.00
M6921	3rd Function Valve Kit for Standard Loader Valve	K1M080M00	61 lbs	\$1,350.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve	K1M080M00	61 lbs	\$1,350.00
LOADER ACCESS	ORIES KITS			
M6919	KSR Accumulator	K589M60	36 lbs	\$737.00
M6927	Hydraulic Quick Connect Single Lever	K692M80	22 lbs	\$866.00
GRILL GUARD				
M6934	Grill Guard - Compatible with M9126 Weight Bracket	K235M20	108 lbs	\$294.00
M6912	Grill Guard - Compatible with M6914 Weight Bracket	K303M20	61 lbs	\$379.00
BUCKETS / BUCK	ET TINE KITS / GRAPPLE BUCKETS (All 2-Lever Type QA)			
M1815	84" Rd Back High Capacity, Light Material Bucket	K773M60	400 lbs	\$967.00
M1816	84" Rd Back Bucket	K737M60	400 lbs	\$922.00
M1285	84" Bucket Tine Kit (includes 9 Tines and hardware)	K368M00	90 lbs	\$460.00
M1886	96" Bucket	K818M40	610 lbs	\$1,023.00
M1287	96" Bucket Tine Kit (includes 10 Tines and hardware)	K408M80	200 lbs	\$511.00
M1896	96" Sq Back, High Capacity, Light Material Bucket	K902M40	610 lbs	\$1,128.00
M9248	84" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M248M80	1240 lbs	\$4,061.00
M9249	90" HAY GRAPPLE BUCKET Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M444M80	1500 lbs	\$4,306.00
BALE SPEARS				
M1804	Bale Spear 2-Lever Type QA	K629M60	195 lbs	\$787.00
PALLET FORK FR	AME / PALLET FORKS			
M1809	Pallet Fork Frame 2-Lever Type QA (Requires 42" or 48" Forks)	K582M40	200 lbs	\$728.00
K9058	42" Pallet Forks, 2750 lb @ 24"	K397L60	196 lbs	\$497.00
140050	40 B H 4 E 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	144041400	0.40 !!	A=00.00

K424K00

218 lbs

\$530.00

M6 Series	M6-131/M6-141			
Front End Loa	aders			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
LA2255E EURO LO	ADER - For M6-131/M6-141			
LA2255E	FRONT LOADER (EURO TYPE QA COUPLER) Euro Quick Attach Loader Includes Mounting Kit and Stand Does not include valve, grill guard, or bucket.	K6M436M80	1859 lbs	\$8,046.00
VALVE KITS				
M6917	Loader Valve Kit (Standard)	K995M20	75 lbs	\$1,244.00
M6929	Loader Valve Kit (Hydraulic Self Leveling)	K1M746M40	117 lbs	\$2,183.00
M6921	3rd Function Valve Kit for Standard Loader Valve Requires M1997E	K1M080M00	61 lbs	\$1,350.00
M6923	3rd Function Valve Kit for Hyd Self Leveling Loader Valve Requires M1997E	K1M080M00	61 lbs	\$1,350.00
M1997E	Hose Extension Kit, required for M6921 or M6923	K193M60	13 lbs	\$242.00
LOADER ACCESSO	ORIES KITS			
M6919	KSR (Kubota Shockless Ride) Accumulator	K589M60	36 lbs	\$737.00
M6927	Hydraulic Quick Connect Single Lever	K692M80	22 lbs	\$866.00
GRILL GUARD KITS	3			
M6934	Grill Guard - Compatible with M9126 Weight Bracket	K235M20	108 lbs	\$294.00
M6912	Grill Guard - Compatible with M6914 Weight Bracket	K303M20	61 lbs	\$379.00
BUCKET / BUCKET	TINE KITS / GRAPPLE BUCKETS			
M1816E	84" EURO QA Bucket	K860M80	400 lbs	\$1,076.00
M1285	84" Bucket Tine Kit	K368M00	90 lbs	\$460.00
M1886E	96" EURO QA Bucket	K1M245M60	610 lbs	\$1,557.00
M1287	96" Bucket Tine Kit	K408M80	200 lbs	\$511.00
M1896E	96" EURO QA Light Material Bucket	K1M349M60	610 lbs	\$1,687.00
M9243E	84" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M468M00	1235 lbs	\$4,335.00
M9223E	96" EURO QA type Bale Grapple Bucket Four tine, 2-cylinder grapple 2-Lever QA coupler Requires M6921 for Std. Valve Requires M6923 for Self Leveling Valve Requires two Hyd. 1/2" quick couplers w/0.375" fittings	K3M738M40	1300 lbs	\$4,673.00
BALE SPEARS				<u> </u>
M1817E	Bale Spear Quick Coupler, Euro QA	K707M20	200 lbs	\$884.00
	ME / PALLET FORKS			•
M1819E	Pallet Fork Frame, Euro QA (Requires 42" or 48" Forks)	K652M80	200 lbs	\$816.00
K9058	42" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K397L60	196 lbs	\$497.00
K9059	48" Pallet Forks, 2750 lb @ 24" Forward Load Rating.	K424K00	218 lbs	\$530.00

M6 Series M6-131/M6-141

Approved Attachments

See Website for Landpride Attachments List

Bid Term: 2/22/19 - 2/21/21; Extended to 2/21/22 9-106

ipment - Bid #ESCNJ 18/19-25 KUBOTA

M6 SERIES M6H-101 High Clearance ROPS Tractor

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection
3.8L (230 cu. in.) 4 Cyl
EPA Tier 4 Final Compliant
Common Rail Electronic Fuel Injection
Electronic Engine Management
Turbocharged
w/Wastegate and Intercooled
12V 900 CCA Battery
80 Amp Alternator

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump Max. Flow @ Rated Engine Speed Power Steering: |2.9 gpm Impl. Flow: 17.6 gpm Total Flow: 30.5 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent)(1) FD (Float Detent)

3 POINT HITCH & DRAWBAR

Cat II 3-Point Hitch

@ Lift Points: 4960 lbs
@ 24" Behind: 3858 lbs
Telescoping Lower Links
Telescoping Stabilizers
Swinging Drawbar

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1-3/8" Six Spline 540 RPM @ 2405 Eng. RPM

Model Specifications M6H-101

SAE Gross HP: 104 Engine Net HP: 97 Max . PTO HP: 84

TRANSMISSION

24F/24R Swing Shift w/creep Electro-Hydraulic Shuttle Shift 4 Speed Synchronized Gears 3 Speed Hi/Lo/Creep Main Range Clutch - Multi-Plate Wet Planetary Final Drives Hydraulic Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering 4WD Models: Cast Iron, Bevel Gear Mechanical Differential Lock Adjustable (Rim) Tread Spacing

FLUID CAPACITY

Fuel Tank Capacity: 46.2 gal DEF Tank Capacity: 3.2 gal Cooling System: 2.8 gal Crankcase: 2.8 gal Hydraulics/Trans: 16.6 gal Front Axle Case: 1.9 gal

Bevel Gear Case: 0.9 gal

INSTRUMENTS

LCD Display:
Shuttle Position, DEF gauge,
Clock, Travel Speed, PTO RPM,
Hour Meter, Trip Meter,
Fuel Consumption, PM Level, RPM Memory
Oil Pressure
Fuel Gauge
Coolant Temperature
Swing Shift H/L Digital Light Indicator
4WD Indicator
Water Separator Light

ROPS FEATURES

2-Post Foldable ROPS Retractable Seat belt Tilt Steering Wheel Cup Holder

LIGHTING

2 Headlights - Tail lights2 Hazard Flasher Lights w/ Turn Signals2 Grill Mounted Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign 7-Pin Electrical Trailer Connector

TIRES AND WHEELS

Front: See following pages for combinations noted as standard Rear: See following pages for combinations noted as standard

ducational Services Commission of New Jersey NJ State Approved Co-op #65MCESCCPS Grounds Equipment - Bid #ESCNJ 18/19-25 KUBOTA

NUMBER

SHIP WT.

SUGGESTED

LIST PRICE

M6H-101 High Clearance ROPS Tractor **M6 Series** FACTORY APPROX. ORDER CODE DESCRIPTION

HIGH CLEARANCE TRACTOR WITH STANDARD TIRES

M6H-101SHD **4WD Farm Tractor ROPS** K55M500M00 9789 lbs \$69,375.00

	M6H-101				
TIRES AND WHEELS [†]				Additional Pr	ice With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
STANDARD TIRES					
AMR8793* AMR8793*	R-TIRE 13.6-38 R1 Alliance 304 R-TIRE 13.6-38 R1 Alliance 304	128 lbs 128 lbs	MMO	Add	In Base Price
AG - BIAS REAR					
AMR8793* AMR8793*	R-TIRE 13.6-38 R1 Alliance 304 R-TIRE 13.6-38 R1 Alliance 304	128 lbs 128 lbs	ММО	Add	\$0.00
AMR8796 AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	232 lbs 232 lbs	K3K094M40	Add	\$3,868.00
AMR9487 AMR9493	F-TIRE 230/95R48 R1W GY OPTITRAC R-TIRE 230/95R48 R1W GY OPTITRAC	517 lbs 517 lbs	K2K483M20	Add	\$3,104.00
AMR8794 AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350 R-TIRE 12.4R46 R1 Alliance Row Crop 350	424 lbs 424 lbs	K2K857M60	Add	\$3,572.00

^{*} Standard tires.

Individual Tire Pricing

TIRES AND WHEELS (p	M6H-101			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	WEIGHT EACH	SUGGESTED LIST PRICE
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	K1M028M80	128 lbs	\$1,286.00
AMR8793*	R-TIRE 13.6-38 R1 Alliance 304	K1M028M80	128 lbs	\$1,286.00
AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	K1M802M40	232 lbs	\$2,253.00
AMR8796	F-TIRE 13.6 -38 R2 TITAN SPECIAL SERVICE	K1M802M40	232 lbs	\$2,253.00
AMR9487	F-TIRE 230/95R48 R1W GY OPTITRAC	K1M649M60	517 lbs	\$2,062.00
AMR9493	R-TIRE 230/95R48 R1W GY OPTITRAC	K1M649M60	517 lbs	\$2,062.00
AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350	K1M743M20	424 lbs	\$2,179.00
AMR8794	R-TIRE 12.4R46 R1 Alliance Row Crop 350	K1M743M20	424 lbs	\$2,179.00

[†] See Tire Section for Individual Tire Pricing and Information * Standard Tires

M6H-101 High Clearance ROPS Tractor M6 Series **DEALER INSTALLED ACCESSORIES** FACTORY APPROX. SUGGESTED ORDER CODE DESCRIPTION NUMBER SHIP WT. LIST PRICE HYDRAULICS/HITCH/DRAWBAR HYDRAULIC REAR REMOTE VALVES - 3RD POSITION M9517A SCD (Self Canceling Detent) K584M00 14 lbs \$730.00 M9669A FD (Float Detent) K576M80 12 lbs \$721.00 REMOTE VALVE LEVER KITS 3rd Position Lever Kit K118M40 5 lbs \$148.00 FLOW CONTROL VALVES Flow Control Valve K422M40 8 lbs \$528.00 M9585 M9587 Flow Control Valve with SCD Valve K877M60 20 lbs \$1,097.00 For Simultaneous Valve Operation Replaces 1st SCD valve must be removed from tractor. M9269B 3-pt Lift Assist Kit - Dual Cylinder K785M60 194 lbs \$982.00 DRAWBAR CLEVIS \$233.00 M9289 Drawbar Clevis for Flat Drawbar K186M40 13 lbs M9217 Drawbar Clevis for Drop Drawbar K186M40 \$233.00 20 lbs TRANSMISSION & PTO **DUAL SPEED PTO KITS** M6951 540/1000 RPM PTO Kit K844M00 103 lbs \$1,055.00 SAE 1-3/8" Twenty-One Spline 1000 RPM @ 2389 Eng. RPM Requires 35893-79320 PTO Cover Bracket **FRONT & REAR AXLE** Wide Axle Kit M9698 80" 4WD Wide Front & Rear Axle Kit K920M80 225 lbs \$1,151.00

M6 Series	M6H-101 High Clearance ROPS Tractor			
DEALER INST	ALLED ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
OPERATORS STATI	ON ACCESSORIES			
E1134	Deluxe Fiberglass Canopy for ROPS	K327M20	63 lbs	\$409.00
E1136	Mounting Bracket Kit for E1134	K161M60	29 lbs	\$202.00
E1138	Work Light Kit (set of 2 lights) For E1134 Canopy	K131A20	3 lbs	\$164.00
M9551	Rear Work Light Kit (1 light, Max 1 per tractor)	K71M20	3 lbs	\$89.00
BALLAST				
FRONT SUITCASE WEIGHT	•			
M8079	Suitcase Weight (105 lbs. each) 10 Max. Requires M8073A Bolt/Bar Kit	K84M00	102 lbs	\$105.00
FRONT WEIGHT BOLT/BAF	R KIT			
M8073A	Bolt/Bar Kit	K54M40	10 lbs	\$68.00
ADDITIONAL ACCES	SSORIES			
BLOCK HEATER				
70000-73274	Block Heater	(Order fro	om the Parts De	partment)
FUEL TANK GUARD				
M6942	Heavy Duty Fuel Tank Guard Kit	K236M00	18 lbs	\$295.00
KubotaNOW TELEN	MATICS			
Each order will require	e the DCU6700 modem and wiring harness as listed below:			
DCU6700	AT&T Telematics Modem	K300A20	1 lbs	\$395.00
M6712	M Series Telematics Harness	K107M20	1 lbs	\$134.00
	KubotaNOW Telematics Service includes a three (3) year term with a Dealer Net cost of \$399 and a total list price of \$525			
As of November 2nd. Ku	bota NOW will be available for Dealer Owned and Dealer Rental Fleet Ma	chines.		

ducational Services Commission or New มยาระง NJ State Approved Co-op #65MCESCCPS Grounds Equipment -

M6L-111 Low Profile ROPS Tractor M6 SERIES

*** EQUIPMENT IN STANDARD MACHINE & SPECIFICATIONS ***

DIESEL ENGINE

Kubota V3800 Direct Injection 3.8L (230 cu. in.) 4 Cyl EPA Tier 4 Final Compliant Common Rail Electronic Fuel Injection Electronic Engine Management Turbocharged w/Wastegate and Intercooled 12V 900 CCA Battery Charging Output 80 amps

EXHAUST EMISSION CONTROL TYPE

DPF System (Diesel Particulate Filter) SCR System

HYDRAULICS / HITCH / DRAWBAR

Open Center Gear Pump Max. Flow @ Rated Engine Speed Power Steering: 12.9 gpm Impl. Flow: 17.6 gpm Total Flow: 30.5 gpm

REMOTE VALVES

(1) SCD (Self Canceling Detent) (1) FD (Float Detent)

3 Point Hitch & Drawbar

Cat II 3-Point Hitch @ Lift Points: 4960 lbs @ 24" Behind: 3858 lbs

Telescoping Lower Links Telescoping Stabilizers Swinging Drawbar

POWER TAKE OFF

Live-Independent Hyd. PTO SAE 1-3/8" Six Spline 540 RPM @ 2405 Eng. RPM SAE 1-3/8" Twenty-One Spline 1000 RPM @ 2389 Eng. RPM 540/1000 Standard on M6L-111SDS2 model

Model Specifications

M6L-111

SAE Gross HP: 114 Engine Net HP: 105 Max. PTO HP: 95

TRANSMISSION

32F/32R Swing Shift Plus Electro-Hydraulic Shuttle Shift 4 Speed Synchronized Gears w/Hi/Lo- Swing Shift Plus 2 Speed Hi/Lo Main Range Clutch - Multi-Plate Wet Planetary Final Drives Hydraulic Wet Disc Brakes

FRONT AXLE

Hydrostatic Power Steering 4WD Models: Cast Iron, Bevel Gear Mechanical Differential Lock Adjustable (Rim) Tread Spacing

FLUID CAPACITY

DEF Tank Capacity: 3.2 gal Cooling System: 2.8 gal Crankcase: 2.8 gal Hydraulics/Trans: 15.8 gal Front Axle Case: 1.9 gal Bevel Gear Case: 0.9 gal

Fuel Tank Capacity: 46.2 gal

INSTRUMENTS

LCD Display: Shuttle Position, DEF gauge, Clock, Travel Speed, PTO RPM, Hour Meter, Trip Meter, Fuel Consumption, PM Level, RPM Memory Oil Pressure Fuel Gauge Coolant Temperature Swing Shift H/L Digital Light Indicator 4WD Indicator Water Separator Light

ROPS FEATURES

2-Post Foldable ROPS Mechanical Suspension Seat Retractable Seat belt Tilt Steering Wheel Cup Holder Steel Rear Fenders Steel RH Operators Station Guard

LIGHTING

2 Headlights - Tail lights 2 Hazard Flasher Lights w/ Turn Signals 2 Grill Mounted Worklights

SAFETY EQUIPMENT

Flip-Up PTO Shield Safety Start Switches Electric Key Shut Off Parking Brake Turn Signals SMV Sign 7-Pin Electrical Trailer Connector

TIRES AND WHEELS

Front: See following pages for combinations noted as standard Rear: See following pages for combinations noted as standard

M6L-111 Low Profile ROPS Tractor M6 Series FACTORY APPROX. SUGGESTED ORDER CODE DESCRIPTION NUMBER SHIP WT. LIST PRICE ***LOW PROFILE TRACTOR WITH STANDARD TIRES*** 4WD Farm Tractor ROPS M6L-111SDS K51M194M40 9789 lbs \$63,993.00 With Swing Shift Plus with 540 PTO M6L-111SDS2 **4WD Farm Tractor ROPS** K51M793M60 9789 lbs \$64,742.00 With Swing Shift Plus & 540/1000 PTO

	M6L-111				
TIRES AND WHEELS [†]				Additional Pr	ice With Tire Option
ORDER CODE	DESCRIPTION	WEIGHT EACH	FACTORY NUMBER		SUGGESTED LIST PRICE
STANDARD TIRES			NOMBER		111102
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	MM0	Add	In Base Price
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs	IVIIVIU	Auu	III base Plice
AG - BIAS					
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	98 lbs	MMO	Add	\$0.00
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs	IVIIVIO	Auu	φυ.υυ
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	147 lbs	K291M20	Add	\$364.00
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	265 lbs	KZ9 TWIZU	Auu	φ304.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	130 lbs	K539M20	Add	\$674.00
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	346 lbs	K559WIZU	Auu	\$674.00
AG - Radials					
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K1K342M40	Add	\$1.678.00
AMR8661	R-TIRE 480/65R24 R1W MCHLN MLTBIB	300 lbs	K1K342W40	Add	\$1,070.00
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	169 lbs	K2K363M20	Add	\$2,954.00
AMR8690	R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	660 lbs	NZN303IVIZU	Auu	\$2,954.00
Floatation Tires					
AMR8567	F-TR 400/60-15.5 ALLIANCE I-2 FLOAT	128 lbs	K692M80	Add	\$866.00
AMR8580	R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	367 lbs	R092IVI60	Auu	φουσ.υυ
Industrial Tires					
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	168 lbs	K830M40	Add	\$1,038.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	304 lbs	1100010140	Add	φ1,030.00
01					

Standard tires.

Individual Tire Pricing

TIDEC AND WHEEL C.	M6L-111			
TIRES AND WHEELS (p	DESCRIPTION	FACTORY	WEIGHT	SUGGESTED LIST
ORDER CODE		NUMBER	EACH	PRICE
MR8956*	F-TIRE 9.50-20 R1 B-Stone Farm Svc Lug M	K280M80	98 lbs	\$351.00
AMR8523A*	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K765M60	265 lbs	\$957.00
AMR8538	F-TIRE 12.5/80-18 Titan Trac Impl 422	K426M40	147 lbs	\$533.00
AMR8523A	R-TIRE 16.9-24 R1 Ttn Hi TracLug TL 2.5"	K765M60	265 lbs	\$957.00
AMR8955C	F-TIRE 9.5-24 R1 Goodyear Dura Torque	K376M00	130 lbs	\$470.00
AMR8522A	R-TIRE 18.4-26 R1 ALLIANCE 324	K940M00	346 lbs	\$1,175.00
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	K620M80	169 lbs	\$776.00
AMR8661	R-TIRE 480/65R24 R1W MCHLN MLTBIB	K1M096M80	300 lbs	\$1,371.00
AMR8643	F-TIRE 340/65R18 R1W MCHLN MULTIBIB	K620M80	169 lbs	\$776.00
AMR8690	R-TIRE 480/65R24 R1W MCHLN MLTBIB CST	K1M607M20	660 lbs	\$2,009.00
AMR8567	F-TR 400/60-15.5 ALLIANCE I-2 FLOAT	K409M60	128 lbs	\$512.00
AMR8580	R-TR 600/50-22.5 ALLIANCE I-2 FLOAT	K983M20	367 lbs	\$1,229.00
AMR8797	F-TIRE 14-17.5 R4 WITH 0.55" INSET	K556M00	168 lbs	\$695.00
AMR8532	R-TIRE 19.5L-24 R4 Titan Ind Trac Lug	K905M60	304 lbs	\$1,132.00

[†] See Tire Section for Individual Tire Pricing and Information * Standard Tires

M6L-111 Low Profile ROPS Tractor M6 Series

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
HYDRAULICS/HIT	CH/DRAWBAR	NOWIBER	SHIF WI.	LIST FRICE
	OTE VALVES - 3RD POSITION			
M9517A	SCD (Self Canceling Detent)	K584M00	14 lbs	\$730.00
M9669A	FD (Float Detent)	K576M80	12 lbs	\$721.00
REMOTE VALVE LEVER M7653A	KITS 3rd Position Lever Kit	K118M40	5 lbs	\$148.00
FLOW CONTROL VALVE	S Flow Control Valve	K422M40	8 lbs	\$528.00
M9587	Flow Control Valve with SCD Valve For Simultanious Valve Operation Replaces 1st SCD valve must be removed from tractor.	K877M60	20 lbs	\$1,097.00
3-POINT LIFT ASSIST KI M7660A	T High Capacity Lift Assist Cylinder	K393M60	90 lbs	\$492.00
DROP DRAWBAR M9227	Drop Drawbar 4" drop	K168M80	55 lbs	\$211.00
DRAWBAR CLEVIS				
M9289	Drawbar Clevis for Flat Drawbar	K186M40	13 lbs	\$233.00
M9217	Drawbar Clevis for Drop Drawbar	K186M40	20 lbs	\$233.00
TRANSMISSION &	PTO			
CREEP SPEED KIT M9293B	Creep Speed Cassette Type	K626M40	43 lbs	\$783.00
M6951	540/1000 RPM PTO Kit 1-3/8" 21 Spline Shaft Included *Not applicable for M6L-111SDS2 Models	K844M00	103 lbs	\$1,055.00
FRONT & REAR A	XLE			
Wide Axle Kit M9282	80" 4WD Wide Front Axle Kit Not approved for loader applications	K1M032M80	76 lbs	\$1,291.00
REAR FENDER KITS M9159	Steel Fenders (Complete Set) Standard on tractor Order individual replacement components though parts	K1M608M00	45 lbs	\$2,010.00
M9169	Steel Fender Extension Kit, 6" per fender	K272M00	45 lbs	\$340.00
Л 9488	Steel Fender Spacer Kit - Required with AMR8522A Tires	K74M40	10 lbs	\$93.00

M6 Series	M6L-111 Low Profile ROPS Tractor			
DEALER INST	TALLED ACCESSORIES			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
OPERATORS STATI	ION ACCESSORIES			
E1134	Deluxe Fiberglass Canopy for ROPS	K327M20	63 lbs	\$409.00
E1136	Mounting Bracket Kit for E1134	K161M60	29 lbs	\$202.00
E1138	Work Light Kit (set of 2 lights) For E1134 Canopy	K131A20	3 lbs	\$164.00
M9551	Rear Work Light Kit (1 light, Max 1 per tractor)	K71M20	3 lbs	\$89.00
BALLAST				
FRONT SUITCASE WEIGHT	TS			
M8079	Suitcase Weight 12 Max. Requires Front Weight Bumper and Bolt/Bar Kit	K84M00	102 lbs	\$105.00
FRONT WEIGHT BOLT/BAI				
M9275A	Bolt/Bar Kit	K51M20	14 lbs	\$64.00
REAR WHEEL WEIGHTS LM8124	Rear Wheel Weight Kit (164 lbs. each)	K236M00	206 lbs	\$295.00
	Set of 2, Requires Rear Wheel Bolt Kit Maximum of 3 Sets on Steel Dish Wheels Maximum of 2 Sets on Cast Dish Wheels			
REAR WHEEL WEIGHT BO				
LM8125A	Bolt Kit for 1st Wheel Weight Kit on Steel Dish Wheels	K56M00	5 lbs	\$70.00
M8121A	Bolt Kit for 2nd and 3rd Set of Weights One Bolt Kit per Weight Set	K24M80	8 lbs	\$31.00
REAR 3-POINT BALLAST				
M8180	Ballast Box	K518M40	220 lbs	\$648.00
ADDITIONAL ACCES	SSORIES			
BLOCK HEATER 70000-73274	Block Heater	(Order fro	om the Parts De	partment)
FUEL TANK GUARD M6942	Heavy Duty Fuel Tank Guard Kit	K236M00	18 lbs	\$295.00
Replacement ROPS SFM-FM6L111	Replacement ROPS for M6L-111	K1M233M60	N/A	\$1,542.00
GRILL GUARD M8147	Grill Guard Kit	K202M40	61 lbs	\$253.00
KubotaNOW TELEN	MATICS			
Each order will require	re the DCU6700 modem and wiring harness as listed below: AT&T Telematics Modem	K300A20	1 lbs	\$395.00
M6712	M Series Telematics Harness	K107M20	1 lbs	\$134.00
	Kubota NOW Telematics Service includes a three (3) year term			•

with a Dealer Net cost of \$399 and a total list price of \$525

As of November 2nd, Kubota NOW will be available for Dealer Owned and Dealer Rental Fleet Machines.

M6 Series	M6L-111 Low Profile ROPS Tractor			
FRONT END LO	ADER			
ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
FRONT END LOADER				
LA1944A	Front End Loader (2 Lever Type Quick Coupler) Includes Mounting Kit and Stand DOES NOT INCLUDE VALVE OR BUCKET, must be ordered separately	K4M891M20	1859 lbs	\$6,114.00
VALVE KITS				
M6955	Standard Valve Kit for ROPS	K873M60	75 lbs	\$1,092.00
M6953	Hydraulic Self-Leveling Valve Kit for ROPS	K1M772M80	111 lbs	\$2,216.00
LOADER ACCESSORY	KITS			
THIRD FUNCTION VALVES M6954	3rd Function Valve Kit for ROPS	K1M056M80	56 lbs	\$1,321.00
LOADER ACCESSORIES KITS M8145	KSR (Kubota Shockless Ride) Accumulator	K568M00	38 lbs	\$710.00
M1553A	Hydraulic Quick Connect Single Lever	K692M80	21 lbs	\$866.00
QA BUCKETS & ACCES	SSORIES			
M1811	72" Round Back Bucket	K579M20	400 lbs	\$724.00
M1815	84" Round Back High Capacity, Light Material Bucket	K773M60	400 lbs	\$967.00
M1816	84" Round Back Bucket	K737M60	400 lbs	\$922.00
M1886	96" Square Back Bucket	K818M40	610 lbs	\$1,023.00
M1896	96" Square Back High Capacity Bucket	K902M40	610 lbs	\$1,128.00
BUCKET ACCESSORIES				
M1057	Bucket Tine Kit for 72" Bucket	K229M60	79 lbs	\$287.00
M1285	Bucket Tine Kit for 84" Bucket	K368M00	90 lbs	\$460.00
M1287	Bucket Tine Kit for 96" Bucket	K408M80	200 lbs	\$511.00
BALE SPEARS	Dela Casas All sura Tura OA	I/COOMCO	405 lb-	¢707.00
M1804	Bale Spear 2 Lever Type QA	K629M60	195 lbs	\$787.00
PALLET FORK FRAME M1809	PALLET FORKS Pallet Fork Frame 2 Lever QA Requires 42" or 48" Forks	K582M40	200 lbs	\$728.00
K9058	42" Pallet Forks	K397L60	196 lbs	\$497.00
K9059	48" Pallet Forks	K424K00	218 lbs	\$530.00

SNOWBLOWERS

TRACTOR SNOWBLOWER MATCHING CHART

SNOWBLOWER	BLMX3164	LMX3174	M2684
TRACTOR			
All MX Series	X	X	
All M60 Series			X
All M5 & M8560/M9960			X
Al M6S and M108S			X
All M6 and M-GX			X

Snowblowers

FACTORY APPROX. SUGGESTED ORDER CODE DESCRIPTION NUMBER SHIP WT. LIST PRICE THREE POINT MOUNTED SNOWBLOWER **B/L Series** BLMX3164 SNOWBLOWER 3-Point 64" cutting width K2B383B20 681 lbs \$2,979.00 dedicated 2 stage, 540 rpm PTO, two stage, with 24" impeller, 15" diameter auger and 30.5" cutting height. Requires BL2665 Manual chute rotation kit or BL6399 Hydraulic chute rotation kit. BL2665 MANUAL CRANK ROTATION KIT K140B00 \$175.00 11 lbs Includes crank, hardware and instructions. BL2666A \$976.00 (1) HYDRAULIC CHUTE DEFLECTOR K780B80 22 lbs for BLMX3164 and LMX3174 with Electric Selector Valve Kit BL6399 HYDRAULIC CRANK ROTATION KIT K638B40 20 lbs \$798.00 Includes Hydraulic orbital motor, hoses, couplers and instructions. SIDE EXTENSION KIT (Optional for L2177 \$116.00 K92L80 27 lbs BLMX3164 and LMX3174) Includes 2, Bolt on Side Extensions, hardware and Instructions Cutting width is increased by 5", to 79". SNOWBLOWER 3-Point 74" cutting width LMX3174 K3L005L60 760 lbs \$3,757.00 540 rpm PTO, two stage, with 24" impeller, 15" diameter auger and 26:" cutting height Requires BL2665 Manual chute rotation kit or BL6399 Hydraulic chute rotation kit. Maximum 55 PTO Horsepower B2516A ELECTRIC CHUTE DEFLECTOR KIT. K516B80 9 lbs \$646.00 for BLMX3164 and LMX3174 Includes Electric chute deflector, hardware, wire harness and instructions. M Series M2684 1 SNOWBLOWER 3-Point 84" cutting width, K4M401M60 890 lbs \$5,502.00 540 rpm PTO, 2 stage with 27.25" Impeller, 20" diameter Auger, 35" cutting height.

Hydraulic chute rotation is standard.

① Requires single section rear hydraulic remote valve on tractor.

② Requires two (2) auxiliary remote valves when equipped with the 3-Part Chute with Hydraulic Deflection (M2894).

³ Requires two (2) auxiliary remote valves when equipped with the 2-Part Chute (M2893 and Hydraulic Deflectio for 2-Part Chute.

Snowblowers

ORDER CODE	DESCRIPTION	FACTORY NUMBER	APPROX. SHIP WT.	SUGGESTED LIST PRICE
ACCESSORIES				
M2686	HYDRAULIC CHUTE DEFLECTOR KIT (Requires 2nd rear remote Hyd. outlet)	K291M20	21 lbs	\$364.00
M2893	Two-Part chute with Manual Deflection	K423M20	139 lbs	\$529.00
M2894	Three-Part Chute with Hydraulic Deflection ***Requires one additional auxiliary remote valve***			
M2895	Drift Cutters	K240M80	50 lbs	\$301.00
M2896	Heavy Duty Cutting Edge	K186M40	60 lbs	\$233.00
M2897	Heavy Duty Skid Shoes	K226M40	52 lbs	\$283.00
M2898	Second Auger Kit	K795M20	208 lbs	\$994.00
M2899	Hydraulic Chute Deflector Kit for 2-Part Chute Application: M2892/M2992 equipped with 2-Part Chute (M2893) ***Requires one additional auxiliary remote valve***	K224M80	21 lbs	\$281.00