

# Servility<sup>2</sup> Wersatility<sup>2</sup>










### EBG SERIES FLOOR PREPARATION MACHINES















# Introducing...



# INNOVATION evolved

New pivoting head for balanced contact & easier control.





Redesigned sleek 7 gauge stainless steel base.




# **Smooth Pivoting Action**

The new pivoting head releases the control handle from the bottom of the base, allowing the machine to pivot freely

front to back.

This pivoting motion follows uneven floors more efficiently.



### Near perfect weight distribution-


The new floating design allows the head to have near perfect front to

back and side to side weight distribution.

Near perfect weight distribution allows the entire pad to make equal contact with the floor, allowing equal distribution of the work across the entire pad.

Other designs place more pressure on the front or rear

of the machine causing uneven pad wear.








# Anatomy of a Quality Machine

### Improved Isolators


The new completely redesigned Pivot style machines all have an all new  $2\,\frac{1}{4}$ " long isolator. This is 50% longer than the previous isolator, which should result in longer part life. The longer isolator reduces stretching, which can lead to wear and tear.







New Isolator




### Vibration Reducing Isolators

The new Pivot design includes 10 low profile isolators mounted on the pivoting base. These isolators have been tuned and balanced to remove nearly all felt vibration by the operator.

### Redesigned Dust Skirt

The new dust skirt now wraps all the way around, and overlaps in the back for better dust containment and removal.




# Versatility<sup>2</sup>





### New Trigger Assembly

The new trigger is much more robust and sensitive at the same time. It is now locked in place with steel guide pins riding in nylon bushings for smooth action. The handle is now a fully solid welded steel assembly.



#### Two-Piece Handle

The new optional two-piece handle uses two additional knobs to release the operator handle and cord from the base. Taking this weight off makes the machine lighter and easier to load for transporting.



WWW.SQUARESCRUB.COM 800-557-6822

## New & Improved Handle


### Adjustable Handle

Now that the operator handle no longer impacts the weight of the head on the floor, it can be adjusted with freedom.

Older non-floating designs are very sensitive to the position and weight of the handle requiring the full upright poistion to be kept at all times.








### Quick Release Cord Wrap

With just a quick twist the new cord wrap unwinds the entire cord, and gets the machine to work quicker.



### Optional Features

Hour Meter



Manual Power Switch



\*\*\*\*Specifications & information contained in this catalog are subject to change without notice.

Extra Weights



# Versatility<sup>2</sup>

### Adjustable Machine Weight

Ideal Weight Distribution = Even Surface Contact


6.4lb EBG-20/C Slotted Weights


13.2lb EBG-28 Slotted Weights

With Square Scrub®, changing from floor type to floor type is easy with our slotted removable weights. Slotted weights make it easier to add weights for stone polishing or hardwood floor sanding, then remove weights to clean carpet in the next room. The EBG-20/C can adjust to accommodate up to 232 lbs.



EBG-20/C







### Grip Face

9" SS 051103V

20" SS 142003V

28" SS 142803V





Our grip face allows any tool to adhere even better to the machine by significantly reducing slippage. Reducing slippage between the pad and grip face causes less friction between the pad and the plate. This allows more power transfer to the work surface, and reduces pad wear. Many of our products adhere directly to the grip face, without the need for drivers. The Square Scrub® grip face covers the entire plate in a single sheet, and is more chemically resistant. Most competitors use multiple strips, which can leave the bearing system vulnerable to chemical contaminants.

# New Bearing Seal



# ECCENTRIC ASSEMBLY WITH ADDITIONAL TOP SEAL


The new top seal adds two additional layers of protection to help prevent bearing failure caused by harmful contaminants.


Additional Seal

Additional Seal



ALUMINUM DRIVER PLATE
WITH THROUGH HOLE





<u>New</u> Aluminum Driver Plate Without Through Hole




The new solid bottom plate prevents contaminants from attacking the bottom of the bearing.

Combined, these new features should prevent bearing failures!


# Base Plate Assembly with Seal

# EBG-20/C BASE PLATE ASSEMBLY WITH SEAL-



This kit contains everything needed to replace the eccentric assembly for the EBG-20/C. When replacing, Square Scrub® recommends installing new isolators as well. Included are: aluminum driver plate, 4 isolators, motor shaft spacer, motor shaft cap bolt, bearing bolts, eccentric assembly, crush washer, eccentric assembly key, grip face, anti-seize, & 100% silicone.

# EBG-28 BASE PLATE ASSEMBLY WITH SEALSS 142815SEAL SOLD INDIVIDUALLY



This kit contains everything needed to replace the eccentric assembly for the EBG-28. When replacing, Square Scrub® recommends installing new isolators as well. Included are: aluminum driver plate, 8 isolators, motor shaft spacer, motor shaft cap bolt, bearing bolts, eccentric assembly, crush washer, eccentric assembly key, grip face, anti-seize, & 100% silicone.

Scan Me!



Watch the how-to installation video

Visit us online for full installation instructions and detailed video tutorials.

WWW.SQUARESCRUB.COM 800-557-6822

# HEPA Dry Vac System




### HEPA & CRI Gold


### HEPA Dry Vac Kit

SS EBG-HDVK - Sold Individually


The Square Scrub® HEPA Dry Vac Kit\*\* attaches to all 20" & 28" Square Scrub machines\*. Since it only draws 4.5 amps, it can be plugged directly into the machine power with the included adapter. This vacuum can be converted to a backpack vac

with optional accessories.






# Solution Tank









### New & Improved!


### Solution Tank

SS EBG-WTS - Sold Individually

The Square Scrub® Solution Tank attaches to all 20" and 28" Square Scrub® machines. The new and improved Solution Tank includes a relocated water line that feeds into a front mounted dispersion bar. Liquid is now delivered in front of the machine for optimal performance.







M Another
Tough Job Made


EAS (




Doodle SCRUB

### Doodle Scrub Goes Where You Can't









The Doodle Scrub® EBG-9 is GREAT for a multitude of floor surfaces, and it is the perfect companion to the Square Scrub® EBG-Series Floor Preparation Machines.


The Doodle Scub® has a new patent pending handle/base design that allows the handle to be attached on either the end or middle of the base for absolute

Versatility<sup>2®</sup>

### Reaches Under Urinals








### Cleans Behind Toilets

### Works Great on Stairs





Scan Me!



See the Doodle Scrub<sup>®</sup> in Action.






catalog are subject to change without notice.





# The innovative patent pending Doodle Scrub® handle attaches to the base in TWO different ways giving the user maximum Versatility<sup>2</sup>



### Clip the handle in the middle of the base,








### Or end of the base to get in those tight spaces.-







\*Machine shown with optional carry strap.

Look at how much dirt we pulled by only using water. BEFORE AFTER Results shown from adding water, no chemicals needed. BEFORE AFTER Works great on laminate flooring too!-BEFORE AFTER

### Baseboards




M Another Jough doctinguel


EASY!

Baseboard Scrubbing
Attachment

Converts the Doodle Scrub® into the most highly effective baseboard scrubbing machine available.













Scan me!






800-557-6822 www.squarescrub.com

# Baseboards


Durable nylon carry strap for easy transport.




MADE IN THE U.S.



Smooth pivoting action adjusts to wall contours.



Easy gliding non-marking wheels.




Blue Tile & Grout pad work great on tile & grout, baseboards, stair risers, & more.

<sup>\*\*\*</sup>Specifications & information contained in this catalog are subject to change without notice.

# **Full Pad Contact**


# Doodle SKATE

Full pad contact for optimal cleaning




### Innovators, Not Imitators

Doodle Skate® turns the scrubbing action parallel to the baseboard.



Upright machine baseboard attachments simply hit against the baseboard.



# Doodle Scrub® Accessories

CARRY STRAP——






Stainless steel side plates make it easier than ever to move and transport your Doodle Scrub®.

DOODLE SKATE®-

-SS EBG-9-SKATE



Turn the Doodle Scrub® sideways to scrub baseboards, tile & grout, and more at a 90° angle.

\*Doodle Scrub® sold separately.

HANDLE TRIGGER-SOLD INDIVIDUALLY

-SS051180





The Handle Trigger makes it easier than ever to operate the Doodle Scrub®. It can also help to reduce user fatique.

<sup>\*\*\*</sup>Specifications & information contained in this catalog are subject to change without notice.

### -The Ultimate Doodle Scrub® Experience

### Doodle SCRUB SCRUB BY SQUARE SCRUB

SS EBG-9-DLX

includes

Doogle SKATE BY SQUARE SCRUE



includes

# Doodle SCRUB

with Stainless Steel Carry Strap

### One Package, All the tools-

Also Includes

7 - Blue Pads

5 - White Driver Pads


3 - SHO Pads

5 - SQP Pads


2 - White Pads

2 - Tile & Grout Pads

2 - Xtreme Sponge




### 



Bucket on a Stick®

18" - SS BOS 18

24" - SS BOS24



### Microfiber Mop Heads



18" - SS 0403Z 24" - SS 0406Z Apply floor finish efficiently and evenly with the microfiber mop head.


\*\*\*Specifications & information contained in this catalog are subject to change without notice.




# Stone Polishing

### **3M** TRIZACT™ TZ Diamond Abrasive Strips


Creates a smooth, highly refined surface.



3M TRIZACT™ Diamond TZ Gold TZDGOLD- Sold Individually





3M TRIZACT™ Diamond TZ Red TZDRED- Sold Individually



TRIZACT™
Diamond TZ Blue
TZDBLUE- Sold Individually

### Only 3 diamond steps!







\*\*\*\*Specifications & information contained in this catalog are subject to change without notice.

### One Size Fits All

Great for concrete, marble, terrazzo, & more.


Diamond Strips can be set in rows of 2 or 3.

20"			28"	
1 2	2 Row Advantage	The second secon	2	3
3 4		4	5	6

Fewer diamonds used = Cost effective

20"		28"			
1 2		1	2	3	
5 6	3 Row Advantage	4	5	6	
		7	8	9	

More diamonds used = Time saved





The Doodle Scrub® can be used to polish tighter spots & doorways.

1

# Stone Polishing

3M Scotch-Brite™ Purple Diamond Floor Pad Plus Diamond coated floor pads for cleaning & polishing.








The dark purple bottom contains the diamond coated material.



### Available for square & round machines.





20"-P1420PD

28"-P1428PD



19"-P1428PD

20"-P0020PD

24"-P0024PD

27"-P0027PD


# Stone Polishing

### **3M** Scotchgard™ Stone Floor Protector

Hardener & protector for porous stone flooring.



- Fast drying, & thin coating.
- Easy to apply with the Bucket on a Stick.
- Great for concrete, marble, terrazzo, & more.
- Lower maintenance than typical finishes.
- Reduces floor maintenance costs.






Watch the stone polishing demo.



# Blue Tile & Grout Pad

- Made of the same blue scrubbing material that has already proven to clean better
- Integrated velcro backing extends the pad life and reduces slippage.


with the Doodle Scrub®.






### Inferior Green Material = Inferior Pad

- Longer and stiffer bristles scrub deeper, and outperform the traditional green tile & grout pads.
- The new Blue Tile & Grout Pad is nearly 1/2" thicker than the old green pad.
- More bristles per square inch.
   Cleans at least twice as good as the green pads.





# Lasts 3 to 6 times longer


Blue Tile & Grout Pad 10" SS P0511TGBV

The new Blue Tile & Grout pad is also available for the

Doodle Scrub® EBG-9.

Works great on those hard to reach grouted areas.





### Sizes available for all EBG Machines

Blue Tile & Grout Pad



20" SS P1420TGB 28" SS P1428TGB

The new Square Scrub® Blue Tile & Grout Pad drastically outperforms the old style green pads. With longer bristles and more scrubbing material per square inch, the blue pad scrubs deeper and lasts longer than the traditional green pads.

BEFORE

AFTER

28'


20"



# Dry Prep VCT

The SQP Pad dry preps up to 3,600 sq ft of finished VCT surface per hour.





SQP PAD-

20"

10.5" PO511SQP

P14205QP

28" P14285QP

60/CASE

10/CASE

10/CASE

The SQP pad is a thin pad designed to remove several layers of acrylic finish in preparation for recoating.

Use dry on VCT and Tile.

# Chemical Stripping VCT



 5H0 PAD

 10.5" P05115H0 20/CASE

 20" P14205H0 5/CASE

 28" P14285H0 5/CASE

The SHO Pad is extremely abrasive and heavy, with dense fibers. Best used when dirt and buildup are severe. Use wet on VCT and tile. Use with a white or blue driver to protect the grip face. Inspect driver every 15 minutes.

### **Driver Pads**

WHITE DRIVER

10.5" PO511DRIVER

48/CASE

20" P1

P1420DRIVER

10/CASE

28" P1428DRIVER

10/CASE

Preferred Driver

1/4" thick pad used primarily as a spacer pad. Use this pad with sandpaper and diamonds. Always check spacer pad.

DO NOT USE WITH ABRADER PLATE!

BLUE DRIVER

<u>10.5"</u> P0511BLU

18/CASE

20"

P1420BLU


5/CASE

28"

P1428BLU

5/CASE

Ideal for use as a spacer between the machine & other pads, because of its superior ability to hold its form. It can also be used for heavier cleaning & buffing.



RED DRIVER

20" P1420RED


5/CASE

28"

P1428RED

5/CASE

Primarily used as a spacer pad between the machine and other pads. It's a light cleaning pad that can also be used for both heavy cleaning & buffing.



# Cleaning & Buffing Pads

XTREME SPONGE

10.5" PO511XTR

5/CASE

20" P1420XTR

5/GASE

28" P1420XTR

5/GASE

Use the Xtreme Sponge to remove scuff marks on VCT or bathroom tile. A little water and this melamine pad deep cleans and restores shine between refinishing jobs. Use wet on VCT and tile.

Removes Scuff Marks

WHITE PAD

10.5" P0511WHT 16/CASE

20" P1420WHT 5/CASE

28" P1420WHT 5/CASE

The White Pad is used as a light duty polish pad. This 1" thick pad is used without a driver pad, and is great for spreading chemicals while buffing.

### Driver Pad Care = Longer Grip Face Life

Grip Face Care

Instructions

Scan Me!

Checking driver pads regularly is key to a long lasting grip face.

All driver pads wear out. The amount of time a driver pad will last varies greatly based on the task being done.

WWW.SQUARESCRUB.COM 800-557-6822 The Square Scrub® EBG-20/C has earned the Carpet and Rug Institute's Bronze Seal of Approval for Superior Deep Cleaning.

# *Inrearillity*







### Microfiber Carpet Cleaning Pad

# MICROFIBER CARPET CLEANING PAD—P1420CB

Combined with Square Scrub® Encapsulating Carpet Cleaner, the Microfiber Carpet Cleaning Pad deep cleans even the highest traffic carpeting. Quicker drying time.

Use wet on any carpeted surface.

### Durable! Lasts up to 50 wash cycles.



ENCAPSULATING CARPET CLEANER

#### 

Designed for use with the Square Scrub®
Microfiber Carpet Cleaning Pad. Square Scrub®
Encapsulating Carpet Cleaner captures soil and
dries to a non-sticky crystal that can be vacuumed
up, and disposed of easily. Only 8 oz. required per
gallon. A significant savings over other
encapsulation cleaners.

This product is Carpet and Rug Certified.



# Screening

#### SANDSCREENS 10/CASE 14x20 14x28 60 Grit S1420060 S1428060 80 Grit S1420080 S1428080 S1420100 S1428100 100 Grit S1420120 S1428120 120 Grit S1420150 S1428150 150 Grit P 120 S1428180 180 Grit S1420180

Sandscreens are ideal for finish removal, or repair of wood floor surfaces.

Screens can be used to repair painted floor surfaces.


Both sides of screens can be used.

Use with a thin White Driver Pad or Blue Driver Pad.

Use wet or dry on wood or painted concrete.

### Flat, Consistent, Even Screening

# Productivity<sup>2®</sup>



Never underestimate the power of a straight line.

At Square Scrub<sup>®</sup>, a straight line means efficiency. The ability to control your movement allows you to do more with one pass. Using an EBG machine helps you prep the work area faster and more efficiently, so you can move on to the next job.

## **Gymnasium Floors**



28 INCHES OF

SANDING AND

SCREENING POWER

# Sanding

BRE SANDEAPER SOLD INDIVIDUALLY

14x20PPSP1319016 6 Crit PPSP4K4190024 PPSP4K10036 PPSP1319000 co ent 30 Grit PPSP4349080 PPSP1319100 (II) Citie

PPSP4327076 PPSP4327026 DESERVE AND RE Prantw/ode PESPIR VIII PPSPASPANIO Our Pro Sandpaper is double-sided & longer lasting than standard sandpaper, cutting paper usage drastically!

With grits ranging from the ultra-aggressive 16 to the popular 100 grit, these are great for smoothing wood surfaces. Both sides of this paper can be used. Use along with the White Driver Pad. Use dry on wood flooring or decks. Our 16 grit Pro Sandpaper works great dry for gum removal on concrete!

### Removes chair & drum sander marks

#### STANDARD SANDPAPER 20/CASE

Our Standard Sandpaper comes in a variety of grits to tackle any of your wood floor needs.

SP1327020 SP1327035 SP1327050 SP1327030 SP1327100

生,23

Use these for smoothing wood surfaces. Use along with the White Driver Pad.

Use dry on wood flooring or decks.

\*\*Specifications & information contained in this catalog are subject to change without notice.

20 Grit 377319020 524349035 36 Grit an Grie 354343020 HU Crit 521319030 100 Grit

SP1319100

# Hardwood Floors


Www.squarescrub.com | 800-557-68222


-Sands flat & even-

**Easy to Control** 

\*\*\*Specifications & information contained in this catalog are subject to change without notice.

## Abrasion





### Abrader Plate - SAP

### 20" - P13195AP SOLD INDIVIDUALLY

Carbide Tungsten steel abrader tool. Designed for heavy duty use, including linoleum removal, glue, or paint on concrete. Always use wet!


Versatility<sup>2</sup>

www.squarescrub.com | 800-557-6822




Hand scraping is going to take a while...

## Epoxy Removal -



## Carpet Glue Removal




## Made in the U.S.A.

#### Proud to be American Made

Square Scrub® machines are built in Jonesboro, AR.

Our machines are truly American Made. The steel used in our frame comes from Arkansas. The Leeson motor is made in Black River Falls, WI. We believe in American made products, and the opportunities created by supporting American companies. That is why we make every effort to incorporate components that are made right here in the United States of America.





### **Quality Control**

Every machine we build is quality tested and inspected. We care about the reputation of American made products, so we strive to build a sturdy, hard-working, solid machine that is **BUILT TO LAST!** 



# Craftsmanship

### Fast Delivery

#### Time is Money

At Square Scrub®, we know that your time is valuable. Our machines are designed to save you time, affording more money making opportunities. We know that you don't have time to wait weeks for your machine. That is why we strive to fulfill every machine order within one day of receiving an order. For pads and accessories, we do our best to get them out to you the next day, so you can get to work ASAP!

CONTRACTOR OF THE PROPERTY OF



Connect With Us



800-557-6822 WWW.SQUARESCRUB.COM

\*\*\*Specifications & information contained in this catalog are subject to change without notice.

# Compact & Powerful

Doodle SCRUB BY SQUARE SCRUB

**UL/CSA/CE** Certified Yes **Total Assembled Weight** 23 lbs **Maximum Weight Capacity** N/A Powder Coated Steel Frame 10 gauge 3/4 " Solid Steel Axle N/A **Handle Attachment Points** 2 6"x2" Non-Marking Wheels N/A Motor 4100 rpm **Operating Sound Output** 50 db **Power Cord** 30ft/18 gauge **Lighted Plug** N/A **Amp Draw** 1.2 amps **Pad Size** 5.25x10.5 Number of Isolators 4 **Oscillations** 4100/min Removable Weights N/A **Slotted Weights** N/A **Vibration Reducing Isolated Handle** N/A **Noise Reducing Weight Spacers** N/A **Stone Care Capable** Yes **Carpet & Rug Institute Certified** N/A **Dust Containment Kit** N/A **Built-in Hour Meter** N/A Two-Piece Handle N/A





\*Machine shown with optional carry strap.

# Versatility<sup>2</sup>





**UL/CSA/CE** Certified

Base Weight w/o Weights

**Total Assembled Weight** 

**Maximum Weight Capacity** 

**Powder Coated Steel Frame** 

**Stainless Steel Base** 

3/4 " Solid Steel Axle

**Adjustable Handle** 

6"x2" Non-Marking Wheels

Motor

Operating Sound Output

**Power Cord** 

**Lighted Plug** 

**Amp Draw** 

**Pad Size** 

Number of Isolators

**Oscillations** 

Removable Weights

**Slotted Weights** 

Vibration Reducing Handle

**Noise Reducing Weight Spacers** 

**Stone Care Capable** 

Carpet & Rug Institute Certified

**Dust Containment Kit** 

**Built-in Hour Meter** 

**Two-Piece Handle** 

Yes

106 lbs

156 lbs

232 lbs

10 gauge

7 gauge

Yes

Yes

Yes

3450 1.5 hp

69 db

50 ft/14 gauge

Yes

7 amps

14x20

3450/minute

Yes

Yes

Yes

Yes

Yes

Yes

Included

**Optional** 

**Optional** 





The EBG-20/C is the only orbital floor machine that is CRI Certified.

\*Machine shown with optional HEPA Vac Kit.

## Productivity<sup>2</sup>







Base Weight w/o Weights

**Total Assembled Weight** 

**Maximum Weight Capacity** 

Powder Coated Steel Frame

**Stainless Steel Base** 

3/4 "Solid Steel Axle

Adjustable Handle

6"x2" Non-Marking Wheels

Motor

**Operating Sound Output** 

**Power Cord** 

**Lighted Plug** 

**Amp Draw** 

**Pad Size** 

Number of Isolators

**Oscillations** 

Removable Weights

**Slotted Weights** 

**Vibration Reducing Handle** 

**Noise Reducing Weight Spacers** 

**Stone Care Capable** 

Carpet & Rug Institute Certified

Dust Containment Kit

**Built-in Hour Meter** 

Two-Piece Handle

Yes

117 lbs

197 lbs

197 lbs

10 gauge

7 gauge

Yes

Yes

Yes

3450 1.5 hp

69 db

50 ft/14 gauge

Yes

9.6 amps

14x28

3450/minute

Yes

Yes

Yes

Yes

Yes

N/A

Included

**Optional** 

**Optional** 




\*\*\*Specifications & information contained in this catalog are subject to change without notice.





Intertek 4004125 ETL/CSA/CE







Economical




TO BE Announced

PIVOT Nersatility<sup>2</sup>



## FLOOR PREPARATION MACHINES



### WE MAKE FLOOR PREP WORK EASY

Connect with us



You



www.squarescrub.com | 800-557-6822

Square Scrub® P.O. Box 1693 Jonesboro, AR 72403 800.557.6822 www.squarescrub.com