TI 943D

TL943D TELEHANDLER MCCONNELLSBURG, PA, USA

Ship Weight lbs

LIST PRICE AT DEALER

Standard Equipment:

BOOMS, STICKS, AND LINKAGES

Three section boom with non-metallic wear pads Automatic vertical lift

POWERTRAIN

4 Speed Powershift Transmission Hydraulically driven fan Radiator Cores Side by side engine air Engine oil Hydraulic oil and coolant Water separator Dual element air filter Spin on engine oil filter Spin on Hydraulic oil filter Planetary drive axles with full time four wheel drive Limited slip differential Wet disc service brakes Spring Applied Hydraulic Release (SAHR) park brake w/indicator light Thermal starting aid

HYDRAULICS

Gear Pump

- Max Auxilary Flow: 18gpm
- System Operating Pressure: 260 bar
- Auxiliary Oprating Pressure: 240 bar Load hold check valves on all load

carrying cylinders Auxiliary hydraulic service on the boom head - single function CAT XT3 hoses, couplings

ELECTRICAL

12 volt electrical socket 75 ampere alternator 1000 CCA maintenance-free battery Horn

OPERATOR ENVIRONMENT

ROPS and FOPS certified operator station isolated on rubber mounts Boom joystick Stabilizer levers Frame level switch Fully adjustable vinyl suspension seat Seat belt & document pouch Left & right-side rear-view mirror Power steering with steering wheel Load charts Heavy duty floor mat Fuse panel

OTHER STANDARD EQUIPMENT

Integral lift and tie-down points

INSTRUCTIONS

Operation and maintenance manual

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2021 TL943D-001

TL943D

TL943D TELEHANDLER	Ship Weight	LIST PRICE
MCCONNELLSBURG, PA, USA	lbs	AT DEALER

LANE 3 AVAILABLE FROM MCCONNELLSBURG FACTORY

Available for ADSD-N and ADSD-S (Puerto Rico only)

Includes: CAT C3.4B,75kW (100 hp) engine Meets U.S. EPA Tier 4 Final emission standards

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2021 TL943D-002

TL943D

USE	REF NO.	LANE 3 MANDATORY Ship W	•	LIST PRICI AT DEALER
LANE	SELECTIO	N .		
	0P-9003	LANE 3 ORDER	. 0	NC
REGIO	ONAL PACI	KAGES		
RE	GIONAL P	REPARATION PACKAGES		
L	568-7351	PREPARATION PACK, AM-N	0	NC
SPEC	IAL ARRAN	NGEMENTS		
FR	AME AND	STABILIZER		
L	485-1074	FRAME, STABILIZER	. 0	\$9,520
L	485-1075	FRAME, STABILIZER, NONE	0	NC
S 7	TEERING			
L	559-9875	STEERING, SECONDARY	. 0	\$351
L	559-9877	Hydraulic steering assistance in case of engine power loss STEERING, STANDARD	. 0	NC
HYDR	RAULICS			
RII	DE CONTR	POL		
L	561-4268	RIDE CONTROL	0	\$3,010
L	561-3405	Intelligent boom suspension, includes float position. RIDE CONTROL, NONE	. 0	NC
STAR	TERS, BAT	TTERIES, & ALTERNATORS		
CL	IMATE PA	CK - Includes battery selection		
L	486-3403	CLIMATE PACK, STANDARD	. 0	NC
L	486-3405	ONLY FOR USE WITH: 483-9507 TL943D TELEHANDER HRC CLIMATE PACK, COLD WEATHER	. 0	\$5,800
I		CK HEATER rif Cold Weather Climate Pack selected above, optional aachines.		
L	481-1819	HEATER, ENGINE BLOCK, 110V	0 C	\$249

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2021 TL943D-003

TL943D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICI AT DEALER
OPEF	RATOR ENV	IRONMENT		
C	ANOPY/CA	В		
-	484-1909	CANOPY, OPEN		NC
=	484-2360	ONLY FOR USE WITH: 483-9507 TL943D TELEHAL CAB, ENCLOSED, HEAT ONLY	0	\$4,515
	484-1907	ONLY FOR USE WITH: 483-9507 TL943D TELEHAL CAB, ENCLOSED, AC + HEAT	0	\$9,350
		one with an enclosed cab en canopy option includes a standard rear window		
=	473-8558	WINDOW, REAR, STANDARD	0	NC
-	553-9349	WINDOW, REAR, EXT RELEASE, ANSI	0	\$118
_	EAT BELT Select if requir	red		
	470-0859	BELT, SEAT, 3"		\$146
A	DDITIONAL	IN CAB DISPLAY		
•	479-4531	MONITOR, ADVANCED DISPLAY This display includes inegrated loadcharts, machine easy access to the anti-theft system and operator pre adjustments. It will also display the input from the Re and LMIS sensors if fitted. REQUIRED BY: 474-9845 REVERSING, CAMERA	diagnostics, ference	\$2,455
	476-5226	MONITOR, NONE	0	NC
	This is an Opt	r all regions outside USA & Canada. ional Selection within the USA & Canada. des front headlights (right hand dip), rear taillights,		
-	482-6420	LIGHTS, ROADING, RH, STABILIZER		\$1,820
•	482-6431	ONLY FOR USE WITH: 485-1074 FRAME, STABILL LIGHTS, ROADING, RH, N/STABILIZER	0	\$1,820
	IANUAL FO	RWARD/NEUTRAL/REVERSE CONTROLS		
L	472-7834	LEVER, MANUAL, FNR	ANDLER HRC with	NC

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2021 TL943D-004

TL943D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
OPE	RATOR ENV	(IRONMENT (CONT.)		
Λ	NANUAL FO	RWARD/NEUTRAL/REVERSE CONTROLS	(Cont.)	
L	505-5337		0 LEHANDLER LRC with ithout ROADING LIGHTS	NC
L	472-7832	LEVER, MANUAL, FNR/WIPERS/IND ONLY FOR USE WITH: 483-9507 TL943D TE OPEN CANOPY with F ALL ENCLOSED CARS	LLEHANDLER HRC ROADING LIGHTS and	NC
L	505-5336	LEVER,MANUAL,FNR/WIPERS/IND,LR	0 LEHANDLER LRC with OADING LIGHTS or with	NC
В	BACK-UP AL	ARM		
L	485-3311	ALARM, BACK-UP, STANDARD	0	NC
L	485-3318	ALARM, BACK-UP, WHITE NOISE	0	\$131
F	ROOF SUN B	BLIND		
L	477-1403	SUN SCREEN, ROOF	0	\$135
L	515-9736	SUN SCREEN, ROOF, NONE	0	NC

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2021 TL943D-005

TL943D

USE	REF NO.	LANE 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
-----	------------	------------------	--------------------	-------------------------

TIRES, RIMS, AND WHEELS

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to propose alternate tires. Any proposed change will be reviewed with the dealer prior to machine shipment. The machine will ship only with the dealer acceptance of the proposed alternative tire.

TIRES AVAILABLE FROM CONTINENTAL

Р	559-6975	TIRES, 315/95-28, CT, SOLID	\$11,130
	TIRES AVAIL	ABLE FROM FIRESTONE	
P	464-8004	TIRES, 14.00-24, FS, G2, FOAM Tires are 12-ply with self cleaning tread pattern giving excellent traction and slip resistance. Enhanced sidewall compounds provide long life and resist scuffing.	\$6,160
P	463-6858	With foam fill for puncture protection TIRES, 370/75-28, FS, MT, FOAM Tires are 14-ply with non-directional tread pattern, giving increased tire life (up to 3 times of Firestone SGG) with reduced fill costs, cooler running and even wear. Protective shoulder ribs and low profile vertical sidewalls reduce sidewall damage and the design and improved footprint shape reduces ground compaction and surface pressure on hard surfaces.	\$5,610
P	464-3076	With foam fill for puncture protection TIRES, 370/75-28, FS, MT	NC
P	486-8860	TIRES, 14.00-24, FS, G2	\$-1,190
	scuffing and n a center bar, 1	NG TIRES rectional tread tires provide improved protection against marking on most surfaces. For extended life they include reinforced carcasses and sidewalls for overall m cracking, impact or puncture damage	
P	573-6242	TIRES, 370/75-28, NON-MARK	\$2,280
Р	573-6290	Pneumatic non-marking tires TIRES,370/75-28,NON-MARK, FOAM	\$6,770

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2021 TL943D-006

TL943D

SE	REF NO.	LANE 3 MANDATORY	Ship Weight Ibs	LIST PRIC AT DEALEF
тн	IER ATTACH	HMENTS		
F	ENDERS			
	486-3477	FENDERS, CANOPY, SET OF FOUR	0	\$2,285
	486-3478	FOR USE WITH: OPEN CANOPY FENDERS, CAB, SET OF FOUR	0	\$2,285
	566-7388	FOR USE WITH: ENCLOSED CAB FENDER, CANOPY, SINGLE	0	NC
	566-7398	FOR USE WITH: OPEN CANOPY FENDER, CAB, SINGLE	0	NC
UI	CK COUPLE	RS		
	484-6335	COUPLER, MANUAL, IT	0	NC
	513-2314	COUPLER, HYDRAULIC, IT	0	\$4,265
	manual coupl	ELECTRICAL HARNESS, HYD QC		\$700
	481-2710 CUMENTATIO	ELECTRICAL HARNESS, HYD QC		\$700
	481-2710 CUMENTATION	ELECTRICAL HARNESS, HYD QC		\$700
	481-2710 CUMENTATION	ELECTRICAL HARNESS, HYD QC	T 0	\$700 NC
	481-2710 CUMENTATION OADCHART Please select of	ELECTRICAL HARNESS, HYD QC	T0 DUTRIGGERS	·
L	481-2710 CUMENTATIO COADCHART Please select of 512-0490	ELECTRICAL HARNESS, HYD QC REQUIRED BY: 513-2314 COUPLER, HYDRAULIC, I ON TS one unless ordering a Display Monitor LOADCHART (AM-N), STANDARD FOR USE WITH: MACHINES WITHOUT STABILIZER OLOADCHART (AM-N), STABILIZERS FOR USE WITH: MACHINES WITH STABILIZER OUTF	T0 DUTRIGGERS	NC
L	481-2710 CUMENTATION COADCHART Please select of the sel	ELECTRICAL HARNESS, HYD QC REQUIRED BY: 513-2314 COUPLER, HYDRAULIC, I ON TS one unless ordering a Display Monitor LOADCHART (AM-N), STANDARD FOR USE WITH: MACHINES WITHOUT STABILIZER OLOADCHART (AM-N), STABILIZERS FOR USE WITH: MACHINES WITH STABILIZER OUTF	T OUTRIGGERS RIGGERS	NC
L	481-2710 CUMENTATIO COADCHART Please select of 512-0490 512-0482 REGIONAL R	ELECTRICAL HARNESS, HYD QC REQUIRED BY: 513-2314 COUPLER, HYDRAULIC, I ON TS one unless ordering a Display Monitor LOADCHART (AM-N), STANDARD FOR USE WITH: MACHINES WITHOUT STABILIZER OLOADCHART (AM-N), STABILIZERS FOR USE WITH: MACHINES WITH STABILIZER OUTE EFERENCE TL943D NORTH AMERICAN ORDER	T OUTRIGGERS RIGGERS	NC NC
<i>L</i> #	481-2710 CUMENTATION COADCHART Please select of the sel	ELECTRICAL HARNESS, HYD QC REQUIRED BY: 513-2314 COUPLER, HYDRAULIC, I ON TS one unless ordering a Display Monitor LOADCHART (AM-N), STANDARD FOR USE WITH: MACHINES WITHOUT STABILIZER OLOADCHART (AM-N), STABILIZERS FOR USE WITH: MACHINES WITH STABILIZER OUTE EFERENCE TL943D NORTH AMERICAN ORDER	T OUTRIGGERS RIGGERS	NC NC
L F	481-2710 CUMENTATION COADCHART Please select of the sel	ELECTRICAL HARNESS, HYD QC REQUIRED BY: 513-2314 COUPLER, HYDRAULIC, I ON TS ONE unless ordering a Display Monitor LOADCHART (AM-N), STANDARD FOR USE WITH: MACHINES WITHOUT STABILIZER OLOADCHART (AM-N), STABILIZERS FOR USE WITH: MACHINES WITH STABILIZER OUTE ELECTRICAL HARNESS, HYD QC NO TS ON LOADCHART (AM-N), STANDARD FOR USE WITH: MACHINES WITH STABILIZER OUTE ELECTRICAL HARNESS, HYD QC LOADCHART (AM-N), STANDARD FOR USE WITH: MACHINES WITH STABILIZER OUTE ELECTRICAL HARNESS, HYD QC LOADCHART (AM-N), STANDARD FOR USE WITH: MACHINES WITH STABILIZER OUTE ELECTRICAL HARNESS, HYD QC LOADCHART (AM-N), STANDARD FOR USE WITH: MACHINES WITH STABILIZER OUTE ELECTRICAL HARNESS, HYD QC LOADCHART (AM-N), STANDARD FOR USE WITH: MACHINES WITH STABILIZER OUTE ELECTRICAL HARNESS, HYD QC LOADCHART (AM-N), STANDARD FOR USE WITH: MACHINES WITHOUT STABILIZER OUTE ELECTRICAL HYDRAULIC, I	T OUTRIGGERS RIGGERS 0	NC NC
L F	481-2710 CUMENTATION COADCHART Please select of 512-0490 512-0482 REGIONAL R 0P-3919 TRUCTIONS NSTRUCTION 483-7766	ELECTRICAL HARNESS, HYD QC REQUIRED BY: 513-2314 COUPLER, HYDRAULIC, I ON TS ONE unless ordering a Display Monitor LOADCHART (AM-N), STANDARD FOR USE WITH: MACHINES WITHOUT STABILIZER OLOADCHART (AM-N), STABILIZERS FOR USE WITH: MACHINES WITH STABILIZER OUTE ELECTRICAL HARNESS, HYD QC NOTE OF THE STABILIZER OF THE STABILIZER OUTE ELECTRICAL HARNESS, HYD QC NOTE OF THE STABILIZER OUTE ON DECAL SETS	T OUTRIGGERS RIGGERS 0	NC NC
L F	481-2710 CUMENTATION COADCHART Please select of 512-0490 512-0482 REGIONAL R 0P-3919 TRUCTIONS NSTRUCTION 483-7766	ELECTRICAL HARNESS, HYD QC REQUIRED BY: 513-2314 COUPLER, HYDRAULIC, I ON TS ONE unless ordering a Display Monitor LOADCHART (AM-N), STANDARD FOR USE WITH: MACHINES WITHOUT STABILIZER OLOADCHART (AM-N), STABILIZERS FOR USE WITH: MACHINES WITH STABILIZER OUTE ELECTRICAL HARNESS, HYD QC NOTE OF THE STABILIZER, HYDRAULIC, II ON DECAL SETS INSTRUCTIONS, ANSI	0 DUTRIGGERS0 RIGGERS	NC NC

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2021 TL943D-007

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER

NOTE

LANE 3 OPTIONAL SELECTIONS

MISCELLANEOUS ORDERS

Please note: For this model, all miscellaneous orders (those which which do not include the telehandler itself) must be placed directly through ANTARES.

ELECTRICAL

WORK LIGHTS

L	566-6817	WORKLIGHTS, LED, NO A/C	\$1,640
L	566-6803	WORKLIGHTS, LED, A/C COMPATIBLE	\$1,640
L	566-6781	ONLY FOR USE WITH: ENCLOSED CABS WITH AIR CONDITIONING BEACON, LED STROBE	\$368
	REVERSING A	AIDS	
L	510-4756	REVERSING, SENSOR, USA	\$2,020
L	474-9845	REVERSING, CAMERA	\$434
OP	ERATOR ENV	TRONMENT	
	USB CHARGI	ING POINT	
L	500-4484	USB CHARGING POINT	\$64

TECHNOLOGY PRODUCTS

PRODUCT LINK READY ARRANGEMENT

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitoring performance of your assets, it helps keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet. Availability varies by country. contact your Cat marketing representative with any questions. These packages contain everything necessary to connect Product Link equipment to this machine.

The equipment itself is available from Parts Ordering.

501-3002 PRODUCT LINK READY, A/C \$275 ONLY FOR USE WITH: 483-9507 TL943D TELEHANDLER HRC and 484-1907 CAB, ENCLOSED, AC+HEAT

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

Effective 02JAN2021 TL943D-008

TL943D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
TEC	HNOLOGY F	PRODUCTS (CONT.)		
F	PRODUCT LI	NK READY ARRANGEMENT (Cont.)		
L	501-3003	PRODUCT LINK READY	IANDLER HRC and	\$275 AT ONLY
GUA	ARDS			
F	ROOF CAP			
L	474-6078	ROOF CAP CANNOT BE USED WITH: MACHINES WITH AIR CO REQUIRED BY: 566-6803 WORKLIGHTS, NO A/C 566-6817 WORKLIGHTS, LED, NO 501-3003 PRODUCT LINK READY 501-3007 PRODUCT LINK READY,	NDITIONING or A/C	\$188
E	BRICK GUAR	PDS		
Р	471-9523	BRICK GUARD, FRONT SCREEN	0	\$1,420
P	472-0940	BRICK GUARD, ROOF	0	\$1,485
ОТН	IER ATTACH	IMENTS		
V	Only available Please note, w	PER SYSTEM on enclosed cabs. while the rear washer/wiper may be ordered alone, er wiper can only be ordered together with the wiper.		
L	471-6158	WASHER/WIPER, REAR	0	\$438
L	497-5480	WASHER/WIPER, ROOF	0	\$760
L	.OCKS			
Р	479-6044	LOCKS, SET OF FOUR	0	\$145
E	BOOM BRUS	Н		
L	481-9808	BOOM BRUSH	0	\$770
l	NHEEL CHO	СК		
P	550-9000	WHEEL CHOCK	0	\$230

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2021 TL943D-009

TL943D

JSE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRIC AT DEALE
тн	ER ATTACH	IMENTS (CONT.)		
	OOL BOX	(001117)		
,	OOL BOX			
	550-9102	CANNOT BE USED WITH: 550-9000 WHEEL CHOCK		\$408
VOF	RK TOOLS			
C	ARRIAGES Please order a	s installed		
V	474-2531	CARRIAGE, STANDARD 50"		\$2,072
/	474-2532	CARRIAGE, STANDARD 72"	0	\$2,372
٧	549-8955	CARRIAGE, SIDE TILT, 50"	07mm) floating shaft	\$4,806
/	549-8956	CARRIAGE, SIDE TILT, 72"	7mm) floating shaft	\$5,353
V	555-1350	CARRIAGE, HYD FRK POSN, 50"		\$7,421
		ONLY FOR USE WITH: 301-9753 FORK, PALLET 550-9930 FORK, PALLET 567-1247 FORK, PALLET	,60X125X1524MM (36")	
V	555-1351	CARRIAGE, HYD FRK POSN, 72"		\$8,467
		ONLY FOR USE WITH: 301-9753 FORK, PALLET 550-9930 FORK, PALLET 567-1247 FORK, PALLET	,60X125X1524MM (36")	
F		s "installed". carriage which must also be selected. order must specify a quantity of 2 forks		
V	301-9752	FORK, CUBING 2" X 2" X 48" One fork only, specify qty of 2 for a pair.	76	\$414
V	301-9755	This fork is also available in a quantity of six. FORK, PALLET 2.36" X 4" X 48" One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.	0	\$731
		ONLY FOR USE WITH: 474-0141 CARRIAGE, SII 549-8955 CARRIAGE, SII 474-2531 CARRIAGE, STI 549-8956 CARRIAGE, SII 318-9222 CARRIAGE, SW	DE TILT, 50" and ANDARD 50" and DE TILT, 72" and	
I	301-9753	FORK, PALLET 2.36" X 5" X 48"		\$825
/	301-9754	FORK, PALLET 2.36" X 6" X 60"	0	\$1,053
,	311-2854	For use with 2.25" (57mm) bar FORK, DUAL TAPER 2" X 6" X 72"	0	\$1,068
		One fork only, specify qty of 2 for a pair. For use with 2.25" (57mm) bar.		

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 02JAN2021 TL943D-010

TL943D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
WOR	K TOOLS	(CONT.)		
	ORKS (Con			
	·			
W	550-9930	FORK, PALLET, 2.36 X 5 X 60	D FRK POSN, 50" and	\$942
W	567-1247	FORK, PALLET 2.36" X 5" X 72"	0 TD FORK POSN, 50" or	\$1,058
F	ORK MOUN	TED PLATFORM		
w	560-2574	PLATFORM, FORK MTD, 8FT, ANSI	0	\$3,518
FIELD	INSTALLE	D ATTACHMENTS		
		S VAILABLE THROUGH THE TELEHANDLER WORKTOO E: THESE CANNOT BE ADDED TO A MACHINE ORDER		
w	169-3945	TRUSS BOOM Length 13'2" (4 meters) Rated Capacity 1100lb (500kg) Includes swivel hook		
w	549-5456	TRUSS BOOM, FORK MOUNTED, ADJ		
w	321-0556	LIFTING HOOK, FORK MOUNTED Length 31.5" (800mm) Includes swivel hook and slips onto forks. AVAILABLE FOR: USA and Canada only		
W	163-4261	BUCKET-GP, 1.3 YD3, IT, BOCE Rated Capacity 1.31 cyd, Width 95" Includes bolt-on cutting edge & spillguard		
w	186-5838	BUCKET-MH, 1.96 YD3, IT, BOCE Material Handling Bucket Rated Capacity 1.95 cyd, Width 94"		
w	163-4265	Includes bolt-on edge BUCKET-MP, 1.3 YD3, IT, BOCE Rated Capacity 1.3 cyd, Width 94" Includes bolt-on cutting edge		
W	229-9714	ARM, MATERIAL HANDLING, IT For handling of bulky objects. Manually adjustable	to 3 positions	
ν	THESE ARE	S (Continued) ONLY AVAILABLE THROUGH PARTS ORDERING. E: THESE CANNOT BE ADDED TO A MACHINE ORDE	R.	
w	474-0144	TRUSS BOOM, 12', 2000LB		
w	474-0145	TRUSS BOOM, 15', 2000LB		
w	474-0147	TRUSS BOOM,12', 2000LB, WINCH		

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2021 TL943D-011

TL943D

USE	REF NO.	LANE 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER

FIELD INSTALLED ATTACHMENTS (CONT.)

WORKTOOLS (Continued) (Cont.)

W	491-9893	TRUSS BOOM, 3' WITH WINCH
w	486-0529	TRASH HOPPER, FORK MOUNTED
w	486-0528	BROOM, PICK UP, WIDTH 102"
w	474-0139	CARRIAGE, STANDARD, 60"
w	474-0148	BUCKET-GP, 2.0 YD3, IT
W	474-0142	BUCKET-GRAPPLE, 1.7 YD3, IT

PACKING

MACHINE PACKING

Must Select

Supersedes 02JAN2020 Caterpillar: Confidential Green

US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 02JAN2021 TL943D-012