

Code	Description	List price(USD)
	3043D Compact Utility Tractor	
	ENGINE:	
	Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified	
	Engine HP 42.2 (31 kW)**	
	Rated Speed 2800 RPM	
	**Engine HP (kW), gross SAE J1995: 42.2 (31) @ 2800 rpm, PS Displacement, cu in. (L): 95.69 (1.568)	
	TRANSMISSION:	
	4-Wheel Drive Gear Transmission	
	8F/8R	
	Differential Lock	
	HYDRAULICS:	
	8.5 GPM (32 LPM) Total Flow	
	5.0 GPM (19 LPM) Implement Pump 3.5 GPM (13 LPM) Steering Pump	
	3.5 GPM (13 LPM) Steering Pump	
	PTO:	
	Transmission Driven 540 RPM Rear PTO	
	Mechanically Engaged Wet Clutch	
	ELECTRICAL:	
	12-Volt System	
	55 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position	
	Maintenance Free Battery with 600 Cold Cranking Amps	
	· ·	
	OPERATOR PROTECTIVE STRUCTURE:	
	Adjustable Vinyl Seat without suspension Folding ROPS	
	Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification	
	Standards	
	Retractable Seat Belt Operator Precence with Safety Interlock System	
	Operator Presence with Safety Interlock System	
	BASE MACHINE (4WD):	



Code	Description	List price(USD)
	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	
	BASE MACHINE	
16A0LV	3043D Compact Utility Tractor	\$26,031.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0184	Canada	No Added Cost
0202	United States	No Added Cost
0205	Quebec OPERATOR'S MANUAL	No Added Cost
0437	Spanish North American Operators Manual and Decal Kit	No Added Cost
0409	English North American Operators Manual and Decal Kit	No Added Cost
0413	French Canadian Operators Manual and Decal Kit	No Added Cost
	LOADERS AND BACKHOES Basic Factory Options	
	LOADERS	
1701	Factory Installed Loader with Bucket	\$5,890.00
1750	Factory Installed Loader less Bucket	\$5,006.00
1795	Less Loader	In Base Price
	HITCHES AND DRAWBARS Basic Factory Options DRAFT LINK	
4110	Draft Links - Flat Bar (Standard)	In Base Price
4120	Draft Links - Telescoping THREE-POINT HITCH	\$357.00
4060	iMatch Quick Hitch (Category 1)	\$334.00
4061	Less iMatch Quick Hitch	In Base Price
	DRAWBAR AND TRAILER HITCH	
4310	Rear Drawbar Includes support bracket and retention pin. ATTACHMENTS FOR FIELD CONVERSION	No Added Cost



Code	Description	List price(USD)
	DRAFT LINK	
BLV10908	Telescoping Draft Links  Not compatible with iMatch Quick Hitch.  THREE-POINT HITCH	\$447.70
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook	\$416.90
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
	WHEELS AND TIRES Basic Factory Options REAR WHEELS AND TIRES	
5210	15-19.5 6PR R4 Industrial	\$166.00
5211	11.20-24 6PR R1 Bar	In Base Price
5213	41x14-20 4PR R3 Turf FRONT WHEELS AND TIRES	\$18.00
6210	25x8.50-14 6PR R4 Industrial	\$66.00
6211	7-14 6PR R1 Bar	In Base Price
6213	27x8.50-15 6PR R3 Turf	\$76.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
TY4457	Tire Chains For use with 41x14.0-20 (R3) Rear Tires.	\$511.59
TY4453	Tire Chains For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.	\$488.19
BLV10936	15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels and Tires	\$1,982.20
BLV10937	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	\$1,769.90
BLV10942	41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires FRONT WHEELS AND TIRES	\$1,797.40
BLV10860	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$634.70
BLV10849	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	\$729.30
BLV10851	25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$716.10



Code	Description	List price(USD)
	WHEEL TREAD WIDTH	
BLV10985	Wheel Spacer Kit	\$367.40
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).	\$73.70
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).	\$92.40
BLV10497	LED Work Light Kit Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).	\$347.60
BLV10400	ROPS Lights Brush Guard Kit	\$92.40
LVB25546	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).	\$124.30
	OPERATOR'S STATION AND CONTROLS ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
BLV11094	Rear License Plate Kit (Include Light)	\$74.80
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
RE19428	Safety Chain Support Kit	\$165.42
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50



Code	Description	List price(USD)
AL212683	Mounting Parts - Display Mount RAM	\$153.40
PF80460	Mount - RAM U-Bolt	\$72.21
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
LP95233	Large Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.99
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
	WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires (1) BLV11045.	\$60.99
LVU32113	Quik-Tatch Weight, 70 lb (32 kg)  Requires (1) BLV11045.	\$99.00
BLV11045	Front Weight Bracket Extension Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.  BALLAST	\$204.60
BW15074	Ballast Box Extension	\$151.80
BW15071	Ballast Box	\$320.10
51110070	REAR WHEEL WEIGHTS	Ψ320.10
BM17965	Rear Wheel Weight, 60 lb (27.2 kg)  Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching	\$140.80



Code	Description	List price(USD)
	Hardware). Maximum 3 Weights per Wheel. Order per wheel.	
BM19938	Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.	\$12.10
BM19951	Attaching Hardware for Rear Wheel Weight For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.	\$8.80
	POWER TAKE-OFF	
	ATTACHMENTS FOR FIELD CONVERSION	
DL V400E2	REAR POWER TAKE-OFF (PTO)	ф20 <u>Г</u> .70
BLV10953	John Deere Quik Knect™ PTO receiver  At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.	\$205.70
	ENGINE	
	ATTACHMENTS FOR FIELD CONVERSION ENGINE	
BLV10640	Engine Coolant Heater Kit	\$66.00
BLV10906	Radiator Clean Out Screen  Removable screen which helps to maintain good air flow and easy clean out.	\$41.80
	AG MANAGEMENT SOLUTIONS (AMS)	
	ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00
	HYDRAULICS	



Code	Description	List price(USD)
	ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	
BLV10901	Rear Hydraulic Kit	\$1,020.80
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
BLV11105	Spark Arrester Screen	\$447.70



IO23E Sub-Compact Utility Tractor (15 PTO hp)  ENGINE: Yanmar 3 Cylinder Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 22.4 (16.5 kW), PS PTO HP 14.5 (11.4 kW) Rated Speed 3200 RPM Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Ald Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard PTO: Mid PITO Standard Faulipment	Code	Description	List price(USD)
Yanmar 3 Cylinder Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 22.4 (16.5 kW), PS PTO HP 14.5 (11.4 kW) Rated Speed 3200 RPM Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard		·	
Tier IV EPA Emissions Certified Engine HP 22.4 (16.5 kW), PS PTO HP 14.5 (11.4 kW) Rated Speed 3200 RPM Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard			
Engine HP 22.4 (16.5 kW), PS PTO HP 14.5 (11.4 kW) Rated Speed 3200 RPM Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PS) Dual Mid SCV Standard		· · · · · · · · · · · · · · · · · · ·	
PTÖ HP 14.5 (11.4 kW) Rated Speed 3200 RPM Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard			
Rated Speed 3200 RPM Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HyDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard  PTO:			
Indirect Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard  PTO:		· · · · · · · · · · · · · · · · · · ·	
Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard  PTO:			
Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard		•	
Anti-Freeze Dry Type Air Cleaner With Safety Element Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear AxlE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard		· · · · · · · · · · · · · · · · · · ·	
Fully Enclosed Engine and Muffler With Horizontal Exhaust 5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard			
5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard		Dry Type Air Cleaner With Safety Element	
Hand Throttle Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard		Fully Enclosed Engine and Muffler With Horizontal Exhaust	
Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard		5.6 Gallon Fuel Tank Capacity (21.2 L)	
TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard			
Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard		Key Engine Shut Off	
Twin Touch Pedals and Direction Control Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard		TRANSMISSION:	
Differential Lock  FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard		, ,	
FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard			
Flanged Rear Axle Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard		Differential Lock	
Spur Gear Final Drive  4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard		FRONT/REAR AXLE:	
4WD STEERING AND BRAKES: Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard		Flanged Rear Axle	
Hydrostatic Power Steering Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard		Spur Gear Final Drive	
Wheel Brakes Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard PTO:		4WD STEERING AND BRAKES:	
Park Brake Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard  PTO:		Hydrostatic Power Steering	
Wet Disk Brakes HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard  PTO:		Wheel Brakes	
HYDRAULICS: Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard PTO:			
Open Center Hydraulic System Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard PTO:			
Hydraulic Pump - Total Flow 6.3 GPM (24 L/min) with Filter Working Pressure (2000 PSI) Dual Mid SCV Standard PTO:			
Working Pressure (2000 PSI) Dual Mid SCV Standard PTO:			
Dual Mid SCV Standard PTO:			
		PT∩·	
IVIIO PTO MAHOATO FOODDITEIT		Mid PTO Standard Equipment	



Independent Mid and Rear PTO 540-RPM Rear PTO Hydraulic PTO Clutch PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO Flip Up PTO Shield  ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE: Rockshaft Limited Category 1, 3-Pt. Hitch Rate of Drop/Stop Valve Hitch Plate  INSTRUMENTATION: Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights Two Flashing Warning Lights OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards Seat Belt	Code	Description	List price(USD)
Hydraulic PTO Clutch PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO Filip Up PTO Shield  ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE: Rockshaft Limited Category 1, 3-Pt. Hitch Rate of Drop/Stop Valve Hitch Plate  INSTRUMENTATION: Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roil-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		Independent Mid and Rear PTO	
PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO Flip Up PTO Shield  ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE: Rockshaft Limited Category 1, 3-Pt. Hitch Rate of Drop/Stop Valve Hitch Plate  INSTRUMENTATION: Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) **Meets SAE J2194 and OSHA 1928 ROPS Certification Standards			
Separate or Simultaneous Operation of Mid and Rear PTO Flip Up PTO Shield  ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE: Rockshaft Limited Category 1, 3-Pt. Hitch Rate of Drop/Stop Valve Hitch Plate  INSTRUMENTATION: Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE 2194 and OSHA 1928 ROPS Certification Standards			
Flip Up PTO Shield  ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE: Rockshaft Limited Category 1, 3-Pt. Hitch Rate of Drop/Stop Valve Hitch Plate  INSTRUMENTATION: Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards			
Rockshaft Limited Category 1, 3-Pt. Hitch Rate of Drop/Stop Valve Hitch Plate  INSTRUMENTATION: Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		·	
Limited Category 1, 3-Pt. Hitch Rate of Drop/Stop Valve Hitch Plate  INSTRUMENTATION: Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE:	
Rate of Drop/Stop Valve Hitch Plate  INSTRUMENTATION: Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards			
Hitch Plate  INSTRUMENTATION: Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		<u> </u>	
INSTRUMENTATION: Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		·	
Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		HILLIPIALE	
Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		INSTRUMENTATION:	
Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards			
Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure)  ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		<u> </u>	
Alternator Indicator Light Flashing Warning Light Indicator  ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure)  ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		· · · · · · · · · · · · · · · · · · ·	
ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		·	
ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		•	
12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		Flashing Warning Light indicator	
Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure) ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		ELECTRICAL:	
40 Amp Alternator Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure)  ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		12-Volt Electrical System	
Key Ignition Starter With Neutral Start Switch  LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure)  ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards			
LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure)  ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		·	
Two Front Halogen Head Lights Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure)  ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		Key Ignition Starter With Neutral Start Switch	
Two Flashing Warning Lights  OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure)  ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		LIGHTS:	
OPERATOR PROTECTIVE STRUCTURE: Folding ROPS (Roll-Over Protective Structure)  ** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards		Two Front Halogen Head Lights	
Folding ROPS (Roll-Over Protective Structure)  ** Meets SAE J2194 and OSHA  1928 ROPS Certification Standards		Two Flashing Warning Lights	
Folding ROPS (Roll-Over Protective Structure)  ** Meets SAE J2194 and OSHA  1928 ROPS Certification Standards		OPERATOR PROTECTIVE STRUCTURF:	
** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards			
Seat Belt			
Operator Presence System		Operator Presence System	
MISCELLANEOUS:		MISCELLANEOUS:	



Code	Description	List price(USD)
	SMV Emblem	
	Front Weight Bracket	
	Tilt-Up Hood Cupholder - Left Console	
	Mower Deck Height Adjustment	
	BASE MACHINE (4WD):	
	Engage on the go 4WD	
	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires 18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	
	Tier IV EPA Emmissions Certified	
	Engine HP 22.4 (16.5 kW), PS	
	PTO HP 14.5 (11.4 kW)	
	Rated Speed 3200 RPM	
	MID-MOUNT LIFT SYSTEM:	
	Mid-Mower Mechanical Lift Ready	
	Includes Mid-Mower Lift Rockshaft Includes Mechanical Lift Arm Linkage	
	BASE MACHINE	
	F.O.B. Grovetown, Georgia	
025BLV	1023E Sub-Compact Utility Tractor (15 PTO hp)	\$13,835.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options DESTINATION	
	North America	
0202	United States	In Base Price
	OPERATOR'S MANUAL	
0409	English Operator's Manual	In Base Price
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
	OPERATOR'S STATION AND CONTROLS	
	Basic Factory Options OPERATOR'S STATION	
2000	Open Operator Station	In Base Price



Code	Description	List price(USD)
	2 Post Folding Rops (Meets OECD code 7 standard) Yellow deluxe seat with mechanical suspension. Rear Fenders with Handrails Front Work Lights mounted on Rear Fenders ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	
BXX10277	All Bundles are not compatible with cab tractors License Plate Kit For 1023E, 1025R and 2025R MY20 models. Please see below for SN break information specific to 1 Family tractors, 2025R need only use MY20 for compatibility 1023E - 1LV1023EPLL137988 and after 1025R - 1LV1025RVLL806024 and after	\$74.80
	Not compatible with Mauser Cab	
BXX10591	Shadepro Fan Kit	\$632.50
BLV11042	Illuminated Rear License Plate Kit	\$74.80
BXX10589	ShadePro Designed Canopy	\$577.50
	HITCHES AND DRAWBARS  Basic Factory Options  THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1 Includes one set of bushings	\$334.00
4061	Less iMatch™ Quick Hitch Category 1  ATTACHMENTS FOR FIELD CONVERSION  THREE-POINT HITCH	In Base Price
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.	\$107.80
LVU12858	iMatch™ Quick Hitch Bushings	\$29.18



Code	Description	List price(USD)
	Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3 in).	
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97 in).	\$27.30
LP19969	iMatch™ Bushing Kit  Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$39.99
LP25004	iMatch™ Bushing Kit Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.  WHEELS AND TIRES	\$29.70
	Basic Factory Options REAR WHEELS AND TIRES	
5206	26x12-12 (4PR, R3, 1 Position) Requires Front Tire 6206	(\$53.00)
5207	26x12-12 (4PR, R4 Industial, 1 Position Requires Front Tire 6207	In Base Price
5208	26x12-12 (4PR, R3 Turf, 1 Position) Radial Ply Requires Front Tire option 6208	\$136.00
	FRONT WHEELS AND TIRES	
6206	18x8.50-10 (4PR, R3 Turf, 1 Position)  Requires Front Tire 5206	(\$37.00)



Code	Description	List price(USD)
6207	18x8.50-10 (4PR, R4 Industrial, 1 Position) Requires Rear Tire 5207	In Base Price
6208	18x8.50-10 (4PR, R3 Turf, 1 Position) Radial Ply Requires Rear Tire option 5208	\$87.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
BLV10858	26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels and Tires	\$515.90
BLV10856	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels and Tires	\$584.10
TY15958	Tire chains (pair) for 26x12-12 tires  Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$170.64
BXX10270	26x12 R12 (R3 Turf, 1 Position) Radial Ply FRONT WHEELS AND TIRES	\$515.90
BLV10859	18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels and Tires	\$375.10
BLV10857	18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels and Tires	\$423.50
BXX10271	18x8.50-10 (4PR, R3 Turf, 1 Position) Radial Ply	\$375.10
ı	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket Pricing includes 120R Loader and loader installation charge with the following options:	\$4,788.00
	53 In. (1350mm) Quick Change Materials Bucket Non-Self Leveling Loader Boom Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Deluxe Hood Guard Mechanical Bucket Level Indicator Oil Line Cover	
	Three-Point Hitch Ballast is Required for Stability. Please Review	



Code	Description	List price(USD)
	the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting. For 120R Mechanical Self Leveling loaders, please order 1471P separately	
1795	Less Loader	In Base Price
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Requires Lighting Kit Harness (LVB26026).	\$73.70
	Not compatible with Forward Lighting Kit (LVB25546) and Mauser Cab.	
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards.	\$92.40
	Requires Warning Light Brush Guard Kit (BLV10400).	
	Not compatible with Mauser Cab	
BLV10497	LED Work Light Kit Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.	\$347.60
	Requires Warning Light Brush Guard Kit (BLV10400) and Lighting Kit Harness (LVB26026).	
	Not compatible with Mauser Cab	
BLV10400	ROPS Lights Brush Guard Kit	\$92.40
LVB25546	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400) and Light Kit Harness (LVB26026)	\$124.30
	Not Compatible with Rear Work Light Kit (LVB25547) and Mauser Cab	
LVB26026	Rear Work Light Harness Kit	\$26.40



Code	Description	List price(USD)
	Required to use with the following kits: Forward Lighting Kit LVB25546 Rear Work Light LVB25547 LED Work Light Kit BLV10497	
	Not Compatible with Mauser Cab	
	ELECTRICITY	
BXX10391	Junction Block	\$72.60
	ALTERNATOR	
BLV11188	55 Amp Alternator	\$372.90
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION REAR WHEEL WEIGHTS	
BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	\$144.46
BM17977	Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	\$24.61
BM17976	50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	\$74.90
UC13499	70-lb (32-kg) Starter Wheel Weight (1), cast iron, rear 12-in. wheel	\$184.04
BM18089	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight on 26x12-12 Tire	\$24.61
BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire FRONT WEIGHTS	\$35.31
UC13263	Quik-Tatch Weight, 42 lb (19 kg)	\$60.99
BLV10623	Front Weight Bracket Extension Kit Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263). For 1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R and 2032R tractors	\$236.50
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10



Code	Description	List price(USD)
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
LP95233	Large Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.99
AL212683	Mounting Parts - Display Mount RAM	\$153.40
PF80460	Mount - RAM U-Bolt	\$72.21
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
LP63768	Magnetic hitch pin	\$18.99
LP95637	Tractor Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.	\$159.99
LP64809	Canopy Kit - Rigid Plastic For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$463.95
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then	\$139.00



Code	Description	List price(USD)
	"Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.  MAINTENANCE	
TA15270	Filter Pak Includes oil filter, air filter, fuel filter and hydraulic filter	\$65.60
	POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver  At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.  At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	\$205.70
	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit 110 Volt Engine Coolant Heater Requires MIA881629 Engine Block Heater Adapter (1023E Model Only).	\$66.00
MIA881629	Engine Block Heater Adapter Only available on Open Operators Station tractors	\$124.81
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
AM108146	Spark Arrester Screen for Muffler	\$42.79



Code	Description	List price(USD)
	HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	
BLV11143	3rd Function Selective Control Valve Provides additional set of mid mount hydraulic couplers	\$790.90
	To operate as a loader function, loader hose kit and 3rd function implement is required To operate as a mower lift function, additional hoses and hardware required See Hydraulic Ordering Guide to ensure proper ordering to support desired configuration and compatibility	
	Not compatible with BLV10688 (Independent mower lift system) and LVB25956 (Power Beyond Kit)	
BLV11217	Rear Selective Control Valve Kit  Provides one set hydraulic couplers at the rear of the tractor	\$735.90
	See Hydraulic Ordering Guide to ensure proper ordering to support desired configuration and compatibility	
	Not compatible with Power Beyond Kit (BLV11216), Rear Tubing Kit (BLV10948) or cab	
BXX10268	Third Function Hydraulic Hose Kit Attachment is used with the tractor bundle BLV11143 (EH Third Selective Control Valve) for 1E and 1R tractors equipped with a 120R Non-Self Leveling loader	\$270.60
BXX10283	Single-Point Hydraulic Connector  Allows for connection and removal of dual mid loader connections  lines simultaneously with one lever	\$690.80
BXX10370	3rd Function Hydraulic Lines This bundle, in usage with the tractor 3rd function kit (BLV11143), will allow for the use of implements such as 4-in-1 buckets, grapples,, etc. These go on the front of the loader and need hydraulic flow to operate 3rd function hydraulic lines and couplers for 120R Mechanical Self- Leveling Loaders on 1E and 1R tractors	\$278.30



Code	Description	List price(USD)
BLV10948	Rear Tubing Kit Routes Dual Mid SCVs to Rear of Tractor.	\$352.00
	Not compatible with Power Beyond Kit (BLV11216) or Rear Selective Control Valve Kit (BLV11217)	
	See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed Routes Dual Mid SCVs to rear of tractor.	
	See Hydraulic Ordering Guide to ensure proper ordering to support desired configuration and compatibility	
	Not compatible with Power Beyond Kit (BLV11216) or Rear Selective Control Valve Kit (BLV11217)	
LVB25956	Power Beyond Kit For use on 1023E and 1025R Tractors built before July 14th, 2017. Includes rear mounted hydraulic couplers and hose	\$201.30
	Not Compatible with Rear Tubing Kit, Rear Selective Control Valve Kit, 3rd Function Selective Control Valve Kit or cab" Before 2017	
BLV11216	Power Beyond Kit (OOS only) For use on 1023E and 1025R Tractors built after July 14th, 2017 Includes rear mounted hydraulic couplers and oil lines	\$243.10
	See Hydraulic Ordering Guide to ensure proper ordering to support desired configuration and compatibility	
	Not Compatible with Rear Tubing Kit (BLV10948), Rear Selective Control Valve Kit (BLV11217) or cab	



Code	Description	List price(USD)
	1025R Sub-Compact Utility Tractor (18 PTO hp)	
	ENGINE:	
	Yanmar 3 Cylinder Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified	
	Engine HP 24.2 (17.8 kW), PS	
	PTO HP 18.0 (13.4 kW)	
	Rated Speed 3200 RPM	
	Indirect Fuel Injection	
	Auto Bleed Fuel System	
	Glow Plug Cold Starting Aid	
	Anti-Freeze	
	Dry Type Air Cleaner With Safety Element	
	Fully Enclosed Engine and Muffler With Horizontal Exhaust	
	5.6 Gallon Fuel Tank Capacity (21.2 L) Hand Throttle	
	Key Engine Shut Off	
	TRANSMISSION:	
	Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle 2-Pedal Foot Operated Speed and Direction Control	
	Differential Lock	
	Cruise Control	
	FRONT/REAR AXLE:	
	Flanged Rear Axle	
	Spur Gear Final Drive	
	4WD	
	STEERING AND BRAKES:	
	Hydrostatic Power Steering	
	Tilt Steering	
	Wheel Brakes	
	Park Brake	
	Wet Disk Brakes	
	HYDRAULICS:	
	Open Center Hydraulic System	
	Hydraulic Pump - Total Flow	
	6.3 GPM (24 L/min) with Filter	



Code	Description	List price(USD)
	Working Pressure (2000 PSI) Dual Mid SCV Standard	
	PTO: Mid PTO Standard Equipment Independent Mid and Rear PTO 540-RPM Rear PTO Hydraulic PTO Clutch PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO Flip Up PTO Shield	
	ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE: Rockshaft Limited Category 1, 3-Pt. Position Control Hitch Rate of Drop/Stop Valve Hitch Plate	
	INSTRUMENTATION: Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Light Alternator Indicator Light Flashing Warning Light Indicator	
	ELECTRICAL: 12-Volt Electrical System Wet Battery With 500 Cold Cranking Amps 40 Amp Alternator Key Ignition Starter With Neutral Start Switch	
	LIGHTS: Two Front Halogen Head Lights Two Flashing Warning Lights Two Fender Lights	
	OPERATOR PROTECTIVE STRUCTURE:	



Code	Description	List price(USD)
	Folding ROPS (Roll-Over Protective Structure)	
	** Meets SAE J2194 and OSHA 1928 ROPS Certification Standards	
	Deluxe Cushion Seat With Seat Belt	
	Operator Presence System	
	MISCELLANEOUS:	
	SMV Emblem	
	Front Weight Bracket Tilt-Up Hood	
	Cupholder - Left Console	
	Mower Deck Height Adjustment	
	Tool Box	
	12V Outlet Floor Mat	
	i iooi iviat	
	BASE MACHINE (4WD):	
	Engage on the go 4WD	
	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels & Tires 18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels & Tires	
	Tier IV EPA Emissions	
	Certified Engine HP 24.2 (17.8 kW), PS	
	PTO HP 18.0 (13.4 kW)	
	Rated Speed 3200 RPM	
	MID-MOWER LIFT SYSTEM:	
	Mid-Mower Mechanical Lift Ready	
	Includes Mid-Mower Lift Rockshaft Includes Mechanical Lift Arm Linkage	
	BASE MACHINE	
	F.O.B. Grovetown, Georgia	
028BLV	1025R Sub-Compact Utility Tractor (18 PTO hp)	\$15,970.00
	DESTINATION AND LANGUAGE Pasis Factory Options	
	Basic Factory Options DESTINATION	
	North America	
0202	United States	In Base Price



Code	Description	List price(USD)
	OPERATOR'S MANUAL	
0409	English Operator's Manual	In Base Price
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
	OPERATOR'S STATION AND CONTROLS	
	Basic Factory Options OPERATOR'S STATION	
2000	Open Operator Station 2 Post Folding Rops (Meets OECD code 7 standard) Yellow deluxe seat with mechanical suspension. Rear Fenders with Handrails Front Work Lights mounted on Rear Fenders	In Base Price
2053	Cab - Heat Only Includes front work lights, front wiper with washer system, two exterior mirrors and 55 amp alternator	\$7,170.00
	Factory installed cab comes equipped with loader frames. If a loader is not needed, frames can be removed.  Not compatible with backhoe	
	ATTACHMENTS FOR FIELD CONVERSION CAB OPERATOR'S STATION	
BXE10606	Cell Phone Suction Cup Kit	\$68.20
BXE10607	X-Grip Tablet Dual Suction Cup Kit for Tablets	\$196.90
BLV11246	Illuminated License Plate Kit	\$88.00
BLV11241	Rear Wiper Kit Includes wiper motor, arm, blade, illuminated rocker switch, fuse and wiring.	\$371.80
LVB26198	Cab Radio Installation Kit Includes radio console for mounting, 2x speakers, 1x antenna, wiring for radio (DIN), wiring for speakers.	\$260.70
	OPEN OPERATOR'S STATION  All Bundles are not compatible with cab tractors	
BXX10277	License Plate Kit For 1023E, 1025R and 2025R MY20 models. Please see below for SN break information specific to 1 Family tractors, 2025R need only use MY20 for compatibility	\$74.80



Code	Description	List price(USD)
	1023E - 1LV1023EPLL137988 and after 1025R - 1LV1025RVLL806024 and after	
	Not compatible with Mauser Cab	
BXX10591	Shadepro Fan Kit	\$632.50
BLV11042	Illuminated Rear License Plate Kit For 1023E, 1025R and 2025R models through MY19. Please see below for SN break information specific to 1 Family tractors, 2025R need only use MY19 for compatibility 1023E - 1LV1023EPLL137987 and prior 1025R - 1LV1025RVLL806023 and prior	\$74.80
	Not compatible with Mauser Cab	
BXX10589	ShadePro Designed Canopy	\$577.50
	RADIO	
SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready	\$281.51
SWSXV200B	Sirius/XM Tuner	\$99.00
SWJHD1635BT	Heavy-Duty AM/FM, Weatherband, Auxiliary Input, SiriusXM Satellite, Bluetooth Radio	\$351.87
	HITCHES AND DRAWBARS Basic Factory Options THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1 Includes one set of bushings Not available with factory installed Tractor/Loader/Backhoe	\$334.00
4061	Less iMatch™ Quick Hitch Category 1	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION THREE-POINT HITCH	
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts	\$107.80



Code	Description	List price(USD)
	your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.	
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97 in).	\$27.30
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3 in).	\$29.18
LP19969	iMatch™ Bushing Kit Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$39.99
LP25004	iMatch™ Bushing Kit Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.70
	WHEELS AND TIRES Basic Factory Options	
5206	REAR WHEELS AND TIRES 26x12-12 (4PR, R3, 1 Position)	(\$53.00)
5207	Requires Front Tire 6206 26x12-12 (4PR, R4 Industial, 1 Position Requires Front Tire 6207	In Base Price
5208	26x12-12 (4PR, R3 Turf, 1 Position) Radial Ply Requires Front Tire option 6208	\$136.00



Code	Description	List price(USD)
	FRONT WHEELS AND TIRES	
6206	18x8.50-10 (4PR, R3 Turf, 1 Position) Requires Front Tire 5206	(\$37.00)
6207	18x8.50-10 (4PR, R4 Industrial, 1 Position) Requires Rear Tire 5207	In Base Price
6208	18x8.50-10 (4PR, R3 Turf, 1 Position) Radial Ply Requires Rear Tire option 5208	\$87.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
BLV10858	26x12-12 (4PR, R3 Turf, 1 Position) Rear Wheels and Tires	\$515.90
BLV10856	26x12-12 (4PR, R4 Industrial, 1 Position) Rear Wheels and Tires	\$584.10
TY15958	Tire chains (pair) for 26x12-12 tires  Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$170.64
BXX10270	26x12 R12 (R3 Turf, 1 Position) Radial Ply FRONT WHEELS AND TIRES	\$515.90
BLV10859	18x8.50-10 (4PR, R3 Turf, 1 Position) Front Wheels and Tires	\$375.10
BLV10857	18x8.50-10 (4PR, R4 Industrial, 1 Position) Front Wheels and Tires	\$423.50
BXX10271	18x8.50-10 (4PR, R3 Turf, 1 Position) Radial Ply	\$375.10
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket Pricing includes 120R Loader and loader installation charge with the following options:	\$4,788.00
	53 In. (1350mm) Quick Change Materials Bucket Non-Self Leveling Loader Boom Outek Change Attachment Corrier	
	Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame	
	Deluxe Hood Guard Mechanical Bucket Level Indicator	



Code	Description	List price(USD)
	Oil Line Cover	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting. For 120R Mechanical Self Leveling loaders, please order 1471P	
	separately	
1795	Less Loader	In Base Price
	BACKHOES	
3701	260B Factory Installed Backhoe with Bucket Requires Factory Installed Loader Option (1701 or 1750)	\$7,662.00
	Pricing includes backhoe and installation with the following options:	
	6 ft. 2 In. (1.89 m) Digging Depth One Double Acting Swing Cylinder 150 Degree Swing Angle Two Lever Control Six Spool Control Valve 12 In. Bucket Transport Locking Pins Hydraulic Stabilizers Subframe Mounting and Power Beyond Hydraulics	
	Note: Three-point hitch WILL be included and arrive with the tractor in a box attached to the backhoe.  Not available with factory installed iMatch	
3749	Less Backhoe	In Base Price
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Includes Required Wiring Harness	\$73.70
	Not Compatible with Forward Lighting Kit (LVB25546) and Mauser Cab.	



Code	Description	List price(USD)
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards.	\$92.40
	Requires Warning Light Brush Guard Kit (BLV10400).	
	Not compatible with Mauser Cab	
BLV10497	LED Work Light Kit Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.	\$347.60
	Requires Warning Light Brush Guard Kit (BLV10400).	
	Not compatible with Mauser Cab	
BLV10400	ROPS Lights Brush Guard Kit  Not compatible with Mauser Cab	\$92.40
BXX10310	Rotating Beacon Light Includes: Orange rotating beacon light Mounting bracket and hardware Illuminated rocker switch and wiring	\$205.70
	Cab Only	
BLV11244	Rear Work Light Kit Includes Halogen work light, mounting bracket and hardware, illuminated rocker switch and wiring.	\$191.40
	Cab Only Includes Halogen work light, mounting bracket and hardware, illuminated rocker switch and wiring.	
	Cab Only	
LVB25546	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400)	\$124.30
	Not Compatible with Rear Work Light Kit (LVB25547) and Mauser Cab	
BLV10673	Premium LED Work Light Kit	\$470.80



Code	Description	List price(USD)
	Includes 2 Fender mounted (Near Beam) LED Lights, 1 Rear mounted (Near Beam LED Light for PTO and Hitch Illumination and 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation.	
	Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection.	
	Not compatible with Mauser Cab	
	ELECTRICITY	
BXX10391	Junction Block	\$72.60
	ALTERNATOR	
BLV11188	55 Amp Alternator Recommended for use with drop-on cab (LP68087)	\$372.90
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION REAR WHEEL WEIGHTS	
BM17972	50-lb (23-kg) Wheel Weight (1), cast iron, 12-in. rear wheel	\$144.46
BM17977	Mounting hardware (1) for attaching two 50-lb (23-kg) Weights on 23-in., 24-in., or 26-in. Tire	\$24.61
BM17976	50-lb (23-kg) Wheel Weight (1), plastic, rear 12-in. wheel, with mounting hardware	\$74.90
UC13499	70-lb (32-kg) Starter Wheel Weight (1), cast iron, rear 12-in. wheel	\$184.04
BM18089	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight on 26x12-12 Tire	\$24.61
BM18101	Mounting hardware (1) for attaching 70-lb (32-kg) Starter Weight and (2) 50-lb (23-kg) Cast-Iron Weights on 26-in. Tire FRONT WEIGHTS	\$35.31
UC13263	Quik-Tatch Weight, 42 lb (19 kg)	\$60.99
BLV10623	Front Weight Bracket Extension Kit Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263).	\$236.50



Code	Description	List price(USD)
	For 1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R and 2032R tractors	
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
PF80460	Mount - RAM U-Bolt	\$72.21
AL212683	Mounting Parts - Display Mount RAM	\$153.40
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
LP63768	Magnetic hitch pin	\$18.99
LP68694	Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1025R and 2025R MY18 and newer tractors.	\$34.95
LP95637	Tractor Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.	\$159.99
LP64809	Canopy Kit - Rigid Plastic For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home	\$463.95



Code	Description	List price(USD)
LP25001	Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.  3-Point Hitch Tractor Receiver Hitch	\$139.00
	For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	
	MAINTENANCE	
TA15270	Filter Pak Includes oil filter, air filter, fuel filter and hydraulic filter	\$65.60
	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit 110 Volt Engine Coolant Heater Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).	\$66.00
AM134805	Engine Block Heater Adapter	\$137.27
	POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver  At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.  At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what	\$205.70



Code	Description	List price(USD)
	Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	
	HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	
BLV11143	3rd Function Selective Control Valve Provides additional set of mid mount hydraulic couplers	\$790.90
	To operate as a loader function, loader hose kit and 3rd function implement is required To operate as a mower lift function, additional hoses and hardware required See Hydraulic Ordering Guide to ensure proper ordering to support desired configuration and compatibility	
	Not compatible with BLV10688 (Independent mower lift system) and LVB25956 (Power Beyond Kit)	
BLV11217	Rear Selective Control Valve Kit  Provides one set hydraulic couplers at the rear of the tractor	\$735.90
	See Hydraulic Ordering Guide to ensure proper ordering to support desired configuration and compatibility	
	Not compatible with Power Beyond Kit (BLV11216), Rear Tubing Kit (BLV10948) or cab	
BXX10268	Third Function Hydraulic Hose Kit Attachment is used with the tractor bundle BLV11143 (EH Third Selective Control Valve) for 1E and 1R tractors equipped with a 120R Non-Self Leveling loader	\$270.60
BXX10283	Single-Point Hydraulic Connector  Allows for connection and removal of dual mid loader connections  lines simultaneously with one lever	\$690.80
BXX10370	3rd Function Hydraulic Lines This bundle, in usage with the tractor 3rd function kit (BLV11143), will allow for the use of implements such as 4-in-1 buckets, grapples,, etc. These go on the front of the loader and need hydraulic flow to operate	\$278.30



Code	Description	List price(USD)
	3rd function hydraulic lines and couplers for 120R Mechanical Self- Leveling Loaders on 1E and 1R tractors	
BLV10948	Rear Tubing Kit Routes Dual Mid SCVs to Rear of Tractor.	\$352.00
	Not compatible with Power Beyond Kit (BLV11216) or Rear Selective Control Valve Kit (BLV11217)	
	See compatibility matrix and Ordering Guide in Value Selling Navigator for reference and additional parts that might be needed Routes Dual Mid SCVs to rear of tractor.	
	See Hydraulic Ordering Guide to ensure proper ordering to support desired configuration and compatibility	
	Not compatible with Power Beyond Kit (BLV11216) or Rear Selective Control Valve Kit (BLV11217)	
LVB25956	Power Beyond Kit For use on 1023E and 1025R Tractors built before July 14th, 2017. Includes rear mounted hydraulic couplers and hose	\$201.30
	Not Compatible with Rear Tubing Kit, Rear Selective Control Valve Kit, 3rd Function Selective Control Valve Kit or cab" Before 2017	
BLV11216	Power Beyond Kit (OOS only) For use on 1023E and 1025R Tractors built after July 14th, 2017 Includes rear mounted hydraulic couplers and oil lines	\$243.10
	See Hydraulic Ordering Guide to ensure proper ordering to support desired configuration and compatibility	
	Not Compatible with Rear Tubing Kit (BLV10948), Rear Selective Control Valve Kit (BLV11217) or cab	
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
LVA15392	Spark Arrester Screen for Muffler	\$63.32



## 4052M Heavy Duty Compact Utility Tractor (40 PTO hp)

Code	Description	List price(USD)
	4052M Heavy Duty Compact Utility Tractor (40 PTO hp)	
	ENGINE:	
	Yanmar 4 Cylinder	
	Turbocharged Diesel Engine	
	Tier IV EPA Emmissions Certified	
	Engine HP 51.5 (37.9 kW)**	
	PTO HP 39.9 (29.7 kW) HST	
	**Engine HP (kW), Gross SAE J1995: 51.5 (37.9) @ 2600 rpm, PS Displacement, L: 2.2	
	Displacement, L. 2.2	
	TRANSMISSION:	
	HST Transmission	
	3 Range	
	Differential Lock 4-Wheel Drive	
	Cruise Control	
	LoadMatch ™	
	MotionMatch ™	
	SpeedMatch ™ eThrottle ™	
	emiotile ···	
	HYDRAULICS:	
	Dual Mid Selective Control	
	Valve with Joystick Control Lever, Float, Regenerative Function,	
	and Regenerative Lockout Single Rear Selective Control Valve	
	Single Real Selective Control Valve	
	INSTRUMENTATION:	
	Performance Tracking System	
	Diagnostic Control Panel	
	Hour Meter	
	ELECTRICAL:	
	12-Volt Electrical System	
	75 Amp Alternator	
	Key Ignition Starter with Accessory and Pre-Heat Position Wet Battery with 770 Cold Cranking Amps	
	wet battery with 770 cold chanking Amps	



## 4052M Heavy Duty Compact Utility Tractor (40 PTO hp)

Code	Description	List price(USD)
	OPERATOR PROTECTIVE STRUCTURE: Deluxe Adjustable Vinyl Seat with Arm Rests and Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) Meets SAE J2194 and OSHA 1928 ROPS Certification Standards for North America Isolated Foot Rest Center Console Tool Storage Operator Presence with Safety Interlock	
	LIGHTS: Two Front Halogen Head Lights Two Front Flashing Warning Lights Two Fender LED Work Lights One Rear LED Work Light Two Rearward Flashing Warning Lights Brake Indicator Lights **Turn Signal Indication per Current ASABE Lighting Standard	
	HITCH: Telescoping Draft Links with Sway Bar Aux. 3 Point Hitch Control	
	HOOD GUARD: Heavy Duty Hood Guard with Front Weight Support	
	BASE MACHINE (4WD): 16.9-24 (8PR, R4 Industrial, 2 Position) Rear Wheels & Tires 31.5x13-16.5 (10PR, R4 Industrial, 2 Position) Front Wheels & Tires	
	BASE MACHINE	
035ALV	F.O.B. Grovetown, Georgia 4052M Heavy Duty Compact Utility Tractor (40 PTO hp)  DESTINATION AND LANGUAGE  Basic Factory Options	\$48,637.00
0202	DESTINATION  North America United States	In Base Price



## 4052M Heavy Duty Compact Utility Tractor (40 PTO hp)

Code	Description	List price(USD)
	OPERATOR'S MANUAL	
0409	English Operator's Manual and Decal Kit	In Base Price
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
	TRANSMISSION Basic Factory Options TRANSMISSION	
1520	eHydro™ Includes premium eHydro features (SpeedMatch™, LoadMatch™, MotionMatch™, and eThrottle™).	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION	
BLV10641	Transmission Oil Heater	\$88.00
	OPERATOR'S STATION AND CONTROLS Basic Factory Options OPERATOR'S STATION	
2000	Open Station with Standard Seat ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	In Base Price
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
BXX10590	ShadePro Designed Canopy	\$660.00
	AXLE AND BRAKES Basic Factory Options REAR AXLE	
5090	Less Wheel Spacer	In Base Price
	HITCHES AND DRAWBARS Basic Factory Options THREE-POINT HITCH	
4061	Less iMatch™ Quick Hitch Category 1  ATTACHMENTS FOR FIELD CONVERSION	In Base Price



Code	Description	List price(USD)
	THREE-POINT HITCH	
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507)</i> .	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit	\$107.80
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).	\$27.30
TY27545	Quik-Coupler, Economy, Category 2 FRONT HITCH	\$597.90
BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube Requires Front Three-Point Hitch BLV10989.	\$811.80
BLV10989	Front Three-Point Hitch Lift Arms and Torsion Tube ordered separately, BLV10088.	\$1,870.00
BLV10091	Heavy-Duty Push Bar Requires Front Three-Point Hitch BLV10989.	\$490.60
	HYDRAULICS Basic Factory Options MID SELECTIVE CONTROL VALVES	
3420	Dual Mid Selective Control Valve (SCV)	In Base Price
3431	Dual Mid Selective Control Valve with EH 3rd SCV REAR SELECTIVE CONTROL VALVES	\$1,307.00
3310	Single Rear Selective Control Valve (SCV)  ATTACHMENTS FOR FIELD CONVERSION  HYDRAULICS	In Base Price
BLV10990	Aux. Hydraulic Coupler Kit 1 Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.	\$251.90
	WHEELS AND TIRES Basic Factory Options REAR WHEELS AND TIRES	



Code	Description	List price(USD)
	All tires offered are of bias ply construction.	
5244	16.9-24 (8PR, R4 Industrial, 2 Position)	In Base Price
5246	19.5L-24 (8PR, R4 Industrial, 2 Postition)	\$2,017.00
	FRONT WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
6244	31.5x13-16.5 (10PR, R4 Industrial, 2 Position)  ATTACHMENTS FOR FIELD CONVERSION  WHEEL TREAD WIDTH	In Base Price
BLV10029	Wheel Spacer Set, 140 mm (each side)	\$621.50
	LOADERS AND BACKHOES	
	Basic Factory Options LOADERS	
1711	Factory Installed Loader with Bucket Pricing includes 440R Non-Self Leveling Loader installation charge with the following options:	In Base Price
	73in. (1850mm) Heavy Duty Skid Steer Bucket with Loops Skid Steer Carrier	
	Mounting Frame	
	Two Function Single Lever Control Hydraulic Hoses to Tractor Mid Valve	
	Hood Guard with Front Weight Support	
	Three-Point Hitch Ballast is required for stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for proper ballasting	
1750	Factory Installed Loader less Bucket	(\$1,463.00)
	Pricing includes 440R Non Self Leveling Loader and loader installation charge with the following options:	
	Skid Steer Carrier	
	Mounting Frame Two Function Single Lever Control	
	Hood Guard	
	Hydraulic Hoses to Tractor Mid Valve	
	Hood Guard with Front Weight Support	



Code	Description	List price(USD)
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting	
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION REAR WHEEL WEIGHTS	
BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg) Order BM19940 qty per ADDITIONAL T19293 wheel weight. Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1	\$23.10
T19293	Weight, Rear Wheel 106 lb (48 kg)  Starter and additional rear wheel weight for 13.6-28 6PR R1,  420/85D24 R4, 380/70R28 R1, 360/80R28 R1 tires	\$165.00
BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)  Order BM19939 attaching hardware for starter wheel weight T19239.  Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1	\$40.70
	BALLAST	
BW15852	Large ballast box	\$1,347.50
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box FRONT WEIGHTS	\$320.10
R51680	Weight, Front Suitcase (100 Lb.) Quantity of One If installing 2 weights, also order 19H1926 (2), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2). If installing 4 - 6 weights, also order 08H4744 (2), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2). If installing 8 weights, also order 08H4744 (1), 08H4225 (1), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2). If installing 10 weights, also order 08H4744 (3), L169060 (1), L12491 (1), AR68801 (3) and 12M7044 (3).	\$149.60
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION	



Code	Description	List price(USD)
	ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
AL212683	Mounting Parts - Display Mount RAM	\$153.40
PF80460	Mount - RAM U-Bolt	\$72.21
BLV10359	Horn Kit	\$68.20
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.  MAINTENANCE	\$139.00
LVA21039	Filter Pak	\$177.52
LVA21039	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	\$177.52
BLV10640	Engine Coolant Heater Kit	\$66.00
	POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	\$205.70
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION	



Code	Description	List price(USD)
	EXHAUST	
BLV10609	Vertical Exhaust Kit If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts.  AG MANAGEMENT SOLUTIONS (AMS)	\$766.70
	ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00



Code	Description	List price(USD)
	4066M Heavy Duty Compact Utility Tractor (52 PTO hp)	
	ENGINE: Yanmar	
	4 Cylinder Intercooled Turbocharged Diesel Engine	
	Tier IV EPA Emissions Certified	
	Engine HP 65.9 (48.5 kW)**	
	PTO HP 52 (38.8 kW) HST	
	**Engine HP (kW), Gross SAE J1995: 65.9 (48.5) @ 2600 rpm, PS	
	Displacement, L: 2.2	
	TRANSMISSION:	
	HST Transmission	
	3 Range	
	Differential Lock 4-Wheel Drive	
	Cruise Control	
	LoadMatch™	
	MotionMatc™	
	SpeedMatch™	
	eThrottle™	
	HYDRAULICS:	
	Dual Mid Selective Control	
	Valve with Joystick Control Lever, Float, Regenerative Function,	
	and Regenerative Lockout	
	Single Rear Selective Control Valve	
	INSTRUMENTATION:	
	Performance Tracking System	
	Diagnostic Control Panel	
	Hour Meter	
	ELECTRICAL:	
	12-Volt Electrical System	
	75 Amp Alternator	
	Key Ignition Starter with Accessory and Pre-Heat Position	
	Wet Battery with 770 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE:	



Code	Description	List price(USD)
	Deluxe Adjustable Vinyl Seat with Arm Rests and Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) Meets SAE J2194 and OSHA 1928 ROPS Certification Standards for North America Isolated Foot Rest Center Console Tool Storage Operator Presence with Safety Interlock	
	LIGHTS: Two Front Halogen Head Lights Two Front Flashing Warning Lights Two Fender LED Work Lights One Rear LED Work Light Two Rearward Flashing Warning Lights Brake Indicator Lights **Turn Signal Indication per Current ASABE Lighting Standard	
	HITCH: Telescoping Draft Links with Sway Bar Aux. 3 Point Hitch Control	
	HOOD GUARD: Heavy Duty Hood Guard with Front Weight Support	
	BASE MACHINE (4WD): 16.9-24 (8PR, R4 Industrial, 2 Position) Rear Wheels & Tires 31.5x13-16.5 (10PR, R4 Industrial, 2 Position) Front Wheels & Tires	
	BASE MACHINE	
037ALV	F.O.B. Grovetown, Georgia 4066M Heavy Duty Compact Utility Tractor (52 PTO hp)	\$54,953.00
UUIALV	DESTINATION AND LANGUAGE	Ψ34,733.00
	Basic Factory Options DESTINATION	
	North America	
0202	United States OPERATOR'S MANUAL	In Base Price



Code	Description	List price(USD)
0409	English Operator's Manual and Decal Kit	In Base Price
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
	TRANSMISSION Basic Factory Options TRANSMISSION	
1520	eHydro™ Includes premium eHydro features (SpeedMatch™, LoadMatch™, MotionMatch™, and eThrottle™).	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION	
BLV10641	Transmission Oil Heater	\$88.00
	OPERATOR'S STATION AND CONTROLS Basic Factory Options OPERATOR'S STATION	
2000	Open Station with Standard Seat ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	In Base Price
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
BXX10590	ShadePro Designed Canopy	\$660.00
	AXLE AND BRAKES Basic Factory Options REAR AXLE	
5090	Less Wheel Spacer	In Base Price
	HITCHES AND DRAWBARS Basic Factory Options THREE-POINT HITCH	
4061	Less iMatch™ Quick Hitch Category 1  ATTACHMENTS FOR FIELD CONVERSION  THREE-POINT HITCH	In Base Price



Code	Description	List price(USD)
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings (LVU15507).	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit	\$107.80
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).	\$27.30
TY27545	Quik-Coupler, Economy, Category 2	\$597.90
	FRONT HITCH	
BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube Requires Front Three-Point Hitch BLV10989.	\$811.80
BLV10989	Front Three-Point Hitch  Lift Arms and Torsion Tube ordered separately, BLV10088.	\$1,870.00
BLV10091	Heavy-Duty Push Bar Requires Front Three-Point Hitch BLV10989.	\$490.60
	HYDRAULICS Basic Factory Options MID SELECTIVE CONTROL VALVES	
3420	Dual Mid Selective Control Valve (SCV)	In Base Price
3431	Dual Mid Selective Control Valve with EH 3rd SCV  REAR SELECTIVE CONTROL VALVES	\$1,307.00
3310	Single Rear Selective Control Valve (SCV)  ATTACHMENTS FOR FIELD CONVERSION	In Base Price
	HYDRAULICS	
BLV10990	Aux. Hydraulic Coupler Kit 1 Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.	\$251.90
	WHEELS AND TIRES Basic Factory Options	
	REAR WHEELS AND TIRES	
	All tires offered are of bias ply construction.	



Code	Description	List price(USD)
5244	16.9-24 (8PR, R4 Industrial, 2 Position)	In Base Price
5246	19.5L-24 (8PR, R4 Industrial, 2 Postition)	\$2,017.00
	FRONT WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
6244	31.5x13-16.5 (10PR, R4 Industrial, 2 Position)	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION WHEEL TREAD WIDTH	
BLV10029	Wheel Spacer Set, 140 mm (each side)	\$621.50
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1711	Factory Installed Loader with Bucket Pricing includes 440R Non-Self Leveling Loader installation charge with the following options:	In Base Price
	73in. (1850mm) Heavy Duty Skid Steer Bucket with Loops Skid Steer Carrier Mounting Frame Two Function Single Lever Control Hydraulic Hoses to Tractor Mid Valve Hood Guard with Front Weight Support	
	Three-Point Hitch Ballast is required for stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for proper ballasting	
1750	Factory Installed Loader less Bucket Pricing includes 440R Non Self Leveling Loader and loader installation charge with the following options:	(\$1,463.00)
	Skid Steer Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Hood Guard with Front Weight Support	



Code	Description	List price(USD)
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting	
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION REAR WHEEL WEIGHTS	
BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg) Order BM19940 qty per ADDITIONAL T19293 wheel weight. Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1	\$23.10
T19293	Weight, Rear Wheel 106 lb (48 kg) Starter and additional rear wheel weight for 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1 tires	\$165.00
BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)  Order BM19939 attaching hardware for starter wheel weight T19239.  Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1	\$40.70
	BALLAST	
BW15852	Large ballast box	\$1,347.50
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	FRONT WEIGHTS	
R51680	Weight, Front Suitcase (100 Lb.) Quantity of One If installing 2 weights, also order 19H1926 (2), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2). If installing 4 - 6 weights, also order 08H4744 (2), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2). If installing 8 weights, also order 08H4744 (1), 08H4225 (1), L169060 (1), L12491 (1), AR68801 (2) and 12M7044 (2). If installing 10 weights, also order 08H4744 (3), L169060 (1), L12491 (1), AR68801 (3) and 12M7044 (3).	\$149.60
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	



Code	Description	List price(USD)
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
PF80460	Mount - RAM U-Bolt	\$72.21
AL212683	Mounting Parts - Display Mount RAM	\$153.40
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
BLV10359	Horn Kit	\$68.20
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
	MAINTENANCE	
LVA21039	Filter Pak	\$177.52
	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit	\$66.00
	POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver  At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	\$205.70
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION EXHAUST	



Code	Description	List price(USD)
BLV10609	Vertical Exhaust Kit If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts.	\$766.70
	AG MANAGEMENT SOLUTIONS (AMS) ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00



Code	Description	List price(USD)
	2025R Compact Utility Tractor (18 PTO hp)	
	ENGINE:	
	Yanmar 3 Cylinder Liquid Cooled Diesel Engine	
	Final Tier IV EPA Emissions Certified	
	Engine Power 23.9 HP (17.8 kW) 24.2 PS **	
	PTO Power 18.0 HP (13.4 kW)	
	**Manufacturer's Estimate of Power (ISO) per SAE J1995 Rated Speed 3200 RPM	
	•	
	77.3 Cu. In. Displacement (1.267 L) Indirect Fuel Injection	
	Auto Bleed Fuel System	
	Glow Plug Cold Starting Aid	
	Anti-Freeze	
	Dry Type Air Cleaner With Safety Element and Mechanical	
	Restriction Indicator	
	Fully Enclosed Engine and Muffler with Horizontal Exhaust	
	6.2 Gallon Fuel Tank Capacity (23.5 L)	
	Hand Throttle	
	Key Engine Shut Off	
	TRANSMISSION:	
	Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle	
	TwinTouch (2-Pedal) Foot Operated Speed and Direction	
	Control	
	Differential Lock	
	Cruise Control	
	FRONT/REAR AXLE:	
	Flanged Rear Axle	
	Spur Gear Final Drive	
	4WD	
	STEERING AND BRAKES:	
	Hydrostatic Power Steering	
	Tilt Steering	
	Wheel Brakes	
	Park Brake	
	Wet Disk Brakes	
	HYDRAULICS:	
	Open Center Hydraulic System	
	9.0cc Gear Pump	



Code	Description	List price(USD)
	Maximum Total Flow 7.5 GPM (28.5 LPM)	
	Working Pressure (2000 PSI)	
	Dual Mid SCV Standard	
	PTO: Independent Mid and Rear PTO	
	540-RPM Rear PTO	
	2000-RPM Mid PTO	
	Hydraulic PTO Clutch	
	Mid PTO Brake	
	Rear PTO Brake	
	Separate or Simultaneous Operation of Mid and Rear PTO	
	(Single Lever Control)	
	Flip Up Rear PTO Shield	
	ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE / DRAWBAR: Rockshaft	
	Limited Category 1, 3-Pt. Hitch	
	Position Control Hitch	
	Rate of Drop/Stop Valve	
	Hitch Plate	
	Adjustable Sway Chains	
	INSTRUMENTATION:	
	Analog Style Fuel Gauge in Left Hand Fender	
	Tachometer/Hour Meter	
	Oil Pressure Indicator Light	
	Analog Engine Coolant Temperature Gauge Coolant Over-Temperature Warning Light	
	Alternator Charge Indicator Light	
	PTO Engagement Light	
	Park Brake Light	
	Flashing Amber Warning Light	
	ELECTRICAL:	
	12-Volt Outlet	
	12-Volt Electrical System	
	Wet Battery with 500 Cold Cranking Amps	
	40 Amp Alternator  You Ignition Starter with Over Start Protection	
	Key Ignition Starter with Over-Start Protection Neutral Start Switch	
	LIGHTS:	
	Two Front Halogen Head Lights	



Code	Description	List price(USD)
	Two Forward Flashing Warning Lights	
	Two Rearward Flashing Warning Lights	
	Two Fender Lights	
	Brake Indicator Lights	
	**Turn Signal Indication per Current ASABE Lighting Standard	
	OPERATOR PROTECTIVE STRUCTURE:	
	Folding ROPS (Roll-Over-Protective Structure)  **Meets OECD 7 Standard	
	Deluxe Cushion Seat with Seat Belt	
	Isolated Foot Deck	
	Operator Presence System	
	MISCELLANEOUS:	
	SMV Emblem	
	Front Weight Bracket	
	Tilt-Up Hood with Gas-Lift Shocks	
	Cup holder	
	Integrated Storage in Right Fender (Open)	
	Mower Deck Height Adjustment	
	Tool Box	
	Floor Mat	
	High Back Mechanical Suspension Seat	
	Adjustable Armrests	
	Fuel fill location on LH fender	
	Chrome Plated Row Finder on Hood	
	Seat close out	
	Fender close outs	
	Fender grab handles - LH & RH	
	BASE MACHINE (4WD):	
	Engage on-the-go 4WD Anti-Wrapping Guard for 4WD Drive Shaft	
	12-16.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires	
	23x8.50-12 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels &	
	Tires	
	MID-MOWER LIFT SYSTEM:	
	Mid-Mower Mechanical Lift Ready	
	Includes Mid-Mower Lift Rockshaft	
	Includes Mechanical Lift Arm Linkage	
	BASE MACHINE	
	F.O.B. Grovetown, Georgia	



Code	Description	List price(USD)
151BLV	2025R Compact Utility Tractor (18 PTO hp)	\$18,608.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
024H	United States Minor Outlying Islands	No Added Cost
	North America	
0202	United States	In Base Price
	OPERATOR'S MANUAL	
0409	English Operator's Manual	In Base Price
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
	OPERATOR'S STATION AND CONTROLS	
	Basic Factory Options	
	OPERATOR'S STATION	
2000	Open Operator Station	In Base Price
2053	Cab - Heat Only	\$7,170.00
	Includes front work lights, front wiper with washer system, two exterior mirrors and 55 amp alternator	
	Factory installed cab comes equipped with loader frames. If a	
	loader is not needed, frames can be removed.	
	Not compatible with backhoe  ATTACHMENTS FOR FIELD CONVERSION	
	CAB OPERATOR'S STATION	
BXE10607	X-Grip Tablet Dual Suction Cup Kit for Tablets	\$196.90
BXE10606	Cell Phone Suction Cup Kit	\$68.20
BLV10674	Radio Installation Kit	\$171.60
DEV10071	Includes radio console for mounting, 2 speakers, 1 antenna, wiring	Ψ171.00
	for radio (DIN) and wiring for speakers.	
	Recommended radio SWJHD1130WP	
DIVAGOGO	For cab tractors only	44-0-0
BLV11242	Illuminated License Plate Kit  Not compatible with Open Station tractors, Only for Cab tractors	\$170.50
DVV10200	Not compatible with Open Station tractors. Only for Cab tractors.	¢201./0
BXX10309	Rear Wiper Kit	\$391.60



Code	Description	List price(USD)
	Includes wiper motor, arm, blade, illuminated rocker switch, fuse and wiring. For cab tractors only.  OPEN OPERATOR'S STATION	
DVV40077	All Bundles are not compatible with cab tractors	<b>\$74.00</b>
BXX10277	License Plate Kit For 1023E, 1025R and 2025R MY20 models. Please see below for SN break information specific to 1 Family tractors, 2025R need only use MY20 for compatibility 1023E - 1LV1023EPLL137988 and after 1025R - 1LV1025RVLL806024 and after	\$74.80
	Not compatible with Mauser Cab	
BXX10591	Shadepro Fan Kit	\$632.50
BLV11042	Illuminated Rear License Plate Kit	\$74.80
BXX10589	ShadePro Designed Canopy	\$577.50
	RADIO	
SWJHD1130V		\$243.10
	HITCHES AND DRAWBARS Basic Factory Options THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1 Includes one set of bushings Not available with factory installed Tractor/Loader/Backhoe	\$334.00
4061	Less iMatch™ Quick Hitch Category 1  ATTACHMENTS FOR FIELD CONVERSION  THREE-POINT HITCH	In Base Price
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.	\$107.80
LVU15507	iMatch™ Quick Hitch Bushings	\$27.30



Code	Description	List price(USD)
	Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97 in).	
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3 in).	\$29.18
LP19969	iMatch™ Bushing Kit Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$39.99
LP25004	iMatch™ Bushing Kit Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.70
BLV11099	FRONT HITCH Front Tow Hitch	\$102.30
BLV10708	Quick Hitch Kit For Model Year 2017 and newer 2025R and 2026R tractors	\$906.40
BLV10880	Hydraulic Angling For Model Year 2017 and newer 2025R and 2026R tractors	\$319.00
BLV10680	Front Quick Hitch to Tractor Interface Kit For Model Year 2017 and newer 2025R and 2026R tractors	\$324.50
	WHEELS AND TIRES Basic Factory Options REAR WHEELS AND TIRES	
5203	12-16.5 (6PR, R4 Industrial, 1 Position) Bias Ply	\$135.00



Code	Description	List price(USD)
5204	280/70 R16 (R3 Turf, 1 Position) Radial	\$265.00
5205	12-16.5 (4PR, R3 Turf, 1 Position) Bias Ply FRONT WHEELS AND TIRES	In Base Price
6203	23 X 8.50-12 (6PR, R4 Industrial, 1 Position) Bias Ply	\$48.00
6204	220/55 R12 (R3 Turf, 1 Position) Radial	\$178.00
6205	23 X 8.50-12 (4PR, R3 Turf, 1 Position) Bias Ply	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
TY15201	Tire Chains For use with 280/70-16 (R3 - Radial) rear tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$326.93
BLV10742	12x16.5 (R4 Industrial) Bias Ply Rear Wheels & Tires	\$1,145.10
BLV10740	12-16.5 (R3 Turf) Bias Ply Rear Wheels & Tires	\$973.50
BLV10744	280/70-16 (R3 Turf) Radial Rear Wheels & Tires	\$920.70
TY4451	Tire Chains Compatible with 12-16.5 R4 and R1 tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$407.00
	FRONT WHEELS AND TIRES	
BLV10741	23x8.5-12 (R3 Turf) Bias Ply Front Wheels & Tires	\$495.00
BLV10743	23x8.5-12 (R4 Industrial) Bias Ply Front Wheels & Tires	\$557.70
BLV10745	220/55 R12 (R3 Turf) Radial Front Wheels & Tires  REAR FENDERS	\$408.10
BLV10930	Rear Fender Extension Kit Note: Not compatible with backhoe on 2025R tractors FRONT FENDERS	\$94.60
BLV10945	Turnable Front Fender Kit with Quick Release Mechanism Not compatible while mid-mount mower is installed.  LOADERS AND BACKHOES	\$534.60
	Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket	\$4,788.00



Code	Description	List price(USD)
	Pricing includes 120R Loader and loader installation charge with the following options:	
	53 In. (1350mm) Quick Change Materials Bucket	
	Non-Self Leveling Loader Boom	
	Quick Change Attachment Carrier Quik-Park Loader Mounting System	
	Mounting Frame	
	Deluxe Hood Guard	
	Mechanical Bucket Level Indicator Oil Line Cover	
	Three-Point Hitch Ballast is Required for Stability. Please Review	
	the "Tractor Ballast Requirements" in the Sales Manual for Proper	
	Ballasting.	
	For 120R Mechanical Self Leveling loaders, please order 1471P separately	
1795	Less Loader	In Base Price
	BACKHOES	
3701	260B Factory Installed Backhoe with Bucket	\$7,662.00
	Requires Factory Installed Loader Option (1701 or 1750)	
	Pricing includes backhoe and installation with the following options:	
	орионз.	
	6 ft. 2 ln. (1.89 m) Digging Depth	
	One Double Acting Swing Cylinder	
	150 Degree Swing Angle Two Lever Control	
	Six Spool Control Valve	
	12 In. Bucket	
	Transport Locking Pins	
	Hydraulic Stabilizers	
	Subframe Mounting and Power Beyond Hydraulics	
	Note: Three-point hitch WILL be included and arrive with the	
	tractor in a box attached to the backhoe.	
	Not available with factory installed iMatch	



Code	Description	List price(USD)
3749	Less Backhoe	In Base Price
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Includes Required Wiring Harness	\$73.70
1	Not Compatible with Forward Lighting Kit (LVB25546) and Mauser Cab.	
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards.	\$92.40
	Requires Warning Light Brush Guard Kit (BLV10400).	
	Not compatible with Mauser Cab	
BLV10497	LED Work Light Kit Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.	\$347.60
	Requires Warning Light Brush Guard Kit (BLV10400).	
	Not compatible with Mauser Cab	
BLV10400	ROPS Lights Brush Guard Kit Not compatible with Mauser Cab	\$92.40
BLV11024	Beacon Light Includes orange rotating beacon light, mounting bracket and hardware, illuminated rocker switch and wiring. For cab tractors only	\$201.30
BLV11083	Rear Work Light Kit Includes Halogen work light, mounting bracket and hardware, illuminated rocker switch and wiring.	\$116.60
	Cab Only	



Code	Description	List price(USD)
	Includes Halogen work light, mounting bracket and hardware, illuminated rocker switch and wiring.	
	Cab Only	
LVB25546	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400)	\$124.30
	Not Compatible with Rear Work Light Kit (LVB25547) and Mauser Cab	
BLV10673	Premium LED Work Light Kit Includes 2 Fender mounted (Near Beam) LED Lights, 1 Rear mounted (Near Beam LED Light for PTO and Hitch Illumination and 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation.	\$470.80
	Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection.	
	Not compatible with Mauser Cab	
BLV11188	ALTERNATOR  55 Amp Alternator  Recommended for use with drop-on cab (LP70009)	\$372.90
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
RE574454	38.1-mm (1.5–in.) ball mount and socket arm	\$66.48
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
PF80460	Mount - RAM U-Bolt	\$72.21
AL212683	Mounting Parts - Display Mount RAM	\$153.40
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
LP63768	Magnetic hitch pin	\$18.99
LP68694	Seat Cover	\$34.95



Code	Description	List price(USD)
	For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1025R and 2025R MY18 and newer tractors.	
LP95637	Tractor Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.	\$159.99
LP64809	Canopy Kit - Rigid Plastic  For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$463.95
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
TA15270	MAINTENANCE Filter Pak	\$65.60
17110270	Includes oil filter, air filter, fuel filter and hydraulic filter	Ψ00.00
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg)	\$60.99
BLV10623	Front Weight Bracket Extension Kit	\$236.50



Code	Description	List price(USD)
	Includes Extension Bracket and Hardware (Including Rod and Spring Pins) to hold up to seven weights (UC13263). For 1023E, 1025R, 1026R, 2305, 2025R, 2026R, 2320, 2520, 2027R and 2032R tractors	
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	REAR WHEEL WEIGHTS	
BM17965	Rear Wheel Weight, 60 lb (27.2 kg)	\$140.80
BM17987	Attaching Hardware for Rear Wheel Weight, 60 lb	\$17.60
	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit 110 Volt Engine Coolant Heater Requires AM134805 Engine Block Heater Adapter (1025R, 1026R, 2305, 2320, 2025R).	\$66.00
AM134805	Engine Block Heater Adapter	\$137.27
	ENGINE	
BLV10784	Auto-Throttle Kit  Kit contains cables and necessary hardware to connect the  TwinTouch pedals to the engine throttle. This allows engine speed  to increase or decrease as the transmission speed changes. This  feature works in both the forward and reverse directions.	\$262.90
	POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	\$205.70



Code	Description	List price(USD)
	At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.  HYDRAULICS  ATTACHMENTS FOR FIELD CONVERSION	
BLV11156	HYDRAULICS Mid Mounted 3rd Selective Control Valve	\$790.90
DEVITION	Provides an additional set of mid-mount hydraulic couplers	Ψ7,0.70
	To operate as a loader function, loader hose kit and 3rd function implement is required To operate as a mower lift function, additional hoses and hardware required	
	See Hydraulic Ordering Guide to ensure proper ordering to support desired configuration and compatibility	
	Not compatible with BLV10933 (Premium Independent Hydraulic Mower Lift Kit)	
BXX10210	Third Function Hydraulic Hose Kit  Attachment is used with the tractor bundle BLV11156 (EH Third  Selective Control Valve) for 2025R tractors equipped with a 120R  Non-Self Leveling loader	\$270.60
BXX10375	3rd Function Hydraulic Lines This bundle, in usage with the tractor 3rd function kit (BLV11156), will allow for the use of implements such as 4-in-1 buckets, grapples,, etc. These go on the front of the loader and need hydraulic flow to operate 3rd function hydraulic lines and couplers for 120R Mechanical Self- Leveling Loaders on 2025R tractors	\$278.30
BLV10775	Rear Tubing Kit Routes Dual Mid SCVs to the rear of the tractor.	\$352.00



Code	Description	List price(USD)
	See Hydraulic Ordering Guide to ensure proper ordering to support desired configuration and compatibility	
	Not compatible with Power Beyond Kit (BLV11238) or Rear Selective Control Valve Kit (BLV11025)	
BLV11025	Rear Selective Control Valve Kit Provides one set hydraulic couplers at the rear of the tractor	\$757.90
	See Hydraulic Ordering Guide to ensure proper ordering to support desired configuration and compatibility	
	Not compatible with Power Beyond Kit (BLV11238), Rear Tubing Kit (BLV10775) or cab	
BLV11238	Power Beyond Kit (OOS only) Includes rear-mounted hydraulic couplers and oil lines	\$313.50
	See Hydraulic Ordering Guide to ensure proper ordering to support desired configuration and compatibility	
	Not Compatible with Rear Tubing Kit (BLV10775), Rear Selective Control Valve Kit (BLV11025) or cab	
	EXHAUST	
	ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
LVA15392	Spark Arrester Screen for Muffler	\$63.32



Code	Description	List price(USD)
	3046R Compact Utility Tractor (34 PTO hp)	
	ENGINE:	
	Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified	
	Engine HP 45.3 (33.3 kW)	
	PTO HP 34.1 (25.4 kW) HST	
	Engine HP (kW), Gross SAE J1995: 45.3 (33.3) @ 2600 rpm, PS Displacement, L: 1.496	
	TRANSMISSION:	
	4-Wheel Drive	
	HST Transmission Differential Lock	
	Cruise Control	
	eThrottle	
	Load Match	
	Speed Match	
	Motion Match	
	HYDRAULICS:	
	Dual Mid Selective Control Valve with Joystick Control Lever,	
	Float, Regenerative Function, and SCV and Regenerative Lockout	
	PTO:	
	Independent 540 RPM Rear PTO	
	Electronically Engaged with Mechanical Mid-Both-Rear Selector	
	ELECTRICAL:	
	12-Volt Electrical System	
	75 Amp Alternator	
	Key Ignition Starter with Accessory and Pre-Heat Position Maintenance Free Battery with 770 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE:	
	Deluxe Adjustable Vinyl Seat with Retractable Seat Belt	
	Folding ROPS (Roll-Over Protective Structure) meets SAE J2194	
	and OSHA 1928 ROPS Certification Standards	
	Isolated Foot Rest	



Code	Description	List price(USD)
	COMFORTGARD CAB (OPTIONAL):	
	12-Volt Auxiliary Power Outlet	
	Air Conditioning and Heater	
	Cell Phone Holder	
	Deluxe Fabric Covered Seat with Retractable Seat Belt	
	Armrests	
	Dual Forward Work Lights	
	Exclusive Raised Header Bar	
	Two-Speed Front Windshield Wiper/Washer	
	Fully Isolated Cab	
	High Impact Polymer Fenders with Integrated Tail Lights	
	Radio Preparation (with antenna, speakers, wiring, media	
	player storage slot) Molded Rubber Floormat	
	Operator Manual Holder	
	Rearview Mirror (Inside)	
	Monitor Mounting Bosses (2 sets)	
	Right Hand and Left Hand Console Storage	
	Right Hand Control Center	
	Sealed Quiet Cabin	
	Sun Visor	
	Swing-Out Rear Window with removable rear plug for monitor	
	or controller wiring harnesses	
	Tilt Steering	
	Two Front/Two Rear Roof Mounted Warning Lights	
	Operator Presence with Safety Interlock System Reverse	
	Implement Option (RIO)	
	BASE MACHINE (4WD):	
	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	
	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	
	BASE MACHINE	
	F.O.B. Grovetown, Georgia	
0299LV	3046R Compact Utility Tractor (34 PTO hp)	\$34,528.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	



Code	Description	List price(USD)
	North America	
0202	United States	In Base Price
	Oceania	
024H	United States Minor Outlying Islands	No Added Cost
	OPERATOR'S MANUAL	
0409	English Operator's Manual and Decal Kit	In Base Price
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
	TRANSMISSION Basic Factory Options TRANSMISSION	
1520	eHydro™ 3 Range Electronic Controlled Hydrostatic Transmission (featuring LoadMatch™, SpeedMatch™, and MotionMatch™, eThrottle™)	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION	
BLV10641	Transmission Oil Heater HST models only	\$88.00
	OPERATOR'S STATION AND CONTROLS  Basic Factory Options  OPERATOR'S STATION	
2000	Open Station with Standard Seat If ordering transmission option 1520 (eHydro) the following set of options are required: 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).	In Base Price
2005	Open Station with Air Ride Seat The following set of options are required: 1520 (eHydro), 3330 (Dual Mid & Single EH Rear SCV), and 3420 (Mid PTO).	\$568.00
2050	Cab with Standard Seat The following set of options are required: 1520 (eHydro), 3320 (Dual Mid SCV), and 3400 (Less Mid PTO)	\$9,508.00
2060	Deluxe Cab with Air Ride Seat Includes Rear Wiper and Rear Work Light.	\$10,514.00



Code	Description	List price(USD)
	The following set of options are required: 1520 (eHydro), 3330 (Mid DSCV and Single Electrohydraulic Rear SCV), and 3420 (Mid PTO)	
2051	Snow Cab with Standard Seat Includes Rear Wiper, Rear Work Lights, Beacon Light, Engine Coolant Heater, and License Plate Bracket. The following set of options are required: 1520 (eHydro), 3400 (Less Mid PTO), and 3330 (Dual Mid & Single EH rear SCV)	\$10,333.00
	RADIO	
2660	Factory Installed Stereo Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.	\$541.00
1	Available ONLY on Cab configurations.	
2650	Less Radio ATTACHMENTS FOR FIELD CONVERSION RADIO	In Base Price
SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.	\$281.51
	OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
LP95233	Large Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.99
LVB25688	Air Seat Suspension Kit (OOS Only) Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.	\$832.70



Code	Description	List price(USD)
BLV10924	Rear License Plate Kit (Includes Light)	\$74.80
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
TY25324	Weather Protection Umbrella	\$125.36
BXX10590	ShadePro Designed Canopy	\$660.00
	CAB OPERATOR'S STATION	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
BRE10152	Self - Leveling Cup Holder Keep your favorite beverage within reach and prevent from spilling. Compatible with cab models only.	\$74.80
BXE10606	Cell Phone Suction Cup Kit	\$68.20
BRE10255	Tablet Mount Kit	\$104.50
RE343680	Accessory Mounting Bracket	\$55.81
BRE10015	Cell Phone Mount Kit	\$75.90
PM191-050860	Type C USB Cable, 6 Ft	\$16.60
PM191-052901	Dual USB Charger Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Compatible with cab models only.	\$16.60
PM191-050563	Micro USB Cable, 6 Ft	\$11.62
PM191-050594	Apple™ Cable, 6 Ft	\$22.77
BXE10864	12" Tablet Holder Kit (Ipad Pro™)	\$212.30
BXE10607	X-Grip Tablet Dual Suction Cup Kit for Tablets	\$196.90
BLV10938	Rear Wiper Kit (Cab Only) Compatible with cab tractors built after March 15, 2017	\$218.90
BLV11052	Rear License Plate Kit (Cab Only) (Includes Light)	\$130.90
LVB24856	Rear Wiper Kit (Cab Only) Compatible with cab tractors built prior to March 15, 2017	\$290.40
RE265955	Air Seat Suspension Kit	\$687.69
LVB24844	External Mirror Kit (Cab Only)	\$224.40
	POWER TAKE-OFF	



Code	Description	List price(USD)
	Basic Factory Options MID POWER TAKE-OFF (PTO)	
3420	Mid PTO Requires SCV option 3330 (Dual Mid & Single EH Rear SCV).	\$827.00
3400	Less Mid PTO Requires SCV option 3320 (Dual Mid SCV).	In Base Price
3401	Less Mid PTO (Snow Cab Only)  Requires SCV option 3331 (Dual Mid & Single Electrohydraulic Rear  SCV)	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION MID POWER TAKE-OFF (PTO)	
LVB25537	Mid Power Take-Off (PTO) Kit  Not compatible with PRT configurations.  For Installation of Mid-Mount Mower on Cab Tractor, Must also  Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts.  Cab Tractor also Requires BLV10848, Mid PTO Controls.	\$859.10
BLV10848	Mid PTO Control Kit (Cab Only)  Not compatible with PRT configurations.  REAR POWER TAKE-OFF (PTO)	\$178.20
BLV10953	John Deere Quik Knect™ PTO receiver  At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	\$205.70
	FRONT POWER TAKE-OFF (PTO)	
BLV10475	Requires BLV10439 (Front Three-Point Hitch).  2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R)  Includes RIO override for front implements	\$319.93
BLV10452	Front PTO bracket (3120-3720, 3033R-3046R)	\$97.90
	HITCHES AND DRAWBARS Basic Factory Options	



Code	Description	List price(USD)
	THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1 Includes one set of bushings Not compatible with telescoping draft links	\$334.00
4061	Less iMatch™ Quick Hitch Category 1  ATTACHMENTS FOR FIELD CONVERSION  THREE-POINT HITCH	In Base Price
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507)</i>	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit Includes: Two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2) Two lower reducer bushings (Cat. 2 to Cat. 1) Two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins	\$107.80
	This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch™ Quick Hitch.	
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1). Length 50 mm (1.97 in)	\$27.30
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in)  DRAFT LINK	\$29.18
LVB25308	Telescoping Draft Links For use on tractors equipped with Horizontal-Bar Stabilizers CAT 1 balls FRONT HITCH	\$845.90
BLV10439	Front 3-point hitch (3033R-3046R)  Requires BLV10452 (Front PTO Bracket)	\$1,435.50
	HYDRAULICS Basic Factory Options SELECTIVE CONTROL VALVES	
3320	Dual Mid Selective Control Valve	In Base Price



Code	Description	List price(USD)
3330	Dual Mid & Single Electrohydraulic Rear SCV  Available only as Dealer-installed option on Cab with Standard  Seat configuration (option code 2050).	\$1,130.00
3331	Dual Mid & Single Electrohydraulic Rear SCV (Snow Cab Only) Includes same parts as option 3330 Requires Mid PTO option 3401 ATTACHMENTS FOR FIELD CONVERSION	\$1,130.00
	HYDRAULICS	
BLV10983	Electric Diverter Kit (OOS Only) For MY18 and newer tractors	\$1,751.20
	Includes: Diverter valve Electric diverter switch Hydraulic lines Two SCV couplers	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information	
BLV10500	EH Third SCV (OOS Only) For MY15 and newer tractors	\$1,075.80
	Includes: Rear mounted couplers Hydraulic lines SCV lever	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information	
BLV10962	Power Beyond Kit For MY18 and newer tractors For use with 3rd SCV	\$474.10
	Includes: Rear mounted hydraulic couplers and hose	



Code	Description	List price(USD)
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information	
BLV10650	Top and Tilt Field Kit Requires two rear hydraulic functions (4-couplers)	\$1,518.00
	For OOS Tractors: Can control Top and Tilt kit two ways: 4th and 5th Rear Selective Control Valve Kit, which provides two ROPs mounted control levers. OR Electric Diverter Kit, which allows the use of the loader joystick for control.	
	FOr Cab tractors: Requires Electric Diverter Kit. No independent 4th and 5th Rear Selective Control Valve kit is available for Cabs.	
BLV10964	Power Beyond Kit (Cab Only) For MY18 and newer tractors	\$474.10
	Includes: Rear mounted hydraulic couplers and hose	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information	
BLV10761	4th & 5th Selective Control Valve Kit (OOS Only) Includes: Rear mounted couplers Hydraulic lines SCV lever	\$960.30
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering details	
BLV11010	Power Beyond Kit (OOS Only) For MY18 and newer tractors For use with 3rd SCV	\$474.10



Code	Description	List price(USD)
	Includes:	
	Rear mounted hydraulic couplers and hoses for use with backhoe	
ı	See Ag Sales Manual (3R Hydraulics Ordering Guide) or ordering details	
BLV10649	Electric Diverter Kit (Cab Only)	\$1,732.50
	Includes:	
	Diverter valve Electric diverter switch	
ı	Hydraulic lines	
	Two SCV couplers	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering	
	details	
BLV10961	EH Third SCV (Cab Only)	\$1,075.80
	For MY18 and newer tractors	
	Includes:	
	Rear mounted couplers	
	Hydraulic lines SCV lever	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering	
	information	
	WHEELS AND TIRES	
	Basic Factory Options REAR WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
5211	11.2-24 (6PR, R1 Bar, 5 Position)	In Base Price
5223	41x14-20 (4PR, R3 Turf, 2 Position)	(\$258.00)
5233	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	\$596.00
5220	15-19.5 (6PR, R4 Industrial, 2 Position)	(\$109.00)
5230	43x16-20 (4PR, R4 Industrial, 2 Position)	(\$85.00)
	FRONT WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
6211	180/95 - 14 (6PR, R1 Bar, 2 Position)	In Base Price



Code	Description	List price(USD)
	Standard Measurement: 7 -14 (6PR, R1 Bar, 2 Position)	
6223	27x8.5-15 (6PR, R3 Turf, 2 Position)	\$76.00
6233	25/10.50LLx15 (6PR, R3 Turf Special, 2 Position)	\$148.00
6220	25x8.50-14 (6PR, R4 Industrial, 2 Position)	\$66.00
6230	27x8.50-15 (6PR, R4 Industrial, 2 Position)	\$148.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
TY4453	Tire Chains For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$488.19
TY4457	Tire Chains For use with 41x14.0-20 In. 4PR (R3) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$511.59
BLV10863	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$2,014.10
BLV10861	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	\$1,769.90
BLV10865	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$1,982.20
BLV10867	41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	\$1,797.40
BLV10869	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	\$2,728.00
	FRONT WHEELS AND TIRES	
TY15649	Tire Chains For use with 27x8.50-15 (R3) Front Tires. Not for use with Front Fender Kit.	\$169.53
TY15651	Tire Chains For use with 25x8.50-14 (R4) Front Tires. Not for use with Front Fender Kit.	\$171.68
BLV10862	27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	\$819.50
BLV10860	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$634.70
BLV10866	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	\$729.30
BLV10864	25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$716.10



Code	Description	List price(USD)
BLV10868	25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	\$809.60
	FRONT FENDERS	
BLV10895	Turnable Front Fender Kit (Cab Only) Requires Vertical Exhaust kit if side exhaust is currently installed on the tractor	\$700.70
	REAR FENDERS	
BLV10892	Rear Fender Extension Kit (Cab Only)	\$386.10
BLV10893	Rear Fender Extension Kit (OOS Only)	\$386.10
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket Pricing includes 320R Loader and loader installation charge with the following options:	\$6,896.00
	61 In. (1550mm) Quick Change Materials Bucket Non-Self Leveling Loader Boom Compact Utility Tractor Carrier Mounting Frame Hood Guard	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1750	Factory Installed Loader less Bucket Pricing includes 320R Loader and loader installation charge with the following options:	\$6,012.00
	Compact Utility Tractor Carrier Non-Self Leveling Loader Boom Mounting Frame Hood Guard	
	Three-Point Hitch Ballast is Required for Stability. Please Review	



Code	Description	List price(USD)
	the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1795	Less Loader	In Base Price
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Includes Wiring Harness Not compatible with Forward Lighting Kit (LVB25546) Not available on cab tractors	\$73.70
LVB25546	Dual Light Forward Lighting Kit Requires Premium Warning Light Brush Guard Kit (BLV10620) Not compatible with Rear Work Light Kit (LVB25547)	\$124.30
LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) Cab is pre-wired	\$178.20
BLV10497	LED Work Light Kit Requires Warning Light Brush Guard Kit (BLV10620) Includes two ROPS mounted LED lights Each light has 360 degree rotation	\$347.60
BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) Includes two guards	\$92.40
BLV10399	Open Station Work Light Brush Guard Kit Includes two guards Requires Premium Warning Light Brush Guard Kit (BLV10620)	\$92.40
LVB24852	Beacon Light Kit (Cab Only)  BACKUP ALARM	\$287.10
BLV10358	Back-up Alarm Kit For open operator station tractors	\$150.70
BLV10648	Back-up Alarm Kit For cab tractors	\$150.70
	LIGHTING EQUIPMENT	
BXX10244	7-Pin Trailer Connector For Model Year 2018 and newer 3R tractors Compatible with Cab tractors only	\$179.30



Code	Description	List price(USD)
BLV10174	7-Pin Trailer Connector (OOS Only)	\$118.80
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
AL212683	Mounting Parts - Display Mount RAM	\$153.40
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
PF80460	Mount - RAM U-Bolt	\$72.21
LVB24930	Tool Box Kit	\$70.40
BLV10359	Horn Kit	\$68.20
LP25001	3-Point Hitch Tractor Receiver Hitch	\$139.00
LP95637	Tractor Cover	\$159.99
	MAINTENANCE	
LVA21038	Filter Pak	\$177.19
	Includes oil filter, air filter, fuel filter and hydraulic filter WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEEL WEIGHTS	
BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	\$12.10
BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg) Order BM19940 qty per each starter and additional T19293 wheel weight on your 3R tractor. Compatible with tire size 11.4-24 6PR R1	\$23.10
BM17968	Rear Wheel Weight, 48.5 lb Starter and additional rear wheel weight for tire sizes 43X16-20 4PR R4, 15-19.5 6PR R4, 41X14-20 4PR R3. Order attaching hardware BM19936	\$140.80
T19293	Weight, Rear Wheel 106 lb (48 kg)	\$165.00



Code	Description	List price(USD)
	Starter and additional rear wheel weight for 11.4-24 6PR R1 tire sizes. Order BM19940 attaching hardware for both starter and additional weights	
BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	\$13.20
LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	\$58.30
	FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires, (1) LVBM19607, Front Quik-Tatch™ Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)	\$60.99
BLV10441	Front Weight Bracket Extension Kit Includes extension bracket and all hardware, including rod and spring pins, to hold up to twelve front Quik-Tatch™ weights	\$278.30
LVB25705	Front Quik-Tatch™ Weight Kit Includes rod and spring pins for Front Quik-Tatch™ Weights	\$48.40
BLV10442	Front Weight Bracket Extension Kit Includes extension bracket and all hardware, including rod and spring pins, to hold up to ten front Quik-Tatch™ weights	\$260.70
LVU32113	Quik-Tatch Weight, 70 lb (32 kg) Requires, (1) LVBM19607, Front Quik-Tatch™ Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)	\$99.00
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit	\$66.00
	GUARDS ATTACHMENTS FOR FIELD CONVERSION HOOD GUARDS	
BW16585	Deluxe Hood Guard Attachment	\$697.40
BW15219	Hood Guard	\$309.10
	AG MANAGEMENT SOLUTIONS (AMS)	



Code	Description	List price(USD)
	ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
BLV10605	Turbo Vertical Exhaust Kit  If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts	\$731.50



Code	Description	List price(USD)
	5075GL Narrow, Low-Profile Tractor	
	Engine: 73 (54 kW) 97/68EC Engine Horsepower @ 2300* RPM	
	62 (46 kW) PTO Horsepower @ 1900** RPM	
	4-Cylinder Turbocharged FPT F34 Engine	
	3.4 L Displacement	
	EPA Final Tier 4 Final Compliant (Aftertreatment, DOC (DDF)	
	(Aftertreatment: DOC/DPF) Dry Air Cleaner with Safety Element	
	Common Rail Electronic Fuel Injection	
	Hand and Foot Throttle	
	Viscous Fan	
	Water Separation Bowl	
	Engine Shut Off with Key Maintenance Free Closed Cooling System	
	Radiator Screen	
	19 U.S. Gallon (73 L) Fuel Tank Capacity	
	Transmission:	
	Differential Lock	
	Neutral Start Safety Switch	
	Axle:	
	Final Drive with three Planetary Gears	
	Flanged Rear Axles	
	Steering and Brakes:	
	Hydrostatic Power Steering Hydraulic Wet-Disk Rear Breaks, Self-Equalizing	
	and Self-Adjusting	
	Five Oil Cooled Hydraulically Actuated Disk Brakes per side.	
	Secondary Park Break	
	Hydraulics:	
	Open Center Hydraulic System	
	Hitch Control with Center link Draft Sensing	
	PTO:	
	Independent "Live 540/540E RPM rear PTO shaft Safety Start Switch	
	Saloty Start Switch	



Code	Description	List price(USD)
	Rockshaft, Hitch, and Drawbar: Mechanical Rockshaft Adjustable Drawbar plus Hammer Strap 3 Point (category II) Hitch and Sway Blocks Convertible to Category I/IN Less Drawbar	
	Instrumentation: Electric Fuel Gauge Tachometer/Hour Meter Oil Pressure Indicator Light Coolant Temperature Gauge Alternator Indicator Light Air Restriction Indicator Light Turn Signal Indicator Light High Beam Indicator Light PTO Engagement Light Speedometer Digital Display - Hour Meter	
	Electrical: 12-Volt (100 amps) Electrical system 95 Amp Alternator Lights: Two Front Halogen headlights Two Rear Warning and Turn lights Dual Tail Lights	
	Miscellaneous: Beverage Holder on Left-Hand Side Console SMV Emblem One Piece Tilt-up hood Extra CEE Administration Fee Premium Container Shipment *Manufacturer's Rating ** Factory Observed	
0314AT	EX-WORKS Port of Entry 5075GL Narrow, Low-Profile Tractor	\$64,515.00



Code	Description	List price(USD)
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0202	USA Requires code 0409 (English)	In Base Price
0184	Canada Requires code 0409 (English) or 0413 (French) OPERATOR'S MANUAL, DECALS, AND MONITORS	No Added Cost
0409	English Operator's Manual and Decal Kit	In Base Price
0403	French Operator's Manual and Decal Kit	No Added Cost
0413	TRANSMISSION	No Added Cost
	Basic Factory Options TRANSMISSION	
1380	24F/12R PowrReverser Transmission with 540/540E PTO (includes creeper) Includes: Oil cooler, neutral start safety switch, PowrReverser Plus, de-clutch button on the gear lever, electrohydraulic Mechanical Front-Wheel Drive (MFWD), Diff lock and PTO actuation.	In Base Price
	OPERATOR'S STATION AND CONTROLS Basic Factory Options OPERATOR'S STATION	
2000	Standard Isolated Open Operator Station Isolated Open Operator Station Two Post Mid Mount Roll-Over Protective Structure (ROPS) RH Gear Levers & LH Range Levers Base seat, Polyvinyl Chloride (PVC) with driver sensor under seat Glass Debris/Air Deflector with Grab Handles Blinker lever with integrated lighting functions Left hand access and egress with steps (No footsteps for 20" tires Position lights as per North American standard Rear power outlet as per North America Requirement (7-Pin) 12V power outlet Rear working light Digital Instrument Panel Read Out	In Base Price
	EXHAUST	



Code	Description	List price(USD)
	Basic Factory Options EXHAUST	
3011	Horizontal Exhaust	In Base Price
	HYDRAULICS Basic Factory Options HYDRAULIC PUMP	
3220	Two Pump Hydraulic System  Hydraulic Flow equals 17.65 gpm (66.8 L/min) plus 7.8 gpm (29.8 L/min) at 2300 rpm.	In Base Price
3225	Three Pump Hydraulic System  Hydraulic Flow equals 17.65 gpm (66.8 L/min) plus 7.8 gpm (29.8 L/min) plus an additional 7.8 gpm (29.8 L/min) at 2300 rpm.  Not compatible with code 3312	\$873.00
	REAR SELECTIVE CONTROL VALVES	
3312	Two Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow divider. Not orderable with Code 3225 (Three-Pump Hydraulic System).	In Base Price
3336	Three Rear Selective Control Valves (SCVs) with lever controls One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). One Single Acting (SA) and Double Acting (DA) SCVs (detent in float plus zero leak). One Single Acting (SA) and Double Acting (DA) SCVs (detent in pressure). Quick Push and Pull Couplers. Oil Spillage Collector Cup. Flow control.  MID SELECTIVE CONTROL VALVES	\$1,209.00
3400	Less Mid-Mounted Couplers	In Base Price
J-00	ATTACHMENTS FOR FIELD CONVERSION	III Dasc I fice



Code	Description	List price(USD)
	HYDRAULICS	
ER064911	Single Hydraulic Lift Rod for Right Hand Side	\$974.60
	WHEELS AND TIRES Basic Factory Options FRONT WHEELS AND TIRES	
6165	260/70R16 Heavy Duty (2 position rims)  Requires Code 6051	In Base Price
6167	280/70R16 Heavy Duty (2 position rims)  Requires Code 6051	\$40.00
6333	280/70R18 Heavy Duty (2 position rims)  Requires Code 6051	\$196.00
	REAR WHEELS AND TIRES	
5158	440/65R24 Requires code 6333	\$1,273.00
5205	380/70R24 Requires code 6167 or 6333	\$1,371.00
5216	380/70R20 Requires code 6165	In Base Price
5217	360/70R24 Requires code 6167	\$1,301.00
	Additional Factory Options FRONT FENDERS	
8017	Stationary Front Fenders 4WD version - Width: 8.9 inches (225 mm)  Requires code 6051	\$442.00
	REAR FENDERS	
8022	Rear Fender Extension - Width: 3.1 inches (80 mm)  Not compatible with option codes 8023 and 8843	\$280.00
8023	Rear Fender Extension - Width: 6.3 inches (160 mm)  Not compatible with option codes 8022 and 8843	\$343.00
	ATTACHMENTS FOR FIELD CONVERSION REAR FENDERS	
ER064516	Rear fender extension width 80 mm	\$246.80



Code	Description	List price(USD)
ER063270	Rear fender extension width 160mm	\$409.20
	AXLE AND BRAKES Basic Factory Options AXLE	
6051	Four-Wheel Drive (4WD) Flange to Flange is 1155mm	In Base Price
	POWER TAKE-OFF Basic Factory Options POWER TAKE-OFF (PTO)	
3826	ElectroHydraulic actuation 540 and 540E rpm Without GD Power Take-Off (PTO). With PTO shaft cover. With Safety start switch. Requires code 1380	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver  At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	\$205.70
	HITCHES AND DRAWBARS Basic Factory Options	
	THREE-POINT HITCH	
4132	3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends Requires Code 8455 or 8456 Requires Code 4151 or 4152	In Base Price
	THREE-POINT HITCH ROD	
4151	Hydraulic Lift Rod	\$727.00
4152	Mechanical Lift Rod FRONT ATTACHMENTS	In Base Price



Code	Description	List price(USD)
4002	Base weight 150 Lbs (68 kg) - W/O Tow Pin  Additional Factory Options  HITCH CONTROLS	In Base Price
8446	Mechanical remote control for 3-point hitch  DRAWBAR	\$379.00
8455	Ball Kit for Draft Links (Category 1 and 1N) Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends). Not orderable with option 8456	\$54.00
8456	Ball Kit for Draft Links (Category 2) Requires: Code 4132 (3-Point Hitch with Adjustable Quick Couplers for Draft Links - hook ends). Not orderable with option 8455	\$54.00
844T	Horizontal Drawbar (Category 1)  Not orderable with Code 844U.	\$64.00
844U	Horizontal Drawbar (Category 2)  ATTACHMENTS FOR FIELD CONVERSION  HITCH CONTROLS	\$109.00
ER063312	Mechanical remote control for OOS  ELECTRONICS AND LIGHTS  Additional Factory Options  LIGHTING EQUIPMENT	\$449.90
8725	Beacon Light ELECTRICITY	\$175.00
8745	Mechanical Battery Switch ATTACHMENTS FOR FIELD CONVERSION BEACON LIGHTING	\$183.00
ER063308	Beacon light OOS tractors  WEIGHTS AND BALLASTING  ATTACHMENTS FOR FIELD CONVERSION  REAR WHEEL WEIGHTS	\$206.80
SU57513	Weight, Rear Wheel - 150 kg (330lb)	\$513.70



Code	Description	List price(USD)
	Maximum of one per side Requires (4) 19M8486 screws, (4) 24M7241 washers and (4) 14M7276 nuts ordered separately FRONT WEIGHTS	
ER063125	Base Weight 150 lb W/O Tow Pin	\$289.30



Code	Description	List price(USD)
	4044M Compact Utility Tractor (33 PTO hp)	
	ENGINE:	
	Yanmar 4 Cylinder Naturally Aspirated Diesel Engine Tier IV EPA Emissions Certified	
	Engine HP 43.1 (31.7 kW)**	
	PTO HP 32.5 (23.0 kW)	
	**Engine HP (kW), Gross SAE J1995: 43.1 (31.7) @ 2600 rpm, PS	
	Displacement, L: 2.2	
	TRANSMISSION:	
	PowrReverser	
	Synchronized - 4 Speeds	
	Forward, 4 Speeds Reverse	
	Dual Multi-Disk Wet Clutches Differential Lock	
	4-Wheel Drive	
	LoadMatch	
	MotionMatch	
	INSTRUMENTATION:	
	Performance Tracking System	
	Diagnostic Control Panel	
	Hour Meter	
	PTO Hour Meter	
	Filter Cleaning Tracking	
	ELECTRICAL:	
	12-Volt Electrical System	
	75 Amp Alternator	
	Key Ignition Starter with Accessory and Pre-Heat Position	
	Wet Battery with 770 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE:	
	Adjustable Vinyl Seat with Retractable Seat Belt	
	Folding ROPS (Roll-Over Protective Structure)	
	Meets SAE J2194 and OSHA 1928 ROPS Certification Standards	
	for North America and Europe Flat Foot Deck	
	Operator Presence with Safety Interlock	



Code	Description	List price(USD)
	HYDRAULICS: Not included in base machine  BASE MACHINE (4WD): 13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	
	BASE MACHINE	
0319LV	F.O.B. Grovetown, Georgia 4044M Compact Utility Tractor (33 PTO hp)	\$31,054.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
024H	United States Minor Outlying Islands	No Added Cost
	North America	
0202	United States OPERATOR'S MANUAL	In Base Price
0409	English Operator's Manual and Decal Kit	In Base Price
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
	TRANSMISSION Basic Factory Options TRANSMISSION	
1381	12F/12R PowrReverser	In Base Price
1520	eHydro™	\$1,269.00
	ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION	
BLV10641	Transmission Oil Heater	\$88.00
TA17322	4M eThrottle and MotionMatch Software Software kit adds eThrottle and changes the MotionMatch settings for applications requiring lengthened acceleration and deacceleration responses from HST pedal inputs Requires HST transmission See Installation Instructions before use of this software for full information and safety information	\$264.00



Code	Description	List price(USD)
	A software kit is available to return any tractors equipped with TA17322 back to the original factory settings. To revert any 4044M, 4052M, and 4066M tractor with the added eThrottle and MotionMatch kit back to factory settings order kit TA17323.	
BLV10388	Cruise Control Kit For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.	\$79.20
	OPERATOR'S STATION AND CONTROLS	
	Basic Factory Options OPERATOR'S STATION	
2000	Open Station with Standard Seat	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION	
	OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
LP95233	Large Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.99
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
TY25324	Weather Protection Umbrella	\$125.36
BLV10401	Premium Seat Kit (OOS Only)	\$950.40
BXX10590	ShadePro Designed Canopy	\$660.00
BLV10924	Rear License Plate Kit (Includes Light)	\$74.80
	For MY18 and newer tractors.	
	AXLE AND BRAKES	
	Basic Factory Options REAR AXLE	
5090	Less Wheel Spacer	In Base Price
5091	Wheel Spacer	\$482.00



Code	Description	List price(USD)
	Totaling 11 inches (5.5 inches each).	
	HITCHES AND DRAWBARS Basic Factory Options THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1 Includes one set of bushings Not compatible with telescoping draft links	\$334.00
4061	Less iMatch™ Quick Hitch Category 1  ATTACHMENTS FOR FIELD CONVERSION  THREE-POINT HITCH	In Base Price
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings (LVU15507).	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit	\$107.80
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).	\$27.30
	DRAFT LINK	
BLV10375	Telescoping Draft Links For use on tractors equipped with horizontal-bar stabilizers.  DRAWBAR	\$447.70
BLV10844		¢217.00
BLV 10844	Tractor Drawbar Assembly WHEELS AND TIRES	\$317.90
	Basic Factory Options REAR WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
5221	13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240	16.9-24 (6PR, R4 Industrial, 2 Position)	(\$45.00)
5243	44x18-20 (4PR, R3 Turf, 1 Position)	(\$527.00)
5253	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) FRONT WHEELS AND TIRES	\$615.00



Code	Description	List price(USD)
	All tires offered are of bias ply construction.	
6221	8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240	10-16.5 (6PR, R4 Industrial, 2 Position)	\$154.00
6243	27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253	27x12LL-15 (6PR, R3 Turf Special, 2 Position)	\$87.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	\$3,589.30
BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	\$2,819.30
BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$2,759.90
BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	\$2,157.10
TY15988	Tire Chains For Use with 44X18.00-20 In. 4PR (R3) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$646.71
TY4462	Tire Chains For Use with 13.6-28 In. 4PR (R1) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$626.88
TY16202	Tire Chains For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$994.73
	FRONT WHEELS AND TIRES	
BLV10872	10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$997.70
BLV10870	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$801.90
TY15201	Tire Chains  For Use with 10, 14 F. In. 4 PD (D4) Front Tires	\$326.93
	For Use with 10-16.5 In. 6 PR (R4) Front Tires.	
BLV10876	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	\$915.20
BLV10874	27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	\$809.60



Code	Description	List price(USD)
	WHEEL TREAD WIDTH	
BLV10029	Wheel Spacer Set, 140 mm (each side)	\$621.50
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket Pricing includes 400E Loader and loader installation charge with the following options:	\$7,063.00
	73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1750	Factory Installed Loader less Bucket Pricing includes 400E Loader and loader installation charge with the following options:	\$6,018.00
	Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1795	Less Loader	In Base Price
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION REAR WHEEL WEIGHTS	
BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg)	\$23.10



Code	Description	List price(USD)
	Order BM19940 qty per ADDITIONAL T19293 wheel weight. Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1	
BM17968	Rear Wheel Weight, 48.5 lb Starter and additional rear wheel weight for 44X18.00-20 4PR R3 tires	\$140.80
T19293	Weight, Rear Wheel 106 lb (48 kg) Starter and additional rear wheel weight for 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1 tires	\$165.00
BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)  Order BM19939 attaching hardware for starter wheel weight T19239.  Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1	\$40.70
LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)  Order LVB25004 attaching hardware for starter wheel weight BM17968.  Compatible with tire sizes 44X18.00-20 4PR R3	\$58.30
BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)  Order BM19937 qty per ADDITIONAL BM17968 wheel weight.  Compatible with tire sizes 44X18.00-20 4PR R3  FRONT WEIGHTS	\$12.10
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires (1) LVB25705, Front Weight Pin Kit.	\$60.99
BLV10441	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.	\$278.30
LVU32113	Quik-Tatch Weight, 70 lb (32 kg)  Requires (1) LVB25705, Front Quik-Tatch Weight Kit.	\$99.00
BLV10442	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.	\$260.70



Code	Description	List price(USD)
LVB25705	Front Quik-Tatch™ Weight Kit Includes Rod and Spring Pins for Front Quik-Tatch Weights.	\$48.40
	Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.	
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.	\$73.70
	Includes 1 Light.	
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).	\$92.40
BLV10497	LED Work Light Kit Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.	\$347.60
BLV10400	ROPS Lights Brush Guard Kit  Includes 2 guards.	\$92.40
LVB25546	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).  BACKUP ALARM	\$124.30
BLV10358	Back-up Alarm Kit	\$150.70
	For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.	
	LIGHTING EQUIPMENT	
BLV10174	7-Pin Trailer Connector (OOS Only)	\$118.80
	MISCELLANEOUS	



Code	Description	List price(USD)
	ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
AL212683	Mounting Parts - Display Mount RAM	\$153.40
PF80460	Mount - RAM U-Bolt	\$72.21
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
BLV10359	Horn Kit	\$68.20
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
LVB24865	Tool Box Kit For use on 4M tractors less loader.  MAINTENANCE	\$190.30
LVA21039	Filter Pak	\$177.52
LVA21039	POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	\$177.52
BLV10953	John Deere Quik Knect™ PTO receiver  At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.  ENGINE	\$205.70
	ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	



Code	Description	List price(USD)
BLV10640	Engine Coolant Heater Kit	\$66.00
	HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	
	Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.	
BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$1,116.50
BLV10767	Electrohydraulic Third SCV Kit with Rear Tubing For 4M D170 / 400E Loader Configurations	\$1,116.50
BLV10965	Top and Tilt Field Kit (OOS Only)  For MY18 and newer Tractors.  Not compatible with 3 Point Hitch Downforce Kit (BLV10968).	\$1,465.20
	Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS).	
BLV11029	Dual Mid Valve Kit For 4M H180/440R compatibility and 4M Less Loader configurations.	\$787.60
	Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details	
BLV10969	Power Beyond Kit (Cab and OOS) Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$474.10
BLV10050	4th and 5th Selective Control Valve Kit (OOS Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.	\$1,020.80
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
BLV10608	Vertical Exhaust Kit (Non Turbo)	\$1,063.70



Code	Description	List price(USD)
	If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.	
	GUARDS ATTACHMENTS FOR FIELD CONVERSION HOOD GUARDS	
BXX10458	Hood Guard Compatible with 4M less loader only.	\$378.40
	AG MANAGEMENT SOLUTIONS (AMS) ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00



Code	Description	List price(USD)
	4044R Compact Utility Tractor (33 PTO hp)	
	ENGINE: Yanmar 4 Cylinder Naturally Aspirated Diesel Engine Tier IV EPA	
	Emmissions Certified Engine HP 43.1 (31.7)**	
	PTO HP 32.5 (23.0 kW) HST	
	**Engine HP (kW), Gross SAE J1995: 43.1 (31.7) @ 2600 rpm, PS Displacement, L: 2.2	
	TRANSMISSION:	
	HST Transmission 3 Range	
	Differential Lock	
	4-Wheel Drive Cruise Control	
	LoadMatch	
	MotionMatch	
	SpeedMatch eThrottle	
	HYDRAULICS:	
	Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function	
	INSTRUMENTATION:	
	Performance Tracking System Diagnostic Control Panel	
	Hour Meter	
	Speedometer	
	ELECTRICAL:	
	12-Volt Electrical System	
	75 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position	
	Wet Battery with 770 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE:	
	Deluxe Adjustable Vinyl Seat with Arm Rests, Swivel and Retractable Seat Belt	



Code	Description	List price(USD)
	Folding ROPS (Roll-Over Protective Structure)	
	Meets SAE J2194 and OSHA 1928 ROPS Certification Standards	
	for North America and Europe Isolated Foot Rest	
	Center Console Tool Storage	
	Operator Presence with Safety Interlock	
	CAB (OPTIONAL):	
	12 Volt Auxiliary Power Outlet	
	Air Conditioning and Heater Cell Phone Holder	
	Deluxe Fabric Covered Seat with Retractable Seat Belt and	
	Armrests	
	Dual Forward Work Lights	
	Two Speed Front Windshield Wiper/Washer	
	Fully Isolated Deluxe Cab	
	High Impact Polymer Fenders with Integrated Tail Lights Radio Preparation (w/antenna, speakers, wiring, media player	
	storage slot	
	Molded Rubber Floormat	
	Operator Manual Holder	
	Rearview Mirror (inside)	
	Monitor Bosses (2 sets)	
	Right Hand and Left Hand Console Storage Right Hand Control Center	
	Sealed Quiet Cabin	
	Sun visor	
	Swing-Out Rear Window w/removable plug for monitor or	
	controller harnesses	
	Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights	
	Two Front, Two Real Roof Mounted Warning Lights	
	HITCH:	
	HitchAssist	
	Aux. 3 Point Hitch Control	
	BASE MACHINE (4WD):	
	13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires	
	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	



Code	Description	List price(USD)
	BASE MACHINE	
0329LV	F.O.B. Grovetown, Georgia	¢25.445.00
U329LV	4044R Compact Utility Tractor (33 PTO hp)  DESTINATION AND LANGUAGE	\$35,645.00
	Basic Factory Options	
	DESTINATION	
	North America	
0202	United States	In Base Price
	OPERATOR'S MANUAL	
0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
	TRANSMISSION	
	Basic Factory Options TRANSMISSION	
1381	12F/12R PowrReverser	(\$1,269.00)
1301	Includes response control feature.	(ψ1,207.00)
	Requires Operator Station option 2005 (Open Station with Deluxe Seat).	
1520	eHydro™	In Base Price
	Includes premium eHydro features (SpeedMatch™, LoadMatch™,	
	MotionMatch™, and eThrottle™).  ATTACHMENTS FOR FIELD CONVERSION	
	TRANSMISSION	
BLV10641	Transmission Oil Heater	\$88.00
	OPERATOR'S STATION AND CONTROLS	
	Basic Factory Options	
	OPERATOR'S STATION	
2005	Open Station with Deluxe Seat	In Base Price
2050	Cab with Standard Seat	\$9,508.00
	Requires Transmission option 1520 (eHydro™)	
0//0	RADIO	AF 11 00
2660	Factory Installed Stereo  Jensen Stereo with AM/FM, and Weatherband.	\$541.00
	SIRIUS Satellite ready. Customer will have to purchase an XM	



Code	Description	List price(USD)
	receiver separately.	
	Available ONLY with option codes 2050, 2060, and 2051	
2650	Less Radio	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
TY25324	Weather Protection Umbrella	\$125.36
BLV10379	Air Seat Suspension Kit (OOS Only) Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.	\$832.70
BXX10590	ShadePro Designed Canopy	\$660.00
BLV10924	Rear License Plate Kit (Includes Light) For MY18 and newer tractors.	\$74.80
	CAB OPERATOR'S STATION	
BRE10152	Self - Leveling Cup Holder Keep your favorite beverage within reach and prevent from spilling. Cab models only.	\$74.80
BRE10015	Cell Phone Mount Kit	\$75.90
BXE10606	Cell Phone Suction Cup Kit	\$68.20
BXE10607	X-Grip Tablet Dual Suction Cup Kit for Tablets	\$196.90
RE343680	Accessory Mounting Bracket For Cab Tractors only.	\$55.81
BRE10255	Tablet Mount Kit	\$104.50
PM191-052901	Dual USB Charger Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.	\$16.60
PM191-050860	Type C USB Cable, 6 Ft	\$16.60



Code	Description	List price(USD)
PM191-050563	Micro USB Cable, 6 Ft	\$11.62
PM191-050594	Apple™ Cable, 6 Ft	\$22.77
BXE10864	12" Tablet Holder Kit (Ipad Pro™)	\$212.30
RE265955	Air Seat Suspension Kit	\$687.69
LVB24844	External Mirror Kit (Cab Only)	\$224.40
BLV10938	Rear Wiper Kit (Cab Only)  Compatible with cab tractors built after March 15, 2017.	\$218.90
SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.	\$281.51
BLV11052	Rear License Plate Kit (Cab Only) (Includes Light) For MY18 and newer Cab Tractors only.	\$130.90
LVB24856	Rear Wiper Kit (Cab Only)  Compatible with cab tractors built prior to March 15, 2017.	\$290.40
	AXLE AND BRAKES Basic Factory Options REAR AXLE	
5090	Less Wheel Spacer	In Base Price
5091	Wheel Spacer Totaling 11 inches (5.5 inches each).	\$482.00
	HITCHES AND DRAWBARS Basic Factory Options THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1 Includes one set of bushings Not compatible with telescoping draft links	\$334.00
4061	Less iMatch™ Quick Hitch Category 1  ATTACHMENTS FOR FIELD CONVERSION  THREE-POINT HITCH	In Base Price
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	\$416.90



Code	Description	List price(USD)
BW15056	iMatch™/Quik-Coupler Bushing Kit	\$107.80
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).	\$27.30
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
BLV10968	3-Point Hitch Downforce Kit  Provides additional down-pressure to 3 point hitch.  Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.  Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456.  Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.  Not compatible with Top and Tilt Kit (BLV10040, BLV10499, BLV10965, BLV10967) or Electric 3 Spool Diverter Kit (BLV10968).  DRAFT LINK	\$1,251.80
BLV10375	Telescoping Draft Links For use on tractors equipped with horizontal-bar stabilizers.  FRONT HITCH	\$447.70
BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube Requires Front Three-Point Hitch BLV10989.	\$811.80
BLV10989	Front Three-Point Hitch Lift Arms and Torsion Tube ordered separately, BLV10088.	\$1,870.00
BLV10091	Heavy-Duty Push Bar Requires Front Three-Point Hitch BLV10989.	\$490.60
	DRAWBAR	
BLV10844	Tractor Drawbar Assembly WHEELS AND TIRES Basic Factory Options	\$317.90



Code	Description	List price(USD)
	REAR WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
5221	13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240	16.9-24 (6PR, R4 Industrial, 2 Position)	(\$45.00)
5243	44x18-20 (4PR, R3 Turf, 1 Position)	(\$527.00)
5253	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	\$615.00
	FRONT WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
6221	8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240	10-16.5 (6PR, R4 Industrial, 2 Position)	\$154.00
6243	27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253	27x12LL-15 (6PR, R3 Turf Special, 2 Position)	\$87.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	\$3,589.30
BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	\$2,819.30
BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$2,759.90
BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	\$2,157.10
TY15988	Tire Chains For Use with 44X18.00-20 In. 4PR (R3) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$646.71
TY4462	Tire Chains For Use with 13.6-28 In. 4PR (R1) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$626.88
TY16202	Tire Chains For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029. Not Compatible with Backhoe installed due to interference with backhoe subframe.  FRONT WHEELS AND TIRES	\$994.73
	I NOINT WHILLES AND TIKES	



Code	Description	List price(USD)
BLV10872	10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$997.70
BLV10870	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$801.90
TY15201	Tire Chains	\$326.93
	For Use with 10-16.5 In. 6 PR (R4) Front Tires.	
BLV10876	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	\$915.20
BLV10874	27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires	\$809.60
	WHEEL TREAD WIDTH	
BLV10029	Wheel Spacer Set, 140 mm (each side)	\$621.50
	REAR FENDERS	
BLV10892	Rear Fender Extension Kit (Cab Only) FRONT FENDERS	\$386.10
DI V/1000/		φ <b>710.40</b>
BLV10896	Turnable Front Fender Kit  For 4R Series Cab Tractors. Also requires an Upward Exhaust Kit or  Vertical Exhaust Kit if side exhaust is currently installed on the tractor.	\$719.40
BLV10791	Fixed Front Fender Kit For 4R Series Cab Tractors. Also requires an Upward Exhaust Kit or Vertical Exhaust Kit if side exhaust is currently installed on the tractor.	\$607.20
	LOADERS AND BACKHOES	
	Basic Factory Options	
4704	LOADERS	<b>47.00</b> (.00
1701	Factory Installed Loader with Bucket Pricing includes 440R Loader and loader installation charge with	\$7,886.00
	the following options:	
	73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier	
	Mounting Frame Two Function Single Lover Control	
	Two Function Single Lever Control Hood Guard	
	Hydraulic Hoses to Tractor Mid Valve	
	Non-Self Leveling Loader	



Code	Description	List price(USD)
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1750	Factory Installed Loader less Bucket Pricing includes 440R Loader and loader installation charge with the following options:	\$6,841.00
	Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1795	Less Loader	In Base Price
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION REAR WHEEL WEIGHTS	
BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg) Order BM19940 qty per ADDITIONAL T19293 wheel weight. Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1	\$23.10
BM17968	Rear Wheel Weight, 48.5 lb Starter and additional rear wheel weight for 44X18.00-20 4PR R3 tires	\$140.80
T19293	Weight, Rear Wheel 106 lb (48 kg) Starter and additional rear wheel weight for 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1 tires	\$165.00
BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)  Order BM19939 attaching hardware for starter wheel weight T19239.	\$40.70
	Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1	



Code	Description	List price(USD)
LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)  Order LVB25004 attaching hardware for starter wheel weight  BM17968.  Compatible with tire sizes 44X18 00, 20 4BB B2	\$58.30
BM19937	Compatible with tire sizes 44X18.00-20 4PR R3  Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)  Order BM19937 qty per ADDITIONAL BM17968 wheel weight.  Compatible with tire sizes 44X18.00-20 4PR R3	\$12.10
	FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires (1) LVB25705, Front Weight Pin Kit.	\$60.99
BLV10441	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.	\$278.30
LVU32113	Quik-Tatch Weight, 70 lb (32 kg) Requires (1) LVB25705, Front Quik-Tatch Weight Kit.	\$99.00
BLV10442	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.	\$260.70
LVB25705	Front Quik-Tatch™ Weight Kit Includes Rod and Spring Pins for Front Quik-Tatch Weights.	\$48.40
	Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.	
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit	\$73.70



Code	Description	List price(USD)
	Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Not for use with Cab Tractors.	
	Includes 1 Light.	
LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) Includes 2 Lights. Cab is Pre-Wired.	\$178.20
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).	\$92.40
BLV10497	LED Work Light Kit Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.	\$347.60
LVB24852	Beacon Light Kit (Cab Only)	\$287.10
LVB25546	Dual Light Forward Lighting Kit Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).	\$124.30
BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) Includes 2 guards.	\$92.40
	BACKUP ALARM	
BLV10358	Back-up Alarm Kit For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.	\$150.70
BLV10648	Back-up Alarm Kit	\$150.70
	For Cab Tractors. Standard on 4R eHydro Transmission Tractors.	
D1140474	LIGHTING EQUIPMENT	4440.00
BLV10174	7-Pin Trailer Connector (OOS Only)	\$118.80
BLV11095	7-Pin Trailer Connector Connector (Cab Only)  MISCELLANEOUS  ATTACHMENTS FOR FIELD CONVERSION  ACCESSORIES	\$148.50
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5–in.) ball mount and socket arm	\$66.48
AL212683	Mounting Parts - Display Mount RAM	\$153.40



Code	Description	List price(USD)
PF80460	Mount - RAM U-Bolt	\$72.21
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
BLV10359	Horn Kit	\$68.20
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.  MAINTENANCE	\$139.00
LVA21039	Filter Pak	\$177.52
BLV10640	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES  Engine Coolant Heater Kit  POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	\$66.00
BLV10953	John Deere Quik Knect™ PTO receiver At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	\$205.70
BLV10385	2 Speed Power Take-Off (PTO) Kit (OOS Only) Requires Service Advisor software order number LVU29170. See instruction sheet for more details.	\$869.00
BLV10832	2 Speed Power Take-Off (PTO) Kit (Cab Only)  Also order software part number LVU29170 through JDPoint.  HYDRAULICS  ATTACHMENTS FOR FIELD CONVERSION	\$869.00



Code	Description	List price(USD)
	HYDRAULICS  Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.	
BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$1,116.50
BLV10990	Aux. Hydraulic Coupler Kit 1 Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.	\$251.90
BLV10991	Aux. Hydraulic Coupler Kit 2 Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.	\$251.90
	Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990.	
BLV10965	Top and Tilt Field Kit (OOS Only)  For MY18 and newer Tractors.  Not compatible with 3 Point Hitch Downforce Kit (BLV10968).	\$1,465.20
	Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS).	
BLV10967	Top and Tilt Field Kit (Cab Only) For MY18 and newer Tractors. Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab).	\$1,465.20
BLV10966	Electric 3 Spool Diverter Kit (Cab and OOS) Includes three additional sets of SCV's. Not compatible with 3 Point Hitch Downforce Kit (BLV10037).	\$1,751.20
BLV10969	Power Beyond Kit (Cab and OOS) Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$474.10
BLV10763	Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only)	\$1,116.50



Code	Description	List price(USD)
	Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	
BLV10050	4th and 5th Selective Control Valve Kit (OOS Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.	\$1,020.80
BLV10045	4th and 5th Selective Control Valve Kit (Cab Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$1,109.90
BLV10457	Load Center Assembly (Cab Only)  Electronic housing for powering all electric hydraulic kits. See Sales  Manual (Hydraulic Ordering Guide) for ordering details.	\$444.40
BLV10090	Aux. Hydraulic Coupler Kit 2 Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.	\$251.90
	Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990.	
	EXHAUST	
	ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
BLV10608	Vertical Exhaust Kit (Non Turbo)  If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU23986 Left-hand Side Panel through Parts.	\$1,063.70
BLV11103	Upward Exhaust Kit (Non Turbo) This conversion kit routes exhaust heat upward for compatibility with front fenders. Cab Tractors Only.	\$314.60
	AG MANAGEMENT SOLUTIONS (AMS)	
	ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00



Code	Description	List price(USD)
	4052M Compact Utility Tractor (40 PTO hp)	
	ENGINE:	
	Yanmar	
	4 Cylinder	
	Turbocharged Diesel Engine	
	Tier IV EPA Emissions Certified	
	Engine HP 51.5 (37.9 kW)** PTO HP 39.9 (29.7 kW)	
	**Engine HP (kW), Gross SAE J1995: 51.5 (37.9) @ 2600 rpm, PS	
	Displacement, L: 2.1	
	Displacement, E. 2.1	
	TRANSMISSION:	
	PowrReverser	
	Synchronized - 4 Speeds	
	Forward, 4 Speeds Reverse	
	Dual Multi-Disk Wet Clutches	
	Differential Lock	
	4-Wheel Drive	
	LoadMatch MotionMatch	
	Motioniviatori	
	INSTRUMENTATION:	
	Performance Tracking System	
	Diagnostic Control Panel	
	Hour Meter	
	PTO Hour Meter	
	Filter Cleaning Tracking	
	ELECTRICAL:	
	12-Volt Electrical System	
	75 Amp Alternator	
	Key Ignition Starter with Accessory and Pre-Heat Position	
	Wet Battery with 770 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE:	
	Adjustable Vinyl Seat with Retractable Seat Belt	
	Folding ROPS (Roll-Over Protective Structure)	
	Meets SAE J2194 and OSHA 1928 ROPS Certification Standards	
	for North America and Europe	



Code	Description	List price(USD)
	Flat Foot Deck Operator Presence with Safety Interlock	
	HYDRAULICS: Not included in base machine	
	BASE MACHINE (4WD): 13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	
	BASE MACHINE	
0359LV	F.O.B. Grovetown, Georgia 4052M Compact Utility Tractor (40 PTO hp)	\$34,278.00
00072	DESTINATION AND LANGUAGE	Ψ01/270.00
	Basic Factory Options DESTINATION	
024H	United States Minor Outlying Islands	No Added Cost
	North America	
0202	United States	In Base Price
	OPERATOR'S MANUAL	
0409	English Operator's Manual and Decal Kit	In Base Price
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
	TRANSMISSION Basic Factory Options TRANSMISSION	
1381	12F/12R PowrReverser	In Base Price
1520	eHydro™	\$1,269.00
	ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION	
BLV10641	Transmission Oil Heater	\$88.00
TA17322	4M eThrottle and MotionMatch Software Software kit adds eThrottle and changes the MotionMatch settings for applications requiring lengthened acceleration and deacceleration responses from HST pedal inputs Requires HST transmission	\$264.00



Code	Description	List price(USD)
	See Installation Instructions before use of this software for full information and safety information A software kit is available to return any tractors equipped with TA17322 back to the original factory settings. To revert any 4044M, 4052M, and 4066M tractor with the added eThrottle and MotionMatch kit back to factory settings order kit TA17323.	
BLV10388	Cruise Control Kit For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.	\$79.20
	OPERATOR'S STATION AND CONTROLS Basic Factory Options OPERATOR'S STATION	
2000	Open Station with Standard Seat ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	In Base Price
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
LP95233	Large Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.99
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
TY25324	Weather Protection Umbrella	\$125.36
BLV10401	Premium Seat Kit (OOS Only)	\$950.40
BXX10590	ShadePro Designed Canopy	\$660.00
BLV10924	Rear License Plate Kit (Includes Light) For MY18 and newer tractors.	\$74.80
	AXLE AND BRAKES Basic Factory Options REAR AXLE	



Code	Description	List price(USD)
5090	Less Wheel Spacer	In Base Price
5091	Wheel Spacer Totaling 11 inches (5.5 inches each).	\$482.00
	HITCHES AND DRAWBARS  Basic Factory Options  THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1 Includes one set of bushings Not compatible with telescoping draft links	\$334.00
4061	Less iMatch™ Quick Hitch Category 1  ATTACHMENTS FOR FIELD CONVERSION  THREE-POINT HITCH	In Base Price
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings (LVU15507).	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit	\$107.80
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).	\$27.30
	DRAFT LINK	
BLV10375	Telescoping Draft Links For use on tractors equipped with horizontal-bar stabilizers.	\$447.70
DI.\(\doc{1}\)	DRAWBAR	4047.00
BLV10844	Tractor Drawbar Assembly WHEELS AND TIRES Basic Factory Options REAR WHEELS AND TIRES	\$317.90
	All tires offered are of bias ply construction.	
5221	13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240	16.9-24 (6PR, R4 Industrial, 2 Position)	(\$45.00)
5243	44x18-20 (4PR, R3 Turf, 1 Position)	(\$527.00)



Code	Description	List price(USD)
5253	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) FRONT WHEELS AND TIRES	\$615.00
	All tires offered are of bias ply construction.	
6221	8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240	10-16.5 (6PR, R4 Industrial, 2 Position)	\$154.00
6243	27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253	27x12LL-15 (6PR, R3 Turf Special, 2 Position)	\$87.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	\$3,589.30
BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	\$2,819.30
BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$2,759.90
BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	\$2,157.10
TY15988	Tire Chains For Use with 44X18.00-20 In. 4PR (R3) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$646.71
TY4462	Tire Chains For Use with 13.6-28 In. 4PR (R1) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$626.88
TY16202	Tire Chains For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$994.73
	FRONT WHEELS AND TIRES	
BLV10872	10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$997.70
BLV10870	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$801.90
TY15201	Tire Chains For Use with 10-16.5 In. 6 PR (R4) Front Tires.	\$326.93



Code	Description	List price(USD)
BLV10876	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	\$915.20
BLV10874	27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires WHEEL TREAD WIDTH	\$809.60
BLV10029	Wheel Spacer Set, 140 mm (each side)	\$621.50
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket Pricing includes 400E Loader and loader installation charge with the following options:	\$7,063.00
	73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1750	Factory Installed Loader less Bucket  Pricing includes 400E Loader and loader installation charge with the following options:	\$6,018.00
	Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1795	Less Loader	In Base Price



Code	Description	List price(USD)
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION REAR WHEEL WEIGHTS	
BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg) Order BM19940 qty per ADDITIONAL T19293 wheel weight. Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1	\$23.10
BM17968	Rear Wheel Weight, 48.5 lb Starter and additional rear wheel weight for 44X18.00-20 4PR R3 tires	\$140.80
T19293	Weight, Rear Wheel 106 lb (48 kg) Starter and additional rear wheel weight for 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1 tires	\$165.00
BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)  Order BM19939 attaching hardware for starter wheel weight T19239.  Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1	\$40.70
LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)  Order LVB25004 attaching hardware for starter wheel weight BM17968.  Compatible with tire sizes 44X18.00-20 4PR R3	\$58.30
BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)  Order BM19937 qty per ADDITIONAL BM17968 wheel weight.  Compatible with tire sizes 44X18.00-20 4PR R3	\$12.10
11012272	FRONT WEIGHTS Outly Total Majorit 42 lb (10 kg)	¢/0.00
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires (1) LVB25705, Front Weight Pin Kit.	\$60.99
BLV10441	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.	\$278.30
LVU32113	Quik-Tatch Weight, 70 lb (32 kg)	\$99.00



	Description	List price(USD)
	Requires (1) LVB25705, Front Quik-Tatch Weight Kit.	
	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.	\$260.70
I	Front Quik-Tatch™ Weight Kit Includes Rod and Spring Pins for Front Quik-Tatch Weights.	\$48.40
	Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.	
_	BALLAST Dellest Dev Entersier	¢1F1 00
	Ballast Box Extension Ballast Box	\$151.80 \$320.10
LVB25547	ATTACHMENTS FOR FIELD CONVERSION IGHTING Single Rear Auxiliary Rear Work Light Kit Cannot be used with Forward Work Lighting Kit (LVB25546) at the	\$73.70
	same time. Includes 1 Light.	
	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).	\$92.40
	LED Work Light Kit Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.	\$347.60
	ROPS Lights Brush Guard Kit Includes 2 guards.	\$92.40
	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).  BACKUP ALARM	\$124.30
	Back-up Alarm Kit	\$150.70



Code	Description	List price(USD)
	For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors. <b>LIGHTING EQUIPMENT</b>	
BLV10174	7-Pin Trailer Connector (OOS Only)	\$118.80
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
PF80460	Mount - RAM U-Bolt	\$72.21
AL212683	Mounting Parts - Display Mount RAM	\$153.40
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
BLV10359	Horn Kit	\$68.20
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
LVB24865	Tool Box Kit For use on 4M tractors less loader.  MAINTENANCE	\$190.30
LVA21039	Filter Pak	\$177.52
LVA21037	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	φ1/7.52
BLV10640	Engine Coolant Heater Kit	\$66.00
	POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver	\$205.70



Code	Description	List price(USD)
	At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	
	HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION	
	HYDRAULICS	
	Please review the Hydraulic Ordering Guides in the Sales Manual for ordering information and compatibility information.	
BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$1,116.50
BLV10767	Electrohydraulic Third SCV Kit with Rear Tubing For 4M D170 / 400E Loader Configurations	\$1,116.50
BLV10965	Top and Tilt Field Kit (OOS Only)  For MY18 and newer Tractors.  Not compatible with 3 Point Hitch Downforce Kit (BLV10968).	\$1,465.20
	Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS).	
BLV11029	Dual Mid Valve Kit For 4M H180/440R compatibility and 4M Less Loader configurations.	\$787.60
	Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details	
BLV10969	Power Beyond Kit (Cab and OOS) Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$474.10
BLV10050	4th and 5th Selective Control Valve Kit (OOS Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.	\$1,020.80



Code	Description	List price(USD)
	GUARDS ATTACHMENTS FOR FIELD CONVERSION HOOD GUARDS	
BXX10458	Hood Guard Compatible with 4M less loader only.	\$378.40
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
BLV10609	Vertical Exhaust Kit If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts.	\$766.70
	AG MANAGEMENT SOLUTIONS (AMS) ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00



Code	Description	List price(USD)
	4052R Compact Utility Tractor (40 PTO hp)	
	ENGINE:	
	Yanmar 4 Cylinder Turbocharged Diesel Engine Tier IV EPA	
	Emmissions Certified	
	Engine HP 51.5 (37.9 kW)** PTO HP 39.9 (29.7 kW) HST	
	**Engine HP (kW), Gross SAE J1995: 51.5 (37.9) @ 2600 rpm, PS	
	Displacement, L: 2.2	
	213 pidoomont, 2. 2.2	
	TRANSMISSION:	
	HST Transmission	
	3 Range	
	Differential Lock	
	4-Wheel Drive	
	Cruise Control	
	LoadMatch MotionMatch	
	SpeedMatch	
	eThrottle	
	HYDRAULICS:	
	Dual Mid Selective Control	
	Valve with Joystick Control Lever, Float, Regenerative Function,	
	and Regenerative Lockout	
	INSTRUMENTATION:	
	Performance Tracking System	
	Diagnostic Control Panel	
	Hour Meter	
	Speedometer	
	ELECTRICAL:	
	12-Volt Electrical System	
	75 Amp Alternator	
	Key Ignition Starter with Accessory and Pre-Heat Position	
	Wet Battery with 770 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE:	
	Deluxe Adjustable Vinyl Seat with Arm Rests, Swivel and	



Code	Description	List price(USD)
	Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) Meets SAE J2194 and OSHA 1928 ROPS Certification Standards for North America and Europe Isolated Foot Rest Center Console Tool Storage	
	Operator Presence with Safety Interlock  CAB (OPTIONAL): 12 Volt Auxiliary Power Outlet Air Conditioning and Heater Armrests Cell Phone Holder Deluxe Fabric Covered Seat with Retractable Seat Belt Dual Forward Work Lights Two Speed Front Windshield Wiper/Washer Fully Isolated Deluxe Cab High Impact Polymer Fenders with Integrated Tail Lights Radio Preparation (w/antenna, speakers, wiring, media player storage slot Molded Rubber Floormat Operator Manual Holder Rearview Mirror (inside) Monitor Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center Sealed Quiet Cabin Sun visor	
	Swing-Out Rear Window w/removable plug for monitor or controller harnesses Tilt Steering Two Front/Two Rear Roof Mounted Warning Lights	
	HITCH: HitchAssist Aux. 3 Point Hitch Control	
	BASE MACHINE (4WD):	



Code	Description	List price(USD)
	13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	
	BASE MACHINE	
0369LV	F.O.B. Grovetown, Georgia 4052R Compact Utility Tractor (40 PTO hp)	\$38,901.00
000721	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$
	North America	
0202	United States	In Base Price
	OPERATOR'S MANUAL	
0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
	TRANSMISSION Basic Factory Options TRANSMISSION	
1381	12F/12R PowrReverser Requires Operator Station option 2005 (Open Station with Deluxe Seat). Includes response control feature.	(\$1,269.00)
1520	eHydro™  Includes premium eHydro features (SpeedMatch™, LoadMatch™,  MotionMatch™, and eThrottle™).  ATTACHMENTS FOR FIELD CONVERSION	In Base Price
	TRANSMISSION	
BLV10641	Transmission Oil Heater	\$88.00
	OPERATOR'S STATION AND CONTROLS  Basic Factory Options  OPERATOR'S STATION	
2005	Open Station with Deluxe Seat	In Base Price
2050	Cab with Standard Seat Requires Transmission option 1520 (eHydro™)	\$9,508.00
2051	Snow Cab with Air Ride Seat Requires Transmission option code 1520 (eHydro $^{\mathrm{m}}$ ).	\$12,488.00



Code	Description	List price(USD)
	Includes Rear Wiper, 2 Rear Work Lights, 4th and 5th Rear SCVs, License Plate Bracket, Beacon Light, Engine Coolant Heater. <b>RADIO</b>	
2660	Factory Installed Stereo Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.	\$541.00
	Available ONLY with option codes 2050, 2060, and 2051	
2650	Less Radio	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
TY25324	Weather Protection Umbrella	\$125.36
BLV10379	Air Seat Suspension Kit (OOS Only) Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.	\$832.70
BXX10590	ShadePro Designed Canopy	\$660.00
BLV10924	Rear License Plate Kit (Includes Light) For MY18 and newer tractors.	\$74.80
	CAB OPERATOR'S STATION	
RE343680	Accessory Mounting Bracket For Cab Tractors only.	\$55.81
BRE10152	Self - Leveling Cup Holder Keep your favorite beverage within reach and prevent from spilling. Cab models only.	\$74.80
BXE10607	X-Grip Tablet Dual Suction Cup Kit for Tablets	\$196.90
BRE10015	Cell Phone Mount Kit	\$75.90
BRE10255	Tablet Mount Kit	\$104.50



Code	Description	List price(USD)
PM191-052901	Dual USB Charger Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Cab models only.	\$16.60
PM191-050860	Type C USB Cable, 6 Ft	\$16.60
PM191-050563	Micro USB Cable, 6 Ft	\$11.62
PM191-050594	Apple™ Cable, 6 Ft	\$22.77
BXE10606	Cell Phone Suction Cup Kit	\$68.20
BXE10864	12" Tablet Holder Kit (Ipad Pro™)	\$212.30
RE265955	Air Seat Suspension Kit	\$687.69
LVB24844	External Mirror Kit (Cab Only)	\$224.40
BLV10938	Rear Wiper Kit (Cab Only)  Compatible with cab tractors built after March 15, 2017.	\$218.90
SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.	\$281.51
BLV11052	Rear License Plate Kit (Cab Only) (Includes Light) For MY18 and newer Cab Tractors only.	\$130.90
LVB24856	Rear Wiper Kit (Cab Only)  Compatible with cab tractors built prior to March 15, 2017.	\$290.40
	AXLE AND BRAKES Basic Factory Options REAR AXLE	
5090	Less Wheel Spacer	In Base Price
5091	Wheel Spacer Totaling 11 inches (5.5 inches each).	\$482.00
	HITCHES AND DRAWBARS Basic Factory Options THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1	\$334.00



Code	Description	List price(USD)
	Includes one set of bushings Not compatible with telescoping draft links	
4061	Less iMatch™ Quick Hitch Category 1  ATTACHMENTS FOR FIELD CONVERSION  THREE-POINT HITCH	In Base Price
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit	\$107.80
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).	\$27.30
BLV10968	3-Point Hitch Downforce Kit  Provides additional down-pressure to 3 point hitch.  Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.	\$1,251.80
	Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.	
	Not compatible with Top and Tilt Kit (BLV10040, BLV10499, BLV10965, BLV10967) or Electric 3 Spool Diverter Kit (BLV10968).	
	FRONT HITCH	
BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube Requires Front Three-Point Hitch BLV10989.	\$811.80
BLV10989	Front Three-Point Hitch  Lift Arms and Torsion Tube ordered separately, BLV10088.	\$1,870.00
BLV10091	Heavy-Duty Push Bar Requires Front Three-Point Hitch BLV10989.	\$490.60



Code	Description	List price(USD)
	DRAFT LINK	
BLV10375	Telescoping Draft Links For use on tractors equipped with horizontal-bar stabilizers.  DRAWBAR	\$447.70
BLV10844	Tractor Drawbar Assembly	\$317.90
	WHEELS AND TIRES Basic Factory Options REAR WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
5221	13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240	16.9-24 (6PR, R4 Industrial, 2 Position)	(\$45.00)
5243	44x18-20 (4PR, R3 Turf, 1 Position)	(\$527.00)
5253	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	\$615.00
5201	Nokian TRI 2 360/80R28 Rear Snow Tires	\$716.00
	FRONT WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
6221	8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240	10-16.5 (6PR, R4 Industrial, 2 Position)	\$154.00
6243	27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253	27x12LL-15 (6PR, R3 Turf Special, 2 Position)	\$87.00
6201	Nokian 250/75R16 TRI2 Steel Front Snow Tires	\$668.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	\$3,589.30
BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	\$2,819.30
BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$2,759.90
BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	\$2,157.10
TY15988	Tire Chains For Use with 44X18.00-20 In. 4PR (R3) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$646.71



Code	Description	List price(USD)
TY4462	Tire Chains For Use with 13.6-28 In. 4PR (R1) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$626.88
TY16202	Tire Chains For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$994.73
	FRONT WHEELS AND TIRES	
BLV10872	10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$997.70
BLV10870	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$801.90
TY15201	Tire Chains  For Use with 10-16.5 In. 6 PR (R4) Front Tires.	\$326.93
BLV10876	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	\$915.20
BLV10874	27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires WHEEL TREAD WIDTH	\$809.60
BLV10029	Wheel Spacer Set, 140 mm (each side) REAR FENDERS	\$621.50
BLV10892	Rear Fender Extension Kit (Cab Only) FRONT FENDERS	\$386.10
BLV10896	Turnable Front Fender Kit For 4R Series Cab Tractors. Also requires an Upward Exhaust Kit or Vertical Exhaust Kit if side exhaust is currently installed on the tractor.	\$719.40
BLV10791	Fixed Front Fender Kit For 4R Series Cab Tractors. Also requires an Upward Exhaust Kit or Vertical Exhaust Kit if side exhaust is currently installed on the tractor.	\$607.20
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket	\$7,886.00



Code	Description	List price(USD)
	Pricing includes 440R Loader and loader installation charge with the following options:	
	73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard	
	Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1750	Factory Installed Loader less Bucket Pricing includes 440R Loader and loader installation charge with the following options:	\$6,841.00
	Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard	
	Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1795	Less Loader	In Base Price
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION REAR WHEEL WEIGHTS	
BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg) Order BM19940 qty per ADDITIONAL T19293 wheel weight. Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1	\$23.10
BM17968	Rear Wheel Weight, 48.5 lb	\$140.80



Code	Description	List price(USD)
	Starter and additional rear wheel weight for 44X18.00-20 4PR R3 tires	
T19293	Weight, Rear Wheel 106 lb (48 kg)  Starter and additional rear wheel weight for 13.6-28 6PR R1,  420/85D24 R4, 380/70R28 R1, 360/80R28 R1 tires	\$165.00
BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)  Order BM19939 attaching hardware for starter wheel weight T19239.  Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4,	\$40.70
LVB25004	380/70R28 R1, 360/80R28 R1 Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg) Order LVB25004 attaching hardware for starter wheel weight BM17968. Compatible with tire sizes 44X18.00-20 4PR R3	\$58.30
BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg) Order BM19937 qty per ADDITIONAL BM17968 wheel weight. Compatible with tire sizes 44X18.00-20 4PR R3	\$12.10
	FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires (1) LVB25705, Front Weight Pin Kit.	\$60.99
BLV10441	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.	\$278.30
LVU32113	Quik-Tatch Weight, 70 lb (32 kg) Requires (1) LVB25705, Front Quik-Tatch Weight Kit.	\$99.00
BLV10442	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.	\$260.70
LVB25705	Front Quik-Tatch™ Weight Kit Includes Rod and Spring Pins for Front Quik-Tatch Weights.	\$48.40
	Without installation of Front Weight Bracket Extension Kit	



Code	Description	List price(USD)
	(BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.	
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Not for use with Cab Tractors.	\$73.70
	Includes 1 Light.	
LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) Includes 2 Lights. Cab is Pre-Wired.	\$178.20
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).	\$92.40
BLV10497	LED Work Light Kit Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.	\$347.60
LVB24852	Beacon Light Kit (Cab Only)	\$287.10
LVB25546	Dual Light Forward Lighting Kit Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).	\$124.30
BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) Includes 2 guards.	\$92.40
	BACKUP ALARM	
BLV10358	Back-up Alarm Kit For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.	\$150.70
BLV10648	Back-up Alarm Kit For Cab Tractors. Standard on 4R eHydro Transmission Tractors.  LIGHTING EQUIPMENT	\$150.70



Code	Description	List price(USD)
BLV10174	7-Pin Trailer Connector (OOS Only)	\$118.80
BLV11095	7-Pin Trailer Connector Connector (Cab Only)	\$148.50
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
AL212683	Mounting Parts - Display Mount RAM	\$153.40
PF80460	Mount - RAM U-Bolt	\$72.21
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
BLV10359	Horn Kit	\$68.20
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
	MAINTENANCE	
LVA21039	Filter Pak	\$177.52
	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit	\$66.00
	POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at	\$205.70



Code	Description	List price(USD)
	all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	
BLV10385	2 Speed Power Take-Off (PTO) Kit (OOS Only) Requires Service Advisor software order number LVU29170. See instruction sheet for more details.	\$869.00
BLV10832	2 Speed Power Take-Off (PTO) Kit (Cab Only)  Also order software part number LVU29170 through JDPoint.	\$869.00
	HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS Please review the Hydraulic Ordering Guides in the Sales Manual	
	for ordering information and compatibility information.	
BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$1,116.50
BLV10990	Aux. Hydraulic Coupler Kit 1 Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.	\$251.90
BLV10991	Aux. Hydraulic Coupler Kit 2 Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.	\$251.90
	Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990.	
BLV10965	Top and Tilt Field Kit (OOS Only) For MY18 and newer Tractors. Not compatible with 3 Point Hitch Downforce Kit (BLV10968).	\$1,465.20
	Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS).	
BLV10967	Top and Tilt Field Kit (Cab Only) For MY18 and newer Tractors.	\$1,465.20



Code	Description	List price(USD)
	Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab).	
BLV10966	Electric 3 Spool Diverter Kit (Cab and OOS) Includes three additional sets of SCV's. Not compatible with 3 Point Hitch Downforce Kit (BLV10037).	\$1,751.20
BLV10969	Power Beyond Kit (Cab and OOS) Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$474.10
BLV10763	Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$1,116.50
BLV10050	4th and 5th Selective Control Valve Kit (OOS Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.	\$1,020.80
BLV10045	4th and 5th Selective Control Valve Kit (Cab Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$1,109.90
BLV10457	Load Center Assembly (Cab Only)  Electronic housing for powering all electric hydraulic kits. See Sales  Manual (Hydraulic Ordering Guide) for ordering details.	\$444.40
BLV10090	Aux. Hydraulic Coupler Kit 2 Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.	\$251.90
	Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990.	
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION	
	EXHAUST	
BLV11102	Upward Exhaust Kit This conversion kit routes exhaust heat upward for compatibility with front fenders. Cab Tractors Only.	\$338.80



Code	Description	List price(USD)
BLV10609	Vertical Exhaust Kit If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts.	\$766.70
	AG MANAGEMENT SOLUTIONS (AMS) ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00



Code	Description	List price(USD)
	4066M Compact Utility Tractor (52 PTO hp)  ENGINE: Yanmar 4 Cylinder Intercooled Turbocharged Diesel Engine Tier IV EPA Emmissions Certified Engine HP 65.9 (48.5 kW)** PTO HP 52 (38.8 kW)  **Engine HP (kW), Gross SAE J1995: 65.9 (48.5) @ 2600 rpm, PS Displacement, L: 2.1	
	TRANSMISSION: PowrReverser Synchronized - 4 Speeds Forward, 4 Speeds Reverse Dual Multi-Disk Wet Clutches Differential Lock 4-Wheel Drive LoadMatch MotionMatch	
	INSTRUMENTATION: Performance Tracking System Diagnostic Control Panel Hour Meter PTO Hour Meter Filter Cleaning Tracking	
	ELECTRICAL: 12-Volt Electrical System 75 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Wet Battery with 770 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE: Adjustable Vinyl Seat with Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) Meets SAE J2194 and OSHA 1928 ROPS Certification Standards for North America and Europe	



Code	Description	List price(USD)
	Flat Foot Deck Operator Presence with Safety Interlock	
	HYDRAULICS: Not included in base machine	
	BASE MACHINE (4WD): 13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires 8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	
	BASE MACHINE	
0379LV	F.O.B. Grovetown, Georgia 4066M Compact Utility Tractor (52 PTO hp)	\$40,562.00
007724	DESTINATION AND LANGUAGE	Ψ 10/002.00
	Basic Factory Options	
	DESTINATION	
024H	United States Minor Outlying Islands	No Added Cost
	North America	
0202	United States	In Base Price
	OPERATOR'S MANUAL	
0409	English Operator's Manual and Decal Kit	In Base Price
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
	TRANSMISSION Basic Factory Options TRANSMISSION	
1381	12F/12R PowrReverser	In Base Price
1520	eHydro™	\$1,269.00
	ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION	
BLV10641	Transmission Oil Heater	\$88.00
TA17322	4M eThrottle and MotionMatch Software Software kit adds eThrottle and changes the MotionMatch settings for applications requiring lengthened acceleration and deacceleration responses from HST pedal inputs Requires HST transmission	\$264.00



Code	Description	List price(USD)
	See Installation Instructions before use of this software for full information and safety information A software kit is available to return any tractors equipped with TA17322 back to the original factory settings. To revert any 4044M, 4052M, and 4066M tractor with the added eThrottle and MotionMatch kit back to factory settings order kit TA17323.	
BLV10388	Cruise Control Kit For 4M HST tractors. Requires Service Advisor software order number LVU27044. See instruction sheet for more details.	\$79.20
	OPERATOR'S STATION AND CONTROLS Basic Factory Options OPERATOR'S STATION	
2000	Open Station with Standard Seat ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	In Base Price
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
LP95233	Large Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.99
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
TY25324	Weather Protection Umbrella	\$125.36
BLV10401	Premium Seat Kit (OOS Only)	\$950.40
BXX10590	ShadePro Designed Canopy	\$660.00
BLV10924	Rear License Plate Kit (Includes Light) For MY18 and newer tractors.	\$74.80
	AXLE AND BRAKES Basic Factory Options REAR AXLE	



Code	Description	List price(USD)
5090	Less Wheel Spacer	In Base Price
5091	Wheel Spacer Totaling 11 inches (5.5 inches each).	\$482.00
	HITCHES AND DRAWBARS Basic Factory Options THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1 Includes one set of bushings Not compatible with telescoping draft links	\$334.00
4061	Less iMatch™ Quick Hitch Category 1  ATTACHMENTS FOR FIELD CONVERSION  THREE-POINT HITCH	In Base Price
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings (LVU15507).	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit	\$107.80
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).	\$27.30
	DRAFT LINK	
BLV10375	Telescoping Draft Links For use on tractors equipped with horizontal-bar stabilizers.  DRAWBAR	\$447.70
BLV10844	Tractor Drawbar Assembly	\$317.90
	WHEELS AND TIRES Basic Factory Options REAR WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
5221	13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240	16.9-24 (6PR, R4 Industrial, 2 Position)	(\$45.00)
5243	44x18-20 (4PR, R3 Turf, 1 Position)	(\$527.00)



Code	Description	List price(USD)
5253	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) FRONT WHEELS AND TIRES	\$615.00
	All tires offered are of bias ply construction.	
6221	8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240	10-16.5 (6PR, R4 Industrial, 2 Position)	\$154.00
6243	27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253	27x12LL-15 (6PR, R3 Turf Special, 2 Position)	\$87.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	\$3,589.30
BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	\$2,819.30
BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$2,759.90
BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	\$2,157.10
TY15988	Tire Chains For Use with 44X18.00-20 In. 4PR (R3) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$646.71
TY4462	Tire Chains For Use with 13.6-28 In. 4PR (R1) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$626.88
TY16202	Tire Chains For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$994.73
	FRONT WHEELS AND TIRES	
BLV10872	10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$997.70
BLV10870	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$801.90
TY15201	Tire Chains For Use with 10-16.5 In. 6 PR (R4) Front Tires.	\$326.93



Code	Description	List price(USD)
BLV10876	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	\$915.20
BLV10874	27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires WHEEL TREAD WIDTH	\$809.60
BLV10029	Wheel Spacer Set, 140 mm (each side)  LOADERS AND BACKHOES  Basic Factory Options  LOADERS	\$621.50
1701	Factory Installed Loader with Bucket Pricing includes 400E Loader and loader installation charge with the following options:	\$7,063.00
	73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1750	Factory Installed Loader less Bucket  Pricing includes 400E Loader and loader installation charge with the following options:	\$6,018.00
	Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard Non-Self Leveling Loader	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1795	Less Loader	In Base Price



Code	Description	List price(USD)
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION REAR WHEEL WEIGHTS	
BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg) Order BM19940 qty per ADDITIONAL T19293 wheel weight. Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1	\$23.10
BM17968	Rear Wheel Weight, 48.5 lb Starter and additional rear wheel weight for 44X18.00-20 4PR R3 tires	\$140.80
T19293	Weight, Rear Wheel 106 lb (48 kg) Starter and additional rear wheel weight for 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1 tires	\$165.00
BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)  Order BM19939 attaching hardware for starter wheel weight T19239.  Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4,	\$40.70
LVB25004	380/70R28 R1, 360/80R28 R1  Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)  Order LVB25004 attaching hardware for starter wheel weight BM17968.  Compatible with tire sizes 44X18.00-20 4PR R3	\$58.30
BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)  Order BM19937 qty per ADDITIONAL BM17968 wheel weight.  Compatible with tire sizes 44X18.00-20 4PR R3  FRONT WEIGHTS	\$12.10
UC13263	Quik-Tatch Weight, 42 lb (19 kg)	\$60.99
BLV10441	Requires (1) LVB25705, Front Weight Pin Kit. Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.	\$278.30
LVU32113	Quik-Tatch Weight, 70 lb (32 kg)	\$99.00



Code	Description	List price(USD)
	Requires (1) LVB25705, Front Quik-Tatch Weight Kit.	
BLV10442	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.	\$260.70
LVB25705	Front Quik-Tatch™ Weight Kit Includes Rod and Spring Pins for Front Quik-Tatch Weights.	\$48.40
	Without installation of Front Weight Bracket Extension Kit (BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.	
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time.	\$73.70
	Includes 1 Light.	
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).	\$92.40
BLV10497	LED Work Light Kit Requires Warning Light Brush Guard Kit (BLV10400). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.	\$347.60
BLV10400	ROPS Lights Brush Guard Kit Includes 2 guards.	\$92.40
LVB25546	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).  BACKUP ALARM	\$124.30
BLV10358	Back-up Alarm Kit	\$150.70



Code	Description	List price(USD)
	For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors. <b>LIGHTING EQUIPMENT</b>	
BLV10174	7-Pin Trailer Connector (OOS Only)	\$118.80
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
AL212683	Mounting Parts - Display Mount RAM	\$153.40
PF80460	Mount - RAM U-Bolt	\$72.21
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
BLV10359	Horn Kit	\$68.20
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
LVB24865	Tool Box Kit For use on 4M tractors less loader.  MAINTENANCE	\$190.30
LVA21039	Filter Pak	\$177.52
LVAZ 1039	POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	\$177.52
BLV10953	John Deere Quik Knect™ PTO receiver At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what	\$205.70



Code	Description	List price(USD)
	Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	
	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit	\$66.00
	HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS Please review the Hydraulic Ordering Guides in the Sales Manual	
	for ordering information and compatibility information.	
BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$1,116.50
BLV10767	Electrohydraulic Third SCV Kit with Rear Tubing For 4M D170 / 400E Loader Configurations	\$1,116.50
BLV10965	Top and Tilt Field Kit (OOS Only)  For MY18 and newer Tractors.  Not compatible with 3 Point Hitch Downforce Kit (BLV10968).	\$1,465.20
	Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS).	
BLV11029	Dual Mid Valve Kit For 4M H180/440R compatibility and 4M Less Loader configurations.	\$787.60
	Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details	
BLV10969	Power Beyond Kit (Cab and OOS) Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$474.10
BLV10050	4th and 5th Selective Control Valve Kit (OOS Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.	\$1,020.80
	GUARDS	



Code	Description	List price(USD)
	ATTACHMENTS FOR FIELD CONVERSION HOOD GUARDS	
BXX10458	Hood Guard Compatible with 4M less loader only.	\$378.40
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
BLV10609	Vertical Exhaust Kit If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts.	\$766.70
	AG MANAGEMENT SOLUTIONS (AMS) ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00



Code	Description	List price(USD)
	4066R Compact Utility Tractor (52 PTO hp)	
	ENGINE:	
	Yanmar 4 Cylinder Intercooled Turbocharged Diesel Engine Tier	
	IV EPA Emissions Certified	
	Engine HP 65.9 (48.5 kW)**	
	PTO HP 52 (38.8 kW) HST	
	**Engine HP (kW), Gross SAE J1995: 65.9 (48.5) @ 2600 rpm, PS Displacement, L: 2.2	
	Displacement, L. 2.2	
	TRANSMISSION:	
	HST Transmission	
	3 Range	
	Differential Lock	
	Cruise Control	
	4-Wheel Drive	
	LoadMatch	
	MotionMatch	
	SpeedMatch	
	eThrottle	
	HYDRAULICS:	
	Dual Mid Selective Control Valve with Joystick Control Lever,	
	Float, Regenerative Function, and Regenerative Lockout	
	INSTRUMENTATION:	
	Performance Tracking System	
	Diagnostic Control Panel	
	Hour Meter	
	Speedometer	
	ELECTRICAL:	
	12-Volt Electrical System	
	75 Amp Alternator	
	Key Ignition Starter with Accessory and Pre-Heat Position	
	Wet Battery with 770 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE:	
	Deluxe Adjustable Vinyl Seat with Arm Rests, Swivel and	
	Retractable Seat Belt	



Code	Description	List price(USD)
	Folding ROPS (Roll-Over Protective Structure)	
	Meets SAE J2194 and OSHA 1928 ROPS Certification Standards	
	for North America and Europe Isolated Foot Rest	
	Center Console Tool Storage	
	Operator Presence with Safety Interlock	
	CAB (OPTIONAL):	
	12 Volt Auxiliary Power Outlet	
	Air Conditioning and Heater	
	Armrests Cell Phone Holder	
	Deluxe Fabric Covered Seat with Retractable Seat Belt	
	Dual Forward Work Lights	
	Two Speed Front Windshield Wiper/Washer	
	Fully Isolated Deluxe Cab	
	High Impact Polymer Fenders with Integrated Tail Lights	
	Radio Preparation (w/antenna, speakers, wiring, media player	
	storage slot Molded Rubber Floormat	
	Operator Manual Holder	
	Rearview Mirror (inside)	
	Monitor Bosses (2 sets)	
	Right Hand and Left Hand Console Storage	
	Right Hand Control Center	
	Sealed Quiet Cabin	
	Sun visor Swing-Out Rear Window w/removable plug for monitor or	
	controller harnesses	
	Tilt Steering	
	Two Front/Two Rear Roof Mounted Warning Lights	
	HITCH:	
	HitchAssist	
	Aux. 3 Point Hitch Control	
	BASE MACHINE (4WD):	
	13.60-28 (4PR, R1 Bar, 5 Position) Rear Wheels & Tires	
	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	



Code	Description	List price(USD)
	BASE MACHINE	
0389LV	F.O.B. Grovetown, Georgia 4066R Compact Utility Tractor (52 PTO hp)	\$45,216.00
000721	DESTINATION AND LANGUAGE	ψ 10/2 10/00
	Basic Factory Options DESTINATION	
	North America	
0202	United States	In Base Price
	OPERATOR'S MANUAL	
0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
	TRANSMISSION Pasis Factory Options	
	Basic Factory Options TRANSMISSION	
1381	12F/12R PowrReverser Requires Operator Station option 2005 (Open Station with Deluxe Seat).	(\$1,269.00)
1520	Includes response control feature. eHydro™ Includes premium eHydro features (SpeedMatch™, LoadMatch™, MotionMatch™, and eThrottle™).	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION	
BLV10641	Transmission Oil Heater	\$88.00
	OPERATOR'S STATION AND CONTROLS	
	Basic Factory Options OPERATOR'S STATION	
2005	Open Station with Deluxe Seat	In Base Price
2060	Deluxe Cab with Air Ride Seat Requires Transmission option 1520 (eHydro™) Includes Rear Wiper and 2 Rear Work Lights.	\$10,514.00
2051	Snow Cab with Air Ride Seat Requires Transmission option code 1520 (eHydro™).	\$12,488.00



Code	Description	List price(USD)
	Includes Rear Wiper, 2 Rear Work Lights, 4th and 5th Rear SCVs, License Plate Bracket, Beacon Light, Engine Coolant Heater.	
	RADIO	
2660	Factory Installed Stereo Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.	\$541.00
	Available ONLY with option codes 2050, 2060, and 2051	
2650	Less Radio	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
TY25324	Weather Protection Umbrella	\$125.36
BLV10379	Air Seat Suspension Kit (OOS Only) Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.	\$832.70
BXX10590	ShadePro Designed Canopy	\$660.00
BLV10924	Rear License Plate Kit (Includes Light) For MY18 and newer tractors.	\$74.80
	CAB OPERATOR'S STATION	
RE343680	Accessory Mounting Bracket For Cab Tractors only.	\$55.81
BRE10015	Cell Phone Mount Kit	\$75.90
BRE10152	Self - Leveling Cup Holder Keep your favorite beverage within reach and prevent from spilling. Cab models only.	\$74.80
BRE10255	Tablet Mount Kit	\$104.50
BXE10607	X-Grip Tablet Dual Suction Cup Kit for Tablets	\$196.90



Code	Description	List price(USD)
BXE10864	12" Tablet Holder Kit (Ipad Pro™)	\$212.30
PM191-050563	Micro USB Cable, 6 Ft	\$11.62
PM191-052901	Dual USB Charger  Dual USB sockets give you more options for cab devices. 4.2 Amp  output to simultaneously charge 2 iPads or other USB devices. Cab  models only.	\$16.60
PM191-050860	Type C USB Cable, 6 Ft	\$16.60
PM191-050594	Apple™ Cable, 6 Ft	\$22.77
BXE10606	Cell Phone Suction Cup Kit	\$68.20
RE265955	Air Seat Suspension Kit	\$687.69
LVB24844	External Mirror Kit (Cab Only)	\$224.40
BLV10938	Rear Wiper Kit (Cab Only)  Compatible with cab tractors built after March 15, 2017.	\$218.90
SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.	\$281.51
BLV11052	Rear License Plate Kit (Cab Only) (Includes Light) For MY18 and newer Cab Tractors only.	\$130.90
LVB24856	Rear Wiper Kit (Cab Only)  Compatible with cab tractors built prior to March 15, 2017.	\$290.40
	AXLE AND BRAKES Basic Factory Options REAR AXLE	
5090	Less Wheel Spacer	In Base Price
5091	Wheel Spacer Totaling 11 inches (5.5 inches each).	\$482.00
	HITCHES AND DRAWBARS  Basic Factory Options  THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1	\$334.00



Code	Description	List price(USD)
	Includes one set of bushings Not compatible with telescoping draft links	
4061	Less iMatch™ Quick Hitch Category 1  ATTACHMENTS FOR FIELD CONVERSION  THREE-POINT HITCH	In Base Price
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit	\$107.80
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50mm (1.97in).	\$27.30
BLV10968	3-Point Hitch Downforce Kit  Provides additional down-pressure to 3 point hitch.  Not compatible with backhoe due to interference with the backhoe mounting frame. If tractor will be used for backhoe operations, remove the 3 Point Hitch Downforce kit and reinstall original 3 Point hitch components.	\$1,251.80
	Requires LVA19471 for OOS Tractors if NOT equipped with Load Center Assembly BLV10456. Requires LVA19473 for Cab Tractors if NOT equipped with Load Center Assembly BLV10457.	
	Not compatible with Top and Tilt Kit (BLV10040, BLV10499, BLV10965, BLV10967) or Electric 3 Spool Diverter Kit (BLV10968).	
	DRAFT LINK	
BLV10375	Telescoping Draft Links For use on tractors equipped with horizontal-bar stabilizers.  FRONT HITCH	\$447.70
BLV10088	Category 1 Three-Point Hitch Lift Arms and Torsion Tube Requires Front Three-Point Hitch BLV10989.	\$811.80
BLV10989	Front Three-Point Hitch	\$1,870.00



Code	Description	List price(USD)
	Lift Arms and Torsion Tube ordered separately, BLV10088.	
BLV10091	Heavy-Duty Push Bar	\$490.60
	Requires Front Three-Point Hitch BLV10989.	
	DRAWBAR	
BLV10844	Tractor Drawbar Assembly	\$317.90
	WHEELS AND TIRES	
	Basic Factory Options REAR WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
5221	13.6-28 (4PR, R1 Bar, 5 Position)	In Base Price
5240	16.9-24 (6PR, R4 Industrial, 2 Position)	(\$45.00)
5243	44x18-20 (4PR, R3 Turf, 1 Position)	(\$527.00)
5253	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position)	\$615.00
5201	Nokian TRI 2 360/80R28 Rear Snow Tires	\$716.00
	FRONT WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
6221	8-16 (6PR, R1 Bar, 2 Position)	In Base Price
6240	10-16.5 (6PR, R4 Industrial, 2 Position)	\$154.00
6243	27x10.50-15 (4PR, R3 Turf, 2 Position)	No Added Cost
6253	27x12LL-15 (6PR, R3 Turf Special, 2 Position)	\$87.00
6201	Nokian 250/75R16 TRI2 Steel Front Snow Tires	\$668.00
	ATTACHMENTS FOR FIELD CONVERSION	
	REAR WHEELS AND TIRES	
BLV10877	22.50LLx16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	\$3,589.30
BLV10871	13.60-28 (4PR, R1 Bar, 5 Position)	\$2,819.30
BLV10873	16.90-24 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$2,759.90
BLV10875	44x18-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	\$2,157.10
TY15988	Tire Chains	\$646.71
	For Use with 44X18.00-20 In. 4PR (R3) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	



Code	Description	List price(USD)
TY4462	Tire Chains For Use with 13.6-28 In. 4PR (R1) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$626.88
TY16202	Tire Chains For Use with 17.5L-24 In. 8 (R4) Rear Tires. Requires Wheel Spacer Set, BLV10029. Not Compatible with Backhoe installed due to interference with backhoe subframe. FRONT WHEELS AND TIRES	\$994.73
BLV10872	10-16.5 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$997.70
BLV10872	8-16 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$801.90
TY15201	Tire Chains For Use with 10-16.5 In. 6 PR (R4) Front Tires.	\$326.93
BLV10876	27x12LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	\$915.20
BLV10874	27x10.50-15 (4PR, R3 Turf, 2 Position) Front Wheels & Tires WHEEL TREAD WIDTH	\$809.60
BLV10029	Wheel Spacer Set, 140 mm (each side)  REAR FENDERS	\$621.50
BLV10892	Rear Fender Extension Kit (Cab Only) FRONT FENDERS	\$386.10
BLV10896	Turnable Front Fender Kit For 4R Series Cab Tractors. Also requires an Upward Exhaust Kit or Vertical Exhaust Kit if side exhaust is currently installed on the tractor.	\$719.40
BLV10791	Fixed Front Fender Kit For 4R Series Cab Tractors. Also requires an Upward Exhaust Kit or Vertical Exhaust Kit if side exhaust is currently installed on the tractor.	\$607.20
	LOADERS AND BACKHOES Basic Factory Options	
	LOADERS	
1701	Factory Installed Loader with Bucket	\$7,886.00



Code	Description	List price(USD)
	Pricing includes 440R Loader and loader installation charge with the following options:	
	73 In. (1850mm) Quick Change Materials Bucket Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard	
	Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1750	Factory Installed Loader less Bucket Pricing includes 440R Loader and loader installation charge with the following options:	\$6,841.00
	Compact Utility Tractor Carrier Mounting Frame Two Function Single Lever Control Hood Guard	
	Hydraulic Hoses to Tractor Mid Valve Non-Self Leveling Loader	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1795	Less Loader	In Base Price
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION REAR WHEEL WEIGHTS	
BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg) Order BM19940 qty per ADDITIONAL T19293 wheel weight. Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4, 380/70R28 R1, 360/80R28 R1	\$23.10
BM17968	Rear Wheel Weight, 48.5 lb	\$140.80



Code	Description	List price(USD)
	Starter and additional rear wheel weight for 44X18.00-20 4PR R3 tires	
T19293	Weight, Rear Wheel 106 lb (48 kg)  Starter and additional rear wheel weight for 13.6-28 6PR R1,  420/85D24 R4, 380/70R28 R1, 360/80R28 R1 tires	\$165.00
BM19939	Attaching Hardware for Starter Rear Wheel Weight, 110 lb (50 kg)  Order BM19939 attaching hardware for starter wheel weight T19239.  Compatible with tire sizes 13.6-28 6PR R1, 420/85D24 R4,	\$40.70
	380/70R28 R1, 360/80R28 R1	
LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)  Order LVB25004 attaching hardware for starter wheel weight BM17968.  Compatible with tire sizes 44X18.00-20 4PR R3	\$58.30
BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg) Order BM19937 qty per ADDITIONAL BM17968 wheel weight. Compatible with tire sizes 44X18.00-20 4PR R3	\$12.10
	FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires (1) LVB25705, Front Weight Pin Kit.	\$60.99
BLV10441	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 12 front Quik-Tatch weights.	\$278.30
LVU32113	Quik-Tatch Weight, 70 lb (32 kg) Requires (1) LVB25705, Front Quik-Tatch Weight Kit.	\$99.00
BLV10442	Front Weight Bracket Extension Kit Includes Extension Bracket and All Hardware (Including rod and spring pins) to hold up to 10 front Quik-Tatch weights.	\$260.70
LVB25705	Front Quik-Tatch™ Weight Kit Includes Rod and Spring Pins for Front Quik-Tatch Weights.	\$48.40
	Without installation of Front Weight Bracket Extension Kit	



Code	Description	List price(USD)
	(BLV10441 or BLV10442) tractor will only hold 5 Quik-Tatch Weights.	
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Cannot be used with Forward Work Lighting Kit (LVB25546) at the same time. Not for use with Cab Tractors.	\$73.70
	Includes 1 Light.	
LVB24853	Rear Work Light Kit (2 Lights) (Cab Only) Includes 2 Lights. Cab is Pre-Wired.	\$178.20
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Premium Warning Light Brush Guard Kit (BLV10620).	\$92.40
BLV10497	LED Work Light Kit Requires Warning Light Brush Guard Kit (BLV10620). Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation.	\$347.60
LVB24852	Beacon Light Kit (Cab Only)	\$287.10
LVB25546	Dual Light Forward Lighting Kit Requires Premium Warning Light Brush Guard Kit (BLV10620). Not Compatible with Rear Work Light Kit (LVB25547).	\$124.30
BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) Includes 2 guards.	\$92.40
	BACKUP ALARM	
BLV10358	Back-up Alarm Kit For Open Operator Station Tractors. Standard on 4R eHydro Transmission Tractors.	\$150.70
BLV10648	Back-up Alarm Kit For Cab Tractors. Standard on 4R eHydro Transmission Tractors.  LIGHTING EQUIPMENT	\$150.70



Code	Description	List price(USD)
BLV10174	7-Pin Trailer Connector (OOS Only)	\$118.80
BLV11095	7-Pin Trailer Connector Connector (Cab Only)	\$148.50
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
PF80460	Mount - RAM U-Bolt	\$72.21
AL212683	Mounting Parts - Display Mount RAM	\$153.40
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
BLV10359	Horn Kit	\$68.20
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
	MAINTENANCE	
LVA21039	Filter Pak	\$177.52
	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit	\$66.00
	POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at	\$205.70



Code	Description	List price(USD)
	all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	
BLV10385	2 Speed Power Take-Off (PTO) Kit (OOS Only) Requires Service Advisor software order number LVU29170. See instruction sheet for more details.	\$869.00
BLV10832	2 Speed Power Take-Off (PTO) Kit (Cab Only)  Also order software part number LVU29170 through JDPoint.	\$869.00
	HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS Please review the Hydraulic Ordering Guides in the Sales Manual	
	for ordering information and compatibility information.	
BLV10764	Electrohydraulic Third SCV Kit with Rear Tubing (OOS Only) Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$1,116.50
BLV10990	Aux. Hydraulic Coupler Kit 1 Includes couplers, hoses, and hardware to extend tractor mid Selective Control Valve to front hitch.	\$251.90
BLV10991	Aux. Hydraulic Coupler Kit 2 Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.	\$251.90
	Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990.	
BLV10965	Top and Tilt Field Kit (OOS Only) For MY18 and newer Tractors. Not compatible with 3 Point Hitch Downforce Kit (BLV10968).	\$1,465.20
	Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10050 (OOS).	
BLV10967	Top and Tilt Field Kit (Cab Only) For MY18 and newer Tractors.	\$1,465.20



Code	Description	List price(USD)
	Not compatible with 3 Point Hitch Downforce Kit (BLV10968). Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab).	
BLV10966	Electric 3 Spool Diverter Kit (Cab and OOS) Includes three additional sets of SCV's. Not compatible with 3 Point Hitch Downforce Kit (BLV10037).	\$1,751.20
BLV10969	Power Beyond Kit (Cab and OOS) Includes Rear Mounted Hydraulic Couplers and Hose. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$474.10
BLV10763	Electrohydraulic Third SCV Kit with Rear Tubing (Cab Only) Includes mid and rear hydraulic lines and couplers. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$1,116.50
BLV10050	4th and 5th Selective Control Valve Kit (OOS Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guides) for ordering details.	\$1,020.80
BLV10045	4th and 5th Selective Control Valve Kit (Cab Only) Includes Rear Mounted Couplers, Hydraulic Lines and SCV Lever. See Sales Manual (Hydraulic Ordering Guide) for ordering details.	\$1,109.90
BLV10457	Load Center Assembly (Cab Only)  Electronic housing for powering all electric hydraulic kits. See Sales  Manual (Hydraulic Ordering Guide) for ordering details.	\$444.40
BLV10090	Aux. Hydraulic Coupler Kit 2 Required for second function hydraulics. Includes couplers, hoses, and hardware to extend tractor rear 4th & 5th Selective Control Valve to front hitch.	\$251.90
	Requires installation of 4th & 5th Selective Control Valve Kit, BLV10045 (Cab) or BLV10050 (OOS) AND Aux Hydraulic Coupler Kit 1, BLV10990.	
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION	
	EXHAUST	
BLV11102	Upward Exhaust Kit This conversion kit routes exhaust heat upward for compatibility with front fenders. Cab Tractors Only.	\$338.80



Code	Description	List price(USD)
BLV10609	Vertical Exhaust Kit If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts.	\$766.70
	AG MANAGEMENT SOLUTIONS (AMS) ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00



Code	Description	List price(USD)
	3025E Compact Utility Tractor	
	ENGINE:	
	Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified	
	Engine HP 24.7 (18.2 kW)**	
	PTO HP 19.4 (14.4 kW) HST	
	Rated Speed 2500 RPM	
	**Engine HP (kW), gross SAE J1995: 24.7 (18.2) @ 2500 rpm, PS	
	Displacement, cu in. (L): 100.20 (1.642)	
	TRANSMISSION:	
	4-Wheel Drive	
	HST Transmission	
	2 Ranges	
	Differential Lock (Control Integrated with Brake Pedal)	
	HYDRAULICS:	
	9.3 GPM (35.2 LPM) Total Flow	
	5.3 GPM (20.1 LPM) Implement Pump	
	4.0 GPM (15.1 LPM)Steering Pump	
	ROCKSHAFT, HITCH AND DRAWBAR:	
	Drawbar	
	PTO: Independent 540 RPM Rear PTO	
	Electronically Engaged Wet Clutch	
	ELECTRICAL:	
	12-Volt System	
	55 Amp Alternator	
	Key Ignition Starter with Accessory and Pre-Heat Position	
	Maintenance Free Battery with 500 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE:	
	Adjustable Vinyl Seat without suspension	
	Folding ROPS	
	Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification Standards	
	Retractable Seat Belt	



Code	Description	List price(USD)
	Operator Presence with Safety Interlock System	
	BASE MACHINE (4WD):	
	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	
	BASE MACHINE	
	F.O.B. Grovetown, Georgia	
1359LV	3025E Compact Utility Tractor	\$20,012.00
	DESTINATION AND LANGUAGE  Pasis Factory Ontions	
	Basic Factory Options DESTINATION	
	North America	
0202	United States	In Base Price
0184	Canada	No Added Cost
0205	Quebec	No Added Cost
	Oceania	
024H	United States Minor Outlying Islands	No Added Cost
	OPERATOR'S MANUAL	
0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
	HITCHES AND DRAWBARS	
	Basic Factory Options THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1	\$334.00
	Includes one set of bushings	
	Not compatible with telescoping draft links	
4061	Less iMatch™ Quick Hitch Category 1 <b>DRAFT LINK</b>	In Base Price
4110	Draft Links - Flat Bar (Standard)	In Base Price
4120	Draft Links - Telescoping	\$357.00
	ATTACHMENTS FOR FIELD CONVERSION THREE-POINT HITCH	



Code	Description	List price(USD)
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings (LVU15507).	\$416.90
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
	DRAFT LINK	
BLV10919	Telescoping Draft Links  Not compatible with iMatch Quick Hitch.	\$447.70
DE10400	DRAWBAR  Seferty Charles Symmetric Kith	ф1/Г.4 <b>2</b>
RE19428	Safety Chain Support Kit Rear Drawbar Kit	\$165.42 \$170.20
BLV10918	Includes support bracket and retention pin.	\$178.20
	WHEELS AND TIRES	
	Basic Factory Options REAR WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
5210	15-19.5 6PR R4 Industrial <i>1 Position</i>	\$166.00
5213	41x14-20 4PR R3 Turf 1 Position	\$18.00
5211	11.20-24 6PR R1 Bar <i>1 Position</i>	In Base Price
5214	43x16-20 6PR R4 Industrial <i>1 Position</i>	\$191.00
	FRONT WHEELS AND TIRES	
(010	All tires offered are of bias ply construction.	<b>4</b> // 00
6210	25x8.50-14 6PR R4 Industrial  2 Position	\$66.00
6213	27x8.50-15 6PR R3 Turf 2 Position	\$76.00
6211	7-14 6PR R1 Bar 2 Position	In Base Price
6214	27x8.50-15 6PR R4 Industrial 2 Position	\$148.00



Code	Description	List price(USD)
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
TY4457	Tire Chains For use with 41x14.0-20 (R3) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$511.59
TY4453	Tire Chains For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$488.19
BLV10988	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$2,014.10
BLV10854	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	\$1,769.90
BLV10852	15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	\$1,982.20
BLV10850	41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires FRONT WHEELS AND TIRES	\$1,797.40
BLV10862	27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	\$819.50
BLV10860	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$634.70
BLV10849	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	\$729.30
BLV10851	25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$716.10
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket Pricing includes 300E Loader and loader installation charge with the following options:	\$5,890.00
	Compact Utility Tractor Carrier Non-Self Leveling Loader Boom 61 In. (1550 mm) Quick Change Materials Bucket Mounting Frame	
	Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard	



Code	Description	List price(USD)
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting. For 300E Mechanical Self Leveling loaders, please order 1361P separately."	
1750	Factory Installed Loader less Bucket Pricing includes 300E Loader and loader installation charge with the following options:	\$5,006.00
	Compact Utility Tractor Carrier Non-Self Leveling Loader Boom Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting. For 300E Mechanical Self Leveling loaders, please order 1361P separately."	
1795	Less Loader	In Base Price
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).	\$73.70
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).	\$92.40
BLV10497	LED Work Light Kit Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).	\$347.60
BLV10400	ROPS Lights Brush Guard Kit	\$92.40



Code	Description	List price(USD)
LVB25546	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).	\$124.30
	OPERATOR'S STATION AND CONTROLS ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
TY25324	Weather Protection Umbrella	\$125.36
BLV10924	Rear License Plate Kit (Includes Light) For MY18 and newer Tractors.	\$74.80
BXX10590	ShadePro Designed Canopy	\$660.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5–in.) ball mount and socket arm	\$66.48
AL212683	Mounting Parts - Display Mount RAM	\$153.40
PF80460	Mount - RAM U-Bolt	\$72.21
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
LP95233	Large Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.99
LP95637	Tractor Cover	\$159.99



Code	Description	List price(USD)
	For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.	
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
	WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION	
	FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires (1) BLV10443 or LVB24952.	\$60.99
LVU32113	Quik-Tatch Weight, 70 lb (32 kg) Requires (1) BLV10443.	\$99.00
LVB24952	Front Weight Bracket Extension Kit Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.	\$204.60
	Black in Color.	
BLV10443	Front Weight Bracket Extension Kit Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.	\$204.60
	Green in Color.	
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	REAR WHEEL WEIGHTS	
BM17965	Rear Wheel Weight, 60 lb (27.2 kg)	\$140.80



Code	Description	List price(USD)
	Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching Hardware). Maximum 3 Weights per Wheel. Order per wheel.	
BM19938	Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.	\$12.10
BM19951	Attaching Hardware for Rear Wheel Weight  For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20)  tires.  Order one per wheel/weight.  POWER TAKE-OFF	\$8.80
	ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver  At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.	\$205.70
	ENGINE ATTACHMENTS FOR FIELD CONVERSION	
	COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit  ENGINE	\$66.00



Description	List price(USD)
It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).	
Radiator Clean Out Screen Removable screen which helps to maintain good air flow and easy clean out.	\$81.40
AG MANAGEMENT SOLUTIONS (AMS) ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00
TRANSMISSION ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION	
It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).	
Transmission Oil Heater	\$88.00
Cruise Control Kit For MY18 and newer Tractors.	\$287.10
HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	
Dual Rear Selective Control Valve For MY18 and newer Tractors. Not Compatible with Power Beyond Kit (BLV11068)	\$1,020.80
Power Beyond Kit Includes Rear Mounted Hyraulic Couplers and Hoses. For use with Backhoe on 3025E-3038E Open Station Tractors Not Compatible with Dual Rear Selective Control Valve Kit (BLV10903)  EXHAUST	\$489.50
	It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).  Radiator Clean Out Screen Removable screen which helps to maintain good air flow and easy clean out.  AG MANAGEMENT SOLUTIONS (AMS) ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY  SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details  TRANSMISSION ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).  Transmission Oil Heater Cruise Control Kit For MY18 and newer Tractors.  HYDRAULICS  Dual Rear Selective Control Valve For MY18 and newer Tractors. Not Compatible with Power Beyond Kit (BLV11068) Power Beyond Kit Includes Rear Mounted Hyraulic Couplers and Hoses. For use with Backhoe on 3025E-3038E Open Station Tractors Not Compatible with Dual Rear Selective Control Valve Kit (BLV10903)



Code	Description	List price(USD)
	ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
BLV11104	Spark Arrester Screen For MY18 and newer Tractors.	\$486.20



Code	Description	List price(USD)
	3033R Compact Utility Tractor (24 PTO hp)	
	ENGINE:	
	Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified	
	Engine HP 32.2 (23.7 kW)	
	PTO HP 24.8 (18.5 kW) PRT	
	PTO HP 24.3 (18.1 kW) HST	
	Engine HP (kW), Gross SAE J1995: 32.2 (23.7) @ 2600 rpm, PS	
	Displacement, L: 1.642	
	TRANSMISSION:	
	4-Wheel Drive	
	PRT Transmission	
	Differential Lock	
	HYDRAULICS: Dual Mid Selective Control Valve with Joystick Control Lever,	
	Float, Regenerative Function, and SCV and Regenerative	
	Lockout	
	PTO:	
	Independent 540 RPM Rear PTO	
	Electronically Engaged with Mechanical Mid-Both-Rear Selector	
	ELECTRICAL: 12-Volt Electrical System 75 Amp Alternator	
	Key Ignition Starter with Accessory and Pre-Heat Position	
	Maintenance Free Battery with 770 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE:	
	Deluxe Adjustable Vinyl Seat with Retractable Seat Belt	
	Folding ROPS (Roll-Over Protective Structure) meets SAE J2194	
	and OSHA 1928 ROPS Certification Standards Isolated Foot Rest	
	isolated Foot Nest	
	CAB (OPTIONAL):	
	12-Volt Auxiliary Power Outlet	
	Air Conditioning and Heater	
	Cell Phone Holder Deluxe Fabric Covered Seat with Retractable Seat Belt	
	Armrests	
	Dual Forward Work Lights	



Code	Description	List price(USD)
	Exclusive Raised Header Bar Two-Speed Front Windshield Wiper/Washer Fully Isolated Cab High Impact Polymer Fenders with Integrated Tail Lights	
	Radio Preparation (with antenna, speakers, wiring, media player storage slot) Molded Rubber Floormat Operator Manual Holder	
	Rearview Mirror (Inside) Monitor Mounting Bosses (2 sets) Right Hand and Left Hand Console Storage Right Hand Control Center	
	Sealed Quiet Cabin Sun Visor Swing-Out Rear Window with removable rear plug for monitor or controller wiring harnesses Tilt Steering	
	Two Front/Two Rear Roof Mounted Warning Lights Operator Presence with Safety Interlock System Reverse Implement Option (RIO) BASE MACHINE (4WD):	
	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	
1369LV	BASE MACHINE  F.O.B. Grovetown, Georgia 3033R Compact Utility Tractor (24 PTO hp)	\$26,907.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0202	North America United States	In Base Price
024H	Oceania United States Minor Outlying Islands OPERATOR'S MANUAL	No Added Cost
0409	English Operator's Manual and Decal Kit	In Base Price
0437	Spanish Operator's Manual and Decal Kit  TRANSMISSION  Basic Factory Options	No Added Cost



Code	Description	List price(USD)
	TRANSMISSION	
1381	12F/12R PowrReverser Requires Operators Station 2000, SCV 3320, and PTO 3400	In Base Price
1520	eHydro <sup>™</sup> 3 Range Electronic Controlled Hydrostatic Transmission (featuring LoadMatch™, SpeedMatch™, and MotionMatch™, eThrottle™)	\$1,521.00
	ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION	
BLV10641	Transmission Oil Heater  HST models only	\$88.00
LVB26139	PRT Oil Cooler Kit	\$337.70
	OPERATOR'S STATION AND CONTROLS Basic Factory Options OPERATOR'S STATION	
2000	Open Station with Standard Seat If ordering transmission option 1520 (eHydro) the following set of options are required: 3330 (Dual Mid & Single EH Rear SCV) and 3420 (Mid PTO) OR 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).	In Base Price
	If ordering transmission option 1381 (PowrReverser) the following set of options are required: 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).	
2050	Cab with Standard Seat The following set of options are required: 1520 (eHydro), 3320 (Dual Mid SCV), and 3400 (Less Mid PTO)	\$9,508.00
2051	Snow Cab with Standard Seat Includes Rear Wiper, Rear Work Lights, Beacon Light, Engine Coolant Heater, and License Plate Bracket. The following set of options are required: 1520 (eHydro), 3400 (Less Mid PTO), and 3330 (Dual Mid & Single EH rear SCV)	\$10,333.00
	RADIO	
2660	Factory Installed Stereo	\$541.00



Code	Description	List price(USD)
	Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.	
	Available ONLY on Cab configurations.	
2650	Less Radio ATTACHMENTS FOR FIELD CONVERSION RADIO	In Base Price
SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio. OPEN OPERATOR'S STATION	\$281.51
LVB25334	Canopy - Standard	\$515.90
2102001	Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	ψ010.70
LP95233	Large Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.99
BLV10924	Rear License Plate Kit (Includes Light)	\$74.80
LVB25688	Air Seat Suspension Kit (OOS Only) Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.	\$832.70
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
TY25324	Weather Protection Umbrella	\$125.36
BXX10590	ShadePro Designed Canopy	\$660.00
	CAB OPERATOR'S STATION	
BRE10015	Cell Phone Mount Kit	\$75.90
BRE10152	Self - Leveling Cup Holder	\$74.80



Code	Description	List price(USD)
	Keep your favorite beverage within reach and prevent from spilling. Compatible with cab models only.	
BXE10606	Cell Phone Suction Cup Kit	\$68.20
BXE10864	12" Tablet Holder Kit (Ipad Pro™)	\$212.30
BRE10255	Tablet Mount Kit	\$104.50
RE343680	Accessory Mounting Bracket	\$55.81
PM191-050594	Apple™ Cable, 6 Ft	\$22.77
PM191-052901	Dual USB Charger  Dual USB sockets give you more options for cab devices. 4.2 Amp  output to simultaneously charge 2 iPads or other USB devices.  Compatible with cab models only.	\$16.60
PM191-050563	Micro USB Cable, 6 Ft	\$11.62
PM191-050860	Type C USB Cable, 6 Ft	\$16.60
BXE10607	X-Grip Tablet Dual Suction Cup Kit for Tablets	\$196.90
BLV10938	Rear Wiper Kit (Cab Only)  Compatible with cab tractors built after March 15, 2017	\$218.90
LVB24856	Rear Wiper Kit (Cab Only)  Compatible with cab tractors built prior to March 15, 2017	\$290.40
BLV11052	Rear License Plate Kit (Cab Only) (Includes Light)	\$130.90
RE265955	Air Seat Suspension Kit	\$687.69
LVB24844	External Mirror Kit (Cab Only)	\$224.40
	POWER TAKE-OFF Basic Factory Options MID POWER TAKE-OFF (PTO)	
3420	Mid PTO Requires option 3330 (Dual Mid & Single EH Rear SCV)	\$827.00
	Available only as Dealer-installed option on 3033R Cab Tractors and 3039R Cab with Standard Seat Tractors.	
	Mid PTO is not offered on PRT configurations.	
3400	Less Mid PTO Requires SCV option 3320 (Dual Mid SCV).	In Base Price



Code	Description	List price(USD)
3401	Less Mid PTO (Snow Cab Only)  Requires SCV option 3331 (Dual Mid & Single Electrohydraulic Rear  SCV)	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION MID POWER TAKE-OFF (PTO)	
BLV10848	Mid PTO Control Kit (Cab Only)  Not compatible with PRT configurations.	\$178.20
LVB25537	Mid Power Take-Off (PTO) Kit Not compatible with PRT configurations. For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts. Cab Tractor also Requires BLV10848, Mid PTO Controls.  REAR POWER TAKE-OFF (PTO)	\$859.10
BLV10953	John Deere Quik Knect™ PTO receiver  At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	\$205.70
	FRONT POWER TAKE-OFF (PTO)	
BLV10475	Requires BLV10439 (Front Three-Point Hitch).  2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R)  Includes RIO override for front implements	\$319.93
BLV10452	Front PTO bracket (3120-3720, 3033R-3046R)	\$97.90
	HITCHES AND DRAWBARS  Basic Factory Options  THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1 Includes one set of bushings Not compatible with telescoping draft links	\$334.00
4061	Less iMatch™ Quick Hitch Category 1  ATTACHMENTS FOR FIELD CONVERSION	In Base Price



Code	Description	List price(USD)
	THREE-POINT HITCH	
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings (LVU15507)	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit Includes: Two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2) Two lower reducer bushings (Cat. 2 to Cat. 1) Two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins	\$107.80
	This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch™ Quick Hitch.	
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in)	\$29.18
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1). Length 50 mm (1.97 in)	\$27.30
	DRAFT LINK	
LVB25308	Telescoping Draft Links For use on tractors equipped with Horizontal-Bar Stabilizers CAT 1 balls	\$845.90
	FRONT HITCH	
BLV10439	Front 3-point hitch (3033R-3046R) Requires BLV10452 (Front PTO Bracket)	\$1,435.50
	HYDRAULICS Basic Factory Options SELECTIVE CONTROL VALVES	
3320	Dual Mid Selective Control Valve	In Base Price
3330	Dual Mid & Single Electrohydraulic Rear SCV  Available only as Dealer-installed option on Cab with Standard  Seat configuration (option code 2050).	\$1,130.00
3331	Dual Mid & Single Electrohydraulic Rear SCV (Snow Cab Only) Includes same parts as option 3330 Requires Mid PTO option 3401	\$1,130.00



Code	Description	List price(USD)
	ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	
BLV11010	Power Beyond Kit (OOS Only) For MY18 and newer tractors For use with 3rd SCV	\$474.10
	Includes: Rear mounted hydraulic couplers and hoses for use with backhoe	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) or ordering details	
BLV10500	EH Third SCV (OOS Only) For MY15 and newer tractors	\$1,075.80
	Includes: Rear mounted couplers Hydraulic lines SCV lever	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information	
BLV10983	Electric Diverter Kit (OOS Only) For MY18 and newer tractors	\$1,751.20
	Includes: Diverter valve Electric diverter switch Hydraulic lines Two SCV couplers	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information	
BLV10962	Power Beyond Kit For MY18 and newer tractors For use with 3rd SCV	\$474.10



Code	Description	List price(USD)
	Includes: Rear mounted hydraulic couplers and hose	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information	
BLV10649	Electric Diverter Kit (Cab Only) Includes: Diverter valve Electric diverter switch Hydraulic lines Two SCV couplers	\$1,732.50
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering details	
BLV10650	Top and Tilt Field Kit Requires two rear hydraulic functions (4-couplers)	\$1,518.00
	For OOS Tractors: Can control Top and Tilt kit two ways: 4th and 5th Rear Selective Control Valve Kit, which provides two ROPs mounted control levers. OR Electric Diverter Kit, which allows the use of the loader joystick for control.	
	FOr Cab tractors: Requires Electric Diverter Kit. No independent 4th and 5th Rear Selective Control Valve kit is available for Cabs.	
BLV10964	Power Beyond Kit (Cab Only) For MY18 and newer tractors	\$474.10
	Includes: Rear mounted hydraulic couplers and hose	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information	
BLV10961	EH Third SCV (Cab Only)	\$1,075.80



Code	Description	List price(USD)
	For MY18 and newer tractors	
	Includes: Rear mounted couplers Hydraulic lines SCV lever	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information	
BLV10761	4th & 5th Selective Control Valve Kit (OOS Only) Includes: Rear mounted couplers Hydraulic lines SCV lever	\$960.30
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering details	
	WHEELS AND TIRES	
	Basic Factory Options	
	REAR WHEELS AND TIRES  All tires offered are of bias ply construction.	
5211	11.2-24 (6PR, R1 Bar, 5 Position)	In Base Price
5223	41x14-20 (4PR, R3 Turf, 2 Position)	(\$258.00)
5233	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	\$596.00
5220	15-19.5 (6PR, R4 Industrial, 2 Position)	(\$109.00)
5230	43x16-20 (4PR, R4 Industrial, 2 Position)	(\$85.00)
	FRONT WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
6211	180/95 - 14 (6PR, R1 Bar, 2 Position) Standard Measurement: 7 -14 (6PR, R1 Bar, 2 Position)	In Base Price
6223	27x8.5-15 (6PR, R3 Turf, 2 Position)	\$76.00
6233	25/10.50LLx15 (6PR, R3 Turf Special, 2 Position)	\$148.00
6220	25x8.50-14 (6PR, R4 Industrial, 2 Position)	\$66.00
6230	27x8.50-15 (6PR, R4 Industrial, 2 Position) ATTACHMENTS FOR FIELD CONVERSION	\$148.00



Code	Description	List price(USD)
	REAR WHEELS AND TIRES	
TY4453	Tire Chains For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$488.19
TY4457	Tire Chains For use with 41x14.0-20 In. 4PR (R3) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$511.59
BLV10863	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$2,014.10
BLV10861	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	\$1,769.90
BLV10865	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$1,982.20
BLV10867	41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	\$1,797.40
BLV10869	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	\$2,728.00
	FRONT WHEELS AND TIRES	
TY15651	Tire Chains For use with 25x8.50-14 (R4) Front Tires. Not for use with Front Fender Kit.	\$171.68
TY15649	Tire Chains For use with 27x8.50-15 (R3) Front Tires. Not for use with Front Fender Kit.	\$169.53
BLV10862	27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	\$819.50
BLV10860	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$634.70
BLV10866	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	\$729.30
BLV10864	25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$716.10
BLV10868	25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	\$809.60
	REAR FENDERS	
BLV10892	Rear Fender Extension Kit (Cab Only)	\$386.10
BLV10893	Rear Fender Extension Kit (OOS Only) FRONT FENDERS	\$386.10



Code	Description	List price(USD)
BLV10895	Turnable Front Fender Kit (Cab Only)  Requires Vertical Exhaust kit if side exhaust is currently installed on the tractor	\$700.70
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket Pricing includes 320R Loader and loader installation charge with the following options:	\$6,896.00
	61 In. (1550mm) Quick Change Materials Bucket Non-Self Leveling Loader Boom Compact Utility Tractor Carrier Mounting Frame Hood Guard	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1750	Factory Installed Loader less Bucket Pricing includes 320R Loader and loader installation charge with the following options:	\$6,012.00
	Compact Utility Tractor Carrier Non-Self Leveling Loader Boom Mounting Frame Hood Guard	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1795	Less Loader	In Base Price
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit	\$73.70



Code	Description	List price(USD)
	Includes Wiring Harness Not compatible with Forward Lighting Kit (LVB25546) Not available on cab tractors	
BLV10399	Open Station Work Light Brush Guard Kit Includes two guards Requires Premium Warning Light Brush Guard Kit (BLV10620)	\$92.40
LVB25546	Dual Light Forward Lighting Kit Requires Premium Warning Light Brush Guard Kit (BLV10620) Not compatible with Rear Work Light Kit (LVB25547)	\$124.30
BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) Includes two guards	\$92.40
BLV10497	LED Work Light Kit Requires Warning Light Brush Guard Kit (BLV10620) Includes two ROPS mounted LED lights Each light has 360 degree rotation	\$347.60
LVB24853	Rear Work Light Kit (2 Lights) (Cab Only)  Cab is pre-wired	\$178.20
LVB24852	Beacon Light Kit (Cab Only)  BACKUP ALARM	\$287.10
BLV10358	Back-up Alarm Kit For open operator station tractors	\$150.70
BLV10648	Back-up Alarm Kit For cab tractors LIGHTING EQUIPMENT	\$150.70
BXX10244	7-Pin Trailer Connector For Model Year 2018 and newer 3R tractors Compatible with Cab tractors only	\$179.30
BLV10174	7-Pin Trailer Connector (OOS Only)  MISCELLANEOUS	\$118.80
	ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5–in.) ball mount and socket arm	\$66.48



Code	Description	List price(USD)
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
AL212683	Mounting Parts - Display Mount RAM	\$153.40
PF80460	Mount - RAM U-Bolt	\$72.21
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
LP25001	3-Point Hitch Tractor Receiver Hitch	\$139.00
LP95637	Tractor Cover	\$159.99
LVB24930	Tool Box Kit	\$70.40
BLV10359	Horn Kit	\$68.20
	MAINTENANCE	
LVA21038	Filter Pak	\$177.19
	Includes oil filter, air filter, fuel filter and hydraulic filter	
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION REAR WHEEL WEIGHTS	
BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	\$12.10
BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg) Order BM19940 qty per each starter and additional T19293 wheel weight on your 3R tractor. Compatible with tire size 11.4-24 6PR R1	\$23.10
BM17968	Rear Wheel Weight, 48.5 lb Starter and additional rear wheel weight for tire sizes 43X16-20 4PR R4, 15-19.5 6PR R4, 41X14-20 4PR R3. Order attaching hardware BM19936	\$140.80
T19293	Weight, Rear Wheel 106 lb (48 kg) Starter and additional rear wheel weight for 11.4-24 6PR R1 tire sizes. Order BM19940 attaching hardware for both starter and additional weights	\$165.00
BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	\$13.20
LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	\$58.30
	FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg)	\$60.99



Code	Description	List price(USD)
	Requires, (1) LVBM19607, Front Quik-Tatch™ Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)	
BLV10441	Front Weight Bracket Extension Kit Includes extension bracket and all hardware, including rod and spring pins, to hold up to twelve front Quik-Tatch™ weights	\$278.30
LVB25705	Front Quik-Tatch™ Weight Kit Includes rod and spring pins for Front Quik-Tatch™ Weights	\$48.40
BLV10442	Front Weight Bracket Extension Kit Includes extension bracket and all hardware, including rod and spring pins, to hold up to ten front Quik-Tatch™ weights	\$260.70
LVU32113	Quik-Tatch Weight, 70 lb (32 kg) Requires, (1) LVBM19607, Front Quik-Tatch™ Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)	\$99.00
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit	\$66.00
	GUARDS ATTACHMENTS FOR FIELD CONVERSION HOOD GUARDS	
BW16585	Deluxe Hood Guard Attachment	\$697.40
BW15219	Hood Guard	\$309.10
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
BLV10606	Vertical Exhaust Kit (Non Turbo) If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts	\$1,670.90
	AG MANAGEMENT SOLUTIONS (AMS) ATTACHMENTS FOR FIELD CONVERSION	



Code	Description	List price(USD)
	MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00



Code	Description	List price(USD)
	3039R Compact Utility Tractor (31 PTO hp)  ENGINE:	
	Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified Engine HP 38.7 (28.5 kW)	
	PTO HP 31.1 (23.2 kW) HST PTO HP 31.6 (23.6 kW) PRT Engine HP (kW), Gross SAE J1995: 38.7 (28.5) @ 2600 rpm, PS Displacement, L: 1.496	
	TRANSMISSION: 4-Wheel Drive PRT Transmission Differential Lock	
	HYDRAULICS: Dual Mid Selective Control Valve with Joystick Control Lever, Float, Regenerative Function, and SCV and Regenerative Lockout	
	PTO: Independent 540 RPM Rear PTO Electronically Engaged with Mechanical Mid-Both-Rear Selector	
	ELECTRICAL: 12-Volt Electrical System 75 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position Maintenance Free Battery with 770 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE: Deluxe Adjustable Vinyl Seat with Retractable Seat Belt Folding ROPS (Roll-Over Protective Structure) meets SAE J2194 and OSHA 1928 ROPS Certification Standards Isolated Foot Rest	
	COMFORTGARD CAB (OPTIONAL): 12-Volt Auxiliary Power Outlet Air Conditioning and Heater	



Code	Description	List price(USD)
	Cell Phone Holder	
	Deluxe Fabric Covered Seat with Retractable Seat Belt	
	Armrests Dual Forward Work Lights	
	Exclusive Raised Header Bar	
	Two-Speed Front Windshield	
	Wiper/Washer	
	Fully Isolated Cab	
	High Impact Polymer Fenders with Integrated Tail Lights	
	Radio Preparation (with antenna, speakers, wiring, media	
	player storage slot)	
	Molded Rubber Floormat	
	Operator Manual Holder Rearview Mirror (Inside)	
	Monitor Mounting Bosses (2 sets)	
	Right Hand and Left Hand Console Storage	
	Right Hand Control Center	
	Sealed Quiet Cabin Sun Visor	
	Swing-Out Rear Window with removable rear plug for monitor	
	or controller wiring harnesses	
	Tilt Steering	
	Two Front/Two Rear Roof Mounted Warning Lights	
	Operator Presence with Safety Interlock System Reverse Implement Option (RIO)	
	BASE MACHINE (4WD):	
	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	
	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires  BASE MACHINE	
	F.O.B. Grovetown, Georgia	
1389LV	3039R Compact Utility Tractor (31 PTO hp)	\$29,725.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options DESTINATION	
	North America	
0202	United States	In Base Price



Code	Description	List price(USD)
	Oceania	
024H	United States Minor Outlying Islands  OPERATOR'S MANUAL	No Added Cost
0409	English Operator's Manual and Decal Kit	In Base Price
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
	TRANSMISSION Basic Factory Options TRANSMISSION	
1381	12F/12R PowrReverser Requires Operators Station 2000, SCV 3320, and PTO 3400	In Base Price
1520	eHydro™ 3 Range Electronic Controlled Hydrostatic Transmission (featuring LoadMatch™, SpeedMatch™, and MotionMatch™, eThrottle™)	\$1,521.00
	ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION	
BLV10641	Transmission Oil Heater  HST models only	\$88.00
LVB26139	PRT Oil Cooler Kit	\$337.70
	OPERATOR'S STATION AND CONTROLS Basic Factory Options OPERATOR'S STATION	
2000	Open Station with Standard Seat If ordering transmission option 1520 (eHydro) the following set of options are required: 3330 (Dual Mid & Single EH Rear SCV) and 3420 (Mid PTO) OR 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).	In Base Price
	If ordering transmission option 1381 (PowrReverser) the following set of options are required: 3320 (Dual Mid SCV) and 3400 (Less Mid PTO).	
2050	Cab with Standard Seat The following set of options are required: 1520 (eHydro), 3320 (Dual Mid SCV), and 3400 (Less Mid PTO)	\$9,508.00
2060	Deluxe Cab with Air Ride Seat	\$10,514.00



Code	Description	List price(USD)
	Includes Rear Wiper and Rear Work Light.	
	The following set of options are required: 1520 (eHydro), 3330 (Mid DSCV and Single Electrohydraulic Rear SCV), and 3420 (Mid PTO)	
2051	Snow Cab with Standard Seat Includes Rear Wiper, Rear Work Lights, Beacon Light, Engine Coolant Heater, and License Plate Bracket. The following set of options are required: 1520 (eHydro), 3400 (Less Mid PTO), and 3330 (Dual Mid & Single EH rear SCV)	\$10,333.00
	RADIO	
2660	Factory Installed Stereo Jensen Stereo with AM/FM, and Weatherband. SIRIUS Satellite ready. Customer will have to purchase an XM receiver separately.	\$541.00
	Available ONLY on Cab configurations.	
2650	Less Radio	In Base Price
	ATTACHMENTS FOR FIELD CONVERSION RADIO	
SWJHD1630	Stereo with AM/FM, Weatherband, SIRIUS Satellite and iPod Ready Stereo included with option Code 8244 when configuring Tractor. Customer will need to purchase an XM receiver module that plugs into the back of the radio.	\$281.51
	OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
LP95233	Large Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.99
BLV10924	Rear License Plate Kit (Includes Light)	\$74.80



Code	Description	List price(USD)
LVB25688	Air Seat Suspension Kit (OOS Only) Includes Air Ride Suspension Only. Used with Seat that Ships With Tractor.	\$832.70
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
TY25324	Weather Protection Umbrella	\$125.36
BXX10590	ShadePro Designed Canopy	\$660.00
	CAB OPERATOR'S STATION	
BRE10152	Self - Leveling Cup Holder Keep your favorite beverage within reach and prevent from spilling. Compatible with cab models only.	\$74.80
RE343680	Accessory Mounting Bracket	\$55.81
BXE10606	Cell Phone Suction Cup Kit	\$68.20
BXE10864	12" Tablet Holder Kit (Ipad Pro™)	\$212.30
BRE10015	Cell Phone Mount Kit	\$75.90
BRE10255	Tablet Mount Kit	\$104.50
PM191-050563	Micro USB Cable, 6 Ft	\$11.62
PM191-052901	Dual USB Charger Dual USB sockets give you more options for cab devices. 4.2 Amp output to simultaneously charge 2 iPads or other USB devices. Compatible with cab models only.	\$16.60
PM191-050860	Type C USB Cable, 6 Ft	\$16.60
BXE10607	X-Grip Tablet Dual Suction Cup Kit for Tablets	\$196.90
PM191-050594	Apple™ Cable, 6 Ft	\$22.77
BLV10938	Rear Wiper Kit (Cab Only) Compatible with cab tractors built after March 15, 2017	\$218.90
LVB24856	Rear Wiper Kit (Cab Only) Compatible with cab tractors built prior to March 15, 2017	\$290.40
RE265955	Air Seat Suspension Kit	\$687.69
LVB24844	External Mirror Kit (Cab Only)	\$224.40
BLV11052	Rear License Plate Kit (Cab Only) (Includes Light)	\$130.90



Code	Description	List price(USD)
	POWER TAKE-OFF Basic Factory Options MID POWER TAKE-OFF (PTO)	
3420	Mid PTO Requires option 3330 (Dual Mid & Single EH Rear SCV)	\$827.00
	Available only as Dealer-installed option on 3033R Cab Tractors and 3039R Cab with Standard Seat Tractors.	
	Mid PTO is not offered on PRT configurations.	
3400	Less Mid PTO Requires SCV option 3320 (Dual Mid SCV).	In Base Price
3401	Less Mid PTO (Snow Cab Only)  Requires SCV option 3331 (Dual Mid & Single Electrohydraulic Rear  SCV)	No Added Cost
	ATTACHMENTS FOR FIELD CONVERSION MID POWER TAKE-OFF (PTO)	
BLV10848	Mid PTO Control Kit (Cab Only)  Not compatible with PRT configurations.	\$178.20
LVB25537	Mid Power Take-Off (PTO) Kit Not compatible with PRT configurations. For Installation of Mid-Mount Mower on Cab Tractor, Must also Order (1) LVA14927, (3) 19M7785 and (1)19M7788 Through Parts. Cab Tractor also Requires BLV10848, Mid PTO Controls.	\$859.10
	REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	\$205.70
	FRONT POWER TAKE-OFF (PTO)  Requires BLV10439 (Front Three-Point Hitch).	



Code	Description	List price(USD)
BLV10475	2000 RPM Front PTO (model year 2013-2016 2032R, 2520, 2720, 3120-3720, 3033R-3046R) Includes RIO override for front implements	\$319.93
BLV10452	Front PTO bracket (3120-3720, 3033R-3046R)	\$97.90
	HITCHES AND DRAWBARS  Basic Factory Options  THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1 Includes one set of bushings Not compatible with telescoping draft links	\$334.00
4061	Less iMatch™ Quick Hitch Category 1  ATTACHMENTS FOR FIELD CONVERSION  THREE-POINT HITCH	In Base Price
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507)</i>	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit Includes: Two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2) Two lower reducer bushings (Cat. 2 to Cat. 1) Two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins	\$107.80
	This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch™ Quick Hitch.	
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in)	\$29.18
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1). Length 50 mm (1.97 in)	\$27.30
L. IDOF	DRAFT LINK	
LVB25308	Telescoping Draft Links  For use on tractors equipped with Horizontal-Bar Stabilizers  CAT 1 balls	\$845.90
	FRONT HITCH	



Code	Description	List price(USD)
BLV10439	Front 3-point hitch (3033R-3046R)  Requires BLV10452 (Front PTO Bracket)	\$1,435.50
	HYDRAULICS Basic Factory Options SELECTIVE CONTROL VALVES	
3320	Dual Mid Selective Control Valve	In Base Price
3330	Dual Mid & Single Electrohydraulic Rear SCV Available only as Dealer-installed option on Cab with Standard Seat configuration (option code 2050).	\$1,130.00
3331	Dual Mid & Single Electrohydraulic Rear SCV (Snow Cab Only) Includes same parts as option 3330 Requires Mid PTO option 3401	\$1,130.00
	ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	
BLV10964	Power Beyond Kit (Cab Only) For MY18 and newer tractors	\$474.10
	Includes: Rear mounted hydraulic couplers and hose	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information	
BLV10650	Top and Tilt Field Kit Requires two rear hydraulic functions (4-couplers)	\$1,518.00
	For OOS Tractors: Can control Top and Tilt kit two ways: 4th and 5th Rear Selective Control Valve Kit, which provides two ROPs mounted control levers. OR Electric Diverter Kit, which allows the use of the loader joystick for	
	control.	
	FOr Cab tractors: Requires Electric Diverter Kit.	



Code	Description	List price(USD)
BLV10962	No independent 4th and 5th Rear Selective Control Valve kit is available for Cabs.  Power Beyond Kit For MY18 and newer tractors For use with 3rd SCV	\$474.10
BLV10649	Includes: Rear mounted hydraulic couplers and hose  See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information  Electric Diverter Kit (Cab Only) Includes: Diverter valve Electric diverter switch Hydraulic lines	\$1,732.50
BLV10983	Two SCV couplers  See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering details  Electric Diverter Kit (OOS Only)  For MY18 and newer tractors  Includes: Diverter valve	\$1,751.20
BLV10500	Electric diverter switch Hydraulic lines Two SCV couplers  See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information EH Third SCV (OOS Only) For MY15 and newer tractors  Includes: Rear mounted couplers Hydraulic lines SCV lever	\$1,075.80



Code	Description	List price(USD)
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information	
BLV11010	Power Beyond Kit (OOS Only) For MY18 and newer tractors For use with 3rd SCV	\$474.10
	Includes: Rear mounted hydraulic couplers and hoses for use with backhoe	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) or ordering details	
BLV10961	EH Third SCV (Cab Only) For MY18 and newer tractors	\$1,075.80
	Includes: Rear mounted couplers Hydraulic lines SCV lever	
	See Ag Sales Manual (3R Hydraulics Ordering Guide) for ordering information	
BLV10761	4th & 5th Selective Control Valve Kit (OOS Only) Includes: Rear mounted couplers Hydraulic lines SCV lever	\$960.30
	See Ag Sales Manual (3R Hydraulics Ordering Guide ) for ordering details	
	WHEELS AND TIRES Basic Factory Options REAR WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
5211	11.2-24 (6PR, R1 Bar, 5 Position)	In Base Price
5223	41x14-20 (4PR, R3 Turf, 2 Position)	(\$258.00)
5233	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position)	\$596.00



Code	Description	List price(USD)
5220	15-19.5 (6PR, R4 Industrial, 2 Position)	(\$109.00)
5230	43x16-20 (4PR, R4 Industrial, 2 Position)	(\$85.00)
	FRONT WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
6211	180/95 - 14 (6PR, R1 Bar, 2 Position) Standard Measurement: 7 -14 (6PR, R1 Bar, 2 Position)	In Base Price
6223	27x8.5-15 (6PR, R3 Turf, 2 Position)	\$76.00
6233	25/10.50LLx15 (6PR, R3 Turf Special, 2 Position)	\$148.00
6220	25x8.50-14 (6PR, R4 Industrial, 2 Position)	\$66.00
6230	27x8.50-15 (6PR, R4 Industrial, 2 Position)	\$148.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
TY4453	Tire Chains For use with 15-19.5 In. 6PR (R4) and 11.2-24 In. 6PR (R1) Rear Tires. For OOS tractors only. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$488.19
TY4457	Tire Chains For use with 41x14.0-20 In. 4PR (R3) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$511.59
BLV10863	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$2,014.10
BLV10861	11.20-24 (6PR, R1 Bar, 5 Position) Rear Wheels & Tires	\$1,769.90
BLV10865	15-19.5 (6PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$1,982.20
BLV10867	41x14-20 (4PR, R3 Turf, 2 Position) Rear Wheels & Tires	\$1,797.40
BLV10869	41x18LL-16.1 (6PR, R3 Turf Special, 1 Position) Rear Wheels & Tires	\$2,728.00
	FRONT WHEELS AND TIRES	
TY15651	Tire Chains For use with 25x8.50-14 (R4) Front Tires. Not for use with Front Fender Kit.	\$171.68
TY15649	Tire Chains	\$169.53



Code	Description	List price(USD)
	For use with 27x8.50-15 (R3) Front Tires. Not for use with Front Fender Kit.	
BLV10862	27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	\$819.50
BLV10860	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$634.70
BLV10866	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	\$729.30
BLV10864	25x8.50-14 (6PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$716.10
BLV10868	25x10.50LL-15 (6PR, R3 Turf Special, 2 Position) Front Wheels & Tires	\$809.60
	REAR FENDERS	
BLV10892	Rear Fender Extension Kit (Cab Only)	\$386.10
BLV10893	Rear Fender Extension Kit (OOS Only)	\$386.10
	FRONT FENDERS	
BLV10895	Turnable Front Fender Kit (Cab Only) Requires Vertical Exhaust kit if side exhaust is currently installed on the tractor	\$700.70
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket Pricing includes 320R Loader and loader installation charge with the following options:	\$6,896.00
	61 In. (1550mm) Quick Change Materials Bucket Non-Self Leveling Loader Boom Compact Utility Tractor Carrier Mounting Frame Hood Guard	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1750	Factory Installed Loader less Bucket Pricing includes 320R Loader and loader installation charge with the following options:	\$6,012.00



Code	Description	List price(USD)
	Compact Utility Tractor Carrier Non-Self Leveling Loader Boom Mounting Frame Hood Guard	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1795	Less Loader	In Base Price
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Includes Wiring Harness Not compatible with Forward Lighting Kit (LVB25546) Not available on cab tractors	\$73.70
BLV10399	Open Station Work Light Brush Guard Kit Includes two guards Requires Premium Warning Light Brush Guard Kit (BLV10620)	\$92.40
BLV10620	Premium Warning Light Brush Guard Kit (OOS Only) Includes two guards	\$92.40
BLV10497	LED Work Light Kit Requires Warning Light Brush Guard Kit (BLV10620) Includes two ROPS mounted LED lights Each light has 360 degree rotation	\$347.60
LVB24853	Rear Work Light Kit (2 Lights) (Cab Only)  Cab is pre-wired	\$178.20
LVB24852	Beacon Light Kit (Cab Only)	\$287.10
LVB25546	Dual Light Forward Lighting Kit Requires Premium Warning Light Brush Guard Kit (BLV10620) Not compatible with Rear Work Light Kit (LVB25547)	\$124.30
	BACKUP ALARM	
BLV10358	Back-up Alarm Kit For open operator station tractors	\$150.70
BLV10648	Back-up Alarm Kit	\$150.70



Code	Description	List price(USD)
	For cab tractors	
DVV10244	LIGHTING EQUIPMENT	¢170.20
BXX10244	7-Pin Trailer Connector  For Model Year 2018 and newer 3R tractors  Compatible with Cab tractors only	\$179.30
BLV10174	7-Pin Trailer Connector (OOS Only)	\$118.80
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
PF80460	Mount - RAM U-Bolt	\$72.21
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
AL212683	Mounting Parts - Display Mount RAM	\$153.40
LP25001	3-Point Hitch Tractor Receiver Hitch	\$139.00
LP95637	Tractor Cover	\$159.99
LVB24930	Tool Box Kit	\$70.40
BLV10359	Horn Kit	\$68.20
	MAINTENANCE	
LVA21038	Filter Pak Includes oil filter, air filter, fuel filter and hydraulic filter	\$177.19
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION REAR WHEEL WEIGHTS	
BM19937	Attaching Hardware for Additional Rear Wheel Weight, 55 lb (25 kg)	\$12.10
BM19940	Attaching Hardware for Rear Wheel Weight, 110 lb (50 kg) Order BM19940 qty per each starter and additional T19293 wheel weight on your 3R tractor. Compatible with tire size 11.4-24 6PR R1	\$23.10



Code	Description	List price(USD)
BM17968	Rear Wheel Weight, 48.5 lb Starter and additional rear wheel weight for tire sizes 43X16-20 4PR R4, 15-19.5 6PR R4, 41X14-20 4PR R3. Order attaching hardware BM19936	\$140.80
T19293	Weight, Rear Wheel 106 lb (48 kg) Starter and additional rear wheel weight for 11.4-24 6PR R1 tire sizes. Order BM19940 attaching hardware for both starter and additional weights	\$165.00
BM19936	Attaching Hardware for Rear Wheel Starter Weight, 45 lb	\$13.20
LVB25004	Attaching Hardware for Starter Rear Wheel Weight, 55 lb (25 kg)	\$58.30
	FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires, (1) LVBM19607, Front Quik-Tatch™ Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)	\$60.99
BLV10441	Front Weight Bracket Extension Kit Includes extension bracket and all hardware, including rod and spring pins, to hold up to twelve front Quik-Tatch™ weights	\$278.30
LVB25705	Front Quik-Tatch™ Weight Kit Includes rod and spring pins for Front Quik-Tatch™ Weights	\$48.40
BLV10442	Front Weight Bracket Extension Kit Includes extension bracket and all hardware, including rod and spring pins, to hold up to ten front Quik-Tatch™ weights	\$260.70
LVU32113	Quik-Tatch Weight, 70 lb (32 kg) Requires, (1) LVBM19607, Front Quik-Tatch™ Weight Kit, and BLV10442 or BLV10441 (Front Weight Bracket Extension Kit)	\$99.00
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit	\$66.00
	GUARDS	



Code	Description	List price(USD)
	ATTACHMENTS FOR FIELD CONVERSION HOOD GUARDS	
BW16585	Deluxe Hood Guard Attachment	\$697.40
BW15219	Hood Guard	\$309.10
	AG MANAGEMENT SOLUTIONS (AMS) ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
BLV10605	Turbo Vertical Exhaust Kit If installing the vertical exhaust kit on a tractor that is currently equipped with a side exhaust, also order LVU31058 Left-hand Side Panel through Parts	\$731.50



Code	Description	List price(USD)
	3032E Compact Utility Tractor	
	ENGINE:	
	Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified	
	Engine HP 31.1 (22.3 kW)*	
	PTŎ HP 25.0 (18.6 kW) HŚT	
	Rated Speed 2500 RPM	
	**Engine HP (kW), gross SAE J1995: 31.1 (22.3) @ 2500 rpm, PS	
	Displacement, cu in. (L): 100.20 (1.642)	
	TRANSMISSION:	
	4-Wheel Drive	
	HST Transmission	
	2 Ranges	
	Differential Lock (Control Integrated with Brake Pedal)	
	HYDRAULICS:	
	9.3 GPM (35.2 LPM) Total Flow	
	5.3 GPM (20.1 LPM) Implement Pump	
	4.0 GPM (15.1 LPM) Steering Pump	
	ROCKSHAFT, HITCH AND DRAWBAR: Drawbar	
	Diawbai	
	PTO:	
	Independent 540 RPM Rear PTO	
	Electronically Engaged Wet Clutch	
	ELECTRICAL:	
	12-Volt System	
	55 Amp Alternator	
	Key Ignition Starter with Pre-Heat While Cranking	
	Maintenance Free Battery with 500 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE:	
	Adjustable Vinyl Seat without suspension	
	Folding ROPS	
	Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification	
	Standards Retractable Seat Belt	
	neti actable seat belt	



Code	Description	List price(USD)
	Operator Presence with Safety Interlock System	
	BASE MACHINE (4WD): 11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	
	BASE MACHINE	
1479LV	F.O.B. Grovetown, Georgia 3032E Compact Utility Tractor	\$22,620.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
	North America	
0202	United States	In Base Price
0184	Canada	No Added Cost
0205	Quebec	No Added Cost
	Oceania	
024H	United States Minor Outlying Islands	No Added Cost
	OPERATOR'S MANUAL	
0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
	HITCHES AND DRAWBARS Basic Factory Options THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1 Includes one set of bushings Not compatible with telescoping draft links	\$334.00
4061	Less iMatch™ Quick Hitch Category 1	In Base Price
	DRAFT LINK	
4110	Draft Links - Flat Bar (Standard)	In Base Price
4120	Draft Links - Telescoping	\$357.00
	ATTACHMENTS FOR FIELD CONVERSION THREE-POINT HITCH	



Code	Description	List price(USD)
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings (LVU15507).	\$416.90
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
	DRAFT LINK	
BLV10919	Telescoping Draft Links  Not compatible with iMatch Quick Hitch.	\$447.70
DE10400	DRAWBAR  Seferty Clastic Symmet Kith	ф1/Г.AQ
RE19428	Safety Chain Support Kit Rear Drawbar Kit	\$165.42 \$170.20
BLV10918	Includes support bracket and retention pin.	\$178.20
	WHEELS AND TIRES	
	Basic Factory Options REAR WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
5210	15-19.5 6PR R4 Industrial <i>1 Position</i>	\$166.00
5213	41x14-20 4PR R3 Turf 1 Position	\$18.00
5211	11.20-24 6PR R1 Bar <i>1 Position</i>	In Base Price
5214	43x16-20 6PR R4 Industrial <i>1 Position</i>	\$191.00
	FRONT WHEELS AND TIRES	
(010	All tires offered are of bias ply construction.	<b>4</b> // 00
6210	25x8.50-14 6PR R4 Industrial  2 Position	\$66.00
6213	27x8.50-15 6PR R3 Turf 2 Position	\$76.00
6211	7-14 6PR R1 Bar 2 Position	In Base Price
6214	27x8.50-15 6PR R4 Industrial 2 Position	\$148.00



Code	Description	List price(USD)
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
TY4457	Tire Chains For use with 41x14.0-20 (R3) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$511.59
TY4453	Tire Chains For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$488.19
BLV10988	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$2,014.10
BLV10854	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	\$1,769.90
BLV10852	15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	\$1,982.20
BLV10850	41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires FRONT WHEELS AND TIRES	\$1,797.40
BLV10862	27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	\$819.50
BLV10860	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$634.70
BLV10849	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	\$729.30
BLV10851	25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$716.10
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket Pricing includes 300E Loader and loader installation charge with the following options:	\$5,890.00
	Compact Utility Tractor Carrier Non-Self Leveling Loader Boom 61 In. (1550 mm) Quick Change Materials Bucket	
	Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard	



Code	Description	List price(USD)
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting. For 300E Mechanical Self Leveling loaders, please order 1361P separately."	
1750	Factory Installed Loader less Bucket Pricing includes 300E Loader and loader installation charge with the following options:	\$5,006.00
	Compact Utility Tractor Carrier Non-Self Leveling Loader Boom Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting. For 300E Mechanical Self Leveling loaders, please order 1361P separately."	
1795	Less Loader	In Base Price
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).	\$73.70
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).	\$92.40
BLV10497	LED Work Light Kit Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).	\$347.60
BLV10400	ROPS Lights Brush Guard Kit	\$92.40



Code	Description	List price(USD)
LVB25546	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).	\$124.30
	OPERATOR'S STATION AND CONTROLS ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
TY25324	Weather Protection Umbrella	\$125.36
BLV10924	Rear License Plate Kit (Includes Light) For MY18 and newer Tractors.	\$74.80
BXX10590	ShadePro Designed Canopy	\$660.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION	
	ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
AL212683	Mounting Parts - Display Mount RAM	\$153.40
LP95233	Large Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.99
PF80460	Mount - RAM U-Bolt	\$72.21
LP95637	Tractor Cover	\$159.99



Code	Description	List price(USD)
	For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.	
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
	MAINTENANCE	
LVA21037	Filter Pak Includes oil filter, air filter, fuel filter and hydraulic filter	\$136.09
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires (1) BLV10443 or LVB24952.	\$60.99
LVU32113	Quik-Tatch Weight, 70 lb (32 kg) Requires (1) BLV10443.	\$99.00
LVB24952	Front Weight Bracket Extension Kit Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.	\$204.60
	Black in Color.	
BLV10443	Front Weight Bracket Extension Kit Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.	\$204.60
	Green in Color.	
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10



Code	Description	List price(USD)
	REAR WHEEL WEIGHTS	
BM17965	Rear Wheel Weight, 60 lb (27.2 kg)  Starter and Additional Weight for use with R3 (41x14.00-20) and R4  (15.00-19.5 and 43x16-20) Tires.  If being used as Starter Weight: Requires BM19938 (Attaching Hardware).  If being use as Additional Weight: Requires BM19951 (Attaching Hardware).  Maximum 3 Weights per Wheel.  Order per wheel.	\$140.80
BM19938	Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires.  Order one per wheel/weight.	\$12.10
BM19951	Attaching Hardware for Rear Wheel Weight For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.	\$8.80
	ENGINE ATTACHMENTS FOR FIELD CONVERSION	
BLV10640	COLD WEATHER PACKAGES  Engine Coolent Heater Kit	¢44.00
BLV 10040	Engine Coolant Heater Kit  ENGINE	\$66.00
	It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).	
BLV11022	Radiator Clean Out Screen Removable screen which helps to maintain good air flow and easy clean out.	\$81.40
	POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver	\$205.70



Code	Description	List price(USD)
	At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.  AG MANAGEMENT SOLUTIONS (AMS)  ATTACHMENTS FOR FIELD CONVERSION  MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00
	TRANSMISSION ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures	
BLV10641 BLV10898	below -18 C (0 F).  Transmission Oil Heater  Cruise Control Kit	\$88.00 \$287.10
	For MY18 and newer Tractors.  HYDRAULICS  ATTACHMENTS FOR FIELD CONVERSION  HYDRAULICS	
BLV10903	Dual Rear Selective Control Valve For MY18 and newer Tractors. Not Compatible with Power Beyond Kit (BLV11068)	\$1,020.80
BLV11068	Power Beyond Kit Includes Rear Mounted Hyraulic Couplers and Hoses. For use with Backhoe on 3025E-3038E Open Station Tractors Not Compatible with Dual Rear Selective Control Valve Kit (BLV10903)	\$489.50



Code	Description	List price(USD)
	3038E Compact Utility Tractor	
	ENGINE:	
	Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified	
	Engine HP 37.3 (27.4 kW)*	
	PTO HP 30.0 (22.4 kW) HST	
	Rated Speed 2500 RPM	
	**Engine HP (kW), gross SAE J1995: 37.3 (27.4) @ 2500 rpm, PS	
	Displacement, cu in. (L): 95.68 (1.568)	
	TRANSMISSION:	
	4-Wheel Drive	
	HST Transmission	
	2 Ranges	
	Differential Lock (Control Integrated with Brake Pedal)	
	HYDRAULICS:	
	9.3 GPM (35.2 LPM) Total Flow	
	5.3 GPM (20.1 LPM) Implement Pump	
	4.0 GPM (15.1 LPM) Steering Pump	
	ROCKSHAFT, HITCH AND DRAWBAR: Drawbar	
	Diawbai	
	PTO:	
	Independent 540 RPM Rear PTO	
	Electronically Engaged Wet Clutch	
	ELECTRICAL:	
	12-Volt System	
	55 Amp Alternator	
	Key Ignition Starter with Accessory and Pre-Heat Position	
	Maintenance Free Battery with 500 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE:	
	Adjustable Vinyl Seat without suspension	
	Folding ROPS	
	Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification	
	Standards Petrostable Seet Polt	
	Retractable Seat Belt	



Code	Description	List price(USD)
	Operator Presence with Safety Interlock System	
	BASE MACHINE (4WD): 11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	
	BASE MACHINE	
1489LV	F.O.B. Grovetown, Georgia 3038E Compact Utility Tractor	\$25,228.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
	North America	
0202	United States	In Base Price
0184	Canada	No Added Cost
0205	Quebec	No Added Cost
	Oceania	
024H	United States Minor Outlying Islands  OPERATOR'S MANUAL	No Added Cost
0409	English Operator's Manual and Decal Kit	In Base Price
0413	French Operator's Manual and Decal Kit	No Added Cost
0437	Spanish Operator's Manual and Decal Kit	No Added Cost
	HITCHES AND DRAWBARS	
	Basic Factory Options THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1 Includes one set of bushings Not compatible with telescoping draft links	\$334.00
4061	Less iMatch™ Quick Hitch Category 1	In Base Price
	DRAFT LINK	
4110	Draft Links - Flat Bar (Standard)	In Base Price
4120	Draft Links - Telescoping	\$357.00
	ATTACHMENTS FOR FIELD CONVERSION THREE-POINT HITCH	



Code	Description	List price(USD)
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook Includes one set of Bushings (LVU15507).	\$416.90
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
	DRAFT LINK	
BLV10919	Telescoping Draft Links  Not compatible with iMatch Quick Hitch.	\$447.70
DE10400	DRAWBAR  Seferty Charles Symmetric Kith	ф1/Г.AQ
RE19428	Safety Chain Support Kit Rear Drawbar Kit	\$165.42 \$170.20
BLV10918	Includes support bracket and retention pin.	\$178.20
	WHEELS AND TIRES	
	Basic Factory Options REAR WHEELS AND TIRES	
	All tires offered are of bias ply construction.	
5210	15-19.5 6PR R4 Industrial <i>1 Position</i>	\$166.00
5213	41x14-20 4PR R3 Turf 1 Position	\$18.00
5211	11.20-24 6PR R1 Bar <i>1 Position</i>	In Base Price
5214	43x16-20 6PR R4 Industrial <i>1 Position</i>	\$191.00
	FRONT WHEELS AND TIRES	
(010	All tires offered are of bias ply construction.	<b>4</b> // 00
6210	25x8.50-14 6PR R4 Industrial  2 Position	\$66.00
6213	27x8.50-15 6PR R3 Turf 2 Position	\$76.00
6211	7-14 6PR R1 Bar 2 Position	In Base Price
6214	27x8.50-15 6PR R4 Industrial 2 Position	\$148.00



Code	Description	List price(USD)
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
TY4457	Tire Chains For use with 41x14.0-20 (R3) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$511.59
TY4453	Tire Chains For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires. Not Compatible with Backhoe installed due to interference with backhoe subframe.	\$488.19
BLV10988	43x16-20 (4PR, R4 Industrial, 2 Position) Rear Wheels & Tires	\$2,014.10
BLV10854	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	\$1,769.90
BLV10852	15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels & Tires	\$1,982.20
BLV10850	41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires FRONT WHEELS AND TIRES	\$1,797.40
BLV10862	27x8.5-15 (6PR R4 Industrial 2 Position) Front Wheels & Tires	\$819.50
BLV10860	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$634.70
BLV10849	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	\$729.30
BLV10851	25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$716.10
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket Pricing includes 300E Loader and loader installation charge with the following options:	\$5,890.00
	Compact Utility Tractor Carrier Non-Self Leveling Loader Boom 61 In. (1550 mm) Quick Change Materials Bucket	
	Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard	



Code	Description	List price(USD)
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting. For 300E Mechanical Self Leveling loaders, please order 1361P separately."	
1750	Factory Installed Loader less Bucket Pricing includes 300E Loader and loader installation charge with the following options:	\$5,006.00
	Compact Utility Tractor Carrier Non-Self Leveling Loader Boom Mounting Frame Single Lever Control Valve (two-function) and Tractor to Valve Oil Line Kit Hood Guard	
	Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting. For 300E Mechanical Self Leveling loaders, please order 1361P separately."	
1795	Less Loader	In Base Price
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).	\$73.70
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).	\$92.40
BLV10497	LED Work Light Kit Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).	\$347.60
BLV10400	ROPS Lights Brush Guard Kit	\$92.40



Code	Description	List price(USD)
LVB25546	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).	\$124.30
	OPERATOR'S STATION AND CONTROLS ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
BLV11034	Left Hand Mirror Kit	\$218.90
BLV11035	Right Hand Mirror Kit	\$218.90
TY25324	Weather Protection Umbrella	\$125.36
BLV10924	Rear License Plate Kit (Includes Light) For MY18 and newer Tractors.	\$74.80
BXX10590	ShadePro Designed Canopy	\$660.00
	MISCELLANEOUS	
	ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
PF80460	Mount - RAM U-Bolt	\$72.21
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
LP95233	Large Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.99
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
AL212683	Mounting Parts - Display Mount RAM	\$153.40
LP95637	Tractor Cover	\$159.99



Code	Description	List price(USD)
	For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.	
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
	MAINTENANCE	
LVA21037	Filter Pak Includes oil filter, air filter, fuel filter and hydraulic filter	\$136.09
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires (1) BLV10443 or LVB24952.	\$60.99
LVU32113	Quik-Tatch Weight, 70 lb (32 kg) Requires (1) BLV10443.	\$99.00
LVB24952	Front Weight Bracket Extension Kit Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.	\$204.60
	Black in Color.	
BLV10443	Front Weight Bracket Extension Kit Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.	\$204.60
	Green in Color.	
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10



Code	Description	List price(USD)
	REAR WHEEL WEIGHTS	
BM17965	Rear Wheel Weight, 60 lb (27.2 kg)  Starter and Additional Weight for use with R3 (41x14.00-20) and R4  (15.00-19.5 and 43x16-20) Tires.  If being used as Starter Weight: Requires BM19938 (Attaching Hardware).  If being use as Additional Weight: Requires BM19951 (Attaching Hardware).  Maximum 3 Weights per Wheel.  Order per wheel.	\$140.80
BM19951	Attaching Hardware for Rear Wheel Weight For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.	\$8.80
BM19938	Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel  For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires.  Order one per wheel/weight.	\$12.10
	POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.	\$205.70
	ENGINE ATTACHMENTS FOR FIELD CONVERSION	
	COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit  ENGINE	\$66.00



Code	Description	List price(USD)
	It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).	
BLV11022	Radiator Clean Out Screen Removable screen which helps to maintain good air flow and easy clean out.	\$81.40
	AG MANAGEMENT SOLUTIONS (AMS) ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00
	TRANSMISSION ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION	
	It is recommended to install optional engine coolant heater, transmission oil heater, and battery heating pad (A22400P - Ordered through A and I) if operating machine in temperatures below -18 C (0 F).	
BLV10641	Transmission Oil Heater	\$88.00
BLV10898	Cruise Control Kit For MY18 and newer Tractors.	\$287.10
	HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	
BLV10903	Dual Rear Selective Control Valve For MY18 and newer Tractors. Not Compatible with Power Beyond Kit (BLV11068)	\$1,020.80
BLV11068	Power Beyond Kit Includes Rear Mounted Hyraulic Couplers and Hoses. For use with Backhoe on 3025E-3038E Open Station Tractors Not Compatible with Dual Rear Selective Control Valve Kit (BLV10903)	\$489.50



Code	Description	List price(USD)
	2032R Compact Utility Tractor (25 PTO hp)	
	ENGINE:	
	Yanmar 3 Cylinder Liquid Cooled Diesel Engine	
	Final Tier IV EPA Emissions Certified Engine Power 30.8 HP (23.0 kW) 31.2 PS **	
	PTO Power 25.0 HP (18.6 kW)	
	**Manufacturer's Estimate of Power (ISO) per SAE J1995	
	Rated Speed 2500 RPM	
	100.2 Cu. In. Displacement (1.642 L)	
	Direct Fuel Injection	
	Auto Bleed Fuel System	
	Glow Plug Cold Starting Aid	
	Anti-Freeze Dry Type Air Cleaner With Safety Element and Electronic	
	Restriction Indicator	
	Fully Enclosed Engine and Muffler with Side Outlet Exhaust	
	8.6 Gallon Fuel Tank Capacity (32.5 L)	
	Hand Throttle	
	eThrottle - Automotive Style Throttle Control (Hydro Pedal	
	Increases Engine RPM) - Selectable	
	Key Engine Shut Off	
	TRANSMISSION:	
	Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle	
	TwinTouch (2-Pedal) Foot Operated Speed and Direction	
	Control	
	Differential Lock	
	Cruise Control	
	FRONT/REAR AXLE:	
	Flanged Rear Axle	
	Spur Gear Final Drive	
	4WD	
	STEERING AND BRAKES:	
	Hydrostatic Power Steering	
	Tilt Steering	
	Individual Wheel (Turning) Brakes	
	Park Brake	



Code	Description	List price(USD)
	Wet Disk Brakes	
	HYDRAULICS: Open Center Hydraulic System Dual Gear Pumps 8.2cc Gear Pump (Implement) 6.1cc Gear Pump (Steering) Maximum Total Flow 9.1 GPM (34.2 LPM) Steering Pump 3.9 GPM (14.6 LPM) Implement Pump 5.2 GPM (19.6 LPM) Working Pressure (2500 PSI) Dual Mid SCV Standard	
	PTO: Independent Mid and Rear PTO 540-RPM Rear PTO 2000-RPM Mid PTO Hydraulic PTO Clutch Mid PTO Brake Rear PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO (Single Lever Control) Flip Up Rear PTO Shield	
	ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE / DRAWBAR: Rockshaft Category 1, 3-Pt. Hitch Position Control Hitch Rate of Drop/Stop Valve Adjustable Drawbar Adjustable Sway Chains	
	INSTRUMENTATION: Analog Style Fuel Gauge in Instrument Panel Tachometer/Hour Meter Premium Instrument Panel with Advanced Diagnostic Capabilities Dot Matrix Display with Multiple Language Support Oil Pressure Indicator Light	



Code	Description	List price(USD)
	Air Filter Restriction Indicator Light	
	Analog Engine Coolant Temperature Gauge Coolant Over-Temperature Warning Light	
	Alternator Charge Indicator Light	
	PTO Engagement Light	
	Park Brake Light	
	Flashing Amber Warning Light Cruise Control Indicator Light	
	MFWD Indicator Light	
	Digital PTO Speed Indicator	
	ELECTRICAL:	
	12-Volt Outlet	
	12-Volt Electrical System Wet Battery with 500 Cold Cranking Amps	
	85 Amp Alternator	
	Key Ignition Starter with Over-Start Protection	
	Neutral Start Switch	
	Pre-Wired for Backup Alarm	
	LIGHTS:	
	Two Front Halogen Head Lights	
	Two Forward Flashing Warning Lights	
	Two Rearward Flashing Warning Lights Two Fender Lights	
	Brake Indicator Lights	
	**Turn Signal Indication per Current ASABE Lighting Standard	
	OPERATOR PROTECTIVE STRUCTURE:	
	Folding ROPS (Roll-Over-Protective Structure)	
	**Meets OECD 7 Standard	
	Deluxe Cushion Seat with Seat Belt Isolated Foot Deck	
	Operator Presence System	
	MISCELLANEOUS:	
	SMV Emblem	
	Front Weight Bracket	
	Tilt-Up Hood with Gas-Lift Shocks	



Code	Description	List price(USD)
	Cup holder	
	Integrated Storage in Left Fender (Covered)	
	Integrated Storage in Right Fender (Open)	
	Floor Mat High Back Mechanical Suspension Seat	
	Adjustable Armrests	
	Fuel fill location on LH fender	
	Chrome Plated Row Finder on Hood	
	Seat close out	
	Fender close outs	
	Fender grab handles - LH & RH	
	BASE MACHINE (4WD):	
	Engage on-the-go 4WD	
	Anti-Wrapping Guard for 4WD Drive Shaft	
	14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels &	
	Tires 23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front	
	Wheels & Tires	
	BASE MACHINE	
	F.O.B. Grovetown, Georgia	
1534LV	2032R Compact Utility Tractor (25 PTO hp)	\$25,345.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options	
	DESTINATION	
	North America	
0202	United States	In Base Price
	Central America	
024H	United States Minor Outlying Islands	No Added Cost
	OPERATOR'S MANUAL	
0409	English	In Base Price
0437	Spanish	No Added Cost
	HITCHES AND DRAWBARS	
	Basic Factory Options	
	THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1	\$334.00



Code	Description	List price(USD)
4061	Includes one set of bushings.  Less iMatch™ Quick Hitch  ATTACHMENTS FOR FIELD CONVERSION	In Base Price
	THREE-POINT HITCH	
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.	\$107.80
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3in).	\$29.18
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97in).	\$27.30
LP19969	iMatch™ Bushing Kit Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$39.99
LP25004	iMatch™ Bushing Kit Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then	\$29.70



Code	Description	List price(USD)
	"Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	
	DRAWBAR	
RE19428	Safety Chain Support Kit FRONT HITCH	\$165.42
BLV10634	Auxiliary Front Hydraulic Coupler Kit Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.  For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors	\$239.80
BLV10638	Hydraulic accumulator kit for front 3-point hitch For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway. For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors	\$243.10
BLV10631	Front 3-point hitch For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors	\$1,547.70
BLV10637	A-frame quick-attach system Category 1N For 3120-3720, 3033R-3046R, Model Year 2017 and newer 2032R, 2036R, and 2038R tractors	\$239.80
	WHEELS AND TIRES	
	Basic Factory Options REAR WHEELS AND TIRES	
5206	12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply	(\$549.00)
5207	14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply	(\$69.00)
5208	14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
5209	300/70 R20 (R3 Turf, 1 Position) Radial	\$837.00
	FRONT WHEELS AND TIRES	
6206	7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply	(\$302.00)
6207	23X8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply	(\$66.00)
6208	23X8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
6209	200/60 R15 (R3 Turf, 1 Position) Radial	\$40.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	



Code	Description	List price(USD)
BLV10602	300/70 R20 (R3 Turf, 1 Position) Radial - Rear Wheels & Tires	\$2,589.40
BLV10597	14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires	\$1,447.60
BLV10595	12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply - Rear Wheels & Tires	\$848.10
BLV10599	14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires	\$1,534.50
TY4460	Tire Chains For Use with 14-17.5 In. (R3 and R4) Rear Tires. Wheel Spacer Kit (BLV10430) is required when Backhoe Sub-Frame is installed on tractor.	\$426.99
	FRONT WHEELS AND TIRES	
BLV10600	23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires	\$966.90
BLV10596	7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply - Front Wheels & Tires	\$584.10
BLV10601	200/60 R15 (R3 Turf, 1 Position) Radial - Front Wheels & Tires	\$1,013.10
BLV10598	23x8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires	\$878.90
	FRONT FENDERS	
BLV10999	Turnable Front Fender Kit  REAR FENDERS	\$534.60
BLV10520	Rear FenderExtension Kit	\$312.40
	WHEEL TREAD WIDTH	
BLV10430	Wheel Spacer Set, 60MM (each side) For use on MY17 and newer 2032R and 2038R tractors only.	\$367.40
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket Pricing includes loader installation charge and 220R Loader with the following options:	\$5,387.00
	Non Self-Leveling Boom Hoses and Hydraulic Couplers 57 In. (1450 mm) Quick Change Materials Bucket Quick Change Attachment Carrier	



Code	Description	List price(USD)
	Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator	
	Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1750	Factory Installed Loader less Bucket Pricing includes loader installation charge and 220R Loader with the following options:	\$4,517.00
	Non Self-Leveling Boom Hoses and Hydraulic Couplers Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator	
	Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1795	Less Loader	In Base Price
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.	\$73.70
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).	\$92.40
BLV10497	LED Work Light Kit Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).	\$347.60



Code	Description	List price(USD)
BLV10400	ROPS Lights Brush Guard Kit	\$92.40
BLV10673	Premium LED Work Light Kit Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection. Includes 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation. Includes 2 Fender mounted (Near Beam) LED Lights. Includes 1 Rear mounted (Near Beam) LED Light for PTO and Hitch Illumination.	\$470.80
LVB25546	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).	\$124.30
	OPERATOR'S STATION AND CONTROLS ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
TY25324	Weather Protection Umbrella	\$125.36
BLV10677	Illuminated Rear License Plate Kit	\$74.80
BXX10590	ShadePro Designed Canopy	\$660.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
AL212683	Mounting Parts - Display Mount RAM	\$153.40
PF80460	Mount - RAM U-Bolt	\$72.21
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
LP95637	Tractor Cover	\$159.99



Code	Description	List price(USD)
	For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.	
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
LVA23615	MAINTENANCE  Filter Pak  Includes oil filter, air filter, fuel filter and hydraulic filter	\$112.39
	WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires (1) LVB24952.	\$60.99
LVU32113	Quik-Tatch Weight, 70 lb (32 kg) Requires (1) LVB24952.	\$99.00
LVB24952	Front Weight Bracket Extension Kit Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.	\$204.60
	Black in Color.	
	BALLAST	
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box REAR WHEEL WEIGHTS	\$320.10
BM17965	Rear Wheel Weight, 60 lb (27.2 kg) Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.	\$140.80



Code	Description	List price(USD)
BM17987	Attaching Hardware for Rear Wheel Weight, 60 lb  POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	\$17.60
BLV10953	John Deere Quik Knect™ PTO receiver At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	\$205.70
	FRONT POWER TAKE-OFF (PTO)	
BLV10633	2000 RPM Front PTO Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors	\$330.00
	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit	\$66.00
	AG MANAGEMENT SOLUTIONS (AMS) ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00
	TRANSMISSION ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION	
BLV10641	Transmission Oil Heater HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	\$88.00



Code	Description	List price(USD)
BXX10213	3rd Function Selective Control Valve	\$1,052.70
BLV10881	Power Beyond Kit Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on MY17 and newer 2032R and 2038R Tractors.	\$474.10
BW16970	Single Point Hydraulic Connector For use with 220R Non-Self Leveling loaders on 2032R and 2038R tractors, MY17 and newer	\$711.70
BLV10882	Dual Outlet Rear Selective Control Valve Kit With Continuous Flow Includes Valve, Tubing, Hydraulic Couplers, Continuous Flow Switch, and Replacement Panel for R.H. Console. For use on MY17 and newer 2032R and 2038R Tractors.	\$1,080.20
BXX10542	Single Point Hydraulic Connector - MSL 220R Compatible with 2R tractors MY17 and newer matched with 220R MSL loader	\$711.70



Code	Description	List price(USD)
	2038R Compact Utility Tractor (30 PTO hp)  ENGINE: Yanmar 3 Cylinder Liquid Cooled Diesel Engine Final Tier IV EPA Emissions Certified Engine Power 36.8 HP (27.4 kW) 37.3 PS ** PTO Power 30.0 HP (22.4 kW) **Manufacturer's Estimate of Power (ISO) per SAE J1995 Rated Speed 2500 RPM 95.7 Cu. In. Displacement (1.568 L) Direct Fuel Injection Auto Bleed Fuel System Glow Plug Cold Starting Aid Anti-Freeze Dry Type Air Cleaner With Safety Element and Electronic Restriction Indicator Fully Enclosed Engine and Muffler with Side Outlet Exhaust 8.6 Gallon Fuel Tank Capacity (32.5 L) Hand Throttle	
	eThrottle - Automotive Style Throttle Control (Hydro Pedal Increases Engine RPM) - Selectable Key Engine Shut Off  TRANSMISSION: Hydrostatic Transmission: Infinitely Variable - 2 Speed Transaxle TwinTouch (2-Pedal) Foot Operated Speed and Direction Control Differential Lock Cruise Control	
	FRONT/REAR AXLE: Flanged Rear Axle Spur Gear Final Drive 4WD  STEERING AND BRAKES: Hydrostatic Power Steering Tilt Steering Individual Wheel (Turning) Brakes Park Brake	



Code	Description	List price(USD)
	Wet Disk Brakes	
	HYDRAULICS: Open Center Hydraulic System Dual Gear Pumps 8.2cc Gear Pump (Implement) 6.1cc Gear Pump (Steering) Maximum Total Flow 9.1 GPM (34.2 LPM) Steering Pump 3.9 GPM (14.6 LPM) Implement Pump 5.2 GPM (19.6 LPM) Working Pressure (2500 PSI) Dual Mid SCV Standard	
	PTO: Independent Mid and Rear PTO 540-RPM Rear PTO 2000-RPM Mid PTO Hydraulic PTO Clutch Mid PTO Brake Rear PTO Brake Separate or Simultaneous Operation of Mid and Rear PTO (Single Lever Control) Flip Up Rear PTO Shield	
	ROCKSHAFT, 3-PT. HITCH, AND HITCH PLATE / DRAWBAR: Rockshaft Category 1, 3-Pt. Hitch Position Control Hitch Rate of Drop/Stop Valve Adjustable Drawbar Adjustable Sway Chains	
	INSTRUMENTATION: Analog Style Fuel Gauge in Instrument Panel Tachometer/Hour Meter Premium Instrument Panel with Advanced Diagnostic Capabilities Dot Matrix Display with Multiple Language Support Oil Pressure Indicator Light	



Code	Description	List price(USD)
	Air Filter Restriction Indicator Light	
	Analog Engine Coolant Temperature Gauge Coolant Over-Temperature Warning Light	
	Alternator Charge Indicator Light	
	PTO Engagement Light	
	Park Brake Light	
	Flashing Amber Warning Light Cruise Control Indicator Light	
	MFWD Indicator Light	
	Digital PTO Speed Indicator	
	ELECTRICAL:	
	12-Volt Outlet	
	12-Volt Electrical System Wet Battery with 500 Cold Cranking Amps	
	85 Amp Alternator	
	Key Ignition Starter with Over-Start Protection	
	Neutral Start Switch	
	Pre-Wired for Backup Alarm	
	LIGHTS:	
	Two Front Halogen Head Lights	
	Two Forward Flashing Warning Lights	
	Two Rearward Flashing Warning Lights Two Fender Lights	
	Brake Indicator Lights	
	**Turn Signal Indication per Current ASABE Lighting Standard	
	OPERATOR PROTECTIVE STRUCTURE:	
	Folding ROPS (Roll-Over-Protective Structure)	
	**Meets OECD 7 Standard	
	Deluxe Cushion Seat with Seat Belt Isolated Foot Deck	
	Operator Presence System	
	MISCELLANEOUS:	
	SMV Emblem	
	Front Weight Bracket	
	Tilt-Up Hood with Gas-Lift Shocks	



Code	Description	List price(USD)
	Cup holder	
	Integrated Storage in Left Fender (Covered)	
	Integrated Storage in Right Fender (Open)	
	Floor Mat High Back Mechanical Suspension Seat	
	Adjustable Armrests	
	Fuel fill location on LH fender	
	Chrome Plated Row Finder on Hood	
	Seat close out	
	Fender close outs Fender grab handles - LH & RH	
	Tender grab handles Erra Kir	
	BASE MACHINE (4WD):	
	Engage on-the-go 4WD	
	Anti-Wrapping Guard for 4WD Drive Shaft	
	14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires	
	23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front	
	Wheels & Tires	
	BASE MACHINE	
4554114	F.O.B. Grovetown, Georgia	407 400 00
1554LV	2038R Compact Utility Tractor (30 PTO hp)	\$27,482.00
	DESTINATION AND LANGUAGE	
	Basic Factory Options DESTINATION	
	North America	
0202	United States	In Base Price
0202		III base Piice
00.411	Central America	N. A.I. I.O. I
024H	United States Minor Outlying Islands  OPERATOR'S MANUAL	No Added Cost
0.400		la Dana Dalan
0409	English	In Base Price
0437	Spanish	No Added Cost
	HITCHES AND DRAWBARS	
	Basic Factory Options THREE-POINT HITCH	
4060	iMatch™ Quick Hitch Category 1	\$334.00
		\$55 1.00



Code	Description	List price(USD)
4061	Includes one set of bushings.  Less iMatch™ Quick Hitch  ATTACHMENTS FOR FIELD CONVERSION	In Base Price
	THREE-POINT HITCH	
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook <i>Includes one set of Bushings (LVU15507).</i>	\$416.90
BW15056	iMatch™/Quik-Coupler Bushing Kit Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 2), two lower reducer bushings (Cat. 2 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to either a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch.	\$107.80
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33 mm (1.3in).	\$29.18
LVU15507	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 50 mm (1.97in).	\$27.30
LP19969	iMatch™ Bushing Kit Includes two lower side sleeve shoulder bushings (Cat. 3 to Cat. 1), two top link bushings (Cat. 3 to Cat. 2 and Cat. 2 to Cat. 1) and roll pins. This kit converts your Cat. 1 implement or attachment up to a Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$39.99
LP25004	iMatch™ Bushing Kit Includes Cat. 1 to Cat. 2 bushings and Cat. 2 to Cat. 3 bushings. This kit converts your Cat. 1 implement or attachment up to a Cat. 2 or Cat. 3 size so that it is compatible with the iMatch Quick Hitch. For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts and Attachments" then "Ordering Systems" then	\$29.70



Code	Description	List price(USD)
	"Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	
	DRAWBAR	
RE19428	Safety Chain Support Kit FRONT HITCH	\$165.42
BLV10634	Auxiliary Front Hydraulic Coupler Kit Includes couplers, hoses, and brackets to route hydraulics from the mid-SCV to the front three-point hitch.  For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors	\$239.80
BLV10638	Hydraulic accumulator kit for front 3-point hitch For use in applications where there is significant transporting done at higher speeds. Accumulator system will absorb the bounce associated with front implements when traveling on the roadway. For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors	\$243.10
BLV10631	Front 3-point hitch For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors	\$1,547.70
BLV10637	A-frame quick-attach system Category 1N For 3120-3720, 3033R-3046R, Model Year 2017 and newer 2032R, 2036R, and 2038R tractors	\$239.80
	WHEELS AND TIRES	
	Basic Factory Options REAR WHEELS AND TIRES	
5206		(¢E40,00)
5200	12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply 14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply	(\$549.00) (\$69.00)
5207	14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
5209	300/70 R20 (R3 Turf, 1 Position) Radial	\$837.00
0207	FRONT WHEELS AND TIRES	Ψ007.00
6206	7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply	(\$302.00)
6207	23X8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply	(\$66.00)
6208	23X8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply	In Base Price
6209	200/60 R15 (R3 Turf, 1 Position) Radial	\$40.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	



Code	Description	List price(USD)
BLV10602	300/70 R20 (R3 Turf, 1 Position) Radial - Rear Wheels & Tires	\$2,589.40
BLV10597	14-17.5 (4PR, R3 Turf, 1 Position) Bias Ply - Rear Wheels & Tires	\$1,447.60
BLV10595	12.4-16 (6PR, R1 Ag, 1 Position) Bias Ply - Rear Wheels & Tires	\$848.10
BLV10599	14-17.5 (4PR, R4 Industrial, 1 Position) Bias Ply - Rear Wheels & Tires	\$1,534.50
TY4460	Tire Chains For Use with 14-17.5 In. (R3 and R4) Rear Tires. Wheel Spacer Kit (BLV10430) is required when Backhoe Sub-Frame is installed on tractor.	\$426.99
	FRONT WHEELS AND TIRES	
BLV10600	23x8.50-14 (4PR, R4 Industrial, 1 Position) Bias Ply - Front Wheels & Tires	\$966.90
BLV10596	7.00-12 (4PR, R1 Ag, 1 Position) Bias Ply - Front Wheels & Tires	\$584.10
BLV10601	200/60 R15 (R3 Turf, 1 Position) Radial - Front Wheels & Tires	\$1,013.10
BLV10598	23x8.50-14 (4PR, R3 Turf, 1 Position) Bias Ply - Front Wheels & Tires	\$878.90
	FRONT FENDERS	
BLV10999	Turnable Front Fender Kit  REAR FENDERS	\$534.60
BLV10520	Rear FenderExtension Kit	\$312.40
	WHEEL TREAD WIDTH	
BLV10430	Wheel Spacer Set, 60MM (each side) For use on MY17 and newer 2032R and 2038R tractors only.	\$367.40
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket Pricing includes loader installation charge and 220R Loader with the following options:	\$5,387.00
	Non Self-Leveling Boom Hoses and Hydraulic Couplers 57 In. (1450 mm) Quick Change Materials Bucket Quick Change Attachment Carrier	



Code	Description	List price(USD)
	Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator	
	Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1750	Factory Installed Loader less Bucket Pricing includes loader installation charge and 220R Loader with the following options:	\$4,517.00
	Non Self-Leveling Boom Hoses and Hydraulic Couplers Quick Change Attachment Carrier Quik-Park Loader Mounting System Mounting Frame Premium Hood Guard Mechanical Bucket Level Indicator	
	Note: Three-Point Hitch Ballast is Required for Stability. Please Review the "Tractor Ballast Requirements" in the Sales Manual for Proper Ballasting.	
1795	Less Loader	In Base Price
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546). Not for use with Cab Tractors.	\$73.70
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).	\$92.40
BLV10497	LED Work Light Kit Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).	\$347.60



Code	Description	List price(USD)
BLV10400	ROPS Lights Brush Guard Kit	\$92.40
BLV10673	Premium LED Work Light Kit Requires Warning Light Brush Guard Kit (BLV10400). Work Light Brush Guard Kit (BLV10399) Can Be Added For Additional Protection. Includes 2 ROPS mounted (Far Beam) LED Lights with 360 degree rotation. Includes 2 Fender mounted (Near Beam) LED Lights. Includes 1 Rear mounted (Near Beam) LED Light for PTO and Hitch Illumination.	\$470.80
LVB25546	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).	\$124.30
	OPERATOR'S STATION AND CONTROLS ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
TY25324	Weather Protection Umbrella	\$125.36
BLV10677	Illuminated Rear License Plate Kit	\$74.80
BXX10590	ShadePro Designed Canopy	\$660.00
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
LP63768	Magnetic hitch pin	\$18.99
PF80460	Mount - RAM U-Bolt	\$72.21
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
AL212683	Mounting Parts - Display Mount RAM	\$153.40
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
LP25001	3-Point Hitch Tractor Receiver Hitch	\$139.00



Code	Description	List price(USD)
	For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	
LP95637	Tractor Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer. For use on 1, 2 and 3 Family open station tractors.	\$159.99
LVA23615	MAINTENANCE Filter Pak	\$112.39
	Includes oil filter, air filter, fuel filter and hydraulic filter WEIGHTS AND BALLASTING ATTACHMENTS FOR FIELD CONVERSION FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires (1) LVB24952.	\$60.99
LVU32113	Quik-Tatch Weight, 70 lb (32 kg) Requires (1) LVB24952.	\$99.00
LVB24952	Front Weight Bracket Extension Kit Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.	\$204.60
	Black in Color.	
DW45074	BALLAST  Rellert Bay Futuration	¢151.00
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box REAR WHEEL WEIGHTS	\$320.10
BM17965	Rear Wheel Weight, 60 lb (27.2 kg) Starter and Additional Weight for 15, 16, 16.5 and 17.5-Inch Wheel. Requires BM17987.	\$140.80



Code	Description	List price(USD)
BM17987	Attaching Hardware for Rear Wheel Weight, 60 lb	\$17.60
	POWER TAKE-OFF ATTACHMENTS FOR FIELD CONVERSION REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Sales Manual.	\$205.70
	FRONT POWER TAKE-OFF (PTO)	
BLV10633	2000 RPM Front PTO Includes shaft to route mid-PTO to the front-PTO. Includes front bearing and support structure. Includes RIO override for front implements. For Model Year 2017 and newer 2032R, 2036R, and 2038R tractors	\$330.00
	ENGINE ATTACHMENTS FOR FIELD CONVERSION COLD WEATHER PACKAGES	
BLV10640	Engine Coolant Heater Kit	\$66.00
	AG MANAGEMENT SOLUTIONS (AMS) ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00
	TRANSMISSION ATTACHMENTS FOR FIELD CONVERSION TRANSMISSION	
BLV10641	Transmission Oil Heater	\$88.00
	HYDRAULICS ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	



Code	Description	List price(USD)
BXX10213	3rd Function Selective Control Valve	\$1,052.70
BLV10882	Dual Outlet Rear Selective Control Valve Kit With Continuous Flow	\$1,080.20
	Includes Valve, Tubing, Hydraulic Couplers, Continuous Flow Switch, and Replacement Panel for R.H. Console. For use on MY17 and newer 2032R and 2038R Tractors.	
BW16970	Single Point Hydraulic Connector For use with 220R Non-Self Leveling loaders on 2032R and 2038R tractors, MY17 and newer	\$711.70
BXX10542	Single Point Hydraulic Connector - MSL 220R Compatible with 2R tractors MY17 and newer matched with 220R MSL loader	\$711.70
BLV10881	Power Beyond Kit Includes Rear Mounted Hydraulic Couplers and Hose for Use with Backhoe or other continuous flow Attachments on MY17 and newer 2032R and 2038R Tractors.	\$474.10



Code	Description	List price(USD)
	3025D Compact Utility Tractor	
	ENGINE:	
	Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified	
	Engine HP 24.7 (18.2 kW)**	
	Rated Speed 2400 RPM	
	**Engine HP (kW), gross SAE J1995: 24.7 (18.2) @ 2400 rpm, PS	
	Displacement, cu in. (L): 100.20 (1.642)	
	TRANSMISSION:	
	4-Wheel Drive	
	Gear Transmission 8F/8R	
	Differential Lock	
	HYDRAULICS:	
	8.5 GPM (32 LPM) Total Flow	
	5.0 GPM (19 LPM) Implement Pump	
	3.5 GPM (13 LPM) Steering Pump	
	PTO:	
	Transmission Driven 540 RPM Rear PTO	
	Mechanically Engaged Wet Clutch	
	ELECTRICAL:	
	12-Volt System	
	55 Amp Alternator	
	Key Ignition Starter with Accessory and Pre-Heat Position  Maintenance Free Battery with 600 Cold Cranking Amps	
	Maintenance Free Battery With 600 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE:	
	Adjustable Vinyl Seat without suspension	
	Folding ROPS Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification	
	Standards	
	Retractable Seat Belt	
	Operator Presence with Safety Interlock System	
	BASE MACHINE (4WD):	



Code	Description	List price(USD)
	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	
	BASE MACHINE	
1680LV	3025D Compact Utility Tractor	\$18,315.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0184	Canada	No Added Cost
0202	United States	No Added Cost
0205	Quebec OPERATOR'S MANUAL	No Added Cost
0437	Spanish North American Operators Manual and Decal Kit	No Added Cost
0409	English North American Operators Manual and Decal Kit	No Added Cost
0413	French Canadian Operators Manual and Decal Kit	No Added Cost
	LOADERS AND BACKHOES	
	Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket	\$5,890.00
1750	Factory Installed Loader less Bucket	\$5,006.00
1795	Less Loader	In Base Price
	HITCHES AND DRAWBARS Basic Factory Options DRAFT LINK	
4110	Draft Links - Flat Bar (Standard)	In Base Price
4120	Draft Links - Telescoping THREE-POINT HITCH	\$357.00
4060	iMatch Quick Hitch (Category 1)	\$334.00
4061	Less iMatch Quick Hitch  DRAWBAR AND TRAILER HITCH	In Base Price
4310	Rear Drawbar Includes support bracket and retention pin. ATTACHMENTS FOR FIELD CONVERSION	No Added Cost



Code	Description	List price(USD)
	DRAFT LINK	
BLV10908	Telescoping Draft Links Not compatible with iMatch Quick Hitch.	\$447.70
	THREE-POINT HITCH	
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook	\$416.90
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
	WHEELS AND TIRES Basic Factory Options REAR WHEELS AND TIRES	
5210	15-19.5 6PR R4 Industrial	\$166.00
5211	11.20-24 6PR R1 Bar	In Base Price
5213	41x14-20 4PR R3 Turf	\$18.00
	FRONT WHEELS AND TIRES	
6210	25x8.50-14 6PR R4 Industrial	\$66.00
6211	7-14 6PR R1 Bar	In Base Price
6213	27x8.50-15 6PR R3 Turf	\$76.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
TY4457	Tire Chains For use with 41x14.0-20 (R3) Rear Tires.	\$511.59
TY4453	Tire Chains For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.	\$488.19
BLV10936	15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels and Tires	\$1,982.20
BLV10937	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	\$1,769.90
BLV10942	41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires	\$1,797.40
	FRONT WHEELS AND TIRES	
BLV10860	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$634.70
BLV10849	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	\$729.30
BLV10851	25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$716.10



Code	Description	List price(USD)
	WHEEL TREAD WIDTH	
BLV10985	Wheel Spacer Kit	\$367.40
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).	\$73.70
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).	\$92.40
BLV10497	LED Work Light Kit Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).	\$347.60
BLV10400	ROPS Lights Brush Guard Kit	\$92.40
LVB25546	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).	\$124.30
	OPERATOR'S STATION AND CONTROLS ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
BLV11094	Rear License Plate Kit (Include Light)	\$74.80
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
AL212683	Mounting Parts - Display Mount RAM	\$153.40
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50



Code	Description	List price(USD)
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
RE19428	Safety Chain Support Kit	\$165.42
LP95233	Large Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.99
PF80460	Mount - RAM U-Bolt	\$72.21
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
	WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires (1) BLV11045.	\$60.99
LVU32113	Quik-Tatch Weight, 70 lb (32 kg) Requires (1) BLV11045.	\$99.00
BLV11045	Front Weight Bracket Extension Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.  BALLAST	\$204.60
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	REAR WHEEL WEIGHTS	
BM17965	Rear Wheel Weight, 60 lb (27.2 kg) Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching	\$140.80



Code	Description	List price(USD)
	Hardware). Maximum 3 Weights per Wheel. Order per wheel.	
BM19951	Attaching Hardware for Rear Wheel Weight For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.	\$8.80
BM19938	Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.	\$12.10
	POWER TAKE-OFF	
	ATTACHMENTS FOR FIELD CONVERSION	
	REAR POWER TAKE-OFF (PTO)	
BLV10953	John Deere Quik Knect™ PTO receiver  At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.	\$205.70
	ENGINE	
	ATTACHMENTS FOR FIELD CONVERSION ENGINE	
BLV10640	Engine Coolant Heater Kit	\$66.00
BLV10906	Radiator Clean Out Screen  Removable screen which helps to maintain good air flow and easy clean out.	\$41.80
	AG MANAGEMENT SOLUTIONS (AMS)	
	ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00
	HYDRAULICS	



Code	Description	List price(USD)
	ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	
BLV10901	Rear Hydraulic Kit	\$1,020.80
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
BLV11105	Spark Arrester Screen	\$447.70



Code	Description	List price(USD)
	3035D Compact Utility Tractor	
	ENGINE:	
	Yanmar Liquid Cooled Diesel Engine Tier IV EPA Emissions Certified	
	Engine HP 34.7 (25.5 kW)**	
	Rated Speed 2800 RPM	
	**Engine HP (kW), gross SAE J1995: 34.7 (25.5) @ 2800 rpm, PS Displacement, cu in. (L): 100.20 (1.642)	
	TRANSMISSION:	
	4-Wheel Drive Gear Transmission	
	8F/8R	
	Differential Lock	
	HYDRAULICS:	
	8.5 GPM (32.0 LPM) Total Flow	
	5.0 GPM (19.0 LPM) Implement Pump 3.5 GPM (13.0 LPM) Steering Pump	
	PTO:	
	Transmission Driven 540 RPM Rear PTO Mechanically Engaged Wet Clutch	
	ELECTRICAL:	
	12-Volt System	
	55 Amp Alternator Key Ignition Starter with Accessory and Pre-Heat Position	
	Maintenance Free Battery with 600 Cold Cranking Amps	
	OPERATOR PROTECTIVE STRUCTURE:	
	Adjustable Vinyl Seat without suspension Folding ROPS	
	Meets ASABE S478.1 and OSHA 1928.51 ROPS Certification	
	Standards	
	Retractable Seat Belt	
	Operator Presence with Safety Interlock System	
	BASE MACHINE (4WD):	



Code	Description	List price(USD)
	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires 7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	
	BASE MACHINE	
1690LV	3035D Compact Utility Tractor	\$22,602.00
	DESTINATION AND LANGUAGE Basic Factory Options DESTINATION	
0184	Canada	No Added Cost
0202	United States	No Added Cost
0205	Quebec OPERATOR'S MANUAL	No Added Cost
0437	Spanish North American Operators Manual and Decal Kit	No Added Cost
0409	English North American Operators Manual and Decal Kit	No Added Cost
0413	French Canadian Operators Manual and Decal Kit	No Added Cost
	LOADERS AND BACKHOES Basic Factory Options LOADERS	
1701	Factory Installed Loader with Bucket	\$5,890.00
1750	Factory Installed Loader less Bucket	\$5,006.00
1795	Less Loader	In Base Price
	HITCHES AND DRAWBARS Basic Factory Options DRAFT LINK	
4110	Draft Links - Flat Bar (Standard)	In Base Price
4120	Draft Links - Telescoping THREE-POINT HITCH	\$357.00
4060	iMatch Quick Hitch (Category 1)	\$334.00
4061	Less iMatch Quick Hitch  DRAWBAR AND TRAILER HITCH	In Base Price
4310	Rear Drawbar Includes support bracket and retention pin. ATTACHMENTS FOR FIELD CONVERSION	No Added Cost



Code	Description	List price(USD)
	DRAFT LINK	
BLV10908	Telescoping Draft Links  Not compatible with iMatch Quick Hitch.  THREE-POINT HITCH	\$447.70
LVB25976	iMatch™ Quick-Hitch Category 1 with adjustable top hook	\$416.90
LVU12858	iMatch™ Quick Hitch Bushings Includes one lower bushing (Cat. 3 to Cat. 1) - Length 33mm (1.3in).	\$29.18
	WHEELS AND TIRES Basic Factory Options REAR WHEELS AND TIRES	
5210	15-19.5 6PR R4 Industrial	\$166.00
5211	11.20-24 6PR R1 Bar	In Base Price
5213	41x14-20 4PR R3 Turf FRONT WHEELS AND TIRES	\$18.00
6210	25x8.50-14 6PR R4 Industrial	\$66.00
6211	7-14 6PR R1 Bar	In Base Price
6213	27x8.50-15 6PR R3 Turf	\$76.00
	ATTACHMENTS FOR FIELD CONVERSION REAR WHEELS AND TIRES	
TY4457	Tire Chains For use with 41x14.0-20 (R3) Rear Tires.	\$511.59
TY4453	Tire Chains For use with 11.2-24 (R1) and 15-19.5 (R4) Rear Tires.	\$488.19
BLV10936	15-19.5 (6PR, R4 Industrial, 1 Position) Rear Wheels and Tires	\$1,982.20
BLV10937	11.20-24 (6PR, R1 Bar, 1 Position) Rear Wheels & Tires	\$1,769.90
BLV10942	41x14-20 (4PR, R3 Turf, 1 Position) Rear Wheels & Tires FRONT WHEELS AND TIRES	\$1,797.40
BLV10860	7-14 (6PR, R1 Bar, 2 Position) Front Wheels & Tires	\$634.70
BLV10849	27x8.50-15 (6PR, R3 Turf, 2 Position) Front Wheels & Tires	\$729.30
BLV10851	25 x 8.50 - 14 (6 PR, R4 Industrial, 2 Position) Front Wheels & Tires	\$716.10



Code	Description	List price(USD)
	WHEEL TREAD WIDTH	
BLV10985	Wheel Spacer Kit	\$367.40
	ELECTRONICS AND LIGHTS ATTACHMENTS FOR FIELD CONVERSION LIGHTING	
LVB25547	Single Rear Auxiliary Rear Work Light Kit Includes Wiring Harness. Not Compatible with Forward Lighting Kit (LVB25546).	\$73.70
BLV10399	Open Station Work Light Brush Guard Kit Includes 2 guards. Requires Warning Light Brush Guard Kit (BLV10400).	\$92.40
BLV10497	LED Work Light Kit Includes 2 ROPS mounted LED Lights. Each light has 360 degree rotation. Requires Warning Light Brush Guard Kit (BLV10400).	\$347.60
BLV10400	ROPS Lights Brush Guard Kit	\$92.40
LVB25546	Dual Light Forward Lighting Kit Requires Warning Light Brush Guard Kit (BLV10400). Not Compatible with Rear Work Light Kit (LVB25547).	\$124.30
	OPERATOR'S STATION AND CONTROLS ATTACHMENTS FOR FIELD CONVERSION OPEN OPERATOR'S STATION	
LVB25334	Canopy - Standard Requires LVB25332 Canopy Mounting Bracket and Hardware Kit.	\$515.90
LVB25332	Canopy Mounting Bracket and Hardware Kit	\$84.70
BLV11094	Rear License Plate Kit (Include Light)	\$74.80
	MISCELLANEOUS ATTACHMENTS FOR FIELD CONVERSION ACCESSORIES	
RE558821	Mounting Ball Stud	\$20.62
RE574454	38.1-mm (1.5-in.) ball mount and socket arm	\$66.48
AL212683	Mounting Parts - Display Mount RAM	\$153.40
UC17356	RAM Mount Vesa Bracket 1.5	\$115.50



Code	Description	List price(USD)
PF80459	Bracket, Arm, RAM Double Socket	\$29.05
PF80460	Mount - RAM U-Bolt	\$72.21
LP95233	Large Seat Cover For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$29.99
RE19428	Safety Chain Support Kit	\$165.42
LP25001	3-Point Hitch Tractor Receiver Hitch For ordering and pricing information on this product, Dealers can refer to the John Deere Order Zone site via the DealerPath Home Page, then "Parts & Attachments" then "Ordering Systems" then "Order Zone - (Licensed Products)". Customers must contact your local JD Dealer.	\$139.00
	WEIGHTS AND BALLASTING	
	ATTACHMENTS FOR FIELD CONVERSION FRONT WEIGHTS	
UC13263	Quik-Tatch Weight, 42 lb (19 kg) Requires (1) BLV11045.	\$60.99
LVU32113	Quik-Tatch Weight, 70 lb (32 kg) Requires (1) BLV11045.	\$99.00
BLV11045	Front Weight Bracket Extension Includes Extension Bracket and all Hardware (Including Rod and Spring Pins) to Hold up to Ten Front Quik-Tatch Weights.  BALLAST	\$204.60
BW15074	Ballast Box Extension	\$151.80
BW15073	Ballast Box	\$320.10
	REAR WHEEL WEIGHTS	
BM17965	Rear Wheel Weight, 60 lb (27.2 kg) Starter and Additional Weight for use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) Tires. If being used as Starter Weight: Requires BM19938 (Attaching Hardware). If being use as Additional Weight: Requires BM19951 (Attaching	\$140.80



Code	Description	List price(USD)
	Hardware). Maximum 3 Weights per Wheel. Order per wheel.	
BM19938	Attaching Hardware for Starter Rear Wheel Weight, 60 lb for 16 in. and 19.5 in. Wheel For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.	\$12.10
BM19951	Attaching Hardware for Rear Wheel Weight For use with R3 (41x14.00-20) and R4 (15.00-19.5 and 43x16-20) tires. Order one per wheel/weight.	\$8.80
	POWER TAKE-OFF	
	ATTACHMENTS FOR FIELD CONVERSION	
DL V400E2	REAR POWER TAKE-OFF (PTO)	ф20 <u>Г</u> .70
BLV10953	John Deere Quik Knect™ PTO receiver  At least one tractor receiver bundle (BLV10953) is needed per tractor. This bundle is removable and can be used on various tractors within the compatibility. One implement driveline yoke bundle is needed per implement, and remains with implement at all times (field install required). For information on what Implement driveline yoke bundle to select, refer to the compatibility table within the Value Selling Navigator.	\$205.70
	ENGINE	
	ATTACHMENTS FOR FIELD CONVERSION ENGINE	
BLV10640	Engine Coolant Heater Kit	\$66.00
BLV10906	Radiator Clean Out Screen  Removable screen which helps to maintain good air flow and easy clean out.	\$41.80
	AG MANAGEMENT SOLUTIONS (AMS)	
	ATTACHMENTS FOR FIELD CONVERSION MACHINE CONNECTIVITY	
BXX10255	SmartConnector - CAN to Bluetooth There are compatibility constraints with this kit, see Smart Connector Compatibility reference guide in VSN for further details	\$99.00
	HYDRAULICS	



Code	Description	List price(USD)
	ATTACHMENTS FOR FIELD CONVERSION HYDRAULICS	
BLV10901	Rear Hydraulic Kit	\$1,020.80
	EXHAUST ATTACHMENTS FOR FIELD CONVERSION EXHAUST	
BLV11105	Spark Arrester Screen	\$447.70