120 MOTOR GRADER PIRACICABA, BRAZIL

Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

Air cleaner, dual stage dry type radial seal with service indicator through messenger and automatic dust ejector Air-to-air after cooler (ATAAC) Brakes, oil disc, four-wheel, hydraulic Demand fan, hydraulic Differential, lock/unlock, auto Drain, engine oil, ecology Engine:

- -C7.1 diesel, with automatic engine derate, and idle control.
- -Optimized VHP Plus
- -Engine ECO mode
- -Fuel-water separator

Parking brake, multi-disc, sealed and oil cooled

Priming pump, fuel

Transmission, 8 speed forward and 6 speed reverse, power shift, direct drive

ELECTRICAL

Alarm, back-up Alternator, Batteries, maintenance free Electrical system, 24V

OPERATOR ENVIRONMENT

Display, digital speed and gear Gauge, machine level Gauges (analog) inside the cab (includes fuel, articulation, engine coolant temp, engine RPM, and hydraulic oil temp)
Ladders, cab, left and right side Message operator information display, meter, hour, digital ISO 6394 (70% fan speed)
Throttle control, electronic

SAFETY AND SECURITY

Clutch, circle drive slip Doors, engine compartment, Ground level engine shutdown Seat belt, retractable 76.2 (3")

TIRES, RIMS, AND WHEELS

A partial allowance for tires on 254mm x 609mm (10"x24") multipiece rims is included in the base machine weight and price

OTHER STANDARD EQUIPMENT

CD ROM parts book

Doors, service compartment, locking SOS ports, engine, hydraulic, transmission, coolant, fuel Tool box Fuel tank, 225 liters (59 gallon) Radiator, cleanout access

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-001

120 MOTOR GRADER	Ship Weight	LIST PRICE
PIRACICABA, BRAZIL	lbs	AT DEALER

Lane 2 is reserved for the Base Order Management Program. Please use Lane 2 when placing orders that are part of the Base Order Management Program.

467-7423	120 14A MOTOR GRADER	\$304,040
	AVAILABLE FOR: AM-N, EU.	
460-7652	120 14A AWD MOTOR GRADER	\$356,030
	REQUIRES: JOYSTICK IMPLEMENT CONTROLS AVAILABLE FOR: AM-N, EU.	
OP-6976	120JOY MISC MATL	NC

Only reference numbers that have the text

"ALSO AVAILABLE ON A MISCELLANEOUS ORDER" can be used on a MISC order.

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-002

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
LANE	SELECTIO	N		
	0P-9002	LANE 2 ORDER	ement (BOM) program.	NC
	0P-9003	LANE 3 ORDER		NC
REGI	ONAL PACI	KAGES		
L	561-6489	ONLY FOR USE WITH: 460-7652 120-14A AWD 467-7423 120-14A MOTO	MOTOR GRADER or	NC
PERF	ORMANCE	PACKAGES		
M	OLDBOARL	os en		
L	320-9924	MOLDBOARD, 12' BASIC INCLUDES: Moldboard 12'x 24"x7/8" (3658 x 610 x 22mm) wi shift and 5/8" (15.89mm) end bits. Cutting edge 8"x 3/4" (203 x 19.mm) curved cutting	th hydraulic side	NC
L	436-3473	COMPATIBLE WITH ALL HYDRAULICS MOLDBOARD, 12' PLUS INCLUDES: Moldboard 12'x 24"x7/8" (3658 x 610 x 22mm) wi shift and 5/8" (15.89mm) end bits. g edge. Cutting edge 8"x 3/4" (203 x 19mm) curved cuttin Reversible end bits overlay with curved edges, can moldboard and cutting edges.	th hydraulic side g edge. protect	\$720
L	320-7431	Reversible pair for use with 8" x 3/4" (203 x 19mm MOLDBOARD, 14' BASIC	th hydraulic side g edge. protect moldboard	\$2,300
W	EATHER P	ACKAGES (TANDEM MACHINES)		
L	467-7404	WEATHER, STANDARD TND Recommended for year around use when typical arrange is 0 degrees C (32 degrees F) to 43 degrees C and operating at altitude below 1220 m (4000 feet). INCLUDES: Batteries, Heavy Duty - 1125 CCA Oil, Hydraulic, 10W ONLY FOR USE WITH: 467-7423 120-14A MOTO	bient temperature (110 degrees F)	NC

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-003

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
		PACKAGES (CONT.) ACKAGES (TANDEM MACHINES) (Cont.)		
L	467-7411	WEATHER, COLD TND Recommended for year around use when typical ambrange is -18 degrees C (0 degrees F) to 43 degrees C and operating at altitude below 1220 m (4000 feet). INCLUDES: Batteries, Extreme Duty -1400 CCA Oil, Hydraulic, 10W Cold Start; Transmission cooler bypass REQUIRES: STARTER, HEAVY DUTY ONLY FOR USE WITH: 467-7423 120-14A MOTO) 467-7424 120-14A MOTO)	oient temperature (110 degrees F) R GRADER or	\$755
L	467-7418	WEATHER, COLD PLUS TND Recommended for year around use when typical ambrange is -40 degrees C (-40 degrees F) to 40 degrees or operating at altitude above 1220 m (4000 feet). INCLUDES: Starting Aid, Ether Cold Start; Transmission cooler and filter bypass Batteries, Extreme Duty -1400 CCA Oil, Hydraulic, Cold, 0W-20 REQUIRES: STARTER, HEAVY DUTY ONLY FOR USE WITH: 467-7423 120-14A MOTOR	0 bient temperature C (104 degrees)	\$2,765
V	VEATHER PA	ACKAGES (AWD MACHINES)		
L	467-7403	WEATHER, STANDARD AWD Recommended for year around use when typical amb range is 0 degrees C (32 degrees F) to 43 degrees C (and operating at altitude below 1220 m (4000 feet). INCLUDES: Batteries, Heavy Duty - 1125 CCA Oil, Hydraulic, 10W ONLY FOR USE WITH: 460-7652 120-14A AWD M 467-7425 120-14A AWD M	oient temperature 110 degrees F) MOTOR GRADER or	NC
L	467-7410	WEATHER, COLD AWD Recommended for year around use when typical amb range is -18 degrees C (0 degrees F) to 43 degrees C and operating at altitude below 1220 m (4000 feet). INCLUDES: Batteries, Extreme Duty -1400 CCA Cold Start; Transmission cooler and filter bypass Oil, Hydraulic, 10W REQUIRES: STARTER, HEAVY DUTY ONLY FOR USE WITH: 460-7652 120-14A AWD M	oient temperature (110 degrees F)	\$755

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-004

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
		PACKAGES (CONT.) ACKAGES (AWD MACHINES) (Cont.)		
L	467-7417	WEATHER, COLD PLUS AWD Recommended for year around use when typical ambrange is -40 degrees C (-40 degrees F) to 40 degrees or operating at altitude above 1220 m (4000 feet). INCLUDES: Starting Aid, Ether Cold Start; Transmission cooler and filter bypass Batteries, Extreme Duty -1400 CCA Oil, Hydraulic, Cold, 0W-20 REQUIRES: STARTER, HEAVY DUTY ONLY FOR USE WITH: 460-7652 120-14A AWD M	oient temperature C (104 degrees)	\$2,710
A	CCUMULA	TORS		
L	517-0699	NO ACCUMULATORS, JOY Provides hydraulic lines for base functions. ONLY FOR USE WITH: 460-7652 120-14A AWD M 467-7423 120-14A MOTO: 467-7424 120-14A AWD M 467-7425 120-14A AWD M	MOTOR GRADER or R GRADER or R GRADER or	NC
L	462-6539	Provides hydraulic lines for base functions and accurblade lift. Allows approximately 1-3" (25-76mm) of vetravel to reduce impact loads. Nitrogen/oil accumula by electric switch. ONLY FOR USE WITH: 460-7652 120-14A AWD M 467-7424 120-14A MOTO M 467-7425 120-14A AWD M	mulators for the rtical blade tors activated MOTOR GRADER or R GRADER or R GRADER or	\$4 ,675
D	RAWBAR A	ARRANGEMENT		
L	468-1603	DRAWBAR, STANDARD, HYD TIP, JOY Standard (H-Type, A-Frame) DCM. Standard shimmed Standard shimmed moldboard wear strips. Intended for customers who perform rough grading of and do not frequently maintain their drawbar, circle ONLY FOR USE WITH: 460-7652 120-14A AWD M 467-7424 120-14A MOTO 467-7425 120-14A AWD M	ed circle wear strips. or road maintenance and moldboard. MOTOR GRADER or R GRADER or R GRADER or	\$-1,575
L	462-6536	DRAWBAR, TOP ADJUST, HYDTIP, JOY Top Adjust (M-Type, A-Frame) DCM. Top-adjust circl Setscrew moldboard wear strip adjustment. Adjustment assembly to keep tighter grades. Ideal for customers who perform finish grading work maintain their drawbar, circle and moldboard for facton ONLY FOR USE WITH: 460-7652 120-14A AWD Merch Additional Sets of the Additional Sets o	e wear strips. ent allows for DCM and frequently tory tightness. MOTOR GRADER or R GRADER or R GRADER or	NC

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-005

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
POW	ERTRAIN			
El	V <i>GINE</i>			
L L	549-6535 590-7345	ENGINE, STAGE IV AM-N FOR USE IN LANE 2 ONLY DEDICATED TO HIGHER REGULATED COUNTRIES -Meets U.S. EPA Tier 4 Final emission standards -Caterpillar C7.1 ACERT diesel engine turbo charged ONLY FOR USE WITH: 460-7652 120-14A AWD N 467-7423 120-14A MOTO AVAILABLE FOR: AM-N ENGINE, STAGE V AND T4 FINAL Dedicated to highly regulated countries (HRC) Meets EU Stage V, and U.S. EPA Tier 4 Final emission Caterpillar C7.1 ACERT turbo charged ONLY FOR USE WITH: 467-7423 120 14A MOTO 460-7652 120 14A AWD N	(HRC), including: I. MOTOR GRADER or R GRADER 0 on standards R GRADER or	NC NC
O	IL CHANGE			
L	422-6603	DRAIN, GRAVITY, ENGINE OIL	0	NC
L	505-7041	Standard engine oil drain DRAIN, HIGH SPEED, ENGINE OIL High speed engine oil drain. Requires pump at service to be attached to coupling receiver for high speed flow high speed oil drain can also be used manual/gravity.	ee location w.	\$290

HYDRAULICS

NOTE: Hydraulic Definitions

COMMON FUNCTIONS:

JOYSTICK MACHINES

Base = 8 functions: right and left blade lift, circle turn, drawbar center shift, blade side shift, blade tip, front wheel lean, frame articulation. Float function standard for all hydraulic packages.

FL = Front Lift (moves front work tools up/down)
DA1 = Dozer Angle 1 (angles front blade left OR right)
DA2 = Dozer Angle 2 (angles front blade left AND right)
RIP = Rear Mounted Ripper (moves ripper up/down)
TIP = Blade Tip

MMS = Mid-Mounted Scarifier
WM = Wing Mast (Snow Wing)
WT = Wing Tilt (Snow Wing)

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-006

USE	REF NO.	LANE 2 / 3 MANDATOR	Y Ship Weight Ibs	LIST PRICE AT DEALER
HYD	RAULICS (CONT.)		
H	<i>YDRAULIC</i> S	S		
L	462-6514	467-7423 120-14A 467-7424 120-14A	left blade lift, circle	NC
L	462-6515	BASE + 1 (RIP) JOY		\$1,810
L	462-6516	BASE + 1 (MMS) JOY	0 Mid-Mount Scarifier lines	\$1,430
L	462-6517	467-7423 120-14A 467-7424 120-14A		\$2,415
L	462-6518	BASE + 2 (RIP,FL) JOY	0	\$4,225
L	462-6519	BASE + 2 (MMS, RIP) JOY	e Mid-Mount Scarifier and	\$3,245
L	467-7435	BASE + 3 (FL, DA1, RIP) JOY	ction. Includes the Front	\$7,550

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-007

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
HYD	RAULICS (CONT.)		
H	IYDRAULICS	S (Cont.)		
L	467-7436	BASE + 3 (FL, MMS, RIP) JOY	nction. Includes r lines. id-Mount Scarifier) MOTOR GRADER or DR GRADER or DR GRADER or	\$5,660
L	472-2256	Front Blade Lift, Mid-Mount Scarifier, Dozer Angle, a function. Includes the Front Blade Lift, Mid-Mount Scarifier, and Ripper lines. Dozer Angle lines are required, and NOT offered from REQUIRES: 339-7734 Bracket (if you need to use M ONLY FOR USE WITH: 460-7652 120-14A AWD 1467-7423 120-14A MOTO 467-7424 120-14A MOTO 467-7425 120-14A AWD 1467-7425	and Ripper In factory id-Mount Scarifier) MOTOR GRADER or OR GRADER or OR GRADER or	\$8,990
ELEC	CTRICAL			
В	RAKE LIGH	<i>TS</i>		
L	467-9304	LIGHTS, BRAKE&BACKUP, JOY, LED	back-up lights. MOTOR GRADER or DR GRADER or DR GRADER or	\$104
L	563-2423	CANNOT BE USED WITH: FRONT HEADLIGHTS (HALIGHTS, BRAKE&BKP, TURN, LED	LOGEN/LED)0 back-up lights. MOTOR GRADER or OR GRADER or OR GRADER or	\$414
L	563-2430	467-7425 120-14A AWD I LIGHTS, ARM, FOLD DOWN, LED	0 back-up lights,	\$1,905

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-008

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
	CTRICAL (C	ONT.)		
L	462-6512	STARTER, STANDARD DUTY	nbient temperature range below 4000ft MOTOR GRADER or	NC
L	517-0703	Recommended for year around use when typical an is -40F (-40C) to 110F (43C) and operating at altitu (1220m). ONLY FOR USE WITH: 460-7652 120-14A AWD 467-7423 120-14A MOTO REQUIRED BY: WEATHER COLD or WEATHER COLD PLUS	nbient temperature range de above 4000ft MOTOR GRADER or	\$411
	IUMP START			
L	506-4261	JUMP START RECEPTACLE	MOTOR GRADER or	\$72
L	506-4262	JUMP START STUDS	nmp style jumper MOTOR GRADER or	NC
4	ALTERNATO	R		
L	438-5768	ALTERNATOR, 145 AMP	OR GRADER or MOTOR GRADER or MOTOR GRADER or	NC
L	438-5769	ALTERNATOR, 150 AMP	OR GRADER or MOTOR GRADER or MOTOR GRADER or	\$570

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-009

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
OPEF	RATOR ENV	'IRONMENT		
	AB			
L	466-1365	CAB, ROPS, BASE, JOY, AWD INCLUDES: - Enclosed ROPS - Wiper/washer, front and doors - HVAC, Auto temperature and blower control - Power ports, 12V (x2), 5V USB ONLY FOR USE WITH: 460-7652 120-14A AWD M		\$26,920
L	466-1361	ONLY FOR USE WITH: 460-7652 120-14A AWD M 467-7425 120-14A AWD M CAB, ROPS, BASE, JOY, TND INCLUDES: - Enclosed ROPS - Wiper/washer, front and doors - HVAC, Auto temperature and blower control - Power ports, 12V (x2), 5V USB	IOTOR GRADER	\$26,920
L	466-1367	ONLY FOR USE WITH: 467-7423 120-14A MOTOR 467-7424 120-14A MOTOR CAB, ROPS, PLUS, JOY, AWD	R GRADER	\$27,440
		- Cab Base features - Windows, side venting ONLY FOR USE WITH: 460-7652 120-14A AWD M 467-7425 120-14A AWD M CANNOT BE USED WITH: 466-1284 WIPER, SIDE, JO	OTOR GRADER	
	466-1363	CAB, ROPS, PLUS, JOY, TND INCLUDES: - Cab Base features - Windows, side venting - HVAC, Auto temperature and blower control ONLY FOR USE WITH: 467-7423 120-14A MOTOR 467-7424 120-14A MOTOR CANNOT BE USED WITH: 466-1284 WIPER, SIDE, JO	0 R GRADER or R GRADER	\$27,440
S	EAT CAB			
-	506-2611	SEAT, BASE, SUSPENSION, JOY INCLUDES: - Air suspension, Adjustable damper - Cloth Cushion, Adjustable angle and depth ONLY FOR USE WITH: 460-7652 120-14A AWD M 467-7423 120-14A MOTOR	IOTOR GRADER or R GRADER or R GRADER or	\$2,070
L	511-5313	467-7425 120-14A AWD M SEAT, PREMIUM, SUSPENSION, JOY INCLUDES: - Air suspension, Adjustable damper - Leather Cushion, Adjustable angle and depth, Heate - Power adjustable cushion bolsters and lumbar supp ONLY FOR USE WITH: 460-7652 120-14A AWD M 467-7423 120-14A MOTOR 467-7425 120-14A AWD M	ed and cooled port IOTOR GRADER or R GRADER or R GRADER or	\$3,625

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-010

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
OPE	RATOR ENV	IRONMENT (CONT.)		
S	SEAT BELT			
L	513-0286	SEAT BELT	MOTOR GRADER or DR GRADER or DR GRADER or	\$-207
L	485-3445	SEAT BELT, W/ INDICATION	0 in main dashboard. MOTOR GRADER or DR GRADER or DR GRADER or	NC
(COMFORT PA	ACKAGE CAB		
L	466-1340	COMFORT PACKAGE, BASE, JOY	MOTOR GRADER or DR GRADER or DR GRADER or	NC
L	466-1360	COMFORT PACKAGE, PREMIUM, JOY INCLUDES: Shades, rear Fan, defrost, x1 Radio, AM/FM/BT Mirrors, B-post, x2 CB Mounting Bracket ONLY FOR USE WITH: 460-7652 120-14A AWD 467-7423 120-14A MOTO 467-7425 120-14A AWD	MOTOR GRADER or DR GRADER or DR GRADER or DR GRADER or	\$2,900
Ġ	GLOVE BOX	/ KIT PANEL		
L	574-0147	GLOVE BOX, CAB		NC
L	466-1296	Mounting bracket and harness for display and correRECOMMENDED: for use with CAT GRADE ARO		\$725

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-011

USE REF LANE 2 / 3 MANDATORY Ship Weight LIST PRICE lbs AT DEALER

TECHNOLOGY PRODUCTS

PRODUCT LINK

Product Link enables the remote transmission of information about the location, operation, and condition of your equipment. Efficiently and effectively monitor performance of your assets to help keep your jobs on schedule, maintain equipment condition, and reduce the costs of owning and operating your fleet.

Availability varies by country, please contact your Cat marketing representative with questions or click on the link below: HTTPS://DEALER.CAT.COM/en/bt/otd/machine-price-list.html From there click on the 'PRODUCT LINK Hardware Certification" link.

Product Link Elite series PLE742 (consisting of PL641 radio and PLE702 network manager) uses cellular networks to transmit location, utilization, health and productivity information for viewing in Product Link user applications. Cellular technology enables more frequent transmission and larger volumes of data.

REQUIRES: CAB

ONLY FOR USE WITH: 460-7652 120-14A AWD MOTOR GRADER or

467-7423 120-14A MOTOR GRADER or 467-7424 120-14A MOTOR GRADER or 467-7425 120-14A AWD MOTOR GRADER

Product Link Elite series dual mode PLE782 (consisting of PL631 radio, PL641 radio and PLE702 network manager) uses a combination of cellular and satellite networks to transmit location, utilization and health information for viewing in Product Link user applications. For use where travel between areas of both cellular and satellite coverage is

required.

REQUIRES: CAB

ONLY FOR USE WITH: 460-7652 120-14A AWD MOTOR GRADER or

467-7423 120-14A MOTOR GRADER or 467-7424 120-14A MOTOR GRADER or 467-7425 120-14A AWD MOTOR GRADER

BLADE TECHNOLOGY

ONLY FOR USE WITH: 460-7652 120-14A AWD MOTOR GRADER or 467-7423 120-14A MOTOR GRADER or 467-7424 120-14A MOTOR GRADER or

467-7425 120-14A AWD MOTOR GRADER

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice
Printed in USA
U. S. DOLLAR CURRENCY

Effective 24JAN2020
Printed in USA
120JOY-012

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
TECH	INOLOGY F	PRODUCTS (CONT.)		
BI	LADE TECH	INOLOGY (Cont.)		
L	462-6505	CAT GRADE ARO, JOY Allows the Motor Grader to be equipped with either a Sonic, Laser, GPS, or ATS electronics kit. Provides so harnesses for sensors, mounting for sensors and bla Cat motor graders have an open architecture that all brands to install their grade control systems. To sup of machine guidance systems other than Cat Grade (AEXQ2281-00. ONLY FOR USE WITH: 460-7652 120-14A AWD M 467-7423 120-14A MOTO 467-7424 120-14A MOTO	Cross Slope, oftware, de mast bracket. ow aftermarket port integration or Trimble refer to MOTOR GRADER or R GRADER or	\$4 ,900
L	561-7228	467-7425 120-14A AWD M CANNOT BE USED WITH: 468-1603 DRAWBAR, STA CROSS SLOPE INDICATE, JOY Provides real-time digital readout of the cross slope a help an operator maintain an accurate and consister Cannot be used to automatically control one side of t	MOTOR GRADER NDARD, JSTK Output State a job aid to a job slope.	\$10,940
L	462-6506	full Cross Slope. CAN be upgraded to full Cross Slope or Cat GRADE. ONLY FOR USE WITH: 460-7652 120-14A AWD M 467-7423 120-14A MOTO 467-7424 120-14A MOTO 467-7425 120-14A AWD M CANNOT BE USED WITH: 468-1603 DRAWBAR, STA CROSS SLOPE AUTO JOY	R GRADER or R GRADER or MOTOR GRADER NDARD, JSTK	\$11,230
-	402-0300	Allows the operator to manually control one end of the curb or crown while automatically maintaining the blade. This system is used to maintain the crown or the shoulder of a road. Provides cab switches, soft for sensors, mounting for sensors and blade mast brake is included in this option. REQUIRES: 466-1316 JOYSTICK CONTROLS, ADVA ONLY FOR USE WITH: 460-7652 120-14A AWD MAG-7423 120-14A MOTO 467-7424 120-14A MOTO 467-7425 120-14A AWD MAG-7425	ne blade to match the desired slope of the of a gravel road tware, harnesses tacket. Cat GRADE MOTOR GRADER or R GRADER or R GRADER or R GRADER or MOTOR GRADER	VII , 230
L	561-7617	CANNOT BE USED WITH: 468-1603 DRAWBAR, STA DIGITAL BLADE SLOPE METER, JOY FOR USE IN LANE 3 ONLY Provides an entry level real-time digital readout of the cross slope of the blade as a job aid to help an operal maintain an accurate and consistent cross slope. Ca measure/maintain true cross slope in a road when mis NOT articulated and blade is perpendicular to made Does NOT automatically control elevation of one side of blade and is NOT upgradeable to Cat GRADE Cross Cross Slope Indicate, 2D (Cross Slope, Sonic, or Lase or 3D (GPS or UTS) aftermarket options. ONLY FOR USE WITH: 460-7652 120-14A AWD MAG-7423 120-14A MOTO 467-7424 120-14A MOTO 467-7425 120-14A AWD MAG-7425 120-14A AWD MAG-7	e tor n be used to nachine chine. s Slope, er), MOTOR GRADER or R GRADER or R GRADER or	\$2,900

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-013

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
TECH	INOLOGY F	PRODUCTS (CONT.)		
M	OTOR GRA	DER CONTROLS		
L	466-1315	JOYSTICK CONTROLS, BASIC	MOTOR GRADER or OR GRADER or OR GRADER or	NC
L	466-1316	JOYSTICK CONTROLS, ADVANCED	CHMENT READY	\$2,060
		467-7423 120-14A MOTO 467-7424 120-14A MOTO 467-7425 120-14A AWD	OR GRADER or OR GRADER or	
C	ONTROL A	UTO ARTICULATION		
L	575-2980	CONTROL, AUTO ARTICULATION-DEMO	on, increases activity by	NC
L	435-8660	automatically matching articulation angle to steering CONTROL, AUTO ARTICULATION-FULL	0	\$1,835
FUEL	SYSTEMS			
G	ROUND LE	VEL FUELING		
L	577-8014	GROUND LEVEL, FUELING	der. Allows OR GRADER or	NC
FI	LTER CHAI	V <i>GE</i>		
L	574-8803	1000 HOUR FUEL, FILTER CHANGE	0	NC
		Provides additional fuel filter to extend maintenance filter. From 500 to 1000 hours. ONLY FOR USE WITH: 467-7423 120 14A MOTO 460-7652 120 14A AWD	OR GRADER or	
cool	LING			
FA	AN (TANDE	M MACHINES)		
L	575-7683	FAN, STANDARD TND		NC

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-014

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
COOL	ING (CON	IT.)		
FA	N (TANDE	EM MACHINES) (Cont.)		
L	575-7684	FAN, REVERSING TND Provides a hydraulically driven demand fan that can direction to prevent debris build up on the cooling paengine enclosure. Includes automatic and manual coreversal. Recommended for applications with a high content of ONLY FOR USE WITH: 467-7423 120 14A MOTO	reverse ackage and ontrols for airflow f airborne debris	\$3,150
FA	N (AWD I	MACHINES)		
L	575-7685	FAN, STANDARD AWD		NC
L	575-7686	FAN, REVERSING AWD	reverse ackage and ontrols for airflow f airborne debris	\$3,150

TIRES, RIMS, AND WHEELS

Tires listed below include a set of six tires.

**To calculate tire loads with machine attachments, please reference the MG Tire Selection Pocket Guide (media #AEXQ0182), available on the Electronic Sales Library.

All tire selections should be made with consideration for planned machine attachments (OEM and aftermarket) and their additional weight. Each tire has a maximum load rating that is not to be exceeded. The tire selection should be based on the maximum of all tire position loads on the machine. Assistance for calculating the highest tire load can be found in the Tire Load Worksheet in the back of the Caterpillar Motor Graders Tire Selection Pocket Guide. Failure to abide by the load ratings of the tires without first consulting the local tire supplier representative could result in nullification of the tire warranty.

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-015

USE REF LANE 2 / 3 MANDATORY Ship Weight LIST PRICE AT DEALER

TIRES, RIMS, AND WHEELS (CONT.)

Due to industry-wide tire availability limitations, tire brand and type cannot be guaranteed. Every effort will be made to satisfy your tire choice, but we reserve the right to change to alternate tires. If the tire brand cannot be supplied, we may contact the dealer. However, in some cases, we will change to an alternative premium brand tire without notice. If the tire type cannot be supplied, we will contact the dealer to propose alternatives. The dealer needs to choose between an alternative tire or a "rims only" option (where available) within 72 hours. If no response is provided by the deadline, the order will default to the alternative tire and will be changed at that point. As a consequence of a possible tire change, the total machine price will be decreased or increased depending on the price of the new tire.

The information provided can be used to make a tire selection based on the particular conditions at the site. When available, the tire manufacturer should be consulted regarding proper tire selection.

TIRES (TANDEM MACHINES)

MAXAM

L	578-9458	TIRES 17.5R25 MA MS202 ** MP	\$12,470
		FOR INDIVIDUAL TIRE LOADS EXCEEDING (8600 lbs) 3900kg.* ONLY FOR USE WITH: 467-7423 120 14A MOTOR GRADER	
L	578-9460	TIRES 14.00R24 MA MS202 * MP	\$10,260
	FIDECTON	ONLY FOR USE WITH: 467-7423 120 14A MOTOR GRADER	
	FIRESTON	E	
L	254-7898	TIRES, 13.0-24 FS SGG 12PR SP2	\$-3,680
L	254-7898		
L	254-7898 252-0731	FOR USE IN LANE 3 ONLY Firestone SGG RB 12PR bias (G2) on 9" x 24" single piece rim. THE TIRE MANUFACTURER DOES NOT RECOMMEND THIS TIRE FOR INDIV	

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-016

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
TIRES	, RIMS, AN	ND WHEELS (CONT.)		
TIR	RES (TAND	EM MACHINES) (Cont.)		
L	252-0753	TIRES, 17.5-25 FS SRG 12PR MP	im. D THIS TIRE FOR IND	\$6,440 DIVIDUAL
	GOODYEA	ONLY FOR USE WITH: 467-7423 120-14A MOTOR	GRADER	
L	340-2602	TIRES,13.0-24 GY SGG 12 G2 SP	im. D THIS TIRE FOR IND CGRADER or	\$-3,600 DIVIDUAL
L	305-6159	467-7423 120-14A MOTOR TIRES, 14.0-24 GY SGG 16PR MP Goodyear SGG-2A 16PR bias (G2) on 14" multi-piece in the tire manufacturer does not recommentative Loads exceeding (8046lbs) 3650 kg.** ONLY FOR USE WITH: 467-7423 120-14A MOTOR	963 rim. D THIS TIRE FOR IND C GRADER or	\$1,430 DIVIDUAL
	MICHELIN	467-7424 120-14A MOTOR	GRADER	
L	254-7904	TIRES,14.0R24 MX XGLA2 * G2 SP	D THIS TIRE FOR INC	\$7,360 DIVIDUAL
L	252-0701	ONLY FOR USE WITH: 467-7423 120-14A MOTOR TIRES,14.0R24 MX XSNO + * G2 MP	1,282 D THIS TIRE FOR IND	\$15,000 DIVIDUAL
L	252-0777	ONLY FOR USE WITH: 467-7423 120-14A MOTOR TIRES,17.5R25 MX XSNO+ * G2 MP	1,093 D THIS TIRE FOR IND	\$20,360 DIVIDUAL
L	252-0771	ONLY FOR USE WITH: 467-7423 120-14A MOTOR TIRES, 17.5R25 MX XTLA * L2 MP Michelin XTLA 1* on 14" x 25" multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEN TIRE LOADS EXCEEDING (8045 lbs) 3650 kg.**	1,371 D THIS TIRE FOR IND	\$16,190 DIVIDUAL
L	254-7971	ONLY FOR USE WITH: 467-7423 120-14A MOTOR TIRES, 17.5R25 MX XTLA * L2 SP	D THIS TIRE FOR INC	\$11,990 DIVIDUAL
L	252-0679	ONLY FOR USE WITH: 467-7423 120-14A MOTOR TIRES,14.0R24 MX XGLA2 * G2 MP Michelin XGLA2 1* on 10" x 24" multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMENTIRE LOADS EXCEEDING (7824 lbs) 3550 kg.** ONLY FOR USE WITH: 467-7423 120-14A MOTOR 467-7424 120-14A MOTOR	1,069 D THIS TIRE FOR IND GGRADER or	\$10,940 DIVIDUAL

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-017

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
TIRE	S, RIMS, AI	ND WHEELS (CONT.)		
7	TIRES (TANE	DEM MACHINES) (Cont.)		
	BRIDGEST	ONE		
L	252-0714	TIRES, 14.0 R24 BS VKT * G2 MP	1,540	\$7,180
		Bridgestone VKT 1* on 10" x 24" multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMENT TIRE LOADS EXCEEDING (8045 lbs) 3650 kg.**	D THIS TIRE FOR INC	DIVIDUAL
		ONLY FOR USE WITH: 467-7423 120-14A MOTOR		440 440
L	252-0708	TIRES, 14.0R24 BS VSW * G2 MP	1,481	\$13,610
		THE TIRE MANUFACTURER DOES NOT RECOMMENT TIRE LOADS EXCEEDING (8045 lbs) 3650 kg.**		DIVIDUAL
L	252-0720	ONLY FOR USE WITH: 467-7423 120-14A MOTOR TIRES, 14.0R24 BS VUT * L2 MP		\$7,250
		Bridgestone VUT 1* on 10" x 24" multi-piece rims.		MADIAL
		THE TIRE MANUFACTURER DOES NOT RECOMMENT TIRE LOADS EXCEEDING (8045 lbs) 3650 kg.**	D THIS TIRE FOR INL	DIVIDUAL
		ONLY FOR USE WITH: 467-7423 120-14A MOTOR		
L	252-0775	467-7424 120-14A MOTOR TIRES, 17.5R25 BS VKT * D2A MP		\$13,450
_	202 0770	Bridgestone VKT 1* on 14" x 25" multi-piece rims.		•
		THE TIRE MANUFACTURER DOES NOT RECOMMENI	D THIS TIRE FOR IND	DIVIDUAL
		TIRE LOADS EXCEEDING (8045 lbs) 3650 kg.** ONLY FOR USE WITH: 467-7423 120-14A MOTOR	GRADER or	
		467-7424 120-14A MOTOR	GRADER	
L	310-7331	TIRES, 17.5R25 BS VSW * G2 MP	1,888	\$18,940
		Bridgestone VSW 1* on 14" x 25" multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMENT	D THIS TIRE FOR IND	DIVIDUAL
		TIRE LOADS EXCEEDING (8045 lbs) 3650 kg.**		
	E06 E360	ONLY FOR USE WITH: 467-7423 120-14A MOTOR TIRES,14.00R24 BS VKT ***E-2MP		¢0 100
L	586-5268	FOR USE IN LANE 3 ONLY	0	\$9,190
		6 X Bridgestone VKT 3* on 9- X 24- Single Piece Rims		
		THE TIRE MANUFACTURER DOES NOT RECOMMENI LOADS EXCEEDING 3650 kg (8045 LBS).	D THIS TIRE FOR IND	DIVIDUAL TIRE
		ONLY FOR USE WITH: 467-7424 120 14A MOTOR	GRADER or	
		467-7423 120 14A MOTOR		
7	TIRES (AWD	MACHINES)		
	MAXAM			
L	578-9459	TIRES 17.5R25 MA MS202 ** MP	0	\$12,470
_	0.000	FOR USE IN LANE 3 ONLY		4/-
		Maxam MS202 2* on 14- x 25- multi-piece rims.		
		THE TIRE MANUFACTURER DOES NOT RECOMMENT FOR INDIVIDUAL TIRE LOADS EXCEEDING (8600 lbs		
		ONLY FOR USE WITH: 460-7652 120 14A AWD MG	OTOR GRADER or	
		467-7425 120 14A AWD MG	OTOR GRADER	

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-018

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
TIRES	S, RIMS, AI	ND WHEELS (CONT.)		
		MACHINES) (Cont.)		
L	578-9461	TIRES 14.00R24 MA MS202 * MP FOR USE IN LANE 3 ONLY Maxam MS202 2* on 14- x 25- multi-piece rims. THE TIRE MANUFACTURER DOES NOT RECOMMEN FOR INDIVIDUAL TIRE LOADS EXCEEDING (8600 lbs ONLY FOR USE WITH: 460-7652 120 144 AWD M	D THIS TIRE s) 3900kg.** OTOR GRADER or	\$10,260
	GOODYEA	R 467-7425 120 14A AWD MO	OTOR GRADER	
L	452-2804	TIRES,14R24 GY 16PR SGG RB MP THE TIRE MANUFACTURER DOES NOT RECOMMENTIRE LOADS EXCEEDING (8046lbs) 3650 kg.** ONLY FOR USE WITH: 460-7652 120-14A AWD MORE 467-7425	D THIS TIRE FOR INDI OTOR GRADER or	\$1,430 IVIDUAL
	MICHELIN	407 7425 120 14KMWD M	OTOR GRUDDR	
L	452-2798	TIRES, 17.5R25 MX XSNO + 1* MP. FOR USE IN LANE 3 ONLY THE TIRE MANUFACTURER DOES NOT RECOMMEN TIRE LOADS EXCEEDING (8046lbs) 3650 kg.** ONLY FOR USE WITH: 460-7652 120-144 AWD MO	D THIS TIRE FOR IND	\$20,360 IVIDUAL
L	452-2802	467-7425 120-14A AWD MOTIRES, 14.0R24 MX XGLA2 1* MP	0 D THIS TIRE FOR INDI OTOR GRADER or	\$10,940 IVIDUAL
L	452-2803	TIRES, 14.0R24 MX XSNO + 1* MP	0 D THIS TIRE FOR INDI OTOR GRADER or	\$15,000 IVIDUAL
L	452-2811	467-7425 120-14A AWD MOTIRES, 17.5R25 MX XTLA 1*MP L2	0 D THIS TIRE FOR INDI OTOR GRADER or	\$16,190 IVIDUAL
	BRIDGEST		OTOR GRADER	
L	452-2797	TIRES,14.00R24 BS VKT 1* G2 MP	D THIS TIRE FOR INDI OTOR GRADER or	\$7,180 IVIDUAL
L	452-2800	TIRES,14.0R24 BS VSW TL 1* MPTHE TIRE MANUFACTURER DOES NOT RECOMMENTIRE LOADS EXCEEDING (8046lbs) 3650 kg.** ONLY FOR USE WITH: 460-7652 120-14A AWD MARKET A	0 D THIS TIRE FOR INDI OTOR GRADER or	\$13,610 IVIDUAL

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-019

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
TIRES	S, RIMS, AI	ND WHEELS (CONT.)		
T	IRES (AWD	MACHINES) (Cont.)		
L	452-2801	TIRES,14.0R24 BS VUT G2A 1* MP THE TIRE MANUFACTURER DOES NOT RECOMMENT TIRE LOADS EXCEEDING (8046lbs) 3650 kg.** ONLY FOR USE WITH: 460-7652 120-14A AWD MO 467-7425 120-14A AWD MO	O THIS TIRE FOR IND OTOR GRADER or	\$7,250 IVIDUAL
L	452-2805	TIRES, 17.5-25 BS SGG 12PR MP	OTHIS TIRE FOR IND	\$3,540 IVIDUAL
L	452-2806	TIRES,17.5R25* BS VKT L2 L3 MP	0 DITHIS TIRE FOR IND OTOR GRADER or	\$13,450 IVIDUAL
L	452-2808	TIRES,17.5R25 BS VSW 1* G2 MP	OTHIS TIRE FOR IND	\$18,940 IVIDUAL
L	586-5270	TIRES,14.00R24 BS VKT ***E-2MP FOR USE IN LANE 3 ONLY 6 X Bridgestone VKT 3* on 10- X 24- Multipiece Rims THE TIRE MANUFACTURER DOES NOT RECOMMENT LOADS EXCEEDING 3650 kg (8045 LBS). ONLY FOR USE WITH: 467-7425 120 14A AWD MC 460-7652 120 14A AWD MC	O THIS TIRE FOR IND OTOR GRADER or	\$9,190 IVIDUAL TIRE
ОТН	ER ATTACH	IMENTS		
R	EAR PANEL	S		
L	518-1195	REAR PANEL W/O ACCESS DOOR	0	NC
L	498-8871	No access entry without removing cover to clean front of REAR PANEL W/ ACCESS DOOR		\$207
WOR	K TOOLS			
R	EAR WORK	TOOLS		
L	481-8668	NO HITCH		NC
L	416-6892	HITCH, TOWING	0	\$550
L	456-5359	RIPPER	per shanks.	\$12,830

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-020

CATERPILLAR MACHINE PRICE LIST

120JOY

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
FLUID	S			
CA	B ANTIFR	REEZE		
	0P-1939	ANTIFREEZE WINDSHIELD WASHER	0	NC
FU	EL ANTIFI	REEZE		
	0P-3978	FUEL ANTIFREEZE, -25C (-13F)		NC
DOCU	MENTATI	ON		
N	OTE: This p	SELECTION art number will provide the language for Messenger at of Conformity.		
P	462-6595	LANGUAGE, ENGLISH	0	NC

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-021

USE	REF NO.	LANE 2 / 3 (OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
FEA	TURE PACK	AGES			
F	HEADLIGHTS Cannot mix ha	S <i>PACKAGE.</i> alogen and LED light packages.			
L	564-5009		eadlights with front tur 67-7423 120-14A MO	rn signals, dimmer TOR GRADER or	\$650
Р	564-5016	LOW BAR, LED, JOY, TND . Provides LED low bar headl for road lighting. ONLY FOR USE WITH: 4	ights with front turn s 67-7423 120-14A MO	0 signals, dimmer switch TOR GRADER or	\$1,385
L	564-4990	LOW BAR, HALOGEN, JOY, A' Provides halogen low bar he switch for road lighting.		0	\$650
L	564-5015	4 LOW BAR, LED, JOY, AWD Provides LED low bar headl for road lighting.	67-7425 120-14A AW ights with front turn s	0	\$1,385
L	573-6443	4 HIGH BAR, HALOGEN, JOY, A Provides halogen high bar h switch for road lighting.	67-7425 120-14A AW WD leadlights with front to	D MOTOR GRADER	\$650
L	573-6444	4 HIGH BAR, LED, JOY, AWD Provides LED high bar head for road lighting.	67-7425 120-14A AWllights with front turn	D MOTOR GRADER0 signals,dimmer switch	\$1,385
L	573-6441		67-7425 120-14A AW ND	0	\$650
Р	573-6442	HIGH BAR, LED, JOY, TND . Provides LED high bar head for road lighting.	67-7423 120-14A MO 67-7424 120-14A MO 	TOR GRADER0 signals,dimmer switch	\$1,385
V		4 PACKAGES (JOYSTICK Alogen and LED light packages.		TOR GRADER	
L	468-7615	LIGHTS, WORKING, BASIC HAL INCLUDES: Lights, Halogen, Heel Lights, Halogen, Midframe Switch, Work Lighting ONLY FOR USE WITH: 4	, ,JOY	D MOTOR GRADER or TOR GRADER or TOR GRADER or	\$780

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-022

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
FEA	TURE PACK	AGES (CONT.)		
V	NORK LIGHT	T PACKAGES (JOYSTICK MACHINES) (Con	t.)	
L	468-7617	LIGHTS, WORKING, PLUS, HAL, JOY INCLUDES: Lights, Ripper Lights, Halogen, Heel Lights, Halogen Midframe Toe Switch, Work Lighting ONLY FOR USE WITH: 460-7652 120-14A AWD 467-7423 120-14A MOTO	MOTOR GRADER or	\$1,050
		467-7424 120-14A MOTO 467-7425 120-14A AWD		
L	561-6397	LIGHTS, WORKING, BASIC, LED, JOY INCLUDES: Lights, LED, Heel Lights, LED, Midframe Toe Switch, Work Lighting ONLY FOR USE WITH: 460-7652 120-14A AWD 467-7423 120-14A MOTO 467-7424 120-14A MOTO	MOTOR GRADER or OR GRADER or OR GRADER or OR GRADER or	\$1,520
L	561-6399	467-7425 120-14A AWD LIGHTS, WORKING, PLUS, LED, JOY		\$2,630
		INCLUDES: Lights, LED, Ripper Lights, LED, Heel Lights, LED, Midframe Toe Switch, Work Lighting ONLY FOR USE WITH: 460-7652 120-14A AWD 467-7423 120-14A MOTO 467-7425 120-14A AWD	OR GRADER or OR GRADER or	
C	CAB LIGHTS			
	Cannot mix h	alogen and LED light packages.		
L	466-1301	LIGHTS, CAB HALOGEN, JOY INCLUDES: 4 Front Facing Halogen Lights 2 Rear Facing Halogen Lights ONLY FOR USE WITH: 460-7652 120-14A AWD 467-7423 120-14A MOTO 467-7424 120-14A MOTO 467-7425 120-14A AWD	MOTOR GRADER or OR GRADER or OR GRADER or	\$520
L	466-1302	LIGHTS, CAB LED, JOY INCLUDES: 4 Front Facing LED Lights 2 Rear Facing LED Lights ONLY FOR USE WITH: 460-7652 120-14A AWD 467-7423 120-14A MOTO 467-7424 120-14A MOTO 467-7425 120-14A AWD	MOTOR GRADER or OR GRADER or OR GRADER or	\$1,780

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-023

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
FEAT	TURE PACK	AGES (CONT.)		
0	THER OPTI	ONAL ATTACHMENTS		
L	435-9816	LIGHTS, SERVICE, INTERNAL		NC
L	466-1307	illuminate engine compartment. WARNING LIGHT, MOUNTING, JOY Mounting bracket only. Need to provide own beaco ONLY FOR USE WITH: 460-7652 120-14A AWD 467-7423 120-14A MOT 467-7424 120-14A MOT 467-7425 120-14A AWD	n light. MOTOR GRADER or OR GRADER or OR GRADER or	\$735
L	466-1299	CANNOT BE USED WITH: LIGHT, LED WARNING S LIGHT, LED WARNING STROBE, JOY INCLUDES: 2 x (front and rear) amber high-speed strobe beach	0	\$1,310
L	565-9664	mounting brackets. ONLY FOR USE WITH: 460-7652 120-14A AWD 467-7423 120-14A MOT 467-7424 120-14A MOT 467-7425 120-14A AWD CIRCLE SAVER	OR GRADER or OR GRADER or OMOTOR GRADER0 top of drawbar for maintain its	\$242
OPEF	RATOR ENV	'IRONMENT		
C	AMERA			
L	467-7439	CAMERA, REAR VISION, JOY	ne rear of the color display The machine. O MOTOR GRADER or TOR GRADER or TOR GRADER or	\$2,575
		CANNOT BE USED WITH: CAMERA, REAR/FRONT		
IV	MRRORS			
L	466-1323	MIRRORS, EXTERNAL, BASE, JOY	MOTOR GRADER or OR GRADER or OR GRADER or	\$500

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-024

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
OPER	RATOR ENV	IRONMENT (CONT.)		
M	IRRORS (C	Cont.)		
L	466-1324	MIRRORS, EXTERNAL, HEATED, JOY Provides mirrors with a 24V heating element to k in cold weather operations. NOTE: The mirrors are wrapped in bubble wrap a doors for protection during shipment. ONLY FOR USE WITH: 460-7652 120-14A AW 467-7423 120-14A MO 467-7424 120-14A MO 467-7425 120-14A AW	and rotated toward the MOTOR GRADER or OTOR GRADER or OTOR GRADER or	\$680
W	IPER SIDE	AND REAR		
L	466-1284	467-7423 120-14A MC 467-7424 120-14A MC 467-7425 120-14A AW	VD MOTOR GRADER or OTOR GRADER or OTOR GRADER or VD MOTOR GRADER	\$520
L	501-7972	CANNOT BE USED WITH: CAB, ROPS, PLUS, JOY WIPER, REAR, JOY	0 VD MOTOR GRADER or OTOR GRADER or OTOR GRADER or	\$362
TECH	INOLOGY F	PRODUCTS		
L	458-2072	STABLE BLADE	duce engine	\$2,505

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-025

USE	REF NO.	LANE 2/	3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
TECH	HNOLOGY F	PRODUCTS (CONT.)			
S	ECURITY S	YSTEM			
L	466-1326	Provides a programmabusing special Bluetooth theft, vandalism, and urthe following: - limits operators to sele-controls the days and controls access by untdisarm system during-allows expiration date. The machine will be ship Caterpillar Service Tool, and modify programmin*Note it does not include	hours equipment may be strained operators or personing regular working hours for soon key pped with the system inaction (ET) and feel of key.	s to the machine splay PIN. Deters able features allow earted nel standard key usage eve. Required to activate	\$730
		ONLY FOR USE WITH:	460-7652 120-14A AWD 467-7423 120-14A MOTO 467-7424 120-14A MOTO 467-7425 120-14A AWD	OR GRADER or OR GRADER or	
GUA	RDS				
S	OUND SUPI	PRESSION			
L	425-1795		panel enclosure. Provide a		\$1,565
G	UARDS BO	ТТОМ			
L	453-4972	Provides a steel guard to	protect the transmission f		\$3,450
L	448-5729		ND SUPPR		\$5,780
G	UARDS CO	VER			
L	462-9053	GUARD, COVER CAB, JOY	·	0	\$466 \$466 N
			MISCELLANEOUS ORDER der and bottom side of cab 460-7652 120-14A AWD 467-7423 120-14A MOTO 467-7424 120-14A MOTO 467-7425 120-14A AWD	MOTOR GRADER or OR GRADER or OR GRADER or	
G	UARDS DE	BRIS			
L	565-1088	Includes air inlet cover f	or engine enclosure and ex mend for high debris and s	tra baffles in the	\$1,175

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-026

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
	RDS (CON Uards Wil			
L	511-8934	GUARD, WINDOW, JOY Rear window guard- includes two rear window corn ONLY FOR USE WITH: 460-7652 120-14A AWD 467-7423 120-14A MOTO 467-7424 120-14A MOTO 467-7425 120-14A AWD	er bar. MOTOR GRADER or OR GRADER or OR GRADER or	\$93
G	UARDS CY	LINDER		
L	367-6905	GUARD, AXLE HOSE	ders. MOTOR GRADER or	\$1,090
FE	NDERS			
L	500-8540	FENDERS, REAR. FOR USE IN LANE 3 ONLY Provides non-metallic rear fenders to aid in reducin of mud, snow, or debris. Rear fenders are compatib tire sizes offered by the factory. NOT recommended chains. ONLY FOR USE WITH: 460-7652 120-14A AWD 467-7423 120-14A MOTO 467-7424 120-14A MOTO	g the build-up le with all MG for use with tire MOTOR GRADER or OR GRADER or OR GRADER or	\$5,480
L	498-3458	FENDERS, FRONT, TND		\$4,190
L	515-7420	CANNOT BE USED WITH: MID-MOUNT SCARIFIER FENDERS, FRONT, AWD	l-up of mud, all Non-AWD tire use with tire chains MOTOR GRADER or MOTOR GRADER	\$3,850
OTHE	R ATTACH	IMENTS		
L	336-1559	PUSH PLATE, COUNTERWEIGHT	uipped with ments. interweight, any lift. It can	\$4,070

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-027

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
ОТЬ	IER ATTACH	HMENTS (CONT.)		
L	518-4634	FRONT BLADE PACKAGE FOR USE IN LANE 3 ONLY INCLUDES: Front Blade, A-Frame drawbar 9'x 3' (2,750 x 900n with up and down hydraulic functions. Hydraulic Line for Front Blade Lines, Front Blade ONLY FOR USE WITH: 460-7652 120-14A MOTO 467-7423 120-14A MOTO 467-7424 120-14A MOTO 467-7425 120-14A MOTO HYDRAULICS BASE (FL) CANNOT BE USED WITH: HEADLIGHTS PACKAGE I	nm) Front blade OR GRADER AWD or OR GRADER or OR GRADER or OR GRADER AWD or	\$11,690
L	DECAL PACE	KAGES		
L	462-6655	DECALS, ENGLISH (U.S) Provides decals required by ANSI ONLY FOR USE WITH: 460-7652 120-14A AWD N 467-7423 120-14A MOTO	MOTOR GRADER or	NC
5	STARTING A	IDS		
L	422-6605	STARTING AID Starting, Ether. ONLY FOR USE WITH: 460-7652 120-14A AWD M 467-7423 120-14A MOTO CANNOT BE USED WITH: 467-7418 WEATHER, COI 467-7417 WEATHER, COI REQUIRED BY: WEATHER COLD	MOTOR GRADER or OR GRADER LD PLUS TND	\$500
E	ENGINE COO	DLANT HEATERS		
L	255-1336	HEATER, ENGINE COOLANT, 120V Engine coolant heater for 120 volt external power so		\$233
L	255-1337	HEATER, ENGINE COOLANT, 240V Engine coolant heater for 240 volt external power so	3	\$231
9	STEP, REAR	FRAME		
L	516-6625	STEP, ADDITONAL ON REAR FRAME	0	\$675
(CONVERTER			
L	466-1298	CONVERTER, 24V TO 12V	CB radio, powered	\$394

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-028

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
ОТНЕ	R ATTACH	IMENTS (CONT.)		
M	ANUFACTO	JRING PLATE		
L	454-3222	PLATE, LICENSE	0	NC
WOR	K TOOLS			
BF	RACKET (M	IID-MOUNT SCARIFIER)		
Р	339-7734	BRACKET FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: HYDRAULICS BASE (MM		NC
P	468-2228	MMS-V TYPE W/BOLSTER BRACKET	he front frame	\$16,530
P	468-2229	ONLY FOR USE WITH: HYDRAULICS BASE (MM MMS-V TYPE W/O BOLSTER BRACKET	o purchased the	\$16,530
LI	FT GROUP			
L	580-1078	ALSO AVAILABLE ON A MISCELLANEOUS ORDER FOR USE IN LANE 3 ONLY Front hydraulic lift without any work tool attached. at the sametime as the mounting for the mid-mount the actual scarifier itself). Note: This Front Lift Group has manual locking ping INSTALLED COMPATIBILITY: (The Installed Manual Lift Group can be attached to REQUIRES: LIFT GROUP, FRONT MOUNTING and LINES GROUP, FRONT MOUNTING ONLY FOR USE WITH: HYDRAULICS BASE (FL) CANNOT BE USED WITH: 336-1559 PUSH PLATE, 6518-4634 FRONT BLADE MID MOUNT SCARIFIER	ot scarifier, but not as. the machine COUNTERWEIGHT E PACKAGE	\$11,200 \$11,200 NI
<i>L1</i> .	FT GROUP 582-3401	FRONT MOUNTING LIFT GROUP, FRONT MOUNTING	ont frame for	\$449

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-029

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
WOR	K TOOLS	(CONT.)		
LI	NES GROU	P FRONT MOUNTING		
L	582-4730	FOR USE IN LANE 3 ONLY Two hydraulic connector lines. ONLY FOR USE WITH: 467-7423 120 14A MOTO 467-7424 120 14A MOTO CANNOT BE USED WITH: ANY FRONT MOUNTED AT REQUIRED BY: 580-1078 LIFT GROUP, MANUAL, I 582-3401- LIFT GROUP, FRONT MOUNTED AT	R GRADER or R GRADER ITACHEMENT FRONT and	\$432
L	578-1682	LINES GROUP, FRONT MOUNTING FOR USE IN LANE 3 ONLY Two hydraulic connector lines. ONLY FOR USE WITH: 460-7652 120 14A AWD M 467-7425 120 14A AWD M CANNOT BE USED WITH: ANY FRONT MOUNTED AT REQUIRED BY: 580-1078 LIFT GROUP, MANUAL, M 582-3401- LIFT GROUP, FRONT M	MOTOR GRADER or MOTOR GRADER ITACHEMENT FRONT and	\$432
GRO	UND ENGA	GING TOOLS		
P	8J-5313	TOOTH, STRAIGHT	26 ight shank	\$387
FIELD	INSTALLE	D ATTACHMENTS		
Re	eference numb	gh Parts Distribution ers below are kits used to upgrade existing motor v features or technology		
L	452-3133	EXTENSION,BLADE,24"X24"X7/8"LH		
L	452-3132	EXTENSION,BLADE,24"X27"X1"LH		
L	243-6685	EXTENSION,BLADE,24"X24"X7/8"RH		
L	110-5326	EXTENSION,BLADE,24"X 27"X1" RH		
PAC	KING			
E	XPORT PAC	CKING		
	0P-2265 0P-2962	ROLL ON-ROLL OFF	0 h the Shipping Tire preventing	\$309 NET NC

Supersedes 02JAN2020 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-030

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
PACKI	NG (CON	IT.)		
EXF	PORT PAC	CKING (Cont.)		
	0P-6705	DOMESTIC PACKING - MISCL		NC
PAC	CKING ST	TAIRS		
	OP-6588	REMOVE PACK LEFT SIDE STAIRS	D or FND and	NC

Supersedes 02JAN2020
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24JAN2020 120JOY-031