326 HYDRAULIC EXCAVATOR AKASHI, JAPAN

Ship Weight lbs LIST PRICE AT DEALER

Standard Equipment:

POWERTRAIN

C7.1e single turbo EU Stage V diesel engine
Electric fuel priming pump
Reversible electric cooling fans
Two-stage fuel filtration system
with water separator and indicator
2 x 115 amp. dual alternator
Sealed double element air filter
with integrated precleaner
Biodiesel capable (up to B20)

UNDERCARRIAGE

Grease lubricated track link Tie down points on base frame (ISO 15818 compliant)

HYDRAULICS

Electronic main control valve
Auto warm up
Tandem type electronic main pump
(165cc/rev)
Electric boom regeneration circuit
Stick regeneration circuit
Automatic two speed travel
Boom and stick drift reduction valve
Element type main hydraulic filter

ELECTRICAL

Maintenance free battery Centralized electrical disconnect switch CAT Product Link After engine shutdown 90 seconds programmable time delay LED working lights:One chassis mounted, one LH boom mounted

OPERATOR ENVIRONMENT

Sound suppressed ROPS cab (ISO 12117-2 compliant) with viscous mount Increased rear window size as emergency exit Openable tempered front upper windshield w/assist device and removable tempered lower windshield with in cab storage bracket 2 inch (51mm) orange seat belt Upper radial wiper for 70/30 Automatic bi-level air conditioner with pressurized function Washable floor mat Beacon ready 2 x 12V DC outlet and USB port Dome and lower LED interior lights, coat hook, cup holder, console storage

(Comfort cab) - for Japan

-Mechanical suspension comfort seat w/ headrest, console height adjustment w/ tools, arm rest angle adjustment

- -Fixed left side console
- -Openable steel hatch

(Deluxe cab)

-Air suspension deluxe seat w/ headrest w/ 2 step seat heater, console height adjustment w/o tools, arm rest height and angle adjustment

- -Tilt up left side console
- -Openable polycarbonate hatch for 2P windshield

SAFETY AND SECURITY

RH Hand rail and hand hold (ISO 2867 compliant)
Service platform with anti-skid plate and countersunk bolts
Hydraulic lock out lever neutralizes all controls
Ground level accessible secondary engine shutoff switch in cab
Signaling / warning horn

OTHER STANDARD EQUIPMENT

Side entry to service platform Grouped location for engine oil and fuel filters Ground level 2nd dipstick for engine oil Sampling ports for Scheduled Oil Sampling (S.O.S) Remote flash and remote trouble shoot

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Grounds Equipment - Bid #ESCNJ 18/19-25

326

326 HYDRAULIC EXCAVATOR AKASHI, JAPAN

Ship Weight lbs LIST PRICE AT DEALER

Lane 2 is reserved for the Base Orders Program.
Please use Lane 2 when placing orders that are part of the Base Order Management Program.

Supersedes 23APR2022

Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24MAY2022

326 HYDRAI AKASHI, JA		ip Weight lbs	LIST PRICE AT DEALER
618-5904	326 07D HEX AM-N DCA1		\$314,160
	LANE 3 is not available to Quebec with ANSI		
	4.6t (10,140LBS) CTWT, 790mm (31") TG shoe, Deluxe Cab, Long Undercarriage, No Tool Control Circuit, Reach Boom, R2.95CB1 Stick,Boom & Stick QC lines.		
	INCLUDES: 600-5985 326 07 EXCAVATOR ARR 600-5973 326 COMMON ARRANGEMENT 134-8879 GUARD, SWIVEL 253-6498 LINES, QC, R2.95M STICK (9'8") 339-7054 BLOCK HEATER, 120V 346-7149 GUARD, TRACK GUIDING SEGMENTED 484-8022 WIPER, RADIAL W/LOWER 490-7715 PEDAL, STRAIGHT TRAVEL 502-7166 INTEGRATED RADIO, W/O DAB 511-9428 MONITOR, 10" 513-3214 SENSOR, PRESSURE, EOU 516-0550 GRADE W/2D, ASSIST&PAYLOAD 516-5100 COLD STARTING, ETHER 516-8510 BATTERIES, 4 516-9883 GRADE SENSOR, R2.9M/2.95 STICK (9'6"/9'8") 517-4758 CONTROL, QC 520-1923 VALVE, FINE SWING 520-9418 FILM, OPERATING PATTERN, 2WAY 524-8272 RECEIVER, BLUETOOTH 525-7678 MACHINE ECM 527-1854 CYLINDER, BOOM 527-2200 BOOM TUBE, EOU 527-2203 BOOM, REACH 5.9M (19'4") 527-2268 LINES, QC, REACH BOOM 527-5467 CYLINDER, STICK 527-5475 CYLINDER, BKT CB1 527-5575 TRACK, 790MM TG (31") 527-5714 GRADE SENSOR, REACH BOOM 528-4738 FILM, EMC 528-6835 JOYSTICKS, VERTICAL SLIDER 533-5001 LINKAGE, BKT-CB1 W/EYE		
	549-2633 SCREEN, RADIATOR 549-9536 LINES, DRAIN, PG 555-7286 NETWORK MANAGER, STD 567-3815 FILM, STICK WARNING, ANSI 573-4351 FILM, INTERIOR, ANSI		
	576-9456 GUARD, BOTTOM HD 576-9461 STORAGE TRAY 577-3907 LIGHT, CHASSIS 577-6541 LIGHT, REACH & SLR BOOM LH 577-6542 LIGHT, REACH & SLR BOOM RH 577-7867 LINES, A/C 577-8973 LIGHTS, CAB, W/RAIN PROTECTOR		
	578-2910 FILM, EXTERIOR, ANSI 578-7636 CAMERA, 360 VISIBILITY 580-8628 MIRROR, CAB, W/O GUARD 589-1744 RADIO MODULE, PL243 CELLULAR		

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

326

326 HYDRAULIC EXCAVATOR AKASHI, JAPAN

Ship Weight

LIST PRICE AT DEALER

592-8316 TRAVEL, ALARM 594-2025 WIRING, PRODUCT LINK ELITE 597-3153 HYDRAULIC PKG, NO TOOL W/ HL

- UPPER COVER, CENTER
- VALVE, HYDRAULIC HL
- MAIN LINE, STD
- LINES, MAKE UP, STD
- RETURN PIPE, STD

598-9149 COUNTERWEIGHT, 4.6MT (10,140LBS) 601-8480 QUICK DRAINS 608-6257 GUARD, TRAVEL MOTOR HD 609-1672 UNDERCARRIAGE, LONG

609-5081 CAB, DELUXE 610-6129 FILM, ROPS

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24MAY2022

1--14-0/04/0

LIST PRICE AT DEALER

\$326,110

326 HYDRA AKASHI, JA	ULIC EXCAVATOR Ship Weig PAN Ibs
618-5905	326 07D HEX AM-N DCA2
	LANE 3 is not available to Quebec with ANSI
	4.6t (10,140LBS) CTWT, 790mm (31") TG shoe, Deluxe Cab, Long Undercarriage, Tool Control Circuit, Reach Boom, R2.95CB1 Stick, Boom & Stick QC lines.
	INCLUDES: 600-5985 326 07 EXCAVATOR ARR 600-5973 326 COMMON ARRANGEMENT 134-8879 GUARD, SWIVEL 253-6498 LINES, QC, R2.95M STICK (9'8") 339-7054 BLOCK HEATER, 120V 346-7149 GUARD, TRACK GUIDING SEGMENTED 356-8152 LINES, HP, R2.95M STICK (9'8")
	484-8022 WIPER, RADIAL W/LOWER 490-7715 PEDAL, STRAIGHT TRAVEL 502-7166 INTEGRATED RADIO, W/O DAB 511-9428 MONITOR, 10" 513-3214 SENSOR, PRESSURE, EOU 516-0550 GRADE W/2D, ASSIST&PAYLOAD
	516-5100 COLD STARTING, ETHER 516-8510 BATTERIES, 4 516-9883 GRADE SENSOR, R2.9M/2.95 STICK (9'6"/9'8") 517-4758 CONTROL, QC 520-1923 VALVE, FINE SWING 520-9418 FILM, OPERATING PATTERN, 2WAY
	524-8272 RECEIVER, BLUETOOTH 525-7678 MACHINE ECM 527-1854 CYLINDER, BOOM 527-2200 BOOM TUBE, EOU 527-2203 BOOM, REACH 5.9M (19'4")
	527-2208 STICK, R2.95M (9'8") 527-2266 LINES, HP, REACH BOOM 527-2268 LINES, QC, REACH BOOM 527-5467 CYLINDER, STICK 527-5475 CYLINDER, BKT CB1
	527-5575 TRACK, 790MM TG (31") 527-5714 GRADE SENSOR, REACH BOOM 528-4738 FILM, EMC 528-6835 JOYSTICKS, VERTICAL SLIDER 533-5001 LINKAGE, BKT-CB1 W/EYE 549-2633 SCREEN, RADIATOR
	549-9536 LINES, DRAIN, PG 555-7286 NETWORK MANAGER, STD 567-3815 FILM, STICK WARNING, ANSI 573-4351 FILM, INTERIOR, ANSI 576-9456 GUARD, BOTTOM HD
	576-9461 STORAGE TRAY 577-3907 LIGHT, CHASSIS 577-6541 LIGHT, REACH & SLR BOOM LH 577-6542 LIGHT, REACH & SLR BOOM RH 577-7867 LINES, A/C
	577-8973 LIGHTS, CAB, W/RAIN PROTECTOR 578-2910 FILM, EXTERIOR, ANSI 578-7636 CAMERA, 360 VISIBILITY

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

326 HYDRAULIC EXCAVATOR AKASHI, JAPAN

Ship Weight lbs

LIST PRICE AT DEALER

580-8628 MIRROR, CAB, W/O GUARD 589-1744 RADIO MODULE, PL243 CELLULAR 592-8316 TRAVEL, ALARM 594-2025 WIRING, PRODUCT LINK ELITE 597-3160 HYDRAULIC PKG, COMB ADV

- UPPER COVER, CENTER
- VALVE, HYDRAULIC TCS HL
- MAIN LINE, STD
- LINES, MAKE UP, TCS
- RETURN PIPE, TCS
- CIRCUIT, ADV TOOL CONTROL

598-9149 COUNTERWEIGHT, 4.6MT (10,140LBS)

601-8480 QUICK DRAINS

608-6257 GUARD, TRAVEL MOTOR HD

609-1672 UNDERCARRIAGE, LONG

609-5081 CAB, DELUXE

610-6129 FILM, ROPS

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA
U. S. DOLLAR CURRENCY

LIST PRICE AT DEALER

326 HYDRA AKASHI, JA	ULIC EXCAVATOR PAN	Ship Weight Ibs	LIST PRICE AT DEALER
618-5906	326 07D HEX AM-N DCA3		\$344,710
	LANE 3 is not available to Quebec for ANSI film		
	7.4t (16,310LBS) CTWT, 790mm (31") TG shoe, Deluxe Cab, Long Undercarriage, No Tool Control Circuit, Super Long Reach Boom/Stick		
	Super Long Reach Boom/Stick INCLUDES: 600-5985 326 07 EXCAVATOR ARR 600-5973 326 COMMON ARRANGMENT 134-8879 GUARD, SWIVEL 216-6605 CYLINDER, STICK SLR 339-7054 BLOCK HEATER, 120V 346-7149 GUARD, TRACK GUIDING SEGMENTED 418-9085 CYLINDER, BKT SLR 484-8022 WIPER, RADIAL W/LOWER 490-7715 PEDAL, STRAIGHT TRAVEL 502-7166 INTEGRATED RADIO, W/O DAB 511-9428 MONITOR, 10" 513-3214 SENSOR, PRESSURE, EOU 516-0550 GRADE W/2D, ASSIST&PAYLOAD 516-5100 COLD STARTING, ETHER 516-7670 LINES, DRAIN, STD 516-8510 BATTERIES, 4 520-1923 VALVE, FINE SWING 520-9418 FILM, OPERATING PATTERN, 2WAY 524-8272 RECEIVER, BLUETOOTH 525-7678 MACHINE ECM 527-1854 CYLINDER, BOOM 527-2206 BOOM, SUPER LONG REACH 527-5575 TRACK, 790MM TG (31") 528-4738 FILM, EMC 528-6835 JOYSTICKS, VERTICAL SLIDER 549-2633 SCREEN, RADIATOR 555-7286 NETWORK MANAGER, STD 567-3815 FILM, STICK WARNING, ANSI 573-4351 FILM, INTERIOR, ANSI 576-9456 GUARD, BOTTOM HD 576-9461 STORAGE TRAY 577-2028 LINKAGE, BKT-A W/ EYE GRADE		
	577-3907 LIGHT, CHASSIS 577-6541 LIGHT, REACH & SLR BOOM LH 577-6542 LIGHT, REACH & SLR BOOM RH 577-7867 LINES, A/C		
	577-8973 LIGHTS, CAB, W/RAIN PROTECTOR 578-1158 BOOM TUBE, SLR 620-3128 STICK, SUPER LONG REACH 578-2910 FILM, EXTERIOR, ANSI 578-4553 GRADE SENSOR, SLR STICK		
	578-4571 GRADE SENSOR, SLR BOOM 578-7636 CAMERA, 360 VISIBILITY 580-8628 MIRROR, CAB, W/O GUARD 589-1744 RADIO MODULE, PL243 CELLULAR 592-8316 TRAVEL, ALARM		
	594-2025 WIRING, PRODUCT LINK ELITE		

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

597-3153 HYDRAULIC PKG, NO TOOL W/ HL

326

LIST PRICE AT DEALER

326 HYDRAULIC EXCAVATOR	Ship Weight
AKASHI, JAPAN	lbs

- UPPER COVER, CENTER
- VALVE, HYDRAULIC HL
- MAIN LINE, STD
- LINES, MAKE UP, STD
- RETURN PIPE, STD

598-9150 COUNTERWEIGHT, 7.4MT (16,310LBS)

601-8480 QUICK DRAINS

608-6257 GUARD, TRAVEL MOTOR HD

609-1672 UNDERCARRIAGE, LONG

609-5081 CAB, DELUXE

610-6129 FILM, ROPS

618-5917 326 07D HEX AM-N CFG1 \$271,630

LANE 3 - AVAILABLE FROM AKASHI FACTORY

Base machine with Deluxe Cab, 10" Monitor, Long Undercarriage, Well suited for general applications.

Must be completed by selecting Mandatory / Optional attachments.

INCLUDES:

600-5985 326 07 EXCAVATOR ARR

600-5973 326 COMMON ARRANGEMENT

134-8879 GUARD, SWIVEL

484-8022 WIPER, RADIAL W/LOWER

490-7715 PEDAL, STRAIGHT TRAVEL

502-7166 INTEGRATED RADIO, W/O DAB

511-9428 MONITOR, 10"

513-3214 SENSOR, PRESSURE, EOU

520-1923 VALVE, FINE SWING

520-9418 FILM, OPERATING PATTERN, 2WAY

524-8272 RECEIVER, BLUETOOTH

525-7678 MACHINE ECM

527-1854 CYLINDER, BOOM

549-2633 SCREEN, RADIATOR

576-9456 GUARD, BOTTOM HD

577-3907 LIGHT, CHASSIS

592-8316 TRAVEL, ALARM

601-8480 QUICK DRAINS

608-6257 GUARD, TRAVEL MOTOR HD

609-1672 UNDERCARRIAGE, LONG

609-5081 CAB, DELUXE

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24MAY2022

326

326 HYDRA	ULIC EXCAVATOR	Ship Weight	LIST PRICE
AKASHI, JA	PAN	lbs	AT DEALER
618-5918	326 07D HEX AM-N CFG2	0	\$278,290

Base machine with Deluxe Cab, 10" Monitor, Long Undercarriage with BLCV/SLCV. Well suited for general applications.

LANE 3 - AVAILABLE FROM AKASHI FACTORY

BLCV/SLCV is not compatible with Super long reach.

Must be completed by selecting Mandatory / Optional attachments. INCLUDES:

600-5985 326 07 EXCAVATOR ARR

600-5973 326 COMMON ARRANGEMENT

134-8879 GUARD, SWIVEL

484-8022 WIPER, RADIAL W/LOWER

490-7715 PEDAL, STRAIGHT TRAVEL

502-7166 INTEGRATED RADIO, W/O DAB

511-9428 MONITOR, 10"

513-3214 SENSOR, PRESSURE, EOU

520-1923 VALVE, FINE SWING

520-9418 FILM, OPERATING PATTERN, 2WAY

524-8272 RECEIVER, BLUETOOTH

525-7678 MACHINE ECM

527-1855 CYLINDER, BOOM BLCV

527-2255 LINES, SLCV BASE MACHINE

527-6503 LINES, BLCV

549-2633 SCREEN, RADIATOR

576-9456 GUARD, BOTTOM HD

577-3907 LIGHT, CHASSIS

592-8316 TRAVEL, ALARM

601-8480 QUICK DRAINS

608-6257 GUARD, TRAVEL MOTOR HD

609-1672 UNDERCARRIAGE, LONG

609-5081 CAB, DELUXE

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

326

326 HYDRAULIC EXCAVATOR		Ship Weight	LIST PRICE
AKASHI, JAPAN		lbs	AT DEALER
626-0399	326 07D HEX AM-N CFG3	0	\$307,080

Base machine with Deluxe Cab, 10" Monitor, Long Undercarriage with BLCV/SLCV. Well suited for VAB applications.

LANE 3 - AVAILABLE FROM AKASHI FACTORY

Must be completed by selecting Mandatory / Optional attachments.

INCLUDES:

 $600\text{-}5985\ 326\ 07\ EXCAVATOR\ ARR$

600-5973 326 COMMON ARRANGEMENT

134-8879 GUARD, SWIVEL

484-8022 WIPER, RADIAL W/LOWER

490-7715 PEDAL, STRAIGHT TRAVEL

502-7166 INTEGRATED RADIO, W/O DAB

505-7176 MIRROR, RH

511-9428 MONITOR, 10"

513-3214 SENSOR, PRESSURE, EOU

520-1923 VALVE, FINE SWING

520-9418 FILM, OPERATING PATTERN, 2WAY

524-8272 RECEIVER, BLUETOOTH

525-7678 MACHINE ECM

527-1855 CYLINDER, BOOM BLCV

527-6503 LINES, BLCV

549-2633 SCREEN, RADIATOR

576-9456 GUARD, BOTTOM HD

577-3907 LIGHT, CHASSIS

592-8316 TRAVEL, ALARM

601-8480 QUICK DRAINS

608-6257 GUARD, TRAVEL MOTOR HD

609-1672 UNDERCARRIAGE, LONG

609-5081 CAB, DELUXE

626-0401 VALVE, HYDRAULIC, VAB, HL

626-0402 CONTROL, VAB

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

	REF	LANE 1	Ship Weight	LIST PRICE
USE	NO.		lbs	AT DEALER
LAN	E 1 AM-NO	RTH MANDATORY ATTACHMENTS		
MUS	T CHOOSE A	AT LEAST ONE PACKAGE OR ATTACHMENT FROM	EACH CATEGORY	,
L	ANE SELEC	TION		
YOU	MUST SELE	CT THIS REFERENCE WHEN ORDERING FROM THE	PDC.	
	0P-9001	LANE 1 ORDER Order from Product Distribution Center (PDC)	0	NC
D	DECAL PACI	KAGE		
P	0P-7124	INSTRUCTION, NORTH AMERICA ANSI	y all NACD	NC
		NOTE: For AM-N (Except for Quebec)		
P	578-3586	FILMS, ISO CONVERSION		NC
		NOTE: Required for Quebec		
S	SERVICE INS	STRUCTIONS		
	0P-3380	INSTRUCTIONS, ENGLISH	0	NC

STORAGE PROTECTION

OP-3389

Machines from the factory have been sprayed with Fluid Film TM, see your account rep for details. This product is added for corrosion protection while shipping and for extended storage periods. This product will need to be power washed with soapy water prior to shipment to the customer.

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice
Il Green Printed in USA
U. S. DOLLAR CURRENCY

326-011

Effective 24MAY2022

NC

NC

326

USE	REF NO.	LANE 1 Ship Weight lbs	LIST PRICE AT DEALER
LANE	E 1 AM-NO	RTH MANDATORY ATTACHMENTS (CONT.)	
A	DDITIONAL	STORAGE PROTECTION	
	0P-7563	STORAGE PROTECTION (EXPORT)	\$46 NET
E	XPORT PAC	CKING	
	0G-4202	ROLL ON-ROLL OFF	\$149 NET
F	IXTURE - BO	UCKET LINKAGE	
L	578-9964	FIXTURE, BUCKET LINKAGE CB	\$87 NET
LANE	E 1 AM-NO	RTH OPTIONAL ATTACHMENTS	
L	UBRICANT		
	0P-2407	ANTIFREEZE , - 50C (- 58F)	\$318 NET
L	623-6180	COOLANT, COLD WEATHER	\$318 NET
		NOTE: CHECK AVAILABILITY FROM AKASHI FACTORY FOR ADSD-N & JAPAN	

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

JSE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
.ANE	E SELECTIO	N		
	0P-9002	Conly for dealers enrolled in the Base Orders Manage	0 ement (BOM) program.	NC
	0P-9003	LANE 3 ORDER	0	NC
8 00 1	MS, STICKS	S, AND LINKAGES		
	"exd uniq	en ordering a frontless excavator, please contact Caterp_Custom_Config@cat.com". Caterpillar can provide guique configurations and AEM-s/OEM-s that support spelications.	idance for	
B	OOMS			
	527-2203	BOOM, REACH 19'4"	0	\$9,020
	527-2205	BOOM, VA 9'2" STUB + 10'10" FORE FOR USE IN LANE 3 ONLY Includes HP,MP,QC boom lines and SLCV boom line ONLY FOR USE WITH: 626-0399 326 07D HEX A	0 es	\$27,510
	527-2206	BOOM, SUPER LONG REACH	0 AM-N CFG2	\$22,160
	0G-0341	NO BOOM		NC
B	OOM TUBE			
	527-2200	BOOM TUBE, EOU	AM-N CFG1 or	NC
	527-2201	CANNOT BE USED WITH: 527-2206 BOOM, SUPER BOOM TUBE, EOU BLCV	AM-N CFG2 or	NC
	578-1158	CANNOT BE USED WITH: 527-2206 BOOM, SUPER BOOM TUBE, SLR	R LONG REACH	NC

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24MAY2022

JSE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
3001	MS. STICKS	S, AND LINKAGES (CONT.)		
	TICKS	(00111.)		
3	HONO			
-	527-2207	STICK, R11'10" FOR USE IN LANE 3 ONLY	0	\$5,310
		ONLY FOR USE WITH: 527-2203 BOOM, REACH SCANNOT BE USED WITH: 626-0399 326 07D HEX A		
	527-2208	STICK, R9'8"		\$4,305
		ONLY FOR USE WITH: 527-2203 BOOM, REACH 527-2205 BOOM, VA	5.9M (19'4") or	
-	620-3128	STICK, SUPER LONG REACH	0	\$13,550
		Super long reach stick (7.85m/25'9")		
	0G-0342	ONLY FOR USE WITH: 527-2206 BOOM, SUPER I NO STICK		NC
	00-0342	FOR USE IN LANE 3 ONLY	0	NC
		For No boom or stick less (boom only)		
В	UCKET LINI	KAGES		
_	533-5001	LINKAGE, BKT-CB1 W/EYE	0	\$3,245
_		CANNOT BE USED WITH: 620-3128 STICK, SUPER I	ONG REACH	10,-10
_	521-2393	No boom and stick less ma		\$2,815
-	02. 2000	FOR USE IN LANE 3 ONLY	•••••	42,020
		For super long reach without CGC ONLY FOR USE WITH: 620-3128 STICK, SUPER I	ONG REACH	
		CANNOT BE USED WITH: No boom and stick less ma		
-	577-2028	LINKAGE, BKT-A W/ EYE GRADE	0	\$2,705
		For use in Lane 3 Only For super long reach with CGC		
		REQUÍRES: CAT GRADE	ONG PRACH	
		ONLY FOR USE WITH: 620-3128 STICK, SUPER I CANNOT BE USED WITH: No boom and stick less ma		
CYLII	NDERS			
_	TICK CYLIN	IDEP		
3				
_	527-5467	CYLINDER, STICK	0	\$4,290 \$4,290 N
		ONLY FOR USE WITH: 618-5917 326 07D HEX AI 618-5923 326 07D HEX J	M-N CFG1 or	44,230 1
		and Reach boom or		
		No boom and no stick (CYL	INDER NOT INSTALLED)	
-	527-1858	CYLINDER, STICK SLCV	0	\$7,090 \$7,090 b
		ONLY FOR USE WITH: 597-3168 326 07C HEX E		ψ1,U3U I
		618-5918 326 07D HEX A		
		and No boom and no stick (CYL		

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24MAY2022

326

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
CYLIN	NDERS (CO	ONT.)		
S7	TICK CYLIN	IDER (Cont.)		
L	216-6605	CYLINDER, STICK SLR	0	\$5,010 \$5,010 NI
		FOR USE IN LANE 3 ONLY For Super long reach ONLY FOR USE WITH: 527-2206 BOOM, SUPER No boom and no stick (CY		
L	572-4806	CYLINDER, STICK VAB		\$7,090 \$7,090 NI
		FOR USE IN LANE 3 ONLY ONLY FOR USE WITH: 527-2205 BOOM, VA 2.8N (9'2" STUB+10'10")	M STUB+3.3M FORE	,
BU	JCKET CYL	INDER		
L	527-5475	CYLINDER, BKT CB1	CK SLR	\$2,645
L	418-9085	CYLINDER, BKT SLR	0 CK SLR	\$2,325
UNDE	RCARRIAG	GE .		
TF	RACKS			
L	527-5574	TRACK, 28" TG	0	\$3,155
L	527-5575	TRACK, 31" TG	0	\$4,500
L	527-5578	TRACK, 24" SG	0	\$3,355
TF	RACK GUID	ING GUARD		
L	346-7149	GUARD, TRACK GUIDING SEGMENTED	0	\$1,740
L	339-4124	GUARD, TRACK GUIDE FULL LENGTH	0	\$2,845

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24MAY2022

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
HYD	RAULICS			
٨	IO AUXILIAI	RY CIRCUIT		
L	597-3153	HYDRAULIC PKG, NO TOOL W/ HL INCLUDES: - UPPER COVER, CENTER - VALVE, HYDRAULIC HL - MAIN LINE, STD, STD - LINES, MAKE UP, STD - RETURN PIPE, STD CANNOT BE USED WITH: 626-0399 326 07D HEX A		\$1,130
A	UXILIARY (CIRCUIT - COMBINED CIRCUIT		
	Medium Press section.	sure Circuit can be added in the Optional Attachments		
L	597-3160	HYDRAULIC PKG, ADVANCED TCS Combined circuit (1 way / 2 way) INCLUDES: - UPPER COVER, CENTER - VALVE, HYDRAULIC TCS HL - MAIN LINE, STD - LINES, MAKE UP, TCS - RETURN PIPE, TCS - ADVANCED TOOL CONTROL PACKAGE CANNOT BE USED WITH: 626-0399 326 07D HEX A		\$10,380
J	OYSTICKS			
L	493-9769	JOYSTICKS, 5 BUTTON 2 SLIDER Tilt Rotator Joystick ONLY FOR USE WITH: 597-3159 HYDRAULIC PK 597-3160 HYDRAULIC PK 597-3163 HYDRAULIC PK 597-3161 HYDRAULIC PK	G, COMB ADV or G, COMB ADV or G, COMB ADV HRF or G, COMB ADV SB or	\$2,805
L	528-6835	626-0399 326 07D HEX A JOYSTICKS, VERTICAL SLIDER		\$1,380
		CANNOT BE USED WITH: 560-2027 CAT TILTROTAT 618-5923 326 07D HEX J		
LINE	GROUPS			
S	TRAIGHT T	RAVEL DRAIN LINE		
L	516-7670	LINES, DRAIN, STD	APAN CFG1	NC
L	549-9536	626-0399 326 07D HEX A LINES, DRAIN, PG For reach boom and Cat Pin grabber quick coupler ONLY FOR USE WITH: 517-4758 CONTROL, QC CANNOT BE USED WITH: 626-0399 326 07D HEX A	0	NC

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24MAY2022 326-016

326

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRIC AT DEALER
LINE	GROUPS (CONT.)		
S7	TRAIGHT T	RAVEL DRAIN LINE (Cont.)		
L	575-2746	LINES, DRAIN, PG VAB FOR USE IN LANE 3 ONLY For VA boom and Cat Pin grabber quick coupler REQUIRES: 517-4758 CONTROL, QC	0	NC
A	C LINES			
L	577-7867	LINES, A/C	N CFG1 or N CFG2 or	NC
STAR	TERS, BAT	TERIES, & ALTERNATORS		
BA	ATTERIES			
L	506-5013	BATTERIES, 2	0	\$665
L	516-8510	Batteries for std, -18 degrees C/0 degrees F BATTERIES, 4	0	\$1,105
ELEC.	TRICAL			
CA	AMERAS			
L	593-4954	CAMERA, REAR + RH VIEW	0	\$875
L	578-7636	Can be used with FOGS CAMERA, 360 VISIBILITY	0	\$2,535
		For use with 10" Monitor CANNOT BE USED WITH: 578-9808 GUARD, FALLING	OBJECT (FOGS)	
L	578-7637	CAMERA, 360 VISIBILITY FOGS	0	\$2,535
CA	AB LIGHTS			
L	577-3853	LIGHTS, CAB, W/O 360	0	\$354
L	577-8973	Cannot be used with FOGS ONLY FOR USE WITH: 593-4954 CAMERA, REAR + LIGHTS, CAB, W/RAIN PROTECTOR		\$815
L	577-3857	Cannot be used with FOGS ONLY FOR USE WITH: 593-4954 CAMERA, REAR + 578-7636 CAMERA, 360 VISI LIGHTS, CAB, FOGS REQUIRES: 578-9808 GUARD, FALLING OBJECT (FOG	BILITY 0	\$354

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24MAY2022

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
ELEC	CTRICAL (C	CONT.)		
A	DDITIONAL	CAB MIRROR		
L	580-8628	MIRROR, CAB, W/O GUARD	0	\$124
		Additional ISO cab mirror ONLY FOR USE WITH: 578-7636 CAMERA, 360 593-4954 CAMERA, REA	VISIBILITY or	,
L	327-6553	CANNOT BE USED WITH: 578-9808 GUARD, FALL MIRROR, CAB, GUARD FALLING	ING OBJECT (FOGS)0 ING OBJECT (FOGS)	\$122
В	OOM LIGHT	rs		
L	577-6541	LIGHT, REACH & SLR BOOM LH	0	\$175
		For reach boom and super long reach boom ONLY FOR USE WITH: 618-5917 326 07D HEX 618-5918 326 07D HEX 618-5923 326 07D HEX	AM-N CFG2 or	
L	577-6542	CANNOT BE USED WITH: No Boom LIGHT, REACH & SLR BOOM RH	0	\$175
_	077 00 12	For reach boom and super long reach boom ONLY FOR USE WITH: 618-5917 326 07D HEX 618-5918 326 07D HEX 618-5923 326 07D HEX	AM-N CFG1 or AM-N CFG2 or	,2.5
L	577-6547	CANNOT BE USED WITH: No boom LIGHTS, VA BOOM LH & RH		\$354
		CANNOT BE USED WITH: No boom	AIVI-IN CFG5	
OPEF	RATOR ENV	IRONMENT		
И	VIPER			
L	484-8022	WIPER, RADIAL W/LOWER Deluxe cab is included in AM-N and ANZ CFGs ONLY FOR USE WITH: 609-5080 CAB, COMFOR 609-5081 CAB, DELUXE AM-N and ANZ CFGs CANNOT BE USED WITH: 618-5917 326 07D HEX 618-5918 326 07D HEX 626-0399 326 07D HEX	Oor AM-N CFG1 AM-N CFG2	\$337
TECH	HNOLOGY F	PRODUCTS		
C	AT GRADE	WITH ASSIST		
		ndatory When Configuring Super Long Reach Machines ket linkage for CGC.	s with	
L	516-0550	GRADE W/2D, ASSIST&PAYLOAD	nine '' GRADE W/O WIFI	NC

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY Effective 24MAY2022

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
TECH	INOLOGY F	PRODUCTS (CONT.)		
CA	AT GRADE	WITH ASSIST (Cont.)		
L	520-1919	GRADE W/2D ADV, ASSIST&PAYLOAD	VIFI or FI	\$9,460
L	520-1920	CANNOT BE USED WITH: No boom, stick less machin GRADE W/3D, ASSIST & PAYLOAD	0 VIFI or FI	\$47,280
GF	RADE SENS	SOR FOR BOOM		
L	527-5714	GRADE SENSOR, REACH BOOM	ne	NC
L	559-8612	GRADE SENSOR, VA BOOM	M-N CFG3	NC
GF	RADE SENS	SOR FOR STICK		
L	559-8621	GRADE SENSOR, R11'10" STICK	0	NC
L	516-9883	CANNOT BE USED WITH: No boom, stick less machin GRADE SENSOR, R9'6"/9'8" STICK	0	NC
PF	RODUCT LI	NKS		
L	594-9052	PROD LINK, PLE643/PLE743 RADIO	0	NC
		Product link radio package PLE643/PLE743 provideradio. When the radio is used in combination with a manager (to make a PLE643 system) or PL702 networks (to make a PLE743 system) hours, health, utilization information is collected and transmitted. The system support for remote services and other advanced feature INCLUDES: - RADIO MODULE, PL243 CELLULAR	PL602 network ork manager , and productivity also provides	

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

CANNOT BE USED WITH: 578-9808 GUARD, FALLING OBJECT (FOGS)

- WIRING, PRODUCT LINK ELITE

Effective 24MAY2022 326-019

326

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight lbs	LIST PRICE AT DEALER
TECH	INOLOGY F	PRODUCTS (CONT.)		
PF	RODUCT LI	NKS (Cont.)		
L	594-9054	PROD LINK, PLE643/PLE743 RADIO	0	NC
		Product link radio package PLE643/PLE743 provide radio. When the radio is used in combination with a manager (to make a PLE643 system) or PL702 network (to make a PLE743 system) hours, health, utilization information is collected and transmitted. The system support for remote services and other advanced feat INCLUDES: - RADIO MODULE, PL243 CELL FOGS - WIRING, PRODUCT LINK ELITE REQUIRES: 578-9808 GUARD, FALLING OBJECT (F	PL602 network ork manager , and productivity also provides ures.	
PF	RODUCT LI	NK NET WORK MANAGER		
L	555-7286	NETWORK MANAGER, STD	0	NC
		Network manager Std PLE602 collects hours, utilizar productivity information as well as provides support services and other advanced features. When paired veroduct Link radio this information as well location if for viewing in Product Link user applications.	for remote with a separate	
L	555-7287	ONLY FOR USE WITH: 516-0550 GRADE W/2D, NETWORK MANAGER, GRADE ADV		NC
		Network manager Grade Adv. PLE702 collects hours and productivity information as well as provides sup services and other advanced features. When paired we Product Link radio this information as well as location for viewing in Product Link user applications. ONLY FOR USE WITH: 520-1919 GRADE W/2D A 520-1920 GRADE W/3D,	port for remote with a separate on is transmitted ADV, ASSIST+PAYLOAD	
		CANNOT BE USED WITH: No boom, stick less, mach	ine	
GUAF				
BC	OTTOM GU	'ARD		
L	576-9456	GUARD, BOTTOM HD	M-N CFG1 M-N CFG2	\$2,040

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24MAY2022 326-020

USE	REF NO.	LANE 2 / 3 MANDATORY	Ship Weight Ibs	LIST PRICE AT DEALER
ОТНЕ	R ATTACH	HMENTS		
L	598-9149	COUNTERWEIGHT, 10,140LBS	-N CFG1 or	\$975
-	598-9150	618-5923 326 07D HEX JAF COUNTERWEIGHT, 16,310LBS	PAN CFG1 0 -N CFG1 or	\$1,585
NST	RUCTIONS			
FI	LMS EXTE	RIOR		
L	578-2910	FILM, EXTERIOR, ANSI	0	NC
FI	LMS INTER	RIOR		
-	573-4351	FILM, INTERIOR, ANSI		NC
FI	LMS, STIC	K WARNING		
L	567-3815	FILM, STICK WARNING, ANSI ONLY FOR USE WITH: 573-4351 DECALS, CAB, AN CANNOT BE USED WITH: QUEBEC DEALER No boom, stick less machine	ISI	NC
EΛ	MC FILM			
L	528-4738	FILM, EMC	0	NC
RO	OPS FILM			
L	610-6129	FILM, ROPS	-N CFG1 or -N CFG2 or PAN CFG1	NC
Ol	PERATION	& MAINTENANCE MANUAL		
	0P-3380	INSTRUCTIONS, ENGLISH	0	NC
	0P-3404	INSTRUCTIONS, SPANISH	0	NC
	0P-3404	INSTRUCTIONS, SPANISH	0	NC

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
INE (GROUPS			
HI	GH PRESS	URE AUXILIARY BOOM LINES		
L	527-2266	LINES, HP, REACH BOOM		\$1,380
		ONLY FOR USE WITH: 527-2203 BOOM, REACI		
		527-2204 BOOM, REACI CANNOT BE USED WITH: 597-3152 HYDRAULIC P 597-3153 HYDRAULIC P No boom	KG, NO TOOL W/O HL	
HI	GH PRESS	URE AUXILIARY STICK LINES		
-	245-2393	LINES, HP, R11'10" STICK	CACH BOOM or	\$1,320
	356-8152	CANNOT BE USED WITH: Stick less LINES, HP, R9'8" STICK		\$1,320
		ONLY FOR USE WITH: 527-2266 LINES, HP, RE 527-2205 BOOM, VA W/ and 527-2208 STICK, R2.95N 527-2209 STICK, R2.95N CANNOT BE USED WITH: Stick less	HP,MP,QC BM LINES M (9'8")	
M	EDIUM PRE	ESSURE CIRCUIT		
_	601-7880	CIRCUIT, 2 WAY MEDIUM	0	\$4,070
	601-8479	CANNOT BE USED WITH: 626-0399 326 07D HEX CIRCUIT, 2 WAY MEDIUM + VAB	0	\$4,070
M	EDIUM PRE	ESSURE AUXILIARY BOOM LINES		
L	527-2267	LINES, MP, REACH BOOM		\$1,525
		CANNOT BE USED WITH: No boom REQUIRED BY: 601-7880 CIRCUIT, 2 WAY MEDII and 527-2203 BOOM, REACH 5.9M (1 527-2204 BOOM, REACH 5.9M (1	9'4") or	
L	613-7627	LINES, MP, SLR BOOM	0	\$1,525

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

000 000

Effective 24MAY2022

326

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
LINE	GROUPS (CONT.)		
M	EDIUM PRE	SSURE AUXILIARY STICK LINES		
]	LINES, MP, R	3.6M (11'10") STICK is not available from the factory.		
L	372-9861	LINES, MP, R9'6" STICK	0	\$1,095
		ONLY FOR USE WITH: 372-9861 LINES, MP, I 527-2205 BOOM, VA V and 527-2208 STICK, R2.9 527-2209 STICK, R2.9 CANNOT BE USED WITH: Stick less	V/HP,MP,QC BM LINES 5M (9'8") or	
L	613-7628	CANNOT BE USED WITH Stick less LINES, MP, SLR STICK	0	\$1,050
LII	NES, SLCV	REACH BOOM		
L	527-2254	For reach boom CANNOT BE USED WITH: Super long reach VA boom config No boom 618-5917 326 07D HE REQUIRED BY: 527-2201 BOOM TUBE, EOU BE	X AM-N CFG1	NC
STAR	RTERS, BAT	TERIES, & ALTERNATORS		
L	516-5100	COLD STARTING, ETHER	0	\$410
L	339-7054	BLOCK HEATER, 120V	0	\$183
ELEC.	TRICAL			
L	578-1285	LIGHTS PKG, SURROUNDING 3D	0	\$760
L	592-6781		D, ASSIST & PAYLOAD	\$760
L	578-1286			\$760

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24MAY2022

326-023

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
OPE	RATOR ENV	TRONMENT		
A	DDITIONAL	10" GRADE MONITOR FOR 2D ADV AND	3D	
L	593-8077	MONITOR, 10" GRADE W/WIFI "Removable type" (Additional 10" GRADE MONITOR W/WIFI) CANNOT BE USED WITH: ISRAEL DEALERS REQUIRED BY: 520-1919 GRADE W/2D ADV, AS 520-1920 GRADE W/3D, ASSISTA	SIST&PAYLOAD or	NC
S	SUN SCREEN	I REAR		
L	488-6450	SUN SCREEN, REAR	FG RT or or	\$242
TEC	HNOLOGY P	PRODUCTS		
G	RADE SENS	SOR FOR SUPER LONG REACH BOOM & ST	TICK	
L	578-4571	GRADE SENSOR, SLR BOOM	0	\$12,000
L	578-4553	CANNOT BE USED WITH: No boom GRADE SENSOR, SLR STICK		NC
S	OFTWARE I	ENABLED FEATURES		
L	617-0334	JOYSTICK STEER + AUX RELAY PKGINCLUDES: - Aux Relay - Joystick Steer	0	\$1,195
L	560-2027	CAT TILTROTATOR SUPPORT		\$3,060

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24MAY2022

326

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
GUA	RDS			
C	AB GUARD	FOGS		
L	578-9808	GUARD, FALLING OBJECT (FOGS)	0	\$2,755 NET
ОТНІ	ER ATTACH	HMENTS		
L	576-9461	STORAGE TRAY	0	\$54
L	586-2947	CANNOT BE USED WITH: 601-7880 CIRCUIT, 2 WASTORAGE TRAY, MP	0	\$54
QUIC	K COUPLE	RS		
C	ONTROL, C	ac .		
L	517-4758	CONTROL, QC	circuit for Pin Grabber	\$1,005
Q	UICK COUP	PLER BOOM LINES		
L	527-2268	LINES, QC, REACH BOOM		\$1,500
		ONLY FOR USE WITH: 517-4758 CONTROL, QC and 527-2203 BOOM, REACH 527-2204 BOOM, REACH CANNOT BE USED WITH: No boom	H 5.9M (19'4") or	
0	IJICK COUR	PLER STICK LINES		
L	482-2864	LINES, QC, R11'10" STICK	CACH BOOM	\$1,170
L	253-6498	CANNOT BE USED WITH: Stick less LINES, QC, R9'8" STICK	CACH BOOM M (9'8") or	\$1,220

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24MAY2022

USE	REF NO.	LANE 2 /	3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
QUIC	K COUPLE	RS (CONT.)			
Q	UICK COUP	PLER - CAT PIN GRAB	BER (INSTALLED BUC	KET)	
L	455-3911	FOR USE WHEN ORDE Includes a Pin Grabber Includes(1) set of pins to For CB family bucket lin ONLY FOR USE WITH:	o attach the coupler to the st	PG PG VAB ACH BOOM 6M (11'10") STICK or 95M (9'8") STICK or 5M (8'2") STICK	\$11,444
Q	UICK COUP	PLER - CAT PIN GRAB	BER (NO BUCKET)		
L	455-3912	COUPLER, PG W/O PIN CB FOR USE WHEN "NOT" Includes a Pin Grabber Does NOT include spare For CB family bucket lin	ORDERING A BUCKET Coupler. (NO Pins) pins.	1,038	\$9,778
		ONLY FOR USE WITH:	517-4758 CONTROL, QC and 549-9536 LINES, DRAIN, 575-2746 LINES, DRAIN, and 527-2268 LINES, QC, RE	PG VAB	

BUCKETS

Bucket, Tip and side cutters can not be used with No boom and stick less machine.

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

AM-N DCA (LANE2/3)

CANNOT BE USED WITH: No boom, stick less machine

482-2864 LINES QC, R3.6M (11'10") STICK or 253-6498 LINES QC, R2.95M (9'8") STICK or 242-6494 LINES QC, R2.5M (8'2") STICK

Effective 24MAY2022

Grounds Equipment - Bid #ESCNJ 18/19-25

CATERPILLAR MACHINE PRICE LIST

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
BUC	KETS (CON	IT.)		
Н	EAVY DUT	Y (HD)		
	For use in ma	terials, such as mixed dirt, clay and rock. Aggressive ed for moderate abrasive applications.		
P	541-1746	BKT HD 36" 1.19YD3 CB		\$10,861
P	541-1747	BKT HD 42" 1.46YD3 CB	2,156	\$11,486
P	541-1748	BKT HD 47" 1.74YD3 CB	2,313	\$12,333
P	541-1750	BKT HD 54" 2.01YD3 CB	2,504	\$12,986
P	541-1752	BKT HD 60" 2.30YD3 CB	2,683	\$13,653
В	UCKETS - F	OR SUPER LONG REACH FRONT		
P	441-6077	BKTA DC 48" 0.74YD3 A FOR USE IN LANE 3 ONLY Ditch cleaning bucket INCLUDES: - 452-6069 BUCKET-DC - 443-4366 CUTTING EDGE, DITCH CLEANING Does not accept sidecutters or sidebar protectors		\$5,125
P	439-7300	ONLY FOR USE WITH: 620-3128 STICK, SUPER BKTA DC 60" 0.97YD3 (A)	1,005	\$5,778
P	452-6069	BKT DC 48" 0.74YD3 A		\$3,370 NET
Р	439-7338	BKT DC 60" 0.97YD3 A	838	\$5,278
T	IPS 100			
P	505-4103	TIP, PENETRATION PLUS ADVANSYS	28	\$157
T	IPS			
Р	443-4366	CUTTING EDGE, DITCH CLEANING		\$ 447 74 VD3)(A)
Р	443-4367	CUTTING EDGE, DITCH CLEANING	165	\$499

326

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
BUCKI	ETS (CON	IT.)		
SIE	ECUTTER	es		
Р	357-2698	SIDECUTTERS, HEAVY DUTY	108	\$1,306
FLUID	S			
LU	BRICANT			
	0P-2407	ANTIFREEZE, -50C (-58F)	0	\$318 NE
L	623-6180	COOLANT, COLD WEATHER		\$318 NE
		NOTE: CHECK AVAILABILITY FROM AKASHI FACTO	ORY FOR ADSD-N & JAF	PAN
ALTER	NATE SO	URCED ATTACHMENTS		
Availak	ole Through	ANTARES Parts Ordering System.		
	528-3279	KIT, RADIAL LOWER WIPER, 70/30	0	\$535 NI NE'
		For comfort or deluxe cab only		112
	528-3280	KIT, ELECTRIC PEDAL LH	0	\$1,585 NI NE'
		For tool control system		NE
	528-3281	KIT, ELECTRIC PEDAL RH	0	\$1,620 NI NE'
		For tool control system		112
	528-3282	KIT, DUAL EXIT REAR WINDOW	0	\$395 NI NE'
		For Canadian regulation		NE
	528-3283	KIT, RAIN PROTECTOR	0	\$385 NI NE
		Not compatible with FOGS and, full front windshield	l net/mesh	NE
		KIT, POLYCARBONATE ROOF HATCH		4000
	528-3289	MI, FULTUANDUNATE NOUF HATCH	0	
	528-3289	For comfort cab only	0	\$830 NI NE

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24MAY2022

326-028

326

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRIC	
ALTE	RNATE SO	URCED ATTACHMENTS (CONT.)			
	471-1990	KIT, SWIVEL GUARD HD	0	\$1,700	NI NET
	543-9825	KIT, SIDE RUBBER BUMPER	0	\$1,115	NI NET
	605-8365	KIT, FOGS	0	\$2,865	NI NET
	528-3292	KIT, MESH/NET GUARD, FULL	0	\$1,745	NI NET
	528-3293	KIT, MESH/NET GUARD, LOWER	0	\$337	NI NET
	486-5404	KIT, VANDALISM GUARD	0	\$1,480	NI NET
	593-3811	KIT, VISION RC INSTALL (HEX)	0	\$26,180	NI NET
Р	602-7891	AVAILABLE FOR: AM-N and JAPAN KIT, ON BOARD RC INSTALL (HEX)	0	\$10,580	NI NET
SERV	ICE PARTS				
	528-7420	SEATBELT 3" RETRACTABLE Service Part Mandatory for California and ANZ	0	\$98	NI NET
	487-3004	KEY FOB	0	\$50	NI NET

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24MAY2022

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight lbs	LIST PRICE AT DEALER
DOC	UMENTATIO	ON		
F	RONT LESS	FILM		
L	591-3890	FILM, OEM FRONTLESS		NC
PAC	KING			
S	STORAGE PR	ROTECTION		
	0G-4126	STORAGE PROTECTION (EXPORT)	Fluid Film TM, ded for corrosion periods. This	\$313 NET
A	DDITIONAL	STORAGE PROTECTION		
	OP-7563	STORAGE PROTECTION (EXPORT)	luid Film	\$46 NET
F	IXTURE - BO	DOM CYLINDER		
L	565-5813	FIXTURE, BOOM CYLINDER	0	NC
		NOTE: Mandatory for SLR		
F	IXTURE - BU	JCKET LINKAGE		
L	578-9964	FIXTURE, BUCKET LINKAGE CB		\$87 NET
		CANNOT BE USED WITH: 620-3128 STICK, SUPER	LONG REACH	
F	RONT LESS	PLUG - NO BOOM		
L	595-3212	PLUG, FRONT LESS STD	0	NC
L	564-9719	PLUG, OEM, FRONTLESS, QC SLCV		NC
L	564-9729	For No boom with Quick coupler circuit and/or SLC PLUG, OEM, FRONTLESS, MP		NC

Supersedes 23APR2022 Caterpillar: Confidential Green US-A D Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

326

USE	REF NO.	LANE 2 / 3 OPTIONAL	Ship Weight Ibs	LIST PRICE AT DEALER
	ING (CON	IT.) S OR STICK LESS PLUG		
L	564-9727	PLUG, HIGH PRESSURE LINES	0	NC
S7	TICK LESS	PLUG		
L	564-9720	PLUG, STICK LESS, STD	0	NC
L	564-9732	For stick less machine PLUG, OEM, BOOM ONLY, MP QC FOR USE IN LANE 3 ONLY For use with STICK, R3.6M with MP boom lines, select less machine with MP and/or QC lines When ordering both MP and QC, select 2 pcs		NC
EX	(PORT PAC	CKING		
	0G-4202	ROLL ON-ROLL OFF	0	\$149 NET
	0G-4209	ROLL ON-ROLL OFF W/O FRONT	0	\$74 NET
	0G-4210	ROLL ON-ROLL OFF W/O STICK	0	\$189 NET
	0P-7670	EXP,PACKING,SLR FRONT/BKT DISM	0	\$1,060 NET
	0G-4234	EXP,PKG, SLR BOOM/STK DISM	0	\$1,540 NET
PA	ACKING - N	IOT INSTALLED STICK CYLINDER		
	0P-6943	PKG, 326/330 STICK CYLINDER NI	0	\$408 NI
		FOR USE IN LANE 3 ONLY When ordering no boom and no stick with Not insta	alled stick cylinder	NET

Supersedes 23APR2022
Caterpillar: Confidential Green
US-A D

Subject to change without notice Printed in USA U. S. DOLLAR CURRENCY

Effective 24MAY2022